


Quality:	LANARO	Collection:	Fascination
Construction:	Woven loop pile	Pile material:	100 % wool
Backing:	latex-backed		



**Vorwerk & Co. Teppichwerke
GmbH & Co. KG**
 Kuhlmannstrasse 11
 D – 31785 Hameln
EN 14041: 2004

EN 1307



wearing class



comfort rating

Gauge / 10 cm	ca.	31	Pile inset weight g/m²	ca.	1250
Tufts / 10 cm	ca.	29	Total weight g/m²	ca.	3300
Points dm²	ca.	899	Total thickness	ca.	10,0
Pile thickness mm	ca.	6,0	Weight of pile material g/m²	ca.	960
			Pile density g/cm³	ca.	0,160

Fire rating	DIN EN 13501-1		E_{fl}						
Sound absorbtion	DIN EN ISO 354	Hz	125	250	500	1.000	2.000	4.000	
	verklebt	α_s	0,01	0,05	0,09	0,23	0,49	0,57	
Sound impact	DIN EN ISO 717-2		glued	Δ Lw	29 dB				

Fastness to water	DIN EN ISO 105-E 01	Colour-changes	N. 4
Fastness to light	DIN EN ISO 105-B 02		N. 5
Fastness to rubbing	DIN EN ISO 105-X 12		N. 4

In order to avoid change of measure we recommend a fixes laying (glued with dispersion adhesive). Laying manual: see current maintenance and laying manual. Because of permanent further development and improvement of quality change of technical data is reserved.