softwall + softblock modular system with LED lighting



molo

1470 Venables Street Vancouver, B.C.

Canada, V5L 2G7 t +1 604 696 2501 f +1 604 685 0342

info@molodesign.com www.molodesign.com

softwall + softblock modular system with LED lighting

molo introduces a new system of flexible LED lighting that integrates with our modular system of softwall + softblock to transform these elements into completely flexible, freestanding, glowing partitions. This luminous version of softwall + softblock emphasizes the visual delicacy of the translucent white textile fibre and makes the expansion, contraction and fluid movement of these freestanding soft structures all the more magical. (click here for a short film of a wall built from softblocks containing light)

softwall + softblock has been refined to become a truly modular system whereby the elements of various heights, materials and colours all connect to one another, simply and seamlessly, with concealed magnets to create continuous lengths - stretching as far as your imagination. The tactile experiential qualities of softwall + softblock are suited to shaping more intimate ephemeral areas within larger open spaces. And now, the element of light, softly glowing and contained within the flowing layers of softwall + softblock, can bring another expression and atmosphere to dim, moody environments. Spaces created to immerse in the dusky shadows of twilight and night.


As a light source, softwall + softblock provides the possibility to shape pure uncluttered sculptural environments using softwalls, softseating and softlighting. softwall + softblock has always provided a medium for shaping the acoustics and sunlight of a space in a flexible way. A way that can be tailored to a specific occasion and then compressed expanded and rearranged for other occasions. The cellular structure and vertical pleats that run the course of an expanded wall serve to dampen sound, while translucent or opaque versions of softwall + softblock can sculpt the ambient light of a space. Opening softwall + softblock is a playful engaging experience as the honeycomb expands to create a completely freestanding structure, hundreds of times larger than its compressed form. The efficiency of the structure allows for an incredible economy of material. The flexibility of the structure is pragmatic for compact portability and reshaping environments for contemporary living and working. You can choose to open any softwall or softblock element to the maximum 4.5 meter (15') length. Or you can choose to open it a shorter length to suit a particular occasion or space with the flexible LED ribbons of light adjusting to the changes in length and movement. softwall + softblock modular system includes a variety of standard and custom heights up to 3.05m (10') tall.



warm white



warm white



daylight white



daylight white

softwall + softblock modular system product dimensions material colour product code height x width modular softwall ships in box 1930 x 360 x 95mm (76" x 14.25" x 3.75") natural brown SWK-BR-6 brown paper 23.6kg (52lbs) kraft paper black paper 27.0kg (59lbs) SWK-BL-6 black SWT-WH-6 white textile 15.8kg (35lbs) textile white SWT-BL-6 black textile 17.8kg (39lbs) black lightweight paper SWL-WH-6 white 2440 x 455mm (8' x 18") ships in box 2540 x 515 x 95mm (100" x 20.25" x 3.75") white textile 28.0kg (61/bs) white SWT-WH-8 SWT-BL-8 black textile 31.5kg (69lbs) black lightweight paper white SWL-WH-8 modular custom up to 3050 x 455mm (10' x 18") ships in box 3175 x 515 x 95mm (125" x 20.25" x 3.75") height softwall white textile 34.5kg (76lbs) SWT-WH-C textile white SWT-BL-C SWL-WH-C black black textile 38.6kg (85lbs) lightweight paper white flexible LED ribbon 5 meter long with LED for softwall + softblock power supply LED daylight white SCA-LEDD 2.0kg (4lbs) warm white SCA-LEDW for white textile softwall + softblock 100 - 240 VAC

softwall + softblock modular system



product		dimensions height x width	material	colour	product code
modular softblocks 305mm(12") wide		305 x 305mm (1 * x 12*) shp in box 405 x 305 x Term (16* x 13* x 3*) box 405 x 305 x Term (16* x 13* x 3*) box paper x 436 (8bb) black paper x 436 (8bb) black paper x 436 (8bb) black textle 2 496 (8bb)	kraft paper textile lightweight paper	natural brown black white black white	SWK-BR-1-12 SWK-BL-1-12 SWT-WH-1-12 SWT-BL-1-12 SWL-WH-1-12
		610 x 305mm (2* x 12*) ships in box 710 x 300 x 75mm (28* x 13* x 3*) zovon paper 7 x 100 (16bs) block paper 8. 46 y (16bs) white treetie 4.69 y (10bs) block steetie 6.29 y (11bs)	kraft paper textile lightweight paper	natural brown black white black white	SWK-BR-2-12 SWK-BL-2-12 SWT-WH-2-12 SWT-BL-2-12 SWL-WH-2-12
	V	915 x 305mm (3' x 12") ships in box 1015 x 300 x 95mm (40" x 14.25" x 3.75") brown paper 11.5ig (26bbs) black paper 11.5ig (26bbs) with a testio 7.5ig (17bo) black testio 8.5ig (17bbs)	kraft paper textile lightweight paper	natural brown black white black white	SWK-BR-3-12 SWK-BL-3-12 SWT-WH-3-12 SWT-BL-3-12 SWL-WH-3-12
modular softblocks 455mm(18") wide		305 x 455mm (1" x 18") ships in box 465 x 455 x 15mm (6" x 19" x 3") box 405 x 457 (1 tha) block paper 6.06 (1 tha) block paper 6.06 (1 tha) block toutle 3.09 (800)	kraft paper textile lightweight paper	natural brown black white black white	SWK-BR-1-18 SWK-BL-1-18 SWT-WH-1-18 SWT-BL-1-18 SWL-WH-1-18
		610 x 455mm (2" x 18") ships in box 710 x 485 x 75mm (28" x 19" x 3") brown paper 10-48g (28bs) black paper 12-28g (27bs) whith testile 6 (8g (14bs) black testile 7-28g (16bs)	kraft paper textile lightweight paper	natural brown black white black white	SWK-BR-2-18 SWK-BL-2-18 SWT-WH-2-18 SWT-BL-2-18 SWL-WH-2-18
	£~- ⁻	915 x 455mm (3 x 18") silps nbox 1015 s 154 59mm (40" x 20.25" x 3.75") stone page 17. Ng (37ba) shaka page 18. Ng (47ba)	kraft paper textile heavyweight textile lightweight paper	natural brown black white black white white	SWK-BR-3-18 SWK-BL-3-18 SWT-W1-3-18 SWT-BL-3-18 SWT-WH-3-18H SWL-WH-3-18

softwall + softblock modular system accessories product dimensions material colour product code height x width cork magnetic pegs (set of 2) 150 x 40mm (6" x 1.5") natural 0.2kg (0.5lbs) steel discs small steel white 165mm (6.5") diameter 0.3kg (0.5lbs) medium steel white SCA-WSDM 300mm (11.75") diameter 0.8kg (2lbs) large 350mm (13.75") diameter steel white SCA-WSDL 1.0kg (2lbs)

steel base		300mm (11.75°) diameter 130mm (3°) height 38mm (1.5°) hole diameter ships in low 330's 330's 100mm (13° x 13° x 4°) 3.4g (78bg) hacod diameter included – steel base dissipmed to fit a salay source bodily.	steel	white	SCA-WBASE
steel anchor strips (set of 2)		small - for 1" increments 300 x 70mm (11.75" x 2.8") a.5kg (10a)	steel	white	SCA-WSSS
		medium - for 6' softwall 1800 x 70mm (71" x 2.8") 2.8kg (8lbs)	steel	white	SCA-WSSL
		large - for 8' softwall 2415mm x 70mm (95" x 2.8") 3.6ig (8bs)	steel	white	SCA-WSSX
sheets for window lintels		2740 x 1020 mm (9" x 40") sheet 2740 x 950 mm (9" x 37") sheet "plase note 2740mm (9") sheet allows for the maximum span that can be achieved with this technique	mylar/acetate kraft paper	clear brown	SCA-MYLAR SCA-KRAFT
clipping system (set of 10)		small magnets 13 x 6mm (0.5" x 0.25") 0.1kg (0.25ba)	steel + magnets	white silver	SCA-CLIPS
		large magnets 3 x 25mm (0.12" x 1") 0.26g (0.25bs)	steel + magnets	white silver	SCA-CLIPL
glass vase	IJ	180 x 40mm (7" x 1.5") 0.4kg (18bs)	glass	clear	SCA-GVASE