May 3, 2010 800-424-2432



Stack/Nesting Strive® General Information







Armless Chair (SNNAP)



Tablet Arm Chair (SNTAURH)

Oversize Tablet Arm Chair

Features				
Poly or upholstered seat	•	•	•	•
Flex back	•	•	•	•
Flip-up seat	•	•	•	•
Integral handle	•	•	•	•
Nesting	•	•	•	•
General Dimensions				
Seat width	17"	17"	17"	17"
Seat depth	18"	18"	18"	18"
Seat height (upholstered add 1")	16-1/2"	16-1/2"	16-1/2"	16-1/2"
Tablet to chair back clearance			14"	14"
Overall Dimensions				
Width	23"	23"	24"	24"
Depth	22-3/4"	22-3/4"	29"	32"
Height	33-3/4"	33-3/4"	33-3/4"	33-3/4"
Top of arm to floor	25-1/2"		28-1/4"	28-1/4"
Nesting (two chairs) (upholstered add 1")	28-1/2"	28-1/2"	34-3/4"	37-3/4"

Nesting - For each additional chair, add 5-3/4" (upholstered add 1")

SPECIFICATIONS

Seat and Backrest

Seat is two-piece construction of injection-molded polypropylene, reinforced with internal steel channels and assembled using hidden fasteners. The seat is available in a poly version or upholstered. For the upholstered version, molded urethane foam (1" depth) is applied to the seat board. Fabric is then upholstered over the foam using a drawstring process.

Backrest is injection-molded polypropylene with integral steel cantilever springs. The combination of the slotted polypropylene back and the spring steel provides a supportive flexing back. Springs are nominal 4.5mm diameter chrome silicon valve spring wire. Backrest is available poly only. Backrest has an integral molded "handle."

Seat flips up to allow chairs to nest for storage and transport.

Seat assembly and backrest are field replaceable.

Frame

The legs are 1" 13-gauge high-strength steel tubing. All frame joints are welded.

Frame Finishes

Baked-on electrostatically-applied $45^{\rm o}\,{\rm gloss}$ epoxy powder coating or bright nickel chrome plating.

Casters

Double wheels (60mm) of high-impact thermoplastic. High-impact plastic frame. Casters are always black. Carpet or hard floor.

Arm

Optional fixed-position T-arms are available. Arm supports are a continuation of the frame crossmember tube with injectionmolded polypropylene armcaps attached by screws.

Tablet Arm

An optional tablet arm is available on either the RH or LH side. When so equipped, the tablet arm support structure is a continuation of the frame crossmember tube. A formed steel hinge is welded to the top of the support structure and secured with screws to the underside of the writing surface. Writing surface for standard tablet is 9-1/2" x 20-3/4" x 12-1/2" and oversize tablet is 15-1/2 x 22-1/2 x 14" plywood core of 5/8" thick, 11-ply hardwood surfaced with .030" high-pressure laminate top and plain backer undersurface. Edges are lacquered and sealed.





Stack/Nesting Strive® Nesting Chairs

		MODEL	NUMBER	}					
	MODEL	Basic Model	Frame Color	Poly Seat & Back Color	Base	Upholstery Color	Approx. Packaged Weight	Delivered Pricing	Delivered Prici Fabric Grade 1 & C.O.M.
	Armless Chair with Poly Seat	SNNAP					23#	\$ 345	
SNP	• Flex back • Nests								
OW	Armless Chair with Upholstered Seat	SNNAU					23#	N/A	\$ 395
	Flex backNests								
	Nests								
SNU									
	Armchair with Poly Seat Flex back Nests	SNCAP					25#	\$ 392	
SNP									
SNP	Armchair with Upholstered Seat	SNCAU					25#	N/A	\$ 442
	Flex back Nests	0.10.10							V
SNU									
		A	3	•	•	(3			

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: • The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect frame color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select poly seat and back color Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select base (caster) option.

- Carpet casters

- Hard floor casters
- **E**Select upholstery grade/color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

INFORMATION

C.O.M. Upholstery

C.O.M. requirement for 10 chairs or less, either poly or upholstered, is .8 yards of 54" wide nondirectional fabric. For orders of 11 or more chairs and for complete information on ordering C.O.M., see "Ordering C.O.M., C.O.V. and C.O.L." section.



Stack/Nesting
Strive® Nesting Chairs

Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing Vinyl Group 2	Delivered Pricing C.O.V.	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
Φ 410	D 400	0 400	Ф 205	Ф AF7	ф. 474	Φ 404	Φ ΕΩΕ
\$ 418	\$ 428	\$ 428	\$ 395	\$ 457	\$ 474	\$ 491	\$ 505
\$ 465	\$ 475	\$ 475	\$ 442	\$ 504	\$ 521	\$ 538	\$ 552
Ψ 100	4 110	4 170	Ψ 112	Ψ 551	Ψ 021	\$ 555	Ψ 002

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b. Green Bay, Wisconsin 54302 factory. Freight class #125.

Specifications and prices are subject to change without prior notice.

Stack/Nesting Strive® Nesting Chairs

		MODEL NUMBER							
	MODEL	Basic Model	Frame Color	Poly Seat & Back Color	Base	Upholstery Color	Approx. Packaged Weight	Delivered Pricing	
	Tablet Arm Chair with Poly Seat	SNTAPRH					28#	\$ 491	
	• Flex back • Nests	SNTAPLH					28#	491	
SNP		ONTALIBLE					00."	N/A	
	Tablet Arm Chair with Upholstered Seat	SNTAURH					28#	N/A N/A	
	Flex back	SNTAULH			Ш		28#	IV/A	
	Nests								
SNU									
	Oversize Tablet Arm Chair with Poly Seat	SNOVTAPRH					0#	\$ 541	
		SNOVTAPLH					0#	541	
	Flex backNests								
	- 100313								
g									
U D									
SNP		SNOVTAURH					0#	N/A	
	Oversize Tablet Arm Chair with Uphol- stered Seat	SNOVTAURH					0#	N/A N/A	
	Flex back	SNOVIAULH					0#	N/A	
	Nests								
SNU									
		A	3	Θ	D	•			

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: • The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- **B**Select frame color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select poly seat and back color Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select base (caster) option.

- Carpet casters - Hard floor casters

• Select upholstery grade/color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

INFORMATION

C.O.M. Upholstery

C.O.M. requirement for 10 chairs or less, either poly or upholstered, is .8 yards of 54" wide nondirectional fabric. For orders of 11 or more chairs and for complete information on ordering C.O.M., see "Ordering C.O.M., C.O.V. and C.O.L." section.



Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing Vinyl Group 2	Delivered Pricing C.O.V.	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
					·	·	·	·
Φ. 544	* 504	A 574	A 574	A 544	Φ 000	Φ 000	Φ 007	Φ 054
\$ 541 541	\$ 564 564	\$ 574 574	\$ 574 574	\$ 541 541	\$ 603 603	\$ 620 620	\$ 637 637	\$ 651 651
\$ 591	\$ 614	\$ 624 624	\$ 624	\$ 591	\$ 653	\$ 670	\$ 687	\$ 701 701
591	614	024	624	591	653	670	687	701

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b. Green Bay, Wisconsin 54302 factory. Freight class #125.

Specifications and prices are subject to change without prior notice.

ΚI 1330 Bellevue Street P.O. Box 8100 Green Bay, Wisconsin 54302-8100 1-800-424-2432 www.ki.com KI is a registered trademark of Krueger International, Inc. © 2010 KI All Rights Reserved.

Litho in USA. KI-11549/KI/PDF/410