

Wood Awning Window

(rev. 6.5.06)

Copyright © 2006 by Pacific Architectural Millwork

All rights reserved. No part of this manual may be reproduced or transmitted in any form or by any means without permission by Pacific Architectural Millwork.



Wood Awning Window

Section Contents

| Product Overview | 2 |
|--------------------|---|
| Exterior Elevation | |
| Vertical Section | |
| Plan Section | |
| Head Detail | |
| Sill Detail | |
| Jamb Detail | |



Product Overview



Introduction

The wood awning window opens from the bottom, rather than from the sides, lending a unique touch to your opening and providing gentle circulation in places where a traditional casement is not desired. The same hardware can be used to create a "hopper" configuration, which vents from the top. Our awning is available with the same types of options as the casement, including screens, specialty hardware, and exterior trim. Custom glazing and grille patterns add a decorative look or maximum performance.

Hardware Options

The wood awning window is equipped with stainless-steel hardware standard, which is suitable for coastal applications. Hardware is available in your choice of finishes:

- Polished Brass
- Matte Black
- Oil-Rubbed Brass
- White
- Brushed Chrome
- Satin Nickel
- Antique Brass
- Polished Chrome

Custom hardware and handles are available.

Glazing Options

Standard glazing for the wood awning window uses 5/8" overall insulated glass. Custom glazing and tinted glass are also available.

We offer both Contemporary and Traditional edge details.

See the General Info section for more details.

Wood Species

Our standard wood species are the following:

- Pine
- Vertical Grain Douglas Fir
- Mahogany

Alternative and exotic wood species are also available.

Other Options

The wood awning can also be made in special shapes and configurations, and with simulated- or true-divided lite patterns. Contact Pacific Architectural Millwork for additional options and customization.


Product Parameters:

| Min Height: | 12" |
|-------------------|---------|
| Max Height: | 32" |
| Min Width: | 18" |
| Max Width: | 72" |
| Min. Stile Width: | 2 3/4" |
| Min. Jamb Depth: | 4 9/16" |

.




Exterior Elevation





Vertical Section



NOTE: SHOWN WITH OPTIONAL SCREEN




Plan Section

INTERIOR R.O. **SHIM** FRAME WIDTH EXTERIOR

NOTE: SHOWN WITH OPTIONAL SCREEN




NOTE: SHOWN WITH OPTIOAL SCREEN





Sill Detail




INTERIOR

NOTE: SHOWN WITH OPTIONAL SCREEN



Jamb Detail



NOTE: SHOWN WITH OPTIONAL SCREEN