

Wood French Casement Window

(rev. 6.21.06)

Copyright © 2006 by Pacific Architectural Millwork

All rights reserved. No part of this manual may be reproduced or transmitted in any form or by any means without permission by Pacific Architectural Millwork.



Wood French Casement Window

Section Contents

| Product Overview | 2 |
|-----------------------|----|
| Exterior Elevation | 3 |
| Vertical Section | |
| Plan Section | 5 |
| Head Detail | 6 |
| Sill Detail (1) | |
| Sill Detail (2) | |
| Jamb Detail | (|
| Joining Stiles Detail | |
| Muntin Bar Detail | 11 |

(rev. 6.21.06)



Product Overview



Introduction

By removing the center vertical mullion between a pair of casement windows, the wood French casement allows for unobstructed views and maximum light visibility. Select from the wide range of options and features that are available for our standard casement window, or remove the handle and use friction hardware and latches for an old world style. Pacific Architectural Millwork also offers custom glazing and grille patterns for a decorative touch.

Hardware Options

The wood French casement window comes with stainless-steel hardware standard, which is suitable for coastal applications. Hardware is available in your choice of finishes:

- Polished Brass
- Matte Black
- Oil-Rubbed Brass
- White
- Brushed Chrome
- Satin Nickel
- Antique Brass
- Polished Chrome

Custom hardware and handles are available.

Glazing Options

Standard glazing for the wood French casement window uses 5/8" overall insulated glass. Custom glazing and tinted glass are also available.

We offer two different edge details:

- Contemporary
- Traditional

See the General Info section for more details.

Wood Species

Our standard wood species are the following:

- Pine
- Vertical Grain Douglas Fir
- Mahogany

Alternative and exotic wood species are also available.

Other Options

The wood French casement is also available with decorative true-divided or simulated-divided lites and brick or stucco exterior moulding. Contact Pacific Architectural Millwork for additional options.


Product Parameters:

| Min Height: | 18" |
|-------------------|--------|
| Max Height: | 72" |
| Min Width: | 24" |
| Max Width: | 64" |
| Min. Stile Width: | 2 3/4" |
| Min. Jamb Depth: | 4 % " |

(rev. 6.21.06)




Exterior Elevation






Vertical Section






Plan Section



(rev. 6.21.06)




Head Detail






Sill Detail (1)






Sill Detail (2)






Jamb Detail





Joining Stiles Detail

INTERIOR



EXTERIOR



Muntin Bar Detail

