

Specifications

Buy it for looks. Buy it for life.®

FAUCET DESCRIPTION

- Metal construction with chrome plated, LifeShine® brushed nickel or oil rubbed bronze finish
- Includes four single-function body sprays
- Includes 7" rainshower showerhead, arm and flange
- Includes four function hand shower with 69" hose assembly, drop ell and slide bar

OPERATION

- Flow lever operates counterclockwise through a 90° arc with off at 6 o'clock and maximum flow at the 3 o'clock position. Shut off in clockwise direction
- Temperature lever operates through a 340° arc with maximum cold at full clockwise rotation and maximum hot at full counterclockwise rotation
- Safety stop preset temperature at 105°F (4°C)
- Safety stop override allows maximum temperature at 120°F (49°C)
- Factory established temperature range from 70°F (21°C) to 120°F (49°C)
- Showerhead, bodysprays and handshower are limited to 2.5 gpm (9.5 L/min)

CARTRIDGE


- 30156 thermostatic cartridge design with non metallic/nonferrous materials
- 130157 volume ceramic disc cartridge design

STANDARDS

 Third party certified to meet CSA B-125, ASME A112.18.1M and all applicable requirements referenced therein including ASSE1016

WARRANTY


- Lifetime limited warranty against leaks, drips and finish defects to the original consumer purchaser
- 5 year warranty if used in commercial installations



MOEN®
3/4" Thermostatic Vertical Spa

Models: 275, 275BN, 275ORB

Valve Models: 3371, 3600 (Sold separately)



(DO NOT SCALE)



DESCRIPTION

 Metal construction with a chrome plated, LifeShine[®] Brushed Nickel, Antique Nickel, Wrought Iron, Pewter or Oil Rubbed Bronze finish

OPERATION

Lever style handle operation

STANDARDS

 Third party certified by CSA to meet CSA B-125, ASME A112.18.1M and all applicable requirements referenced therein

WARRANTY

- Lifetime limited warranty against leaks, drips and finish defects to the original consumer purchaser
- 5 year warranty if used in commercial installations


Specifications




MOEN® Single Function Flow Valve Trim

Models: TL3600, TL3600BN, TL3600AN, TL3600WR, TL3600PW, TL3600ORB

Valve: 3600





CRITICAL DIMENSIONS

(DO NOT SCALE)



FAUCET DESCRIPTION

- Metallic spray face and shell
- Brass swivel ball assembly
 Available in chrome plated, LifeShine Polished Brass,
 Satine, Antique Nickel, Oil Rubbed Bronze, Classic Gold
 Nickel, Brushed Nickel, LifeShine Brushed Bronze, Platinum, Wrought Iron or Pewter finish

OPERATION

Single spray function

FLOW

Designed to deliver 2.5 gpm max (9.5 L/min) at 80 psi


STANDARDS

Designed and manufactured to comply with the requirements of: CSA B125 and ASME A112.18.1M and all requirements referenced therein

WARRANTY

Warranted for one year against material or manufacturing defects


Specifications




Small Single Function Body Spray

Models: A501, A501P, A501PM, A501AN, A501BN, A501BB, A501ST, A501CG, A501NL, A501ORB, A501WR, A501PW

A501 Series





CRITICAL DIMENSIONS

(DO NOT SCALE)

FOR MORE INFORMATION CALL: 1-800-BUY-MOEN

www.moen.com



Specifications

DESCRIPTION

- Handheld shower (non-metallic)
- 69" double interlock spiral hose (metal)
- Vacuum breaker
- 30" slide bar with push button height selection
- Available in chrome, Lifeshine brushed nickel or oil rubbed bronze finish

OPERATION

- 4-Function massage, vigorous, full and combination: rotate outer ring to select
- Wall bracket rotates to adjust angle of hand shower

FLOW


Designed to deliver 2.5 gpm (9.5 L/min) at 60 psi

STANDARDS

 Designed and manufactured to comply with the requirements of: CSA B125, ASME A112.18.1M and ASSE 1014 and all applicable specifications referenced therein


WARRANTY

Warranted for one year against material or manufacturing defects



4-Function Massaging Handshower w/Slide Bar & Bracket

Models: 3844, 3844BN, 3844ORB



CRITICAL DIMENSIONS

(DO NOT SCALE)

FOR MORE INFORMATION CALL: 1-800-BUY-MOEN

www.moen.com



Specifications

DESCRIPTION

 Metal construction with a chrome plated, antique nickel, brushed nickel, classic gold, platinum, satine, wrought iron, polished brass, nickel brushed bronze, pewter or glacier finish


WARRANTY

• Warranted for one year against material or manufacturing defects



DROP ELL

Models: A725, A725P, A725W, A725ORB, A725WR, A725AN, A725BB, A725BN, A725CG, A725PM, A725ST, A725NL, A725PW



CRITICAL DIMENSIONS

(DO NOT SCALE)