


Keyboard Measurements

KnollExtra 02/08/08

Platforms

	Width (A)	Depth (B)	Height (C)	Weight
Romeo and Juliet	20.25" Mouse Closed	12.50" Mouse Closed	2.25"	6.8 lbs
	28" Mouse Open	17.25" Mouse Open		
Prospero	26.25"	11.50"	2"	6.5 lbs
Act I	26.75"	11.50"	1.44" Wood	3.2 lbs
			1.31" Phenolic	4.0 lbs
Act II	19" Mouse Closed	11.50" Mouse Closed	1.69"	3.2 lbs
	27.25" Mouse Open	14.75" Mouse Open		













Note: Act II available with mouse platform(s) on left-hand side or both sides.



Keyboard Measurements

KnollExtra 02/08/08



Mechanisms

	Width (A)	Depth (B)	Height (C)	Weight	Plan	Side Elevation
Short Easy Lift	8.03"	13.23"	3.38"	6.4 lbs		
Short Easy Lift with pivot	8.03"	14.42"	3.38"	7.9 lbs		
Easy Lift	8.03"	15.22"	3.38"	7.0 lbs		
Easy Lift with pivot	8.03"	16.41"	3.38"	8.5 lbs		
Sit/Stand	8.03"	17.72"	3.75"	8.6 lbs		
Sit/Stand with pivot	8.03"	18.91"	3.75"	10.1 lbs		

Keyboard Measurements

KnollExtra 02/08/08


Adjustments

	Height Above	Height Below	Tilt	Tilt	Rotation	Pivot
	Underside of Worksurface	Underside of Worksurface	Positive	Negative		
Short Easy Lift	1.06"	3.20"	0°	15°	360°	n/a
Short Easy Lift with pivot	1.53"	2.73"	0°	15°	360°	Varies by platform
Easy Lift	2.83"	4.21"	0°	15°	360°	n/a
Easy Lift with pivot	3.30"	4.69"	0°	15°	360°	Varies by platform
Sit/Stand	6.40"	5.17"	0°	15°	360°	n/a
Sit/Stand with pivot	6.88"	4.75"	0°	15°	360°	Varies by platform

Keyboard Measurements

KnollExtra 02/08/08

Romeo and Juliet Configurations

	Available Track length(s)	Config Depth	Recommended mounting surfaces			
			Straight	L-shaped	Angled corner 16.94" min. front edge	Radiused corner 12" min. radius
						
Short Easy Lift OAK-RJ-SL2-BK-(16, 18, 22, 23, 25)	16.00"/17.75"/ 21.63"/22.63"/25.00"	19.62"	Yes	No	Yes**	Yes
Short Easy Lift with pivot OAK-RJ-SL2-BK-PT-(16, 18, 22, 23, 25)	16.00"/17.75"/ 21.63"/22.63"/25.00"	20.81"	Yes	Yes	Yes**	Yes
Easy Lift OAK-RJ-EL2-BK-(16, 18, 22, 23, 25)	16.00"/17.75"/ 21.63"/22.63"/25.00"	21.62"	Yes	No	Yes	Yes
Easy Lift with pivot OAK-RJ-EL2-BK-PT-(16, 18, 22, 23, 25)	16.00"/17.75"/ 21.63"/22.63"/25.00"	22.81"	Yes	Yes	Yes	Yes
Sit/Stand OAK-RJ-SS2-BK-(16, 18, 22, 23, 25)	16.00"/17.75"/ 21.63"/22.63"/25.00"	24.12"	Yes	No	Yes	Yes
Sit/Stand with pivot OAK-RJ-SS2-BK-PT-(16, 18, 22, 23, 25)	16.00"/17.75"/ 21.63"/22.63"/25.00"	25.31"	Yes	Yes	Yes	Yes

* Will work if mounted on left side work surface.

** Configuration limits forward range of mouse platform.





Note: Pivot adds 1.19" to configuration depth.

Knoll

Keyboard Measurements

KnollExtra 02/08/08





Prospero Configurations

	Available Track length(s)	Config Depth	Recommended mounting surfaces			
			Straight	L-shaped	Angled corner	Radiused corner
					16.94" min. front edge	12" min. radius
				N/A		
Short Easy Lift OA-K-PR-SL2-BK-(16, 18, 22, 23, 25)	16.00"/17.75"/ 21.63"/22.63"/25.00"	20.39"	Yes	No	No	No
Short Easy Lift with pivot OA-K-PR-SL2-BK-PT-(16, 18, 22, 23, 25)	16.00"/17.75"/ 21.63"/22.63"/25.00"	21.58"	Yes	No	No	No
Easy Lift OA-K-PR-EL2-BK-(16, 18, 22, 23, 25)	16.00"/17.75"/ 21.63"/22.63"/25.00"	22.39"	Yes	No	Yes	Yes
Easy Lift with pivot OA-K-PR-EL2-BK-PT-(16, 18, 22, 23, 25)	16.00"/17.75"/ 21.63"/22.63"/25.00"	23.58"	Yes	No	Yes	Yes
Sit/Stand OA-K-PR-SS2-BK-(16, 18, 22, 23, 25)	16.00"/17.75"/ 21.63"/22.63"/25.00"	24.89"	Yes	No	Yes	Yes
Sit/Stand with pivot OA-K-PR-SS2-BK-PT-(16, 18, 22, 23, 25)	16.00"/17.75"/ 21.63"/22.63"/25.00"	26.08"	Yes	No	Yes	Yes

Keyboard Measurements

KnollExtra 02/08/08

Act I Configurations

	Available Track length(s)	Config Depth	Recommended mounting surfaces			
			Straight	L-shaped	Angled corner 16.94" min. front edge	Radiused corner 12" min. radius
				N/A		
Short Easy Lift OAK-A1-W/P-SL2-BK-(16, 18, 22, 23, 25)	16.00"/17.75"/ 21.63"/22.63"/25.00"	20.65"	Yes	No	Yes*	No (9.5" radius required)
Short Easy Lift with pivot OAK-A1-W/P-SL2-BK-PT-(16, 18, 22, 23, 25)	16.00"/17.75"/ 21.63"/22.63"/25.00"	21.84"	Yes	No	Yes*	No (9.5" radius required)
Easy Lift OAK-A1-W/P-EL2-BK-(16, 18, 22, 23, 25)	16.00"/17.75"/ 21.63"/22.63"/25.00"	22.65"	Yes	No	Yes	No** (12.5" radius required)
Easy Lift with pivot OAK-A1-W/P-EL2-BK-PT-(16, 18, 22, 23, 25)	16.00"/17.75"/ 21.63"/22.63"/25.00"	23.84"	Yes	No	Yes	No** (12.5" radius required)
Sit/Stand OAK-A1-W/P-SS2-BK-(16, 18, 22, 23, 25)	16.00"/17.75"/ 21.63"/22.63"/25.00"	25.15"	Yes	No	Yes	Yes (27" radius required)
Sit/Stand with pivot OAK-A1-W/P-SS2-BK-PT-(16, 18, 22, 23, 25)	16.00"/17.75"/ 21.63"/22.63"/25.00"	26.34"	Yes	No	Yes	Yes (27" radius required)


* For rounded/shaped worksurface profiles, the SL may not work in an angled corner with a 16.94" front edge.

** For square profile worksurfaces, with the track pulled forward to the front lower edge, EL will work in an 11.50" radius corner.

Keyboard Measurements

KnollExtra 02/08/08

Act II Configurations

	Available Track length(s)	Config Depth	Recommended mounting surfaces			
			Straight	L-shaped	Angled corner	Radiused corner
 <p>Note: Available with 1 or 2 mouse pads (shown here with 2)</p>					16.94" min. front edge	12" min. radius
Short Easy Lift 1 mouse pad OAK-A2-P-1-SL2-BK-(16, 18, 22, 23, 25) 2 mouse pads OAK-A2-P-2-SL2-BK-(16, 18, 22, 23, 25)	16.00"/17.75"/ 21.63"/22.63"/25.00"	24.15"	Yes	No	Yes	No (16" radius required)
Short Easy Lift with pivot 1 mouse pad OAK-A2-P-1-SL2-BK-PT-(16, 18, 22, 23, 25) 2 mouse pads OAK-A2-P-2-SL2-BK-PT-(16, 18, 22, 23, 25)	16.00"/17.75"/ 21.63"/22.63"/25.00"	25.35"	Yes	No	Yes	No (16" radius required)
Easy Lift 1 mouse pad OAK-A2-P-1-EL2-BK-(16, 18, 22, 23, 25) 2 mouse pads OAK-A2-P-2-EL2-BK-(16, 18, 22, 23, 25)	16.00"/17.75"/ 21.63"/22.63"/25.00"	26.15"	Yes	No	Yes	Yes
Easy Lift with pivot 1 mouse pad OAK-A2-P-1-EL2-BK-PT-(16, 18, 22, 23, 25) 2 mouse pads OAK-A2-P-2-EL2-BK-PT-(16, 18, 22, 23, 25)	16.00"/17.75"/ 21.63"/22.63"/25.00"	27.35"	Yes	No	Yes	Yes
Sit/Stand 1 mouse pad OAK-A2-P-1-SS2-BK-(16, 18, 22, 23, 25) 2 mouse pads OAK-A2-P-2-SS2-BK-(16, 18, 22, 23, 25)	16.00"/17.75"/ 21.63"/22.63"/25.00"	28.65"	Yes	No	Yes	Yes
Sit/Stand with pivot 1 mouse pad OAK-A2-P-1-SS2-BK-PT-(16, 18, 22, 23, 25) 2 mouse pads OAK-A2-P-2-SS2-BK-PT-(16, 18, 22, 23, 25)	16.00"/17.75"/ 21.63"/22.63"/25.00"	29.85"	Yes	No	Yes	Yes

* Configuration limits forward range of mouse platform.

