


## Mosaic<sup>®</sup> 2.0



**ORDERING OPTION CODES** (OVER)

ORDERING OPTION CODES

WOOD FINISHSET #1

|                                     |       |
|-------------------------------------|-------|
| SELECT VENEERS—                     |       |
| NATURAL PLAIN SLICED CHERRY VENEERS |       |
| Medium Brown Cherry                 | NC215 |
| Cinnamon Cherry                     | NC260 |
| Espresso Cherry                     | NC498 |
| Dark Red Cherry                     | NC511 |
| Medium Red Cherry                   | NC512 |
| Light Cherry                        | NC701 |
| Burnished Cherry                    | NC777 |
| NATURAL PLAIN SLICED MAPLE VENEERS  |       |
| Natural Maple                       | NE800 |
| Honey Maple                         | NE873 |

|                                 |       |
|---------------------------------|-------|
| EXOTIC VENEERS—WORKSURFACE ONLY |       |
| NATURAL RIBBON CUT SAPELE       |       |
| Medium Brown Cherry             | NN215 |
| Cinnamon Cherry                 | NN260 |
| Espresso Cherry                 | NN498 |
| Dark Red Cherry                 | NN511 |
| Medium Red Cherry               | NN512 |
| Light Cherry                    | NN701 |
| Burnished Cherry                | NN777 |

|                            |       |
|----------------------------|-------|
| NATURAL QUARTER CUT ANEGRE |       |
| Medium Brown Cherry        | NA215 |
| Cinnamon Cherry            | NA260 |
| Espresso Cherry            | NA498 |
| Dark Red Cherry            | NA511 |
| Medium Red Cherry          | NA512 |
| Light Cherry               | NA701 |
| Burnished Cherry           | NA777 |

|                                   |       |
|-----------------------------------|-------|
| NATURAL ROTARY CUT BIRDSEYE MAPLE |       |
| Natural Maple                     | NB800 |
| Honey Maple                       | NB873 |

|                                      |       |
|--------------------------------------|-------|
| NATURAL QUARTER CUT ENGLISH SYCAMORE |       |
| Natural Maple                        | NY800 |
| Honey Maple                          | NY873 |

WOOD FINISHSET #2

|                                     |       |
|-------------------------------------|-------|
| SELECT VENEERS—                     |       |
| NATURAL PLAIN SLICED CHERRY VENEERS |       |
| Medium Brown Cherry                 | NC215 |
| Cinnamon Cherry                     | NC260 |
| Espresso Cherry                     | NC498 |
| Dark Red Cherry                     | NC511 |
| Medium Red Cherry                   | NC512 |
| Light Cherry                        | NC701 |
| Burnished Cherry                    | NC777 |

|                                    |       |
|------------------------------------|-------|
| NATURAL PLAIN SLICED MAPLE VENEERS |       |
| Natural Maple                      | NE800 |
| Honey Maple                        | NE873 |

COLUMN COLOR

|                 |    |
|-----------------|----|
| Column - Silver | CS |
| Column - Black  | CB |

HARDWARE COLOR

|        |    |
|--------|----|
| Black  | BK |
| Silver | SV |

PULLS

|                   |     |
|-------------------|-----|
| Arch - Silver     | ARS |
| Arch - Black      | ARB |
| Crescent - Silver | CRS |
| Crescent - Black  | CRB |

LOCKS

|       |              |    |
|-------|--------------|----|
| Locks | yes (+\$158) | LY |
| Locks | no           | LN |

KEYING

|                       |    |
|-----------------------|----|
| Field Installed Locks | FL |
|-----------------------|----|

|   |     |
|---|-----|
| Factory-installed<br>Random Key Numbers |     |
| Silver                                  | RMS |
| Black                                   | RMB |

|   |                 |
|---|-----------------|
| Factory-installed<br>Designated Key Numbers |                 |
| Specify a number between:                   |                 |
| Silver                                      | 100TAS - 150TAS |
| Black                                       | 100TA - 150TA   |

TASKLIGHT CORD GROMMET

|                   |    |
|-------------------|----|
| VSU Grommet - Yes | WY |
| VSU Grommet - No  | WN |

MODESTY PANEL HEIGHT

|                                 |    |
|---------------------------------|----|
| Full Height Modesty (add \$595) | MY |
| 9" Quarter Height Modesty       | MQ |

EDGE, PULLS + FINISHES



EDGE DETAIL

A. ERGONOMIC EDGE









PULLS

- A. ARCH - SILVER  
B. ARCH - BLACK
- C. CRESCENT - SILVER  
D. CRESCENT - BLACK



FINISHES ON CHERRY AND MAPLE

|                        |     |                     |     |
|------------------------|-----|---------------------|-----|
| A. MEDIUM BROWN CHERRY | 215 | F. LIGHT CHERRY     | 701 |
| B. CINNAMON CHERRY     | 260 | G. BURNISHED CHERRY | 777 |
| C. ESPRESSO CHERRY     | 498 | H. NATURAL MAPLE    | 800 |
| D. DARK RED CHERRY     | 511 | I. HONEY MAPLE      | 873 |
| E. MEDIUM RED CHERRY   | 512 |                     |     |



**GENERAL INFORMATION**

|   |         |
|---|---------|
| Conditions of sale.....                   | 2       |
| GSA terms & conditions.....               | 3-4     |
| Warranty.....                             | 5       |
| Delivery information.....                 | 6       |
| Veneers & Finishes.....                   | 7       |
| Edge detail & pull options.....           | 8       |
| Filing & keying.....                      | 9-11    |
| Wire management.....                      | 12-17   |
| Modesty and wire access panels.....       | 18-24   |
| Mosaic 2.0 produce reference.....         | 26-57   |
| Nomenclature.....                         | 26      |
| How to use this price guide.....          | 27      |
| Technical specifications.....             | 28-30   |
| Height reference.....                     | 31      |
| Product reference.....                    | 32-48   |
| Specification sequence.....               | 49-54   |
| Specification tips.....                   | 55      |
| Standard product modifications.....       | 56-57   |
| Typicals.....                             | 60-71   |
| Unitized Casegoods.....                   | 74-107  |
| Conferencing core units.....              | 74-75   |
| Extended technology corners.....          | 76      |
| Technology corners.....                   | 77      |
| Arced core units.....                     | 78-81   |
| Linear core units.....                    | 82-87   |
| Solo core shell units.....                | 88      |
| Core terminators.....                     | 89      |
| Desking returns.....                      | 90-91   |
| Storage returns.....                      | 92-97   |
| Conferencing returns.....                 | 98-99   |
| Double pedestal desks.....                | 100-101 |
| Single pedestal desks.....                | 102-103 |
| Storage credenzas.....                    | 104     |
| Double pedestal credenzas.....            | 105     |
| Round tables and bases.....               | 106-107 |
| Storage Units.....                        | 110-121 |
| Modular pedestal and mobile pedestal..... | 110     |
| Intermediate support panel.....           | 111     |
| Lateral files.....                        | 112-113 |
| Storage cabinets.....                     | 113     |
| Bookcases.....                            | 114     |
| Desk mount terminators.....               | 115     |
| Closets.....                              | 116-117 |
| Storage box units.....                    | 118-119 |
| Linear paper managers.....                | 120     |
| Vertical paper managers.....              | 121     |
| Overhead storage cabinets.....            | 122-146 |
| Surface mount single height cabinets..... | 122-125 |
| Surface mount double height cabinets..... | 126-129 |
| Single height towers.....                 | 130-132 |
| Double height towers.....                 | 133-135 |
| Wall mount single height cabinets.....    | 136-139 |
| Wall mount double height cabinets.....    | 140-143 |
| Tackboards - surface mount.....           | 144     |
| Tackboards - wall mount.....              | 145     |
| Tasklights.....                           | 146     |
| Accessories.....                          | 147-149 |
| Sample kits.....                          | 150-152 |
| Weights, cubes & # of locks.....          | 154-159 |

**INTRODUCTION**

The Gunlocke Company is dedicated to providing the finest products and service possible. This price list reflects that commitment. Included is a current listing of our casegood models.

Seating and Lounge are presented in a separate price list. Contact your Gunlocke Customer Services Representative for more information, (800) 828-6300.

Designed for easy use, each page of this price list, and the inside front cover fold out provide all information required to order a product correctly. Should additional information be needed, contact your Gunlocke customer service representative.

**PRICING**

Prices shown cover standard product specifications. Any changes or alterations, other than those listed, will be subject to an additional charge. Prices include carton-ing and freight. Authorization and pricing must be secured in advance for orders or contracts calling for large quantities, indefinite quantities, or extended delivery dates. Prices are subject to change without notice; the most current prices are published on <http://www.gunlocke.com>.

**ORDERING**

To expedite order entry and to assure proper service, email or fax all orders directly to:

**The Gunlocke Company**

Attn: Order Entry  
One Gunlocke Drive  
Wayland, New York 14572  
585-728-5111

585-728-8350 FAX  
800-828-6300

[www.gunlocke.com](http://www.gunlocke.com)

Gunlocke will not be responsible for duplicate orders if purchase orders are left unmarked.

**ACKNOWLEDGEMENT**

Each order will be acknowledged by Gunlocke. Customers should check each acknowledgement for accuracy and immediately notify Gunlocke of any discrepancies. The printed acknowledgement is the final agreement between The Gunlocke Company and the customer, superseding all previous communications regarding the order.

**SPECIFICATION CHANGES**

Gunlocke reserves the right to change specifications for the improvement of products at any time, without notice.

**ORDER CHANGES**

Gunlocke is not required to accept changes in orders after confirmation. Reasonable changes are subject to additional charges for labor, material and administrative costs.

Order changes of acknowledgement may result in re-scheduling of product.

**SHOWROOMS****Atlanta**

1180 Peachtree Street  
Suite 2410  
Atlanta, GA 30309

404-745-9575  
404-745-9596 FAX

**Boston**

200 State Street  
4<sup>th</sup> Floor, Suite 4A  
Boston, MA 02109

617-216-9720  
617-443-4827 FAX

**Chicago**

222 Merchandise Mart Plaza  
Chicago, IL 60654

312-923-1133  
312-222-1162 FAX

**RETURNED MERCHANDISE**

No merchandise may be returned without prior authorization.

**CANCELLATIONS**

Cancellation of orders cannot be accepted since every order is manufactured according to customer specifications.

**STORAGE**

If delivery cannot be made and products are ready, Gunlocke will transfer products to a storage facility and products will be invoiced at this time. The customer is responsible for storage charges and assumes and bears all risks associated with the storage of that product.

**TERMS**

Net 30 days from date of invoice. A service charge of eighteen percent (18%) per year or .0004931% per day, compounded monthly, will be added to balance due beyond the thirtieth day. Products are shipped FOB factory, freight prepaid and allowed. Title passes to purchaser and Gunlocke's responsibility ceases when shipment is accepted for transportation by a carrier. A full explanation of all payment terms is found on order and invoice forms.

**Los Angeles**

Pacific Design Center  
8687 Melrose Avenue, B-213  
Los Angeles, CA 90069  
310-657-8922  
310-657-8926 FAX

**New York**

257 Park Avenue South  
New York, NY 10010  
212-473-8300  
212-473-8409 FAX

**San Francisco**

4 Maritime Plaza  
San Francisco, CA 94111  
415-941-2207  
415-479-7546 FAX



## ORDERING INFORMATION

**1a.**Intended use: The furniture on this schedule is intended for use by Government executives (or equivalent military rank) in the Executive, Judicial and Legislative Branches of the Federal Government. To help customers make a good purchasing decision based on their needs and budget, GSA has established four grades of furniture. Grade (1) includes furniture that tends to be the most expensive on this schedule, grade (2) furniture tends to be more moderately priced and grades (3) and (4) furniture tend to be affordably priced when compared to grades (1) and (2). Some pieces of furniture on this schedule may be significantly higher in price than GSA Traditional and Contemporary Executive Special Order Program furniture. The ordering agency or service is responsible for determining furniture appropriate for use in its offices which will fit within its budget and comply with applicable Federal or internal agency procurement regulations. Please see reverse for GSA terms and conditions.

**Grade 1** All exposed solid parts such as top rims, base rails etc. (except decorative accents, inlays and painted parts) shall be the same species as the face veneer. Top and bottom edges of drawer fronts shall be solid wood in the same species as the face veneers. Drawer sides and backs shall be solid wood.

**Grade 2** Exposed wood panel trim and rim on tops shall be the same wood species as the face veneer on the top. Some or all other exposed solid parts, such as base rails can be an alternative wood species (such as poplar or gum) different from the face veneers. Exposed, finished engineered wood core materials such as MDF is acceptable only for the edges of drawer fronts. Drawer sides shall be solid wood or veneer core plywood/laminated construction. Mosaic Casegoods and Tapas Tables are Grade 2.

**Grade 3** Most or all exposed solid parts can be an alternative wood species (such as poplar or gum), different from the face veneers. Exposed, finished engineered wood core material such as MDF is acceptable only for the edges of drawer fronts. Drawer sides shall be solid wood or veneer core plywood/laminated construction. Menu, Medley, Kennsington, and all tables except Tapas are Grade 3.

**Grade 4** Most or all exposed solid parts can be an alternative wood species (such as poplar or gum), different from the face veneers. Exposed, finished engineered wood core material such as MDF is acceptable only for the edges of drawer fronts. Drawer sides shall be composite wood material construction such as MDF.

- 1a. **The Mosaic 2.0 SIN #711-8 Grade 3 on pages 74-105, 110-152**  
**The Tables SIN #711-9 Grade 3 on pages 106-107**
- 1b. **Lowest priced units:**  

|       |          |            |
|-------|----------|------------|
| 711-8 | ACFPRL   | \$16 List  |
| 711-9 | BSMUTL90 | \$420 List |
2. **Maximum order:** \$1,109,001 List
3. **Minimum order:** \$100 List
4. **Geographic coverage:** 48 contiguous states and DC
5. **Points of production:**  
Wayland, NY, Steuben County, USA
6. **Discount from list:**
- |                               |            |
|-------------------------------|------------|
| \$100 to \$300,000 list       | 60.1% off  |
| \$300,001 to \$500,000 list   | 61.8% off  |
| \$500,001 to \$700,000 list   | 62.9% off  |
| \$700,001 to \$1,109,000 list | 64.0% off  |
| \$1,109,001 LIST and above    | Negotiable |
- \* These discounts apply to single purchase orders, shipping to the same place in the same time period.
7. **Quantity Discount:** None
8. **Prompt payment terms:**  
NET 30 days
- 9a. **Credit card Acceptance:**  
**Government credit card is accepted at or below the micro - purchase threshold.**
- 9b. **Credit card Acceptance:**  
**Government credit card is accepted above the micro - purchase threshold.**
10. **Foreign items:** None
- 11a. **Time of delivery:** 60-90 days ARO
- 11b. **Expedited delivery:** Not available
- 11c. **Overnight and 2-day delivery:**  
Not available
- 11d. **Urgent requirements:**  
Not available
12. **FOB point(s):** Destination
13. **Ordering address(es)**  
The Gunlocke Company  
c/o Authorized Gunlocke GSA Dealer  
One Gunlocke Drive  
Wayland, NY 14572  
Phone: (800) 828-6300  
Fax: (585) 728-8350
14. **Payment address(es)**  
The Gunlocke Company LLC  
13367 Collections Center Drive  
Chicago, IL 60693
15. **Warranty provision:** See warranty on page 5
16. **Export packing charges:** Write for quotation on export packaging.
17. **Terms and conditions of Government commercial credit card acceptance:**  
Credit Cards are accepted.
18. **Terms and conditions of rental, maintenance, and repair:**  
Not applicable
19. **Terms and conditions of installation:**  
(SIN #711-95) Price to be negotiated on a project-by-project basis. A .75% Industrial Funding Fee will be retained by The Gunlocke Company.
20. **Terms and conditions of repair**  
Parts indicating date of parts price lists and any discounts from list prices: Not applicable
21. **List of service and distribution**  
Points: Not applicable
22. **Participating dealers:**  
A list of participating dealers will be approved to any government agency upon request or is available on our website at [www.gunlocke.com](http://www.gunlocke.com).
23. **Preventative maintenance:** Not applicable. Instruction sheets available upon request.
24. **Environmental attributes:**  
Gunlocke has an active environmental program. Please contact (800) 828-6300 for details.
25. **Data universal number system**  
(DUNS) number is 1999 36550
26. **CCR registration/Cage Code:**  
The Gunlocke Company is registered in the DoD CCR. Cage Code - 26574
27. **Returns:**  
No merchandise may be returned without the contractor's written consent. Returns must be shipped prepaid and a restocking charge of 25% will apply.
28. **Cancellations:**  
Cancellation of orders is governed, and requires the contractor's written consent. Actual incurred costs may be imposed if order is in production.
29. **Inside Deliver:**  
Contact the Gunlocke Company Traffic Department at (800) 828-6300 for a quotation on inside delivery.
30. **Federal Tax ID #** 22 3887942

## 12 YEAR WARRANTY

Subject to the limitations set forth below. The Gunlocke Company warrants to the original purchaser all product in this price list to be free from defects in material and workmanship for a twelve year period from the date of shipment. This 12-year warranty applies to all products sold and installed by a Gunlocke authorized agent for normal commercial single shift service. Gunlocke will repair, or at its option, replace defective merchandise, free of charge. The following components not manufactured by Gunlocke have the following warranties:

- **High wear components** such as casters and glides are warranted for five years after date of shipment to original owner.
- **Electrical components** are warranted 10 years from date of manufacturer with exception of lamps and ballasts which are not warranted.
- **Drawer suspensions** are warranted for lifetime of product after shipment to original owner.

Any non-standard material selected by the customer is not warranted. Neither does this warranty apply to damage resulting from accident, alteration, or misuse, as well as damage from normal wear and tear such as dents, nicks, scratches, fading and improper maintenance. That is, Gunlocke's warranty is only valid if products are given proper use and care. Gunlocke assumes no responsibility for product damages resulting from improper installation or user modification.

## WOOD FURNITURE

Wood owes its inherent beauty to variations in color, grain, and texture, and therefore, these variations are not considered defects. There may be minor variations from one piece of furniture to the next even though they are finished at the same time. Exposure to light and the aging process will cause a darkening of natural wood products. Light finishes on wood products do not mask the natural characteristics of wood. The Gunlocke Company does not guarantee the exact matching of grain, pattern, and color.

Gunlocke offers NE.800, a natural finish on maple, and NC.701, a light finish on cherry. These finishes do not cover any of the natural characteristics of the wood, including nature's colorations, pitch pockets, and the variations of steambent wood. Merchandise will not be replaced because of these natural variations.

It is expressly understood and agreed that the buyer's sole and exclusive remedy for any and all losses or damages resulting from nonconforming goods, or from any other cause, shall be repair or replacement of defective parts, and that Gunlocke shall not be liable for damages or injury to persons or property, nor for replacement of the entire commercial unit, if repair or replacement of defective parts can reasonably render the unit conforming.

All warranty claims must be made in writing by the original owner. Owner may be required to produce the invoice or other evidence to establish that a claim is within the warranty period. Warranty claims may be submitted on the Gunlocke website. [www.gunlocke.com/productservice/](http://www.gunlocke.com/productservice/)

As stated and illustrated on the website, serial numbers are required to process a warranty claim. No person, firm or corporation is authorized to assume for Gunlocke any liability in connection with the sale or installation of Gunlocke products except as stated above.

All other warranties, expressed or implied, are excluded. Gunlocke shall not be liable for incidental or consequential damages of any sort.

Within the Continental USA, all orders above \$2,000 list are shipped FOB factory, freight prepaid and allowed. All orders less than \$2,000 list will be subject to a \$75 net freight charge. Products shipped to Alaska and Hawaii FOB factory, freight prepaid and allowed to port of embarkation. Customer is responsible for freight charges from port of embarkation to final destination.

An anticipated shipping date is indicated on the order acknowledgement. Gunlocke cannot accept responsibility for shipping delays caused by outside sources or unforeseen problems. Delay of shipments requested by customers must be approved by Gunlocke. Any resultant storage charges will be charged to the customer. If possible, Gunlocke will ship in accordance with customer instructions. Gunlocke may await completion of the entire order and ship all at once or may make partial shipments from time to time at its sole discretion unless the customer requests in writing that partial shipments are needed and Gunlocke approves the specific shipping schedule.

Gunlocke is not liable for any delay or failure to deliver or perform due to strikes, lock-outs, or other labor or transportation difficulties, delay of sources or supply, accidents, fires, acts of God, or any other causes of like or unlike nature beyond the control of Gunlocke.

### **LIABILITY**

Gunlocke products and their packaging are tendered to a transportation company only after passing rigid quality control inspection. At that time, title to the product is passed to the purchaser. However the transportation company assumes all liability from acceptance of shipment through its delivery. That is, Gunlocke's liability ceases at the time of shipment.

### **FILING OF CLAIMS**

File claims for damage or loss with the transportation company as soon as possible after receipt of merchandise. Do not return freight damaged merchandise to Gunlocke. Follow the steps below to expedite payment of claims with transportation companies.

#### **For Visible Damage**

1. Make damage notation on delivery receipt and have driver sign. Do not reject or refuse the shipment.
2. Immediately contact carrier and request they make an inspection.
3. Hold damaged carton and all interior packing for carrier's inspection. These materials will be needed to substantiate the claim.
4. After inspection, file claim. If no inspection is made, file claim within five days of request for inspection.

#### **For Concealed Damage**

1. Open cartons within 15 days of receipt and inspect.
2. Follow steps 2, 3, and 4 as listed under Visible Damage.
3. Do not remove product from delivered destination.

#### **For Loss**

1. Be sure loss notation is made on delivery receipt and have driver sign.
2. File claim within the prescribed time.

Should transportation company seek to limit its liability on concealed, loss, or damage claims, please contact Gunlocke's traffic department. After a thorough investigation of the claim, the traffic department will provide you with guidance in corresponding with the carrier.

Returned merchandise, regardless of delivery method, will not be accepted unless specifically authorized by Gunlocke.

#### **For Damage or Loss of Parcel Post or UPS Shipment**

Notify the Gunlocke traffic department immediately. Gunlocke will file the claim.

### **NORMAL DELIVERY**

All normal surface transportation by Gunlocke will be made on a dock-to-dock basis. The Gunlocke traffic department will determine the recommended method of shipment according to the ship to destination. If the delivery on a shipment takes longer than 3 hours to be unloaded, an additional charge will be billed at \$75.00/hour. Gunlocke reserves the absolute right to determine the method of shipping unless special delivery instructions have been previously approved. Gunlocke cannot guarantee specific delivery times on less than truckload shipments. If a guarantee delivery time is needed please call Customer Service for a quote as additional charges will apply. Weekend or after hours deliveries are subject to additional charges.

### **SPECIAL DELIVERY**

Please contact the Gunlocke traffic department for special delivery services such as inside delivery, weekend or after hour deliveries, reconsignment or other special needs. These are billable services. Gunlocke will make every effort to meet the appointed time, however Gunlocke will not be responsible for any additional charges for late deliveries beyond our control.

### **DOCK RESTRICTIONS**

Gunlocke trailers are 48' x 13'6" and 53' x 13'6". If delivery dock will not accommodate trucks of these sizes, the Gunlocke traffic department must be contacted prior to shipping. Alternate arrangements can be made; additional charges may apply.

## MOSAIC 2.0 CASEGOODS

### Veneers

Mosaic 2.0 is offered in select veneer or a combination of select and exotic veneers. Select veneers include Cherry and Maple. Exotic veneers include Anegre, Ribbon Sapele, Sycamore and Birdseye Maple.

When choosing a select veneer of Cherry or Maple, all exposed surfaces will be Cherry or Maple. When choosing an exotic veneer, the worksurfaces only are of exotic veneer and other surfaces are of select Cherry or Maple veneer.

Figured Anegre and Ribbon Sapele are complimented with Cherry veneers and solid Cherry hardwood bands.

Sycamore and Birdseye Maple are complimented with Maple veneer and solid Maple hardwood bands.

### Specialty Finishes:

- Submit a color sample block (minimum size 3" x 3") to Gunlocke so that a finish formulation can be developed to match the special finish and color.
- Review the approval sample provided by Gunlocke.
- Written approval and sign off is required for Gunlocke customer service.
- Once written approval and sign off is received, the special finish order will be acknowledged.

### Costs for purchase orders totaling under \$10,000 list:

- \$500 net upcharge.

### Costs for purchase orders over \$10,000 list:

- 10% list upcharge per wood unit receiving special finish.

**Note:** This procedure and related costs apply to new and previously formulated special finishes. Special finish orders may receive additional lead time.

## MOSAIC 2.0 WOOD FINISH COLORS

### SELECT VENEERS

option code

#### Natural Plain Sliced Cherry Veneers

|                  |       |
|------------------|-------|
| MEDIUM BROWN     | NC215 |
| CINNAMON CHERRY  | NC260 |
| EXPRESSO         | NC498 |
| DARK RED         | NC511 |
| MEDIUM RED       | NC512 |
| LIGHT CHERRY     | NC701 |
| BURNISHED CHERRY | NC777 |

#### Natural Plain Sliced Maple Veneers

|               |       |
|---------------|-------|
| NATURAL MAPLE | NE800 |
| HONEY MAPLE   | NE873 |

### EXOTIC VENEERS - WORKSURFACES ONLY

#### Natural Ribbon Cut Sapele (Compliment to Cherry)

|                  |       |
|------------------|-------|
| MEDIUM BROWN     | NN215 |
| CINNAMON CHERRY  | NN260 |
| EXPRESSO         | NN498 |
| DARK RED         | NN511 |
| MEDIUM RED       | NN512 |
| LIGHT CHERRY     | NN701 |
| BURNISHED CHERRY | NN777 |

#### Natural Quarter Cut Anegre (Compliment to Cherry)

|                  |       |
|------------------|-------|
| MEDIUM BROWN     | NA215 |
| CINNAMON CHERRY  | NA260 |
| EXPRESSO         | NA498 |
| DARK RED         | NA511 |
| MEDIUM RED       | NA512 |
| LIGHT CHERRY     | NA701 |
| BURNISHED CHERRY | NA777 |


#### Natural Rotary Cut Birdseye Maple (Compliment to Maple)

|               |       |
|---------------|-------|
| NATURAL MAPLE | NB800 |
| HONEY MAPLE   | NB873 |

#### Natural Quarter Cut English Sycamore (Compliment to Maple)

|               |       |
|---------------|-------|
| NATURAL MAPLE | NY800 |
| HONEY MAPLE   | NY873 |

EDGE DETAIL



PULL OPTIONS

Mosaic 2.0 is available in two pull hardware options.  
Arch and Crescent are available in black or silver.

option code

ARCH

ARB | BLACK

ARS | SILVER



CRESCENT

CRB | BLACK

CRS | SILVER



PEDESTAL LEGEND

Option code

Spec Tip: always specify pedestal location left to right from user seated position.




2




3

2 | FILE | FILE

3 | BOX | BOX | FILE




4




5

4 | LATERAL FILE

5 | HINGED DOOR




6




X

6 | BOX | FILE

X | FULL END PANEL  
(SHADED PANEL)



MFL



MFR

MFL | MULTIFILE LEFT

MFR | MULTIFILE RIGHT




STANDARD FILING OPTIONS

WOOD PEDESTALS

15" wide x 24" deep pedestal


- A. Letter-front to back
- B. Legal-side to side
- C. **Optional:** 1 row letter side to side, Model # ACFPRL required



15" wide x 30" deep pedestal

File rails included: 2 per drawer


- D. Letter-front to back
- E. 1 row legal side to side with 1 file rail, with letter front to back in remaining area
- F. 2 rows of letter-side to side with 2 file rails



18" wide x 24" deep pedestal

File rails included: 1 per drawer


- G. Letter-front to back with file rail
- H. Letter-side to side with file rail
- I. Legal-front to back
- J. Legal-side to side



Lateral 30" wide x 24" deep pedestal

File rails included: 1 per drawer


- K. Legal-side to side
- L. Letter-side to side
- M. **Optional:** 2 rows letter front to back, Model # ACLATRL required



Lateral 36" wide x 24" deep pedestal

File rails included: 1 per drawer

- N. Letter-side to side
- O. **Optional:** 2 rows letter front to back, Model # ACLATRL required
- P. Legal-side to side
- Q. **Optional:** 2 rows legal front to back, Model # ACLATRL required



## INSIDE DRAWER DIMENSIONS

## WOOD DRAWERS

| Pedestal width   | Drawer type | D"                               | W"                               | H"                            |
|------------------|-------------|----------------------------------|----------------------------------|-------------------------------|
| 15" letter width | 24" box     | 14 <sup>15</sup> / <sub>16</sub> | 11 <sup>15</sup> / <sub>16</sub> | 3 <sup>3</sup> / <sub>8</sub> |
|                  | 24" file    | 14 <sup>15</sup> / <sub>16</sub> | 11 <sup>15</sup> / <sub>16</sub> | 9 <sup>1</sup> / <sub>4</sub> |
|                  | 30" box     | 25 <sup>1</sup> / <sub>4</sub>   | 11 <sup>15</sup> / <sub>16</sub> | 3 <sup>3</sup> / <sub>8</sub> |
|                  | 30" file    | 25 <sup>1</sup> / <sub>4</sub>   | 11 <sup>15</sup> / <sub>16</sub> | 9 <sup>1</sup> / <sub>4</sub> |
| 18" legal width  | 24" file    | 14 <sup>15</sup> / <sub>16</sub> | 14 <sup>15</sup> / <sub>16</sub> | 9 <sup>1</sup> / <sub>4</sub> |
| 30" width        | lateral     | 14 <sup>15</sup> / <sub>16</sub> | 26 <sup>1</sup> / <sub>2</sub>   | 9 <sup>1</sup> / <sub>4</sub> |
| 36" width        | lateral     | 14 <sup>15</sup> / <sub>16</sub> | 32 <sup>1</sup> / <sub>2</sub>   | 9 <sup>1</sup> / <sub>4</sub> |

## LOCKS &amp; KEYING

Locks are standard on all below worksurface storage units. Two lock options are available. When the factory installed lock option is selected lock cores are installed at the factory. Note: when the random option is selected some units may be shipped with the same key number. When the field installed lock option is selected each unit is shipped with an empty lock cylinder. Locks are Silver or Black.

factory installed locks

option code

**Option 1****SILVER RANDOM KEYS****RMS****BLACK RANDOM KEYS****RMB****Option 2**

Specify a number between

**SILVER DESIGNATED KEYS****100TAS - 150TAS****BLACK DESIGNATED KEYS****100TA - 150TA**

Field installed locks are also available. When field installed locks are specified each unit is shipped with an empty lock cylinder. A separate line item must be ordered to receive the numbered lock cores for field installation. Field installed locks are available at an additional charge of \$5 list per lock core.

Field installed lock core set, specify model # and key number (add \$5 list per core):



model number

Specify a number between

**SILVER DESIGNATED KEYS****ACLCKFLD****100TAS - 150TAS****BLACK DESIGNATED KEYS****ACLCKFLD****100TA - 150TA****Note:** Add \$5 list per lock core.

See index on pages 154-159 for # of locks required for field installation.


GROMMET SPECIFICATIONS




Wire management grommets are standard with no additional charges. All grommets are metal, available in black or silver.

GROMMET LOCATIONS


Conferencing Core (left hand shown)




Technology Corner




Arced Core (left hand shown)




Linear Core



Bow Front Desk




Rectangular Overhang Desk




GROMMET LOCATIONS


Double Pedestal Credenzas | Solo Core Shell



Storage Return




Left Hand




Right Hand

Desking Return





Left Hand



Right Hand


POWERPORT SPECIFICATIONS




Powerport is silver anodized aluminum. Data/Communication jacks not included.

POWERPORT LOCATIONS


Conferencing Core (left hand shown)



Arced Cores




Left Hand




Right Hand

Linear Cores




Left Hand




Right Hand

POWERPORT LOCATIONS


Bow Front Desk




Rectangular Overhang Desk




Double Pedestal Credenza




Solo Core Shell



Storage Returns




Left Hand



Right Hand

## POWER ACCESS & WIRE MANAGEMENT





## POWER ACCESS & WIRE MANAGEMENT


Wire management capabilities include optional worksurface grommets at no upcharge and removable back panels on desks. Removable back panels create a cavity in the back of the pedestal for cord/wire concealment and management. Chassis include wire cutouts in kneewell for seamless wire management between pedestals and adjoining units.

Under worksurface wire managers (Model # ACWM) are sold separately to conceal wires between pedestals. These units house and manage wire horizontally around a station.


Recessed worksurface power ports are available on worksurfaces to provide immediate access to power.

Wall access is accommodated in conferencing core, technology corner, arced core, linear core, solo core shell, storage returns and double pedestal credenza units. The access panel option provides access to the wall as needed, creates a cavity behind the panel to mount a power strip (not provided) and houses cords behind panel. The panel clips on and off to provide occasional access as needed

### Worksurface grommet




### Powerport




### Kneewell wire management

included in all pedestals




### Removable back panels

included on desk pedestals




### Surface mount cabinet

option provides tasklight cord management



### Connecting end wire management

included in all core units



Removable Wire Access Panels

Mosaic 2.0 is available with a removable access panel option. This option is accommodated in conferencing core, technology corner, arced core, linear core, storage return, and double pedestal credenza units. The access panel option provides access to the wall as needed, creates a cavity behind the panel to mount a power strip (not provided) and houses cords behind the panel. The panel clips on and off to provide occasional access to wall outlets.

Specification Information

Please read and note the following specification information. This information will help with the application of the access panel in the appropriate situation.

It is important to understand the location of the access panel on each particular unit. The access panel varies in length depending upon the overall length of the unit. When planning an office layout it is critical to understand two very important pieces of information; (1) - the location of electrical & data wall outlets and (2) - the location of the access panel on a particular unit. Understanding these two criteria will help line up the wall outlets with the access panel.

Specification Tips:


- The removable access panel varies in length depending upon the overall length of the unit, please see table below for specific information.
- Technology corners can be specified with either a right hand or left hand access panel.
- A unit specified with an access panel can be divided into two portions; the storage/ pedestal end and the access panel portion.

CONFERENCING CORE UNITS


| model     | width of access panel |
|-----------|-----------------------|
| ALL SIZES | 40 3/16               |

TECHNOLOGY CORNERS

| model     | width of access panel |
|-----------|-----------------------|
| MSFTC4242 | 40 3/16               |
| MSATC4242 | 40 3/16               |



Units with full end panel



Units with specified pedestal

Storage/Pedestal End

The storage/pedestal end is designed to accommodate either specified or modular pedestals. The storage end is designed for full end panel units and is either 15-1/8" or 30-1/8" wide depending on the width of the unit. For example, MSLN-C2472R-X would have a 30-1/8" storage space, to fit either one 30" lateral file or two 15" file/file pedestals. For units with a specified pedestal, the wall access panel would span the remaining width of the unit.

42" X 48" EXTENDED TECHNOLOGY CORNERS

| model     | width (on 42" side) | (on 48" side) |
|-----------|---------------------|---------------|
| MSXTC4248 | 40 3/16             | 46 3/16       |
| MSXTC4842 | 40 3/16             | 46 3/16       |

42" X 54" EXTENDED TECHNOLOGY CORNERS

| model     | width (on 42" side) | (on 54" side) |
|-----------|---------------------|---------------|
| MSXTC4254 | 40 3/16             | 52 3/16       |
| MSXTC5442 | 40 3/16             | 52 3/16       |

**LINEAR CORE UNITS | FULL END PANEL**

| model            | width of access panel | width of storage end |
|------------------|-----------------------|----------------------|
| <b>MSLNC2430</b> | N/A                   | N/A                  |
| <b>MSLNC2436</b> | N/A                   | N/A                  |
| <b>MSLNC2442</b> | 24 $\frac{1}{16}$     | 15 $\frac{1}{8}$     |
| <b>MSLNC2448</b> | 30 $\frac{1}{16}$     | 15 $\frac{1}{8}$     |
| <b>MSLNC2454</b> | 36 $\frac{1}{16}$     | 15 $\frac{1}{8}$     |
| <b>MSLNC2460</b> | 27 $\frac{1}{16}$     | 30 $\frac{1}{8}$     |
| <b>MSLNC2466</b> | 33 $\frac{1}{16}$     | 30 $\frac{1}{8}$     |
| <b>MSLNC2472</b> | 39 $\frac{1}{16}$     | 30 $\frac{1}{8}$     |

**LINEAR CORE UNITS | 15" PEDESTAL**

| model            | width of access panel |
|------------------|-----------------------|
| <b>MSLNC2430</b> | N/A                   |
| <b>MSLNC2436</b> | N/A                   |
| <b>MSLNC2442</b> | 25 $\frac{15}{16}$    |
| <b>MSLNC2448</b> | 31 $\frac{15}{16}$    |
| <b>MSLNC2454</b> | 37 $\frac{15}{16}$    |
| <b>MSLNC2460</b> | 43 $\frac{15}{16}$    |
| <b>MSLNC2466</b> | 49 $\frac{15}{16}$    |
| <b>MSLNC2472</b> | 55 $\frac{15}{16}$    |

**LINEAR CORE UNITS | 30" PEDESTAL**

| model            | width of access panel |
|------------------|-----------------------|
| <b>MSLNC2436</b> | N/A                   |
| <b>MSLNC2442</b> | N/A                   |
| <b>MSLNC2448</b> | N/A                   |
| <b>MSLNC2454</b> | N/A                   |
| <b>MSLNC2460</b> | 28 $\frac{15}{16}$    |
| <b>MSLNC2466</b> | 34 $\frac{15}{16}$    |
| <b>MSLNC2472</b> | 40 $\frac{15}{16}$    |

**DOUBLE PEDESTAL CREDENZAS**

| model               | width of access panel |
|---------------------|-----------------------|
| <b>MSDPC2472-22</b> | 41 $\frac{23}{32}$    |
| <b>MSDPC2472-32</b> | 41 $\frac{23}{32}$    |

**STORAGE RETURNS | FULL END PANEL**

| model            | width of access panel | width of storage end |
|------------------|-----------------------|----------------------|
| <b>MSSTR2430</b> | N/A                   | N/A                  |
| <b>MSSTR2436</b> | N/A                   | N/A                  |
| <b>MSSTR2442</b> | 24                    | 15 $\frac{1}{8}$     |
| <b>MSSTR2448</b> | 30                    | 15 $\frac{1}{8}$     |
| <b>MSSTR2454</b> | 36                    | 15 $\frac{1}{8}$     |
| <b>MSSTR2460</b> | 27                    | 30 $\frac{1}{8}$     |
| <b>MSSTR2466</b> | 33                    | 30 $\frac{1}{8}$     |
| <b>MSSTR2472</b> | 39                    | 30 $\frac{1}{8}$     |

**STORAGE RETURNS | 15" PEDESTAL**

| model            | width of access panel |
|------------------|-----------------------|
| <b>MSSTR2430</b> | N/A                   |
| <b>MSSTR2436</b> | N/A                   |
| <b>MSSTR2442</b> | 25 $\frac{7}{8}$      |
| <b>MSSTR2448</b> | 31 $\frac{7}{8}$      |
| <b>MSSTR2454</b> | 37 $\frac{7}{8}$      |
| <b>MSSTR2460</b> | 43 $\frac{7}{8}$      |
| <b>MSSTR2466</b> | 49 $\frac{7}{8}$      |
| <b>MSSTR2472</b> | 55 $\frac{7}{8}$      |

**STORAGE RETURNS | 30" PEDESTAL**

| model            | width of access panel |
|------------------|-----------------------|
| <b>MSSTR2436</b> | N/A                   |
| <b>MSSTR2442</b> | N/A                   |
| <b>MSSTR2448</b> | N/A                   |
| <b>MSSTR2454</b> | N/A                   |
| <b>MSSTR2460</b> | 28 $\frac{7}{8}$      |
| <b>MSSTR2466</b> | 34 $\frac{7}{8}$      |
| <b>MSSTR2472</b> | 40 $\frac{7}{8}$      |

**ARCED CORE UNITS | FULL END PANEL**

| model            | width of access panel | width of storage end |
|------------------|-----------------------|----------------------|
| <b>MSARC3060</b> | 27 $\frac{1}{16}$     | 30 $\frac{1}{8}$     |
| <b>MSARC3066</b> | 33 $\frac{1}{16}$     | 30 $\frac{1}{8}$     |

**ARCED CORE UNITS | 15" PEDESTAL**

| model            | width of access panel |
|------------------|-----------------------|
| <b>MSARC3060</b> | 43 $\frac{15}{16}$    |
| <b>MSARC3066</b> | 49 $\frac{15}{16}$    |


Wall access is accommodated in conferencing core, technology corner, arced core, linear core, solo core shell, storage return and double pedestal credenza units. The access panel option provides access to the wall as needed, creates a cavity behind the panel to mount a power strip (not provided) and houses cords behind the panel. The panel clips on and off to provide occasional access to wall outlets. All access panels are shaded below.

Conferencing Core Units

MODESTY PANEL OPTIONS


MY | FULL HEIGHT MODESTY  
PANEL (ADD \$595)

MQ | 9" MODESTY PANEL  
REQUIRED




ACCESS PANEL OPTIONS


NAP | FULL HEIGHT BACK PANEL




AP | ACCESS PANEL  
(ADD \$656)



Open



Closed




Top View


Technology Corners

ACCESS PANEL OPTIONS


NAP | FULL HEIGHT BACK  
PANEL




LAP | LEFT ACCESS PANEL  
(ADD \$656)



Open




Closed




Top View


RAP | RIGHT ACCESS PANEL  
(ADD \$656)



Open



Closed




Top View


Arced Core Units

ACCESS PANEL OPTIONS


NAP | FULL HEIGHT BACK  
PANEL




AP | ACCESS PANEL  
(ADD \$656)



Open



Closed




Top View

Linear Core Units


**Note:** Access Panel not available on 30"  
and 36" units or 42"-54" units with a lateral  
file or multifile.

ACCESS PANEL OPTIONS


NAP | FULL HEIGHT BACK  
PANEL




AP | ACCESS PANEL  
(ADD \$656)



Open



Closed




Top View


Solo Core Shell Units

BACK PANEL OPTIONS

FM | FULL HEIGHT BACK PANEL



HM | 12" HEIGHT BACK PANEL




Storage Returns


**Note:** Access Panel not available on 30" and 36" units or 42"-54" units with a lateral file or multifile.

ACCESS PANEL OPTIONS


NAP | FULL HEIGHT BACK PANEL




AP | ACCESS PANEL OPEN  
(ADD \$656)



Open



Closed




Top View




Double Pedestal Credenzas

ACCESS PANEL OPTIONS


NAP | FULL HEIGHT BACK  
PANEL




AP | ACCESS PANEL  
(ADD \$656)



Open



Closed



Top View



Nomenclature .....26

How to use this price list ..... 27

Technical specifications .....28-30

Height reference..... 31

Mosaic 2.0 product reference.....32-48

Specification sequence..... 49-54

Specification tips .....55

Standard product modifications .....56-57

**All Mosaic 2.0 casegood model numbers represent key information about the product.**

| (1)Example      | (2)Group ID          | (3)if applicable | (4)Depth | (5)Width | (6)Orientation | (7) - | (8)Descriptor |
|-----------------|----------------------|------------------|----------|----------|----------------|-------|---------------|
| MS - Mosaic 2.0 | LNC-Linear Core Unit |                  | 24       | 72       | R-Right        | -     | 3-BBF         |

Combined to create Model number MSLNC2472R-3, which is a Mosaic 2.0 Linear Core Unit 24" x 72" Right Hand, Box | Box | File

## 1 LINE IDENTIFICATION (CONSTANT)

(2) Digits

MS- Mosaic 2.0

AC - Accessory

## 2 GROUP ID CODE & DESCRIPTION (CONSTANT)

(3-4) Digits

ARC - Arced Core Unit

ATC - Adjustable Technology Corner

BKN - Bookcase open

BSM - Table Base Metal

BSW - Table Base Wood

CFC - Conferencing Core

CFR - Conferencing Return

CTM - Core Terminator

CWD - Closet Wardrobe Double

CWS - Closet Wardrobe Single

DBO - Desk Bow Front Overhang

DKR - Desking Return

DMT - Desk Mount Terminator

EPK - Edge Profile Kit

FSC - Full Storage Credenza

FTC - Fixed Technology Corner

LFC - Tasklight Fused Plug

LFW - Lateral File Wood

LNC - Linear Core Unit

LPH - Linear Paper Manager

LSP - Tasklight Standard Plug

MPW - Mobile Pedestal Wood

MSP - Modular Support Panel

PHK - Pull Hardware Kit

PSK - Pull Sample Kit

PWW - Modular Pedestal Wood

SBD - Storage Box Double

SBS - Storage Box Single

SCF - Storage Cabinet Flat Front

SLC - Solo Core Shell Unit

SMC - Surface Mount Cabinet

STF - Surface Mount Tower Flat Doors

STN - Surface Mount Tower No Doors

STR - Storage Return

TKS - Tack Board Surface Mount

TKW - Tack Board Wall Mount

TRD - Table Round

VPM - Vertical Paper Manager

WMC - Wall Mount Cabinet

XTC - Extended Technology Corner

## 3 OVERHEADS & STORAGE (IF APPLICABLE)

(2) Digits

1H - 1 High

2H - 2 High

3H - 3 High

4H - 4High

5H - 5 High

6H - 6 High

## 4 DEPTH (CONSTANT)

(2) Digits

XX

## 5 WIDTH (CONSTANT)

(2-3) Digits

XX or XXX

## 6 ORIENTATION (IF APPLICABLE)

(1-2) Digits

Wood

R - Right

L - Left

## 7 DASH (IF APPLICABLE)

Spacer

-

## 8 OTHER, MATERIAL, CLOSET INTERIOR (IF APPLICABLE)

2 - FF

3 - BBF

4 - Lateral

5 - Hinged Doors

6 - Box File

X - 1" wood end panel

MFR - Multifile Right BBF/Lat

MFL - Multifile Left FBB/Lat

2L - 2 Laterals

3L - 3 Laterals

C - Closet Rod

S - Shelves

D - Divider, Shelves, Closet Rod

W - Wood

G - Glass

WG - Wood cabinet, aluminum doors

WGC - Wood cabinet, aluminum doors,

center opening

WW - Wood cabinet, wood doors

WWC - Wood cabinet, wood doors,

center opening

WN - Wood cabinet, no doors

SAMPLE PRICE PAGE

• 2 ROWS PRICING FOR VENEER SELECTION

• PRODUCT DIMENSIONS

CONFERENCEING RETURNS

left hand

MOSAIC 2.0  
01/07

DWHTmodel numberselectexotic

CONFERENCEING RETURNS  
LEFT HAND

|         |    |        |            |       |       |
|---------|----|--------|------------|-------|-------|
| 30 7/16 | 48 | 29 1/2 | MSCFR3048L | 1,379 | 1,656 |
| 30 7/16 | 54 | 29 1/2 | MSCFR3054L | 1,431 | 1,717 |
| 30 7/16 | 60 | 29 1/2 | MSCFR3060L | 1,470 | 1,762 |
| 30 7/16 | 66 | 29 1/2 | MSCFR3066L | 1,582 | 1,899 |

COPE

TOP VIEW

30 7/16

24 1/16

WIDTH

• KEY PRODUCT INFORMATION ALWAYS LOCATED IN LOWER LEFT HAND CORNER

PRODUCT INFO

note

24 1/16" depth connecting end coped

spec tip

Specify column from user seated position

Not for use as a freestanding unit

Attaches perpendicular to profiled edge of arced core units, linear core units, and solo core shell units

TO ORDER PLEASE SPECIFY THE FOLLOWING:

MODEL NUMBER

FINISH SET #1

COLUMN COLOR

See inside front cover for required option codes

Example

MSCFR3060L.NC260.CS

MSCFR3060LNC260CS

MODEL NUMBERFINISHCOLUMN COLOR

• INSERT OPTION CODES FROM FRONT COVER, ALL OPTIONS MUST BE SPECIFIED TO COMPLETE ORDER

• EXAMPLE OF COMPLETE ORDER STRING

98

Gunlocke sin# 711 8

## **VENEERS**

Mosaic 2.0 is offered in select veneer or a combination of select and exotic veneers. These veneers are carefully selected and slip matched to assure balance and consistency. Select veneers include – Cherry and Maple. Exotic veneers include – Figured Anegre, Ribbon Sapele, Sycamore, and Birdseye Maple.

When choosing select veneer of Cherry or Maple, all exposed wood surfaces will be Cherry or Maple. When choosing exotic veneer, the work surfaces only are exotic veneer and the other surfaces are of select Cherry or Maple veneer.

Figured Anegre and Ribbon Sapele are complimented with Cherry veneers and solid Cherry hardwood bands.

Sycamore and Birdseye Maple are complimented with Maple veneer and solid Maple hardwood bands.

## **TOPS**

Wood veneer tops feature a balanced 5-ply construction and are 1 5/16" thick. The top has a 1-3/4" thick profiled solid internal hardwood band on the user side. All other sides are flat with a 1mm external veneer band(s). Mosaic 2.0 is offered in one edge detail - Ergonomic. All tops are constructed with 45 lb. particleboard.

Tops are connected to chassis with steel angle brackets and pre-bored holes in the top of the steel spreader bars located inside all storage pedestals.

## **CHASSIS CONSTRUCTION**

All chassis are constructed with 3/4" or 9/16" thick balanced 3-ply panels. Panels are securely fastened together using steel spreader bar, metal angle brackets and wood cleat construction. Steel spreader bars are used between end panels on all storage pedestals to provide rigid structure for pedestal. Spreader bars are also threaded to accept glide and provide a durable metal to metal connection of glide to structure of unit.

Steel glide plates are attached to single end panels using screws. End panels are pre-bored to accept the stem of the glide. The threaded steel glide plate provides a durable connection of glide to bottom of unit end panel.

Each unit is equipped with a minimum four adjustable glides.

## **SHELL CONSTRUCTION**

(Solo Core Shell Units)

Shell chassis are constructed of 3-ply balanced 1" thick end panels and 3/4" thick back panels. Panels are securely fastened together using metal cam fasteners and wood dowel construction. End and back panels are bored to accept glide stem. Glide mounting plate is comprised of 1/8" thick steel that is securely connected to bottom of back and end panels with screws, and is threaded to accept glide.

## **OVERHEAD CABINET AND TOWER CONSTRUCTION**

All wood panels are constructed with 3/4" thick balanced 3-ply panels. The top, end and back panels are securely fastened together with cam fasteners in conjunction with pressed hardwood biscuits that are securely adhered with PVA (white polyvinyl acetate) glue. All surface mount cabinets and tower units connect to work surface with double-sided adhesive tape.

Wall mount cabinets are mounted to the wall with a spade and "z" bracket attachment method. Steel barrel nuts and spade brackets are securely mounted through the back of wall mount cabinets. All units ship with a steel z bracket. This bracket is mounted to the wall by field installers. Installers are responsible for selecting and supplying appropriate fasteners for wall conditions.

All overhead cabinets with doors include 95° self-closing hinges. Hinges are fully adjustable.

## **BOOKCASE CONSTRUCTION**

All chassis (sides and back) are constructed with 3/4" thick balanced 3-ply panels. The top, end and back panels are securely

fastened together with cam fasteners in conjunction with pressed hardwood biscuits that are securely adhered with PVA (white polyvinyl acetate) glue.

The bottom panel is connected to the back panel and end panels with steel angle brackets. Steel spreader bars are used between end panels on all bookcase unit to provide rigid structure for pedestal. Spreader bars are also threaded to accept glide and provide a durable metal to metal connection of glide to structure of unit

Shelves on 36" units are 1 3/16" thick balanced 5-ply panels, shelves on 30" units are 3/4" 3-ply balanced panels.

## **GLIDES**

Glides provide 1 1/8" of vertical leveling adjustment. Glide bottom is durable non-rust nylon.

## **DRAWERS**

All drawers are constructed of four sides and a bottom, which are attached to a drawer front with screws for easy removal. Drawer fronts feature vertically matched veneer within each pedestal set. One pencil tray is provided in each box drawer per pedestal.

The drawer side material is 9-ply Baltic birch plywood, finished with a roll-coated 7-level UV cured polyester/acrylic finish that provides a high level of chemical and scratch resistance. The drawers are fastened together at each corner with dowel joinery for maximum drawer strength. The bottom material is a 3-ply substrate consisting of medium density fiberboard core with a melamine face and backer.

## **SUSPENSIONS**

All Gunlocke casegoods utilize silver steel roll formed zinc plated high-grade drawer suspensions. All suspensions are warranted for the lifetime of the product. Suspensions feature positive dampened start/stop fully progressive actions. Box drawers

are ¾ extension, featuring precision steel ball bearings for a smoother quieter range of motion and are load rated for 75 lbs. File drawers are full extension, featuring precision steel ball bearings for increased weight capacities and are load rated for 150 lbs. Lateral files suspensions are load rated for 150 lbs and include an anti-tip mechanism that prevents both drawers from being opened at the same time.

## HINGES

Units with doors include 95° swing hinges.

## FILING

The file hanging system is an integral part of the drawer. A highly durable black plastic extrusion is securely fastened into a route on the top of the drawer. The plastic extrusion and steel folder rails allow side to side and front to back filing in file drawers. The plastic extrusion was designed to promote optimum filing capacity within the drawer while providing a durable, reliable and maintenance free filing system. (See filing capability section for technical information on drawer dimensions.)

## LOCKS

Silver or black face locks are standard in Lateral Files, Closets, Storage Boxes, Storage Cabinets, and all units which include a pedestal. Locks are optional on Surface Mount Cabinets with wood doors, Towers with wood doors, and Wall Mount Cabinets with wood doors. Each pedestal is independently locked. Aluminum frame door units do not lock. Lock plugs are either factory or field installed.

## KEYING

Keying is available either factory or field installed.

Factory installed keying offers two options: random or designated. When the random keying option is selected an arbitrary key number will be assigned to the unit. Note: some furniture units may have like key numbers when random keying is selected. When the designated keying option is selected a key number must be specified between 100TAS-150TAS for silver lock core and 100TA-150TA for black lock cores. All keys are solid brass.

When the field installed keying option is selected, a lock cylinder will not be included in the furniture unit.

## WIRE MANAGEMENT

Wire management capabilities include optional worksurface grommets at no upcharge and removable back panels on desks. Removable back panels create a cavity in the back of the pedestal for cord/wire concealment and management. Chassis include wire cutouts in kneewell for seamless wire management between pedestals and adjoining units.

Under worksurface field installed wire managers (model # ACWM) are sold separately to conceal wires between pedestals. These units house and manage wires horizontally around a station.

Recessed worksurface power ports are available on worksurfaces to provide immediate access to power.

Wall access is accommodated in Conferencing Core Units, Technology Corners, Arced Core Units, Linear Core Units, Solo Core Shell Units, Storage Returns,

and Double Pedestal Credenzas. The wall access panel option provides access to the wall as needed by creating a cavity behind the panel to mount a power strip (not provided) and house cords behind the panel. The panel clips on and off to provide occasional access to wall outlets as needed.

## LIGHTING

Standard fluorescent lighting— are available in 4 standard lengths. Lights are tri-phosphor fluorescent 3500k lamps. Prismatic acrylic lens with UV stable silver reflector evenly distributes light. All units are black with 9' cord with 90° plug, fused option also available. Field installed through keyhole slot.

## GROMMET

One piece die cast zinc grommet. Grommet is inset in a black plastic sleeve. Grommet is available in silver or black

## POWERPORT

Recessed in worksurface. Unit is 4 ¾" d x 8 ⅝" w, silver clear anodized aluminum finish. Unit includes a 6'-ft, 15 amp standard plug-in power cord, (2) electrical outlets and (2) voice/data openings. Voice/data communication adapter kit included. Cover is touch latch and remains open during use. Unit is field installed. UL Listed. Note: voice/data jacks not included.

## POWER PORT ADAPTER KIT

Adapter kit will fit couplers/ jacks from the following manufacturers to fit adapter opening: Avaya/AT&T/Lucent Technologies (.654 x .700) , Amp/Tyco (.594 x .792), Panduit-Keystone Type (.594 x .792) , Allen Tel (.594 x .792), Leviton (.594 x .792),



Amp/Tyco (.594 x .752), Krone (.594 x .752), Hubbell (.594 x .752), Ortronics TracJack (.655 x .930), Panduit Mini-Com Connectors (.626 x .660), Microphone jack/3-pin XLR (.953 diameter) and Video Monitor jack/DB-15.

## CASTERS

Mobile pedestal casters are 2" diameter black, 2 locking and 2 non-locking.

## ALUMINUM FRAME DOORS

Extruded aluminum mitered frame is clear anodized silver aluminum. Frame is 3/8" thick and 1 3/4" high. Frosted glass or 3 form® material is inset within the frame.

## WOOD FINISH

All Gunlocke casegoods feature the Cleartech™ Finishing System. The Cleartech™ Finishing System is a process that begins with the application of alcohol-based NGR dye stains, which promote exceptional depth and clarity. Worksurfaces receive a specialized coating of polyurethane acrylic resins cured by ultraviolet light. The result is a full-filled, 45-sheen finish with exceptional durability and chemical resistance. The remaining surfaces receive an application of pre-catalyzed lacquer, which results in a semi-filled, 45 sheen finish. These finishing processes ensure depth, clarity, color consistency and durability throughout the product.

## CLEANING FROSTED GLASS


All frosted glass should be cleaned with soft lint free cloth and non-ammonia based cleaner only.

## CLEANING CLEARTECH™ FINISH


1. Dust with damp cloth
2. Remove fingerprints or soiling with mild solution; 3 parts water to one part mild dish detergent.
3. Apply solution with spray bottle, wipe clean and dry with soft cloth.

**Note:** Do not use furniture polishes containing oil, wax or silicone, which can produce an oily, film or haze.


HEIGHT REFERENCE



Typical 1-high side profile



Typical 2-high side profile



Pedestal front profile

CONFERENCING CORE UNITS

(see pages 74-75)

**Primary use:** Creating forward facing U or L shape workstations. Not to be used as freestanding units.

**Specification Tips:**


- Specify column from user seated position
- 24-5/16" depth connecting end flat
- Left-hand conferencing core units to be specified with extended technology corners, right-hand arced core units, and right-hand linear core units
- Right-hand conferencing core units to be specified with extended technology corners, left-hand arced core units, and left-hand linear core units

**Key product information:**


- Edge profile on user side only. All other sides flat.
- Standard 4-1/2" dia. column offered in black or silver
- 12" connecting end support panel
- Optional full height modesty or 9" modesty panel available
- Unit ships assembled

**Technology information & wire management:**



- Optional grommet available - no upcharge
- Optional powerport available
- Wire access hole in connecting end for horizontal wire management
- Can be specified with full height back panel or removable access panel to hide wires and provide wall access when required





User side - Left hand



User side - Right hand



**Standard top view:**




## TECHNOLOGY CORNER UNITS

(see pages 76-77)


**Primary use:** Creating forward facing U or L shape workstations. Not to be used as free-standing units.

### Specification Tips:

- Specify size clockwise from user seated position.
- 24<sup>-5/16</sup>" depth connecting end flat
- For use with conferencing core units, arced core units, and linear core units



Extended technology corners




Technology corners

### Key product information:




- Edge profile on user side only. All other sides flat.
- MSACT4242 includes adjustable worksurface. Adjusts from 4<sup>9/16</sup>" below to 8<sup>7/16</sup>" above worksurface. Angle adjusts from +9° to -15°
- 12" connecting end support panel
- Unit ships assembled

### Technology information & wire management:

- Available with standard grommet
- Wire access hole in connecting end for horizontal wire management
- Can be specified with full height back panel or removable access panel to hide wires and provide wall access when required



### Standard top view:




## ARCED CORE UNITS

(see pages 78-81)


**Primary use:** Creating U or L shape workstations and workwalls. Not to be used as freestanding units.

### Specification Tips:


- Specify full end panel or storage pedestal from user seated position.
- 24-<sup>5</sup>/<sub>16</sub>" depth connecting end flat
- Left-hand arced core units to be specified with right-hand conferencing core units, technology corner units, right-hand arced core units, and right-hand linear core units
- Right-hand arced core units to be specified with left-hand conferencing core units, technology corner units, left-hand arced core units, and left-hand linear core units
- Not for use with desking return units



**Right hand - full end panel**



**Right hand - pedestal**




### Key product information:

- Edge profile on user side only. All other sides flat.
- 1" thick end panel for full end panel version
- 12" connecting end support panel
- Units ship assembled


### Technology information

#### & wire management:

- Optional grommet available - no upcharge
- Optional powerport available
- Wire access holes in connecting ends and in kneewell space of pedestals for horizontal wire management
- Can be specified with full height back panel or removable access panel to hide wires and provide wall access when required



### Standard top view:




## LINEAR CORE UNITS

(see pages 82-87)


**Primary use:** Creating U or L shape workstations and workwalls. Not to be used as freestanding units.

### Specification Tips:

- Specify full end panel or storage pedestal from user seated position.
- 24- $\frac{5}{16}$ " depth connecting end flat
- Left-hand arced core units to be specified with right-hand conferencing core units, technology corner units, right-hand arced core units, and right-hand linear core units
- Right-hand arced core units to be specified with left-hand conferencing core units, technology corner units, left-hand arced core units, and left-hand linear core units
- Can be specified for use with modular pedestal




**Right hand - full end panel**



**Right hand - full end panel**


### Key product information:

- Edge profile on user side only. All other sides flat.
- 1" thick end panel for full end panel version
- 12" connecting end support panel
- Units ship assembled




### Technology information & wire management:

- Optional grommet available - no upcharge
- Optional powerport available (except on 30"-42" length units with a pedestal)
- Wire access holes in connecting ends and in kneewell space of pedestals for horizontal wire management
- Can be specified with full height back panel or removable access panel to hide wires and provide wall access when required
- Note: Wall access option not available on 30" and 36" length units or 42"-54" length units with a lateral file or multi file.



### Standard top view:





SOLO CORE SHELL UNITS  
(see pages 88)

**Primary use:** Creating L shape  
workstations


**Specification Tips:**

- Solo core shell units are non-handed
- Not for use as full bank or storage credenzas
- For use with desking returns, storage returns, conferencing returns and modular pedestals
- Note: Solo core shell units with no storage pedestals are not to support surface mount cabinets



**Key product information:**

- Edge profile on user side only. All other sides flat.
- End panels are 1" thick
- Units ship assembled




**Technology information  
& wire management:**

- Optional grommet available - no upcharge
- Optional powerport available
- Half back panel available for wall access
- Note: Do not specify powerport over pedestals, powerport to be used in open area beneath worksurface



**Standard top view:**




## CORE TERMINATORS

(see pages 89)


**Primary use:** To create additional storage at end of a core or return unit

### Specification Tips:

- 24<sup>-5/16"</sup> depth connecting end flat
- Can be used to terminate pedestal/full end panel end of linear core units.
- Core terminators can be specified at either end of a solo core shell unit.
- Core terminators can be used to terminate the 24<sup>-5/16"</sup> depth connecting end of conferencing core, arced core, linear core unit, and technology corner units.
- Core terminators can be specified with storage returns to terminate pedestal/full end panel end of unit.




**Left hand**




**Right hand**

### Key product information:


- Edge profile on user side only. All other sides flat.
- Units ship assembled



### Standard top view:



**Left hand**



**Right hand**



DESKING RETURNS

(see pages-90-91)

**Primary use:** Creating U or L shape workstations

**Specification Tips:**


- Specify full end panel or storage pedestal from user seated position
- 34-<sup>13</sup>/<sub>16</sub>" depth connecting end coped.
- Attaches perpendicular to profiled edge of linear core units and solo core shell units.
- Not for use with arced core units.

**Key product information:**


- Edge profile on user side only. All other sides flat.
- 1" thick end panel for no pedestals - full end panel versions.
- Units ship assembled

**Technology information & wire management:**



- Optional grommet available - no upcharge
- Wire access holes in kneewell space of pedestals for horizontal wire management




Approach side




User side




DETAIL COPED CONNECTION



PLAN VIEW: RETURNS CONNECT PERPENDICULAR TO CORE UNITS



**Standard top view:**



## STORAGE RETURNS

(see pages 92-97)

**Primary use:** Creating U or L shape workstations

### Specification Tips:

- Specify full end panel or storage pedestal from user seated position
- 24<sup>-5/16</sup>" depth connecting end coped.
- Attaches perpendicular to profiled edge of arced core units, linear core units, solo core shell units, and single pedestal desks.


### Key product information:

- Edge profile on user side only. All other sides flat.
- 1" thick end panel for no pedestal - full end panel version
- Units ship assembled

### Technology information



#### & wire management:

- Optional grommet available - no upcharge
- Optional powerport available (except on 30"-42" length units with a pedestal)
- Wire access holes in kneewell space of pedestals for horizontal wire management
- Can be specified with full height back panel or removable access panel to hide wires and provide wall access when required
- Note: Wall access option not available on 30" and 36" length units or 42"-54" length units with a lateral file or multifile.




**Right hand - Full end panel**


**Right hand - Pedestal**




**DETAIL COPED CONNECTION**



**PLAN VIEW: RETURNS CONNECT PERPENDICULAR TO CORE UNITS**



### Standard top view:




CONFERENCING RETURNS

(see pages 98-99)

**Primary use:** Creating U or L shape workstations


**Specification Tips:**

- Specify column from user seated position
- 24-5/16" depth connecting end coped.
- Attaches perpendicular to profiled edge of arced core units, linear core units and solo core shell units.




**Key product information:**

- Edge profile on user side only. All other sides flat.
- Standard 4-1/2" dia. column offered in black or silver
- Units ship assembled



**Standard top view:**




## DOUBLE PEDESTAL DESKS

(see pages 100-101)


**Primary use:** Freestanding units

### Key product information:


- Edge profile on user side only. All other sides flat.
- All desks include standard front overhang
- 42" & 36" depth desks - 30" depth pedestals
- Kneespace between pedestals for 72" length desk - 42"
- Unit ships assembled



**Approach side**





**User side**




### Technology information & wire management:


- Optional grommet available - no upcharge
- Wire access holes in inside kneewell space for horizontal wire management
- Desk pedestals include removable back panels



### Standard top view:



**Rectangular desks**



**Bow front desks**


SINGLE PEDESTAL DESKS

(see pages 102-103)


**Primary use:** Freestanding units or to create L shape workstations

Specification Tips:

- Specify storage pedestal from user seated position
- Left-hand single pedestal desks to be specified with right-hand storage returns
- Right-hand single pedestal desks to be specified with left-hand storage returns




Approach side



User side

Key product information:



- Edge profile on user side only. All other sides flat.
- All desks include standard front overhang
- 42" & 36" depth desks - 30" depth pedestals
- Kneespace for 72" length single pedestal desk - 57"
- Unit ships assembled




Technology information

& wire management:


- Optional grommet available - no upcharge
- Optional powerport available
- Wire access holes in inside kneewell space for horizontal wire management
- Desk pedestals include removable back panels



Standard top view:





Rectangular desks



Bow front desks

**CREDENZAS**  
(see pages 104-105)

**Primary use:** Freestanding units




**Key product information:**

- Edge profile on user side only. All other sides flat.
- Unit ships assembled




**Technology information  
& wire management:**

- Optional grommet available in double pedestal credenza- no upcharge
- Center power port available in double pedestal credenza
- Wire access holes in inside kneewell space for horizontal wire management
- Double pedestal credenzas can be specified with full height back panel or removable access panel to hide wires and provide wall access when required



**Standard top view:**




DESK MOUNT TERMINATORS  
(see pages 115)


**Primary use:** Provide additional storage above the worksurface

**Specification Tips:**

- Can be specified with surface mount cabinets to create a myriad of storage combinations
- Left-hand desk mount terminators intended to terminate left-end of surface mount combinations
- Curved left-hand desk mount terminators match-up with left-hand core terminators
- Right-hand desk mount terminators intended to terminate right-end of surface mount combinations
- Curved right-hand desk mount terminators match-up with right-hand core terminators



Left hand




Right hand


**Key product information:**

- Units are finished on all sides
- Single height 38-3/4" and double height 52" available
- Connect to worksurface with double-sided adhesive tape
- Unit ships assembled

**Standard top view:**



Left hand



Right hand

## SURFACE MOUNT CABINETS

(see pages 122-129)


**Primary use:** Provide additional storage above the worksurface

### Key product information:


- Units are finished on all sides
- Material options include; wood with wood doors and wood with aluminum frame doors.
- Single height 38-<sup>3</sup>/<sub>4</sub>" and double height 52" available
- Inside dimensions: d-13-<sup>1</sup>/<sub>4</sub>", h-12-<sup>1</sup>/<sub>2</sub>", and width varies with cabinet.
- Distance from bottom of valance to worksurface 22-<sup>3</sup>/<sub>4</sub>"
- Connect to worksurface with double-sided adhesive tape
- Lighting option available
- Unit ships assembled

### Technology information & wire management:


- Optional back panel grommet - no up charge
- Located in upper right-hand corner, provides task light cord access to wall outlets.




**Wood doors**




**Wood doors with center opening**



**Aluminum frame glass doors**




**Aluminum frame glass doors with center opening**




### Proper Support Examples/Recommendations

Surface mount overhead cabinets must be supported with adequate pedestal or panel support on ends. In addition, the location where the surface mount cabinet and tower meet must have adequate vertical support beneath the worksurface. This may be accomplished by a pedestal or by using intermediate support panel MSMSP12.




**Recommended Support Examples**




**Inadequate Support Examples**

When specifying surface mount storage across multiple units, careful consideration must be used to ensure the correct overall length. An end or back panel of a supporting unit must support the end panel of an overhead cabinet.



**Recommended Support Examples**



**Inadequate Support Examples**




## WALL MOUNT CABINETS

(see pages 136-143)


**Primary use:** Provide additional storage above the worksurface

### Key product information:


- Units are finished on all sides
- Material options include; wood with wood doors and wood with aluminum frame doors.
- Single height 17" and double height 30<sup>-1/4</sup>" available
- Inside dimensions: d-12<sup>-1/2</sup>", h-12<sup>-1/2</sup>", and width varies with cabinet.
- Connect to wall with steel spade and "z" clip method
- Installers responsible for selecting and providing appropriate fasteners for wall conditions
- Lighting option available
- Unit ships assembled




**Wood doors**



**Wood doors with center opening**



**Aluminum frame glass doors**



**Aluminum frame glass doors with center opening**

## TOWERS

(see pages 130-135)


**Primary use:** To provide additional storage above worksurface

### Specification Tips:


- Can be specified with surface mount cabinets and desk mount terminators to create a myriad of storage combinations

### Key product information:


- Units are finished on all sides
- Material options include; wood with wood doors, wood with aluminum frame doors, and no door options.
- Single height 38<sup>-3/4</sup>" and double height 52" available
- Connect to worksurface with double-sided adhesive tape
- Unit ships assembled
- Shelves are fixed height



**Wood door**



**Tower open**




**Aluminum frame glass doors**

### Proper Support

#### Examples/Recommendations

Surface mount overhead cabinets must be supported with adequate pedestal or panel support on ends. In addition, the location where the surface mount cabinet and tower meet must have adequate vertical support beneath the worksurface. This may be accomplished by a pedestal or by using intermediate support panel MSMSP12.




**Recommended Support Examples**




**Inadequate Support Examples**

When specifying surface mount storage across multiple units, careful consideration must be used to ensure the correct overall length. An end or back panel of a supporting unit must support the end panel of an overhead cabinet.


































**Recommended Support Examples**



**Inadequate Support Examples**



SAMPLE OVERHEAD/TOWER COMBINATIONS

|          |   |   |  |   |
|----------|---|---|--|---|
| 60 inch  |    |    |     |   |
| 66 inch  |    |    |  |   |
| 72 inch  |    |    |  |   |
| 78 inch  |   |    |  |   |
| 84 inch  |   |   |   |   |
| 90 inch  |  |  |  |  |
| 96 inch  |  |  |  |  |
| 102 inch |  |  |  |  |
| 108 inch |  |  |  |  |
| 114 inch |  |  |  |  |

## 1) SELECT A BASIC CONFIGURATION



### Workwall

- Core units connected in line to create a workwall.





### L Shape workstation

- Combining a technology corner with core units creates a variety of L shape work stations.



### U Shape workstation


- Combining a conferencing core unit and technology corner with core units and returns creates a variety of U shape workstations.




## 2) BUILD OUTER PERIMETER

### Specification Notes:


- Core units, technology corners, desks, and credenzas are used to create the footprint for the office layout. The user side is profiled
- Conferencing Core, Arced Core and Linear Core: Units are handed and connect end to end. Arced and linear core units are offered with pedestal or full end panel.
- Technology Corners: Units are non-handed and connect on two ends.
- Solo Core Shell Units: units are non-handed and can be used with modular pedestals to create credenzas.




**Conferencing core**




**Technology corner**




**Arced core**




**Linear Core**




**Solo Core Shell**



**Desks**




**Storage Credenzas**



**Credenzas**

### Mosaic 2.0 Sample Build-up Step 1


Combine a technology corner with a right hand and left hand linear core unit.




### 3) ADD RETURNS

**Specification Notes:**


- Return units are coped on the connecting end and always connect perpendicular to the profiled edge of the adjoining unit. All return units are handed and the user side is profiled. Not to be used in freestanding applications.
- Storage and desking returns are offered with pedestal or full end panel.



**Desking return**




**Storage return**



**Conferencing return**

**Mosaic 2.0 Sample Build-up  
Step 2**


Right hand conferencing return  
added to linear core unit.




4) BUILD OVERHEAD STORAGE

Specification Notes:


- Available in wall or surface mount options, these units provide additional storage above the worksurface.
- Towers can be mounted next to surface mount cabinets for additional storage requirements.



Surface mount cabinets




Wall mount cabinets



Towers

Mosaic 2.0 Sample Build-up  
Step 3

Surface Mount Cabinet spanning linear core unit and technology corner for overhead storage.




## 5) ADD ADDITIONAL STORAGE ITEMS

### Specification Notes:

- Supplementary freestanding storage options are available to fit a variety of applications.
- Intermediate Support Panel: For use with modesty panel. May be required to support surface mount cabinet and tower combinations. See page 45 for overhead support recommendations.




**Modular pedestals**




**Mobile pedestals**



**Intermediate support panel**




**Lateral files**




**Storage cabinets**




**Bookcases**




**Closets**



**Storage Box**




**Core terminators**



**Desk mount terminators**

### Mosaic 2.0 Sample Build-up Step 4

Left-hand core terminator and left hand desk mount terminator added for additional storage.







6) INSERT ACCESSORIES

Specification Notes:

- Paper managers, tackboards, tasklights, tables, and power/data modules compliment the office.




Linear paper managers



Vertical paper managers



Tackboards




Tasklights



Round Tables

Mosaic 2.0 Sample Build-up  
Step 5

A Linear paper manager, vertical paper manager, tackboard, and tasklight inserted to compliment the layout




## SPECIFICATION TIPS

Follow these 3 easy specification tips.



### Spec Tip 1:

Core units always connect end to end.




### Spec Tip 2:

Returns have a coped end and always attach perpendicular to the profiled edge of core units.




DETAIL COPED  
CONNECTION




PLAN VIEW: RETURNS  
CONNECT PERPENDICULAR  
TO CORE UNITS

### Spec Tip 3:

Core units and return units cannot be used as freestanding applications and must attach to another unit.



Core unit



Return unit

The following prices are in addition to the Mosaic 2.0 Price List.

|                          | modification                                | list price addition |
|--------------------------|---|---------------------|
| <b>DESKS</b>             | Reduce width                                | 389                 |
|                          | Ped swap (2) with (3) or (3) with (2)       | 270                 |
|                          | Special grommet location                    | 81                  |
|                          |   |                     |
| <b>LINEAR CORE UNITS</b> | Reduce width                                | 389                 |
|                          | Ped swap (4) with (5)                       | 270                 |
|                          | Ped swap (4) with printer ped               | 580                 |
|                          | Add pedestal (2) or (3)                     | 1,187               |
|                          | Add lateral file (4) 30"                    | 1,355               |
|                          | Add lateral file (4) 36"                    | 1,526               |
|                          | Add storage cabinet (5) 30"                 | 1,197               |
|                          | Add storage cabinet (5) 36"                 | 1,418               |
|                          | Add multifile (MFL) or (MFR) 30"            | 1,958               |
|                          | Add printer pedestal                        | 1,776               |
|                          | Special grommet location                    | 81                  |
|                          |   |                     |
| <b>STORAGE RETURNS</b>   | Reduce width                                | 389                 |
|                          | Ped swap (4) with (5)                       | 270                 |
|                          | Ped swap (4) with printer ped               | 580                 |
|                          | Add pedestal (2) or (3)                     | 1,187               |
|                          | Add lateral file (4) 30"                    | 1,355               |
|                          | Add lateral file (4) 36"                    | 1,526               |
|                          | Add storage cabinet (5) 30"                 | 1,197               |
|                          | Add storage cabinet (5) 36"                 | 1,418               |
|                          | Add multifile (MFL) or (MFR) 30"            | 1,958               |
|                          | Add printer pedestal                        | 1,776               |
|                          | Special grommet location                    | 81                  |
|                          |   |                     |
| <b>STORAGE CREDENZAS</b> | Ped swap (2) with (3) or (3) with (2)       | 270                 |
|                          | Ped swap (4) with (5) or (5) with (4)       | 270                 |
|                          | Ped swap (4) with multi file (MFL) or (MFR) | 659                 |
|                          | Ped swap (4) with printer ped               | 580                 |

**NOTE**

Information provided is for pricing only. Contact Gunlocke Bid / Quote department for quote number. This quote number is required to process the order.

The following prices are in addition to the Mosaic 2.0 Price List.

|                           | modification                 | list price addition |            |           |           |
|---------------------------|------------------------------|---------------------|------------|-----------|-----------|
| <b>PRINTER PEDESTAL</b>   | Add printer pedestal         | 1,776               |            |           |           |
| <b>BOOKCASES</b>          | MSBKN2H1530 (add wood doors) | 794                 |            |           |           |
|                           | MSBKN3H1530 (add wood doors) | 860                 |            |           |           |
|                           | MSBKN4H1530 (add wood doors) | 931                 |            |           |           |
|                           | MSBKN5H1530 (add wood doors) | 1,008               |            |           |           |
|                           | MSBKN6H1530 (add wood doors) | 1,084               |            |           |           |
|                           | MSBKN2H1536 (add wood doors) | 860                 |            |           |           |
|                           | MSBKN3H1536 (add wood doors) | 931                 |            |           |           |
|                           | MSBKN4H1536 (add wood doors) | 1,008               |            |           |           |
|                           | MSBKN5H1536 (add wood doors) | 1,084               |            |           |           |
|                           | MSBKN6H1536 (add wood doors) | 1,158               |            |           |           |
|                           | Add Locks                    | 97                  |            |           |           |
| <b>OVERHEADS</b>          | Remove doors                 | no charge           |            |           |           |
| <b>LINKING CORE UNITS</b> |                              | no cope             | cope right | cope left | cope both |
|                           | 24" X 30" linking core       | 1,440               | 1,550      | 1,550     | 1,660     |
|                           | 24" X 36" linking core       | 1,605               | 1,713      | 1,713     | 1,823     |
|                           | 24" X 42" linking core       | 1,720               | 1,830      | 1,830     | 1,940     |
|                           | 24" X 48" linking core       | 1,945               | 2,055      | 2,055     | 2,165     |

**NOTE**

Information provided is for pricing only. Contact Gunlocke Bid / Quote department for quote number. This quote number is required to process the order.

[illegible]



Typicals..... 60-71


    8' x 10' office layouts ..... 60-61

    10' x 10' office layouts ..... 62-63

    10' x 12' office layouts..... 64-66


    10' x 15' office layouts..... 67-69

    12' x 15' office layouts ..... 70-71




| item | page | model number   | description - wood                 | price | quantity | select |
|------|------|----------------|------------------------------------|-------|----------|--------|
| A    | 74   | MSCFC5466L     | Conferencing core unit - left hand | 3,629 | 1        | 3,629  |
| B    | 86   | MSLNC2430R-3   | Linear core unit - right hand BBF  | 2,125 | 1        | 2,125  |
| C    | 137  | MSWMC1H1572-WW | Wall mount cabinet                 | 2,588 | 1        | 2,588  |
| D    | 145  | MSTKW72        | Wall mount tackboard G1/COM        | 494   | 1        | 494    |
|      |      |                |                                    |       |          | 8,836  |








| item | page | model number    | description - wood                 | price | quantity | select |
|------|------|-----------------|------------------------------------|-------|----------|--------|
| A    | 77   | MSFTC4242       | Technology corner                  | 2,660 | 1        | 2,660  |
| B    | 87   | MSLNC2454R-MFR  | Linear core - right hand multifile | 3,186 | 1        | 3,186  |
| C    | 85   | MSLNC2454L-2    | Linear core - left hand FF         | 2,595 | 1        | 2,595  |
| D    | 122  | MSSMC1H1596-WWC | Surface mount cabinet              | 4,127 | 1        | 4,127  |
| E    | 116  | MSCWS5H2418L    | Closet                             | 2,612 | 1        | 2,612  |
| F    | 144  | MSTKS96         | Surface mount tackboard G1/COM     | 550   | 1        | 550    |
|      |      |                 |                                    |       |          | 15,730 |




| item | page | model number    | description - wood                 | price | quantity | select |
|------|------|-----------------|------------------------------------|-------|----------|--------|
| A    | 77   | MSATC4242       | Adjustable technology corner       | 3,427 | 1        | 3,427  |
| B    | 85   | MSLNC2454L-3    | Linear core unit - left hand BBF   | 2,654 | 1        | 2,654  |
| C    | 87   | MSLNC2454R-4    | Linear core unit - right hand LF   | 2,923 | 1        | 2,923  |
| D    | 89   | MSCTM2424L      | Core terminator - left hand        | 1,466 | 1        | 1,466  |
| E    | 89   | MSCTM2424R      | Core terminator - right hand       | 1,466 | 1        | 1,466  |
| F    | 124  | MSSMC1H1596-WGC | Surface mount cabinet              | 4,809 | 1        | 4,809  |
| G    | 115  | MSDMT1H1524R    | Desk mount terminator - right hand | 1,701 | 1        | 1,701  |
| H    | 144  | MSTKS96         | Surface mount tackboard G1/COM     | 550   | 1        | 550    |
|      |      |                 |                                    |       |          | 18,996 |




| item | page | model number           | description - wood                    | price | quantity | select |
|------|------|------------------------|---------------------------------------|-------|----------|--------|
| A    | 83   | <b>MSLNC2442R-X</b>    | Linear core unit - right hand X       | 1,634 | 1        | 1,634  |
| B    | 85   | <b>MSLNC2448L-4</b>    | Linear core unit - left hand LF       | 2,815 | 1        | 2,815  |
| C    | 97   | <b>MSSTR2472R-MFR</b>  | Storage return - right hand multifile | 3,483 | 1        | 3,483  |
| D    | 112  | <b>MSLFW5H2430</b>     | Lateral file                          | 4,321 | 1        | 4,321  |
| E    | 106  | <b>MSTRD36</b>         | Round table                           | 1,805 | 1        | 1,805  |
| F    | 107  | <b>BSMUTL90</b>        | Utility base                          | 420   | 1        | 420    |
| G    | 122  | <b>MSSMC1H1590-WWC</b> | Surface mount cabinet                 | 3,802 | 1        | 3,802  |
| H    | 144  | <b>MSTKS90</b>         | Surface mount tackboard G1/COM        | 540   | 1        | 540    |
| I    | 121  | <b>MSVPML</b>          | Vertical paper manager - left hand    | 850   | 1        | 850    |
|      |      |                        |                                       |       |          | 19,670 |




| item | page | model number    | description - wood                   | price | quantity | select |
|------|------|-----------------|--------------------------------------|-------|----------|--------|
| A    | 102  | MSDRO3672L-3    | Single pedestal desk - left hand BBF | 3,004 | 1        | 3,004  |
| B    | 97   | MSSTR2466R-4    | Storage return - right hand LF       | 3,119 | 1        | 3,119  |
| C    | 130  | MSSTN1H1530-WN  | Tower                                | 1,365 | 1        | 1,365  |
| D    | 122  | MSSMC1H1566-WWC | Surface mount cabinet                | 2,840 | 1        | 2,840  |
| E    | 144  | MSTKS66         | Surface mount tackboard G1/COM       | 483   | 1        | 483    |
| F    | 121  | MSVPMR          | Vertical paper manager - right hand  | 850   | 1        | 850    |
|      |      |                 |                                      |       |          | 11,661 |




| item | page | model number          | description - wood                  | price  | quantity | select |
|------|------|-----------------------|-------------------------------------|--------|----------|--------|
| A    | 76   | <b>MSXTC4842</b>      | Extended technology corner          | 2,867  | 1        | 2,867  |
| B    | 87   | <b>MSLNC2448R-3</b>   | Linear core unit - right hand BBF   | 2,545  | 1        | 2,545  |
| C    | 74   | <b>MSCFC4872L</b>     | Conferencing core unit - left hand  | 3,690  | 1        | 3,690  |
| D    | 89   | <b>MSCTM2424R</b>     | Core terminator - right hand        | 1,466  | 1        | 1,466  |
| E    | 123  | <b>MSSMC1H1590-WW</b> | Surface mount cabinet               | 3,802  | 1        | 3,802  |
| F    | 144  | <b>MSTKS90</b>        | Surface mount tackboard G1/COM      | 540    | 1        | 540    |
| G    | 120  | <b>MSLPH52</b>        | Linear paper manager                | 1,021  | 1        | 1,021  |
| H    | 115  | <b>MSDMT1H1524R</b>   | Desk mount terminator - right hand  | 1,701  | 1        | 1,701  |
| I    | 121  | <b>MSVPMR</b>         | Vertical paper manager - right hand | 850    | 1        | 850    |
|      |      |                       |                                     | 18,482 |          |        |



| item | page | model number   | description - wood                  | price | quantity | select |
|------|------|----------------|-------------------------------------|-------|----------|--------|
| A    | 77   | MSFTC4242      | Technology corner                   | 2,660 | 2        | 5,320  |
| B    | 86   | MSLNC2442R-3   | Linear core unit - right hand BBF   | 2,408 | 1        | 2,408  |
| C    | 84   | MSLNC2430L-2   | Linear core unit - left hand FF     | 2,065 | 1        | 2,065  |
| D    | 86   | MSLNC2430R-2   | Linear core unit - right hand FF    | 2,065 | 1        | 2,065  |
| E    | 84   | MSLNC2442L-3   | Linear core unit - left hand BBF    | 2,408 | 1        | 2,408  |
| F    | 123  | MSSMC1H1572-WW | Surface mount cabinet               | 3,035 | 2        | 6,070  |
| G    | 144  | MSTKS72        | Surface mount tackboard G1/COM      | 494   | 2        | 988    |
| H    | 121  | MSVPML         | Vertical paper manager - left hand  | 850   | 1        | 850    |
| I    | 121  | MSVPMR         | Vertical paper manager - right hand | 850   | 1        | 850    |
|      |      |                |                                     |       |          | 23,024 |




| item | page | model number          | description - wood                 | price | quantity | select |
|------|------|-----------------------|------------------------------------|-------|----------|--------|
| A    | 104  | <b>MSFSC2472-44</b>   | Full storage cabinet LF/LF         | 4,363 | 1        | 4,363  |
| B    | 100  | <b>MSDBO4272-32</b>   | Double ped. bow front desk BBF/FF  | 4,159 | 1        | 4,159  |
| C    | 125  | <b>MSSMC1H1572-WG</b> | Surface mount cabinet              | 3,895 | 1        | 3,895  |
| D    | 89   | <b>MSCTM2424L</b>     | Core terminator - left hand        | 1,466 | 1        | 1,466  |
| E    | 89   | <b>MSCTM2424R</b>     | Core terminator - right hand       | 1,466 | 1        | 1,466  |
| F    | 115  | <b>MSDMT1H1524L</b>   | Desk mount terminator - left hand  | 1,701 | 1        | 1,701  |
| G    | 115  | <b>MSDMT1H1524R</b>   | Desk mount terminator - right hand | 1,701 | 1        | 1,701  |
| H    | 144  | <b>MSTKS72</b>        | Surface mount tacboard G1/COM      | 494   | 1        | 494    |
|      |      |                       |                                    |       |          | 19,245 |




| item | page | model number           | description - wood               | price | quantity | select        |
|------|------|------------------------|----------------------------------|-------|----------|---------------|
| A    | 112  | <b>MSLFW5H2430</b>     | Lateral File                     | 4321  | 1        | 4,321         |
| B    | 87   | <b>MSLNC2448R-2</b>    | Linear core unit - right hand FF | 2,485 | 1        | 2,485         |
| C    | 82   | <b>MSLNC2448L-X</b>    | Linear core unit - left hand X   | 1,771 | 1        | 1,771         |
| D    | 117  | <b>MSCWD5H2430-D</b>   | Closet                           | 3,524 | 1        | 3,524         |
| E    | 98   | <b>MSCFR3060L</b>      | Conferencing return - left hand  | 1,470 | 1        | 1,470         |
| F    | 124  | <b>MSSMC1H1596-WGC</b> | Surface mount cabinet            | 4,809 | 1        | 4,809         |
| G    | 144  | <b>MSTKS96</b>         | Surface mount tackboard G1/COM   | 550   | 1        | 550           |
|      |      |                        |                                  |       |          | <b>18,930</b> |






| item | page | model number          | description - wood                       | price  | quantity | select |
|------|------|-----------------------|--|--------|----------|--------|
| A    | 77   | <b>MSATC4242</b>      | Adjustable technology corner             | 3,427  | 1        | 3,427  |
| B    | 87   | <b>MSLNC2448R-MFR</b> | Linear core unit - right hand multiframe | 3,078  | 1        | 3,078  |
| C    | 82   | <b>MSLNC2460L-X</b>   | Linear core unit - left hand X           | 1,993  | 1        | 1,993  |
| D    | 98   | <b>MSCFR3060L</b>     | Conferencing return - left hand          | 1,470  | 1        | 1,470  |
| E    | 119  | <b>MSSBD6H2430-2L</b> | Storage box - 2 laterals                 | 4,575  | 1        | 4,575  |
| F    | 129  | <b>MSSMC2H1590-WG</b> | Surface mount cabinet                    | 5,710  | 1        | 5,710  |
| G    | 144  | <b>MSTKS90</b>        | Surface mount tackboard G1/COM           | 540    | 1        | 540    |
| H    | 120  | <b>MSLPH52</b>        | Linear paper manager                     | 1,021  | 1        | 1,021  |
| I    | 121  | <b>MSVPMR</b>         | Vertical paper manager - right hand      | 850    | 1        | 850    |
|      |      |                       |  | 22,664 |          |        |



| item | page | model number           | description - wood               | price | quantity | select        |
|------|------|------------------------|----------------------------------|-------|----------|---------------|
| A    | 77   | <b>MSFTC4242</b>       | Technology corner                | 2660  | 1        | 2,660         |
| B    | 87   | <b>MSLNC2466R-4</b>    | Linear core unit - right hand LF | 3,155 | 1        | 3,155         |
| C    | 82   | <b>MSLNC2472L-X</b>    | Linear core unit - left hand X   | 2,268 | 1        | 2,268         |
| D    | 91   | <b>MSDKR3466L-3</b>    | Desking return - left hand BBF   | 3,253 | 1        | 3,253         |
| E    | 119  | <b>MSSBD6H2436-3L</b>  | Storage box - 3 laterals         | 4,999 | 1        | 4,999         |
| F    | 129  | <b>MSSMC2H1590-WG</b>  | Surface mount cabinet            | 5,710 | 1        | 5,710         |
| G    | 135  | <b>MSSTF2H1518R-WG</b> | Tower                            | 2,090 | 1        | 2,090         |
| H    | 144  | <b>MSTKS90</b>         | Surface mount tackboard G1/COM   | 540   | 1        | 540           |
| I    | 110  | <b>MSPWW2415-2</b>     | Modular pedestal FF              | 1,239 | 1        | 1,239         |
|      |      |                        |                                  |       |          | <b>25,914</b> |



| item | page | model number     | description - wood                  | price  | quantity | select |
|------|------|------------------|-------------------------------------|--------|----------|--------|
| A    | 76   | MSXTC5442        | Extended technology corner          | 3,000  | 1        | 3,000  |
| B    | 74   | MSCFC4890L       | Conferencing core unit - left hand  | 4,213  | 1        | 4,213  |
| C    | 87   | MSLNC2472R-4     | Linear core unit - right hand LF    | 3,288  | 1        | 3,288  |
| D    | 104  | MSFSC2472-44     | Full Storage Credenza LF/LF         | 4,363  | 1        | 4,363  |
| E    | 110  | MSPWW2415-3      | Modular pedestal BBF                | 1,299  | 1        | 1,299  |
| F    | 113  | MSSCF2430-5      | Hinged door cabinet                 | 1,974  | 1        | 1,974  |
| G    | 124  | MSSMC1H15114-WGC | Surface mount cabinet               | 5,833  | 1        | 5,833  |
| H    | 130  | MSSTN1H1530-WN   | Tower                               | 1,365  | 1        | 1,365  |
| I    | 144  | MSTKS114         | Surface mount tackboard G1/COM      | 804    | 1        | 804    |
| J    | 121  | MSVPMR           | Vertical paper manager - right hand | 850    | 1        | 850    |
| K    | 120  | MSLPH65          | Linear paper manager                | 1,121  | 1        | 1,121  |
|      |      |                  |                                     | 28,110 |          |        |

[illegible]



Unitized casegoods . . . . . 74-107

    Conferencing core units. . . . . 74-75

    Extended technology corners . . . . . 76

    Technology corners . . . . . 77

    Arced core units . . . . . 78-81

    Linear core units . . . . . 82-87

    Solo core shell units . . . . . 88

    Core terminators . . . . . 89

    Desking returns . . . . . 90-91

    Storage returns . . . . . 92-97

    Conferencing returns . . . . . 98-99

    Double pedestal desks. . . . . 100-101


    Single pedestal desks. . . . . 102-103

    Storage credenzas . . . . . 104


    Double pedestal credenzas . . . . . 105

    Round tables . . . . . 106


    Table bases . . . . . 107

|   | D      | W      | H      | model number | select | exotic |
|---|--------|--------|--------|--------------|--------|--------|
| <div> CONFERRNCING CORE<br/>LEFT HAND </div>  | 53 5/8 | 66 1/8 | 29 1/2 | MSCFC5466L   | 3,629  | 4,352  |
|   | 48     | 72     | 29 1/2 | MSCFC4872L   | 3,690  | 4,430  |
|   | 48     | 78     | 29 1/2 | MSCFC4878L   | 3,822  | 4,586  |
|   | 48     | 90     | 29 1/2 | MSCFC4890L   | 4,213  | 5,055  |


FULL MODESTY - MY




9" MODESTY - MQ



TOP VIEW



TOP VIEW



PRODUCT INFO

note  
24 5/16" depth connecting end flat

spec tip  
Specify column from user seated position

Not for use as a freestanding unit

Connect to extended technology corners, right-hand arced core units, and right-hand linear core units

TO ORDER PLEASE SPECIFY THE FOLLOWING:

MODEL NUMBER

FINISH SET #1

GROMMET

COLUMN COLOR

MODESTY PANEL HEIGHT

BACK PANEL OPTION


See inside front cover for required option codes

Grommet  
No Grommet — GN  
Grommet incl. Silver GYS  
Grommet incl. Black GYB  
Power Port (add \$331) Silver APY


Full height back panel NAP  
Wire access panel (add \$656) AP

Example


|              |        |         |              |                  |            |
|--------------|--------|---------|--------------|------------------|------------|
| MSCFC4872L   | NC260  | GYS     | CS           | MY               | AP         |
| MODEL NUMBER | FINISH | GROMMET | COLUMN COLOR | MOD PANEL HEIGHT | BACK PANEL |

|   | D      | W      | H      | model number      | select | exotic |
|---|--------|--------|--------|-------------------|--------|--------|
| <b>CONFERENCE CORE<br/>RIGHT HAND</b>  | 53 5/8 | 66 1/8 | 29 1/2 | <b>MSCFC5466R</b> | 3,629  | 4,352  |
|   | 48     | 72     | 29 1/2 | <b>MSCFC4872R</b> | 3,690  | 4,430  |
|   | 48     | 78     | 29 1/2 | <b>MSCFC4878R</b> | 3,822  | 4,586  |
|   | 48     | 90     | 29 1/2 | <b>MSCFC4890R</b> | 4,213  | 5,055  |


FULL MODESTY - MY




9" MODESTY - MQ



TOP VIEW



TOP VIEW



## PRODUCT INFO

**note**  
24 5/16" depth connecting  
end flat

**spec tip**  
Specify column from user  
seated position

Not for use as a freestanding  
unit

Connect to extended technol-  
ogy corners, left-hand arced  
core units, and left-hand  
linear core units

## TO ORDER PLEASE SPECIFY THE FOLLOWING:

|                      |                          |                      |                         |                                 |                              |
|----------------------|--------------------------|----------------------|-------------------------|---------------------------------|------------------------------|
| <input type="text"/> | <input type="text"/>     | <input type="text"/> | <input type="text"/>    | <input type="text"/>            | <input type="text"/>         |
| <b>MODEL NUMBER</b>  | <b>FINISH<br/>SET #1</b> | <b>GROMMET</b>       | <b>COLUMN<br/>COLOR</b> | <b>MODESTY<br/>PANEL HEIGHT</b> | <b>BACK PANEL<br/>OPTION</b> |

See inside front cover for  
required option codes





**Grommet**  
No Grommet — GN  
Grommet incl. Silver GYS  
Grommet incl. Black GYB  
**Power Port (add \$331)**  
Silver APY

Full height back panel **NAP**  
Wire access panel **AP**  
(add \$656)

## Example

|              |        |         |              |                  |            |
|--------------|--------|---------|--------------|------------------|------------|
| MSCFC4872R   | NC260  | GYS     | CS           | MY               | AP         |
| MODEL NUMBER | FINISH | GROMMET | COLUMN COLOR | MOD PANEL HEIGHT | BACK PANEL |



|   | D  | W  | H      | model number | select | exotic |
|---|----|----|--------|--------------|--------|--------|
| EXTENDED TECHNOLOGY CORNERS   | 48 | 42 | 29 1/2 | MSXTC4842    | 2,867  | 3,440  |
|    |    |    |        |              |        |        |
|   | 42 | 48 | 29 1/2 | MSXTC4248    | 2,867  | 3,440  |
|    |    |    |        |              |        |        |
|   | 54 | 42 | 29 1/2 | MSXTC5442    | 3,000  | 3,599  |
|   |    |    |        |              |        |        |
|   | 42 | 54 | 29 1/2 | MSXTC4254    | 3,000  | 3,599  |
|  |    |    |        |              |        |        |

PRODUCT INFO

note  
Both 24 5/16" depth  
connecting ends are flat

Grommet standard

spec tip  
Specify size clockwise from  
user seated position

Not for use as a freestand-  
ing unit

Connect to conferencing core  
units, arced core units, and  
linear core units


TO ORDER PLEASE SPECIFY THE FOLLOWING:

|   |               |  |   |
|---|---------------|--|---|
| <div></div>   | <div></div>   | <div></div>  | <div></div>   |
| MODEL NUMBER  | FINISH SET #1 | GROMMET  | BACK PANEL OPTION   |
| See inside front cover for<br>required option codes |               | Grommet<br>Grommet incl. Silver GYS<br>Grommet incl. Black GYB | Full height back panel NAP<br>Left wire access panel LAP<br>(add \$656)<br>Right wire access panel RAP<br>(add \$656) |


Example

|                         |        |         |            |
|-------------------------|--------|---------|------------|
| MSXTC4842.NC260.GYS.RAP |        |         |            |
| MSXTC4842               | NC260  | GYS     | RAP        |
| MODEL NUMBER            | FINISH | GROMMET | BACK PANEL |

|                         | D  | W  | H      | model number | select | exotic |
|-------------------------|----|----|--------|--------------|--------|--------|
| FIXED TECHNOLOGY CORNER | 42 | 42 | 29 1/2 | MSFTC4242    | 2,660  | 3,190  |



|                              |    |    |        |           |       |       |
|------------------------------|----|----|--------|-----------|-------|-------|
| ADJUSTABLE TECHNOLOGY CORNER | 42 | 42 | 29 1/2 | MSATC4242 | 3,427 | 4,114 |
|------------------------------|----|----|--------|-----------|-------|-------|



PRODUCT INFO

note  
Both 24 5/16" depth  
connecting ends are flat

MSACT4242 includes  
adjustable worksurface

Grommet standard

spec tip  
Not for use as a freestanding unit

Connect to arced core units,  
and linear core units


TO ORDER PLEASE SPECIFY THE FOLLOWING:

|  |                      |   |  |
|--|----------------------|---|--|
| <input type="text"/>                             | <input type="text"/> | <input type="text"/>  | <input type="text"/>   |
| MODEL NUMBER                                     | FINISH SET #1        | GROMMET   | BACK PANEL OPTION  |
| See inside front cover for required option codes |                      | <b>Grommet</b><br>Grommet incl. Silver <b>GYS</b><br>Grommet incl. Black <b>GYB</b> | Full height back panel <b>NAP</b><br>Left wire access panel (add \$656) <b>LAP</b><br>Right wire access panel (add \$656) <b>RAP</b> |


Example

|                         |        |         |            |
|-------------------------|--------|---------|------------|
| MSFTC4242.NC260.GYS.RAP |        |         |            |
| MSFTC4242               | NC260  | GYS     | RAP        |
| MODEL NUMBER            | FINISH | GROMMET | BACK PANEL |

|                             | D       | W  | H      | model number | select | exotic |
|-----------------------------|---------|----|--------|--------------|--------|--------|
| FULL END PANEL<br>LEFT HAND | 30 5/16 | 60 | 29 1/2 | MSARC3060L-X | 2,579  | 3,094  |
|                             | 30 5/16 | 66 | 29 1/2 | MSARC3066L-X | 2,779  | 3,334  |



TOP VIEW



PRODUCT INFO

note  
24 5/16" depth connecting end is flat

spec tip  
Specify full end panel from user seated position

Not for use as a freestanding unit

Connect to right-hand conferencing core units, technology corner units, right-hand arced core units, and right-hand linear core units

Not for use with desking returns

TO ORDER PLEASE SPECIFY THE FOLLOWING:

MODEL NUMBER

FINISH SET #1

GROMMET

BACK PANEL OPTION

See inside front cover for required option codes

Grommet

No Grommet

Left

Left

Center

Center

Right

Right

Left & Right

Left & Right

Power Port (add \$331)

Right

GN

GLS

GLB

GCS

GCB

GRS

GRB

GBS

GBB

APR

Full height back panel

Wire access panel (add \$656)


NAP

AP


Example

|                           |        |         |            |
|---------------------------|--------|---------|------------|
| MSARC3060L-X.NC260.GCS.AP |        |         |            |
| MSARC3060L-X              | NC260  | GCS     | AP         |
| MODEL NUMBER              | FINISH | GROMMET | BACK PANEL |

|                              | D                               | W  | H                              | model number | select | exotic |
|------------------------------|---------------------------------|----|--------------------------------|--------------|--------|--------|
| FULL END PANEL<br>RIGHT HAND | 30 <sup>5</sup> / <sub>16</sub> | 60 | 29 <sup>1</sup> / <sub>2</sub> | MSARC3060R-X | 2,579  | 3,094  |
|                              | 30 <sup>5</sup> / <sub>16</sub> | 66 | 29 <sup>1</sup> / <sub>2</sub> | MSARC3066R-X | 2,779  | 3,334  |



TOP VIEW



PRODUCT INFO

note  
24 <sup>5</sup>/<sub>16</sub>" depth connecting  
end is flat

spec tip  
Specify full end panel from  
user seated position

Not for use as a freestand-  
ing unit

Connect to left-hand confer-  
encing core units, technology  
corner units, left-hand arced  
core units, and left-hand  
linear core units

Not for use with desking  
returns


TO ORDER PLEASE SPECIFY THE FOLLOWING:

|   |                      |   |  |
|---|----------------------|---|--|
| <input type="text"/>                                | <input type="text"/> | <input type="text"/>  | <input type="text"/>   |
| MODEL NUMBER  | FINISH<br>SET #1     | GROMMET   | BACK PANEL<br>OPTION   |
| See inside front cover for<br>required option codes |                      | <b>Grommet</b><br>No Grommet — GN<br>Left Silver GLS<br>Left Black GLB<br>Center Silver GCS<br>Center Black GCB<br>Right Silver GRS<br>Right Black GRB<br>Left & Right Silver GBS<br>Left & Right Black GBB<br><b>Power Port (add \$331)</b><br>Left Silver APL | Full height back panel <b>NAP</b><br>Wire access panel <b>AP</b><br><b>(add \$656)</b> |


Example

MSARC3060R-X.NC260.GCS.AP  
MSARC3060R-X NC260 GCS AP  
MODEL NUMBER FINISH GROMMET BACK PANEL

|                                     | D       | W  | H      | model number | select | exotic |
|-------------------------------------|---------|----|--------|--------------|--------|--------|
| PEDESTAL   LEFT HAND<br>FILE   FILE | 30 5⁄16 | 60 | 29 1⁄2 | MSARC3060L-2 | 3,558  | 4,270  |
|                                     | 30 5⁄16 | 66 | 29 1⁄2 | MSARC3066L-2 | 3,752  | 4,501  |




BOX | BOX | FILE



|         |    |        |              |       |       |
|---------|----|--------|--------------|-------|-------|
| 30 5⁄16 | 60 | 29 1⁄2 | MSARC3060L-3 | 3,633 | 4,360 |
| 30 5⁄16 | 66 | 29 1⁄2 | MSARC3066L-3 | 3,827 | 4,593 |

TOP VIEW



PRODUCT INFO

note  
24 5⁄16" depth connecting  
end is flat

Contains 30" depth pedestals

spec tip  
Specify pedestal from user  
seated position

Not for use as a freestanding  
unit

Connect to right-hand confer-  
encing core units, technology  
corner units, right-hand arced  
core units, and right-hand  
linear core units

Not for use with desking  
returns

TO ORDER PLEASE SPECIFY THE FOLLOWING:

MODEL NUMBER

FINISH  
SET #1

PULL

GROMMET

BACK PANEL  
OPTION

KEYING

See inside front cover for  
required option codes

Grommet

No Grommet

Left

Center

Right

Left & Right

Right

Left & Right

Power Port (add \$331)

Right

Silver

Black

Silver

Black

Silver

Black

Silver

Black

Silver

Black

GN

GLS

GLB

GCS

GCB

GRS

GRB

GBS

GBB

APR

Full height back panel

Wire access panel  
(add \$656)


NAP

AP


Example

|                                   |        |      |         |            |        |
|-----------------------------------|--------|------|---------|------------|--------|
| MSARC3060L-2.NC260.ARS.GBS.AP.RMS |        |      |         |            |        |
| MSARC3060L-2                      | NC260  | ARS  | GBS     | AP         | RMS    |
| MODEL NUMBER                      | FINISH | PULL | GROMMET | BACK PANEL | KEYING |


|                                      | D                               | W  | H                              | model number | select | exotic |
|--------------------------------------|---------------------------------|----|--------------------------------|--------------|--------|--------|
| PEDESTAL   RIGHT HAND<br>FILE   FILE | 30 <sup>5</sup> / <sub>16</sub> | 60 | 29 <sup>1</sup> / <sub>2</sub> | MSARC3060R-2 | 3,558  | 4,270  |
|                                      | 30 <sup>5</sup> / <sub>16</sub> | 66 | 29 <sup>1</sup> / <sub>2</sub> | MSARC3066R-2 | 3,752  | 4,501  |



BOX | BOX | FILE



TOP VIEW



PRODUCT INFO

note  
24 <sup>5</sup>/<sub>16</sub>" depth connecting  
end is flat  
Contains 30" depth pedestals

spec tip  
Specify pedestal from user  
seated position

Not for use as a freestanding  
unit

Connect to left-hand confer-  
encing core units, technology  
corner units, left-hand arced  
core units, and left-hand linear  
core units

Not for use with desking  
returns

TO ORDER PLEASE SPECIFY THE FOLLOWING:

|                      |                      |                      |                      |                      |                      |
|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|
| <input type="text"/> | <input type="text"/> | <input type="text"/> | <input type="text"/> | <input type="text"/> | <input type="text"/> |
| MODEL NUMBER         | FINISH<br>SET #1     | PULL                 | GROMMET              | BACK PANEL<br>OPTION | KEYING               |


See inside front cover for  
required option codes

- Grommet**  
No Grommet — GN  
Left Silver GLS  
Left Black GLB  
Center Silver GCS  
Center Black GCB  
Right Silver GRS  
Right Black GRB  
Left & Right Silver GBS  
Left & Right Black GBB
- Power Port (add \$331)**  
Left Silver APL

- Full height back panel NAP  
Wire access panel AP  
(add \$656)

Example

|                                   |        |      |         |            |        |
|-----------------------------------|--------|------|---------|------------|--------|
| MSARC3060R-2.NC260.ARS.GBS.AP.RMS |        |      |         |            |        |
| MSARC3060R-2                      | NC260  | ARS  | GBS     | AP         | RMS    |
| MODEL NUMBER                      | FINISH | PULL | GROMMET | BACK PANEL | KEYING |

|   | D       | W  | H      | model number        | select | exotic |
|---|---------|----|--------|---------------------|--------|--------|
| <b>FULL END PANEL<br/>LEFT HAND</b><br> | 24 5/16 | 30 | 29 1/2 | <b>MSLNC2430L-X</b> | 1,478  | 1,774  |
|   | 24 5/16 | 36 | 29 1/2 | <b>MSLNC2436L-X</b> | 1,503  | 1,804  |
|   | 24 5/16 | 42 | 29 1/2 | <b>MSLNC2442L-X</b> | 1,634  | 1,960  |
|   | 24 5/16 | 48 | 29 1/2 | <b>MSLNC2448L-X</b> | 1,771  | 2,126  |
|   | 24 5/16 | 54 | 29 1/2 | <b>MSLNC2454L-X</b> | 1,890  | 2,267  |
|   | 24 5/16 | 60 | 29 1/2 | <b>MSLNC2460L-X</b> | 1,993  | 2,391  |
|   | 24 5/16 | 66 | 29 1/2 | <b>MSLNC2466L-X</b> | 2,132  | 2,558  |
|   | 24 5/16 | 72 | 29 1/2 | <b>MSLNC2472L-X</b> | 2,268  | 2,721  |

PRODUCT INFO

note  
24 5/16" depth connecting  
end is flat

spec tip  
Specify full end panel from  
user seated position

Not for use as a freestand-  
ing unit


Connect to right-hand  
conferencing core units,  
technology corner units,  
right-hand arced core units,  
and right-hand linear core  
units

TO ORDER PLEASE SPECIFY THE FOLLOWING:

|   |                  |  |  |
|---|------------------|--|--|
| <div></div>   | <div></div>      | <div></div>  | <div></div>  |
| MODEL NUMBER  | FINISH<br>SET #1 | GROMMET  | BACK PANEL<br>OPTION   |
| See inside front cover for<br>required option codes |                  | <b>Grommet</b><br>No Grommet ——— <b>GN</b><br>Left Silver <b>GLS</b><br>Left Black <b>GLB</b><br>Center Silver <b>GCS</b><br>Center Black <b>GCB</b><br>Right Silver <b>GRS</b><br>Right Black <b>GRB</b><br>Left & Right Silver <b>GBS</b><br>Left & Right Black <b>GBB</b><br><b>Power Port (add \$331)</b><br>Right Silver <b>APR</b> | Full height back panel <b>NAP</b><br>Wire access panel <b>AP*</b><br><b>(add \$656)</b><br><br>*AP Option not available on<br>30" and 36" width units. |

Example

|                           |        |         |            |
|---------------------------|--------|---------|------------|
| MSLNC2460L-X.NC260.GCS.AP |        |         |            |
| MSLNC2460L-X              | NC260  | GCS     | AP         |
| MODEL NUMBER              | FINISH | GROMMET | BACK PANEL |

|  | D                               | W  | H                              | model number        | select | exotic |
|--|---------------------------------|----|--------------------------------|---------------------|--------|--------|
| <b>FULL END PANEL</b><br>RIGHT HAND<br> | 24 <sup>5</sup> / <sub>16</sub> | 30 | 29 <sup>1</sup> / <sub>2</sub> | <b>MSLNC2430R-X</b> | 1,478  | 1,774  |
|  | 24 <sup>5</sup> / <sub>16</sub> | 36 | 29 <sup>1</sup> / <sub>2</sub> | <b>MSLNC2436R-X</b> | 1,503  | 1,804  |
|  | 24 <sup>5</sup> / <sub>16</sub> | 42 | 29 <sup>1</sup> / <sub>2</sub> | <b>MSLNC2442R-X</b> | 1,634  | 1,960  |
|  | 24 <sup>5</sup> / <sub>16</sub> | 48 | 29 <sup>1</sup> / <sub>2</sub> | <b>MSLNC2448R-X</b> | 1,771  | 2,126  |
|  | 24 <sup>5</sup> / <sub>16</sub> | 54 | 29 <sup>1</sup> / <sub>2</sub> | <b>MSLNC2454R-X</b> | 1,890  | 2,267  |
|  | 24 <sup>5</sup> / <sub>16</sub> | 60 | 29 <sup>1</sup> / <sub>2</sub> | <b>MSLNC2460R-X</b> | 1,993  | 2,391  |
|  | 24 <sup>5</sup> / <sub>16</sub> | 66 | 29 <sup>1</sup> / <sub>2</sub> | <b>MSLNC2466R-X</b> | 2,132  | 2,558  |
|  | 24 <sup>5</sup> / <sub>16</sub> | 72 | 29 <sup>1</sup> / <sub>2</sub> | <b>MSLNC2472R-X</b> | 2,268  | 2,721  |

PRODUCT INFO

note  
24 <sup>5</sup>/<sub>16</sub>" depth connecting  
end is flat

spec tip  
Specify full end panel from  
user seated position

Not for use as a freestand-  
ing unit

Connect to left-hand confer-  
encing core units, technology  
corner units, left-hand arced  
core units, and left-hand  
linear core units





TO ORDER PLEASE SPECIFY THE FOLLOWING:

|   |                          |   |  |
|---|--------------------------|---|--|
| <input type="text"/>                                | <input type="text"/>     | <input type="text"/>  | <input type="text"/>   |
| <b>MODEL NUMBER</b>                                 | <b>FINISH<br/>SET #1</b> | <b>GROMMET</b>  | <b>BACK PANEL<br/>OPTION</b>   |
| See inside front cover for<br>required option codes |                          | <b>Grommet</b><br>No Grommet — GN<br>Left Silver GLS<br>Left Black GLB<br>Center Silver GCS<br>Center Black GCB<br>Right Silver GRS<br>Right Black GRB<br>Left & Right Silver GBS<br>Left & Right Black GBB | Full height back panel <b>NAP</b><br><br>Wire access panel <b>AP*</b><br><b>(add \$656)</b><br><br>*AP Option not available on<br>30" and 36" width units. |
|   |                          | <b>Power Port (add \$331)</b><br>Left Silver <b>APL</b>   |  |

Example

MSLNC2460R-X.NC260.GCS.AP  
MSLNC2460R-X NC260 GCS AP  
MODEL NUMBER FINISH GROMMET BACK PANEL



|   | D       | W  | H      | model number   | select | exotic |
|---|---------|----|--------|----------------|--------|--------|
| PEDESTAL   LEFT HAND<br>FILE   FILE<br> | 24 5/16 | 30 | 29 1/2 | MSLNC2430L-2   | 2,065  | 2,477  |
|   | 24 5/16 | 36 | 29 1/2 | MSLNC2436L-2   | 2,208  | 2,650  |
|   | 24 5/16 | 42 | 29 1/2 | MSLNC2442L-2   | 2,346  | 2,816  |
| BOX   BOX   FILE<br>                    | 24 5/16 | 30 | 29 1/2 | MSLNC2430L-3   | 2,125  | 2,549  |
|   | 24 5/16 | 36 | 29 1/2 | MSLNC2436L-3   | 2,269  | 2,725  |
|   | 24 5/16 | 42 | 29 1/2 | MSLNC2442L-3   | 2,408  | 2,889  |
| LATERAL FILE<br>                        | 24 5/16 | 36 | 29 1/2 | MSLNC2436L-4   | 2,539  | 3,047  |
|   | 24 5/16 | 42 | 29 1/2 | MSLNC2442L-4   | 2,676  | 3,212  |
| MULTIFILE<br>                         | 24 5/16 | 36 | 29 1/2 | MSLNC2436L-MFL | 2,801  | 3,362  |
|   | 24 5/16 | 42 | 29 1/2 | MSLNC2442L-MFL | 2,939  | 3,527  |

PRODUCT INFO

note  
24 5/16" depth connecting  
end is flat

spec tip  
Specify pedestal from user  
seated position

Not for use as a freestand-  
ing unit





Connect to right-hand  
conferencing core units,  
technology corner units,  
right-hand arced core units,  
and right-hand linear core  
units

TO ORDER PLEASE SPECIFY THE FOLLOWING:

|   |                  |             |  |  |                               |
|---|------------------|-------------|--|--|-------------------------------|
| <div></div>   | <div></div>      | <div></div> | <div></div>  | <div></div>  | <div></div>                   |
| MODEL NUMBER  | FINISH<br>SET #1 | PULL        | GROMMET  | BACK PANEL<br>OPTION   | KEYING                        |
| See inside front cover for<br>required option codes |                  |             | <div>Grommet</div> <div>No Grommet</div> <div>Left</div> <div>Left</div> <div>Center</div> <div>Center</div> <div>Right</div> <div>Right</div> <div>Left &amp; Right</div> <div>Left &amp; Right</div> <div>Silver</div> <div>Black</div> <div>Silver</div> <div>Black</div> <div>Silver</div> <div>Black</div> <div>Silver</div> <div>Black</div> <div>GN</div> <div>GLS</div> <div>GLB</div> <div>GCS</div> <div>GCB</div> <div>GRS</div> <div>GRB</div> <div>GBS</div> <div>GBB</div> | <div>Full height back panel</div> <div>Wire access panel<br/>(add \$656)</div> <div>*AP option not available on 30" or 36"<br/>width units, or 42" units with a lateral file<br/>or multifile.</div> | <div>NAP</div> <div>AP*</div> |

Example

|                                   |        |      |         |            |        |
|-----------------------------------|--------|------|---------|------------|--------|
| MSLNC2430L-2.NC260.ARS.GBS.AP.RMS |        |      |         |            |        |
| MSLNC2430L-2                      | NC260  | ARS  | GBS     | AP         | RMS    |
| MODEL NUMBER                      | FINISH | PULL | GROMMET | BACK PANEL | KEYING |

|   | D                               | W  | H                              | model number          | select | exotic |
|---|---------------------------------|----|--------------------------------|-----------------------|--------|--------|
| <b>PEDESTAL   LEFT HAND</b><br>FILE   FILE<br> | 24 <sup>5</sup> / <sub>16</sub> | 48 | 29 <sup>1</sup> / <sub>2</sub> | <b>MSLNC2448L-2</b>   | 2,485  | 2,981  |
|   | 24 <sup>5</sup> / <sub>16</sub> | 54 | 29 <sup>1</sup> / <sub>2</sub> | <b>MSLNC2454L-2</b>   | 2,595  | 3,112  |
|   | 24 <sup>5</sup> / <sub>16</sub> | 60 | 29 <sup>1</sup> / <sub>2</sub> | <b>MSLNC2460L-2</b>   | 2,704  | 3,243  |
|   | 24 <sup>5</sup> / <sub>16</sub> | 66 | 29 <sup>1</sup> / <sub>2</sub> | <b>MSLNC2466L-2</b>   | 2,828  | 3,394  |
|   | 24 <sup>5</sup> / <sub>16</sub> | 72 | 29 <sup>1</sup> / <sub>2</sub> | <b>MSLNC2472L-2</b>   | 2,959  | 3,551  |
| <b>BOX   BOX   FILE</b><br>                    | 24 <sup>5</sup> / <sub>16</sub> | 48 | 29 <sup>1</sup> / <sub>2</sub> | <b>MSLNC2448L-3</b>   | 2,545  | 3,056  |
|   | 24 <sup>5</sup> / <sub>16</sub> | 54 | 29 <sup>1</sup> / <sub>2</sub> | <b>MSLNC2454L-3</b>   | 2,654  | 3,187  |
|   | 24 <sup>5</sup> / <sub>16</sub> | 60 | 29 <sup>1</sup> / <sub>2</sub> | <b>MSLNC2460L-3</b>   | 2,764  | 3,316  |
|   | 24 <sup>5</sup> / <sub>16</sub> | 66 | 29 <sup>1</sup> / <sub>2</sub> | <b>MSLNC2466L-3</b>   | 2,888  | 3,465  |
|   | 24 <sup>5</sup> / <sub>16</sub> | 72 | 29 <sup>1</sup> / <sub>2</sub> | <b>MSLNC2472L-3</b>   | 3,019  | 3,621  |
| <b>LATERAL FILE</b><br>                        | 24 <sup>5</sup> / <sub>16</sub> | 48 | 29 <sup>1</sup> / <sub>2</sub> | <b>MSLNC2448L-4</b>   | 2,815  | 3,378  |
|   | 24 <sup>5</sup> / <sub>16</sub> | 54 | 29 <sup>1</sup> / <sub>2</sub> | <b>MSLNC2454L-4</b>   | 2,923  | 3,509  |
|   | 24 <sup>5</sup> / <sub>16</sub> | 60 | 29 <sup>1</sup> / <sub>2</sub> | <b>MSLNC2460L-4</b>   | 3,033  | 3,638  |
|   | 24 <sup>5</sup> / <sub>16</sub> | 66 | 29 <sup>1</sup> / <sub>2</sub> | <b>MSLNC2466L-4</b>   | 3,155  | 3,786  |
|   | 24 <sup>5</sup> / <sub>16</sub> | 72 | 29 <sup>1</sup> / <sub>2</sub> | <b>MSLNC2472L-4</b>   | 3,288  | 3,945  |
| <b>MULTIFILE</b><br>                         | 24 <sup>5</sup> / <sub>16</sub> | 48 | 29 <sup>1</sup> / <sub>2</sub> | <b>MSLNC2448L-MFL</b> | 3,078  | 3,693  |
|   | 24 <sup>5</sup> / <sub>16</sub> | 54 | 29 <sup>1</sup> / <sub>2</sub> | <b>MSLNC2454L-MFL</b> | 3,186  | 3,823  |
|   | 24 <sup>5</sup> / <sub>16</sub> | 60 | 29 <sup>1</sup> / <sub>2</sub> | <b>MSLNC2460L-MFL</b> | 3,296  | 3,955  |
|   | 24 <sup>5</sup> / <sub>16</sub> | 66 | 29 <sup>1</sup> / <sub>2</sub> | <b>MSLNC2466L-MFL</b> | 3,418  | 4,101  |
|   | 24 <sup>5</sup> / <sub>16</sub> | 72 | 29 <sup>1</sup> / <sub>2</sub> | <b>MSLNC2472L-MFL</b> | 3,550  | 4,260  |

**PRODUCT INFO**

**note**  
24 <sup>5</sup>/<sub>16</sub>" depth connecting end is flat

**spec tip**  
Specify pedestal from user seated position

Not for use as a freestanding unit

Connect to right-hand conferencing core units, technology corner units, right-hand arced core units, and right-hand linear core units

**TO ORDER PLEASE SPECIFY THE FOLLOWING:**

|                      |                      |                      |                      |                          |                      |
|----------------------|----------------------|----------------------|----------------------|--------------------------|----------------------|
| <input type="text"/> | <input type="text"/> | <input type="text"/> | <input type="text"/> | <input type="text"/>     | <input type="text"/> |
| <b>MODEL NUMBER</b>  | <b>FINISH SET #1</b> | <b>PULL</b>          | <b>GROMMET</b>       | <b>BACK PANEL OPTION</b> | <b>KEYING</b>        |

See inside front cover for required option codes

**Grommet**  
 No Grommet — **GN**  
 Left Silver **GLS**  
 Left Black **GLB**  
 Center Silver **GCS**  
 Center Black **GCB**  
 Right Silver **GRS**  
 Right Black **GRB**  
 Left & Right Silver **GBS**  
 Left & Right Black **GBB**

**Power Port (add \$331)**  
 Right Silver **APR**

Full height back panel **NAP**





Wire access panel **AP\***  
 (add \$656)

\*AP option not available on 48" or 54" width units with a lateral file or multifile.

**Example**

MSLNC2460L-2.NC260.ARS.GBS.AP.RMS

|              |        |      |         |            |        |
|--------------|--------|------|---------|------------|--------|
| MSLNC2460L-2 | NC260  | ARS  | GBS     | AP         | RMS    |
| MODEL NUMBER | FINISH | PULL | GROMMET | BACK PANEL | KEYING |

|  | D       | W  | H      | model number   | select | exotic |
|--|---------|----|--------|----------------|--------|--------|
| PEDESTAL   RIGHT HAND<br>FILE   FILE<br> | 24 5/16 | 30 | 29 1/2 | MSLNC2430R-2   | 2,065  | 2,477  |
|  | 24 5/16 | 36 | 29 1/2 | MSLNC2436R-2   | 2,208  | 2,650  |
|  | 24 5/16 | 42 | 29 1/2 | MSLNC2442R-2   | 2,346  | 2,816  |
| BOX   BOX   FILE<br>                     | 24 5/16 | 30 | 29 1/2 | MSLNC2430R-3   | 2,125  | 2,549  |
|  | 24 5/16 | 36 | 29 1/2 | MSLNC2436R-3   | 2,269  | 2,725  |
|  | 24 5/16 | 42 | 29 1/2 | MSLNC2442R-3   | 2,408  | 2,889  |
| LATERAL FILE<br>                         | 24 5/16 | 36 | 29 1/2 | MSLNC2436R-4   | 2,539  | 3,047  |
|  | 24 5/16 | 42 | 29 1/2 | MSLNC2442R-4   | 2,676  | 3,212  |
| MULTIFILE<br>                          | 24 5/16 | 36 | 29 1/2 | MSLNC2436R-MFR | 2,801  | 3,362  |
|  | 24 5/16 | 42 | 29 1/2 | MSLNC2442R-MFR | 2,939  | 3,527  |

PRODUCT INFO

note  
24 5/16" depth connecting end is flat

spec tip  
Specify pedestal from user seated position

Not for use as a freestanding unit

Connect to left-hand conferencing core units, technology corner units, left-hand arced core units, and left-hand linear core units

TO ORDER PLEASE SPECIFY THE FOLLOWING:

MODEL NUMBER

FINISH SET #1

PULL

GROMMET

BACK PANEL OPTION

KEYING

See inside front cover for required option codes

Grommet

No Grommet

Left

Left

Center

Center

Right

Right

Left & Right

Left & Right

Silver

Black

Silver

Black

Silver

Black

Silver

Black

GN

GLS

GLB

GCS

GCB

GRS

GRB

GBS

GBB

Full height back panel

Wire access panel (add \$656)





\*AP option not available on 30" or 36" width units, or 42" units with a lateral file or multifile.

NAP

AP\*

Example

|                                   |        |      |         |            |        |
|-----------------------------------|--------|------|---------|------------|--------|
| MSLNC2430R-2.NC260.ARS.GBS.AP.RMS |        |      |         |            |        |
| MSLNC2430R-2                      | NC260  | ARS  | GBS     | AP         | RMS    |
| MODEL NUMBER                      | FINISH | PULL | GROMMET | BACK PANEL | KEYING |

|  | D                               | W  | H                              | model number          | select | exotic |
|--|---------------------------------|----|--------------------------------|-----------------------|--------|--------|
| <b>PEDESTAL   RIGHT HAND</b><br>FILE   FILE<br> | 24 <sup>5</sup> / <sub>16</sub> | 48 | 29 <sup>1</sup> / <sub>2</sub> | <b>MSLNC2448R-2</b>   | 2,485  | 2,981  |
|  | 24 <sup>5</sup> / <sub>16</sub> | 54 | 29 <sup>1</sup> / <sub>2</sub> | <b>MSLNC2454R-2</b>   | 2,595  | 3,112  |
|  | 24 <sup>5</sup> / <sub>16</sub> | 60 | 29 <sup>1</sup> / <sub>2</sub> | <b>MSLNC2460R-2</b>   | 2,704  | 3,243  |
|  | 24 <sup>5</sup> / <sub>16</sub> | 66 | 29 <sup>1</sup> / <sub>2</sub> | <b>MSLNC2466R-2</b>   | 2,828  | 3,394  |
|  | 24 <sup>5</sup> / <sub>16</sub> | 72 | 29 <sup>1</sup> / <sub>2</sub> | <b>MSLNC2472R-2</b>   | 2,959  | 3,551  |
| <b>BOX   BOX   FILE</b><br>                     | 24 <sup>5</sup> / <sub>16</sub> | 48 | 29 <sup>1</sup> / <sub>2</sub> | <b>MSLNC2448R-3</b>   | 2,545  | 3,056  |
|  | 24 <sup>5</sup> / <sub>16</sub> | 54 | 29 <sup>1</sup> / <sub>2</sub> | <b>MSLNC2454R-3</b>   | 2,654  | 3,187  |
|  | 24 <sup>5</sup> / <sub>16</sub> | 60 | 29 <sup>1</sup> / <sub>2</sub> | <b>MSLNC2460R-3</b>   | 2,764  | 3,316  |
|  | 24 <sup>5</sup> / <sub>16</sub> | 66 | 29 <sup>1</sup> / <sub>2</sub> | <b>MSLNC2466R-3</b>   | 2,888  | 3,465  |
|  | 24 <sup>5</sup> / <sub>16</sub> | 72 | 29 <sup>1</sup> / <sub>2</sub> | <b>MSLNC2472R-3</b>   | 3,019  | 3,621  |
| <b>LATERAL FILE</b><br>                         | 24 <sup>5</sup> / <sub>16</sub> | 48 | 29 <sup>1</sup> / <sub>2</sub> | <b>MSLNC2448R-4</b>   | 2,815  | 3,378  |
|  | 24 <sup>5</sup> / <sub>16</sub> | 54 | 29 <sup>1</sup> / <sub>2</sub> | <b>MSLNC2454R-4</b>   | 2,923  | 3,509  |
|  | 24 <sup>5</sup> / <sub>16</sub> | 60 | 29 <sup>1</sup> / <sub>2</sub> | <b>MSLNC2460R-4</b>   | 3,033  | 3,638  |
|  | 24 <sup>5</sup> / <sub>16</sub> | 66 | 29 <sup>1</sup> / <sub>2</sub> | <b>MSLNC2466R-4</b>   | 3,155  | 3,786  |
|  | 24 <sup>5</sup> / <sub>16</sub> | 72 | 29 <sup>1</sup> / <sub>2</sub> | <b>MSLNC2472R-4</b>   | 3,288  | 3,945  |
| <b>MULTIFILE</b><br>                          | 24 <sup>5</sup> / <sub>16</sub> | 48 | 29 <sup>1</sup> / <sub>2</sub> | <b>MSLNC2448R-MFR</b> | 3,078  | 3,693  |
|  | 24 <sup>5</sup> / <sub>16</sub> | 54 | 29 <sup>1</sup> / <sub>2</sub> | <b>MSLNC2454R-MFR</b> | 3,186  | 3,823  |
|  | 24 <sup>5</sup> / <sub>16</sub> | 60 | 29 <sup>1</sup> / <sub>2</sub> | <b>MSLNC2460R-MFR</b> | 3,296  | 3,955  |
|  | 24 <sup>5</sup> / <sub>16</sub> | 66 | 29 <sup>1</sup> / <sub>2</sub> | <b>MSLNC2466R-MFR</b> | 3,418  | 4,101  |
|  | 24 <sup>5</sup> / <sub>16</sub> | 72 | 29 <sup>1</sup> / <sub>2</sub> | <b>MSLNC2472R-MFR</b> | 3,550  | 4,260  |

## PRODUCT INFO

**note**  
24 <sup>5</sup>/<sub>16</sub>" depth connecting end is flat

**spec tip**  
Specify pedestal from user seated position

Not for use as a freestanding unit

Connect to left-hand conferencing core units, technology corner units, left-hand arced core units, and left-hand linear core units

## TO ORDER PLEASE SPECIFY THE FOLLOWING:

|                      |                      |                      |                      |                          |                      |
|----------------------|----------------------|----------------------|----------------------|--------------------------|----------------------|
| <input type="text"/> | <input type="text"/> | <input type="text"/> | <input type="text"/> | <input type="text"/>     | <input type="text"/> |
| <b>MODEL NUMBER</b>  | <b>FINISH SET #1</b> | <b>PULL</b>          | <b>GROMMET</b>       | <b>BACK PANEL OPTION</b> | <b>KEYING</b>        |

See inside front cover for required option codes

**Grommet**  
 No Grommet — **GN**  
 Left Silver **GLS**  
 Left Black **GLB**  
 Center Silver **GCS**  
 Center Black **GCB**  
 Right Silver **GRS**  
 Right Black **GRB**  
 Left & Right Silver **GBS**  
 Left & Right Black **GBB**  
**Power Port (add \$331)**  
 Left Silver **APL**

Full height back panel **NAP**  
 Wire access panel **AP\***  
 (add \$656)

\*AP option not available on 48" or 54" width units with a lateral file or multifile.

## Example


MSLNC2460R-2.NC260.ARS.GBS.AP.RMS

|              |        |      |         |            |        |
|--------------|--------|------|---------|------------|--------|
| MSLNC2460R-2 | NC260  | ARS  | GBS     | AP         | RMS    |
| MODEL NUMBER | FINISH | PULL | GROMMET | BACK PANEL | KEYING |

SOLO CORE SHELL UNITS

MOSAIC 2.0  
01/07

|                       | D       | W  | H      | model number | select | exotic |
|-----------------------|---------|----|--------|--------------|--------|--------|
| SOLO CORE SHELL UNITS | 24 5/16 | 60 | 29 1/2 | MSSLC2460    | 1,811  | 2,174  |
|                       | 24 5/16 | 66 | 29 1/2 | MSSLC2466    | 1,954  | 2,345  |
|                       | 24 5/16 | 72 | 29 1/2 | MSSLC2472    | 2,065  | 2,478  |
|                       | 24 5/16 | 78 | 29 1/2 | MSSLC2478    | 2,221  | 2,665  |
|                       | 24 5/16 | 84 | 29 1/2 | MSSLC2484    | 2,296  | 2,755  |
|                       | 24 5/16 | 90 | 29 1/2 | MSSLC2490    | 2,521  | 3,025  |



PRODUCT INFO

note  
End panels 1" thick

spec tip  
Not for use as full bank or storage credenzas

Do not specify power port over pedestal

For use with desking returns, storage returns, conferencing returns and modular pedestals

TO ORDER PLEASE SPECIFY THE FOLLOWING:

MODEL NUMBER

FINISH SET #1

GROMMET

BACK PANEL OPTION

See inside front cover for required option codes

Grommet

No Grommet

Left

Left

Center

Center

Right

Right

Left & Right

Left & Right

Power Port (add \$331)

Left

Center

Right

Silver

Black

Silver

Black

Silver

Black

Silver

Black

Silver

Black

GN

GLS

GLB

GCS

GCB

GRS

GRB

GBS

GBB

APL

APC

APR

Full height back panel

12" height back panel cut-out


FM

HM


Example

|              |        |         |            |
|--------------|--------|---------|------------|
| MSSLC2472    | NC260  | GCS     | HM         |
| MODEL NUMBER | FINISH | GROMMET | BACK PANEL |

|                      | D                               | W  | H                              | model number | select | exotic |
|----------------------|---------------------------------|----|--------------------------------|--------------|--------|--------|
| CORE TERMINATOR LEFT | 24 <sup>5</sup> / <sub>16</sub> | 24 | 29 <sup>1</sup> / <sub>2</sub> | MSCTM2424L   | 1,466  | 1,758  |



TOP VIEW




RIGHT

|                                 |    |                                |            |       |       |
|---------------------------------|----|--------------------------------|------------|-------|-------|
| 24 <sup>5</sup> / <sub>16</sub> | 24 | 29 <sup>1</sup> / <sub>2</sub> | MSCTM2424R | 1,466 | 1,758 |
|---------------------------------|----|--------------------------------|------------|-------|-------|



TOP VIEW



PRODUCT INFO

note  
24 <sup>5</sup>/<sub>16</sub>" depth connecting ends flat  
Includes adjustable shelf

spec tip  
Can be used to terminate pedestal/full end panel end of linear core units.

Can be used to terminate either end of a solo core shell unit.

Can be used to terminate the 24 <sup>5</sup>/<sub>16</sub>" depth connecting end of conferencing core, arced core, linear core, and technology corner units.

Can be used to terminate pedestal/full end panel end of storage returns

TO ORDER PLEASE SPECIFY THE FOLLOWING:

MODEL NUMBER


FINISH SET #1

See inside front cover for required option codes


Example

MSCTM2424R.NC260  
MSCTM2424R NC260  
MODEL NUMBER FINISH


|                         | D                                | W  | H    | model number | select | exotic |
|-------------------------|----------------------------------|----|------|--------------|--------|--------|
| FULL END PANEL<br>RIGHT | 34 <sup>13</sup> / <sub>16</sub> | 54 | 29 ½ | MSDKR3454R-X | 2,134  | 2,560  |
|                         | 34 <sup>13</sup> / <sub>16</sub> | 66 | 29 ½ | MSDKR3466R-X | 2,289  | 2,747  |




TOP VIEW



|                        |                                  |    |      |              |       |       |
|------------------------|----------------------------------|----|------|--------------|-------|-------|
| FULL END PANEL<br>LEFT | 34 <sup>13</sup> / <sub>16</sub> | 54 | 29 ½ | MSDKR3454L-X | 2,134 | 2,560 |
|                        | 34 <sup>13</sup> / <sub>16</sub> | 66 | 29 ½ | MSDKR3466L-X | 2,289 | 2,747 |



TOP VIEW



PRODUCT INFO

note  
34 <sup>13</sup>/<sub>16</sub>" depth connecting  
end coped

spec tip  
Specify full end panel from  
user seated position

Not for use as a freestand-  
ing unit

Attaches perpendicular to  
profiled edge of linear core  
units and solo core shell units

Not for use with arced core  
units

TO ORDER PLEASE SPECIFY THE FOLLOWING:

MODEL NUMBERFINISH SET #1GROMMET


See inside front cover for  
required option codes

| Grommet      |        |     |
|--------------|--------|-----|
| No Grommet   | —      | GN  |
| Left         | Silver | GLS |
| Left         | Black  | GLB |
| Center       | Silver | GCS |
| Center       | Black  | GCB |
| Right        | Silver | GRS |
| Right        | Black  | GRB |
| Left & Right | Silver | GBS |
| Left & Right | Black  | GBB |


Example

|                        |        |         |
|------------------------|--------|---------|
| MSDKR3454R-X.NC260.GBS |        |         |
| MSDKR3454R-X           | NC260  | GBS     |
| MODEL NUMBER           | FINISH | GROMMET |

|   | D                                | W  | H                              | model number | select | exotic |
|---|----------------------------------|----|--------------------------------|--------------|--------|--------|
| PEDESTAL   RIGHT HAND<br>BOX   BOX   FILE | 34 <sup>13</sup> / <sub>16</sub> | 54 | 29 <sup>1</sup> / <sub>2</sub> | MSDKR3454R-3 | 2,990  | 3,588  |
|   | 34 <sup>13</sup> / <sub>16</sub> | 66 | 29 <sup>1</sup> / <sub>2</sub> | MSDKR3466R-3 | 3,253  | 3,904  |




TOP VIEW




PEDESTAL | LEFT HAND  
BOX | BOX | FILE

|                                  |    |                                |              |       |       |
|----------------------------------|----|--------------------------------|--------------|-------|-------|
| 34 <sup>13</sup> / <sub>16</sub> | 54 | 29 <sup>1</sup> / <sub>2</sub> | MSDKR3454L-3 | 2,990 | 3,588 |
| 34 <sup>13</sup> / <sub>16</sub> | 66 | 29 <sup>1</sup> / <sub>2</sub> | MSDKR3466L-3 | 3,253 | 3,904 |



TOP VIEW



PRODUCT INFO

note  
34 <sup>13</sup>/<sub>16</sub>" depth connecting  
end coped

spec tip  
Specify pedestal from user  
seated position

Not for use as a freestand-  
ing unit

Attaches perpendicular to  
profiled edge of linear core  
units and solo core shell units

Not for use with arced core  
units

TO ORDER PLEASE SPECIFY THE FOLLOWING:

|                      |                      |                      |                      |                      |
|----------------------|----------------------|----------------------|----------------------|----------------------|
| <input type="text"/> | <input type="text"/> | <input type="text"/> | <input type="text"/> | <input type="text"/> |
| MODEL NUMBER         | FINISH<br>SET #1     | PULL                 | GROMMET              | KEYING               |


See inside front cover for  
required option codes

| Grommet      |     |
|--------------|-----|
| No Grommet   | GN  |
| Left         | GLS |
| Left         | GLB |
| Center       | GCS |
| Center       | GCB |
| Right        | GRS |
| Right        | GRB |
| Left & Right | GBS |
| Left & Right | GBB |

Example

|                                |        |      |         |        |
|--------------------------------|--------|------|---------|--------|
| MSDKR3454R-3.NC260.ARS.GBS.RMS |        |      |         |        |
| MSDKR3454R-3                   | NC260  | ARS  | GBS     | RMS    |
| MODEL NUMBER                   | FINISH | PULL | GROMMET | KEYING |



|   | D       | W  | H      | model number | select | exotic |
|---|---------|----|--------|--------------|--------|--------|
| <div>FULL END PANEL<br/>LEFT HAND</div> <div></div> | 24 5/16 | 30 | 29 1/2 | MSSTR2430L-X | 1,339  | 1,607  |
|   | 24 5/16 | 36 | 29 1/2 | MSSTR2436L-X | 1,474  | 1,769  |
|   | 24 5/16 | 42 | 29 1/2 | MSSTR2442L-X | 1,605  | 1,926  |
|   | 24 5/16 | 48 | 29 1/2 | MSSTR2448L-X | 1,743  | 2,093  |
|   | 24 5/16 | 54 | 29 1/2 | MSSTR2454L-X | 1,854  | 2,224  |
|   | 24 5/16 | 60 | 29 1/2 | MSSTR2460L-X | 1,965  | 2,357  |
|   | 24 5/16 | 66 | 29 1/2 | MSSTR2466L-X | 2,081  | 2,497  |
|   | 24 5/16 | 72 | 29 1/2 | MSSTR2472L-X | 2,199  | 2,638  |

PRODUCT INFO

note  
24 5/16" depth connecting  
end coped

spec tip  
Specify full end panel from  
user seated position

Not for use as a freestand-  
ing unit


Attaches perpendicular to  
profiled edge of arced core  
units, linear core units, solo  
core shell units, and single  
pedestal desks

TO ORDER PLEASE SPECIFY THE FOLLOWING:

|   |                  |   |   |
|---|------------------|---|---|
| <div></div>   | <div></div>      | <div></div>   | <div></div>   |
| MODEL NUMBER  | FINISH<br>SET #1 | GROMMET   | BACK PANEL<br>OPTION  |
| See inside front cover for<br>required option codes |                  | <b>Grommet</b><br>No Grommet — GN<br>Left Silver GLS<br>Left Black GLB<br>Center Silver GCS<br>Center Black GCB<br>Right Silver GRS<br>Right Black GRB<br>Left & Right Silver GBS<br>Left & Right Black GBB | Full height back panel <b>NAP</b><br><br>Wire access panel <b>AP*</b><br><b>(add \$656)</b><br><br>*AP option not available<br>on 30" or 36" width units. |
|   |                  | <b>Power Port (add \$331)</b><br>Right Silver <b>APR</b>  |   |

Example

|                           |        |         |            |
|---------------------------|--------|---------|------------|
| MSSTR2460L-X.NC260.GCS.AP |        |         |            |
| MSSTR2460L-X              | NC260  | GCS     | AP         |
| MODEL NUMBER              | FINISH | GROMMET | BACK PANEL |

|   | D                               | W  | H                              | model number        | select | exotic |
|---|---------------------------------|----|--------------------------------|---------------------|--------|--------|
| <b>FULL END PANEL<br/>RIGHT HAND</b><br> | 24 <sup>5</sup> / <sub>16</sub> | 30 | 29 <sup>1</sup> / <sub>2</sub> | <b>MSSTR2430R-X</b> | 1,339  | 1,607  |
|   | 24 <sup>5</sup> / <sub>16</sub> | 36 | 29 <sup>1</sup> / <sub>2</sub> | <b>MSSTR2436R-X</b> | 1,474  | 1,769  |
|   | 24 <sup>5</sup> / <sub>16</sub> | 42 | 29 <sup>1</sup> / <sub>2</sub> | <b>MSSTR2442R-X</b> | 1,605  | 1,926  |
|   | 24 <sup>5</sup> / <sub>16</sub> | 48 | 29 <sup>1</sup> / <sub>2</sub> | <b>MSSTR2448R-X</b> | 1,743  | 2,093  |
|   | 24 <sup>5</sup> / <sub>16</sub> | 54 | 29 <sup>1</sup> / <sub>2</sub> | <b>MSSTR2454R-X</b> | 1,854  | 2,224  |
|   | 24 <sup>5</sup> / <sub>16</sub> | 60 | 29 <sup>1</sup> / <sub>2</sub> | <b>MSSTR2460R-X</b> | 1,965  | 2,357  |
|   | 24 <sup>5</sup> / <sub>16</sub> | 66 | 29 <sup>1</sup> / <sub>2</sub> | <b>MSSTR2466R-X</b> | 2,081  | 2,497  |
|   | 24 <sup>5</sup> / <sub>16</sub> | 72 | 29 <sup>1</sup> / <sub>2</sub> | <b>MSSTR2472R-X</b> | 2,199  | 2,638  |

PRODUCT INFO

note  
24 <sup>5</sup>/<sub>16</sub>" depth connecting  
end coped

spec tip  
Specify full end panel from  
user seated position

Not for use as a freestand-  
ing unit





Attaches perpendicular to  
profiled edge of arced core  
units, linear core units, solo  
core shell units, and single  
pedestal desks

TO ORDER PLEASE SPECIFY THE FOLLOWING:

|   |                          |   |   |
|---|--------------------------|---|---|
| <input type="text"/>                                | <input type="text"/>     | <input type="text"/>  | <input type="text"/>  |
| <b>MODEL NUMBER</b>                                 | <b>FINISH<br/>SET #1</b> | <b>GROMMET</b>  | <b>BACK PANEL<br/>OPTION</b>  |
| See inside front cover for<br>required option codes |                          | <b>Grommet</b><br>No Grommet — GN<br>Left Silver GLS<br>Left Black GLB<br>Center Silver GCS<br>Center Black GCB<br>Right Silver GRS<br>Right Black GRB<br>Left & Right Silver GBS<br>Left & Right Black GBB | Full height back panel <b>NAP</b><br><br>Wire access panel <b>AP*</b><br><b>(add \$656)</b><br><br>*AP option not available<br>on 30" or 36" width units. |
|   |                          | <b>Power Port (add \$331)</b><br>Left Silver <b>APL</b>   |   |

Example

MSSTR2460R-X.NC260.GCS.AP  
MODEL NUMBER FINISH GROMMET BACK PANEL

|   | D       | W  | H      | model number   | select | exotic |
|---|---------|----|--------|----------------|--------|--------|
| PEDESTAL   LEFT HAND<br>FILE   FILE<br> | 24 5/16 | 30 | 29 1/2 | MSSTR2430L-2   | 2,036  | 2,443  |
|   | 24 5/16 | 36 | 29 1/2 | MSSTR2436L-2   | 2,182  | 2,618  |
|   | 24 5/16 | 42 | 29 1/2 | MSSTR2442L-2   | 2,318  | 2,781  |
| BOX   BOX   FILE<br>                    | 24 5/16 | 30 | 29 1/2 | MSSTR2430L-3   | 2,095  | 2,513  |
|   | 24 5/16 | 36 | 29 1/2 | MSSTR2436L-3   | 2,239  | 2,686  |
|   | 24 5/16 | 42 | 29 1/2 | MSSTR2442L-3   | 2,376  | 2,851  |
| LATERAL FILE<br>                        | 24 5/16 | 36 | 29 1/2 | MSSTR2436L-4   | 2,461  | 2,954  |
|   | 24 5/16 | 42 | 29 1/2 | MSSTR2442L-4   | 2,599  | 3,119  |
| MULTIFILE<br>                         | 24 5/16 | 36 | 29 1/2 | MSSTR2436L-MFL | 2,724  | 3,269  |
|   | 24 5/16 | 42 | 29 1/2 | MSSTR2442L-MFL | 2,861  | 3,434  |

PRODUCT INFO

note  
24 5/16" depth connecting  
end coped

spec tip  
Specify pedestal from user  
seated position

Not for use as a freestanding  
unit

Attaches perpendicular to  
profiled edge of arced core  
units, linear core units, solo  
core shell units, and single  
pedestal desks

TO ORDER PLEASE SPECIFY THE FOLLOWING:

|                      |                      |                      |                      |                      |                      |
|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|
| <input type="text"/> | <input type="text"/> | <input type="text"/> | <input type="text"/> | <input type="text"/> | <input type="text"/> |
| MODEL NUMBER         | FINISH<br>SET #1     | PULL                 | GROMMET              | BACK PANEL<br>OPTION | KEYING               |

See inside front cover for  
required option codes

|              |        |     |
|--------------|--------|-----|
| Grommet      |        | GN  |
| No Grommet   | —      | GLS |
| Left         | Silver | GLB |
| Left         | Black  | GCS |
| Center       | Silver | GCB |
| Center       | Black  | GRS |
| Right        | Silver | GRB |
| Right        | Black  | GBS |
| Left & Right | Silver | GBB |
| Left & Right | Black  |     |





Full height back panel    NAP

Wire access panel    AP\*  
(add \$656)

\*AP option not available on 30" or 36"  
width units or 42" width units with a lateral  
file or multifile.

Example

|                                   |        |      |         |            |        |
|-----------------------------------|--------|------|---------|------------|--------|
| MSSTR2430L-2.NC260.ARS.GBS.AP.RMS |        |      |         |            |        |
| MSSTR2430L-2                      | NC260  | ARS  | GBS     | AP         | RMS    |
| MODEL NUMBER                      | FINISH | PULL | GROMMET | BACK PANEL | KEYING |

|   | D                               | W  | H                              | model number          | select | exotic |
|---|---------------------------------|----|--------------------------------|-----------------------|--------|--------|
| <b>PEDESTAL   LEFT HAND</b><br>FILE   FILE<br> | 24 <sup>5</sup> / <sub>16</sub> | 48 | 29 <sup>1</sup> / <sub>2</sub> | <b>MSSTR2448L-2</b>   | 2,456  | 2,948  |
|   | 24 <sup>5</sup> / <sub>16</sub> | 54 | 29 <sup>1</sup> / <sub>2</sub> | <b>MSSTR2454L-2</b>   | 2,562  | 3,074  |
|   | 24 <sup>5</sup> / <sub>16</sub> | 60 | 29 <sup>1</sup> / <sub>2</sub> | <b>MSSTR2460L-2</b>   | 2,676  | 3,212  |
|   | 24 <sup>5</sup> / <sub>16</sub> | 66 | 29 <sup>1</sup> / <sub>2</sub> | <b>MSSTR2466L-2</b>   | 2,798  | 3,358  |
|   | 24 <sup>5</sup> / <sub>16</sub> | 72 | 29 <sup>1</sup> / <sub>2</sub> | <b>MSSTR2472L-2</b>   | 2,926  | 3,511  |
| <b>BOX   BOX   FILE</b><br>                    | 24 <sup>5</sup> / <sub>16</sub> | 48 | 29 <sup>1</sup> / <sub>2</sub> | <b>MSSTR2448L-3</b>   | 2,515  | 3,019  |
|   | 24 <sup>5</sup> / <sub>16</sub> | 54 | 29 <sup>1</sup> / <sub>2</sub> | <b>MSSTR2454L-3</b>   | 2,624  | 3,150  |
|   | 24 <sup>5</sup> / <sub>16</sub> | 60 | 29 <sup>1</sup> / <sub>2</sub> | <b>MSSTR2460L-3</b>   | 2,735  | 3,281  |
|   | 24 <sup>5</sup> / <sub>16</sub> | 66 | 29 <sup>1</sup> / <sub>2</sub> | <b>MSSTR2466L-3</b>   | 2,849  | 3,419  |
|   | 24 <sup>5</sup> / <sub>16</sub> | 72 | 29 <sup>1</sup> / <sub>2</sub> | <b>MSSTR2472L-3</b>   | 2,949  | 3,540  |
| <b>LATERAL FILE</b><br>                       | 24 <sup>5</sup> / <sub>16</sub> | 48 | 29 <sup>1</sup> / <sub>2</sub> | <b>MSSTR2448L-4</b>   | 2,736  | 3,284  |
|   | 24 <sup>5</sup> / <sub>16</sub> | 54 | 29 <sup>1</sup> / <sub>2</sub> | <b>MSSTR2454L-4</b>   | 2,893  | 3,470  |
|   | 24 <sup>5</sup> / <sub>16</sub> | 60 | 29 <sup>1</sup> / <sub>2</sub> | <b>MSSTR2460L-4</b>   | 3,004  | 3,604  |
|   | 24 <sup>5</sup> / <sub>16</sub> | 66 | 29 <sup>1</sup> / <sub>2</sub> | <b>MSSTR2466L-4</b>   | 3,119  | 3,741  |
|   | 24 <sup>5</sup> / <sub>16</sub> | 72 | 29 <sup>1</sup> / <sub>2</sub> | <b>MSSTR2472L-4</b>   | 3,220  | 3,864  |
| <b>MULTIFILE</b><br>                         | 24 <sup>5</sup> / <sub>16</sub> | 48 | 29 <sup>1</sup> / <sub>2</sub> | <b>MSSTR2448L-MFL</b> | 2,999  | 3,598  |
|   | 24 <sup>5</sup> / <sub>16</sub> | 54 | 29 <sup>1</sup> / <sub>2</sub> | <b>MSSTR2454L-MFL</b> | 3,155  | 3,786  |
|   | 24 <sup>5</sup> / <sub>16</sub> | 60 | 29 <sup>1</sup> / <sub>2</sub> | <b>MSSTR2460L-MFL</b> | 3,267  | 3,920  |
|   | 24 <sup>5</sup> / <sub>16</sub> | 66 | 29 <sup>1</sup> / <sub>2</sub> | <b>MSSTR2466L-MFL</b> | 3,381  | 4,057  |
|   | 24 <sup>5</sup> / <sub>16</sub> | 72 | 29 <sup>1</sup> / <sub>2</sub> | <b>MSSTR2472L-MFL</b> | 3,483  | 4,179  |

## PRODUCT INFO

note  
24 <sup>5</sup>/<sub>16</sub>" depth connecting  
end coped

spec tip  
Specify pedestal from user  
seated position

Not for use as a freestand-  
ing unit

Attaches perpendicular to  
profiled edge of arced core  
units, linear core units, solo  
core shell units, and single  
pedestal desks

## TO ORDER PLEASE SPECIFY THE FOLLOWING:

|                      |                      |                      |                      |                      |                      |
|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|
| <input type="text"/> | <input type="text"/> | <input type="text"/> | <input type="text"/> | <input type="text"/> | <input type="text"/> |
| MODEL NUMBER         | FINISH<br>SET #1     | PULL                 | GROMMET              | BACK PANEL<br>OPTION | KEYING               |

See inside front cover for  
required option codes

|                |        |            |
|----------------|--------|------------|
| <b>Grommet</b> |        |            |
| No Grommet     | —      | <b>GN</b>  |
| Left           | Silver | <b>GLS</b> |
| Left           | Black  | <b>GLB</b> |
| Center         | Silver | <b>GCS</b> |
| Center         | Black  | <b>GCB</b> |
| Right          | Silver | <b>GRS</b> |
| Right          | Black  | <b>GRB</b> |
| Left & Right   | Silver | <b>GBS</b> |
| Left & Right   | Black  | <b>GBB</b> |

**Power Port (add \$331)**  
Right Silver **APR**

Full height back panel **NAP**





Wire access panel **AP\***  
(add \$656)

\*AP option not available on 48" or 54"  
width units with a lateral file or multifile.

## Example

MSSTR2460L-2.NC260.ARS.GBS.AP.RMS

|              |        |      |         |            |        |
|--------------|--------|------|---------|------------|--------|
| MSSTR2460L-2 | NC260  | ARS  | GBS     | AP         | RMS    |
| MODEL NUMBER | FINISH | PULL | GROMMET | BACK PANEL | KEYING |

|  | D       | W  | H      | model number   | select | exotic |
|--|---------|----|--------|----------------|--------|--------|
| PEDESTAL   RIGHT HAND<br>FILE   FILE<br> | 24 5/16 | 30 | 29 1/2 | MSSTR2430R-2   | 2,036  | 2,443  |
|  | 24 5/16 | 36 | 29 1/2 | MSSTR2436R-2   | 2,182  | 2,618  |
|  | 24 5/16 | 42 | 29 1/2 | MSSTR2442R-2   | 2,318  | 2,781  |
| BOX   BOX   FILE<br>                     | 24 5/16 | 30 | 29 1/2 | MSSTR2430R-3   | 2,095  | 2,513  |
|  | 24 5/16 | 36 | 29 1/2 | MSSTR2436R-3   | 2,239  | 2,686  |
|  | 24 5/16 | 42 | 29 1/2 | MSSTR2442R-3   | 2,376  | 2,851  |
| LATERAL FILE<br>                         | 24 5/16 | 36 | 29 1/2 | MSSTR2436R-4   | 2,461  | 2,954  |
|  | 24 5/16 | 42 | 29 1/2 | MSSTR2442R-4   | 2,599  | 3,119  |
| MULTIFILE<br>                          | 24 5/16 | 36 | 29 1/2 | MSSTR2436R-MFR | 2,724  | 3,269  |
|  | 24 5/16 | 42 | 29 1/2 | MSSTR2442R-MFR | 2,861  | 3,434  |

PRODUCT INFO

note  
24 5/16" depth connecting  
end coped

spec tip  
Specify pedestal from user  
seated position

Not for use as a freestand-  
ing unit

Attaches perpendicular to  
profiled edge of arced core  
units, linear core units, solo  
core shell units, and single  
pedestal desks

TO ORDER PLEASE SPECIFY THE FOLLOWING:

|                      |                      |                      |                      |                      |                      |
|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|
| <input type="text"/> | <input type="text"/> | <input type="text"/> | <input type="text"/> | <input type="text"/> | <input type="text"/> |
| MODEL NUMBER         | FINISH<br>SET #1     | PULL                 | GROMMET              | BACK PANEL<br>OPTION | KEYING               |

See inside front cover for  
required option codes





|              |            |
|--------------|------------|
| Grommet      |            |
| No Grommet   | — GN       |
| Left         | Silver GLS |
| Left         | Black GLB  |
| Center       | Silver GCS |
| Center       | Black GCB  |
| Right        | Silver GRS |
| Right        | Black GRB  |
| Left & Right | Silver GBS |
| Left & Right | Black GBB  |

Full height back panel NAP  
Wire access panel AP\*  
(add \$656)

\*AP option not available on 30" or 36"  
width units or 42" width units with a  
lateral file or multifile.

Example

|                                   |        |      |         |            |        |
|-----------------------------------|--------|------|---------|------------|--------|
| MSSTR2430R-2.NC260.ARS.GBS.AP.RMS |        |      |         |            |        |
| MSSTR2430R-2                      | NC260  | ARS  | GBS     | AP         | RMS    |
| MODEL NUMBER                      | FINISH | PULL | GROMMET | BACK PANEL | KEYING |

|  | D                               | W  | H                              | model number          | select | exotic |
|--|---------------------------------|----|--------------------------------|-----------------------|--------|--------|
| <b>PEDESTAL   RIGHT HAND</b><br>FILE   FILE<br> | 24 <sup>5</sup> / <sub>16</sub> | 48 | 29 <sup>1</sup> / <sub>2</sub> | <b>MSSTR2448R-2</b>   | 2,456  | 2,948  |
|  | 24 <sup>5</sup> / <sub>16</sub> | 54 | 29 <sup>1</sup> / <sub>2</sub> | <b>MSSTR2454R-2</b>   | 2,562  | 3,074  |
|  | 24 <sup>5</sup> / <sub>16</sub> | 60 | 29 <sup>1</sup> / <sub>2</sub> | <b>MSSTR2460R-2</b>   | 2,676  | 3,212  |
|  | 24 <sup>5</sup> / <sub>16</sub> | 66 | 29 <sup>1</sup> / <sub>2</sub> | <b>MSSTR2466R-2</b>   | 2,798  | 3,358  |
|  | 24 <sup>5</sup> / <sub>16</sub> | 72 | 29 <sup>1</sup> / <sub>2</sub> | <b>MSSTR2472R-2</b>   | 2,926  | 3,511  |
| <b>BOX   BOX   FILE</b><br>                     | 24 <sup>5</sup> / <sub>16</sub> | 48 | 29 <sup>1</sup> / <sub>2</sub> | <b>MSSTR2448R-3</b>   | 2,515  | 3,019  |
|  | 24 <sup>5</sup> / <sub>16</sub> | 54 | 29 <sup>1</sup> / <sub>2</sub> | <b>MSSTR2454R-3</b>   | 2,624  | 3,150  |
|  | 24 <sup>5</sup> / <sub>16</sub> | 60 | 29 <sup>1</sup> / <sub>2</sub> | <b>MSSTR2460R-3</b>   | 2,735  | 3,281  |
|  | 24 <sup>5</sup> / <sub>16</sub> | 66 | 29 <sup>1</sup> / <sub>2</sub> | <b>MSSTR2466R-3</b>   | 2,849  | 3,419  |
|  | 24 <sup>5</sup> / <sub>16</sub> | 72 | 29 <sup>1</sup> / <sub>2</sub> | <b>MSSTR2472R-3</b>   | 2,949  | 3,540  |
| <b>LATERAL FILE</b><br>                         | 24 <sup>5</sup> / <sub>16</sub> | 48 | 29 <sup>1</sup> / <sub>2</sub> | <b>MSSTR2448R-4</b>   | 2,736  | 3,284  |
|  | 24 <sup>5</sup> / <sub>16</sub> | 54 | 29 <sup>1</sup> / <sub>2</sub> | <b>MSSTR2454R-4</b>   | 2,893  | 3,470  |
|  | 24 <sup>5</sup> / <sub>16</sub> | 60 | 29 <sup>1</sup> / <sub>2</sub> | <b>MSSTR2460R-4</b>   | 3,004  | 3,604  |
|  | 24 <sup>5</sup> / <sub>16</sub> | 66 | 29 <sup>1</sup> / <sub>2</sub> | <b>MSSTR2466R-4</b>   | 3,119  | 3,741  |
|  | 24 <sup>5</sup> / <sub>16</sub> | 72 | 29 <sup>1</sup> / <sub>2</sub> | <b>MSSTR2472R-4</b>   | 3,220  | 3,864  |
| <b>MULTIFILE</b><br>                          | 24 <sup>5</sup> / <sub>16</sub> | 48 | 29 <sup>1</sup> / <sub>2</sub> | <b>MSSTR2448R-MFR</b> | 2,999  | 3,598  |
|  | 24 <sup>5</sup> / <sub>16</sub> | 54 | 29 <sup>1</sup> / <sub>2</sub> | <b>MSSTR2454R-MFR</b> | 3,155  | 3,786  |
|  | 24 <sup>5</sup> / <sub>16</sub> | 60 | 29 <sup>1</sup> / <sub>2</sub> | <b>MSSTR2460R-MFR</b> | 3,267  | 3,920  |
|  | 24 <sup>5</sup> / <sub>16</sub> | 66 | 29 <sup>1</sup> / <sub>2</sub> | <b>MSSTR2466R-MFR</b> | 3,381  | 4,057  |
|  | 24 <sup>5</sup> / <sub>16</sub> | 72 | 29 <sup>1</sup> / <sub>2</sub> | <b>MSSTR2472R-MFR</b> | 3,483  | 4,179  |

## PRODUCT INFO

note  
24 <sup>5</sup>/<sub>16</sub>" depth connecting  
end coped

spec tip  
Specify pedestal from user  
seated position

Not for use as a freestand-  
ing unit

Attaches perpendicular to  
profiled edge of arced core  
units, linear core units, solo  
core shell units, and single  
pedestal desks

## TO ORDER PLEASE SPECIFY THE FOLLOWING:

|                      |                      |                      |                      |                      |                      |
|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|
| <input type="text"/> | <input type="text"/> | <input type="text"/> | <input type="text"/> | <input type="text"/> | <input type="text"/> |
| MODEL NUMBER         | FINISH<br>SET #1     | PULL                 | GROMMET              | BACK PANEL<br>OPTION | KEYING               |

See inside front cover for  
required option codes


|                               |        |     |
|-------------------------------|--------|-----|
| <b>Grommet</b>                |        |     |
| No Grommet                    | —      | GN  |
| Left                          | Silver | GLS |
| Left                          | Black  | GLB |
| Center                        | Silver | GCS |
| Center                        | Black  | GCB |
| Right                         | Silver | GRS |
| Right                         | Black  | GRB |
| Left & Right                  | Silver | GBS |
| Left & Right                  | Black  | GBB |
| <b>Power Port (add \$331)</b> |        |     |
| Left                          | Silver | APL |

|   |     |
|---|-----|
| Full height back panel  | NAP |
| Wire access panel<br>(add \$656)  | AP* |
| *AP option not available on 48" or 54"<br>width units with a lateral file or multifile. |     |


## Example

|                                   |        |      |         |            |        |
|-----------------------------------|--------|------|---------|------------|--------|
| MSSTR2460R-2.NC260.ARS.GBS.AP.RMS |        |      |         |            |        |
| MSSTR2460R-2                      | NC260  | ARS  | GBS     | AP         | RMS    |
| MODEL NUMBER                      | FINISH | PULL | GROMMET | BACK PANEL | KEYING |

|                                   | D       | W  | H      | model number | select | exotic |
|-----------------------------------|---------|----|--------|--------------|--------|--------|
| CONFERENCING RETURNS<br>LEFT HAND | 30 5/16 | 48 | 29 1/2 | MSCFR3048L   | 1,379  | 1,656  |
|                                   | 30 5/16 | 54 | 29 1/2 | MSCFR3054L   | 1,431  | 1,717  |
|                                   | 30 5/16 | 60 | 29 1/2 | MSCFR3060L   | 1,470  | 1,762  |
|                                   | 30 5/16 | 66 | 29 1/2 | MSCFR3066L   | 1,582  | 1,899  |



TOP VIEW



PRODUCT INFO

note  
24 5/16" depth connecting  
end coped

spec tip  
Specify column from user  
seated position

Not for use as a freestand-  
ing unit

Attaches perpendicular to  
profiled edge of arced core  
units, linear core units, and  
solo core shell units

TO ORDER PLEASE SPECIFY THE FOLLOWING:

MODEL NUMBER

FINISH  
SET #1


COLUMN  
COLOR

See inside front cover for  
required option codes


Example

|                     |        |              |
|---------------------|--------|--------------|
| MSCFR3060L.NC260.CS |        |              |
| MSCFR3060L          | NC260  | CS           |
| MODEL NUMBER        | FINISH | COLUMN COLOR |

|                                  | D                               | W  | H                              | model number | select | exotic |
|----------------------------------|---------------------------------|----|--------------------------------|--------------|--------|--------|
| CONFERRING RETURNS<br>RIGHT HAND | 30 <sup>5</sup> / <sub>16</sub> | 48 | 29 <sup>1</sup> / <sub>2</sub> | MSCFR3048R   | 1,379  | 1,656  |
|                                  | 30 <sup>5</sup> / <sub>16</sub> | 54 | 29 <sup>1</sup> / <sub>2</sub> | MSCFR3054R   | 1,431  | 1,717  |
|                                  | 30 <sup>5</sup> / <sub>16</sub> | 60 | 29 <sup>1</sup> / <sub>2</sub> | MSCFR3060R   | 1,470  | 1,762  |
|                                  | 30 <sup>5</sup> / <sub>16</sub> | 66 | 29 <sup>1</sup> / <sub>2</sub> | MSCFR3066R   | 1,582  | 1,899  |



TOP VIEW



PRODUCT INFO

note  
24 <sup>5</sup>/<sub>16</sub>" depth connecting  
end coped

spec tip  
Specify column from user  
seated position

Not for use as a freestand-  
ing unit

Attaches perpendicular to  
profiled edge of arced core  
units, linear core units, and  
solo core shell units

TO ORDER PLEASE SPECIFY THE FOLLOWING:

|                      |                      |                      |
|----------------------|----------------------|----------------------|
| <input type="text"/> | <input type="text"/> | <input type="text"/> |
| MODEL NUMBER         | FINISH<br>SET #1     | COLUMN<br>COLOR      |

See inside front cover for  
required option codes

Example


MSCFR3060R.NC260.CS  
MODEL NUMBER FINISH COLUMN COLOR




DOUBLE PEDESTAL DESKS

MOSAIC 2.0  
01/07

|   | D       | W  | H      | model number | select | exotic |
|---|---------|----|--------|--------------|--------|--------|
| DOUBLE PEDESTAL DESKS<br>BOW   OVERHANG FRONT | 42 5⁄16 | 72 | 29 1⁄2 | MSDBO4272-32 | 4,159  | 4,990  |



FRONT VIEW



PRODUCT INFO

note  
Contains 30" depth pedestals

Kneespace between  
pedestals - 42"

spec tip  
Freestanding units

Center drawer  
ordered separately  
on page 148

TO ORDER PLEASE SPECIFY THE FOLLOWING:

|                      |                      |                      |                      |                      |
|----------------------|----------------------|----------------------|----------------------|----------------------|
| <input type="text"/> | <input type="text"/> | <input type="text"/> | <input type="text"/> | <input type="text"/> |
| MODEL NUMBER         | FINISH<br>SET #1     | PULL                 | GROMMET              | KEYING               |


See inside front cover for  
required option codes

| Grommet      |        |     |
|--------------|--------|-----|
| No Grommet   | —      | GN  |
| Left         | Silver | GLS |
| Left         | Black  | GLB |
| Center       | Silver | GCS |
| Center       | Black  | GCB |
| Right        | Silver | GRS |
| Right        | Black  | GRB |
| Left & Right | Silver | GBS |
| Left & Right | Black  | GBB |


Example

|                                |        |      |         |        |
|--------------------------------|--------|------|---------|--------|
| MSDBO4272-32.NC260.ARS.GBS.RMS |        |      |         |        |
| MSDBO4272-32                   | NC260  | ARS  | GBS     | RMS    |
| MODEL NUMBER                   | FINISH | PULL | GROMMET | KEYING |

|  | D                               | W  | H                              | model number | select | exotic |
|--|---------------------------------|----|--------------------------------|--------------|--------|--------|
| DOUBLE PEDESTAL DESKS<br>RECTANGULAR  <br>OVERHANG FRONT | 36 <sup>5</sup> / <sub>16</sub> | 72 | 29 <sup>1</sup> / <sub>2</sub> | MSDRO3672-32 | 3,387  | 4,065  |



FRONT VIEW



PRODUCT INFO

note  
Contains 30" depth pedestals

Kneespace between  
pedestals - 42"

spec tip  
Freestanding units

Center drawer  
ordered separately  
on page 148

TO ORDER PLEASE SPECIFY THE FOLLOWING:

|                      |                      |                      |                      |                      |
|----------------------|----------------------|----------------------|----------------------|----------------------|
| <input type="text"/> | <input type="text"/> | <input type="text"/> | <input type="text"/> | <input type="text"/> |
| MODEL NUMBER         | FINISH<br>SET #1     | PULL                 | GROMMET              | KEYING               |

See inside front cover for  
required option codes

| Grommet      |        |     |
|--------------|--------|-----|
| No Grommet   | —      | GN  |
| Left         | Silver | GLS |
| Left         | Black  | GLB |
| Center       | Silver | GCS |
| Center       | Black  | GCB |
| Right        | Silver | GRS |
| Right        | Black  | GRB |
| Left & Right | Silver | GBS |
| Left & Right | Black  | GBB |


Example

|                                |        |      |         |        |
|--------------------------------|--------|------|---------|--------|
| MSDRO3672-32.NC260.ARS.GBS.RMS |        |      |         |        |
| MSDRO3672-32                   | NC260  | ARS  | GBS     | RMS    |
| MODEL NUMBER                   | FINISH | PULL | GROMMET | KEYING |


SINGLE PEDESTAL DESKS left hand

MOSAIC 2.0  
01/07


|  | D       | W  | H      | model number | select | exotic |
|--|---------|----|--------|--------------|--------|--------|
| SINGLE PEDESTAL DESKS<br>BOW   OVERHANG FRONT<br>LEFT HAND | 42 5/16 | 72 | 29 1/2 | MSDBO4272L-3 | 3,935  | 4,723  |




FRONT VIEW



|  |         |    |        |              |       |       |
|--|---------|----|--------|--------------|-------|-------|
| RECTANGULAR  <br>OVERHANG FRONT<br>LEFT HAND | 36 5/16 | 72 | 29 1/2 | MSDRO3672L-3 | 3,004 | 3,606 |
|--|---------|----|--------|--------------|-------|-------|



FRONT VIEW



PRODUCT INFO

note  
Contains 30" depth pedestals

Kneespace between  
pedestals - 57"

spec tip  
Specify pedestal from user  
seated position

Connect to right-hand storage  
returns

Center drawer  
ordered separately  
on page 148

TO ORDER PLEASE SPECIFY THE FOLLOWING:

|                      |                      |                      |                      |                      |
|----------------------|----------------------|----------------------|----------------------|----------------------|
| <input type="text"/> | <input type="text"/> | <input type="text"/> | <input type="text"/> | <input type="text"/> |
| MODEL NUMBER         | FINISH<br>SET #1     | PULL                 | GROMMET              | KEYING               |


See inside front cover for  
required option codes

| Grommet                |        |     |
|------------------------|--------|-----|
| No Grommet             | —      | GN  |
| Left                   | Silver | GLS |
| Left                   | Black  | GLB |
| Center                 | Silver | GCS |
| Center                 | Black  | GCB |
| Right                  | Silver | GRS |
| Right                  | Black  | GRB |
| Left & Right           | Silver | GBS |
| Left & Right           | Black  | GBB |
| Power Port (add \$331) |        |     |
| Right                  | Silver | APR |


Example

|                                |        |      |         |        |
|--------------------------------|--------|------|---------|--------|
| MSDBO4272-32.NC260.ARS.GBS.RMS |        |      |         |        |
| MSDBO4272-32                   | NC260  | ARS  | GBS     | RMS    |
| MODEL NUMBER                   | FINISH | PULL | GROMMET | KEYING |


|   | D                               | W  | H                              | model number | select | exotic |
|---|---------------------------------|----|--------------------------------|--------------|--------|--------|
| SINGLE PEDESTAL DESKS<br>BOW   OVERHANG FRONT<br>RIGHT HAND | 42 <sup>5</sup> / <sub>16</sub> | 72 | 29 <sup>1</sup> / <sub>2</sub> | MSDBO4272R-3 | 3,935  | 4,723  |




FRONT VIEW



|   |                                 |    |                                |              |       |       |
|---|---------------------------------|----|--------------------------------|--------------|-------|-------|
| RECTANGULAR  <br>OVERHANG FRONT<br>RIGHT HAND | 36 <sup>5</sup> / <sub>16</sub> | 72 | 29 <sup>1</sup> / <sub>2</sub> | MSDRO3672R-3 | 3,004 | 3,606 |
|---|---------------------------------|----|--------------------------------|--------------|-------|-------|



FRONT VIEW



PRODUCT INFO

note  
Contains 30" depth pedestals

Kneespace between  
pedestals - 57"

spec tip  
Specify pedestal from user  
seated position

Connect to left-hand storage  
returns

Center drawer  
ordered separately  
on page 148

TO ORDER PLEASE SPECIFY THE FOLLOWING:





|                      |                      |                      |                      |                      |
|----------------------|----------------------|----------------------|----------------------|----------------------|
| <input type="text"/> | <input type="text"/> | <input type="text"/> | <input type="text"/> | <input type="text"/> |
| MODEL NUMBER         | FINISH<br>SET #1     | PULL                 | GROMMET              | KEYING               |

See inside front cover for  
required option codes

- Grommet**
- |              |        |     |
|--------------|--------|-----|
| No Grommet   | _____  | GN  |
| Left         | Silver | GLS |
| Left         | Black  | GLB |
| Center       | Silver | GCS |
| Center       | Black  | GCB |
| Right        | Silver | GRS |
| Right        | Black  | GRB |
| Left & Right | Silver | GBS |
| Left & Right | Black  | GBB |
- Power Port (add \$331)**
- |      |        |     |
|------|--------|-----|
| Left | Silver | APL |
|------|--------|-----|

Example

|                                |        |      |         |        |
|--------------------------------|--------|------|---------|--------|
| MSDBO4272R-3.NC260.ARS.GBS.RMS |        |      |         |        |
| MSDBO4272R-3                   | NC260  | ARS  | GBS     | RMS    |
| MODEL NUMBER                   | FINISH | PULL | GROMMET | KEYING |

|  | D       | W  | H      | model number  | select | exotic |
|--|---------|----|--------|---------------|--------|--------|
| LF   LF  | 24 5⁄16 | 72 | 29 1⁄2 | MSFSC2472-44  | 4,363  | 5,235  |
|    |         |    |        |               |        |        |
| HD   HD  | 24 5⁄16 | 72 | 29 1⁄2 | MSFSC2472-55  | 3,478  | 4,173  |
|    |         |    |        |               |        |        |
| FF   HD   FF   | 24 5⁄16 | 72 | 29 1⁄2 | MSFSC2472-252 | 4,121  | 4,944  |
|    |         |    |        |               |        |        |
| FF   HD   BBF  | 24 5⁄16 | 72 | 29 1⁄2 | MSFSC2472-253 | 4,237  | 5,084  |
|  |         |    |        |               |        |        |

PRODUCT INFO

note  
Pedestal code  
2=FF=File/File  
3=BBF=Box/Box/File  
4=LF=Lateral File  
5=HD=Hinged Doors  
  
spec tip  
Specify pedestal from user  
seated position  
  
Freestanding units

TO ORDER PLEASE SPECIFY THE FOLLOWING:

MODEL NUMBERFINISHSET #1PULLKEYING


See inside front cover for  
required option codes

Example

|                            |        |      |        |
|----------------------------|--------|------|--------|
| MSFSC2472-44.NC260.ARS.RMS |        |      |        |
| MSFSC2472-44               | NC260  | ARS  | RMS    |
| MODEL NUMBER               | FINISH | PULL | KEYING |


|                       | D                               | W  | H                              | model number | select | exotic |
|-----------------------|---------------------------------|----|--------------------------------|--------------|--------|--------|
| DOUBLE PED. CREDENZAS | 24 <sup>5</sup> / <sub>16</sub> | 72 | 29 <sup>1</sup> / <sub>2</sub> | MSDPC2472-22 | 3,234  | 3,881  |

FF | FF



|  |                                 |    |                                |              |       |       |
|--|---------------------------------|----|--------------------------------|--------------|-------|-------|
|  | 24 <sup>5</sup> / <sub>16</sub> | 72 | 29 <sup>1</sup> / <sub>2</sub> | MSDPC2472-32 | 3,234 | 3,881 |
|--|---------------------------------|----|--------------------------------|--------------|-------|-------|

BBF | FF



PRODUCT INFO

note  
Pedestal code  
2=FF=File/File  
3=BBF=Box/Box/File  
4=LF=Lateral File  
5=HD=Hinged Doors  
  
spec tip  
Specify pedestal from user  
seated position  
  
Freestanding units


TO ORDER PLEASE SPECIFY THE FOLLOWING:

|  |                      |                      |   |   |                      |
|--|----------------------|----------------------|---|---|----------------------|
| <input type="text"/>                             | <input type="text"/> | <input type="text"/> | <input type="text"/>  | <input type="text"/>  | <input type="text"/> |
| MODEL NUMBER                                     | FINISH SET #1        | PULL                 | GROMMET   | BACK PANEL OPTION   | KEYING               |
| See inside front cover for required option codes |                      |                      | <b>Grommet</b><br>No Grommet — GN<br>Left Silver GLS<br>Left Black GLB<br>Center Silver GCS<br>Center Black GCB<br>Right Silver GRS<br>Right Black GRB<br>Left & Right Silver GBS<br>Left & Right Black GBB<br><br><b>Power Port (add \$331)</b><br>Center Silver APC | Full height back panel NAP<br>Wire access panel AP<br>(add \$656) |                      |

Example

|                                   |        |      |         |            |        |
|-----------------------------------|--------|------|---------|------------|--------|
| MSDPC2472-22.NC260.ARS.GBS.AP.RMS |        |      |         |            |        |
| MSDPC2472-22                      | NC260  | ARS  | GBS     | AP         | RMS    |
| MODEL NUMBER                      | FINISH | PULL | GROMMET | BACK PANEL | KEYING |

|              | DIA.    | H      | model number | select | exotic |
|--------------|---------|--------|--------------|--------|--------|
| ROUND TABLES | 36 dia. | 1 5/16 | MSTRD36      | 1,805  | 2,166  |
|              | 42 dia. | 1 5/16 | MSTRD42      | 1,935  | 2,322  |
|              | 48 dia. | 1 5/16 | MSTRD48      | 2,263  | 2,713  |



PRODUCT INFO

spec tip  
Grommet options not com-  
patible with Utility X Base  
- BSMUTL90

TO ORDER PLEASE SPECIFY THE FOLLOWING:

MODEL NUMBER

FINISH SET #1

GROMMET\*

See inside front cover for  
required option codes




- Grommet
- No Grommet — GN
- Grommet incl. Silver GYS
- Grommet incl. Black GYB

- Power Port (add \$331)
- Silver APY

\*Grommet options not compatible  
with Utility X Base BSMUTL90

Example

|                   |        |         |
|-------------------|--------|---------|
| MSTRD42.NC260.GYS |        |         |
| MSTRD42           | NC260  | GYS     |
| MODEL NUMBER      | FINISH | GROMMET |

|  | D       | W      | H      | model number | select |
|--|---------|--------|--------|--------------|--------|
| CYLINDER BASE  | 18 dia. |        | 27 1/2 | BSWCYL18     | 1,056  |
|   |         |        |        |              |        |
| CYLINDER BASE<br>WIRE MANAGEMENT   | 18 dia. |        | 27 1/2 | BSWCYL18WM   | 1,873  |
|   |         |        |        |              |        |
| UTILITY X BASE<br>BLACK ONLY   | 34 3/4  | 34 3/4 | 27 1/2 | BSMUTL90     | 420    |
|  |         |        |        |              |        |

PRODUCT INFO

note  
BSWCYL18WM contains wire  
management access door

spec tip  
Utility X Base - BSMUTL90  
not compatible with Round  
Table grommet options

TO ORDER PLEASE SPECIFY THE FOLLOWING:

|                      |                      |
|----------------------|----------------------|
| <input type="text"/> | <input type="text"/> |
| MODEL NUMBER         | FINISH<br>SET #2     |

See inside front cover for  
required option codes

Finish option not available on utility  
x base (model BSMUTL90)

Example

|                          |
|--------------------------|
| BSWCYL18.NC260           |
| BSWCYL18      NC260      |
| MODEL NUMBER      FINISH |



This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.



Storage units . . . . . 110-121

    Modular pedestals . . . . . 110

    Mobile pedestals . . . . . 110

    Intermediate support panel . . . . . 111

    Lateral files . . . . . 112-113

    Storage cabinets . . . . . 113

    Bookcases . . . . . 114

    Desk mount terminators . . . . . 115

    Closets . . . . . 116-117

    Storage box units . . . . . 118-119

    Linear paper managers . . . . . 120

    Vertical paper managers . . . . . 121

Overhead storage cabinets . . . . . 122-146

    Surface mount single height cabinets . . . . . 122-125

    Surface mount double height cabinets . . . . . 126-129

    Single height towers . . . . . 130-132

    Double height towers . . . . . 133-135






    Wall mount single height cabinets . . . . . 136-139

    Wall mount double height cabinets . . . . . 140-143

    Tackboards - surface mount . . . . . 144

    Tackboards - wall mount . . . . . 145

    Tasklights . . . . . 146

|   | D      | W      | H       | model number | select |
|---|--------|--------|---------|--------------|--------|
| <div>15" PEDESTAL</div> <div>FILE   FILE</div> <div></div>      | 23 1/4 | 15     | 28 3/16 | MSPWW2415-2  | 1,239  |
| <div>15" PEDESTAL</div> <div>BOX   BOX   FILE</div> <div></div> | 23 1/4 | 15     | 28 3/16 | MSPWW2415-3  | 1,299  |
| <div>30" PEDESTAL</div> <div>LATERAL FILE</div> <div></div>     | 23 1/4 | 30     | 28 3/16 | MSPWW2430-4  | 1,810  |
| <div>30" PEDESTAL</div> <div>HINGED DOOR</div> <div></div>     | 23 1/4 | 30     | 28 3/16 | MSPWW2430-5  | 1,314  |
| <div>MOBILE PEDESTAL</div> <div></div>                        | 23 3/8 | 15 1/8 | 21 3/4  | MSMPW-6      | 1,309  |

PRODUCT INFO

note  
Modular pedestals do not include back panel or top

Mobile pedestal includes square top

TO ORDER PLEASE SPECIFY THE FOLLOWING:


MODEL NUMBERFINISH SET #2PULLKEYING

See inside front cover for required option codes


Example

|                           |        |      |        |
|---------------------------|--------|------|--------|
| MSPWW2415-2.NC260.ARS.RMS |        |      |        |
| MSPWW2415-2               | NC260  | ARS  | RMS    |
| MODEL NUMBER              | FINISH | PULL | KEYING |

|  | D  | W             | H                | model number | select |
|--|----|---------------|------------------|--------------|--------|
| INTERMEDIATE SUPPORT<br>FOR USE WITH FULL HEIGHT<br>BACK PANEL | 12 | $\frac{3}{4}$ | $28\frac{3}{16}$ | MSMSP12      | 235    |



Recommended  
Support Examples



Inadequate  
Support Examples

Surface mount overhead cabinets must be supported with adequate pedestal or panel support on ends. In addition, the location where the surface mount cabinet and tower meet must have adequate vertical support beneath the worksurface. This may be accomplished by a pedestal or by using intermediate support panel MSMSP12.

PRODUCT INFO

spec tip  
For use with units with Full  
Height Back Panel

Do not specify for use with  
units including Removable  
Wire Access Panel option

TO ORDER PLEASE SPECIFY THE FOLLOWING:

|                      |                      |
|----------------------|----------------------|
| <input type="text"/> | <input type="text"/> |
| MODEL NUMBER         | FINISH<br>SET #2     |





See inside front cover for required option codes

Example

|               |        |
|---------------|--------|
| MSMSP12.NC260 |        |
| MSMSP12       | NC260  |
| MODEL NUMBER  | FINISH |

3 HIGH - 6 HIGH LATERAL FILES

MOSAIC 2.0  
01/07

|  | D       | W      | H      | model number | select |
|--|---------|--------|--------|--------------|--------|
| 30" AND 36" LATERAL FILE   | 24 3⁄16 | 30 1⁄8 | 41 1⁄2 | MSLFW3H2430  | 2,526  |
|  3 HIGH  | 24 3⁄16 | 30 1⁄8 | 53 1⁄2 | MSLFW4H2430  | 3,150  |
|  | 24 1⁄16 | 30     | 68 1⁄4 | MSLFW5H2430  | 4,321  |
|  4 HIGH  | 24 1⁄16 | 30     | 81 1⁄2 | MSLFW6H2430  | 4,849  |
|  |         |        |        |              |        |
|  5 HIGH  | 24 3⁄16 | 36 1⁄8 | 41 1⁄2 | MSLFW3H2436  | 2,613  |
|  | 24 3⁄16 | 36 1⁄8 | 53 1⁄2 | MSLFW4H2436  | 3,240  |
|  | 24 1⁄16 | 36     | 68 1⁄4 | MSLFW5H2436  | 4,436  |
|  6 HIGH | 24 1⁄16 | 36     | 81 1⁄2 | MSLFW6H2436  | 5,046  |
|  |         |        |        |              |        |

PRODUCT INFO

note  
3, and 4 high units include square top  
  
5 and 6 high units have no top  
  
5 and 6 high units include touch latch on doors  
  
6 high units include 1 adjustable shelf behind hinged doors

TO ORDER PLEASE SPECIFY THE FOLLOWING:

MODEL NUMBERFINISH SET #2PULLKEYING\*

See inside front cover for required option codes


\*NOTE: Locking on lateral files only. Doors do not lock.

Example

|                           |        |      |        |
|---------------------------|--------|------|--------|
| MSLFW3H2436.NC260.ARS.RMS |        |      |        |
| MSLFW3H2436               | NC260  | ARS  | RMS    |
| MODEL NUMBER              | FINISH | PULL | KEYING |


2 HIGH LATERAL FILES AND STORAGE CABINETS

|                          | D                               | W                              | H                              | model number | select | exotic |
|--------------------------|---------------------------------|--------------------------------|--------------------------------|--------------|--------|--------|
| 30" AND 36" LATERAL FILE | 24 <sup>5</sup> / <sub>16</sub> | 30 <sup>1</sup> / <sub>8</sub> | 29 <sup>1</sup> / <sub>2</sub> | MSLFW2H2430  | 2,274  | 2,729  |
|                          | 24 <sup>5</sup> / <sub>16</sub> | 36 <sup>1</sup> / <sub>8</sub> | 29 <sup>1</sup> / <sub>2</sub> | MSLFW2H2436  | 2,373  | 2,848  |



STORAGE CABINETS

|  |                                 |                                |                                |             |       |       |
|--|---------------------------------|--------------------------------|--------------------------------|-------------|-------|-------|
|  | 24 <sup>5</sup> / <sub>16</sub> | 30 <sup>1</sup> / <sub>8</sub> | 29 <sup>1</sup> / <sub>2</sub> | MSSCF2430-5 | 1,974 | 2,369 |
|  | 24 <sup>5</sup> / <sub>16</sub> | 36 <sup>1</sup> / <sub>8</sub> | 29 <sup>1</sup> / <sub>2</sub> | MSSCF2436-5 | 2,025 | 2,430 |



PRODUCT INFO

note  
Includes 1 adjustable shelf  
behind doors






TO ORDER PLEASE SPECIFY THE FOLLOWING:

|                      |                      |                      |                      |
|----------------------|----------------------|----------------------|----------------------|
| <input type="text"/> | <input type="text"/> | <input type="text"/> | <input type="text"/> |
| MODEL NUMBER         | FINISH<br>SET #1     | PULL                 | KEYING               |

See inside front cover for required option codes

Example

MSSCF2430-5.NC260.ARS.RMS  
MODEL NUMBER    FINISH    PULL    KEYING

|   | D                              | W                              | H                              | model number | select |
|---|--------------------------------|--------------------------------|--------------------------------|--------------|--------|
| 30" AND 36" BOOKCASES   | 14 <sup>3</sup> / <sub>4</sub> | 30 <sup>1</sup> / <sub>8</sub> | 29 <sup>1</sup> / <sub>2</sub> | MSBKN2H1530  | 1,311  |
|  2 HIGH   | 14 <sup>3</sup> / <sub>4</sub> | 30 <sup>1</sup> / <sub>8</sub> | 41 <sup>1</sup> / <sub>2</sub> | MSBKN3H1530  | 1,406  |
|  3 HIGH   | 14 <sup>3</sup> / <sub>4</sub> | 30 <sup>1</sup> / <sub>8</sub> | 53 <sup>1</sup> / <sub>2</sub> | MSBKN4H1530  | 1,547  |
|  4 HIGH   | 14 <sup>3</sup> / <sub>4</sub> | 30                             | 68 <sup>1</sup> / <sub>4</sub> | MSBKN5H1530  | 1,851  |
|  5 HIGH  | 14 <sup>3</sup> / <sub>4</sub> | 30                             | 81 <sup>1</sup> / <sub>2</sub> | MSBKN6H1530  | 2,170  |
|  6 HIGH | 14 <sup>3</sup> / <sub>4</sub> | 36 <sup>1</sup> / <sub>8</sub> | 29 <sup>1</sup> / <sub>2</sub> | MSBKN2H1536  | 1,343  |
|   | 14 <sup>3</sup> / <sub>4</sub> | 36 <sup>1</sup> / <sub>8</sub> | 41 <sup>1</sup> / <sub>2</sub> | MSBKN3H1536  | 1,458  |
|   | 14 <sup>3</sup> / <sub>4</sub> | 36 <sup>1</sup> / <sub>8</sub> | 53 <sup>1</sup> / <sub>2</sub> | MSBKN4H1536  | 1,831  |
|   | 14 <sup>3</sup> / <sub>4</sub> | 36                             | 68 <sup>1</sup> / <sub>4</sub> | MSBKN5H1536  | 2,140  |
|   | 14 <sup>3</sup> / <sub>4</sub> | 36                             | 81 <sup>1</sup> / <sub>2</sub> | MSBKN6H1536  | 2,330  |

PRODUCT INFO

- note
- 2 High | 1 adjustable shelf
  - 3 High | 2 adjustable shelves
  - 4 High | 2 adjustable shelves | 1 fixed shelf
  - 5 High | 3 adjustable shelves | 1 fixed shelf
  - 6 High | 4 adjustable shelves | 1 fixed shelf

Shaded shelves are fixed

2,3, and 4 high include square top

TO ORDER PLEASE SPECIFY THE FOLLOWING:

MODEL NUMBER





FINISH SET #2

See inside front cover for required option codes

Example

MSBKN2H1536.NC260  
MSBKN2H1536 NC260  
MODEL NUMBER FINISH



|   | D  | W                                | H                              | model number | select |
|---|----|----------------------------------|--------------------------------|--------------|--------|
| 1 HIGH  | 14 | 23 <sup>15</sup> / <sub>16</sub> | 38 <sup>3</sup> / <sub>4</sub> | MSDMT1H1524L | 1,701  |
|  LEFT    |    |                                  |                                |              |        |
| 1 HIGH  | 14 | 23 <sup>15</sup> / <sub>16</sub> | 38 <sup>3</sup> / <sub>4</sub> | MSDMT1H1524R | 1,701  |
|  RIGHT   |    |                                  |                                |              |        |
| 2 HIGH  | 14 | 23 <sup>15</sup> / <sub>16</sub> | 52                             | MSDMT2H1524L | 1,977  |
|  LEFT   |    |                                  |                                |              |        |
| 2 HIGH  | 14 | 23 <sup>15</sup> / <sub>16</sub> | 52                             | MSDMT2H1524R | 1,977  |
|  RIGHT |    |                                  |                                |              |        |

PRODUCT INFO

note  
1 High | 2 fixed shelves  
2 High | 3 fixed shelves

spec tip  
Left-hand desk mount terminators intended to terminate left-end of surface mount combinations

Curved left-hand desk mount terminators match-up with left-hand core terminators

Right-hand desk mount terminators intended to terminate right-end of surface mount combinations

Curved right-hand desk mount terminators match-up with right-hand core terminators

TO ORDER PLEASE SPECIFY THE FOLLOWING:


|                      |                      |
|----------------------|----------------------|
| <input type="text"/> | <input type="text"/> |
| MODEL NUMBER         | FINISH SET #2        |

See inside front cover for required option codes

Example

MSDMT1H1524L.NC260  
MSDMT1H1524L NC260  
MODEL NUMBER FINISH

|                          | D       | W      | H      | model number | select |
|--------------------------|---------|--------|--------|--------------|--------|
| 5 HIGH   18" WIDE CLOSET | 24 1/16 | 18 3/8 | 68 1/4 | MSCWS5H2418R | 2,612  |



DOOR HINGED RIGHT  
1 ADJUSTABLE SHELF  
CLOSET ROD

|                          |         |        |        |              |       |
|--------------------------|---------|--------|--------|--------------|-------|
| 5 HIGH   18" WIDE CLOSET | 24 1/16 | 18 3/8 | 68 1/4 | MSCWS5H2418L | 2,612 |
|--------------------------|---------|--------|--------|--------------|-------|



DOOR HINGED LEFT  
1 ADJUSTABLE SHELF  
CLOSET ROD

PRODUCT INFO

TO ORDER PLEASE SPECIFY THE FOLLOWING:


|                      |   |                      |   |                      |   |                      |
|----------------------|---|----------------------|---|----------------------|---|----------------------|
| <input type="text"/> | . | <input type="text"/> | . | <input type="text"/> | . | <input type="text"/> |
| MODEL NUMBER         |   | FINISH SET #2        |   | PULL                 |   | KEYING               |

See inside front cover for required option codes


Example

|                            |        |      |        |  |  |  |
|----------------------------|--------|------|--------|--|--|--|
| MSCWS5H2418R.NC260.ARS.RMS |        |      |        |  |  |  |
| MSCWS5H2418R               | NC260  | ARS  | RMS    |  |  |  |
| MODEL NUMBER               | FINISH | PULL | KEYING |  |  |  |

|  | D       | W  | H      | model number         | select |
|--|---------|----|--------|----------------------|--------|
| <b>5 HIGH   30" WIDE CLOSETS</b>             |         |    |        |                      |        |
| 30" SHELF<br>30" CLOSET ROD                  | 24 1/16 | 30 | 68 1/4 | <b>MSCWD5H2430-C</b> | 3,299  |
| (4) 30" SHELVES                              | 24 1/16 | 30 | 68 1/4 | <b>MSCWD5H2430-S</b> | 3,524  |
| DIVIDER<br>(4) 15" SHELVES<br>15" CLOSET ROD | 24 1/16 | 30 | 68 1/4 | <b>MSCWD5H2430-D</b> | 3,524  |



|  |         |    |        |                      |       |
|--|---------|----|--------|----------------------|-------|
| <b>6 HIGH   30" WIDE CLOSETS</b>             |         |    |        |                      |       |
| (2) 30" SHELVES<br>30" CLOSET ROD            | 24 1/16 | 30 | 81 1/2 | <b>MSCWD6H2430-C</b> | 3,962 |
| (5) 30" SHELVES                              | 24 1/16 | 30 | 81 1/2 | <b>MSCWD6H2430-S</b> | 4,342 |
| DIVIDER<br>(5) 15" SHELVES<br>15" CLOSET ROD | 24 1/16 | 30 | 81 1/2 | <b>MSCWD6H2430-D</b> | 4,342 |



PRODUCT INFO

note  
Closet Codes

C=Full width closet rod & shelf  
S=Full width shelves  
D=Divider panel, half shelves/  
half closet rod

TO ORDER PLEASE SPECIFY THE FOLLOWING:


|                      |                      |                      |                      |
|----------------------|----------------------|----------------------|----------------------|
| <input type="text"/> | <input type="text"/> | <input type="text"/> | <input type="text"/> |
| MODEL NUMBER         | FINISH<br>SET #2     | PULL                 | KEYING               |

See inside front cover for required option codes

Example

MSCWD5H2430-S.NC260.ARS.RMS  
MSCWD5H2430-S NC260 ARS RMS  
MODEL NUMBER FINISH PULL KEYING

|                           | D       | W      | H      | model number | select |
|---------------------------|---------|--------|--------|--------------|--------|
| 18" STORAGE BOX<br>5 HIGH | 24 1/16 | 18 3/8 | 68 1/4 | MSSBS5H2418R | 3,250  |



DOOR HINGED RIGHT  
2 ADJUSTABLE  
SHELVES  
FILE | FILE

|                           |         |        |        |              |       |
|---------------------------|---------|--------|--------|--------------|-------|
| 18" STORAGE BOX<br>5 HIGH | 24 1/16 | 18 3/8 | 68 1/4 | MSSBS5H2418L | 3,250 |
|---------------------------|---------|--------|--------|--------------|-------|



DOOR HINGED LEFT  
2 ADJUSTABLE  
SHELVES  
FILE | FILE

PRODUCT INFO





TO ORDER PLEASE SPECIFY THE FOLLOWING:

|                      |   |                      |   |                      |   |                      |
|----------------------|---|----------------------|---|----------------------|---|----------------------|
| <input type="text"/> | . | <input type="text"/> | . | <input type="text"/> | . | <input type="text"/> |
| MODEL NUMBER         |   | FINISH<br>SET #2     |   | PULL                 |   | KEYING               |

See inside front cover for required option codes

Example

|                            |        |      |        |  |  |  |
|----------------------------|--------|------|--------|--|--|--|
| MSSBS5H2418R.NC260.ARS.RMS |        |      |        |  |  |  |
| MSSBS5H2418R               | NC260  | ARS  | RMS    |  |  |  |
| MODEL NUMBER               | FINISH | PULL | KEYING |  |  |  |

|   | D       | W  | H      | model number          | select |
|---|---------|----|--------|-----------------------|--------|
| <b>30" AND 36" STORAGE BOX</b><br>5 HIGH  | 24 1/16 | 30 | 68 1/4 | <b>MSSBD5H2430-2L</b> | 3,887  |
| <br>2 ADJUSTABLE<br>SHELVES<br>2 LATERAL FILES   | 24 1/16 | 30 | 68 1/4 | <b>MSSBD5H2430-3L</b> | 4,417  |
|   | 24 1/16 | 36 | 68 1/4 | <b>MSSBD5H2436-2L</b> | 3,887  |
|   | 24 1/16 | 36 | 68 1/4 | <b>MSSBD5H2436-3L</b> | 4,417  |
| <br>1 ADJUSTABLE<br>SHELF<br>3 LATERAL FILES     |         |    |        |                       |        |
| <b>6 HIGH</b>   | 24 1/16 | 30 | 81 1/2 | <b>MSSBD6H2430-2L</b> | 4,575  |
| <br>3 ADJUSTABLE<br>SHELVES<br>2 LATERAL FILES  | 24 1/16 | 30 | 81 1/2 | <b>MSSBD6H2430-3L</b> | 4,999  |
|   | 24 1/16 | 36 | 81 1/2 | <b>MSSBD6H2436-2L</b> | 4,575  |
|   | 24 1/16 | 36 | 81 1/2 | <b>MSSBD6H2436-3L</b> | 4,999  |
| <br>2 ADJUSTABLE<br>SHELVES<br>3 LATERAL FILES |         |    |        |                       |        |

PRODUCT INFO

TO ORDER PLEASE SPECIFY THE FOLLOWING:


|                      |                      |                      |                      |
|----------------------|----------------------|----------------------|----------------------|
| <input type="text"/> | <input type="text"/> | <input type="text"/> | <input type="text"/> |
| MODEL NUMBER         | FINISH<br>SET #2     | PULL                 | KEYING               |

See inside front cover for required option codes


Example

MSSBD5H2430-2L.NC260.ARS.RMS  
MODEL NUMBER    FINISH    PULL    KEYING


|                       | D      | W      | H     | model number | select |
|-----------------------|--------|--------|-------|--------------|--------|
| 52" LINEAR PAPER MGR. | 10 5⁄8 | 52 1⁄2 | 5 1⁄2 | MSLPH52      | 1,021  |



|                       |        |        |       |         |       |
|-----------------------|--------|--------|-------|---------|-------|
| 65" LINEAR PAPER MGR. | 10 5⁄8 | 65 1⁄2 | 5 1⁄2 | MSLPH65 | 1,121 |
|-----------------------|--------|--------|-------|---------|-------|



EXAMPLE



PRODUCT INFO

spec tip  
When specifying Linear Paper Managers to be used in conjunction with Vertical Paper Managers, the width of the Linear Paper Manager must take into consideration the width of Vertical Paper Managers.

Vertical dividers and back panel are black laminate.

Bottom panel is matching veneer finish.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

MODEL NUMBER


FINISH SET #2

See inside front cover for required option codes


Example

|                    |
|--------------------|
| MSLPH52.NC260      |
| MSLPH52NC260       |
| MODEL NUMBERFINISH |


|                                 | D  | W  | H                               | model number | select |
|---------------------------------|----|----|---------------------------------|--------------|--------|
| VERTICAL PAPER MANAGER<br>RIGHT | 12 | 15 | 19 <sup>9</sup> / <sub>16</sub> | MSVPMR       | 850    |



|                                |    |    |                                 |        |     |
|--------------------------------|----|----|---------------------------------|--------|-----|
| VERTICAL PAPER MANAGER<br>LEFT | 12 | 15 | 19 <sup>9</sup> / <sub>16</sub> | MSVPML | 850 |
|--------------------------------|----|----|---------------------------------|--------|-----|



EXAMPLE  
RIGHT HAND SHOWN



PRODUCT INFO



TO ORDER PLEASE SPECIFY THE FOLLOWING:

|                      |                      |
|----------------------|----------------------|
| <input type="text"/> | <input type="text"/> |
| MODEL NUMBER         | FINISH<br>SET #2     |

See inside front cover for required option codes

Example

|              |        |
|--------------|--------|
| MSVPMR.NC260 |        |
| MSVPMR       | NC260  |
| MODEL NUMBER | FINISH |

|   | D                                | W                               | H                              | model number     | select |
|---|----------------------------------|---------------------------------|--------------------------------|------------------|--------|
| <div>WOOD DOORS<br/>CENTER OPENING<br/>72" WIDE</div> <div></div> <div>90" WIDE</div> <div></div> | 14 <sup>13</sup> / <sub>16</sub> | 59 <sup>7</sup> / <sub>8</sub>  | 38 <sup>3</sup> / <sub>4</sub> | MSSMC1H1560-WWC  | 2,604  |
|   | 14 <sup>13</sup> / <sub>16</sub> | 65 <sup>7</sup> / <sub>8</sub>  | 38 <sup>3</sup> / <sub>4</sub> | MSSMC1H1566-WWC  | 2,840  |
|   | 14 <sup>13</sup> / <sub>16</sub> | 71 <sup>7</sup> / <sub>8</sub>  | 38 <sup>3</sup> / <sub>4</sub> | MSSMC1H1572-WWC  | 3,035  |
|   | 14 <sup>13</sup> / <sub>16</sub> | 83 <sup>1</sup> / <sub>8</sub>  | 38 <sup>3</sup> / <sub>4</sub> | MSSMC1H1584-WWC  | 3,549  |
|   | 14 <sup>13</sup> / <sub>16</sub> | 89 <sup>7</sup> / <sub>8</sub>  | 38 <sup>3</sup> / <sub>4</sub> | MSSMC1H1590-WWC  | 3,802  |
|   | 14 <sup>13</sup> / <sub>16</sub> | 95 <sup>7</sup> / <sub>8</sub>  | 38 <sup>3</sup> / <sub>4</sub> | MSSMC1H1596-WWC  | 4,127  |
|   | 14 <sup>13</sup> / <sub>16</sub> | 101 <sup>7</sup> / <sub>8</sub> | 38 <sup>3</sup> / <sub>4</sub> | MSSMC1H15102-WWC | 4,468  |
|   | 14 <sup>13</sup> / <sub>16</sub> | 107 <sup>7</sup> / <sub>8</sub> | 38 <sup>3</sup> / <sub>4</sub> | MSSMC1H15108-WWC | 4,809  |
|   | 14 <sup>13</sup> / <sub>16</sub> | 113 <sup>7</sup> / <sub>8</sub> | 38 <sup>3</sup> / <sub>4</sub> | MSSMC1H15114-WWC | 5,150  |
|   |                                  |                                 |                                |                  |        |

PRODUCT INFO

note  
All doors 18" wide

Number of doors & center  
opening dimensions

- 60" W | 2 doors | Open. = 23 - <sup>15</sup>/<sub>16</sub>"
- 66" W | 2 doors | Open. = 29 - <sup>15</sup>/<sub>16</sub>"
- 72" W | 2 doors | Open. = 35 - <sup>15</sup>/<sub>16</sub>"
- 84" W | 4 doors | Opening = 12"
- 90" W | 4 doors | Opening = 18"
- 96" W | 4 doors | Opening = 24"
- 102" W | 4 doors | Opening = 30"
- 108" W | 4 doors | Opening = 36"
- 114" W | 4 doors | Opening = 42"

TO ORDER PLEASE SPECIFY THE FOLLOWING:

MODEL NUMBERFINISH SET #2TASKLIGHT CORD GROMMETLOCKSKEYING

See inside front cover  
for required option codes

Grommet  
Grommet included  
No VSU Grommet


WY  
WN

Example


MSSMC1H1572-WWC.NC260.WY.LY.RMS  
MODEL NUMBERFINISHTASKLIGHTLOCKSRMS  
KEYING



|                            | D                                | W                              | H                              | model number   | select |
|----------------------------|----------------------------------|--------------------------------|--------------------------------|----------------|--------|
| ALL WOOD DOORS<br>72" WIDE | 14 <sup>13</sup> / <sub>16</sub> | 71 <sup>7</sup> / <sub>8</sub> | 38 <sup>3</sup> / <sub>4</sub> | MSSMC1H1572-WW | 3,035  |



|          |                                  |                                |                                |                |       |
|----------|----------------------------------|--------------------------------|--------------------------------|----------------|-------|
| 90" WIDE | 14 <sup>13</sup> / <sub>16</sub> | 89 <sup>7</sup> / <sub>8</sub> | 38 <sup>3</sup> / <sub>4</sub> | MSSMC1H1590-WW | 3,802 |
|----------|----------------------------------|--------------------------------|--------------------------------|----------------|-------|



PRODUCT INFO

note  
All doors 18" wide

Number of doors

72" W | 4 doors  
90" W | 5 doors



TO ORDER PLEASE SPECIFY THE FOLLOWING:

|  |                      |   |                      |                      |
|--|----------------------|---|----------------------|----------------------|
| <input type="text"/>                             | <input type="text"/> | <input type="text"/>                          | <input type="text"/> | <input type="text"/> |
| MODEL NUMBER                                     | FINISH SET #2        | TASKLIGHT CORD GROMMET                        | LOCKS                | KEYING               |
| See inside front cover for required option codes |                      | Grommet<br>Grommet included<br>No VSU Grommet | WY<br>WN             |                      |

Example

MSSMC1H1572-WW.NC260.WY.LY.RMS

|                |        |           |       |        |
|----------------|--------|-----------|-------|--------|
| MSSMC1H1572-WW | NC260  | WY        | LY    | RMS    |
| MODEL NUMBER   | FINISH | TASKLIGHT | LOCKS | KEYING |

|  | D                                | W                               | H                              | model number     | select |
|--|----------------------------------|---------------------------------|--------------------------------|------------------|--------|
| <div>GLASS DOORS<br/>CENTER OPENING<br/>72" WIDE</div> <div></div> <div>90" WIDE</div> <div></div> | 14 <sup>15</sup> / <sub>16</sub> | 59 <sup>7</sup> / <sub>8</sub>  | 38 <sup>3</sup> / <sub>4</sub> | MSSMC1H1560-WGC  | 2,945  |
|  | 14 <sup>15</sup> / <sub>16</sub> | 65 <sup>7</sup> / <sub>8</sub>  | 38 <sup>3</sup> / <sub>4</sub> | MSSMC1H1566-WGC  | 3,182  |
|  | 14 <sup>15</sup> / <sub>16</sub> | 71 <sup>7</sup> / <sub>8</sub>  | 38 <sup>3</sup> / <sub>4</sub> | MSSMC1H1572-WGC  | 3,566  |
|  | 14 <sup>15</sup> / <sub>16</sub> | 83 <sup>7</sup> / <sub>8</sub>  | 38 <sup>3</sup> / <sub>4</sub> | MSSMC1H1584-WGC  | 4,232  |
|  | 14 <sup>15</sup> / <sub>16</sub> | 89 <sup>7</sup> / <sub>8</sub>  | 38 <sup>3</sup> / <sub>4</sub> | MSSMC1H1590-WGC  | 4,469  |
|  | 14 <sup>15</sup> / <sub>16</sub> | 95 <sup>7</sup> / <sub>8</sub>  | 38 <sup>3</sup> / <sub>4</sub> | MSSMC1H1596-WGC  | 4,809  |
|  | 14 <sup>15</sup> / <sub>16</sub> | 101 <sup>7</sup> / <sub>8</sub> | 38 <sup>3</sup> / <sub>4</sub> | MSSMC1H15102-WGC | 5,150  |
|  | 14 <sup>15</sup> / <sub>16</sub> | 107 <sup>7</sup> / <sub>8</sub> | 38 <sup>3</sup> / <sub>4</sub> | MSSMC1H15108-WGC | 5,492  |
|  | 14 <sup>15</sup> / <sub>16</sub> | 113 <sup>7</sup> / <sub>8</sub> | 38 <sup>3</sup> / <sub>4</sub> | MSSMC1H15114-WGC | 5,833  |
|  |                                  |                                 |                                |                  |        |

PRODUCT INFO

note  
All doors 18" wide

Number of doors & center  
opening dimensions

- 60" W | 2 doors | Open. = 23 - <sup>15</sup>/<sub>16</sub>"
- 66" W | 2 doors | Open. = 29 - <sup>15</sup>/<sub>16</sub>"
- 72" W | 2 doors | Open. = 35 - <sup>15</sup>/<sub>16</sub>"
- 84" W | 4 doors | Opening = 12"
- 90" W | 4 doors | Opening = 18"
- 96" W | 4 doors | Opening = 24"
- 102" W | 4 doors | Opening = 30"
- 108" W | 4 doors | Opening = 36"
- 114" W | 4 doors | Opening = 42"

TO ORDER PLEASE SPECIFY THE FOLLOWING:

MODEL NUMBER

FINISH  
SET #2

TASKLIGHT  
CORD GROMMET

See inside front cover  
for required option codes


Grommet  
Grommet included  
No VSU Grommet

WY  
WN


Example

MSSMC1H1572-WGC.NC260.WY  
MSSMC1H1572-WGC NC260 WY  
MODEL NUMBER FINISH TASKLIGHT

|                             | D                                | W                              | H                              | model number   | select |
|-----------------------------|----------------------------------|--------------------------------|--------------------------------|----------------|--------|
| ALL GLASS DOORS<br>72" WIDE | 14 <sup>15</sup> / <sub>16</sub> | 71 <sup>7</sup> / <sub>8</sub> | 38 <sup>3</sup> / <sub>4</sub> | MSSMC1H1572-WG | 3,895  |



|          |                                  |                                |                                |                |       |
|----------|----------------------------------|--------------------------------|--------------------------------|----------------|-------|
| 90" WIDE | 14 <sup>15</sup> / <sub>16</sub> | 89 <sup>7</sup> / <sub>8</sub> | 38 <sup>3</sup> / <sub>4</sub> | MSSMC1H1590-WG | 4,665 |
|----------|----------------------------------|--------------------------------|--------------------------------|----------------|-------|



PRODUCT INFO

note  
All doors 18" wide

Number of doors

72" W | 4 doors  
90" W | 5 doors

TO ORDER PLEASE SPECIFY THE FOLLOWING:


|   |               |   |
|---|---------------|---|
| <div></div>   | <div></div>   | <div></div>   |
| MODEL NUMBER  | FINISH SET #2 | TASKLIGHT CORD GROMMET                              |
| See inside front cover<br>for required option codes |               | Grommet<br>Grommet included WY<br>No VSU Grommet WN |

Example


MSSMC1H1572-WG.NC260.WY

|                |        |           |
|----------------|--------|-----------|
| MSSMC1H1572-WG | NC260  | WY        |
| MODEL NUMBER   | FINISH | TASKLIGHT |

|  | D                                | W                              | H  | model number    | select |
|--|----------------------------------|--------------------------------|----|-----------------|--------|
| WOOD DOORS<br>CENTER OPENING<br>72" WIDE | 14 <sup>13</sup> / <sub>16</sub> | 65 <sup>7</sup> / <sub>8</sub> | 52 | MSSMC2H1566-WWC | 3,784  |
|  | 14 <sup>13</sup> / <sub>16</sub> | 71 <sup>7</sup> / <sub>8</sub> | 52 | MSSMC2H1572-WWC | 4,006  |
|  | 14 <sup>13</sup> / <sub>16</sub> | 83 <sup>7</sup> / <sub>8</sub> | 52 | MSSMC2H1584-WWC | 4,475  |
|  | 14 <sup>13</sup> / <sub>16</sub> | 89 <sup>7</sup> / <sub>8</sub> | 52 | MSSMC2H1590-WWC | 4,943  |



90" WIDE



PRODUCT INFO

note  
All doors 18" wide

Number of doors & center opening dimensions

66" W | 2 doors | Open. = 29-<sup>15</sup>/<sub>16</sub>"

72" W | 2 doors | Open. = 35-<sup>15</sup>/<sub>16</sub>"

84" W | 4 doors | Opening = 12"

90" W | 4 doors | Opening = 18"

Fixed shelf behind doors

TO ORDER PLEASE SPECIFY THE FOLLOWING:


|  |                      |   |                      |                      |
|--|----------------------|---|----------------------|----------------------|
| <input type="text"/>                             | <input type="text"/> | <input type="text"/>                          | <input type="text"/> | <input type="text"/> |
| MODEL NUMBER                                     | FINISH SET #2        | TASKLIGHT CORD GROMMET                        | LOCKS                | KEYING               |
| See inside front cover for required option codes |                      | Grommet<br>Grommet included<br>No VSU Grommet | WY<br>WN             |                      |

Example


MSSMC2H1572-WWC.NC260.WY.LY.RMS

|                 |        |           |       |        |
|-----------------|--------|-----------|-------|--------|
| MSSMC2H1572-WWC | NC260  | WY        | LY    | RMS    |
| MODEL NUMBER    | FINISH | TASKLIGHT | LOCKS | KEYING |

|                            | D                                | W                              | H  | model number   | select |
|----------------------------|----------------------------------|--------------------------------|----|----------------|--------|
| ALL WOOD DOORS<br>72" WIDE | 14 <sup>13</sup> / <sub>16</sub> | 71 <sup>7</sup> / <sub>8</sub> | 52 | MSSMC2H1572-WW | 4,006  |



|          |                                  |                                |    |                |       |
|----------|----------------------------------|--------------------------------|----|----------------|-------|
| 90" WIDE | 14 <sup>13</sup> / <sub>16</sub> | 89 <sup>7</sup> / <sub>8</sub> | 52 | MSSMC2H1590-WW | 4,943 |
|----------|----------------------------------|--------------------------------|----|----------------|-------|



PRODUCT INFO

note  
All doors 18" wide

Number of doors

72" W | 4 doors  
90" W | 5 doors

Fixed shelf behind doors


TO ORDER PLEASE SPECIFY THE FOLLOWING:


|  |                      |   |                      |                      |
|--|----------------------|---|----------------------|----------------------|
| <input type="text"/>                             | <input type="text"/> | <input type="text"/>                          | <input type="text"/> | <input type="text"/> |
| MODEL NUMBER                                     | FINISH SET #2        | TASKLIGHT CORD GROMMET                        | LOCKS                | KEYING               |
| See inside front cover for required option codes |                      | Grommet<br>Grommet included<br>No VSU Grommet | WY<br>WN             |                      |

Example

MSSMC2H1572-WW.NC260.WY.LY.RMS

|                |        |           |       |        |
|----------------|--------|-----------|-------|--------|
| MSSMC2H1572-WW | NC260  | WY        | LY    | RMS    |
| MODEL NUMBER   | FINISH | TASKLIGHT | LOCKS | KEYING |

|   | D                                | W                              | H  | model number    | select |
|---|----------------------------------|--------------------------------|----|-----------------|--------|
| GLASS DOORS<br>CENTER OPENING<br>72" WIDE<br> | 14 <sup>15</sup> / <sub>16</sub> | 65 <sup>7</sup> / <sub>8</sub> | 52 | MSSMC2H1566-WGC | 4,469  |
|   | 14 <sup>15</sup> / <sub>16</sub> | 71 <sup>7</sup> / <sub>8</sub> | 52 | MSSMC2H1572-WGC | 4,626  |
|   | 14 <sup>15</sup> / <sub>16</sub> | 83 <sup>7</sup> / <sub>8</sub> | 52 | MSSMC2H1584-WGC | 5,168  |
|   | 14 <sup>15</sup> / <sub>16</sub> | 89 <sup>7</sup> / <sub>8</sub> | 52 | MSSMC2H1590-WGC | 5,710  |



PRODUCT INFO

note  
All doors 18" wide

Number of doors & center opening dimensions

66" W | 2 doors | Open. = 29-<sup>15</sup>/<sub>16</sub>"

72" W | 2 doors | Open. = 35-<sup>15</sup>/<sub>16</sub>"

84" W | 4 doors | Opening = 12"

90" W | 4 doors | Opening = 18"

Fixed shelf behind doors

TO ORDER PLEASE SPECIFY THE FOLLOWING:


|  |                      |   |
|--|----------------------|---|
| <input type="text"/>                             | <input type="text"/> | <input type="text"/>                                |
| MODEL NUMBER                                     | FINISH SET #2        | TASKLIGHT CORD GROMMET                              |
| See inside front cover for required option codes |                      | Grommet<br>Grommet included WY<br>No VSU Grommet WN |

Example


MSSMC2H1572-WGC.NC260.WY

|                 |        |           |
|-----------------|--------|-----------|
| MSSMC2H1572-WGC | NC260  | WY        |
| MODEL NUMBER    | FINISH | TASKLIGHT |

|                             | D                                | W                              | H  | model number   | select |
|-----------------------------|----------------------------------|--------------------------------|----|----------------|--------|
| ALL GLASS DOORS<br>72" WIDE | 14 <sup>15</sup> / <sub>16</sub> | 71 <sup>7</sup> / <sub>8</sub> | 52 | MSSMC2H1572-WG | 4,626  |



|          |                                  |                                |    |                |       |
|----------|----------------------------------|--------------------------------|----|----------------|-------|
| 90" WIDE | 14 <sup>15</sup> / <sub>16</sub> | 89 <sup>7</sup> / <sub>8</sub> | 52 | MSSMC2H1590-WG | 5,710 |
|----------|----------------------------------|--------------------------------|----|----------------|-------|



PRODUCT INFO

note  
All doors 18" wide

Number of doors

72" W | 4 doors  
90" W | 5 doors

Fixed shelf behind doors




TO ORDER PLEASE SPECIFY THE FOLLOWING:

|   |                      |   |
|---|----------------------|---|
| <input type="text"/>                                | <input type="text"/> | <input type="text"/>                                |
| MODEL NUMBER  | FINISH SET #2        | TASKLIGHT CORD GROMMET                              |
| See inside front cover<br>for required option codes |                      | Grommet<br>Grommet included WY<br>No VSU Grommet WN |

Example

MSSMC2H1572-WG.NC260.WY

|                |        |           |
|----------------|--------|-----------|
| MSSMC2H1572-WG | NC260  | WY        |
| MODEL NUMBER   | FINISH | TASKLIGHT |

|  | D  | W                                | H                              | model number   | select |
|--|----|----------------------------------|--------------------------------|----------------|--------|
| TOWERS   NO DOORS<br>18" WIDE  | 14 | 17 <sup>15</sup> / <sub>16</sub> | 38 <sup>3</sup> / <sub>4</sub> | MSSTN1H1518-WN | 1,183  |
|  |    |                                  |                                |                |        |
| 24" WIDE   | 14 | 23 <sup>15</sup> / <sub>16</sub> | 38 <sup>3</sup> / <sub>4</sub> | MSSTN1H1524-WN | 1,253  |
|  |    |                                  |                                |                |        |
| 30" WIDE   | 14 | 29 <sup>15</sup> / <sub>16</sub> | 38 <sup>3</sup> / <sub>4</sub> | MSSTN1H1530-WN | 1,365  |
|  |    |                                  |                                |                |        |

PRODUCT INFO

note  
2 Fixed shelves

TO ORDER PLEASE SPECIFY THE FOLLOWING:

MODEL NUMBER

FINISH  
SET #2

See inside front cover  
for required option codes

Example

MSSTN1H1518-WN.NC260





MSSTN1H1518-WN

NC260

MODEL NUMBER

FINISH



|   | D                                | W                                | H                              | model number    | select |
|---|----------------------------------|----------------------------------|--------------------------------|-----------------|--------|
| TOWERS   WOOD DOORS<br>18" WIDE   HINGED RIGHT                                      | 14 <sup>13</sup> / <sub>16</sub> | 17 <sup>15</sup> / <sub>16</sub> | 38 <sup>3</sup> / <sub>4</sub> | MSSTF1H1518R-WW | 1,488  |
|    |                                  |                                  |                                |                 |        |
| 18" WIDE   HINGED LEFT  | 14 <sup>13</sup> / <sub>16</sub> | 17 <sup>15</sup> / <sub>16</sub> | 38 <sup>3</sup> / <sub>4</sub> | MSSTF1H1518L-WW | 1,488  |
|    |                                  |                                  |                                |                 |        |
| 24" WIDE  | 14 <sup>13</sup> / <sub>16</sub> | 23 <sup>15</sup> / <sub>16</sub> | 38 <sup>3</sup> / <sub>4</sub> | MSSTF1H1524-WW  | 1,767  |
|    |                                  |                                  |                                |                 |        |
| 30" WIDE  | 14 <sup>13</sup> / <sub>16</sub> | 29 <sup>15</sup> / <sub>16</sub> | 38 <sup>3</sup> / <sub>4</sub> | MSSTF1H1530-WW  | 1,867  |
|  |                                  |                                  |                                |                 |        |

PRODUCT INFO

note  
2 Fixed shelves behind  
hinged doors





TO ORDER PLEASE SPECIFY THE FOLLOWING:

|                      |                      |                      |                      |                      |
|----------------------|----------------------|----------------------|----------------------|----------------------|
| <input type="text"/> | <input type="text"/> | <input type="text"/> | <input type="text"/> | <input type="text"/> |
| MODEL NUMBER         | FINISH<br>SET #2     | PULL                 | LOCKS                | KEYING               |

See inside front cover  
for required option codes

Example

MSSTF1H1518R-WW.NC260.ARS.LY.RMS  
MODEL NUMBER    FINISH    PULL    LOCKS    KEYING

|  | D                                | W                                | H                              | model number    | select |
|--|----------------------------------|----------------------------------|--------------------------------|-----------------|--------|
| TOWERS   GLASS DOORS<br>18" WIDE   HINGED RIGHT                                    | 14 <sup>15</sup> / <sub>16</sub> | 17 <sup>15</sup> / <sub>16</sub> | 38 <sup>3</sup> / <sub>4</sub> | MSSTF1H1518R-WG | 1,742  |
|    |                                  |                                  |                                |                 |        |
| 18" WIDE   HINGED LEFT   | 14 <sup>15</sup> / <sub>16</sub> | 17 <sup>15</sup> / <sub>16</sub> | 38 <sup>3</sup> / <sub>4</sub> | MSSTF1H1518L-WG | 1,742  |
|    |                                  |                                  |                                |                 |        |
| 24" WIDE   | 14 <sup>15</sup> / <sub>16</sub> | 23 <sup>15</sup> / <sub>16</sub> | 38 <sup>3</sup> / <sub>4</sub> | MSSTF1H1524-WG  | 2,290  |
|    |                                  |                                  |                                |                 |        |
| 30" WIDE   | 14 <sup>15</sup> / <sub>16</sub> | 29 <sup>15</sup> / <sub>16</sub> | 38 <sup>3</sup> / <sub>4</sub> | MSSTF1H1530-WG  | 2,456  |
|  |                                  |                                  |                                |                 |        |

PRODUCT INFO

note  
2 Fixed shelves behind  
hinged doors  
  
Doors include touch latch

TO ORDER PLEASE SPECIFY THE FOLLOWING:

MODEL NUMBER

FINISH  
SET #2




See inside front cover  
for required option codes

Example

MSSTF1H1518R-WG.NC260

MSSTF1H1518R-WGNC260

MODEL NUMBERFINISH

|   | D  | W                                | H  | model number          | select |
|---|----|----------------------------------|----|-----------------------|--------|
| <b>TOWERS   NO DOORS</b><br>18" WIDE  | 14 | 17 <sup>15</sup> / <sub>16</sub> | 52 | <b>MSSTN2H1518-WN</b> | 1,561  |
|  |    |                                  |    |                       |        |
| 24" WIDE  | 14 | 23 <sup>15</sup> / <sub>16</sub> | 52 | <b>MSSTN2H1524-WN</b> | 1,654  |
|  |    |                                  |    |                       |        |
| 30" WIDE  | 14 | 29 <sup>15</sup> / <sub>16</sub> | 52 | <b>MSSTN2H1530-WN</b> | 1,803  |
|  |    |                                  |    |                       |        |

PRODUCT INFO

note  
3 Fixed shelves





TO ORDER PLEASE SPECIFY THE FOLLOWING:

|                      |                      |
|----------------------|----------------------|
| <input type="text"/> | <input type="text"/> |
| MODEL NUMBER         | FINISH SET #2        |

See inside front cover  
for required option codes

Example

|                      |        |
|----------------------|--------|
| MSSTN2H1518-WN.NC260 |        |
| MSSTN2H1518-WN       | NC260  |
| MODEL NUMBER         | FINISH |

|  | D                                | W                                | H  | model number    | select |
|--|----------------------------------|----------------------------------|----|-----------------|--------|
| TOWERS   WOOD DOORS<br>18" WIDE   HINGED RIGHT                                     | 14 <sup>13</sup> / <sub>16</sub> | 17 <sup>15</sup> / <sub>16</sub> | 52 | MSSTF2H1518R-WW | 1,779  |
|    |                                  |                                  |    |                 |        |
| 18" WIDE   HINGED LEFT   | 14 <sup>13</sup> / <sub>16</sub> | 17 <sup>15</sup> / <sub>16</sub> | 52 | MSSTF2H1518L-WW | 1,779  |
|    |                                  |                                  |    |                 |        |
| 24" WIDE   | 14 <sup>13</sup> / <sub>16</sub> | 23 <sup>15</sup> / <sub>16</sub> | 52 | MSSTF2H1524-WW  | 2,029  |
|   |                                  |                                  |    |                 |        |
| 30" WIDE   | 14 <sup>13</sup> / <sub>16</sub> | 29 <sup>15</sup> / <sub>16</sub> | 52 | MSSTF2H1530-WW  | 2,303  |
|  |                                  |                                  |    |                 |        |

PRODUCT INFO

note  
3 Fixed shelves behind  
hinged doors





TO ORDER PLEASE SPECIFY THE FOLLOWING:

MODEL NUMBERFINISHSET #2PULLLOCKSKEYING

See inside front cover for required option codes

Example

|                                  |        |      |       |        |
|----------------------------------|--------|------|-------|--------|
| MSSTF2H1518R-WW.NC260.ARS.LY.RMS |        |      |       |        |
| MSSTF2H1518R-WW                  | NC260  | ARS  | LY    | RMS    |
| MODEL NUMBER                     | FINISH | PULL | LOCKS | KEYING |

|   | D                                | W                                | H  | model number    | select |
|---|----------------------------------|----------------------------------|----|-----------------|--------|
| TOWERS   GLASS DOORS<br>18" WIDE   HINGED RIGHT                                     | 14 <sup>15</sup> / <sub>16</sub> | 17 <sup>15</sup> / <sub>16</sub> | 52 | MSSTF2H1518R-WG | 2,090  |
|    |                                  |                                  |    |                 |        |
| 18" WIDE   HINGED LEFT  | 14 <sup>15</sup> / <sub>16</sub> | 17 <sup>15</sup> / <sub>16</sub> | 52 | MSSTF2H1518L-WG | 2,090  |
|    |                                  |                                  |    |                 |        |
| 24" WIDE  | 14 <sup>15</sup> / <sub>16</sub> | 23 <sup>15</sup> / <sub>16</sub> | 52 | MSSTF2H1524-WG  | 2,681  |
|   |                                  |                                  |    |                 |        |
| 30" WIDE  | 14 <sup>15</sup> / <sub>16</sub> | 29 <sup>15</sup> / <sub>16</sub> | 52 | MSSTF2H1530-WG  | 2,839  |
|  |                                  |                                  |    |                 |        |

PRODUCT INFO

note  
3 Fixed shelves behind  
hinged doors  
  
Doors include touch latch



TO ORDER PLEASE SPECIFY THE FOLLOWING:

|                      |                      |
|----------------------|----------------------|
| <input type="text"/> | <input type="text"/> |
| MODEL NUMBER         | FINISH SET #2        |

See inside front cover  
for required option codes

Example

MSSTF2H1518R-WG.NC260  
MSSTF2H1518R-WG NC260  
MODEL NUMBER FINISH

|   | D                                | W                               | H  | model number     | select |
|---|----------------------------------|---------------------------------|----|------------------|--------|
| <div>WOOD DOORS<br/>CENTER OPENING<br/>72" WIDE</div> <div></div> <div>90" WIDE</div> <div></div> | 14 <sup>13</sup> / <sub>16</sub> | 59 <sup>7</sup> / <sub>8</sub>  | 17 | MSWMC1H1560-WWC  | 2,202  |
|   | 14 <sup>13</sup> / <sub>16</sub> | 65 <sup>7</sup> / <sub>8</sub>  | 17 | MSWMC1H1566-WWC  | 2,371  |
|   | 14 <sup>13</sup> / <sub>16</sub> | 71 <sup>7</sup> / <sub>8</sub>  | 17 | MSWMC1H1572-WWC  | 2,588  |
|   | 14 <sup>13</sup> / <sub>16</sub> | 83 <sup>7</sup> / <sub>8</sub>  | 17 | MSWMC1H1584-WWC  | 2,952  |
|   | 14 <sup>13</sup> / <sub>16</sub> | 89 <sup>7</sup> / <sub>8</sub>  | 17 | MSWMC1H1590-WWC  | 3,356  |
|   | 14 <sup>13</sup> / <sub>16</sub> | 95 <sup>7</sup> / <sub>8</sub>  | 17 | MSWMC1H1596-WWC  | 3,602  |
|   | 14 <sup>13</sup> / <sub>16</sub> | 101 <sup>7</sup> / <sub>8</sub> | 17 | MSWMC1H15102-WWC | 3,943  |
|   | 14 <sup>13</sup> / <sub>16</sub> | 107 <sup>7</sup> / <sub>8</sub> | 17 | MSWMC1H15108-WWC | 4,284  |
|   | 14 <sup>13</sup> / <sub>16</sub> | 113 <sup>7</sup> / <sub>8</sub> | 17 | MSWMC1H15114-WWC | 4,625  |
|   |                                  |                                 |    |                  |        |

PRODUCT INFO

note  
All doors 18" wide

Number of doors & center  
opening dimensions

- 60" W | 2 doors | Open. = 23-<sup>15</sup>/<sub>16</sub>"
- 66" W | 2 doors | Open. = 29-<sup>15</sup>/<sub>16</sub>"
- 72" W | 2 doors | Open. = 35-<sup>15</sup>/<sub>16</sub>"
- 84" W | 4 doors | Opening = 12"
- 90" W | 4 doors | Opening = 18"
- 96" W | 4 doors | Opening = 24"
- 102" W | 4 doors | Opening = 30"
- 108" W | 4 doors | Opening = 36"
- 114" W | 4 doors | Opening = 42"

TO ORDER PLEASE SPECIFY THE FOLLOWING:


MODEL NUMBERFINISH SET #2LOCKSKEYING

See inside front cover for required option codes


Example

MSWMC1H1572-WWC.NC260.LY.RMS  
MSWMC1H1572-WWCNC260LYRMS  
MODEL NUMBERFINISHLOCKSCKEYING

|                            | D                                | W                              | H  | model number   | select |
|----------------------------|----------------------------------|--------------------------------|----|----------------|--------|
| ALL WOOD DOORS<br>72" WIDE | 14 <sup>13</sup> / <sub>16</sub> | 71 <sup>7</sup> / <sub>8</sub> | 17 | MSWMC1H1572-WW | 2,588  |



|          |                                  |                                |    |                |       |
|----------|----------------------------------|--------------------------------|----|----------------|-------|
| 90" WIDE | 14 <sup>13</sup> / <sub>16</sub> | 89 <sup>7</sup> / <sub>8</sub> | 17 | MSWMC1H1590-WW | 3,356 |
|----------|----------------------------------|--------------------------------|----|----------------|-------|



PRODUCT INFO

note  
All doors 18" wide

Number of doors

72" W | 4 doors  
90" W | 5 doors

TO ORDER PLEASE SPECIFY THE FOLLOWING:



|                      |                      |                      |                      |
|----------------------|----------------------|----------------------|----------------------|
| <input type="text"/> | <input type="text"/> | <input type="text"/> | <input type="text"/> |
| MODEL NUMBER         | FINISH<br>SET #2     | LOCKS                | KEYING               |

See inside front cover  
for required option codes

Example

MSWMC1H1572-WW.NC260.LY.RMS

|                |        |       |        |
|----------------|--------|-------|--------|
| MSWMC1H1572-WW | NC260  | LY    | RMS    |
| MODEL NUMBER   | FINISH | LOCKS | KEYING |

|   | D                                | W                               | H  | model number     | select |
|---|----------------------------------|---------------------------------|----|------------------|--------|
| GLASS DOORS<br>CENTER OPENING<br>72" WIDE<br> | 14 <sup>15</sup> / <sub>16</sub> | 59 <sup>7</sup> / <sub>8</sub>  | 17 | MSWMC1H1560-WGC  | 2,634  |
|   | 14 <sup>15</sup> / <sub>16</sub> | 65 <sup>7</sup> / <sub>8</sub>  | 17 | MSWMC1H1566-WGC  | 2,762  |
|   | 14 <sup>15</sup> / <sub>16</sub> | 71 <sup>7</sup> / <sub>8</sub>  | 17 | MSWMC1H1572-WGC  | 3,042  |
|   | 14 <sup>15</sup> / <sub>16</sub> | 83 <sup>7</sup> / <sub>8</sub>  | 17 | MSWMC1H1584-WGC  | 3,638  |
| 90" WIDE<br>                                  | 14 <sup>15</sup> / <sub>16</sub> | 89 <sup>7</sup> / <sub>8</sub>  | 17 | MSWMC1H1590-WGC  | 3,792  |
|   | 14 <sup>15</sup> / <sub>16</sub> | 95 <sup>7</sup> / <sub>8</sub>  | 17 | MSWMC1H1596-WGC  | 4,363  |
|   | 14 <sup>15</sup> / <sub>16</sub> | 101 <sup>7</sup> / <sub>8</sub> | 17 | MSWMC1H15102-WGC | 4,704  |
|   | 14 <sup>15</sup> / <sub>16</sub> | 107 <sup>7</sup> / <sub>8</sub> | 17 | MSWMC1H15108-WGC | 5,045  |
|   | 14 <sup>15</sup> / <sub>16</sub> | 113 <sup>7</sup> / <sub>8</sub> | 17 | MSWMC1H15114-WGC | 5,387  |

PRODUCT INFO

note  
All doors 18" wide

Number of doors & center  
opening dimensions

- 60" W | 2 doors | Open. = 23-<sup>15</sup>/<sub>16</sub>"
- 66" W | 2 doors | Open. = 29-<sup>15</sup>/<sub>16</sub>"
- 72" W | 2 doors | Open. = 35-<sup>15</sup>/<sub>16</sub>"
- 84" W | 4 doors | Opening = 12"
- 90" W | 4 doors | Opening = 18"
- 96" W | 4 doors | Opening = 24"
- 102" W | 4 doors | Opening = 30"
- 108" W | 4 doors | Opening = 36"
- 114" W | 4 doors | Opening = 42"

TO ORDER PLEASE SPECIFY THE FOLLOWING:

MODEL NUMBER

FINISH  
SET #2


See inside front cover for required option codes

Example


MSWMC1H1572-WGC.NC260  
MSWMC1H1572-WGC NC260  
MODEL NUMBER FINISH



|                             | D                                | W                              | H  | model number   | select |
|-----------------------------|----------------------------------|--------------------------------|----|----------------|--------|
| ALL GLASS DOORS<br>72" WIDE | 14 <sup>15</sup> / <sub>16</sub> | 71 <sup>7</sup> / <sub>8</sub> | 17 | MSWMC1H1572-WG | 3,113  |



|          |                                  |                                |    |                |       |
|----------|----------------------------------|--------------------------------|----|----------------|-------|
| 90" WIDE | 14 <sup>15</sup> / <sub>16</sub> | 89 <sup>7</sup> / <sub>8</sub> | 17 | MSWMC1H1590-WG | 3,839 |
|----------|----------------------------------|--------------------------------|----|----------------|-------|



PRODUCT INFO

note  
All doors 18" wide

Number of doors

72" W | 4 doors  
90" W | 5 doors

TO ORDER PLEASE SPECIFY THE FOLLOWING:



|                      |                      |
|----------------------|----------------------|
| <input type="text"/> | <input type="text"/> |
| MODEL NUMBER         | FINISH SET #2        |

See inside front cover for required option codes

Example

MSWMC1H1572-WG.NC260

|                |        |
|----------------|--------|
| MSWMC1H1572-WG | NC260  |
| MODEL NUMBER   | FINISH |

|   | D                                | W                              | H                              | model number    | select |
|---|----------------------------------|--------------------------------|--------------------------------|-----------------|--------|
| <div>WOOD DOORS<br/>CENTER OPENING<br/>72" WIDE</div> <div></div> <div>90" WIDE</div> <div></div> | 14 <sup>13</sup> / <sub>16</sub> | 65 <sup>7</sup> / <sub>8</sub> | 30 <sup>1</sup> / <sub>4</sub> | MSWMC2H1566-WWC | 3,338  |
|   | 14 <sup>13</sup> / <sub>16</sub> | 71 <sup>7</sup> / <sub>8</sub> | 30 <sup>1</sup> / <sub>4</sub> | MSWMC2H1572-WWC | 3,560  |
|   | 14 <sup>13</sup> / <sub>16</sub> | 83 <sup>7</sup> / <sub>8</sub> | 30 <sup>1</sup> / <sub>4</sub> | MSWMC2H1584-WWC | 4,029  |
|   | 14 <sup>13</sup> / <sub>16</sub> | 89 <sup>7</sup> / <sub>8</sub> | 30 <sup>1</sup> / <sub>4</sub> | MSWMC2H1590-WWC | 4,498  |

PRODUCT INFO

note  
All doors 18" wide

Number of doors & center opening dimensions

66" W | 2 doors | Open. = 29<sup>-15</sup>/<sub>16</sub>"

72" W | 2 doors | Open. = 35<sup>-15</sup>/<sub>16</sub>"

84" W | 4 doors | Opening = 12"

90" W | 4 doors | Opening = 18"

Fixed shelf behind doors

TO ORDER PLEASE SPECIFY THE FOLLOWING:

MODEL NUMBERFINISH SET #2LOCKSKEYING



See inside front cover for required option codes

Example

MSWMC2H1572-WWC.NC260.LY.RMS

MSWMC2H1572-WWCNC260LYRMS

MODEL NUMBERFINISHLOCKSCKEYING

|   | D                                | W                              | H                              | model number   | select |
|---|----------------------------------|--------------------------------|--------------------------------|----------------|--------|
| ALL WOOD DOORS<br>72" WIDE<br> | 14 <sup>13</sup> / <sub>16</sub> | 71 <sup>7</sup> / <sub>8</sub> | 30 <sup>1</sup> / <sub>4</sub> | MSWMC2H1572-WW | 3,560  |
| 90" WIDE<br>                   | 14 <sup>13</sup> / <sub>16</sub> | 89 <sup>7</sup> / <sub>8</sub> | 30 <sup>1</sup> / <sub>4</sub> | MSWMC2H1590-WW | 4,498  |

PRODUCT INFO

note  
All doors 18" wide

Number of doors

72" W | 4 doors  
90" W | 5 doors

Fixed shelf behind doors

TO ORDER PLEASE SPECIFY THE FOLLOWING:

|                      |                      |                      |                      |
|----------------------|----------------------|----------------------|----------------------|
| <input type="text"/> | <input type="text"/> | <input type="text"/> | <input type="text"/> |
| MODEL NUMBER         | FINISH<br>SET #2     | LOCKS                | KEYING               |

See inside front cover for required option codes



Example

MSWMC2H1572-WW.NC260.LY.RMS

|                |        |       |        |
|----------------|--------|-------|--------|
| MSWMC2H1572-WW | NC260  | LY    | RMS    |
| MODEL NUMBER   | FINISH | LOCKS | KEYING |

WALL MOUNT DOUBLE HIGH CABINETS glass doors

MOSAIC 2.0  
01/07

|  | D                                | W                              | H                              | model number    | select |
|--|----------------------------------|--------------------------------|--------------------------------|-----------------|--------|
| <div>GLASS DOORS<br/>CENTER OPENING<br/>72" WIDE</div> <div></div> <div>90" WIDE</div> <div></div> | 14 <sup>15</sup> / <sub>16</sub> | 65 <sup>7</sup> / <sub>8</sub> | 30 <sup>1</sup> / <sub>4</sub> | MSWMC2H1566-WGC | 3,845  |
|  | 14 <sup>15</sup> / <sub>16</sub> | 71 <sup>7</sup> / <sub>8</sub> | 30 <sup>1</sup> / <sub>4</sub> | MSWMC2H1572-WGC | 4,181  |
|  | 14 <sup>15</sup> / <sub>16</sub> | 83 <sup>7</sup> / <sub>8</sub> | 30 <sup>1</sup> / <sub>4</sub> | MSWMC2H1584-WGC | 4,723  |
|  | 14 <sup>15</sup> / <sub>16</sub> | 89 <sup>7</sup> / <sub>8</sub> | 34                             | MSWMC2H1590-WGC | 5,265  |

PRODUCT INFO

note  
All doors 18" wide

Number of doors & center opening dimensions

66" W | 2 doors | Open. = 29-<sup>15</sup>/<sub>16</sub>"

72" W | 2 doors | Open. = 35-<sup>15</sup>/<sub>16</sub>"

84" W | 4 doors | Opening = 12"

90" W | 4 doors | Opening = 18"

Fixed shelf behind doors

TO ORDER PLEASE SPECIFY THE FOLLOWING:

MODEL NUMBER

FINISH  
SET #2

See inside front cover for required option codes

Example



MSWMC2H1572-WGC.NC260

MSWMC2H1572-WGC

NC260

MODEL NUMBER

FINISH

|   | D                                | W                              | H                              | model number   | select |
|---|----------------------------------|--------------------------------|--------------------------------|----------------|--------|
| ALL GLASS DOORS<br>72" WIDE   | 14 <sup>15</sup> / <sub>16</sub> | 71 <sup>7</sup> / <sub>8</sub> | 30 <sup>1</sup> / <sub>4</sub> | MSWMC2H1572-WG | 4,181  |
|  |                                  |                                |                                |                |        |
| 90" WIDE  | 14 <sup>15</sup> / <sub>16</sub> | 89 <sup>7</sup> / <sub>8</sub> | 30 <sup>1</sup> / <sub>4</sub> | MSWMC2H1590-WG | 5,265  |
|  |                                  |                                |                                |                |        |

PRODUCT INFO

note  
All doors 18" wide

Number of doors

72" W | 4 doors  
90" W | 5 doors

Fixed shelf behind doors

TO ORDER PLEASE SPECIFY THE FOLLOWING:

MODEL NUMBER


FINISH SET #2

See inside front cover for required option codes

Example

MSWMC2H1572-WG.NC260

MSWMC2H1572-WG NC260  
MODEL NUMBER FINISH

|   | D                             | W                               | H                              | model number    | COM<br>grade 1 | grade 2 | grade 3 | grade 4 |
|---|-------------------------------|---------------------------------|--------------------------------|-----------------|----------------|---------|---------|---------|
| <div>SURFACE MOUNT<br/>TACKBOARDS</div> <div></div> | <sup>15</sup> / <sub>16</sub> | 58 <sup>3</sup> / <sub>8</sub>  | 23 <sup>7</sup> / <sub>8</sub> | <b>MSTKS60</b>  | 467            | 507     | 550     | 582     |
|   | <sup>15</sup> / <sub>16</sub> | 64 <sup>3</sup> / <sub>8</sub>  | 23 <sup>7</sup> / <sub>8</sub> | <b>MSTKS66</b>  | 483            | 513     | 560     | 593     |
|   | <sup>15</sup> / <sub>16</sub> | 70 <sup>3</sup> / <sub>8</sub>  | 23 <sup>7</sup> / <sub>8</sub> | <b>MSTKS72</b>  | 494            | 522     | 569     | 612     |
|   | <sup>15</sup> / <sub>16</sub> | 82 <sup>3</sup> / <sub>8</sub>  | 23 <sup>7</sup> / <sub>8</sub> | <b>MSTKS84</b>  | 529            | 561     | 614     | 660     |
|   | <sup>15</sup> / <sub>16</sub> | 88 <sup>3</sup> / <sub>8</sub>  | 23 <sup>7</sup> / <sub>8</sub> | <b>MSTKS90</b>  | 540            | 573     | 633     | 685     |
|   | <sup>15</sup> / <sub>16</sub> | 94 <sup>3</sup> / <sub>8</sub>  | 23 <sup>7</sup> / <sub>8</sub> | <b>MSTKS96</b>  | 550            | 588     | 652     | 709     |
|   | <sup>15</sup> / <sub>16</sub> | 100 <sup>3</sup> / <sub>8</sub> | 23 <sup>7</sup> / <sub>8</sub> | <b>MSTKS102</b> | 741            | 781     | 852     | 912     |
|   | <sup>15</sup> / <sub>16</sub> | 106 <sup>3</sup> / <sub>8</sub> | 23 <sup>7</sup> / <sub>8</sub> | <b>MSTKS108</b> | 752            | 795     | 870     | 936     |
|   | <sup>15</sup> / <sub>16</sub> | 112 <sup>3</sup> / <sub>8</sub> | 23 <sup>7</sup> / <sub>8</sub> | <b>MSTKS114</b> | 804            | 847     | 923     | 988     |

PRODUCT INFO

|                        |            |
|------------------------|------------|
| COM fabric requirement |            |
| <b>MODEL #</b>         | <b>YDS</b> |
| MSTKS60                | 2.00       |
| MSTKS66                | 2.00       |
| MSTKS72                | 2.25       |
| MSTKS84                | 2.50       |
| MSTKS90                | 2.75       |
| MSTKS96                | 3.00       |
| MSTKS102               | 3.25       |
| MSTKS108               | 3.50       |
| MSTKS114               | 3.50       |

TO ORDER PLEASE SPECIFY THE FOLLOWING:


MODEL NUMBERFABRIC

See inside front cover for required option codes

COM FABRIC REQUIREMENT  
All COM must be shipped prepaid to  
Gunlocke with package side marked with:  
· Dealer Name  
· Dealer Purchase Order Number  
· Gunlocke Pattern Number  
  
\*See Product info for Yardage Requirements

Example

MSTKS72.FABRIC  
MSTKS72FABRIC  
MODEL NUMBERFABRIC

|   | D                             | W                               | H                              | model number    | COM<br>grade 1 | grade 2 | grade 3 | grade 4 |
|---|-------------------------------|---------------------------------|--------------------------------|-----------------|----------------|---------|---------|---------|
| <div>WALL MOUNT<br/>TACKBOARDS</div> <div></div> | <sup>15</sup> / <sub>16</sub> | 59 <sup>7</sup> / <sub>8</sub>  | 21 <sup>3</sup> / <sub>4</sub> | <b>MSTKW60</b>  | 467            | 507     | 550     | 582     |
|   | <sup>15</sup> / <sub>16</sub> | 65 <sup>7</sup> / <sub>8</sub>  | 21 <sup>3</sup> / <sub>4</sub> | <b>MSTKW66</b>  | 483            | 513     | 560     | 593     |
|   | <sup>15</sup> / <sub>16</sub> | 71 <sup>7</sup> / <sub>8</sub>  | 21 <sup>3</sup> / <sub>4</sub> | <b>MSTKW72</b>  | 494            | 522     | 569     | 612     |
|   | <sup>15</sup> / <sub>16</sub> | 83 <sup>7</sup> / <sub>8</sub>  | 21 <sup>3</sup> / <sub>4</sub> | <b>MSTKW84</b>  | 529            | 561     | 614     | 660     |
|   | <sup>15</sup> / <sub>16</sub> | 89 <sup>7</sup> / <sub>8</sub>  | 21 <sup>3</sup> / <sub>4</sub> | <b>MSTKW90</b>  | 540            | 573     | 633     | 685     |
|   | <sup>15</sup> / <sub>16</sub> | 95 <sup>7</sup> / <sub>8</sub>  | 21 <sup>3</sup> / <sub>4</sub> | <b>MSTKW96</b>  | 550            | 588     | 652     | 709     |
|   | <sup>15</sup> / <sub>16</sub> | 101 <sup>7</sup> / <sub>8</sub> | 21 <sup>3</sup> / <sub>4</sub> | <b>MSTKW102</b> | 741            | 781     | 852     | 912     |
|   | <sup>15</sup> / <sub>16</sub> | 107 <sup>7</sup> / <sub>8</sub> | 21 <sup>3</sup> / <sub>4</sub> | <b>MSTKW108</b> | 752            | 795     | 870     | 936     |
|   | <sup>15</sup> / <sub>16</sub> | 113 <sup>7</sup> / <sub>8</sub> | 21 <sup>3</sup> / <sub>4</sub> | <b>MSTKW114</b> | 804            | 847     | 923     | 988     |

PRODUCT INFO

|                        |            |
|------------------------|------------|
| COM fabric requirement |            |
| <b>MODEL #</b>         | <b>YDS</b> |
| MSTKW60                | 2.00       |
| MSTKW66                | 2.00       |
| MSTKW72                | 2.25       |
| MSTKW84                | 2.50       |
| MSTKW90                | 2.75       |
| MSTKW96                | 3.00       |
| MSTKW102               | 3.25       |
| MSTKW108               | 3.50       |
| MSTKW114               | 3.50       |

TO ORDER PLEASE SPECIFY THE FOLLOWING:

MODEL NUMBERFABRIC

See inside front cover for required option codes

COM FABRIC REQUIREMENT  
All COM must be shipped prepaid to  
Gunlocke with package side marked with:  
· Dealer Name  
· Dealer Purchase Order Number  
· Gunlocke Pattern Number


\*See Product info for Yardage Requirements

Example

MSTKW72.FABRIC

MSTKW72FABRIC

MODEL NUMBERFABRIC

|   | D | W  | H     | model number | list |
|---|---|----|-------|--------------|------|
| <div>TASKLIGHTS<br/>STANDARD PLUG</div> <div></div> | 7 | 24 | 1 3⁄8 | ACLSP24      | 174  |
|   | 7 | 36 | 1 3⁄8 | ACLSP36      | 187  |
|   | 7 | 48 | 1 3⁄8 | ACLSP48      | 209  |
|   | 7 | 60 | 1 3⁄8 | ACLSP60      | 239  |
| <div>TASKLIGHTS<br/>FUDED CORD</div>  | 7 | 24 | 1 3⁄8 | ACLFC24      | 228  |
|   | 7 | 36 | 1 3⁄8 | ACLFC36      | 239  |
|   | 7 | 48 | 1 3⁄8 | ACLFC48      | 260  |
|   | 7 | 60 | 1 3⁄8 | ACLFC60      | 292  |

PRODUCT INFO





TO ORDER PLEASE SPECIFY THE FOLLOWING:

MODEL NUMBER

Example

ACLSP48  
ACLSP48  
MODEL NUMBER



|   | D      | W     | H     | model number | list |
|---|--------|-------|-------|--------------|------|
| UNIVERSAL GROMMET   | 2 1/4  | 3 7/8 | 1     | ACUG         | 95   |
|    |        |       |       |              |      |
| HORIZONTAL WIRE MANAGER   | 3 1/4  | 30    | 1     | ACWM         | 50   |
|    |        |       |       |              |      |
| POWERPORT RECESSED<br>2 DATA   2 ELECTRICAL   | 4 7/16 | 8 3/8 | 2 1/2 | PPR-2D2E     | 334  |
|   |        |       |       |              |      |
| DESK MOUNTED<br>POWERPORT UNIT<br>2 DATA   3 ELECTRICAL                             | 3      | 10    | 6     | PPDM-2D3E    | 302  |
|  |        |       |       |              |      |

PRODUCT INFO

TO ORDER PLEASE SPECIFY THE FOLLOWING:

MODEL NUMBER





HARDWARE COLOR\*

\*Option ONLY available on  
universal grommet ACUG

See inside front cover for required option codes

Example

ACUG.SV  
ACUG                      SV  
MODEL NUMBER        HARDWARE (Specify for model ACUG only)

|  | D      | W  | H     | model number | select |
|--|--------|----|-------|--------------|--------|
| KEYBOARD TRAY  | 10 1/2 | 20 | 3     | ACKYBRDSET   | 459    |
|    |        |    |       |              |        |
| FIXED TECH. CORNER<br>ARTICULATING<br>KEYBOARD TRAY                                | 10     | 20 | 3     | ACKBTf       | 748    |
|    |        |    |       |              |        |
| CENTER DRAWERS   | 22     | 26 | 2 1/4 | ACCD26       | 377    |
|    |        |    |       |              |        |
|  | 22     | 19 | 2 1/4 | ACCD19       | 341    |
|  |        |    |       |              |        |
| CONFERENCING CORE<br>CENTER DRAWER   | 14     | 18 | 2 1/4 | ACCD1814     | 288    |
|  |        |    |       |              |        |

PRODUCT INFO

TO ORDER PLEASE SPECIFY THE FOLLOWING:

MODEL NUMBER

.

FINISH SET #2\*

\*Option NOT available on  
keyboard tray ACKYBRDSET





See inside front cover for required option codes

Example

ACCD19.NC260

ACCD19NC260

MODEL NUMBERFINISH

|  | D          | W        | H     | model number   | list |
|--|------------|----------|-------|----------------|------|
| <b>PENCIL TRAY</b><br>              | 3          | 11       | 1 1/4 | <b>ACPT</b>    | 69   |
| <b>BOX DRAWER DIVIDER</b><br>       | 1/4        | 11 7/8   | 3 1/2 | <b>ACBXD</b>   | 42   |
| <b>FOLDER RAILS SET OF 2</b><br>    | 1/8        | 11 13/16 | 1     | <b>ACFPRL</b>  | 16   |
|  | 1/8        | 14 13/16 | 1     | <b>ACLATRL</b> | 16   |
| <b>FIELD INSTALLED GROMMET</b><br> | 1 3/4 dia. |          |       | <b>ACGMT</b>   | 69   |

PRODUCT INFO

Spec Tip  
See page 10 for folder  
rail requirements

TO ORDER PLEASE SPECIFY THE FOLLOWING:

|                      |                        |
|----------------------|------------------------|
| <input type="text"/> | <input type="text"/>   |
| <b>MODEL NUMBER</b>  | <b>HARDWARE COLOR*</b> |


\*Option ONLY available on  
field installed grommet ACGMT

See inside front cover for required option codes

Example

ACGMT.SV  
ACGMT      SV  
MODEL NUMBER      HARDWARE (Specify for model ACGMT only)

|                 | D | W | H      | model number | select |
|-----------------|---|---|--------|--------------|--------|
| EDGE SAMPLE KIT | 6 | 6 | 1 5/16 | MSEPK        | 53     |



PRODUCT INFO

TO ORDER PLEASE SPECIFY THE FOLLOWING:

MODEL NUMBERFINISH SET #2

See inside front cover for required option codes


Example

MSEPK.NC260

MSEPKNC260

MODEL NUMBERFINISH

|                                  | D                             | W                              | H  | model number | select |
|----------------------------------|-------------------------------|--------------------------------|----|--------------|--------|
| PULL SAMPLE KIT<br>ON WOOD BOARD | 8 <sup>3</sup> / <sub>4</sub> | 13 <sup>1</sup> / <sub>2</sub> | 15 | MSPHK        | 132    |



PRODUCT INFO

TO ORDER PLEASE SPECIFY THE FOLLOWING:


|                      |   |                      |   |                      |
|----------------------|---|----------------------|---|----------------------|
| <input type="text"/> | . | <input type="text"/> | . | <input type="text"/> |
| MODEL NUMBER         |   | FINISH SET #2        |   | HARDWARE<br>COLOR    |

See inside front cover for required option codes

Example

|                |        |          |
|----------------|--------|----------|
| MSPHK.NC260.SV |        |          |
| MSPHK          | NC260  | SV       |
| MODEL NUMBER   | FINISH | HARDWARE |

|                       | D   | W   | H   | model number | list |
|-----------------------|-----|-----|-----|--------------|------|
| PULL SAMPLES   1 EACH | n/a | n/a | n/a | MSPSK        | 66   |



PRODUCT INFO

TO ORDER PLEASE SPECIFY THE FOLLOWING:

MODEL NUMBER

.

HARDWARE  
COLOR

See inside front cover for required option codes

Example

MSPSK.SV

MSPSKSV

MODEL NUMBERHARDWARE

This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

| model number | weight   | cubes | #locks | page |
|--------------|----------|-------|--------|------|
| ACBXD        | 1 lb.    | 0.2   | N/A    | 149  |
| ACCD1814     | 14 lbs.  | 1.2   | N/A    | 148  |
| ACCD19       | 18 lbs.  | 1.2   | N/A    | 148  |
| ACCD26       | 20 lbs.  | 1.2   | N/A    | 148  |
| ACFPRL       | 1 lb.    | 0.1   | N/A    | 149  |
| ACGMT        | 1 lb.    | 0.2   | N/A    | 149  |
| ACKBTF       | 38 lbs.  | 1.2   | N/A    | 148  |
| ACKYBRDSET   | 15 lbs.  | 3.0   | N/A    | 148  |
| ACLATRL      | 2 lbs.   | 0.1   | N/A    | 149  |
| ACLFC24      | 12 lbs.  | 0.7   | N/A    | 146  |
| ACLFC36      | 12 lbs.  | 1.0   | N/A    | 146  |
| ACLFC48      | 12 lbs.  | 1.3   | N/A    | 146  |
| ACLFC60      | 12 lbs.  | 1.6   | N/A    | 146  |
| ACLSP24      | 12 lbs.  | 0.7   | N/A    | 146  |
| ACLSP36      | 12 lbs.  | 1.0   | N/A    | 146  |
| ACLSP48      | 12 lbs.  | 1.3   | N/A    | 146  |
| ACLSP60      | 12 lbs.  | 1.6   | N/A    | 146  |
| ACPT         | 1 lb.    | 0.2   | N/A    | 149  |
| ACUG         | 1 lb.    | 0.1   | N/A    | 147  |
| ACWM         | 1 lb.    | 1.0   | N/A    | 147  |
| BSMUTL90     | 30 lbs.  | 1.5   | N/A    | 107  |
| BSWCYL18     | 50 lbs.  | 7.8   | N/A    | 107  |
| BSWCYL18WM   | 50 lbs.  | 7.8   | N/A    | 107  |
| MSARC3060L-2 | 195 lbs. | 39.5  | 1      | 80   |
| MSARC3060L-3 | 195 lbs. | 39.5  | 1      | 80   |
| MSARC3060L-X | 152 lbs. | 39.5  | N/A    | 78   |
| MSARC3060R-2 | 195 lbs. | 39.5  | 1      | 81   |
| MSARC3060R-3 | 195 lbs. | 39.5  | 1      | 81   |
| MSARC3060R-X | 152 lbs. | 39.5  | N/A    | 79   |
| MSARC3066L-2 | 205 lbs. | 43.2  | 1      | 80   |
| MSARC3066L-3 | 205 lbs. | 43.2  | 1      | 80   |
| MSARC3066L-X | 163 lbs. | 43.2  | N/A    | 78   |
| MSARC3066R-2 | 205 lbs. | 43.2  | 1      | 81   |
| MSARC3066R-3 | 205 lbs. | 43.2  | 1      | 81   |
| MSARC3066R-X | 163 lbs. | 43.2  | N/A    | 79   |
| MSATC4242    | 152 lbs. | 38.1  | N/A    | 77   |
| MSBKN2H1530  | 90 lbs.  | 10.6  | N/A    | 114  |
| MSBKN2H1536  | 104 lbs. | 12.5  | N/A    | 114  |
| MSBKN3H1530  | 115 lbs. | 14.4  | N/A    | 114  |
| MSBKN3H1536  | 132 lbs. | 17.1  | N/A    | 114  |

| model number  | weight   | cubes | #locks | page |
|---------------|----------|-------|--------|------|
| MSBKN4H1530   | 139 lbs. | 18.3  | N/A    | 114  |
| MSBKN4H1536   | 161 lbs. | 21.7  | N/A    | 114  |
| MSBKN5H1530   | 160 lbs. | 23.1  | N/A    | 114  |
| MSBKN5H1536   | 185 lbs. | 27.3  | N/A    | 114  |
| MSBKN6H1530   | 220 lbs. | 27.4  | N/A    | 114  |
| MSBKN6H1536   | 254 lbs. | 32.4  | N/A    | 114  |
| MSCFC4872L    | 196 lbs. | 71.9  | N/A    | 74   |
| MSCFC4872R    | 196 lbs. | 71.9  | N/A    | 75   |
| MSCFC4878L    | 208 lbs. | 77.7  | N/A    | 74   |
| MSCFC4878R    | 208 lbs. | 77.7  | N/A    | 75   |
| MSCFC4890L    | 232 lbs. | 89.2  | N/A    | 74   |
| MSCFC4890R    | 232 lbs. | 89.2  | N/A    | 75   |
| MSCFC5466L    | 194 lbs. | 73.6  | N/A    | 74   |
| MSCFC5466R    | 194 lbs. | 73.6  | N/A    | 75   |
| MSCFR3048L    | 72 lbs.  | 32.0  | N/A    | 98   |
| MSCFR3048R    | 72 lbs.  | 32.0  | N/A    | 99   |
| MSCFR3054L    | 79 lbs.  | 35.7  | N/A    | 98   |
| MSCFR3054R    | 79 lbs.  | 35.7  | N/A    | 99   |
| MSCFR3060L    | 87 lbs.  | 39.5  | N/A    | 98   |
| MSCFR3060R    | 87 lbs.  | 39.5  | N/A    | 99   |
| MSCFR3066L    | 96 lbs.  | 43.2  | N/A    | 98   |
| MSCFR3066R    | 96 lbs.  | 43.2  | N/A    | 99   |
| MSCTM2424L    | 119 lbs. | 13.9  | N/A    | 89   |
| MSCTM2424R    | 119 lbs. | 13.9  | N/A    | 89   |
| MSCWD5H2430-C | 226 lbs. | 36.8  | 1      | 117  |
| MSCWD5H2430-D | 273 lbs. | 36.8  | 1      | 117  |
| MSCWD5H2430-S | 282 lbs. | 36.8  | 1      | 117  |
| MSCWD6H2430-C | 274 lbs. | 43.7  | 1      | 117  |
| MSCWD6H2430-D | 321 lbs. | 43.7  | 1      | 117  |
| MSCWD6H2430-S | 331 lbs. | 43.7  | 1      | 117  |
| MSCWS5H2418L  | 175 lbs. | 23.9  | 1      | 116  |
| MSCWS5H2418R  | 175 lbs. | 23.9  | 1      | 116  |
| MSDBO4272-32  | 310 lbs. | 63.9  | 2      | 100  |
| MSDBO4272L-3  | 270 lbs. | 63.9  | 1      | 102  |
| MSDBO4272R-3  | 270 lbs. | 63.9  | 1      | 103  |
| MSDKR3454L-3  | 178 lbs. | 41.5  | 1      | 91   |
| MSDKR3454L-X  | 145 lbs. | 41.5  | N/A    | 90   |
| MSDKR3454R-3  | 178 lbs. | 41.5  | 1      | 91   |
| MSDKR3454R-X  | 145 lbs. | 41.5  | N/A    | 90   |
| MSDKR3466L-3  | 203 lbs. | 50.0  | 1      | 91   |



| model number          | weight   | cubes | #locks | page |
|-----------------------|----------|-------|--------|------|
| <b>MSDKR3466L-X</b>   | 170 lbs. | 50.0  | N/A    | 90   |
| <b>MSDKR3466R-3</b>   | 203 lbs. | 50.0  | 1      | 91   |
| <b>MSDKR3466R-X</b>   | 170 lbs. | 50.0  | N/A    | 90   |
| <b>MSDMT1H1524L</b>   | 70 lbs.  | 14.6  | N/A    | 115  |
| <b>MSDMT1H1524R</b>   | 70 lbs.  | 14.6  | N/A    | 115  |
| <b>MSDMT2H1524L</b>   | 90 lbs.  | 14.6  | N/A    | 115  |
| <b>MSDMT2H1524R</b>   | 90 lbs.  | 14.6  | N/A    | 115  |
| <b>MSDPC2472-22</b>   | 227 lbs. | 38.5  | 2      | 105  |
| <b>MSDPC2472-32</b>   | 227 lbs. | 38.5  | 2      | 105  |
| <b>MSDRO3672-32</b>   | 300 lbs. | 55.5  | 2      | 101  |
| <b>MSDRO3672L-3</b>   | 260 lbs. | 55.5  | 1      | 102  |
| <b>MSDRO3672R-3</b>   | 260 lbs. | 55.5  | 1      | 103  |
| <b>MSEPK</b>          | 2 lbs.   | 0.3   | N/A    | 150  |
| <b>MSFSC2472-252</b>  | 335 lbs. | 38.5  | 3      | 104  |
| <b>MSFSC2472-253</b>  | 335 lbs. | 38.5  | 3      | 104  |
| <b>MSFSC2472-44</b>   | 348 lbs. | 38.5  | 2      | 104  |
| <b>MSFSC2472-55</b>   | 331 lbs. | 38.5  | 2      | 104  |
| <b>MSFTC4242</b>      | 147 lbs. | 38.1  | N/A    | 77   |
| <b>MSLFW2H2430</b>    | 170 lbs. | 16.8  | 1      | 113  |
| <b>MSLFW2H2436</b>    | 195 lbs. | 19.8  | 1      | 113  |
| <b>MSLFW3H2430</b>    | 212 lbs. | 22.9  | 1      | 112  |
| <b>MSLFW3H2436</b>    | 245 lbs. | 27.1  | 1      | 112  |
| <b>MSLFW4H2430</b>    | 255 lbs. | 29.1  | 1      | 112  |
| <b>MSLFW4H2436</b>    | 295 lbs. | 34.4  | 1      | 112  |
| <b>MSLFW5H2430</b>    | 290 lbs. | 36.7  | 1      | 112  |
| <b>MSLFW5H2436</b>    | 335 lbs. | 43.4  | 1      | 112  |
| <b>MSLFW6H2430</b>    | 333 lbs. | 43.6  | 1      | 112  |
| <b>MSLFW6H2436</b>    | 385 lbs. | 51.5  | 1      | 112  |
| <b>MSLNC2430L-2</b>   | 118 lbs. | 17.0  | 1      | 84   |
| <b>MSLNC2430L-3</b>   | 118 lbs. | 17.0  | 1      | 84   |
| <b>MSLNC2430L-X</b>   | 90 lbs.  | 17.0  | N/A    | 82   |
| <b>MSLNC2430R-2</b>   | 118 lbs. | 17.0  | 1      | 86   |
| <b>MSLNC2430R-3</b>   | 118 lbs. | 17.0  | 1      | 86   |
| <b>MSLNC2430R-X</b>   | 90 lbs.  | 17.0  | N/A    | 83   |
| <b>MSLNC2436L-2</b>   | 129 lbs. | 17.0  | 1      | 84   |
| <b>MSLNC2436L-3</b>   | 129 lbs. | 20.0  | 1      | 84   |
| <b>MSLNC2436L-4</b>   | 180 lbs. | 20.0  | 1      | 84   |
| <b>MSLNC2436L-MFL</b> | 185 lbs. | 20.0  | 2      | 84   |
| <b>MSLNC2436L-X</b>   | 100 lbs. | 17.0  | N/A    | 82   |
| <b>MSLNC2436R-2</b>   | 129 lbs. | 17.0  | 1      | 86   |

| model number          | weight   | cubes | #locks | page |
|-----------------------|----------|-------|--------|------|
| <b>MSLNC2436R-3</b>   | 129 lbs. | 20.0  | 1      | 86   |
| <b>MSLNC2436R-4</b>   | 180 lbs. | 20.0  | 1      | 86   |
| <b>MSLNC2436R-MFR</b> | 185 lbs. | 20.0  | 2      | 86   |
| <b>MSLNC2436R-X</b>   | 100 lbs. | 17.0  | N/A    | 83   |
| <b>MSLNC2442L-2</b>   | 139 lbs. | 23.1  | 1      | 84   |
| <b>MSLNC2442L-3</b>   | 139 lbs. | 23.1  | 1      | 84   |
| <b>MSLNC2442L-4</b>   | 190 lbs. | 23.1  | 1      | 84   |
| <b>MSLNC2442L-MFL</b> | 195 lbs. | 23.1  | 2      | 84   |
| <b>MSLNC2442L-X</b>   | 110 lbs. | 23.1  | N/A    | 82   |
| <b>MSLNC2442R-2</b>   | 139 lbs. | 23.1  | 1      | 86   |
| <b>MSLNC2442R-3</b>   | 139 lbs. | 23.1  | 1      | 86   |
| <b>MSLNC2442R-4</b>   | 190 lbs. | 23.1  | 1      | 86   |
| <b>MSLNC2442R-MFR</b> | 195 lbs. | 23.1  | 2      | 86   |
| <b>MSLNC2442R-X</b>   | 110 lbs. | 23.1  | N/A    | 83   |
| <b>MSLNC2448L-2</b>   | 149 lbs. | 26.2  | 1      | 85   |
| <b>MSLNC2448L-3</b>   | 149 lbs. | 26.2  | 1      | 85   |
| <b>MSLNC2448L-4</b>   | 200 lbs. | 26.2  | 1      | 85   |
| <b>MSLNC2448L-MFL</b> | 205 lbs. | 26.2  | 2      | 85   |
| <b>MSLNC2448L-X</b>   | 120 lbs. | 26.2  | N/A    | 82   |
| <b>MSLNC2448R-2</b>   | 149 lbs. | 26.2  | 1      | 87   |
| <b>MSLNC2448R-3</b>   | 149 lbs. | 26.2  | 1      | 87   |
| <b>MSLNC2448R-4</b>   | 200 lbs. | 26.2  | 1      | 87   |
| <b>MSLNC2448R-MFR</b> | 205 lbs. | 26.2  | 2      | 87   |
| <b>MSLNC2448R-X</b>   | 120 lbs. | 26.2  | N/A    | 83   |
| <b>MSLNC2454L-2</b>   | 159 lbs. | 29.3  | 1      | 85   |
| <b>MSLNC2454L-3</b>   | 159 lbs. | 29.3  | 1      | 85   |
| <b>MSLNC2454L-4</b>   | 210 lbs. | 29.3  | 1      | 85   |
| <b>MSLNC2454L-MFL</b> | 215 lbs. | 29.3  | 2      | 85   |
| <b>MSLNC2454L-X</b>   | 130 lbs. | 29.3  | N/A    | 82   |
| <b>MSLNC2454R-2</b>   | 159 lbs. | 29.3  | 1      | 87   |
| <b>MSLNC2454R-3</b>   | 159 lbs. | 29.3  | 1      | 87   |
| <b>MSLNC2454R-4</b>   | 210 lbs. | 29.3  | 1      | 87   |
| <b>MSLNC2454R-MFR</b> | 215 lbs. | 29.3  | 2      | 87   |
| <b>MSLNC2454R-X</b>   | 130 lbs. | 29.3  | N/A    | 83   |
| <b>MSLNC2460L-2</b>   | 165 lbs. | 32.4  | 1      | 85   |
| <b>MSLNC2460L-3</b>   | 165 lbs. | 32.4  | 1      | 85   |
| <b>MSLNC2460L-4</b>   | 220 lbs. | 32.4  | 1      | 85   |
| <b>MSLNC2460L-MFL</b> | 225 lbs. | 32.4  | 2      | 85   |
| <b>MSLNC2460L-X</b>   | 135 lbs. | 32.4  | N/A    | 82   |
| <b>MSLNC2460R-2</b>   | 165 lbs. | 32.4  | 1      | 87   |

# WEIGHTS + CUBES

MOSAIC 2.0  
01/07

| model number   | weight   | cubes | #locks | page |
|----------------|----------|-------|--------|------|
| MSLNC2460R-3   | 165 lbs. | 32.4  | 1      | 87   |
| MSLNC2460R-4   | 220 lbs. | 32.4  | 1      | 87   |
| MSLNC2460R-MFR | 225 lbs. | 32.4  | 2      | 87   |
| MSLNC2460R-X   | 135 lbs. | 32.4  | N/A    | 83   |
| MSLNC2466L-2   | 175 lbs. | 35.4  | 1      | 85   |
| MSLNC2466L-3   | 175 lbs. | 35.4  | 1      | 85   |
| MSLNC2466L-4   | 230 lbs. | 35.4  | 1      | 85   |
| MSLNC2466L-MFL | 235 lbs. | 35.4  | 2      | 85   |
| MSLNC2466L-X   | 145 lbs. | 35.4  | N/A    | 82   |
| MSLNC2466R-2   | 175 lbs. | 35.4  | 1      | 87   |
| MSLNC2466R-3   | 175 lbs. | 35.4  | 1      | 87   |
| MSLNC2466R-4   | 230 lbs. | 35.4  | 1      | 87   |
| MSLNC2466R-MFR | 235 lbs. | 35.4  | 2      | 87   |
| MSLNC2466R-X   | 145 lbs. | 35.4  | N/A    | 83   |
| MSLNC2472L-2   | 185 lbs. | 38.5  | 1      | 85   |
| MSLNC2472L-3   | 185 lbs. | 38.5  | 1      | 85   |
| MSLNC2472L-4   | 240 lbs. | 38.5  | 1      | 85   |
| MSLNC2472L-MFL | 245 lbs. | 38.5  | 2      | 85   |
| MSLNC2472L-X   | 155 lbs. | 38.5  | N/A    | 82   |
| MSLNC2472R-2   | 185 lbs. | 38.5  | 1      | 87   |
| MSLNC2472R-3   | 185 lbs. | 38.5  | 1      | 87   |
| MSLNC2472R-4   | 240 lbs. | 38.5  | 1      | 87   |
| MSLNC2472R-MFR | 245 lbs. | 38.5  | 2      | 87   |
| MSLNC2472R-X   | 155 lbs. | 38.5  | N/A    | 83   |
| MSLPH52        | 43 lbs.  | 3.7   | N/A    | 120  |
| MSLPH65        | 48 lbs.  | 4.6   | N/A    | 120  |
| MSMPW-6        | 120 lbs. | 6.1   | 1      | 110  |
| MSMSP12        | 12 lbs.  | 1.0   | N/A    | 111  |
| MSPHK          | 13 lbs.  | 2.0   | N/A    | 151  |
| MSPSK          | 4 lbs.   | 0.3   | N/A    | 152  |
| MSPWW2415-2    | 66 lbs.  | 8.4   | 1      | 110  |
| MSPWW2415-3    | 66 lbs.  | 8.4   | 1      | 110  |
| MSPWW2430-4    | 99 lbs.  | 15.3  | 1      | 110  |
| MSPWW2430-5    | 99 lbs.  | 15.3  | 1      | 110  |
| MSSBD5H2430-2L | 289 lbs. | 36.8  | 2      | 119  |
| MSSBD5H2430-3L | 287 lbs. | 36.8  | 2      | 119  |
| MSSBD5H2436-2L | 333 lbs. | 43.5  | 2      | 119  |
| MSSBD5H2436-3L | 331 lbs. | 43.5  | 2      | 119  |
| MSSBD6H2430-2L | 338 lbs. | 43.7  | 2      | 119  |
| MSSBD6H2430-3L | 335 lbs. | 43.7  | 2      | 119  |

| model number     | weight   | cubes | #locks | page |
|------------------|----------|-------|--------|------|
| MSSBD6H2436-2L   | 388 lbs. | 51.6  | 2      | 119  |
| MSSBD6H2436-3L   | 386 lbs. | 51.6  | 2      | 119  |
| MSSBS5H2418L     | 139 lbs. | 23.9  | 2      | 118  |
| MSSBS5H2418R     | 139 lbs. | 23.9  | 2      | 118  |
| MSSCF2430-5      | 143 lbs. | 17.0  | 1      | 113  |
| MSSCF2436-5      | 166 lbs. | 20.1  | 1      | 113  |
| MSSLC2460        | 137 lbs. | 32.4  | N/A    | 88   |
| MSSLC2466        | 147 lbs. | 35.4  | N/A    | 88   |
| MSSLC2472        | 157 lbs. | 38.5  | N/A    | 88   |
| MSSLC2478        | 167 lbs. | 41.6  | N/A    | 88   |
| MSSLC2484        | 177 lbs. | 44.7  | N/A    | 88   |
| MSSLC2490        | 187 lbs. | 47.8  | N/A    | 88   |
| MSSMC1H15102-WGC | 217 lbs. | 45.5  | N/A    | 124  |
| MSSMC1H15102-WWC | 229 lbs. | 45.1  | 2      | 122  |
| MSSMC1H15108-WGC | 226 lbs. | 48.1  | N/A    | 124  |
| MSSMC1H15108-WWC | 239 lbs. | 47.7  | 2      | 122  |
| MSSMC1H15114-WGC | 236 lbs. | 50.7  | N/A    | 124  |
| MSSMC1H15114-WWC | 249 lbs. | 50.3  | 2      | 122  |
| MSSMC1H1560-WGC  | 143 lbs. | 27.2  | N/A    | 124  |
| MSSMC1H1560-WWC  | 150 lbs. | 27.1  | 2      | 122  |
| MSSMC1H1566-WGC  | 153 lbs. | 29.8  | N/A    | 124  |
| MSSMC1H1566-WWC  | 160 lbs. | 29.6  | 2      | 122  |
| MSSMC1H1572-WG   | 170 lbs. | 32.4  | N/A    | 125  |
| MSSMC1H1572-WGC  | 163 lbs. | 32.4  | N/A    | 124  |
| MSSMC1H1572-WW   | 188 lbs. | 32.2  | 2      | 123  |
| MSSMC1H1572-WWC  | 169 lbs. | 32.2  | 2      | 122  |
| MSSMC1H1584-WGC  | 187 lbs. | 37.7  | N/A    | 124  |
| MSSMC1H1584-WWC  | 200 lbs. | 37.4  | 2      | 122  |
| MSSMC1H1590-WG   | 204 lbs. | 40.3  | N/A    | 125  |
| MSSMC1H1590-WGC  | 197 lbs. | 40.3  | N/A    | 124  |
| MSSMC1H1590-WW   | 228 lbs. | 40.0  | 3      | 123  |
| MSSMC1H1590-WWC  | 210 lbs. | 40.0  | 2      | 122  |
| MSSMC1H1596-WGC  | 207 lbs. | 42.9  | N/A    | 124  |
| MSSMC1H1596-WWC  | 220 lbs. | 42.6  | 2      | 122  |
| MSSMC2H1566-WGC  | 220 lbs. | 35.9  | N/A    | 128  |
| MSSMC2H1566-WWC  | 229 lbs. | 35.7  | 2      | 126  |
| MSSMC2H1572-WG   | 237 lbs. | 42.8  | N/A    | 129  |
| MSSMC2H1572-WGC  | 234 lbs. | 39.3  | N/A    | 128  |
| MSSMC2H1572-WW   | 271 lbs. | 42.5  | 2      | 127  |
| MSSMC2H1572-WWC  | 242 lbs. | 39.1  | 2      | 126  |

| model number           | weight   | cubes | #locks | page |
|------------------------|----------|-------|--------|------|
| <b>MSSMC2H1584-WGC</b> | 266 lbs. | 49.6  | N/A    | 128  |
| <b>MSSMC2H1584-WWC</b> | 293 lbs. | 49.3  | 2      | 126  |
| <b>MSSMC2H1590-WG</b>  | 286 lbs. | 53.1  | N/A    | 129  |
| <b>MSSMC2H1590-WGC</b> | 280 lbs. | 53.1  | N/A    | 128  |
| <b>MSSMC2H1590-WW</b>  | 332 lbs. | 52.7  | 3      | 127  |
| <b>MSSMC2H1590-WWC</b> | 306 lbs. | 52.7  | 2      | 126  |
| <b>MSSTF1H1518L-WG</b> | 65 lbs.  | 9.1   | N/A    | 132  |
| <b>MSSTF1H1518L-WW</b> | 65 lbs.  | 9.0   | 1      | 131  |
| <b>MSSTF1H1518R-WG</b> | 65 lbs.  | 9.1   | N/A    | 132  |
| <b>MSSTF1H1518R-WW</b> | 65 lbs.  | 9.0   | 1      | 131  |
| <b>MSSTF1H1524-WG</b>  | 75 lbs.  | 11.7  | N/A    | 132  |
| <b>MSSTF1H1524-WW</b>  | 75 lbs.  | 11.6  | 1      | 131  |
| <b>MSSTF1H1530-WG</b>  | 100 lbs. | 14.3  | N/A    | 132  |
| <b>MSSTF1H1530-WW</b>  | 100 lbs. | 14.2  | 1      | 131  |
| <b>MSSTF2H1518L-WG</b> | 90 lbs.  | 12.0  | N/A    | 135  |
| <b>MSSTF2H1518L-WW</b> | 69 lbs.  | 8.5   | 1      | 134  |
| <b>MSSTF2H1518R-WG</b> | 90 lbs.  | 12.0  | N/A    | 135  |
| <b>MSSTF2H1518R-WW</b> | 69 lbs.  | 8.5   | 1      | 134  |
| <b>MSSTF2H1524-WG</b>  | 84 lbs.  | 15.4  | N/A    | 135  |
| <b>MSSTF2H1524-WW</b>  | 84 lbs.  | 15.3  | 1      | 134  |
| <b>MSSTF2H1530-WG</b>  | 126 lbs. | 18.8  | N/A    | 135  |
| <b>MSSTF2H1530-WW</b>  | 126 lbs. | 18.7  | 1      | 134  |
| <b>MSSTN1H1518-WN</b>  | 76 lbs.  | 8.6   | N/A    | 130  |
| <b>MSSTN1H1524-WN</b>  | 88 lbs.  | 11.1  | N/A    | 130  |
| <b>MSSTN1H1530-WN</b>  | 92 lbs.  | 13.6  | N/A    | 130  |
| <b>MSSTN2H1518-WN</b>  | 70 lbs.  | 11.4  | N/A    | 133  |
| <b>MSSTN2H1524-WN</b>  | 84 lbs.  | 14.6  | N/A    | 133  |
| <b>MSSTN2H1530-WN</b>  | 97 lbs.  | 17.9  | N/A    | 133  |
| <b>MSSTR2430L-2</b>    | 118 lbs. | 17.6  | 1      | 94   |
| <b>MSSTR2430L-3</b>    | 118 lbs. | 17.6  | 1      | 94   |
| <b>MSSTR2430L-X</b>    | 90 lbs.  | 17.6  | N/A    | 92   |
| <b>MSSTR2430R-2</b>    | 118 lbs. | 17.6  | 1      | 96   |
| <b>MSSTR2430R-3</b>    | 118 lbs. | 17.6  | 1      | 96   |
| <b>MSSTR2430R-X</b>    | 90 lbs.  | 17.6  | N/A    | 93   |
| <b>MSSTR2436L-2</b>    | 129 lbs. | 20.7  | 1      | 94   |
| <b>MSSTR2436L-3</b>    | 129 lbs. | 20.7  | 1      | 94   |
| <b>MSSTR2436L-4</b>    | 180 lbs. | 20.7  | 1      | 94   |
| <b>MSSTR2436L-MFL</b>  | 185 lbs. | 20.7  | 2      | 94   |
| <b>MSSTR2436L-X</b>    | 100 lbs. | 20.2  | N/A    | 92   |
| <b>MSSTR2436R-2</b>    | 129 lbs. | 20.7  | 1      | 96   |

| model number          | weight   | cubes | #locks | page |
|-----------------------|----------|-------|--------|------|
| <b>MSSTR2436R-3</b>   | 129 lbs. | 20.7  | 1      | 96   |
| <b>MSSTR2436R-4</b>   | 180 lbs. | 20.7  | 1      | 96   |
| <b>MSSTR2436R-MFR</b> | 185 lbs. | 20.7  | 2      | 96   |
| <b>MSSTR2436R-X</b>   | 100 lbs. | 20.7  | N/A    | 93   |
| <b>MSSTR2442L-2</b>   | 139 lbs. | 23.8  | 1      | 94   |
| <b>MSSTR2442L-3</b>   | 139 lbs. | 23.8  | 1      | 94   |
| <b>MSSTR2442L-4</b>   | 190 lbs. | 23.8  | 1      | 94   |
| <b>MSSTR2442L-MFL</b> | 195 lbs. | 23.8  | 2      | 94   |
| <b>MSSTR2442L-X</b>   | 110 lbs. | 23.8  | N/A    | 92   |
| <b>MSSTR2442R-2</b>   | 139 lbs. | 23.8  | 1      | 96   |
| <b>MSSTR2442R-3</b>   | 139 lbs. | 23.8  | 1      | 96   |
| <b>MSSTR2442R-4</b>   | 190 lbs. | 23.8  | 1      | 96   |
| <b>MSSTR2442R-MFR</b> | 195 lbs. | 23.8  | 2      | 96   |
| <b>MSSTR2442R-X</b>   | 110 lbs. | 23.8  | N/A    | 93   |
| <b>MSSTR2448L-2</b>   | 149 lbs. | 26.9  | 1      | 95   |
| <b>MSSTR2448L-3</b>   | 149 lbs. | 26.9  | 1      | 95   |
| <b>MSSTR2448L-4</b>   | 200 lbs. | 26.9  | 1      | 95   |
| <b>MSSTR2448L-MFL</b> | 205 lbs. | 26.9  | 2      | 95   |
| <b>MSSTR2448L-X</b>   | 120 lbs. | 26.9  | N/A    | 92   |
| <b>MSSTR2448R-2</b>   | 149 lbs. | 26.9  | 1      | 97   |
| <b>MSSTR2448R-3</b>   | 149 lbs. | 26.9  | 1      | 97   |
| <b>MSSTR2448R-4</b>   | 200 lbs. | 26.9  | 1      | 97   |
| <b>MSSTR2448R-MFR</b> | 205 lbs. | 26.9  | 2      | 97   |
| <b>MSSTR2448R-X</b>   | 120 lbs. | 26.9  | N/A    | 93   |
| <b>MSSTR2454L-2</b>   | 159 lbs. | 30.0  | 1      | 95   |
| <b>MSSTR2454L-3</b>   | 159 lbs. | 30.0  | 1      | 95   |
| <b>MSSTR2454L-4</b>   | 210 lbs. | 30.0  | 1      | 95   |
| <b>MSSTR2454L-MFL</b> | 215 lbs. | 30.0  | 2      | 95   |
| <b>MSSTR2454L-X</b>   | 130 lbs. | 30.0  | N/A    | 92   |
| <b>MSSTR2454R-2</b>   | 159 lbs. | 30.0  | 1      | 97   |
| <b>MSSTR2454R-3</b>   | 159 lbs. | 30.0  | 1      | 97   |
| <b>MSSTR2454R-4</b>   | 210 lbs. | 30.0  | 1      | 97   |
| <b>MSSTR2454R-MFR</b> | 215 lbs. | 30.0  | 2      | 97   |
| <b>MSSTR2454R-X</b>   | 130 lbs. | 30.0  | N/A    | 93   |
| <b>MSSTR2460L-2</b>   | 165 lbs. | 33.0  | 1      | 95   |
| <b>MSSTR2460L-3</b>   | 165 lbs. | 33.0  | 1      | 95   |
| <b>MSSTR2460L-4</b>   | 220 lbs. | 33.0  | 1      | 95   |
| <b>MSSTR2460L-MFL</b> | 225 lbs. | 33.0  | 2      | 95   |
| <b>MSSTR2460L-X</b>   | 135 lbs. | 33.0  | N/A    | 92   |
| <b>MSSTR2460R-2</b>   | 165 lbs. | 33.0  | 1      | 97   |

# WEIGHTS + CUBES

MOSAIC 2.0  
01/07

| model number   | weight   | cubes | #locks | page |
|----------------|----------|-------|--------|------|
| MSSTR2460R-3   | 165 lbs. | 33.0  | 1      | 97   |
| MSSTR2460R-4   | 220 lbs. | 33.0  | 1      | 97   |
| MSSTR2460R-MFR | 225 lbs. | 33.0  | 2      | 97   |
| MSSTR2460R-X   | 135 lbs. | 33.0  | N/A    | 93   |
| MSSTR2466L-2   | 175 lbs. | 36.1  | 1      | 95   |
| MSSTR2466L-3   | 175 lbs. | 36.1  | 1      | 95   |
| MSSTR2466L-4   | 230 lbs. | 36.1  | 1      | 95   |
| MSSTR2466L-MFL | 235 lbs. | 36.1  | 2      | 95   |
| MSSTR2466L-X   | 145 lbs. | 36.1  | N/A    | 92   |
| MSSTR2466R-2   | 175 lbs. | 36.1  | 1      | 97   |
| MSSTR2466R-3   | 175 lbs. | 36.1  | 1      | 97   |
| MSSTR2466R-4   | 230 lbs. | 36.1  | 1      | 97   |
| MSSTR2466R-MFR | 235 lbs. | 36.1  | 2      | 97   |
| MSSTR2466R-X   | 145 lbs. | 36.1  | N/A    | 93   |
| MSSTR2472L-2   | 185 lbs. | 39.2  | 1      | 95   |
| MSSTR2472L-3   | 185 lbs. | 39.2  | 1      | 95   |
| MSSTR2472L-4   | 240 lbs. | 39.2  | 1      | 95   |
| MSSTR2472L-MFL | 245 lbs. | 39.2  | 2      | 95   |
| MSSTR2472L-X   | 155 lbs. | 39.2  | N/A    | 92   |
| MSSTR2472R-2   | 185 lbs. | 39.2  | 1      | 97   |
| MSSTR2472R-3   | 185 lbs. | 39.2  | 1      | 97   |
| MSSTR2472R-4   | 240 lbs. | 39.2  | 1      | 97   |
| MSSTR2472R-MFR | 245 lbs. | 39.2  | 2      | 97   |
| MSSTR2472R-X   | 155 lbs. | 39.2  | N/A    | 93   |
| MSTKS102       | 51 lbs.  | 5.5   | N/A    | 144  |
| MSTKS108       | 54 lbs.  | 5.8   | N/A    | 144  |
| MSTKS114       | 57 lbs.  | 6.1   | N/A    | 144  |
| MSTKS60        | 30 lbs.  | 3.4   | N/A    | 144  |
| MSTKS66        | 33 lbs.  | 3.7   | N/A    | 144  |
| MSTKS72        | 36 lbs.  | 4.0   | N/A    | 144  |
| MSTKS84        | 42 lbs.  | 4.6   | N/A    | 144  |
| MSTKS90        | 45 lbs.  | 4.9   | N/A    | 144  |
| MSTKS96        | 48 lbs.  | 5.2   | N/A    | 144  |
| MSTKW102       | 51 lbs.  | 5.5   | N/A    | 145  |
| MSTKW108       | 54 lbs.  | 5.8   | N/A    | 145  |
| MSTKW114       | 57 lbs.  | 6.1   | N/A    | 145  |
| MSTKW60        | 34 lbs.  | 3.4   | N/A    | 145  |
| MSTKW66        | 37 lbs.  | 3.7   | N/A    | 145  |
| MSTKW72        | 40 lbs.  | 4.0   | N/A    | 145  |
| MSTKW84        | 46 lbs.  | 4.6   | N/A    | 145  |

| model number     | weight   | cubes | #locks | page |
|------------------|----------|-------|--------|------|
| MSTKW90          | 49 lbs.  | 4.9   | N/A    | 145  |
| MSTKW96          | 52 lbs.  | 5.2   | N/A    | 145  |
| MSTRD36          | 60 lbs.  | 3.8   | N/A    | 106  |
| MSTRD42          | 70 lbs.  | 5.1   | N/A    | 106  |
| MSTRD48          | 80 lbs.  | 6.5   | N/A    | 106  |
| MSVPML           | 36 lbs.  | 3.5   | N/A    | 121  |
| MSVPMR           | 36 lbs.  | 3.5   | N/A    | 121  |
| MSWMC1H15102-WGC | 161 lbs. | 21.9  | N/A    | 138  |
| MSWMC1H15102-WWC | 161 lbs. | 21.9  | 2      | 136  |
| MSWMC1H15108-WGC | 168 lbs. | 23.1  | N/A    | 138  |
| MSWMC1H15108-WWC | 168 lbs. | 23.1  | 2      | 136  |
| MSWMC1H15114-WGC | 175 lbs. | 24.4  | N/A    | 138  |
| MSWMC1H15114-WWC | 175 lbs. | 24.4  | 2      | 136  |
| MSWMC1H1560-WGC  | 116 lbs. | 13.1  | N/A    | 138  |
| MSWMC1H1560-WWC  | 116 lbs. | 13.1  | 2      | 136  |
| MSWMC1H1566-WGC  | 123 lbs. | 14.4  | N/A    | 138  |
| MSWMC1H1566-WWC  | 123 lbs. | 14.4  | 2      | 136  |
| MSWMC1H1572-WG   | 93 lbs.  | 15.6  | N/A    | 139  |
| MSWMC1H1572-WGC  | 129 lbs. | 15.6  | N/A    | 138  |
| MSWMC1H1572-WW   | 93 lbs.  | 15.6  | 2      | 137  |
| MSWMC1H1572-WWC  | 129 lbs. | 15.6  | 2      | 136  |
| MSWMC1H1584-WGC  | 142 lbs. | 18.1  | N/A    | 138  |
| MSWMC1H1584-WWC  | 142 lbs. | 18.1  | 2      | 136  |
| MSWMC1H1590-WG   | 101 lbs. | 18.3  | N/A    | 139  |
| MSWMC1H1590-WGC  | 148 lbs. | 19.4  | N/A    | 138  |
| MSWMC1H1590-WW   | 101 lbs. | 18.3  | 3      | 137  |
| MSWMC1H1590-WWC  | 148 lbs. | 19.4  | 2      | 136  |
| MSWMC1H1596-WGC  | 155 lbs. | 20.6  | N/A    | 138  |
| MSWMC1H1596-WWC  | 155 lbs. | 20.6  | 2      | 136  |
| MSWMC2H1566-WGC  | 192 lbs. | 24.4  | N/A    | 142  |
| MSWMC2H1566-WWC  | 192 lbs. | 24.4  | 2      | 140  |
| MSWMC2H1572-WG   | 161 lbs. | 27.4  | N/A    | 143  |
| MSWMC2H1572-WGC  | 201 lbs. | 26.6  | N/A    | 142  |
| MSWMC2H1572-WW   | 161 lbs. | 27.4  | 2      | 141  |
| MSWMC2H1572-WWC  | 201 lbs. | 26.6  | 2      | 140  |
| MSWMC2H1584-WGC  | 229 lbs. | 30.8  | N/A    | 142  |
| MSWMC2H1584-WWC  | 229 lbs. | 30.8  | 2      | 140  |
| MSWMC2H1590-WG   | 201 lbs. | 33.0  | N/A    | 143  |
| MSWMC2H1590-WGC  | 238 lbs. | 32.9  | N/A    | 142  |
| MSWMC2H1590-WW   | 201 lbs. | 33.0  | 3      | 141  |

| model number           | weight   | cubes | #locks | page |
|------------------------|----------|-------|--------|------|
| <b>MSWMC2H1590-WWC</b> | 238 lbs. | 32.9  | 2      | 140  |
| <b>MSXTC4248</b>       | 158 lbs. | 43.2  | N/A    | 76   |
| <b>MSXTC4254</b>       | 168 lbs. | 48.2  | N/A    | 76   |
| <b>MSXTC4842</b>       | 158 lbs. | 43.2  | N/A    | 76   |
| <b>MSXTC5442</b>       | 168 lbs. | 48.2  | N/A    | 76   |
| <b>PPDM-2D3E</b>       | 3 lbs.   | 0.2   | N/A    | 147  |
| <b>PPR-2D2E</b>        | 3 lbs.   | 0.1   | N/A    | 147  |

gunlocke.com