

## Tolomeo classic wall

## Tolomeo mini wall

## Tolomeo micro wall

## Tolomeo maxi wall

## Tolomeo with shade wall

## Tolomeo classic LED wall


## Tolomeo micro LED wall

Michele De Lucchi, Giancarlo Fassina 2009

Wall mounted luminaires for adjustable direct task incandescent, fluorescent, or LED lighting, with choice of:

- wall surface mounted bracket support  $\varnothing$  3 1/4" ( $\varnothing$  8.25 cm) in polished die-cast aluminum, suitable for luminaire cord and plug connection to wall outlet only
- wall junction box or surface mounted bracket support  $\varnothing$  4 1/2" ( $\varnothing$  11.43 cm) in polished die-cast aluminum, suitable for dual installation (mandatory use for "maxi wall")
- LED version only suitable for plug in application to wall outlet (cannot be hardwired to junction box as driver is on cord)

eco♥design



**Tolomeo classic wall**


**incandescent source**

- 1 x 100W (E26/A19).....

or

**fluorescent source**

- 1 x 13W (GX23-2/T4).....



**Tolomeo mini wall**


**incandescent source**

- 1 x 100W (E26/A19).....

or

**fluorescent source**


- 1 x 13W (GX23-2/T4).....



**Tolomeo micro wall**

**incandescent source**


- 1 x 60W (E12/G16 1/2 CL) supplied.....



**Tolomeo maxi wall**

**incandescent source**

- 1 x 100W (E26/A19).....



**Tolomeo with shade wall**


**incandescent source**

- 1 x 75W (E26/A19).....

or

**fluorescent source**


- 1 x 13W (GX24q-1/T4).....



**Tolomeo classic LED wall**

**LED source**


- 5 LEDs/10W supplied




**Tolomeo micro LED wall**

**LED source**

- 7 LEDs/6W supplied



surface



j-box



Tolomeo mini

Tolomeo classic



