

STRIP LIGHTS



2 SQUARE

BASIC

EXPRESS

FLUTE

ILLUSA

SESILE

DORIC

DESIGN RON REZEK

CAROLA

DESIGN ÖRNI HALLOWEEN

REZEK®


2 SQUARE



- wall mounted luminaires for direct, diffused linear fluorescent lighting particularly suited for bathroom mirror applications
- body in extruded aluminum with natural anodized finish or white powder coated finish
- end caps in die-cast aluminum with powder coated finish
- diffuser in extruded frosted acrylic
- mounting to standard electrical junction boxes at center of luminaire, with provided square or rounded coverplate
- standardly equipped with 120V electronic ballast, with 277V electronic ballast optional at no extra charge

2 SQUARE STRIP 38 - 50 - 62


ADA 



		CODE	DESCRIPTION	LENGTH	WEIGHT
T5/G5 - 14W		R820500	2 Square strip 38 wall 1 x 14W FLU/EB white	38" / 965mm	3.0 lbs. / 1.36kg
T5/G5 - 14W		R820534	2 Square strip 38 wall 1 x 14W FLU/EB aluminum	38" / 965mm	3.0 lbs. / 1.36kg
T5/G5 HO - 24W		R820900	2 Square strip 38 wall 1 x 24W FLU/EB HO white	38" / 965mm	3.0 lbs. / 1.36kg
T5/G5 HO - 24W		R820934	2 Square strip 38 wall 1 x 24W FLU/EB HO aluminum	38" / 965mm	3.0 lbs. / 1.36kg
T5/G5 - 21W		R821500	2 Square strip 50 wall 1 x 21W FLU/EB white	50" / 1270mm	5.0 lbs. / 2.27kg
T5/G5 - 21W		R821534	2 Square strip 50 wall 1 x 21W FLU/EB aluminum	50" / 1270mm	5.0 lbs. / 2.27kg
T5/G5 HO - 39W		R821900	2 Square strip 50 wall 1 x 39W FLU/EB HO white	50" / 1270mm	5.0 lbs. / 2.27kg
T5/G5 HO - 39W		R821934	2 Square strip 50 wall 1 x 39W FLU/EB HO aluminum	50" / 1270mm	5.0 lbs. / 2.27kg
T5/G5 - 28W		R822500	2 Square strip 62 wall 1 x 28W FLU/EB white	62" / 1575mm	7.0 lbs. / 3.18kg
T5/G5 - 28W		R822534	2 Square strip 62 wall 1 x 28W FLU/EB aluminum	62" / 1575mm	7.0 lbs. / 3.18kg
T5/G5 HO - 54W		R822900	2 Square strip 62 wall 1 x 54W FLU/EB HO white	62" / 1575mm	7.0 lbs. / 3.18kg
T5/G5 HO - 54W		R822934	2 Square strip 62 wall 1 x 54W FLU/EB HO aluminum	62" / 1575mm	7.0 lbs. / 3.18kg




BASIC



- wall mounted luminaires for direct linear fluorescent lighting particularly suited for bathroom mirror applications
- linear exposed fluorescent lamp
- body in extruded aluminum with natural anodized or matte white powder coated finish
- end caps in chrome, silver, or white finish
- mounting to standard electrical junction boxes at center of luminaire
- fixture is supplied with a white powder coated cover plate (not shown) for mounting on junction boxes and fitting for optional "pig-tail" conduit for mounting without a cover plate
- standardly equipped with 120V electronic ballast, with 277V electronic ballast optional at no extra charge

BASIC STRIP 24-36-48

		 24", 36", 48" 610, 914, 1219mm 1 1/2" 38mm 2 3/4" 70mm			
		CODE	DESCRIPTION	LENGTH	WEIGHT
T8/G13 - 17W		R560100	Basic strip 24 wall 1 x 17W FLU/EB white / white	24" / 610mm	1.0 lbs. / 0.45kg
T8/G13 - 17W		R560134	Basic strip 24 wall 1 x 17W FLU/EB alum. / chrome	24" / 610mm	1.0 lbs. / 0.45kg
T8/G13 - 17W		R560140	Basic strip 24 wall 1 x 17W FLU/EB alum. / silver	24" / 610mm	1.0 lbs. / 0.45kg
T8/G13 - 25W		R561100	Basic strip 36 wall 1 x 25W FLU/EB white / white	36" / 914mm	2.0 lbs. / 0.91kg
T8/G13 - 25W		R561134	Basic strip 36 wall 1 x 25W FLU/EB alum. / chrome	36" / 914mm	2.0 lbs. / 0.91kg
T8/G13 - 25W		R561140	Basic strip 36 wall 1 x 25W FLU/EB alum. / silver	36" / 914mm	2.0 lbs. / 0.91kg
T8/G13 - 32W		R562100	Basic strip 48 wall 1 x 32W FLU/EB white / white	48" / 1219mm	3.0 lbs. / 1.36kg
T8/G13 - 32W		R562134	Basic strip 48 wall 1 x 32W FLU/EB alum. / chrome	48" / 1219mm	3.0 lbs. / 1.36kg
T8/G13 - 32W		R562140	Basic strip 48 wall 1 x 32W FLU/EB alum. / silver	48" / 1219mm	3.0 lbs. / 1.36kg



chrome end cap



silver end cap



white end cap

EXPRESS



- wall mounted or corner mounted luminaires for diffused linear fluorescent lighting particularly suited for bathroom mirror applications
- diffuser in faceted sanded glass for 12", 25", and 37" lengths
- diffuser in opal white acrylic available for 12", 25", 37", and 49" lengths
- die-cast end caps with nickel plated or white powder coated finish
- body in extruded aluminum with anodized or matte white powder coat finish
- mounting to standard electrical junction boxes at center of luminaire
- standardly equipped with 120V electronic ballast, with 277V electronic ballast optional at no extra charge

EXPRESS 12-25-37-49 WALL / CEILING



		 4 1/2" 114mm 12" 25", 37", 49" 305, 635, 940, 1232mm 4 1/2" 114mm			
		CODE	DESCRIPTION	LENGTH	WEIGHT
T10/E26 - 60W		R400000	Express 12 wall/ceiling 2 x 60W INC white/glass	12" / 305mm	2.0 lbs. / 0.91kg
T10/E26 - 60W		R400034	Express 12 wall/ceiling 2 x 60W INC nickel/glass	12" / 305mm	2.0 lbs. / 0.91kg
T4/GX24d-2 - 18W		R400100	Express 12 wall/ceiling 1 x 18W FLU/EB white/acrylic	12" / 305mm	2.0 lbs. / 0.91kg
T4/GX24d-2 - 18W		R400134	Express 12 wall/ceiling 1 x 18W FLU/EB nickel/acrylic	12" / 305mm	2.0 lbs. / 0.91kg
T4/GX24d-2 - 18W		R400200	Express 12 wall/ceiling 1 x 18W FLU/EB white/glass	12" / 305mm	2.0 lbs. / 0.91kg
T4/GX24d-2 - 18W		R400234	Express 12 wall/ceiling 1 x 18W FLU/EB nickel/glass	12" / 305mm	2.0 lbs. / 0.91kg
T8/G13 - 17W		R401100	Express 25 wall/ceiling 2 x 17W FLU/EB white/acrylic	25" / 635mm	8.0 lbs. / 3.63kg
T8/G13 - 17W		R401134	Express 25 wall/ceiling 2 x 17W FLU/EB nickel/acrylic	25" / 635mm	8.0 lbs. / 3.63kg
T8/G13 - 17W		R401200	Express 25 wall/ceiling 2 x 17W FLU/EB white/glass	25" / 635mm	8.0 lbs. / 3.63kg
T8/G13 - 17W		R401234	Express 25 wall/ceiling 2 x 17W FLU/EB nickel/glass	25" / 635mm	8.0 lbs. / 3.63kg
T8/G13 - 25W		R402100	Express 37 wall/ceiling 2 x 25W FLU/EB white/acrylic	37" / 940mm	10.0 lbs. / 4.53kg
T8/G13 - 25W		R402134	Express 37 wall/ceiling 2 x 25W FLU/EB nickel/acrylic	37" / 940mm	10.0 lbs. / 4.53kg
T8/G13 - 25W		R402200	Express 37 wall/ceiling 2 x 25W FLU/EB white/glass	37" / 940mm	10.0 lbs. / 4.53kg
T8/G13 - 25W		R402234	Express 37 wall/ceiling 2 x 25W FLU/EB nickel/glass	37" / 940mm	10.0 lbs. / 4.53kg
T8/G13 - 32W		R403100	Express 49 wall/ceiling 2 x 32W FLU/EB white/acrylic	49" / 1232mm	12.0 lbs. / 5.44kg
T8/G13 - 32W		R403134	Express 49 wall/ceiling 2 x 32W FLU/EB nickel/acrylic	49" / 1232mm	12.0 lbs. / 5.44kg



nickel with acrylic



white with faceted glass

FLUTE



- wall mounted luminaire for diffused linear fluorescent lighting particularly suited for bathroom mirror applications
- diffuser in extruded fluted white acrylic
- die-cast end caps in polished chrome, polished brass, brushed nickel, or white powder coated finish
- end caps available in round or square edge shape
- back plate in extruded anodized aluminum
- single or double lamps options
- mounting to standard electrical junction boxes centered of luminaire
- standardly equipped with 120V electronic ballast, with 277V electronic ballast optional at no extra charge



FLUTE 14-27-39-51 WALL



		CODE	DESCRIPTION	LENGTH	WEIGHT
T4/GX23 - 13W		R490400	Flute 14 wall 1 x 13W FLU/MB	13 ½" / 343mm	2.0 lbs. / 0.91kg
T8/G13 - 17W		R491500	Flute 27 wall 1 x 17W FLU/EB	26 ½" / 673mm	6.0 lbs. / 2.72kg
T8/G13 - 17W		R491800	Flute 27 wall double lamp 2 x 17W FLU/EB	26 ½" / 673mm	6.0 lbs. / 2.72kg
T8/G13 - 25W		R492500	Flute 39 wall 1 x 25W FLU/EB	39" / 991mm	8.0 lbs. / 3.63kg
T8/G13 - 25W		R492800	Flute 39 wall double lamp 2 x 25W FLU/EB	39" / 991mm	8.0 lbs. / 3.63kg
T8/G13 - 32W		R493500	Flute 51 wall 1 x 32W FLU/EB	51" / 1295mm	13.0 lbs. / 5.90kg
T8/G13 - 32W		R493800	Flute 51 wall double lamp 2 x 32W FLU/EB	51" / 1295mm	13.0 lbs. / 5.90kg

FLUTE WALL END CAPS

see finishes below	R490000	Flute round end caps, white
	R490017	Flute round end caps, polished brass
	R490018	Flute round end caps, polished chrome
	R490019	Flute round end caps, brushed nickel
	R490900	Flute square end caps, white
	R490917	Flute square end caps, polished brass
	R490918	Flute square end caps, polished chrome
	R490919	Flute square end caps, brushed nickel



matte nickel square



white round



brass round



polished chrome round



matte nickel round


ILLUSA



- wall or ceiling mounted luminaires for diffused fluorescent lighting particularly suited for bathroom mirror applications
- diffuser in spectrum white artisan glass with metal antiqued caning
- mounting plate in white powder coated steel
- mounting to standard electrical junction boxes at center of luminaire
- standardly equipped with 120V electronic ballast, with 277V electronic ballast optional at no extra charge

ILLUSA STRIP 24-36 WALL / CEILING

ADA 

					
		CODE	DESCRIPTION	LENGTH	WEIGHT
T5/2G11 - 18W		R404500	Illusa strip 12 wall/ceiling 1 x 18W FLU/EB	12" / 305mm	3.0 lbs. / 1.36kg
T5/G5 - 14W		R405514	Illusa strip 24 wall/ceiling 1 x 14W FLU/EB	24" / 610mm	7.0 lbs. / 3.17kg
T5/G5 - 24W		R405524	Illusa strip 24 wall/ceiling 1 x 24W FLU/EB HO	24" / 610mm	7.0 lbs. / 3.17kg
T5/G5 - 21W		R406521	Illusa strip 36 wall/ceiling 1 x 21W FLU/EB	36" / 914mm	8.0 lbs. / 3.63kg
T5/G5 - 39W		R406539	Illusa strip 36 wall/ceiling 1 x 39W FLU/EB HO	36" / 914mm	8.0 lbs. / 3.63kg

SESILE





- wall or ceiling mounted luminaires for diffused linear fluorescent lighting particularly suited for bathroom mirror applications
- diffuser in faceted glass or opal white acrylic
- body in extruded anodized aluminum in natural or white finish
- frame in die-cast end caps in matte nickel plating or matte white powder coated finish
- mounting to standard electrical junction boxes at center of luminaire
- standardly equipped with 120V electronic ballast, with 277V electronic ballast optional at no extra charge



SESILE STRIP 25-37-49 WALL

ADA 

					
		CODE	DESCRIPTION	LENGTH	WEIGHT
T5/G5 - 14W		R445500	Sesile strip 25 wall 2 x 14W FLU/EB acrylic/white	25" / 635mm	6.0 lbs. / 2.72kg
T5/G5 - 14W		R445534	Sesile strip 25 wall 2 x 14W FLU/EB acrylic/nickel	25" / 635mm	6.0 lbs. / 2.72kg
T5/G5 - 14W		R445540	Sesile strip 25 wall 2 x 14W FLU/EB grid glass/white	25" / 635mm	6.0 lbs. / 2.72kg
T5/G5 - 14W		R445544	Sesile strip 25 wall 2 x 14W FLU/EB grid glass/nickel	25" / 635mm	6.0 lbs. / 2.72kg
T5/G5 - 21W		R446500	Sesile strip 37 wall 2 x 21W FLU/EB acrylic/white	36 3/4" / 933mm	7.0 lbs. / 3.17kg
T5/G5 - 21W		R446534	Sesile strip 37 wall 2 x 21W FLU/EB acrylic/nickel	36 3/4" / 933mm	7.0 lbs. / 3.17kg
T5/G5 - 21W		R446540	Sesile strip 37 wall 2 x 21W FLU/EB grid glass/white	36 3/4" / 933mm	7.0 lbs. / 3.17kg
T5/G5 - 21W		R446544	Sesile strip 37 wall 2 x 21W FLU/EB grid glass/nickel	36 3/4" / 933mm	7.0 lbs. / 3.17kg
T5/G5 - 28W		R447500	Sesile strip 49 wall 2 x 28W FLU/EB acrylic/white	48 1/2" / 1232mm	8.0 lbs. / 3.63kg
T5/G5 - 28W		R447534	Sesile strip 49 wall 2 x 28W FLU/EB acrylic/nickel	48 1/2" / 1232mm	8.0 lbs. / 3.63kg



matte nickel with faceted glass



matte white with white acrylic

DORIC



white



silver



- wall mounted luminaires for direct linear fluorescent lighting particularly suited for bathroom mirror applications
- linear exposed fluorescent lamp
- asymmetric body in extruded aluminum with anodized or matte white powder coated finish
- mounting to standard electrical junction boxes at center of luminaire
- standardly equipped with 120V electronic ballast, with 277V electronic ballast optional at no extra charge

DORIC 24-36-48 WALL

ADA 



		CODE	DESCRIPTION	LENGTH	WEIGHT
T8/G13 - 17W		R550100	Doric 24 wall 1 x 17W FLU/EB white	24" / 610mm	4.0 lbs. / 1.81kg
T8/G13 - 17W		R550134	Doric 24 wall 1 x 17W FLU/EB aluminum	24" / 610mm	4.0 lbs. / 1.81kg
T8/G13 - 25W		R551100	Doric 36 wall 1 x 25W FLU/EB white	36" / 914mm	5.0 lbs. / 2.27kg
T8/G13 - 25W		R551134	Doric 36 wall 1 x 25W FLU/EB aluminum	36" / 914mm	5.0 lbs. / 2.27kg
T8/G13 - 32W		R522100	Doric 48 wall 1 x 32W FLU/EB white	48" / 1219mm	6.0 lbs. / 2.72kg
T8/G13 - 32W		R522134	Doric 48 wall 1 x 32W FLU/EB aluminum	48" / 1219mm	6.0 lbs. / 2.72kg


CAROLA



- wall mounted luminaires for diffused fluorescent lighting particularly suited for bathroom mirror applications
- diffuser in ribbed, sanded glass
- diffuser support brackets in die-cast aluminum with chrome or satin nickel finish
- wall mounting to standard junction boxes centered on luminaire
- standardly equipped with 120V electronic ballast, with 277V electronic ballast optional at no extra charge

CAROLA 25-37 WALL

ADA 

					
		CODE	DESCRIPTION	LENGTH	WEIGHT
T5/G5 - 14W		R580120	Carola 25 wall 2 x 14W FLU/EB nickel	24 1/2" / 622mm	6.0 lbs. / 2.72kg
T5/G5 - 14W		R580130	Carola 25 wall 2 x 14W FLU/EB chrome	24 1/2" / 622mm	6.0 lbs. / 2.72kg
T5/G5 - 21W		R580220	Carola 37 wall 2 x 21W FLU/EB nickel	36 1/2" / 927mm	10.0 lbs. / 4.54kg
T5/G5 - 21W		R580230	Carola 37 wall 2 x 21W FLU/EB chrome	36 1/2" / 927mm	10.0 lbs. / 4.54kg



REZEK[®]
a company of the Artemide Group

For more information please contact:
USA: 1-877-Art-9111 or online at artemide.us
Canada: 1-888-777-Arte or online at artemide.ca