
March 24, 2008 Updated February 27, 2009 800-424-2432





Refer to KI Terms & Conditions document or visit ki.com.

1	>

0.1.1.00.00.00.1.00.00	DONDUEL ODEEN DAY I AVEDNE LITUDELO	0
Ordering C.O.M., C.O.L., and C.O.V.	BONDUEL, GREEN BAY, LAVERNE, and TUPELO	2
	Shipping Location	4
Activity Tables	General Information	6
	Exeter	8
	Oxford	12
Intellect® Activity Tables	General Information	20
	Activity Tables	22
Junior Tables	General Information	30
	Junior Tables	32
1000 Series Chairs	General Information	36
	Chairs	38
Index Index		44

Ordering C.O.M., C.O.L., and C.O.V. BONDUEL, GREEN BAY, LAVERNE, and TUPELO


How to Specify C.O.M. Upholstery Textile designs often have intricate patterns.

Not all individuals will interpret fabric direction in the same manner.

As a standard procedure, KI cuts fabrics off the roll in a horizontal fashion as shown in Diagram A at the right. By cutting in this fashion, most waste is eliminated. Our requirements for yardage in this book are based on this type of cutting. When directional or patterned fabrics are used, they often require more yardage than solid colors.

By providing KI with a completely filled-out copy of the form on this page, we will be able to expedite your order. We find it particularly helpful with directional or patterned upholstery material. It is critical that copies of this form accompany test quantities as well as production quantities of C.O.M.

C.O.M. must be supplied in continuous yardage.



C.O.M., C.O.L. and C.O.V. Testing

KI will require for testing actual yardage to upholster one chair. The testing requirements depend on which chair you have selected on your order.

Test samples will be applied to the order and will be held for 6 months if needed. After 6 months, the sample can no longer be applied to your order. For all products to be tested, send test samples for approval to:

> 1330 Bellevue Street Green Bay, WI 54302 Attn: C.O.M. Specialist

To expedite the procedure, attach a copy of the "C.O.M. Information Form" on this page.

All C.O.M., C.O.L. and C.O.V. must be labeled with the purchase order number.

C.O.M., C.O.L. and C.O.V. Production

Customer's fabrics and leathers must be approved prior to acceptance for production. Upon test approval, a 1' square sample swatch of upholstery material must accompany the order. KI assumes no responsibility for wear, defects or performance of customer's own fabrics, vinyl or leather. C.O.M., C.O.L. and C.O.V. orders are available on a deferred delivery basis.

Orders for production of C.O.M., C.O.L. and C.O.V. upholstered products are not scheduled for processing until upholstery material is received. Upon receipt, KI will provide an acknowledgement and an estimated shipping date.

KI recommends that leather be ordered in yardage. Leather must be usable. The outer edges cannot be calculated as square feet or yardage.

The C.O.M., C.O.L. and C.O.V. yardage requirements accompanying products in the pricing section are for 10 chairs/seats or less, 54" wide nondirectional material. On larger orders, less material is required

For exact production yardage requirements, call 1-800-424-2432, ext. 2707.

C.O.M., C.O.L. and C.O.V. Order Processing For products shipped from Green Bay, WI facility, ship upholstery material to:

> Attn: C.O.M. Storage 1330 Bellevue Street Green Bay, WI 54302

For products shipped from Tupelo, MS facility ship material to:

> KI Tupelo Attn: C.O.M. Storage 2112 South Green Street Tupelo, MS 38801

For products shipped from Bonduel, WI facility, ship material to:

> Attn: C.O.M. Storage 204 West South Street Bonduel, WI 54107


For products shipped from LaVerne, CA facility, ship material to:

> Impress/Kismet/Medical & Laboratory Stools Attn: C.O.M. Storage 2009 Wright Ave. LaVerne, CA 91750

Intricate Patterns

In the event of specific requirements for positioning of intricate patterns or pattern repeats on seats and backrests, provide a

sketch noting requirements, as in Diagram B, along with materials for testing, and with the order.



Treated Materials

If C.O.M. requires processing such as Scotchgard® or acrylic backing, it often shrinks. To prevent delays in delivery or back ordering due to shrinkage, please have your processor remeasure after processing and assure adequate yardage shipment.

Split Orders

If a portion of the shipment which does not require C.O.M., C.O.L. or C.O.M. applications is to be processed and shipped early, KI will enter the order immediately at your request. These split shipments are subject to minimum order

Contact the C.O.M. Specialist at 1-800-424-2432, ext. 2707, with questions or to verify a split order.

Excess Upholstery Material

KI will dispose of excess upholstery material at the time of shipment unless expressly requested to return it with the product shipment.

Cancelled or Changed Orders

KI assumes no responsibility for extra C.O.M., C.O.L. or C.O.V. material due to a change of upholstery or cancellation of an order. It is the customer's responsibility to arrange for return of this material.

C.O.M., C.O.L and C.O.V. Information Form	Please see information below and check the	Please see information below and check the appropriate box.				
A copy of this form should accompany test	☐ Submitted for testing.	☐ Test approved. Submitted for production. KI Acknowledgement Number				
requests and production orders. Please fill it out completely, and, if your order has been acknowledged, provide the acknowledgement number.	Purchase Order Number					
Purchasing Agent (Dealer or buying organization) Attention	In all instances, send this form to the C.O.M. Specialist.					
Address	A Selvage Top and Bottom	B Selvage Side and Side				
City S tale Zip						
Project Name						
Type of seating and number of units of each type						





Ordering C.O.M., C.O.L., and C.O.V.

Shipping Location

C.O.M. SHIPPING LOCATION



Architectural Walls Genius Wall MN Systems Wal MN
Classroom Furniture 360 Classroom Furniture
Desking KP 700 Series Desking KP Balance Overheads MN Genesis Desking MN True Desking KP Universal Overheads MN WorkZone Desking MN
Files & Storage E-Series Pedestal Cushion
Fixed Seating Aria Auditorium Seating
Panel SystemsAll TerrainKPBalance OverheadsKPFlexible WorkSpaceBWProsperAG*System 3000MNUniversal OverheadsMNWireworksMN

RoomScape Furniture	MN
Seating	
100 Series Folding Chairs	TM
300 Series Folding Chairs	
600 Series Stools	
700 Series Folding Chairs	
800 Series Stools	
1000 Series	GB
Aerdyn Guest Seating	
Albany Auditorium Seating	
Arissa Lounge	
Aston Guest Seating	
Auditorium Folding Chairs	TM
Bantam Guest Seating	HN
Briar Multiple & Healthcare Seating	HN
Bruen Lounge Seating	
Canaan Guest Seating	HN
Cinturon Lounge & Professional Seating.	HN
Cody Lounge Seating	
Comfort Line Folding Chairs	
Dance Nesting & Task Chairs	
Daybed Sofas	
Daylight Stacking Chairs	
Dorsal Stacking & Tandem Seating	
Eden Healthcare Seating	
Engage Task Chairs & Stools	
Eton Lounge Seating	
Flex Multiple & Healthcare Seating	
Front Row Seats (Silk Screening)	
GateOne Public Seating	
Glimmer Stacking & Task	
Grand Salon Lounge Seating & Benches.	
Hancock Benches	
Impress Task Chairs	
Impress Ultra Task Chairs	
Impulse Task Chairs	
Ivey Lounge & Guest Seating	HN

Residence Hall Furniture

essa Lounge SeatingHN
Kismet Task/Guest Chairs & StoolsLV
Kurv BenchesHN
aResta Day BedsHN
ido Lounge SeatingHN
.ola Lounge SeatingHN
Maestro Stacking ChairsGB
Matrix Stacking ChairsGB
1 dechanical Adjustable StoolsTM
Medical & Laboratory StoolsLV
Mesa Lounge & Task SeatingHN
116 Nesting ChairsGB
Neena Lounge Seating & BenchesHN
Perry Stacking ChairsGB
Perth Multiple & Healthcare SeatingHN
Piretti 2000 Series SeatingGB
Piretti Stacking ChairsGB
Pomfret Lounge & Guest SeatingHN
Promenade Seating SystemBW
Quatro Guest SeatingHN
Rapture Stacking Chairs & Stools GB
Relax Lounge SeatingHN
Rose HealthcareBW
ilhouette Stacking Chairs & StoolsBW
Soltice Multiple, Healthcare & GuestHN
Strive Stacking & TaskGB
Feacup Lounge SeatingHN
Three Multiple, Healthcare & LoungeHN
Torsion-on-the-Go Nesting ChairsGB
Torsion Stacking and Task Seating GB
/ersa Stacking Chairs & Stools
Varren Hea l thcare SeatingBW
e Furnishings

Site

Logix.....BW

KI Manufacturing Sites - Customer's Own Material Shipment Manufacturing Site Addresses

KI Bonduel Attn: COM Storage 204 West South St. Bonduel, WI 54107

KI Pembroke Attn: COM Storage 1000 Olympic Dr. Pembroke, Ontario K8A6X7 Contact KI at 1-800-424-2432

<u>GB</u> KI Green Bay Attn: COM Storage 1330 Bellevue St. Green Bay, WI 54302 Glimmer Attn: COM Storage 1573 | Graham St. Huntington Beach, CA 92649

Impress/Impress Ultra/ Kismet/Medical Stools Attn: COM Storage 2009 Wright Ave. LaVerne, CA 91750

KI-HN Attn: COM Storage 217 Field Avenue High Point, NC 27263

 $\underline{\mathsf{MN}}$ KI Manitowoc Attn: COM Storage 1400 S. 41st St. Manitowoc, WI 54220





Activity Tables General Information











Rectangular Activity Table (X245)

Square Activity Table (X33)

Trapezoidal Activity Table (XT35)

Round Activity Table (OR4)

Kidney Shape Activity Table (OK4)

Featrues

Solid core top	•	•	•	•	•
High-pressure laminate surface	•	•	•	•	•
Exeter-fixed legs, square	•	•	•	•	•
Oxford fixed legs, round	•	•	•	•	•
Oxford adjustable legs, round	•	•	•	•	•
Flat vinyl T-edge	•	•	•	•	•







Exeter Legs

Oxford Fixed Height Legs

Oxford Adjustable Height Legs

SPECIFICATIONS

1-1/4" thick high-density particleboard core with high-pressure laminate top and phenolic backing sheet.

Bright Chrome Finish

Surfaces are duplex nickel-chrome plated in a twenty-two step process.

Enamel Finish

Nonchipping enamel is electrostatically applied, then baked; alkyd urea formula.

Exeter Legs

16-gauge, 1" square legs, 7/8" square crossbraces of 18-gauge seam-welded tubular steel. Legs are welded in pairs with two crossbraces. 11-gauge steel anchor plate welded above each leg. 5/16" steel rod support welded to crossbrace and anchor support. Legs fasten to top with screws. Self-leveling glides.

Oxford Fixed Height Legs

1-1/4" o.d., 18-gauge seam-welded tubular steel. 11-gauge steel anchor plate welded to each leg, with 5/16" solid steel rod supports welded to leg and anchor plate. Legs fasten to top with screws. Self-leveling glides.

Oxford Adjustable Height Legs 1-1/4" o.d., 18-gauge seam-welded tubular steel. Telescoping lower section of tubular steel in bright chrome finish; locks with set screw in 1" increments in a 21"-29" height range.

INFORMATION

WarrantyRefer to KI Terms & Conditions document or visit ki.com

				MODEL N	NUMBER			
	MODEL	Features	SIZE x SIZE	Basic Model	Frame Color	Surface Finish	Edge Color	Approx. Packaged Weight
	Rectangular • Seam-welded tubular steel legs	Chrome	18 x 60" 18 x 60"	X155 X155/CH				77# 77#
EX	Solid core top with high pressure laminate surface Laminate to a		18 x 84"	X157			000	107#
	Laminate topSelf-leveling glides	Chrome	18 x 84"	X157/CH				107#
	 Available with bright chrome or enamel 		24 x 48"	X24				81#
	legs ● 29" height	Chrome	24 x 48"	X24/CH				81#
	Vinyl edge standard		24 x 54"	X245				83#
		Chrome	24 x 54"	X245/CH				83#
			30 x 48"	X254				118#
		Chrome	30 x 48"	X254/CH				118#
			30 x 60"	X255				125#
		Chrome	30 x 60"	X255/CH				125#
			30 x 72"	X256				150#
		Chrome	30 x 72"	X256/CH				150#
			30 x 96"	X258				188#
		Chrome	30 x 96"	X258/CH				188#
			36 x 60"	X35				156#
		Chrome	36 x 60"	X35/CH				156#
			36 x 72"	X36				169#
		Chrome	36 x 72"	X36/CH				169#
			36 x 96"	X38				128#
		Chrome	36 x 96"	X38/CH				128#
	Square		36 x 36"	X33				108#
	Seam-welded tubular steel legsSolid core top with high pressure laminate	Chrome	36 x 36"	X33/CH				108#
EX	surface							
	Laminate topSelf-leveling glides							
	 Available with bright chrome or enamel 							
	legs • 29" height							
	 Vinyl edge standard 							
				A	B	•	•	

HOW TO ORDER

Indicate the following information on order

- 10 III.

 1. Quantity of each item.

 2. Model number, including options. See "How To Build a Model Number".

 3. Any special service required.

Note: ullet The \square indicates that a choice is

 The absence of the ☐ indicates that no choice is required.

- A Select basic model.
- **B** Select frame color. Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder.
- Select surface finish. Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder. Surface finish offerings are based on edge style selections.
- Select edge color. Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder. Edge color offerings are based on edge style selections.



	Freight
	Excluded
Delivered Pricing	Pricing
\$ 315	\$ 256
341	278
331	269
358	292
338	274
364	296
343	279
370	300
351	286
379	309
358	291
387	315
387	314
416	339
524	424
550	448
384	313
412	336
412 440	336 358
570	466
603	485
\$ 336	\$ 272
379	\$ 272 297
319	231

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping Shipped knockdown f.o.b. (freight excluded) or freight prepaid f.o.b. (delivered) Tupelo, Mississippi 38804 factory. Freight class #85.

			MODEL NUMBER					
	MODEL	Features SIZE		Basic Model	Frame Color	Surface Finish	Edge Color	Approx. Packaged Weight
	Trapezoidal		24 x 24 x 48"	XT24		000		56#
	Seam-welded tubular steel legs Selid care too with high pressure laminete	Chrome	24 x 24 x 48"	XT24/CH				56#
 Solid core top with high pressure laminate surface Vinyl edge standard Self-leveling glides Available with bright chrome or enamel legs 29" height 			30 x 30 x 60"	XT35				83#
		Chrome	30 x 30 x 60"	XT35/CH				83#
	Available with bright chrome or enamel							
	legs							
	Exeter Fixed Height Leg Sets	Chrome	30, 36 Wide Tables	HTL.0/CH				19#
	 1" square tubular steel with 7/8" square 		30, 36 Wide Tables	HTL.1				19#
	crossbraces connecting legs in pairs Self-leveling glides 	Chrome	24 Wide Tables	NHTL.0/CH				17#
	 Packed 2 leg sets (8 legs) per carton 		24 Wide Tables	NHTL.1				17#
				1	1	1	1	

HOW TO ORDER

Indicate the following information on order

- 10111.

 1. Quantity of each item.
 2. Model number, including options. See "How To Build a Model Number".
 3. Any special service required.

Note: ullet The \square indicates that a choice is

 The absence of the ☐ indicates that no choice is required.

- A Select basic model.
- **B** Select frame color. Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder.
- Select surface finish. Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder. Surface finish offerings are based on edge style selections.
- Select edge color. Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder. Edge color offerings are based on edge style selections.



Delivered Pricing	Freight Excluded Pricing	
\$ 334	\$ 271	
362	295	
375	292	
405	317	
\$ 127	\$ 127	
83	83	
127	127	
83	83	

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping Shipped knockdown f.o.b. (freight excluded) or freight prepaid f.o.b. (delivered) Tupelo, Mississippi 38804 factory. Freight class #85.

				MODEL N	IUMBER			
	MODEL	Features	SIZE	Basic Model	Frame Color	Surface Finish	Edge Color	Approx. Packaged Weight
	Rectangular		18 x 60"	0155				77#
	Seam-welded tubular steel legs Solid ears top with high procesure laminate.	Chrome	18 x 60"	0155/CH				77#
0X	 Solid core top with high pressure laminate surface 		18 x 84"	0157				107#
UX	Laminate top Self-leveling glides	Chrome	18 x 84"	0157/CH				107#
	Self-leveling glidesAvailable with bright chrome or enamel		24 x 48"	024				81#
	legs	Chrome	24 x 48"	024/CH				81#
	29" heightVinyl edge standard		24 x 54"	0245				83#
	,	Chrome	24 x 54"	0245/CH				83#
			30 x 48"	0254				118#
		Chrome	30 x 48"	0254/CH				118#
			30 x 60"	0255				125#
		Chrome	30 x 60"	0255/CH				125#
			30 x 72"	0256				150#
		Chrome	30 x 72"	0256/CH				150#
			30 x 96"	0258				188#
		Chrome	30 x 96"	0258/CH				188#
			36 x 60"	035				156#
		Chrome	36 x 60"	035/CH				156#
			36 x 72"	036				169#
		Chrome	36 x 72"	036/CH				169#
			36 x 96"	038				128#
		Chrome	36 x 96"	038/CH				128#
	Square		36 x 36"	033				108#
	Seam-welded tubular steel legs	Chrome	36 x 36"	033/CH				108#
OX	 Solid core top with high pressure laminate surface 							
	Laminate top Self-leveling stides							
	 Self-leveling glides Available with bright chrome or enamel 							
	legs							
	29" heightVinyl edge standard							
	,							
				•	B	•	•	
					U	U	U	

HOW TO ORDER

Indicate the following information on order

- 10 III.

 1. Quantity of each item.

 2. Model number, including options. See "How To Build a Model Number".

 3. Any special service required.

Note: ullet The \square indicates that a choice is

 The absence of the ☐ indicates that no choice is required.

- A Select basic model.
- **B** Select frame color. Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder.
- Select surface finish. Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder. Surface finish offerings are based on edge style selections.
- Select edge color. Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder. Edge color offerings are based on edge style selections.

	Freight
	Excluded
Delivered Pricing	Pricing
\$ 258	\$ 210
272	221
300	244
317	256
282	229
291	243
297	243
313	254
312	252
324	264
338	274
353	287
363	295
379	309
501	407
515	419
361	292
375	305
390	317
405	328
541	440
558	453
\$ 297	\$ 243
314	255

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping Shipped knockdown f.o.b. (freight excluded) or freight prepaid f.o.b. (delivered) Tupelo, Mississippi 38804 factory. Freight class #85.

Solid of surface. Vinyl e Self-le Availat legs 29" he Round Seam- Solid of surface. Vinyl e Self-le Availat legs 29" he Kidney S Seam- Solid of surface. Vinyl e Self-le Availat legs 29" he Oxford F 1-1/4"								
• Seam- • Solid of surface • Vinyl e • Self-le • Availat legs • 29" he Round • Seam- • Solid of surface • Vinyl e • Self-le • Availat legs • 29" he Kidney 3 • Seam- • Solid of surface • Vinyl e • Self-le • Availat legs • 29" he Oxford F • 1-1/4"	EL	Features	SIZE	Basic Model	Frame Color	Surface Finish	Edge Color	Approx. Packaged Weight
Solid of surface. Vinyl e Self-le Availat legs 29" he Round Seam- Solid of surface. Vinyl e Self-le Availat legs 29" he Kidney 3 Seam- Solid of surface. Vinyl e Self-le Availat legs 29" he Oxford F 1-1/4"			24 x 24 x 48"	OT24				56#
Surface	n-welded tubular steel legs I core top with high pressure laminate	Chrome	24 x 24 x 48"	OT24/CH				56#
Self-le Availat legs 29" he Round Seam- Solid of Surface Vinyle Self-le Availat legs 29" he Kidney \$ Seam- Solid of Surface Vinyle Self-le Availat legs Seam- Solid of Surface 29" he Country to the seam- Solid of Surface Surface Vinyle Self-le Availat legs 29" he Oxford F 1-1/4"			30 x 30 x 60"	OT35				83#
Availat legs 29" he Round Seam- Solid of surface Vinyl e Self-lee Availat legs 29" he Kidney 3 Seam- Solid of surface Availat legs 29" he Oxford F 1-1/4"	l edge standard	Chrome	30 x 30 x 60"	OT35/CH				83#
Round Seam- Solid of surface Vinyl e Self-le Availat legs 29" he Kidney 3 Seam- Solid of surface Vinyl e Self-le Availat legs 29" he Oxford F 1-1/4"	able with bright chrome or enamel							
Round Seam Solid of surface Vinyl e Self-le Availat legs 29" he X Kidney (
Seam- Solid of surface Vinyl e Self-le Availat legs 29" he Kidney S Seam- Solid of Surface Vinyl e Seam- Solid of Seam- Solid of Seam- Availat legs 29" he Oxford F 1-1/4"	leigni							
Solid of surface. Vinyle Self-le Availat legs 29" he Kidney 3 Seam Solid of Surface. Vinyle Self-le Availat legs 29" he Oxford F 1-1/4"			36" Diameter	OR3				44#
X surface • Vinyl e • Self-le • Availat legs • 29" he X Kidney 3 • Seam • Solid of surface • Vinyl e • Self-le • Availat legs • 29" he Oxford F • 1-1/4"	n-welded tubular steel legs	Chrome	36" Diameter	OR3/CH				44#
Vinyl e Self-le Availat legs 29" he Kidney S Seam- Solid d surface Vinyl e Availat legs 29" he Oxford F 1-1/4"	d core top with high pressure laminate		42" Diameter	OR35				64#
• Availat legs • 29" he Kidney \$ • Seam- • Solid of surface • Vinyl e • Self-le • Availat legs • 29" he Oxford F • 1-1/4"	l edge standard	Chrome	42" Diameter	OR35/CH				64#
legs 29" he	able with bright chrome or enamel		48" Diameter	OR4				72#
Kidney \$ • Seam- • Solid of surface • Vinyl e • Self-le • Availat legs • 29" he Oxford F • 1-1/4"	9	Chrome	48" Diameter	OR4/CH				72#
• Seam- • Solid of surface • Vinyl e • Self-le • Availat legs • 29" he Oxford F • 1-1/4"	neight		60" Diameter	OR5				118#
Seam- Solid of surface Vinyl e Self-le Availat legs 29" he Oxford F 1-1/4"		Chrome	60" Diameter	OR5/CH				118#
• Seam- • Solid of surface • Vinyl e • Self-le • Availat legs • 29" he Oxford F • 1-1/4"	Shane		48 x 72"	OK4				108#
surface • Vinyl e • Self-le • Availat legs • 29" he Oxford F • 1-1/4"	n-welded tubular steel legs	Chrome	48 x 72"	OK4/CH				108#
Vinyl e Self-le Availat legs 29" he Oxford F 1-1/4"	d core top with high pressure laminate							
• Availat legs • 29" he Oxford F • 1-1/4"	l edge standard							
legs • 29" he Oxford F • 1-1/4"	leveling glides able with bright chrome or enamel							
Oxford F ● 1-1/4"	9							
• 1-1/4"	neight							
• 1-1/4"	Fixed Height Leg Sets	Chrome		FTL.0/CH				12#
	4" tubular steel			FTL.1				12#
	leveling glides ed 2 leg sets (8 legs) per carton							
	e per set (4 legs)							
				A	B			

HOW TO ORDER

Indicate the following information on order

- 10 III.

 1. Quantity of each item.

 2. Model number, including options. See "How To Build a Model Number".

 3. Any special service required.

Note: ullet The \square indicates that a choice is

 The absence of the ☐ indicates that no choice is required.

- A Select basic model.
- **B** Select frame color. Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder.
- Select surface finish. Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder. Surface finish offerings are based on edge style selections.
- Select edge color. Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder. Edge color offerings are based on edge style selections.



Activity Tables Oxford

Freight Excluded Delivered Pricing Pricing \$ 256 \$ 209 272 222 298 244 314 255 \$ 313 \$ 254 327 266 390 317 405 328 380 310 394 320 500 405 513 418 \$ 578 \$ 471 592 481			
Excluded Pricing Pricing \$ 256 \$ 209 272 222 298 244 314 255 \$ 313 \$ 254 327 266 390 317 405 328 380 310 394 320 500 405 513 418 \$ 578 \$ 471 592 481			
Delivered Pricing Pricing \$ 256 \$ 209 272 222 298 244 314 255 \$ 313 \$ 254 327 266 390 317 405 328 380 310 394 320 500 405 513 418 \$ 578 \$ 471 592 481		light Nuded	
\$ 256	Delivered Pricing		
272 222 298 244 314 255 \$ 313 \$ 254 327 266 3390 317 405 328 380 310 394 320 500 405 513 418 \$ 578 \$ 471 592 481			
298 244 314 255 \$ 313 \$ 254 327 266 390 317 405 328 380 310 394 320 500 405 513 418 \$ 578 \$ 471 592 481			
\$ 313 \$ 254 327 266 390 317 405 328 380 310 394 320 500 405 513 418 \$ 578 \$ 471 592 481			
\$ 313			
327 266 390 317 405 328 380 310 394 320 500 405 513 418 \$ 578 \$ 471 592 481	314	200	
327 266 390 317 405 328 380 310 394 320 500 405 513 418 \$ 578 \$ 471 592 481			
327 266 390 317 405 328 380 310 394 320 500 405 513 418 \$ 578 \$ 471 592 481			
327 266 390 317 405 328 380 310 394 320 500 405 513 418 \$ 578 \$ 471 592 481	¢ 212	254	
390 317 405 328 380 310 394 320 500 405 513 418 \$ 578 \$ 471 592 481			
405 328 380 310 394 320 500 405 513 418 \$ 578 \$ 471 592 481			
380 310 394 320 500 405 513 418 \$ 578 \$ 471 592 481 \$ 77 \$ 77			
394 320 500 405 513 418 \$ 578 \$ 471 592 481 \$ 77 \$ 77			
500 405 513 418 \$ 578 \$ 471 592 481 \$ 77 \$ 77			
513 418 \$ 578 \$ 471 592 481 \$ 77 \$ 77			
\$ 578			
\$ 77 \$ 77			
\$ 77			
	J9Z	401	
	A 77	77	
b3 b3			
	63	63	

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping Shipped knockdown f.o.b. (freight excluded) or freight prepaid f.o.b. (delivered) Tupelo, Mississippi 38804 factory. Freight class #85.

				MODEL NU	JMBER			
	MODEL	Features	SIZE	Basic Model	Frame Color	Surface Finish	Edge Color	Approx. Packaged Weight
	Rectangular		18 x 60"	0155/A				77#
	 Seam-welded tubular steel legs 	Chrome	18 x 60"	0155/ACH				77#
OV	 Solid core top with high pressure laminate surface 		18 x 84"	0157/A				107#
OX	Laminate top Colf loveling glides	Chrome	18 x 84"	0157/ACH				107#
	Self-leveling glidesAvailable with bright chrome or enamel		24 x 48"	024/A				81#
	legs • 21"-29" height	Chrome	24 x 48"	024/ACH				81#
	Vinyl edge standard		24 x 54"	0245/A				83#
	,	Chrome	24 x 54"	0245/ACH				83#
			30 x 48"	0254/A				118#
		Chrome	30 x 48"	0254/ACH				118#
			30 x 60"	0255/A				125#
		Chrome	30 x 60"	0255/ACH				125#
			30 x 72"	0256/A				150#
		Chrome	30 x 72"	0256/ACH				150#
			30 x 96"	0258/A				188#
		Chrome	30 x 96"	0258/ACH				188#
			36 x 60"	035/A				156#
		Chrome	36 x 60"	035/ACH				156#
			36 x 72"	036/A				169#
		Chrome	36 x 72"	036/ACH				169#
			36 x 96"	038/A				128#
		Chrome	36 x 96"	038/ACH				128#
	Square		36 x 36"	033/A				108#
	 Seam-welded tubular steel legs Solid core top with high pressure laminate 	Chrome	36 x 36"	033/ACH				108#
OX	surface							
	Laminate topSelf-leveling glides							
	 Available with bright chrome or enamel 							
	legs • 21"-29" height							
	Vinyl edge standard							
				A	B	•		

HOW TO ORDER

Indicate the following information on order

- 10 III.

 1. Quantity of each item.

 2. Model number, including options. See "How To Build a Model Number".

 3. Any special service required.

Note: ullet The \square indicates that a choice is

 The absence of the ☐ indicates that no choice is required.

- A Select basic model.
- **B** Select frame color. Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder.
- Select surface finish. Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder. Surface finish offerings are based on edge style selections.
- Select edge color. Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder. Edge color offerings are based on edge style selections.



	Freight
	Excluded
Delivered Pricing	Pricing
\$ 274	\$ 222
287	232
315	255
331	268
 297	243
313	254
313	254
327	266
326	264
343	278
353	287
368	298
379	309
393	319
515	419
531	432
375	305
391	317
405	328
421	343
558	453
570	466
\$ 313	\$ 254
328	267

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping Shipped knockdown f.o.b. (freight excluded) or freight prepaid f.o.b. (delivered) Tupelo, Mississippi 38804 factory. Freight class #85.

				MODEL NU	JMBER			
	MODEL	Features	SIZE	Basic Model	Frame Color	Surface Finish	Edge Color	Approx. Packaged Weight
	Trapezoidal		24 x 24 x 48"	0T24/A				56#
	Seam-welded tubular steel legsSolid core top with high pressure laminate	Chrome	24 x 24 x 48"	OT24/ACH				56#
OX	surface		30 x 30 x 60"	OT35/A				83#
	Vinyl edge standardSelf-leveling glidesAvailable with bright chrome or enamel	Chrome	30 x 30 x 60"	OT35/ACH				83#
	legs ● 21"-29" height							
	Round		36" Diameter	OR3/A				44#
	Seam-welded tubular steel legsSolid core top with high pressure laminate	Chrome	36" Diameter	OR3/ACH				44#
OX	surface		42" Diameter	OR35/A				64#
	Vinyl edge standard Calk laudion alidea	Chrome	42" Diameter	OR35/ACH				64#
	 Self-leveling glides Available with bright chrome or enamel 		48" Diameter	OR4/A				72#
	legs	Chrome	48" Diameter	OR4/ACH				72#
	• 21"-29" height		60" Diameter	OR5/A				118#
		Chrome	60" Diameter	OR5/ACH				118#
	Kidney Shape		48 x 72"	OK4/A				108#
	 Seam-welded tubular steel legs 	Chrome	48 x 72"	OK4/ACH				108#
	 Solid core top with high pressure laminate surface 							
X	 Vinyl edge standard 							
	 Self-leveling glides Available with bright chrome or enamel 							
	legs ● 21"-29" height							
	Oxford Adjustable Height Leg Sets	Chrome		FATL.0/CH				15#
	 1-1/4" tubular steel with telescoping lower lea section 			FATL.1				15#
	 Height adjustment 21"-29" in 1" incre- 							
	ments (includes allowance for 1-1/4" top) • Self-leveling glides • Packed 2 leg sets (8 legs) per carton							
	• Price per set (4 legs)							
				A	B	•	•	

HOW TO ORDER

Indicate the following information on order

- 10 III.

 1. Quantity of each item.

 2. Model number, including options. See "How To Build a Model Number".

 3. Any special service required.

Note: ullet The \square indicates that a choice is

 The absence of the ☐ indicates that no choice is required.

- A Select basic model.
- **B** Select frame color. Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder.
- Select surface finish. Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder. Surface finish offerings are based on edge style selections.
- Select edge color. Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder. Edge color offerings are based on edge style selections.



	Freight
Delivered Pricing	Excluded Pricing
\$ 272	\$ 222
288	233
314	255
328	267
020	
\$ 327	\$ 266
344	279
405	328
421	343
394	320
411	334
513	418
530	431
\$ 592	\$ 481
609	497
+	
\$ 83	\$ 83
71	71

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping Shipped knockdown f.o.b. (freight excluded) or freight prepaid f.o.b. (delivered) Tupelo, Mississippi 38804 factory. Freight class #85.

Intellect® Activity Tables

General Information



Rectangular Table

Square Table

Round Table

Quarter (1/4) Round

Sixth (1/6) Round Table

Kidney Shape Table

Features						
High-pressure laminate top	•	•	•	•	•	•
Round vinyl T-edge	•	•	•	•	•	•
Adjustable glides	•	•	•	•	•	•
Adjustable legs	•	•	•	•	•	•
Dimensions						
Height range	22 - 32"	22 - 32"	22 - 32"	22 - 32"	22 - 32"	22 - 32"
Width range	18 - 36"	36 - 48"	36 - 60"	24 - 30"	24 - 30"	48"
Length range	36 - 72"	36 - 48"	36 - 60"	56 - 64"	50 - 56"	72"



Laminate; 1-1/4" round vinyl bullnose edge; 2" radius corner (54B)

SPECIFICATIONS

Tops

1-1/8" thick high-density particleboard core with a .030 thick high-pressure laminate top and .028 thick phenolic backing sheet. Round vinyl T-mold edge. Generous 2" corner radius helps prevent sharp projections. Tops are pre-drilled.

Adjustable-Height Legs

1.04" x 1.79" OD 15-gauge elliptical steel tube welded to a heavy 11-guage steel plate. Top section of leg powder coat finish. Hybrid powder coating is electro-statically applied. Finish is chemical-resistant, hard, tough and mar-resistant. Telescoping lower section of 0.85" x 1.60" OD 15-gauge elliptical steel tube in bright chrome finish; locks with 1/4" screw in 1" increments in a 22"-32" height range. Legs fasten to top with #12-1" long Phillips head screws.

Glides

Swivel type adjustable glide with non-marring

floor contact insert. Glide has 3/4" adjustment range.

Book Box

Optional solid, molded thermoplastic polypropylene book box installs quickly to underside of the top with #12-1" Phillips head screws. Translucent finish helps provide safe environment while allowing for some degree of personal privacy. Molded-in pencil tray keeps items conveniently inside book box within easy reach, not on the floor or in the back of the book box. Measures 15" wide, 14" deep, and 4" high.

Book Bag Hook

Optional book bag hook formed from 1/4" solid wire rod quickly installs to underside of the top with #12-1" Phillips head screws. Chrome finish provides long lasting wear resistance.



Intellect® Activity Tables General Information





Plastic Book Box

Book Bag Hook

Features		
Dimensions		
Height	4"	2 3/4"
Width	15"	3"
Depth	14"	2"

INFORMATION

WarrantyRefer to KI Terms & Conditions document or visit ki.com

			MODEL NU	MBER			
							Approx.
			Basic	Frame	Surface	Edge	Packaged
	MODEL	AxB	Model	Color	Finish	Color	Weight
$\overline{}$	Rectangular Tables	18 x 60"	E1860/A	BL			60#
	T _A	18 x 60"	E1860/ANS				60#
. 1 #	A B	18 x 84"	E1884/A	BL			75#
ETR		18 x 84"	E1884/ANS				75#
		20 x 36"	E2036/A	BL			45#
		20 x 36"	E2036/ANS				45#
		20 x 48"	E2048/A	BL			55#
		20 x 48"	E2048/ANS				55#
		20 x 60"	E2060/A	BL			65#
		20 x 60"	E2060/ANS				65#
		24 x 36"	E2436/A	BL			55#
		24 x 36"	E2436/ANS				55#
		24 x 48"	E2448/A	BL			60#
		24 x 48"	E2448/ANS				60#
		24 x 54"	E2454/A	BL			65#
		24 x 54"	E2454/ANS				65#
		24 x 60"	E2460/A	BL			70#
		24 x 60"	E2460/ANS				70#
		30 x 48"	E3048/A	BL			70#
		30 x 48"	E3048/ANS				70#
		30 x 60"	E3060/A	BL			85#
		30 x 60"	E3060/ANS				85#
		30 x 72"	E3072/A	BL			100#
		30 x 72"	E3072/ANS				100#
		36 x 60"	E3660/A	BL			100#
		36 x 60"	E3660/ANS				100#
		36 x 72"	E3672/A	BL			115#
		36 x 72"	E3672/ANS				115#
				B	•	•	

HOW TO ORDER

Indicate the following information on order

- 10111.

 1. Quantity of each item.
 2. Model number, including options. See "How To Build a Model Number".
 3. Any special service required.

Note: ullet The \square indicates that a choice is

 The absence of the ☐ indicates that no choice is required.

- A Select basic model.
- **B** Select frame color. Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes
- Select surface finish. Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder. Surface finish offerings are based on edge style selections.
- Select edge color. Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder. Edge color offerings are based on edge style selections.



	Fuchalia
	Freight Excluded
Delivered Pricing	Pricing
\$ 255	\$ 208
284	237
294	239
322	268
234	197
262	224
246	207
274	235
271	227
298	255
256	215
284	244
278	226
307	254
291	237
320	266
293	246
321	275
305	247
333	276
329	268
357	296
353	286
382	315
350	284
379	313
379	308
408	337
400	331

SPECIAL SERVICES

Special Carton Marking

With specially marked information

Shipping Shipped knockdown f.o.b. (freight excluded) or freight prepaid f.o.b. (delivered) Tupelo, Mississippi 38804 factory. Freight class #85.

			MODEL NUMBER				
	MODEL	AxB	Basic Model	Frame Color	Surface Finish	Edge Color	Approx. Packaged Weight
्रिका	Square Tables	36 x 36"	E36S/A	BL			65#
A		36 x 36"	E36S/ANS				65#
B		48 x 48"	E48S/A	BL			90#
ETS		48 x 48"	E48S/ANS				90#
	Round Tables	36" Diameter	E36R/A	BL			60#
A A		36" Diameter	E36R/ANS				60#
ETC		48" Diameter	E48R/A	BL			85#
210		48" Diameter	E48R/ANS				85#
		60" Diameter	E60R/A	BL			125#
		60" Diameter	E60R/ANS				125#
			A	B	•		

HOW TO ORDER

Indicate the following information on order

- Quantity of each item.
 Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is

 The absence of the ☐ indicates that no choice is required.

- A Select basic model.
- **B** Select frame color. Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes
- Select surface finish. Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder. Surface finish offerings are based on edge style selections.
- Select edge color. Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder. Edge color offerings are based on edge style selections.



Delivered Pricing	Freight Excluded Pricing	
\$ 291	\$ 237	
320	266	
296	249	
324	277	
\$ 306	\$ 248	
334	277	
368	299	
397	328	
480	389	
508	418	

SPECIAL SERVICES

Special Carton Marking

With specially marked information

Shipping Shipped knockdown f.o.b. (freight excluded) or freight prepaid f.o.b. (delivered) Tupelo, Mississippi 38804 factory. Freight class #85.

		MODEL NUN	IBER				
	MODEL	AxBxC	Basic Model	Frame Color	Surface Finish	Edge Color	Approx. Packaged Weight
, C ,	Quarter (1/4) Round Tables	42 x 24 x 56"	E424/A	BL			60#
	. ,	42 x 24 x 56"	E424/ANS				60#
8 T T		48 x 30 x 64"	E430/A	BL			75#
ET4		48 x 30 x 64"	E430/ANS				75#
.1 1							
C	Sixth (1/6) Round Tables	45 x 24 x 50"	E624/A	BL			60#
	, ,	45 x 24 x 50"	E624/ANS				60#
B		51 x 30 x 56"	E630/A	BL			70#
T6		51 x 30 x 56"	E630/ANS				70#
	Kidney Shape Tables	48 x 72"	E4872K/A	BL			120#
A A		48 x 72"	E4872K/ANS				120#
TK B							
			A	B	•	•	

HOW TO ORDER

Indicate the following information on order

- Quantity of each item.
 Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is

 The absence of the ☐ indicates that no choice is required.

- A Select basic model.
- **B** Select frame color. Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes
- Select surface finish. Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder. Surface finish offerings are based on edge style selections.
- Select edge color. Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder. Edge color offerings are based on edge style selections.



Delivered l	Freight Excluded Pricing Pricing	
\$ 297	\$ 249	·
324	278	
316	263	
358	291	
\$ 294	\$ 247	
322	276	
313	263	
342	291	
\$ 554	\$ 450	
582	479	

SPECIAL SERVICES

Special Carton Marking

With specially marked information

Shipping Shipped knockdown f.o.b. (freight excluded) or freight prepaid f.o.b. (delivered) Tupelo, Mississippi 38804 factory. Freight class #85.

			MODEL N	IUMBER	3
	MODEL	SIZE	Basic Model	Frame Color	Approx. Packaged Weight
	Leg Set	22 - 32"	ETL	BL	15#
	Seam-welded tubular steel legsSelf-leveling glides	22 - 32"	ETLNS		15#
	Upper leg is powder coated paint Lower leg is chromed 22" - 32" Adjustable height Priced set of four legs				
	 22" - 32" Adjustable height Priced set of four legs 				
ن ETL					
	Plastic Book Box		EPB		3#
	 4" high x 14" deep x 15" wide Translucent finish Field installable 				
	• Field installable				
ETBB					
	Book Bag Hook		EBH	СН	3#
	Book Bag Hook 1/4" solid wire rod Chrome finish				
ETBB	• Field installable				
			A	B	

HOW TO ORDER

Indicate the following information on order

- 10 III.

 1. Quantity of each item.

 2. Model number, including options. See "How To Build a Model Number".

 3. Any special service required.

Note: ullet The \square indicates that a choice is

 The absence of the ☐ indicates that no choice is required.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- **B** Select frame color.

Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes



		Freig Exclu	ht ded
Delivered F	Pricing	Pricir	ng
\$ 67		\$	
96			83
\$ 21			V/A
φ 0			AI/A
\$ 8			V/A

SPECIAL SERVICES

Special Carton Marking

With specially marked information

Shipping Shipped knockdown f.o.b. (freight excluded) or freight prepaid f.o.b. (delivered) Tupelo, Mississippi 38804 factory. Freight class #85.

Junior Tables General Information



Junior Table (VJT36R)

Features	
Solid core top	•
Laminate surface	•
Bullnose edge	•
Adjustable glides	•
18-1/2", 21", 24", 29" Heights	•

SPECIFICATIONS

Legs 1-3/4" round tubular steel legs. Poly glides with 3/4" adjustability are secured to the legs.

Top Surface1-1/8" thick high-density particleboard core with high-pressure laminate top and phenolic backing sheet.

A "standard" table consists of a standard laminate worksurface and a 1-1/4" vinyl bullnose edge for any KI table base.

Leg Finish

Baked-on, electrostatically-applied epoxy powder-coated finish; or bright nickel-chrome plated.



Junior Tables General Information

INFORMATION

WarrantyRefer to KI Terms & Conditions document or visit ki.com

Junior Tables

				MODEL NUMBER					
				IIIODEE NOI	I				
	MODEL	Features	SIZE	Basic Model	Edge Color	Laminate Color	Frame Color	Glide Color	Approx. Packaged Weight
	Junior Round Table	18" Table Height	30" Dia	VJT30R/18					50#
		21" Table Height	30" Dia	VJT30R/21					52#
		24" Table Height	30" Dia	VJT30R/24					54#
VJT		29" Table Height	30" Dia	VJT30R/29					56#
		18" Table Height	36" Dia	VJT36R/18					62#
		21" Table Height	36" Dia	VJT36R/21					64#
		24" Table Height	36" Dia	VJT36R/24					66#
		29" Table Height	36" Dia	VJT36R/29					68#
		18" Table Height	48" Dia	VJT48R/18					75#
		21" Table Height	48" Dia	VJT48R/21					77#
		24" Table Height	48" Dia	VJT48R/24					79#
		29" Table Height	48" Dia	VJT48R/29					81#
	Junior Square Table	18" Table Height	24 x 24"	VJT2424/18					35#
		21" Table Height	24 x 24"	VJT2424/21					37#
		24" Table Height	24 x 24"	VJT2424/24					39#
VJT		29" Table Height	24 x 24"	VJT2424/29					41#
101		18" Table Height	30 x 30"	VJT3030/18					42#
		21" Table Height	30 x 30"	VJT3030/21					44#
		24" Table Height	30 x 30"	VJT3030/24					46#
		29" Table Height	30 x 30"	VJT3030/29					48#
		18" Table Height	36 x 36"	VJT3636/18					53#
		21" Table Height		VJT3636/21					55#
		24" Table Height	36 x 36"	VJT3636/24					57#
		29" Table Height	36 x 36"	VJT3636/29					59#
		18" Table Height	48 x 48"	VJT4848/18					80#
		21" Table Height	48 x 48"	VJT4848/21					82#
		24" Table Height	48 x 48"	VJT4848/24					84#
		29" Table Height	48 x 48"	VJT4848/29					86#
				A	B	•	•		

HOW TO ORDER

Indicate the following information on order

- 10111.

 1. Quantity of each item.
 2. Model number, including options. See "How To Build a Model Number".
 3. Any special service required.

Note: ullet The \square indicates that a choice is

 The absence of the ☐ indicates that no choice is required.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- **B** Select edge color.

Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder. Edge color offerings are based on edge style selections.

- C Select laminate color. Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder.
- Select frame color. Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder.
- Select glide color.
 Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes

binder.

Junior Tables



Del	livered Pricing
	475
Ψ	475
	490
	490
	530
	530
	546
	546
	674
	674
	691
	691
\$	440
	440
	456
	456 480
	480
	499
	499
	545
	545
	562
	562
	691
	691
	708
	708

SPECIAL SERVICES

Special Carton Marking

With specially marked information

Shipping Shipped k.d. freight prepaid f.o.b. Green Bay, Wisconsin 54302 factory. Freight class

Junior Tables

				MODEL NUI	MODEL NUMBER				
	MODEL	Features	SIZE	Basic Model	Edge Color	Laminate Color	Frame Color	Glide Color	Approx. Packaged Weight
	Junior Rectangular Table	18" Table Height	24 x 30"	VJT2430/18					27#
		21" Table Height	24 x 30"	VJT2430/21					29#
		24" Table Height	24 x 30"	VJT2430/24					31#
VJT		29" Table Height	24 x 30"	VJT2430/29					33#
		18" Table Height		VJT2442/18					35#
		21" Table Height		VJT2442/21					37#
		24" Table Height	24 x 42"	VJT2442/24					39#
		29" Table Height	24 x 42"	VJT2442/29					41#
		18" Table Height	30 x 42"	VJT3042/18					48#
		21" Table Height	30 x 42"	VJT3042/21					50#
		24" Table Height	30 x 42"	VJT3042/24					52#
		29" Table Height	30 x 42"	VJT3042/29					54#
		18" Table Height	30 x 48"	VJT3048/18					48#
		21" Table Height	30 x 48"	VJT3048/21					50#
		24" Table Height	30 x 48"	VJT3048/24					52#
		29" Table Height	30 x 48"	VJT3048/29					54#
		18" Table Height	36 x 48"	VJT3648/18					51#
		21" Table Height	36 x 48"	VJT3648/21					53#
		24" Table Height	36 x 48"	VJT3648/24					55#
		29" Table Height	36 x 48"	VJT3648/29					57#
				A	lacksquare	•	•		

HOW TO ORDER

Indicate the following information on order

- 10111.

 1. Quantity of each item.
 2. Model number, including options. See "How To Build a Model Number".
 3. Any special service required.

Note: ullet The \square indicates that a choice is

 The absence of the ☐ indicates that no choice is required.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- **B** Select edge color. Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder. Edge color offerings are based on edge style selections.
- Select laminate color. Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder.
- Select frame color. Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder.
- Select glide color.
 Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes

binder.

Junior Tables



Do	alivered Prining
	elivered Pricing
\$	475
	475
	490
	490
	536
	536
	552
	552
	548
	548
	567
	567
	567
	567
	583
	583
	624
	624
	641
	641

SPECIAL SERVICES

Special Carton Marking

With specially marked information

Shipping Shipped k.d. freight prepaid f.o.b. Green Bay, Wisconsin 54302 factory. Freight class #85.

General Information











Round Leg Stack Chair (1000/CH)

Stacking Tablet Arm Chair (1000TLS/CH/WA)

Nonstacking Tablet Arm Chair (1000TRN/CH/WA)

Square Leg Stack Chair (1060/CH)

Nonstacking Fixed Tablet Armchair (1060TRN/CH/WA)

Overall height 31" 31" 31" 30-3/4" 30 Overall width 22" 24-3/4" 24-3/4" 21"						(10001RN/CH/WA)
Seat/back cushion optional • • • Stackable • • • Round tubular steel frame • • • Square tubular steel frame • • • Powder-coated finish optional • • • Chrome finish • • • Fixed tablet arm Ganging available • • • General Dimensions Seat height 17-1/2" 17-1/2" 17-1/2" 17-3/4" 17 Overall height 31" 31" 31" 30-3/4" 30 Overall width 22" 24-3/4" 24-3/4" 21"	Features					
Stackable • • • Round tubular steel frame • • • Square tubular steel frame • • • Powder-coated finish optional • • • • Chrome finish • • • • Fixed tablet arm • • • • Ganging available • • • • General Dimensions Seat height 17-1/2" 17-1/2" 17-1/2" 17-3/4" 17 Overall height 31" 31" 31" 30-3/4" 30 Overall width 22" 24-3/4" 24-3/4" 24-3/4" 21"	Molded polypropylene shell	•	•	•	•	•
Round tubular steel frame • • • Square tubular steel frame • • • Powder-coated finish optional • • • Chrome finish • • • Fixed tablet arm • • • Ganging available • • • General Dimensions Seat height 17-1/2" 17-1/2" 17-1/2" 17-3/4" 17 Overall height 31" 31" 31" 30-3/4" 30 Overall width 22" 24-3/4" 24-3/4" 24-3/4" 21"	Seat/back cushion optional	•	•	•	•	•
Square tubular steel frame Powder-coated finish optional •	Stackable	•	•		•	
Powder-coated finish optional •	Round tubular steel frame	•	•	•		
Chrome finish ●	Square tubular steel frame				•	•
Fixed tablet arm Ganging available • <td>Powder-coated finish optional</td> <td>•</td> <td>•</td> <td>•</td> <td>•</td> <td>•</td>	Powder-coated finish optional	•	•	•	•	•
Ganging available •	Chrome finish	•	•	•	•	•
General Dimensions Seat height 17-1/2" 17-1/2" 17-1/2" 17-3/4" 17-3/4" 17-3/4" 17-3/4" 17-3/4" 17-3/4" 31-3/4" 30	Fixed tablet arm					•
Seat height 17-1/2" 17-1/2" 17-1/2" 17-3/4" 17-3/4" 17-3/4" 17-3/4" 17-3/4" 17-3/4" 31" 31" 31" 30-3/4" 36 Overall width 22" 24-3/4" 24-3/4" 21" 21"	Ganging available	•	•	•	•	•
Overall height 31" 31" 31" 30-3/4" 30 Overall width 22" 24-3/4" 24-3/4" 21"	General Dimensions					
Overall width 22" 24-3/4" 24-3/4" 21"	Seat height	17-1/2"	17-1/2"	17-1/2"	17-3/4"	17-3/4"
	Overall height	31"	31"	31"	30-3/4"	30-3/4"
Overall depth 22-1/4" 28" 28" 22-3/4" 2	Overall width	22"	24-3/4"	24-3/4"	21"	24"
	Overall depth	22-1/4"	28"	28"	22-3/4"	27-3/4"

SPECIFICATIONS

Shells

One-piece contoured high-impact polypropylene. Heavy-duty construction with ribs to reinforce points of stress. Rolled edges for comfort and strength. Textured front and back. Fastens with four screws. Color permeates shell.

Fixed Seat Cushion

1" polyfoam sealed to molded hardboard base. Factory-installed only. Replaceable; fasten with screws.

Fixed Seat and Backrest Cushion

1" polyfoam sealed to molded hardboard base. Factory-installed only. Replaceable; fasten with screws.

1000/CH, 1000TRN/CH, 1000TRS/CH Stack Chair Legs

Two leg sections of 14-gauge, 3/4" o.d. seamwelded tubular steel welded into an integral unit by 2 die-formed steel crossbraces at sides. Ganging models have steel knobs on crossbrace which lock into keyhole slot on crossbrace of adjacent chair. Self-leveling glides.

1000/CH, 1000TRN/CH, 1000TRS/CH Bookracks

Fixed bookrack. Zinc-plated 5/16" and 1/4" diameter solid steel rod construction. Available on 1000 model and variations only. With bookrack, chairs do not stack.

1000TRS/CH Stacking Tablet Arm Chair Frame

14-gauge, 7/8" o.d. arm support is welded to leg frame and formed steel hinge and secured to tablet arm with screws. Tablet tips up for entry. Arm support is finished to match the legs. Table of 5/8" high-density particleboard, faced in high-pressure melamine laminate. Self-leveling glides.

1000TRS/CH Nonstacking Tablet Arm Chair Frame

Twin 16-gauge, 3/4" o.d. arm supports are

welded to legs and formed steel hinge, and secured to tablet with screws. Tablet tips up for entry. Arm support is finished to match legs. Tablets are 5/8" high-density particleboard with melamine laminate faced top and plastic backing sheet 12" wide by 23-3/4" deep. Self-leveling glides.

1060 Stack Chair Legs

Two leg sections of 18-gauge, 7/8" o.d. seam-welded square tubular steel are welded to two 14-gauge, 3/4" o.d. tubular steel seat mounting members. Nylon bumpers on insides of legs protect finish in stacking. Ganging models have interlocking steel rod loops welded to frame under seat which engage adjacent chairs. Plastic glides.

1060 Bookrack

Zinc-plated 1/4" and 7/16" diameter solid steel rod construction. Rack inserts into stack button holes in front and rear legs. Chairs do not stack with bookracks attached.

1060TRN/CH Fixed Tablet Arm Chair

rame

18-gauge, 7/8" square tube frame welded to square legs. Finished to match legs. Tablets are 5/8" high-density particleboard with melamine laminate faced top and backing sheets. Nonstacking.

Standard Bright Chrome Finish

Surfaces are duplex nickel-chrome plated in a twenty-one step process.

Optional Powder-Coated Finish

Electrostatically-applied epoxy powder, baked-

Custom-Matched Polypropylene Shell

1000 Series: Any one color. Supply a 3" x 3" swatch for matching. Additional cost: 1-999 Shells = \$1070.00 Additional 1000-2499 Shells = \$634.00 Additional 2500+ Shells = No Additional Cost

FD.BL Frame Stack Chair Dolly

May be used with polypropylene or fiberglass



General Information



X-Frame Stack Chair Dolly (FD.BL)



Hand Truck (MD.S)

Features		
Capacity (permits passage through an 80" doorway)		
1000 chairs	12	12
1000TA chairs	6	6
1060 chairs	13	12
General Dimensions		
Length	25"	46"
Width	23-1/2"	20"
Depth		33"
Height from floor	4-3/4"	
Casters	4	2

stack chairs. Tubular steel frame crossed at center and welded. 3" swivel casters. Caster housings are welded to frame. Nonchipping enamel is electrostatically applied, then baked-on, alkyd urea formula. Standard chair capacities permit passage through an 80" doorway.

MD.S Hand Truck

Constructed of formed tubular steel. The under seat carriage folds out of the way for storage. 6" wheels. Chrome finish. Standard chair capacities permit passage through an 80" doorway.

INFORMATION

Warranty Refer to KI Terms & Conditions document or visit ki.com

	MODEL									
	MODEL	Features	Basic Model	Ganging Option	Frame Color	Shell Color	Tablet Arm Color	Upholstery Color	Glide Option	
	Round Leg Stack Chair	Unupholstered	1000							
	 Injection-molded polypropylene shell with rounded edges 	Uph Seat	1000U/S0							
	Textured finish	Uph Seat/Back	1000U/SB							
	 Round tubular legs with bright chrome finish standard 									
/\\	 12 chairs on dolly pass through 80" door- 									
" "	 way Ganger available for chrome finish only. 									
000	Canger available for chrome mish only.									
000U										
	Stacking Tablet Arm Chair	Unuph, Right Hand	1000TRS							
	 Injection-molded polypropylene shell with rounded edges 	Uph Seat/Back, Right Hand	1000TRS/SB							
	 Textured finish 	Uph Seat, Right Hand	1000TRS/S0							
	 Round tubular legs with bright chrome finish standard 	Unuph, Left Hand	1000TLS							
	 Walnut laminate tablet, right-hand standard 	Uph Seat, Left Hand	1000TLS/S0							
, // //	 6 chairs on dolly pass through 80" door- way 	Uph Seat/Back, Left Hand	1000TLS/SB							
000	 Ganger available for chrome finish only. 									
000U										
	Nonstacking Tablet Arm Chair	Unuph, Right Hand	1000TRN							
	 Injection-molded polypropylene shell with rounded edges 	Uph Seat/Back, Right Hand	1000TRN/SB							
	Textured finish	Uph Seat, Right Hand	1000TRN/S0							
	 Round tubular legs with bright chrome finish standard 	Unuph, Left Hand	1000TLN							
	 Walnut laminate tablet, right-hand standard 	Uph Seat, Left Hand	1000TLN/S0							
	 Ganger available for chrome finish only. 	Uph Seat/Back, Left Hand	1000TLN/SB							
000										
000U										
				B					A	

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: •The ☐ indicates that a choice is

 The absence of the ☐ indicates that no choice is required.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- B Select ganging option.

= Ganging = No ganging NG

- **©** Select frame color. Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder.
- Select shell color. Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder.
- Select tablet arm color. Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder.

Select upholstery grade/color. Refer to color addendum at ki.com or in KI Fabrics & Finishes binder.

Select glide option.

= Plastic glides (standard) = Stainless steel glides; add \$8 = Non-skid glides; add \$15 Upcharge is for set of 4 glides

OPTIONS

California TB133 Fire Safety Code
The above seating products can be manufactured using the appropriate flame-retardant materials for compliance to California Technical Bulletin 133. Add "FR" to end of model number.

Model=Unupholstered Added Lead Time=1 week Added List Price= \$23 Model=Upholstered Seat Added Lead Time=1 week Added List Price= \$47 Model=Upholstered Seat and Back Added Lead Time=1 week Added List Price=\$65

Chair does not stack with bookrack attached. 20-1/2" W; 11" D.

Add "/BR" to end of model number. List price upcharge is \$22.

Specify #45.0035 for field installation. 4# Weight



Approx. Packaged Weight	Delivered Pricing Unupholstered	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Vinyl Group 2	
11#	\$ 86			
12#	N/A	160	160	
12#	N/A	230	230	
	•			
24#	\$ 176			
26#	N/A	312	312	
25#	N/A	243	243	
24#	176			
25#	N/A	243	243	
26#	N/A	312	312	
 30#	\$ 169			
32#	N/A	312	312	
31#	N/A	243	243	
30#	169			
31#	N/A	243	243	
32#	N/A	312	312	

SPECIAL SERVICES

Special Carton Marking

With specially marked information

Shipping Shipped assembled freight prepaid f.o.b. Green Bay, Wisconsin 54302 factory. Freight class #125.

		MODEL NUMBER							
	MODEL	Features	Basic Model	Ganging Option	Frame Color	Shell Color	Tablet Arm Color	Upholstery Color	
	Square Leg Stack Chair	Unupholstered	1060						
	 Injection-molded polypropylene shell with rounded edges 	Uph Seat	1060/S0						
	Textured finish	Uph Seat/Back	1060/SB						
	 Seat plain, with seat cushion, or seat and backrest cushions 								
// \\ // \\	 Square tubular legs and frame with bright 								
	chrome finish standard12 chairs on dolly pass through 80" door-								
1060	way								
1060U	Ganger available for chrome finish only.								
	Nonstacking Fixed Oversized Tablet Arm	Unuph, Left Hand	10600TLN						
	ChairInjection-molded polypropylene shell with	Unuph, Right Hand	10600TRN						
	rounded edges	Uph Seat, Left Hand	10600TLN/S0						
	Textured finishSeat plain, with seat cushion, or seat and	Uph Seat, Right Hand	10600TRN/S0						
// // //	backrest cushions	Uph Seat/Back, Left Hand	10600TLN/SB						
	 Square tubular legs and frame with bright chrome finish standard 	Uph Seat/Back, Right Hand	10600TRN/SB						
1060	 12 chairs on dolly pass through 80" door- 								
1060U	wayGanger available for chrome finish only.								
	Gangor available for officials finish office.								

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The $\hfill\Box$ indicates that a choice is

 The absence of the ☐ indicates that no choice is required.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- B Select ganging option.

= Ganging NG = No ganging

© Select frame color. Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder.

 Select shell color. Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder.

Select tablet arm color. Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder.

Select upholstery grade/color. Refer to color addendum at ki.com or in KI Fabrics & Finishes binder.

OPTIONS

California TB133 Fire Safety Code
The above seating products can be manufactured using the appropriate flame-retardant materials for compliance to California Technical Bulletin 133. Add "FR" to end of model number.

Model=Unupholstered Added Lead Time=1 week Added List Price= \$23 Model=Upholstered Seat Added Lead Time=1 week Added List Price= \$47 Model=Upholstered Seat and Back Added Lead Time=1 week Added List Price=\$65

Bookrack

Chair does not stack with bookrack attached. 20-1/2" W; 11" D.

Add "/BR" to end of model number. List price upcharge is \$22.

Specify #45.0035 for field installation. 4# Weight



Approx. Packaged Weight	ivered Pricing upholstered	Delivered Pricing Fabric Grade 1 & C.O.M.	elivered Pricing inyl Group	
12#	\$ 97			
12#	N/A	172	172	
12#	N/A	240	240	
30#	\$ 196			
30#	196			
31#	N/A	271	271	
31#	N/A	271	271	
31#	N/A	339	339	
31#	N/A	339	339	

SPECIAL SERVICES

Special Carton Marking

With specially marked information

Shipping Shipped k.d. freight prepaid f.o.b. Green Bay, Wisconsin 54302 factory. Freight class #175.

			MODEL NUMBER					
	MODEL	Features	Basic Model	Ganging Option	Frame Color	Shell Color	Tablet Arm Color	Upholstery Color
	Nonstacking Standard Fixed Tablet Arm	Unuph, Left Hand	1060STLN					
	Chair Injection-molded polypropylene shell with	Unuph, Right Hand	1060STRN					
	rounded edges	Uph Seat, Left Hand	1060STLN/S0					
	Textured finishSeat plain, with seat cushion, or seat and	Uph Seat, Right Hand	1060STRN/S0					
	backrest cushions	Uph Seat/Back, Left Hand	1060STLN/SB					
	 Square tubular legs and frame with bright chrome finish standard 	Uph Seat/Back, Right Hand	1060STRN/SB					
1060 1060U	 12 chairs on dolly pass through 80" door- 							
10000	wayGanger available for chrome finish only.							
	danger available for enterine fillion entry.							
	X-Frame Stack Chair Dolly Round tubular steel frame		FD.BL					
	For 1000 Series stack chairs							
	Four 3" swivel wheelsBlack enamel finish only							
	• 4-3/4" high from floor, empty							
IRDPT								
	Hand Truck		MD.S					
	 Round tubular steel frame 							
	Chrome finish onlyTwo fixed wheels							
\\\	For 1000 Series chairs							
HRDPT								
			A	B	U	U	G	G

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is

 The absence of the ☐ indicates that no choice is required.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- B Select ganging option.

= Ganging NG = No ganging

© Select frame color. Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder.

 Select shell color. Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder.

Select tablet arm color. Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder.

Select upholstery grade/color. Refer to color addendum at ki.com or in KI Fabrics & Finishes binder.

OPTIONS

California TB133 Fire Safety Code
The above seating products can be manufactured using the appropriate flame-retardant materials for compliance to California Technical Bulletin 133. Add "FR" to end of model number.

Model=Unupholstered Added Lead Time=1 week Added List Price= \$23 Model=Upholstered Seat Added Lead Time=1 week Added List Price= \$47 Model=Upholstered Seat and Back Added Lead Time=1 week Added List Price=\$65

Bookrack

Chair does not stack with bookrack attached. 20-1/2" W; 11" D.

Add "/BR" to end of model number. List price upcharge is \$22.

Specify #45.0035 for field installation. 4# Weight



Approx. Packaged Weight	Delivered Pricing Unupholstered	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Vinyl Group 2	
30#	\$ 196			
30#	196			
31#	N/A	271	271	
31#	N/A	271	271	
31#	N/A	339	339	
31#	N/A	339	339	
12#	\$ 188			
34#	\$ 510			

SPECIAL SERVICES

Special Carton Marking

With specially marked information

Shipping Shipped k.d. freight prepaid f.o.b. Green Bay, Wisconsin 54302 factory. Freight class #175.

Index

Model No.	Description	Page
1000	Chairs: Round Leg Stack Chair	38
1000TLN	Chairs: Nonstacking Tablet Arm Chair	38
1000TLS	Chairs: Stacking Tablet Arm Chair	38
1060	Chairs: Square Leg Stack Chair	40
10600TLN	Chairs: Nonstacking Fixed Oversized Tablet Arm Chair	40
1060STLN	Chairs: Nonstacking Standard Fixed Tablet Arm Chair	42
E1860/A	Activity Tables: Rectangular Tables	22
E36R/A	Activity Tables: Round Tables	24
E36S/A	Activity Tables: Square Tables	24
E424/A	Activity Tables: Quarter (1/4) Round Tables	26
E4872K/A	Activity Tables: Kidney Shape Tables	26
E624/A	Activity Tables: Sixth (1/6) Round Tables	26
EBH	Activity Tables: Book Bag Hook	28
EPB	Activity Tables: Plastic Book Box	28
ETL	Activity Tables: Leg Set	28
FATL.0/CH	Oxford: Oxford Adjustable Height Leg Sets	18
FD.BL	Chairs: X-Frame Stack Chair Dolly	42
FTL.0/CH	Oxford: Oxford Fixed Height Leg Sets	14
HTL.0/CH	Exeter: Exeter Fixed Height Leg Sets	10
MD.S	Chairs: Hand Truck	42
0155	Oxford: Rectangular	12
0155/A	Oxford: Rectangular	16
033	Oxford: Square	12
033/A	Oxford: Square	16
OK4	Oxford: Kidney Shape	14
OK4/A	Oxford: Kidney Shape	18
OR3	Oxford: Round	14
OR3/A	Oxford: Round	18
OT24	Oxford: Trapezoidal	14
OT24/A	Oxford: Trapezoidal	18
VJT2424/18	Junior Square Table	32
VJT2430/18	Junior Rectangular Table	34
VJT30R/18	Junior Round Table	32
X155	Exeter: Rectangular	8
X33	Exeter: Square	8
XT24	Exeter: Trapezoidal	10

Index



You make the rules. We make the rest.®

Of course KI solutions work better for you. They're made for you. No one pays more attention to customer needs than we do. We don't design our furniture to win awards (even though it does). We don't rely on one-size-fits-all solutions (even though they would make our life easier). We find out what you need. And, we make it. The same applies to our service, distribution channels...everything we do. It's all built around knowing what you want and giving you the choice. KI solutions work, because we're working for you.

KI 1330 Bellevue Street P.O. Box 8100 Green Bay, Wisconsin 54302-8100 1-800-424-2432 www.ki.com

KI is a registered trademark of Krueger International, Inc.

© 2008 KI All Rights Reserved. Litho in USA. KI-11492/KI/WF/308