

March 24, 2008

Updated February 2, 2009

800-424-2432





Ordering C.O.M., C.O.L., and C.O.V.	BONDUEL, GREEN BAY, LAVERNE, and TUPELO	2
	HIGH POINT	4
	Shipping Location	6
Briar®	General Information	8
	Multiple Seating	10
	Multiple Seating Replacement Parts	30
	Connecting Tables	32
Dorsal® Operational Tandem	General Information	34
	Multiple Seating	36
Eden™	General Information	44
	Modular Seating	46
Flex™	General Information	52
	Multiple Seating	54
	Multiple Seating Replacement Parts	76
	Connecting Tables	78
GateOne®	General Information	82
	Multiple Seating	84
Perth®	General Information	88
	Multiple Seating	90
	Multiple Seating Replacement Parts	110
	Connecting Tables	112
Strive® Tandem	General Information	114
	Multiple Seating	116
Piretti Torsion® Tandem	General Information	124
	Multiple Seating	126
Soltice®	General Information	134
	Multiple Seating	136
Three®	General Information	138
	Multiple Seating	140
Index	Index	148

Ordering C.O.M., C.O.L., and C.O.V.

BONDUEL, GREEN BAY, LAVERNE, and TUPELO


How to Specify C.O.M. Upholstery

Textile designs often have intricate patterns. Not all individuals will interpret fabric direction in the same manner.

As a standard procedure, KI cuts fabrics off the roll in a horizontal fashion as shown in Diagram A at the right. By cutting in this fashion, most waste is eliminated. Our requirements for yardage in this book are based on this type of cutting. When directional or patterned fabrics are used, they often require more yardage than solid colors.

By providing KI with a completely filled-out copy of the form on this page, we will be able to expedite your order. We find it particularly helpful with directional or patterned upholstery material. It is critical that copies of this form accompany test quantities as well as production quantities of C.O.M.

C.O.M. must be supplied in continuous yardage.



C.O.M., C.O.L. and C.O.V. Testing

KI will require for testing actual yardage to upholster one chair. The testing requirements depend on which chair you have selected on your order.

Test samples will be applied to the order and will be held for 6 months if needed. After 6 months, the sample can no longer be applied to your order. For all products to be tested, send test samples for approval to:

KI
1330 Bellevue Street
Green Bay, WI 54302
Attn: C.O.M. Specialist

To expedite the procedure, attach a copy of the "C.O.M. Information Form" on this page.

All C.O.M., C.O.L. and C.O.V. must be labeled with the purchase order number.

C.O.M., C.O.L. and C.O.V. Production

Customer's fabrics and leathers must be approved prior to acceptance for production. Upon test approval, a 1' square sample swatch of upholstery material must accompany the order. KI assumes no responsibility for wear, defects or performance of customer's own fabrics, vinyl or leather. C.O.M., C.O.L. and C.O.V. orders are available on a deferred delivery basis.

Orders for production of C.O.M., C.O.L. and C.O.V. upholstered products are not scheduled for processing until upholstery material is received. Upon receipt, KI will provide an acknowledgement and an estimated shipping date.

KI recommends that leather be ordered in yardage. Leather must be usable. The outer edges cannot be calculated as square feet or yardage.

The C.O.M., C.O.L. and C.O.V. yardage requirements accompanying products in the pricing section are for 10 chairs/seats or less, 54" wide nondirectional material. On larger orders, less material is required.

For exact production yardage requirements, call 1-800-424-2432, ext. 2707.

C.O.M., C.O.L. and C.O.V. Order Processing
For products shipped from Green Bay, WI facility, ship upholstery material to:

KI
Attn: C.O.M. Storage
1330 Bellevue Street
Green Bay, WI 54302

For products shipped from Tupelo, MS facility ship material to:

KI Tupelo
Attn: C.O.M. Storage
2112 South Green Street
Tupelo, MS 38801

For products shipped from Bonduel, WI facility, ship material to:

KI
Attn: C.O.M. Storage
204 West South Street
Bonduel, WI 54107

For products shipped from LaVerne, CA facility, ship material to:

Impress/Kismet/Medical & Laboratory Stools
Attn: C.O.M. Storage
2009 Wright Ave.
LaVerne, CA 91750

Intricate Patterns

In the event of specific requirements for positioning of intricate patterns or pattern repeats on seats and backrests, provide a sketch noting requirements, as in Diagram B, along with materials for testing, and with the order.




Diagram B

Treated Materials

If C.O.M. requires processing such as Scotchgard® or acrylic backing, it often shrinks. To prevent delays in delivery or back ordering due to shrinkage, please have your processor remeasure after processing and assure adequate yardage shipment.

Split Orders

If a portion of the shipment which does not require C.O.M., C.O.L. or C.O.V. applications is to be processed and shipped early, KI will enter the order immediately at your request. These split shipments are subject to minimum order changes.

Contact the C.O.M. Specialist at 1-800-424-2432, ext. 2707, with questions or to verify a split order.

Excess Upholstery Material

KI will dispose of excess upholstery material at the time of shipment unless expressly requested to return it with the product shipment.

Cancelled or Changed Orders

KI assumes no responsibility for extra C.O.M., C.O.L. or C.O.V. material due to a change of upholstery or cancellation of an order. It is the customer's responsibility to arrange for return of this material.

C.O.M., C.O.L. and C.O.V. Information Form

A copy of this form should accompany test requests and production orders. Please fill it out completely, and, if your order has been acknowledged, provide the acknowledgement number.

Purchasing Agent (Dealer or buying organization)

Attention

Address

City S late Zip

Project Name

Type of seating and number of units of each type

Please see information below and check the appropriate box.

☐ Submitted for testing.

Purchase Order Number

☐ Test approved. Submitted for production.


KI Acknowledgement Number

In all instances, send this form to the C.O.M. Specialist.

☐ A Selvage Top and Bottom



☐ B Selvage Side and Side





Ordering C.O.M., C.O.L., and C.O.V.

BONDUEL, GREEN BAY, LAVERNE, and TUPELO

Ordering C.O.M., C.O.L., and C.O.V.

HIGH POINT

All fabrics, including COM, COL, KOM and in grades will be applied at the factory's discretion. If a pattern or stripe is to be applied in a certain direction, the customer MUST specify this in writing on the P.O. and attach a sample of the fabric with it running in the application direction to the P.O. Specifying fabric direction may increase the amount of COM or KOM yardage required. Check with KI Customer Service to see if an increase in yardage is necessary BEFORE specifying, ordering and sending COM and COL to the factory or having KOM quoted.

ALL C.O.M. AND C.O.L. SHIPMENTS MUST BE PREPAID TO: KI
217 Feld Avenue
High Point, NC 27263

COM and COL must be identified as follows:

1. Name and address
2. Your purchase order number
3. Our style number to which fabric is to be applied
4. Supplier name and fabric name, number, and color

COLLECT SHIPMENTS WILL BE REFUSED.

SHIPMENT SCHEDULE WILL BE GIVEN WHEN ALL FABRIC IS RECEIVED FOR ENTIRE ORDER.

YARDAGE REQUIREMENTS LISTED IN PRICE LIST ARE BASED ON PLAIN GOODS 54" WIDE. Fabrics less than 54" wide, or those requiring matching (stripes, plaids, prints, large patterns) will require additional yardage based on the fabric used and the item ordered.

FABRIC WITH NAP: IF USING MOHAIR, VELVET OR ANY FABRIC WITH A "NAP", INCREASE YARDAGE REQUIRED BY 11%.
CONSULT MATRIX BELOW FOR ADDITIONAL YARDAGE NEEDED.

C.O.M. INCREASE MATRIX

This table is a general guide.

FABRIC WIDTH	PLAIN FABRIC	UNDER 7" REPEAT	7" - 13" REPEAT	14" - 21" REPEAT	22" - 27" REPEAT	OVER 27" REPEAT
54"	0	15%	20%	25%	30%	40%
51" - 53"	10%	25%	30%	35%	40%	50%
48" - 50"	15%	30%	35%	40%	45%	55%
45" - 47"	30%	45%	50%	55%	60%	70%
36" - 44"	50%	65%	70%	75%	80%	90%

FABRIC WITH DOUBLE REPEAT: IF USING A FABRIC WITH A DOUBLE REPEAT, PLEASE FOLLOW THIS FORMULA: TAKE THE TOTAL AMOUNT OF THE LARGER AND HALF OF THE SMALLER REPEAT; ADD TOGETHER TO FIND THE CORRECT OVERALL REPEAT. EXAMPLE: 10" VERTICAL WITH 14" HORIZONTAL WOULD BE $14 + 5 = 19$.

IF FABRIC COMES IN ON MULTIPLE ROLLS, ONE ADDITIONAL YARD PER ROLL NEEDS TO BE ADDED TO THE YARDAGE REQUIREMENT.

SPECIAL NOTE: WE CAN ASSUME NO RESPONSIBILITY FOR THE DURABILITY OR TAILORING QUALITY OF CUSTOMER FURNISHED COVERINGS (C.O.M.) OR KOM. KOM: is fabric that KI will purchase for you at jobber's price (net) plus a nominal charge for handling, shipping, and managing.

COM PRIOR APPROVAL DATA SHEET

ALL COM MUST BE APPROVED.

Photocopy this form and submit with COM fabric for approval:

(This fabric approval is for the purpose of advising how to apply your COM fabric, verify yardage required, and suitability.)

YOUR COMPANY NAME/PHONE/FAX NUMBER:

_____/_____

Material supplier: _____

Material Name: _____ Number: _____

Material Color: _____ Width: _____

Vertical Repeat: _____ Horizontal Repeat: _____


Fiber Content: _____

Direction Stripe/Pattern is to be applied: (Check one)

☐ Vertical ☐ Horizontal ☐ Factory Discretion

COM TO BE USED
ON THE FOLLOWING:

QTY PRODUCT NAME/NUMBER



ADDITIONAL NOTES:

- Orders cannot go into production without the information listed on this approval sheet.
- Attach memo sample to this approval sheet.
- If your order has been placed, list PO# _____
- The cost of the COM sample will be paid by the client.
- Even after preliminary approval, KI reserves the right to reject COM/COL if necessary when the quality is not satisfactory for the product to be upholstered. KI assumes no responsibility for its overall appearance, flammability, durability, color fastness or any other quality after upholstered on a KI product.



Ordering C.O.M., C.O.L., and C.O.V.

Shipping Location

C.O.M. SHIPPING LOCATION



Architectural Walls

Genius Wall MN
Systems Wal MN

Classroom Furniture

360 Classroom Furniture BW
Dorsal 1090 Chairs GB
Dorsal Student Desks GB

Desking

700 Series Desking KP
Balance Overheads MN
Genesis Desking MN
True Desking KP
Universal Overheads MN
WorkZone Desking MN

Files & Storage

E-Series Pedestal Cushion GB
700 Series Pedestal Cushion GB

Fixed Seating

Aria Auditorium Seating BW
Concerto Auditorium Seating BW
Fixed Pedestals GB
Jury Base Seating GB
Lancaster Auditorium Seating BW
Sequence Seating GB
University Seating GB

Panel Systems

All Terrain KP
Balance Overheads KP
Flexible WorkSpace BW
Prosper AG*
System 3000 MN
Universal Overheads MN
Wireworks MN

Residence Hall Furniture

RoomScope Furniture MN

Seating

100 Series Folding Chairs TM
300 Series Folding Chairs TM
600 Series Stools TM
700 Series Folding Chairs TM
800 Series Stools TM
1000 Series GB
Aerdyn Guest Seating HN
Albany Auditorium Seating BW
Arissa Lounge HN
Aston Guest Seating HN
Auditorium Folding Chairs TM
Bantam Guest Seating HN
Briar Multiple & Healthcare Seating HN
Bruen Lounge Seating HN
Canaan Guest Seating HN
Cinturon Lounge & Professional Seating HN
Cody Lounge Seating HN
Comfort Line Folding Chairs TM
Dance Nesting & Task Chairs BW
Daybed Sofas HN
Daylight Stacking Chairs GB
Dorsal Stacking & Tandem Seating GB
Eden Healthcare Seating HN
Engage Task Chairs & Stools GB
Eton Lounge Seating HN
Flex Multiple & Healthcare Seating HN
Front Row Seats (Silk Screening) TM
GateOne Public Seating BW
Glimmer Stacking & Task HB
Grand Salon Lounge Seating & Benches HN
Hancock Benches HN
Impress Task Chairs LV
Impress Ultra Task Chairs LV
Impulse Task Chairs GB
Ivey Lounge & Guest Seating HN

Jessa Lounge Seating HN
Kismet Task/Guest Chairs & Stools LV
Kurv Benches HN
LaResta Day Beds HN
Lido Lounge Seating HN
Lola Lounge Seating HN
Maestro Stacking Chairs GB
Matrix Stacking Chairs GB
Mechanical Adjustable Stools TM
Medical & Laboratory Stools LV
Mesa Lounge & Task Seating HN
MI6 Nesting Chairs GB
Neena Lounge Seating & Benches HN
Perry Stacking Chairs GB
Perth Multiple & Healthcare Seating HN
Piretti 2000 Series Seating GB
Piretti Stacking Chairs GB
Pomfret Lounge & Guest Seating HN
Promenade Seating System BW
Quatro Guest Seating HN
Rapture Stacking Chairs & Stools GB
Relax Lounge Seating HN
Rose Healthcare BW
Silhouette Stacking Chairs & Stools BW
Soltice Multiple, Healthcare & Guest HN
Strive Stacking & Task GB
Teacup Lounge Seating HN
Three Multiple, Healthcare & Lounge HN
Torsion-on-the-Go Nesting Chairs GB
Torsion Stacking and Task Seating GB
Versa Stacking Chairs & Stools GB
Warren Healthcare Seating BW

Site Furnishings

Logix BW

KI Manufacturing Sites - Customer's Own Material Shipment Manufacturing Site Addresses

BW

KI Bonduel
Attn: COM Storage
204 West South St.
Bonduel, WI 54107

AG*

Contact KI at
1-800-424-2432

HB

Glimmer
Attn: COM Storage
15731 Graham St.
Huntington Beach, CA 92649

HN

KI-HN
Attn: COM Storage
217 Field Avenue
High Point, NC 27263

KP

KI Pembroke
Attn: COM Storage
1000 Olympic Dr.
Pembroke, Ontario K8A6X7

GB

KI Green Bay
Attn: COM Storage
1330 Bellevue St.
Green Bay, WI 54302

LV

Impress/Impress Ultra/
Kismet/Medical Stools
Attn: COM Storage
2009 Wright Ave.
LaVerne, CA 91750

MN

KI Manitowoc
Attn: COM Storage
1400 S. 41st St.
Manitowoc, WI 54220



Ordering C.O.M., C.O.L., and C.O.V.

Shipping Location



Briar®

General Information



Briar® (Traditional)

Dimensions	
Overall width	23.5"
Overall depth	26"
Overall height	33.5"

SPECIFICATIONS

Complimentary Furniture

The following guest chairs offer complimentary furniture that creates continuity and a cohesive look throughout a facility. These complimentary pieces can be found in other sections of the KI price list.

Flex™

FLEX - Flex Healthcare Seating, Flex Occasional Tables

LARESTA FREESTANDING - LaResta® Day Bed

Perth®

Perth® - Perth® Healthcare Seating

LARESTA FREESTANDING - LaResta® Day Bed

Soltice®

Soltice® - Soltice® Healthcare Seating, Soltice® Guest Seating, Soltice® Lounge

Seating

LARESTA FREESTANDING - LaResta® Day Bed

Three®

THREE - Three Healthcare Seating, Three Lounge Seating

UPHOLSTERY INFORMATION

C.O.M. Fabric

For C.O.M. fabric sent to KI-High Point on multiple rolls, add an additional yard of fabric per roll to the yardage requirements. Multiple rolls have shorter pieces of fabric on them and do not allow nesting and stacking of the fabric to achieve the best yield as is done with one large roll. This results in yardage shortages and requests for additional fabric from the client, which can hold up the order. For each roll that is sent, one yard needs to be added and needs to be added to one of the rolls, not separately.

SPECIAL FINISH MATCHES

KI can match special finish requests at an upcharge of \$58 List per item, up to 12 or a maximum charge of \$627 List per order per color. Special finish requests must be sent to your KI customer service representative.

Upon receipt from KI, the finishing department will prepare a "strike-off" which will be sent to the customer for approval.

The approval form accompanying the strike-off should be faxed to your KI customer service representative. Upon receipt of the signed approval form, KI will proceed with the order. Disapproved samples may be sent back to KI directly with an explanation of disapproval. A Special Finish Number (SFN) will be assigned to this finish sample for future reference or reorders.



INFORMATION

Warranty

Refer to KI Terms & Conditions document or
visit ki.com

Briar®
Multiple Seating

			MODEL NUMBER									
Features		COM	Basic Model	Left Connect	Right Connect	Non-Contrast or Fabric Contrast 1	Fabric Contrast 2	Wood Finish	TB133	Moisture Barrier	Arm Cap	
 BRMS One Seat (Open Arm) • 1 = Back (Fabric Contrast 1) C.O.M. = 1.25 yd • 2 = Seat (Fabric Contrast 2) C.O.M. = 1 yd	Non-contrast	1.5 yd	BOC	☐ ☐	☐ ☐	☐ ☐ ☐ ☐		☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	
	Contrast		BOC/FC	☐ ☐	☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	
 BRMS One Seat (Closed Arm) • 1 = Back and arms (Fabric Contrast 1) C.O.M. = 2.25 yd • 2 = Seat (Fabric Contrast 2) C.O.M. = 1 yd	Non-contrast	2 yd	BHC	☐ ☐	☐ ☐	☐ ☐ ☐ ☐		☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	
	Contrast		BHC/FC	☐ ☐	☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	
			A	B	C	D	E	F	G	H	I	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: •The ☐ indicates that a choice is required.
•The absence of the ☐ indicates that no choice is required.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select LEFT facing arm connector.
LC = Left connecting chair
LT = Left connecting table
Arm connection is on Right side when seated.
- C** Select RIGHT facing arm connector.
RC = Right connecting chair
RT = Right connecting table
Arm connection is on Left side when seated.
- D** Select non-contrast or fabric contrast 1.
Refer to Upholstery Fabric cards in the KI Fabrics & Finishes binder.
- E** Select fabric contrast 2.
Refer to Upholstery Fabric cards in the KI Fabrics & Finishes binder.
- F** Select wood finish color.
Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder.
Kensington Maple requires extended lead-times; add \$31.
- G** Select TB133.
NFR = No TB133 fire retardant
FR = Fire retardant
See pricing column for TB133 upcharge.
- H** Select moisture barrier.
NMB = No moisture barrier
MB = Moisture barrier
See pricing column for moisture barrier upcharge.
- I** Select armcaps.
WAC = Wood (standard)
UAC = Upholstered, upcharge per arm; add \$23
PAC = Black poly, upcharge per arm;

add \$41
Polyurethane armcaps NOT available on TB133 approved chairs.



Approx. Packaged Weight	Grade C.O.M.	Grade C	Grade D	Grade E & C.O.L.	Grade F	Grade G	Grade H	Grade I	Grade J	Grade K	Grade L Leather	Grade M Leather	TB133 add to list price	Moisture Barrier add to list price
50#	\$ 918	\$ 931	\$ 949	\$ 972	\$ 989	\$ 1021	\$ 1053	\$ 1114	\$ 1192	\$ 1271	\$ 1349	\$ 1504	\$ 144	\$ 86
50#	947	960	978	1002	1018	1051	1082	1144	1221	1300	1378	1534	144	86

50#	\$ 1034	\$ 1048	\$ 1074	\$ 1104	\$ 1126	\$ 1168	\$ 1210	\$ 1292	\$ 1396	\$ 1499	\$ 1605	\$ 1812	\$ 150	\$ 86
50#	1064	1078	1103	1134	1156	1197	1135	1322	1425	1529	1634	1841	150	86

INFORMATION

C.O.M. Requirements

C.O.M. yardage requirements listed above are based on plain goods 54' wide. If less than 54' wide or fabrics requiring matching (stripes, plaids, prints, large patterns), additional yardage will be needed. Consult COM/COL matrix for ordering additional yardage needed. For C.O.M. fabric sent to KI-High Point on multiple rolls, add an additional yard of fabric per roll to the yardage requirements.

Multiply number of seats, backs, and arms required by yardage amount (e.g. 3 replacement seats required x 1 yard = 3 yards total).

C.O.L. Requirements

Figure 18 sq. ft. of leather (C.O.L.) for each yard shown (i.e., 4.75 x 18 = 85.5 sq ft).

Contrasting Upholstery

When contrasting fabric is chosen, price at highest in-grade.

Note:

Back cover is not removable on loveseat.

Construction

Seat frame constructed of welded structural steel. Back constructed from formed laminated plywood. (Loveseat from kiln-dried hardwood). Arms constructed from kiln-dried hardwood. Cushioning of multiple densities of polyurethane foam and dacron fiber.

California TB133 Fire Safety Code

The above seating products can be manufactured using the appropriate flame-retardant materials and fabric selection for compliance to California Technical Bulletin 133. Add "FR" to end of model number and add upcharge. Please contact KI customer service for fabric compliance. Not available with moisture barrier. Gore or Nano-Tex treatments can be used when TB133 is required.

Upcharges are the same for Left, Right, and Left/Right units.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping


Shipped **assembled freight prepaid f.o.b. High Point, North Carolina 27263** factory. Freight class #175.

Specifications and prices are subject to change without prior notice.

BRMS

Two Seat (Open Arm)

- 1 = Back (Fabric Contrast 1) C.O.M. = 1.75 yd
- 2 = Seat (Fabric Contrast 2) C.O.M. = 1.5 yd



BRMS

Two Seat (Closed Arm)

- 1 = Back and arms (Fabric Contrast 1) C.O.M. = 2.5 yd
- 2 = Seat (Fabric Contrast 2) C.O.M. = 1.5 yd

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: • The ☐ indicates that a choice is required.
• The absence of the ☐ indicates that no choice is required.

A Select basic model.

- | | |
|--|---|
| B | Select LEFT facing arm connector. |
| LC | = Left connecting chair |
| LT | = Left connecting table |
| Arm connection is on Right side when seated. | |
| C | Select RIGHT facing arm connector. |
| RC | = Right connecting chair |
| RT | = Right connecting table |
| Arm connection is on Left side when seated. | |
| D | Select non-contrast or fabric contrast 1.
Refer to Upholstery Fabric cards in the KI
Fabrics & Finishes binder. |
| E | Select fabric contrast 2.
Refer to Upholstery Fabric cards in the KI
Fabrics & Finishes binder. |

- F** Select wood finish color.
Refer to color addendum at ki.com or in
KI Price List or KI Fabrics & Finishes
binder.
Kensington Maple requires extended
lead-times; add \$42.

- G** Select TB133.
- | | |
|------------|---------------------------|
| NFR | = No TB133 fire retardant |
| FR | = Fire retardant |
- See pricing column for TB133 upcharge.

- H** Select moisture barrier.
- | | |
|------------|-----------------------|
| NMB | = No moisture barrier |
| MB | = Moisture barrier |
- See pricing column for moisture barrier upcharge.

- 1 Select armcaps.
- | | |
|------------|---|
| WAC | = Wood (standard) |
| UAC | = Upholstered, upcharge per arm; add \$23 |
| PAC | = Black poly, upcharge per arm: |

add \$41
Polyurethane armcaps NOT available on
TB133 approved chairs.



Approx. Packaged Weight	Grade C.O.M.	Grade C	Grade D	Grade E & C.O.L.	Grade F	Grade G	Grade H	Grade I	Grade J	Grade K	Grade L Leather	Grade M Leather	TB133 add to list price	Moisture Barrier add to list price
91#	\$ 1569	\$ 1588	\$ 1622	\$ 1665	\$ 1695	\$ 1752	\$ 1811	\$ 1924	\$ 2067	\$ 2210	\$ 2353	\$ 2640	\$ 249	\$ 174
91#	1628	1646	1680	1722	1753	1811	1870	1983	2125	2269	2411	2698	249	174
91#	\$ 1685	\$ 1709	\$ 1752	\$ 1805	\$ 1841	\$ 1912	\$ 1982	\$ 2122	\$ 2296	\$ 2473	\$ 2648	\$ 3000	\$ 307	\$ 174
91#	1744	1768	1811	1863	1900	1971	2041	2181	2355	2531	2707	3059	307	174

INFORMATION

C.O.M. Requirements

C.O.M. yardage requirements listed above are based on plain goods 54' wide. If less than 54' wide or fabrics requiring matching (stripes, plaids, prints, large patterns), additional yardage will be needed. Consult COM/COL matrix for ordering additional yardage needed. For C.O.M. fabric sent to KI-High Point on multiple rolls, add an additional yard of fabric per roll to the yardage requirements.

Multiply number of seats, backs, and arms required by yardage amount (e.g. 3 replacement seats required x 1 yard = 3 yards total).

C.O.L. Requirements

Figure 18 sq. ft. of leather (C.O.L.) for each yard shown (i.e., 4.75 x 18 = 85.5 sq ft).

Contrasting Upholstery

When contrasting fabric is chosen, price at highest in-grade.

Note:

Back cover is not removable on loveseat.

Construction

Seat frame constructed of welded structural steel. Back constructed from formed laminated plywood. (Loveseat from kiln-dried hardwood). Arms constructed from kiln-dried hardwood. Cushioning of multiple densities of polyurethane foam and dacron fiber.

California TB133 Fire Safety Code

The above seating products can be manufactured using the appropriate flame-retardant materials and fabric selection for compliance to California Technical Bulletin 133. Add "FR" to end of model number and add upcharge. Please contact KI customer service for fabric compliance. Not available with moisture barrier. Gore or Nano-Tex treatments can be used when TB133 is required.

Upcharges are the same for Left, Right, and Left/Right units.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C



Shipping

Shipped **assembled freight prepaid f.o.b. High Point, North Carolina 27263** factory. Freight class #175.

Specifications and prices are subject to change without prior notice.

Briar®

Multiple Seating

	Features	COM	MODEL NUMBER									
			Basic Model	Left Connect	Right Connect	Non-Contrast or Fabric Contrast 1	Fabric Contrast 2	Wood Finish	TB133	Moisture Barrier	Arm Cap	
 BRMS Three Seat (Open Arm) 1 = Back (Fabric Contrast 1) C.O.M. = 2.25 yd 2 = Seat (Fabric Contrast 2) C.O.M. = 2.25 yd	Non-contrast	4.5 yd	BOCCC	☐ ☐	☐ ☐	☐ ☐ ☐ ☐		☐ ☐	☐ ☐	☐ ☐	☐ ☐	
	Contrast		BOCCC/FC	☐ ☐	☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	
 BRMS Three Seat (Closed Arm) 1 = Back and arms (Fabric Contrast 1) C.O.M. = 3.5 yd 2 = Seat (Fabric Contrast 2) C.O.M. = 2.25 yd	Non-contrast	5.5 yd	BHCCC	☐ ☐	☐ ☐	☐ ☐ ☐ ☐		☐ ☐	☐ ☐	☐ ☐	☐ ☐	
	Contrast		BHCCC/FC	☐ ☐	☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	
			A	B	C	D	E	F	G	H	I	

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note: • The ☐ indicates that a choice is required.
 • The absence of the ☐ indicates that no choice is required.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

B Select LEFT facing arm connector.

LC = Left connecting chair

LT = Left connecting table

Arm connection is on Right side when seated.

C Select RIGHT facing arm connector.

RC = Right connecting chair

RT = Right connecting table

Arm connection is on Left side when seated.

D Select non-contrast or fabric contrast 1.
 Refer to Upholstery Fabric cards in the KI Fabrics & Finishes binder.

E Select fabric contrast 2.
 Refer to Upholstery Fabric cards in the KI Fabrics & Finishes binder.

F Select wood finish color.
 Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder.
 Kensington Maple requires extended lead-times; add \$58.

G Select TB133.
NFR = No TB133 fire retardant
FR = Fire retardant
 See pricing column for TB133 upcharge.

H Select moisture barrier.
NMB = No moisture barrier
MB = Moisture barrier
 See pricing column for moisture barrier upcharge.

I Select armcaps.
WAC = Wood (standard)
UAC = Upholstered, upcharge per arm; add \$23
PAC = Black poly, upcharge per arm;

add \$41
 Polyurethane armcaps NOT available on TB133 approved chairs.



Approx. Packaged Weight	Grade C.O.M.	Grade C	Grade D	Grade E & C.O.L.	Grade F	Grade G	Grade H	Grade I	Grade J	Grade K	Grade L Leather	Grade M Leather	TB133 add to list price	Moisture Barrier add to list price
130#	\$ 2245	\$ 2274	\$ 2324	\$ 2388	\$ 2433	\$ 2517	\$ 2603	\$ 2771	\$ 2980	\$ 3192	\$ 3403	\$ 3826	\$ 341	\$ 260
130#	2333	2362	2412	2476	2520	2605	2691	2858	3067	3279	3491	3913	341	260
130#	\$ 2455	\$ 2491	\$ 2554	\$ 2630	\$ 2686	\$ 2790	\$ 2895	\$ 3103	\$ 3358	\$ 3619	\$ 3877	\$ 4399	\$ 445	\$ 260
130#	2544	2579	2642	2718	2774	2879	2983	3191	3446	3707	3966	4487	445	260

INFORMATION

C.O.M. Requirements

C.O.M. yardage requirements listed above are based on plain goods 54' wide. If less than 54' wide or fabrics requiring matching (stripes, plaids, prints, large patterns), additional yardage will be needed. Consult COM/COL matrix for ordering additional yardage needed. For C.O.M. fabric sent to KI-High Point on multiple rolls, add an additional yard of fabric per roll to the yardage requirements.

Multiply number of seats, backs, and arms required by yardage amount (e.g. 3 replacement seats required x 1 yard = 3 yards total).

C.O.L. Requirements

Figure 18 sq. ft. of leather (C.O.L.) for each yard shown (i.e., 4.75 x 18 = 85.5 sq ft).

Contrasting Upholstery

When contrasting fabric is chosen, price at highest in-grade.

Note:

Back cover is not removable on loveseat.

Construction

Seat frame constructed of welded structural steel. Back constructed from formed laminated plywood. (Loveseat from kiln-dried hardwood). Arms constructed from kiln-dried hardwood. Cushioning of multiple densities of polyurethane foam and dacron fiber.

California TB133 Fire Safety Code

The above seating products can be manufactured using the appropriate flame-retardant materials and fabric selection for compliance to California Technical Bulletin 133. Add "FR" to end of model number and add upcharge. Please contact KI customer service for fabric compliance. Not available with moisture barrier. Gore or Nano-Tex treatments can be used when TB133 is required.

Upcharges are the same for Left, Right, and Left/Right units.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped **assembled freight prepaid f.o.b. High Point, North Carolina 27263** factory. Freight class #175.

Specifications and prices are subject to change without prior notice.

A line drawing of a chair. Label 1 points to the backrest. Label 2 points to the seat.

BRMS

Loveseat (Open Arm)

- 1 = Back (Fabric Contrast 1) C.O.M. = 2.5 yd
- 2 = Seat (Fabric Contrast 2) C.O.M. = 1.25 yd



BRMS

Loveseat (Closed Arm)

- 1 = Back and arms (Fabric Contrast 1) C.O.M. = 3.5 yd
- 2 = Seat (Fabric Contrast 2) C.O.M. = 1.25 yd

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.

A Select basic model.

- B** Select **LEFT** facing arm connector.
LT = Left connecting table
Arm connection is on Right side when seated.
- C** Select **RIGHT** facing arm connector.
RT = Right connecting table
Arm connection is on Left side when seated.
- D** Select non-contrast or fabric contrast 1.
Refer to Upholstery Fabric cards in the KI Fabrics & Finishes binder.
- E** Select fabric contrast 2.
Refer to Upholstery Fabric cards in the KI Fabrics & Finishes binder.

- F** Select wood finish color.
Refer to color addendum at ki.com or in
KI Price List or KI Fabrics & Finishes
binder.
Kensington Maple requires extended
lead-times; add \$31.

- G** Select TB133.
- | | |
|------------|---------------------------|
| NFR | = No TB133 fire retardant |
| FR | = Fire retardant |
- See pricing column for TB133 upcharge.

- H** Select moisture barrier.
- | | |
|------------|-----------------------|
| NMB | = No moisture barrier |
| MB | = Moisture barrier |
- See pricing column for moisture barrier upcharge.

- 1 Select armcaps.
- | | |
|------------|---|
| WAC | = Wood (standard) |
| UAC | = Upholstered, upcharge per arm; add \$23 |
| PAC | = Black poly, upcharge per arm; |

add \$41
Polyurethane armcaps NOT available on
TB133 approved chairs.



One Seat Add-on Unit-Left (Open Arm)

- 1 = Back (Fabric Contrast 1) C.O.M. = 1.25 yd
- 2 = Seat (Fabric Contrast 2) C.O.M. = 1 yd



Diagram of a chair with a backrest and seat. The backrest is labeled 1 and the seat is labeled 2.

BAS

One Seat Add-on Unit-Right (Open Arm)

- 1 = Back (Fabric Contrast 1) C.O.M. = 1.25 yd
- 2 = Seat (Fabric Contrast 2) C.O.M. = 1 yd

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: • The ☐ indicates that a choice is required.
• The absence of the ☐ indicates that no choice is required.

- A Select basic model.
- B Select LEFT facing arm connector.

LC	= Left connecting chair
LT	= Left connecting table

Arm connection is on Right side when seated.
- C Select RIGHT facing arm connector.

RC	= Right connecting chair
RT	= Right connecting table

Arm connection is on Left side when seated.
- D Select No-contrast or fabric contrast 1.
Refer to Upholstery Fabric cards in the KI Fabrics & Finishes binder.
- E Select fabric contrast 2.
Refer to Upholstery Fabric cards in the KI Fabrics & Finishes binder.

- F** Select wood finish color.
Refer to color addendum at ki.com or in
KI Price List or KI Fabrics & Finishes
binder.
Kensington Maple requires extended
lead-times; add \$15.

- G** Select TB133.
- | | |
|------------|---------------------------|
| NFR | = No TB133 fire retardant |
| FR | = Fire retardant |
- See pricing column for TB133 upcharge.

- H** Select moisture barrier.
- | | |
|------------|-----------------------|
| NMB | = No moisture barrier |
| MB | = Moisture barrier |
- See pricing column for moisture barrier upcharge.

- 1 Select armchairs.
- | | |
|------------|---|
| WAC | = Wood (standard) |
| UAC | = Upholstered, upcharge per arm; add \$23 |
| PAC | = Black poly. upcharge per arm: |

add \$41
Polyurethane armcaps NOT available on
TB133 approved chairs.



Approx. Packaged Weight	Grade C.O.M.	Grade C	Grade D	Grade E & C.O.L.	Grade F	Grade G	Grade H	Grade I	Grade J	Grade K	Grade L Leather	Grade M Leather	TB133 add to list price	Moisture Barrier add to list price
43#	\$ 758	\$ 768	\$ 789	\$ 810	\$ 826	\$ 858	\$ 889	\$ 948	\$ 1023	\$ 1100	\$ 1175	\$ 1327	\$ 116	\$ 86
43#	788	798	817	839	856	886	918	977	1053	1129	1205	1356	116	86

43#	\$ 758	\$ 768	\$ 789	\$ 810	\$ 826	\$ 858	\$ 889	\$ 948	\$ 1023	\$ 1100	\$ 1175	\$ 1327	\$ 116	\$ 86
43#	788	798	817	839	856	886	918	977	1053	1129	1205	1356	116	86

INFORMATION

C.O.M. Requirements

C.O.M. yardage requirements listed above are based on plain goods 54' wide. If less than 54' wide or fabrics requiring matching (stripes, plaids, prints, large patterns), additional yardage will be needed. Consult COM/COL matrix for ordering additional yardage needed. For C.O.M. fabric sent to KI-High Point on multiple rolls, add an additional yard of fabric per roll to the yardage requirements.

Multiply number of seats, backs, and arms required by yardage amount (e.g. 3 replacement seats required x 1 yard = 3 yards total).

C.O.L. Requirements

Figure 18 sq. ft. of leather (C.O.L.) for each yard shown (i.e., 4.75 x 18 = 85.5 sq ft).

Contrasting Upholstery

When contrasting fabric is chosen, price at highest in-grade.

Note:

Back cover is not removable on loveseat.

Construction

Seat frame constructed of welded structural steel. Back constructed from formed laminated plywood. (Loveseat from kiln-dried hardwood). Arms constructed from kiln-dried hardwood. Cushioning of multiple densities of polyurethane foam and dacron fiber.

California TB133 Fire Safety Code

The above seating products can be manufactured using the appropriate flame-retardant materials and fabric selection for compliance to California Technical Bulletin 133. Add "FR" to end of model number and add upcharge. Please contact KI customer service for fabric compliance. Not available with moisture barrier. Gore or Nano-Tex treatments can be used when TB133 is required.

Upcharges are the same for Left, Right, and Left/Right units.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped **assembled freight prepaid f.o.b. High Point, North Carolina 27263** factory. Freight class #175.

Specifications and prices are subject to change without prior notice.



BAS

One Seat Add-on Unit-Left (Closed Arm)

- 1 = Back and arms (Fabric Contrast 1) C.O.M. = 1.25 yd
- 2 = Seat (Fabric Contrast 2) C.O.M. = 1 yd

BAS

One Seat Add-on Unit-Right (Close Arm)

- 1 = Back and arms (Fabric Contrast 1)
C.O.M. = 1.25 yd
- 2 = Seat (Fabric Contrast 2) C.O.M. = 1 yd

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: • The ☐ indicates that a choice is required.
• The absence of the ☐ indicates that no choice is required.

- A Select basic model.
- B Select LEFT facing arm connector.

LC	= Left connecting chair
LT	= Left connecting table

Arm connection is on Right side when seated.
- C Select RIGHT facing arm connector.

RC	= Right connecting chair
RT	= Right connecting table

Arm connection is on Left side when seated.
- D Select No-contrast or fabric contrast 1.
Refer to Upholstery Fabric cards in the KI Fabrics & Finishes binder.
- E Select fabric contrast 2.
Refer to Upholstery Fabric cards in the KI Fabrics & Finishes binder.

- F** Select wood finish color.
Refer to color addendum at ki.com or in
KI Price List or KI Fabrics & Finishes
binder.
Kensington Maple requires extended
lead-times; add \$15.
- G** Select TB133.
- | | |
|------------|---------------------------|
| NFR | = No TB133 fire retardant |
| FR | = Fire retardant |
- See pricing column for TB133 upcharge.
- H** Select moisture barrier.
- | | |
|------------|-----------------------|
| NMB | = No moisture barrier |
| MB | = Moisture barrier |
- See pricing column for moisture barrier
upcharge.
- I** Select armcaps.
- | | |
|------------|--|
| WAC | = Wood (standard) |
| UAC | = Upholstered, upcharge per
arm; add \$23 |
| PAC | = Black poly, upcharge per arm |

add \$41
Polyurethane armcaps NOT available on
TB133 approved chairs.



Approx. Packaged Weight	Grade C.O.M.	Grade C	Grade D	Grade E & C.O.L.	Grade F	Grade G	Grade H	Grade I	Grade J	Grade K	Grade L Leather	Grade M Leather	TB133 add to list price	Moisture Barrier add to list price
43#	\$ 815	\$ 828	\$ 849	\$ 874	\$ 894	\$ 929	\$ 964	\$ 1035	\$ 1123	\$ 1212	\$ 1299	\$ 1496	\$ 133	\$ 86
43#	844	858	878	903	923	957	994	1065	1152	1241	1329	1526	133	86

43#	\$ 815	\$ 828	\$ 849	\$ 874	\$ 894	\$ 929	\$ 964	\$ 1035	\$ 1123	\$ 1212	\$ 1299	\$ 1496	\$ 133	\$ 86
43#	844	858	878	903	923	957	994	1065	1152	1241	1329	1526	133	86

INFORMATION

C.O.M. Requirements

C.O.M. yardage requirements listed above are based on plain goods 54' wide. If less than 54' wide or fabrics requiring matching (stripes, plaids, prints, large patterns), additional yardage will be needed. Consult COM/COL matrix for ordering additional yardage needed. For C.O.M. fabric sent to KI-High Point on multiple rolls, add an additional yard of fabric per roll to the yardage requirements.

Multiply number of seats, backs, and arms required by yardage amount (e.g. 3 replacement seats required x 1 yard = 3 yards total).

C.O.L. Requirements

Figure 18 sq. ft. of leather (C.O.L.) for each yard shown (i.e., 4.75 x 18 = 85.5 sq ft).

Contrasting Upholstery

When contrasting fabric is chosen, price at highest in-grade.

Note:

Back cover is not removable on loveseat.

Construction

Seat frame constructed of welded structural steel. Back constructed from formed laminated plywood. (Loveseat from kiln-dried hardwood). Arms constructed from kiln-dried hardwood. Cushioning of multiple densities of polyurethane foam and dacron fiber.

California TB133 Fire Safety Code

The above seating products can be manufactured using the appropriate flame-retardant materials and fabric selection for compliance to California Technical Bulletin 133. Add "FR" to end of model number and add upcharge. Please contact KI customer service for fabric compliance. Not available with moisture barrier. Gore or Nano-Tex treatments can be used when TB133 is required.

Upcharges are the same for Left, Right, and Left/Right units.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C



Shipping

Shipped **assembled freight prepaid f.o.b. High Point, North Carolina 27263** factory. Freight class #175.

Specifications and prices are subject to change without prior notice.

Briar®

Multiple Seating

			MODEL NUMBER									
Features		COM	Basic Model	Left Connect	Right Connect	Non-Contrast or Fabric Contrast 1	Fabric Contrast 2	Wood Finish	TB133	Moisture Barrier	Arm Cap	
 BAS Two Seat Add-on Unit-Left (Open Arm) • 1 = Back (Fabric Contrast 1) C.O.M. = 2 yd • 2 = Seat (Fabric Contrast 2) C.O.M. = 1.5 yd	Non-contrast	3 yd	BOACCL	☐ ☐		☐ ☐ ☐ ☐		☐ ☐	☐ ☐	☐ ☐	☐ ☐	
	Contrast		BOACCL/FC	☐ ☐		☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	
 BAS Two Seat Add-on Unit-Right (Open Arm) • 1 = Back (Fabric Contrast 1) C.O.M. = 2 yd • 2 = Seat (Fabric Contrast 2) C.O.M. = 1.5 yd	Non-contrast	3 yd	BOACCR		☐ ☐	☐ ☐ ☐ ☐		☐ ☐	☐ ☐	☐ ☐	☐ ☐	
	Contrast		BOACCR/FC		☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	
				A	B	C	D	E	F	G	H	I

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note: •The ☐ indicates that a choice is required.
•The absence of the ☐ indicates that no choice is required.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select LEFT facing arm connector.
LC = Left connecting chair
LT = Left connecting table
Arm connection is on Right side when seated.
- C** Select RIGHT facing arm connector.
RC = Right connecting chair
RT = Right connecting table
Arm connection is on Left side when seated.
- D** Select non-contrast or fabric contrast 1.
Refer to Upholstery Fabric cards in the KI Fabrics & Finishes binder.
- E** Select fabric contrast 2.
Refer to Upholstery Fabric cards in the KI Fabrics & Finishes binder.
- F** Select wood finish color.
Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder.
Kensington Maple requires extended lead-times; add \$31.
- G** Select TB133.
NFR = No TB133 fire retardant
FR = Fire retardant
See pricing column for TB133 upcharge.
- H** Select moisture barrier.
NMB = No moisture barrier
MB = Moisture barrier
See pricing column for moisture barrier upcharge.
- I** Select armcaps.
WAC = Wood (standard)
UAC = Upholstered, upcharge per arm; add \$23
PAC = Black poly, upcharge per arm;

add \$41
Polyurethane armcaps NOT available on TB133 approved chairs.



Approx. Packaged Weight	Grade C.O.M.	Grade C	Grade D	Grade E & C.O.L.	Grade F	Grade G	Grade H	Grade I	Grade J	Grade K	Grade L Leather	Grade M Leather	TB133 add to list price	Moisture Barrier add to list price
82#	\$ 1399	\$ 1418	\$ 1451	\$ 1493	\$ 1521	\$ 1577	\$ 1633	\$ 1745	\$ 1882	\$ 2023	\$ 2161	\$ 2440	\$ 231	\$ 174
82#	1458	1476	1510	1552	1579	1636	1692	1804	1941	2082	2220	2499	231	174

82#	\$ 1399	\$ 1418	\$ 1451	\$ 1493	\$ 1521	\$ 1577	\$ 1633	\$ 1745	\$ 1882	\$ 2023	\$ 2161	\$ 2440	\$ 231	\$ 174
82#	1458	1476	1510	1552	1579	1636	1692	1804	1941	2082	2220	2499	231	174

INFORMATION

C.O.M. Requirements

C.O.M. yardage requirements listed above are based on plain goods 54' wide. If less than 54' wide or fabrics requiring matching (stripes, plaids, prints, large patterns), additional yardage will be needed. Consult COM/COL matrix for ordering additional yardage needed. For C.O.M. fabric sent to KI-High Point on multiple rolls, add an additional yard of fabric per roll to the yardage requirements.

Multiply number of seats, backs, and arms required by yardage amount (e.g. 3 replacement seats required x 1 yard = 3 yards total).

C.O.L. Requirements

Figure 18 sq. ft. of leather (C.O.L.) for each yard shown (i.e., 4.75 x 18 = 85.5 sq ft).

Contrasting Upholstery

When contrasting fabric is chosen, price at highest in-grade.

Note:

Back cover is not removable on loveseat.

Construction

Seat frame constructed of welded structural steel. Back constructed from formed laminated plywood. (Loveseat from kiln-dried hardwood). Arms constructed from kiln-dried hardwood. Cushioning of multiple densities of polyurethane foam and dacron fiber.

California TB133 Fire Safety Code

The above seating products can be manufactured using the appropriate flame-retardant materials and fabric selection for compliance to California Technical Bulletin 133. Add "FR" to end of model number and add upcharge. Please contact KI customer service for fabric compliance. Not available with moisture barrier. Gore or Nano-Tex treatments can be used when TB133 is required.

Upcharges are the same for Left, Right, and Left/Right units.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C


Shipping

Shipped **assembled freight prepaid f.o.b. High Point, North Carolina 27263** factory. Freight class #175.

Specifications and prices are subject to change without prior notice.

Two Seat Add-on Unit-Left (Closed Arm)

- 1 = Back and arms (Fabric Contrast 1) C.O.M. = 2.25 yd
- 2 = Seat (Fabric Contrast 2) C.O.M. = 1.5 yd



Two Seat Add-on Unit-Right (Closed Arm)

- 1 = Back and arms (Fabric Contrast 1) C.O.M. = 2.25 yd
- 2 = Seat (Fabric Contrast 2) C.O.M. = 1.5 yd

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: • The ☐ indicates that a choice is required.
• The absence of the ☐ indicates that no choice is required.

A Select basic model.

B Select LEFT facing arm connector.

LC	= Left connecting chair
LT	= Left connecting table

Arm connection is on Right side when seated.

C Select RIGHT facing arm connector.

RC	= Right connecting chair
RT	= Right connecting table

Arm connection is on Left side when seated.

D Select non-contrast or fabric contrast 1.
Refer to Upholstery Fabric cards in the KI
Fabrics & Finishes binder.

E Select fabric contrast 2.
Refer to Upholstery Fabric cards in the KI
Fabrics & Finishes binder.

- F** Select wood finish color.
Refer to color addendum at ki.com or in
KI Price List or KI Fabrics & Finishes
binder.
Kensington Maple requires extended
lead-times; add \$31.

- G** Select TB133.
- | | |
|------------|---------------------------|
| NFR | = No TB133 fire retardant |
| FR | = Fire retardant |
- See pricing column for TB133 upcharge

- H** Select moisture barrier.
- | | |
|------------|-----------------------|
| NMB | = No moisture barrier |
| MB | = Moisture barrier |
- See pricing column for moisture barrier upcharge.

- 1 Select armcaps.
- | | |
|------------|---|
| WAC | = Wood (standard) |
| UAC | = Upholstered, upcharge per arm; add \$23 |
| PAC | = Black poly, upcharge per arm: |

add \$41
Polyurethane armcaps NOT available on
TB133 approved chairs.



Approx. Packaged Weight	Grade C.O.M.	Grade C	Grade D	Grade E & C.O.L.	Grade F	Grade G	Grade H	Grade I	Grade J	Grade K	Grade L Leather	Grade M Leather	TB133 add to list price	Moisture Barrier add to list price
82#	\$ 1468	\$ 1489	\$ 1529	\$ 1575	\$ 1609	\$ 1674	\$ 1739	\$ 1867	\$ 2023	\$ 2183	\$ 2343	\$ 2661	\$ 266	\$ 174
82#	1527	1547	1587	1634	1668	1733	1798	1924	2082	2241	2401	2720	266	174

82#	\$ 1468	\$ 1489	\$ 1529	\$ 1575	\$ 1609	\$ 1674	\$ 1739	\$ 1867	\$ 2023	\$ 2183	\$ 2343	\$ 2661	\$ 266	\$ 174
82#	1527	1547	1587	1634	1668	1733	1798	1924	2082	2241	2401	2720	266	174

INFORMATION

C.O.M. Requirements

C.O.M. yardage requirements listed above are based on plain goods 54' wide. If less than 54' wide or fabrics requiring matching (stripes, plaids, prints, large patterns), additional yardage will be needed. Consult COM/COL matrix for ordering additional yardage needed. For C.O.M. fabric sent to KI-High Point on multiple rolls, add an additional yard of fabric per roll to the yardage requirements.

Multiply number of seats, backs, and arms required by yardage amount (e.g. 3 replacement seats required x 1 yard = 3 yards total).

C.O.L. Requirements

Figure 18 sq. ft. of leather (C.O.L.) for each yard shown (i.e., 4.75 x 18 = 85.5 sq ft).

Contrasting Upholstery

When contrasting fabric is chosen, price at highest in-grade.

Note:

Back cover is not removable on loveseat.

Construction

Seat frame constructed of welded structural steel. Back constructed from formed laminated plywood. (Loveseat from kiln-dried hardwood). Arms constructed from kiln-dried hardwood. Cushioning of multiple densities of polyurethane foam and dacron fiber.

California TB133 Fire Safety Code

The above seating products can be manufactured using the appropriate flame-retardant materials and fabric selection for compliance to California Technical Bulletin 133. Add "FR" to end of model number and add upcharge. Please contact KI customer service for fabric compliance. Not available with moisture barrier. Gore or Nano-Tex treatments can be used when TB133 is required.

Upcharges are the same for Left, Right, and Left/Right units.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped **assembled freight prepaid f.o.b. High Point, North Carolina 27263** factory. Freight class #175.

Specifications and prices are subject to change without prior notice.

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: • The ☐ indicates that a choice is required.
• The absence of the ☐ indicates that no choice is required.

- A** Select basic model.
- B** Select LEFT facing arm connector.

LC	= Left connecting chair
LT	= Left connecting table

Arm connection is on Right side when seated.
- C** Select RIGHT facing arm connector.

RC	= Right connecting chair
RT	= Right connecting table

Arm connection is on Left side when seated.
- D** Select non-contrast or fabric contrast 1.
Refer to Upholstery Fabric cards in the KI Fabrics & Finishes binder.
- E** Select fabric contrast 2.
Refer to Upholstery Fabric cards in the KI Fabrics & Finishes binder.

- F** Select wood finish color.
Refer to color addendum at ki.com or in
KI Price List or KI Fabrics & Finishes
binder.
Kensington Maple requires extended
lead-times; add \$42.
- G** Select TB133.
- | | |
|------------|---------------------------|
| NFR | = No TB133 fire retardant |
| FR | = Fire retardant |
- See pricing column for TB133 upcharge.
- H** Select moisture barrier.
- | | |
|------------|-----------------------|
| NMB | = No moisture barrier |
| MB | = Moisture barrier |
- See pricing column for moisture barrier
upcharge.
- I** Select armcaps.
- | | |
|------------|--|
| WAC | = Wood (standard) |
| UAC | = Upholstered, upcharge per
arm; add \$23 |
| PAC | = Black poly, upcharge per arm |

add \$41
Polyurethane armcaps NOT available on
TB133 approved chairs.



Approx. Packaged Weight	Grade C.O.M.	Grade C	Grade D	Grade E & C.O.L.	Grade F	Grade G	Grade H	Grade I	Grade J	Grade K	Grade L Leather	Grade M Leather	TB133 add to list price	Moisture Barrier add to list price
122#	\$ 2057	\$ 2087	\$ 2136	\$ 2196	\$ 2240	\$ 2323	\$ 2406	\$ 2570	\$ 2772	\$ 2977	\$ 3182	\$ 3593	\$ 341	\$ 260
122#	2146	2174	2224	2285	2328	2411	2494	2657	2859	3065	3270	3681	341	260

122#	\$ 2057	\$ 2087	\$ 2136	\$ 2196	\$ 2240	\$ 2323	\$ 2406	\$ 2570	\$ 2772	\$ 2977	\$ 3182	\$ 3593	\$ 341	\$ 260
122#	2146	2174	2224	2285	2328	2411	2494	2657	2859	3065	3270	3681	341	260

INFORMATION

C.O.M. Requirements

C.O.M. yardage requirements listed above are based on plain goods 54' wide. If less than 54' wide or fabrics requiring matching (stripes, plaids, prints, large patterns), additional yardage will be needed. Consult COM/COL matrix for ordering additional yardage needed. For C.O.M. fabric sent to KI-High Point on multiple rolls, add an additional yard of fabric per roll to the yardage requirements.

Multiply number of seats, backs, and arms required by yardage amount (e.g. 3 replacement seats required x 1 yard = 3 yards total).

C.O.L. Requirements

Figure 18 sq. ft. of leather (C.O.L.) for each yard shown (i.e., 4.75 x 18 = 85.5 sq ft).

Contrasting Upholstery

When contrasting fabric is chosen, price at highest in-grade.

Note:

Back cover is not removable on loveseat.

Construction

Seat frame constructed of welded structural steel. Back constructed from formed laminated plywood. (Loveseat from kiln-dried hardwood). Arms constructed from kiln-dried hardwood. Cushioning of multiple densities of polyurethane foam and dacron fiber.

California TB133 Fire Safety Code

The above seating products can be manufactured using the appropriate flame-retardant materials and fabric selection for compliance to California Technical Bulletin 133. Add "FR" to end of model number and add upcharge. Please contact KI customer service for fabric compliance. Not available with moisture barrier. Gore or Nano-Tex treatments can be used when TB133 is required.

Upcharges are the same for Left, Right, and Left/Right units.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped **assembled freight prepaid f.o.b. High Point, North Carolina 27263** factory. Freight class #175.

Specifications and prices are subject to change without prior notice.



Approx. Packaged Weight	Grade C.O.M.	Grade C	Grade D	Grade E & C.O.L.	Grade F	Grade G	Grade H	Grade I	Grade J	Grade K	Grade L Leather	Grade M Leather	TB133 add to list price	Moisture Barrier add to list price
122#	\$ 2215	\$ 2245	\$ 2303	\$ 2374	\$ 2425	\$ 2521	\$ 2618	\$ 2811	\$ 3047	\$ 3288	\$ 3528	\$ 4008	\$ 387	\$ 260
122#	2302	2333	2391	2462	2512	2610	2706	2898	3135	3376	3616	4097	387	260

122#	\$ 2215	\$ 2245	\$ 2303	\$ 2374	\$ 2425	\$ 2521	\$ 2618	\$ 2811	\$ 3047	\$ 3288	\$ 3528	\$ 4008	\$ 387	\$ 260
122#	2302	2333	2391	2462	2512	2610	2706	2898	3135	3376	3616	4097	387	260

INFORMATION

C.O.M. Requirements

C.O.M. yardage requirements listed above are based on plain goods 54' wide. If less than 54' wide or fabrics requiring matching (stripes, plaids, prints, large patterns), additional yardage will be needed. Consult COM/COL matrix for ordering additional yardage needed. For C.O.M. fabric sent to KI-High Point on multiple rolls, add an additional yard of fabric per roll to the yardage requirements.

Multiply number of seats, backs, and arms required by yardage amount (e.g. 3 replacement seats required x 1 yard = 3 yards total).

C.O.L. Requirements

Figure 18 sq. ft. of leather (C.O.L.) for each yard shown (i.e., 4.75 x 18 = 85.5 sq ft).

Contrasting Upholstery

When contrasting fabric is chosen, price at highest in-grade.

Note:

Back cover is not removable on loveseat.

Construction

Seat frame constructed of welded structural steel. Back constructed from formed laminated plywood. (Loveseat from kiln-dried hardwood). Arms constructed from kiln-dried hardwood. Cushioning of multiple densities of polyurethane foam and dacron fiber.

California TB133 Fire Safety Code

The above seating products can be manufactured using the appropriate flame-retardant materials and fabric selection for compliance to California Technical Bulletin 133. Add "FR" to end of model number and add upcharge. Please contact KI customer service for fabric compliance. Not available with moisture barrier. Gore or Nano-Tex treatments can be used when TB133 is required.

Upcharges are the same for Left, Right, and Left/Right units.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped **assembled freight prepaid f.o.b. High Point, North Carolina 27263** factory. Freight class #175.

Specifications and prices are subject to change without prior notice.

Briar®

Multiple Seating Replacement Parts

		MODEL NUMBER						Approx. Packaged Weight
		Basic Model	Non-Contrast or Fabric Contrast 1	Arm Style	TB133	Moisture Barrier		
BRRP	Chair Replacement Seat Cover	1 yd	BRS23	☐ ☐ ☐ ☐	☐	☐ ☐ ☐	☐ ☐	5#
BRRP	Chair Replacement Back Cover	1.25 yd	BRB23	☐ ☐ ☐ ☐	☐	☐ ☐ ☐	☐ ☐	7#
BRRP	Loveseat Replacement Seat Cover	2 yd	BRS33	☐ ☐ ☐ ☐	☐	☐ ☐ ☐	☐ ☐	3#
BRRP	Chair Replacement Arm Panel Cover	.5 yd	BRPH	☐ ☐ ☐ ☐		☐ ☐ ☐	☐ ☐	5#

A

B

C

D

E

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.

HOW TO BUILD A MODEL NUMBER

- A

Select basic model.
- B

Select non-contrast or fabric contrast 1.
Refer to Upholstery Fabric cards in the KI Fabrics & Finishes binder.
- C

Select arm style.

H

= Closed arm

O

= Open arm
- D

Select TB133.

NFR

= No TB133 fire retardant

FR

= Fire retardant

See pricing column for TB133 upcharge. Not available with poly cap option.
- E

Select moisture barrier.

NMB

= No moisture barrier

MB

= Moisture barrier

See pricing column for moisture barrier upcharge.

INFORMATION

C.O.M. Requirements
C.O.M. yardage requirements listed above are based on plain goods 54" wide. If less than 54" wide or fabrics requiring matching (stripes, plaids, prints, large patterns), additional yardage will be needed. Consult C.O.M. matrix on the Ordering C.O.M., and C.O.L. page for additional yardage needed. For C.O.M. fabric sent to KI-High Point on multiple rolls, add an additional yard of fabric per roll to the yardage requirements.

C.O.L. Requirements
Figure 18 sq. ft. of leather (C.O.L.) for each yard shown (i.e., 4.75 x 18 = 85.5 sq ft).

Contrasting Upholstery
When contrasting fabric is chosen, price at highest in-grade.

Moisture Barrier
Moisture barrier is applied underneath the fabric cover as a means of protecting the foam. Not available with TB133.

California TB133 Fire Safety Code
The above seating products can be manufactured using the appropriate flame-retardant materials and fabric selection for compliance to California Technical Bulletin 133. Add "FR" to end of model number and add upcharge. Please contact KI customer service for fabric compliance. Not available with moisture barrier. Gore or Nano-Tex treatments can be used when TB133 is required.



Grade C.O.M.	Grade C	Grade D	Grade E & C.O.L.	Grade F	Grade G	Grade H	Grade I	Grade J	Grade K	Grade L Leather	Grade M Leather	TB133 add to list price	Moisture Barrier add to list price
\$ 116	\$ 121	\$ 132	\$ 145	\$ 154	\$ 174	\$ 191	\$ 228	\$ 273	\$ 319	\$ 363	\$ 455	\$ 70	\$ 44
\$ 116	\$ 123	\$ 136	\$ 152	\$ 165	\$ 188	\$ 211	\$ 257	\$ 313	\$ 370	\$ 427	\$ 541	\$ 72	\$ 44
\$ 195	\$ 207	\$ 228	\$ 255	\$ 274	\$ 311	\$ 347	\$ 419	\$ 510	\$ 601	\$ 692	\$ 873	\$ 107	\$ 72
\$ 62	\$ 63	\$ 65	\$ 68	\$ 70	\$ 75	\$ 79	\$ 90	\$ 100	\$ 113	\$ 124	\$ 146	\$ 23	\$ 14

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C





Shipping

Shipped **assembled unless replacement parts which ship k.d. freight prepaid High Point, North Carolina 27263** factory. Freight class #175.

Specifications and prices are subject to change without prior notice.

Briar®

Connecting Tables

MODEL	Features	MODEL NUMBER			Approx. Packaged Weight
		Basic Model	Wood Finish	Laminate Color	
 BRCT	Laminate Top	BT.L	☐ ☐ ☐	☐ ☐ ☐	31#
	Wood Veneer Top	BT.V	☐ ☐ ☐		31#
 BRCT	Laminate Top	BET.L	☐ ☐ ☐	☐ ☐ ☐	40#
	Wood Veneer Top	BET.V	☐ ☐ ☐		40#
 BRCT	Laminate Top	BT45.L	☐ ☐ ☐	☐ ☐ ☐	26#
	Wood Veneer Top	BT45.V	☐ ☐ ☐		26#
 BRCT	Laminate Top	BT90.L	☐ ☐ ☐	☐ ☐ ☐	50#
	Wood Veneer Top	BT90.V	☐ ☐ ☐		50#
		A	B	C	

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note: •The ☐ indicates that a choice is required.
•The absence of the ☐ indicates that no choice is required.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select wood finish color.
Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder.
For Kensington Maple add upcharge.
- C** Select laminate color.
Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder.

KENSINGTON MAPLE UPCHARGE

Kensington Maple requires extended lead-times.	
Model	
BT.L	\$47
BT.V	\$47
BET.L	\$58
BET.V	\$58
BT45.L	\$42
BT45.V	\$42
BT90.L	\$141
BT90.V	\$141

INFORMATION

Construction
Constructed of kiln-dried hardwood and veneers.



Delivered Pricing

\$ 441

513

\$ 564

660

\$ 658

799

\$ 934

1011

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped **assembled freight prepaid f.o.b. High Point, North Carolina 27263** factory.
Freight class #175.

Specifications and prices are subject to change without prior notice.

Dorsal® Operational Tandem

General Information




Operational Armless Seat Tandem (DT4NAUB/S3/IT1)

Operational Arm Seat Tandem (DT3WAUB/S3)

Features

Movable base	•	•
Wallsaver base	•	•
Back-to-back ganging	•	•
In-line tables	•	•
Corner ganging tables	•	•
Available fully upholstered	•	•
Available with upholstered seat	•	•
Available without upholstery	•	•



“C” Base

SPECIFICATIONS

Operational Seats

Unupholstered chairs have a textured thermo-plastic shell. Upholstered chairs have fabric covered, extra thick, soft foam backrest and seat cushions fastened to an inner shell. Automatic mechanism governs backrest movement. Powder-coated steel arms with plastic caps.

“C” Base

Cast aluminum alloy leg section. 14-gauge, 1” x 2” seamless steel column. Columns are welded to a yoke/plate which clamps onto beam. Nonwallsaver standard. Wallsaver option is black molded plastic extension of rear glides. Upright and base are painted monochromatic with beam and yoke.

In-line Tables

Used in place of seats. Solid core top measures 20” x 20” x 7/8”. High-density particle-board with plastic laminate surface and vinyl bullnose edge.

“L” Corner Table Assembly

Corners are formed by mounting beam extensions joined by a tabletop and supported by one leg section for each beam plus a 7/8” square leg located at the corner. Tables are 30” x 30” x 7/8” high-density particleboard with plastic laminate surface and vinyl bull-nose edge.

Back Ganging Bar

Couples units back-to-back. Bolts to seat table or beam. Fabricated heavy-gauge steel with finish to match frame. Removable. Two-to five-place units to be ganged require two ganging bars. For larger units, contact KI.

INFORMATION

C.O.M Testing and Production Requirements

Not all materials are suitable for upholstering this product. A 1 yard sample must be submitted and approved prior to acceptance of an order. If the fabric is directional in pattern or

weave, the direction must be indicated on the submitted sample, and additional yardage may be requested.

Test samples must be sent to:

KI
Attn: C.O.M. Specialist
1330 Bellevue Street
Green Bay, WI 54302

Design


Designed and developed by Emilio Ambasz and Giancarlo Piretti for OPENArk B.V. Manufactured in the USA by Krueger International, Inc. under license from OPENArk B.V.

Dorsal® is a registered trademark of OPENArk B.V. and is used under license by Krueger International, Inc.



Dorsal® Operational Tandem

General Information



INFORMATION

Warranty

Refer to KI Terms & Conditions document or visit ki.com

Dorsal® Operational Tandem

Multiple Seating

MODEL	Features	MODEL NUMBER						
		Basic Model	Corner Table Connection	Frame Color	Seat & Back Color	Surface Finish	Edge Color	
 DT1P DT2P DT3P DT4P DT5P	Operational Armless Seat Unupholstered	1 Seat, 0 In-line Table	DT1NAP/S1/IT0	☐	☐	☐	☐	
	- Automatically adopts upright and relax positions - Available with movable "C" base only - When selecting a corner connection, corner table must be ordered separately	1 Seat, 1 In-line Table	DT2NAP/S1/IT1	☐	☐	☐	☐	
		2 Seats, 0 In-line Table	DT2NAP/S2/IT0	☐	☐	☐	☐	
		2 Seats, 1 In-line Table	DT3NAP/S2/IT1	☐	☐	☐	☐	
		3 Seats, 0 In-line Table	DT3NAP/S3/IT0	☐	☐	☐	☐	
		2 Seats, 2 In-line Table	DT4NAP/S2/IT2	☐	☐	☐	☐	
		3 Seats, 1 In-line Table	DT4NAP/S3/IT1	☐	☐	☐	☐	
		4 Seats, 0 In-line Table	DT4NAP/S4/IT0	☐	☐	☐	☐	
		3 Seats, 2 In-line Table	DT5NAP/S3/IT2	☐	☐	☐	☐	
		4 Seats, 1 In-line Table	DT5NAP/S4/IT1	☐	☐	☐	☐	
		5 Seats, 0 In-line Table	DT5NAP/S5/IT0	☐	☐	☐	☐	
 DT1P DT2P DT3P DT4P DT5P	Operational Arm Seat Unupholstered	1 Seat, 0 In-line Table	DT1WAP/S1/IT0	☐	☐	☐	☐	
	- Automatically adopts upright and relax positions - Available with movable "C" base only - Arms are powder-coated steel with plastic caps - When selecting a corner connection, corner table must be ordered separately	1 Seat, 1 In-line Table	DT2WAP/S1/IT1	☐	☐	☐	☐	
		2 Seats, 0 In-line Table	DT2WAP/S2/IT0	☐	☐	☐	☐	
		2 Seats, 1 In-line Table	DT3WAP/S2/IT1	☐	☐	☐	☐	
		3 Seats, 0 In-line Table	DT3WAP/S3/IT0	☐	☐	☐	☐	
		2 Seats, 2 In-line Table	DT4WAP/S2/IT2	☐	☐	☐	☐	
		3 Seats, 1 In-line Table	DT4WAP/S3/IT1	☐	☐	☐	☐	
		4 Seats, 0 In-line Table	DT4WAP/S4/IT0	☐	☐	☐	☐	
		3 Seats, 2 In-line Table	DT5WAP/S3/IT2	☐	☐	☐	☐	
		4 Seats, 1 In-line Table	DT5WAP/S4/IT1	☐	☐	☐	☐	
		5 Seats, 0 In-line Table	DT5WAP/S5/IT0	☐	☐	☐	☐	

A

B

C

D

E

F

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note: • The ☐ indicates that a choice is required.
• The absence of the ☐ indicates that no choice is required.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.

- B** Select corner table connection.

L = Unit connects to one corner table

LL = Unit connects to two corner tables

NC = No corner table

- C** Select frame color.

Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder.

- D** Select seat/back color.

Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder.

- E** Select surface finish for table.

Refer to color addendum at ki.com or in

KI Price List or KI Fabrics & Finishes binder. Surface finish offerings are based on edge style selections.

- F** Select table edge color.

Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder. Edge color offerings are based on edge style selections.

OPTIONS

California TB133 Fire Safety Code

The above seating products can be manufactured using the appropriate flame-retardant materials for compliance to California Technical Bulletin 133. Add "FR" to end of model number.

Model=No Upholstery
Added Lead Time=1 week
Added List Price=\$47 per seat



Dorsal® Operational Tandem

Multiple Seating

Approx. Packaged Weight	Delivered Pricing
20#	\$ 377
34#	669
40#	757
54#	1046
60#	1135
68#	1336
74#	1424
85#	1515
93#	1714
99#	1805
105#	1894
25#	\$ 487
39#	887
50#	1088
64#	1486
75#	1577
78#	1779
89#	1976
100#	2066
108#	2375
119#	2466
130#	2555

ACCESSORIES

Wallsaver Option
DOP.WS = \$23
(1 per base)

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped **k.d. freight prepaid f.o.b. Green Bay, Wisconsin 54302** factory. Freight class #70.

Specifications and prices are subject to change without prior notice.

Dorsal® Operational Tandem

Multiple Seating

	Features	MODEL NUMBER							Approx. Packaged Weight
		Basic Model	Corner Table Connection	Frame Color	Seat & Back Color	Surface Finish	Edge Color	Upholstery Color	
 DT1US DT2US DT3US DT4US DT5US	1 Seat, 0 In-line Table	DT1NAUS/S1/IT0	☐	☐	☐			☐	21#
	1 Seat, 1 In-line Table	DT2NAUS/S1/IT1	☐	☐	☐	☐	☐	☐	35#
	2 Seats, 0 In-line Table	DT2NAUS/S2/IT0	☐	☐	☐			☐	42#
	2 Seats, 1 In-line Table	DT3NAUS/S2/IT1	☐	☐	☐	☐	☐	☐	56#
	3 Seats, 0 In-line Table	DT3NAUS/S3/IT0	☐	☐	☐			☐	63#
	2 Seats, 2 In-line Table	DT4NAUS/S2/IT2	☐	☐	☐	☐	☐	☐	70#
	3 Seats, 1 In-line Table	DT4NAUS/S3/IT1	☐	☐	☐	☐	☐	☐	77#
	4 Seats, 0 In-line Table	DT4NAUS/S4/IT0	☐	☐	☐			☐	84#
	3 Seats, 2 In-line Table	DT5NAUS/S3/IT2	☐	☐	☐	☐	☐	☐	96#
	4 Seats, 1 In-line Table	DT5NAUS/S4/IT1	☐	☐	☐	☐	☐	☐	103#
 DT1UB DT2UB DT3UB DT4UB DT5UB	1 Seat, 0 In-line Table	DT1NAUB/S1/IT0	☐	☐	☐			☐	22#
	1 Seat, 1 In-line Table	DT2NAUB/S1/IT1	☐	☐	☐	☐	☐	☐	36#
	2 Seats, 0 In-line Table	DT2NAUB/S2/IT0	☐	☐	☐			☐	44#
	2 Seats, 1 In-line Table	DT3NAUB/S2/IT1	☐	☐	☐	☐	☐	☐	58#
	3 Seats, 0 In-line Table	DT3NAUB/S3/IT0	☐	☐	☐			☐	66#
	2 Seats, 2 In-line Table	DT4NAUB/S2/IT2	☐	☐	☐	☐	☐	☐	72#
	3 Seats, 1 In-line Table	DT4NAUB/S3/IT1	☐	☐	☐	☐	☐	☐	80#
	4 Seats, 0 In-line Table	DT4NAUB/S4/IT0	☐	☐	☐			☐	88#
	3 Seats, 2 In-line Table	DT5NAUB/S3/IT2	☐	☐	☐	☐	☐	☐	94#
	4 Seats, 1 In-line Table	DT5NAUB/S4/IT1	☐	☐	☐	☐	☐	☐	107#
	5 Seats, 0 In-line Table	DT5NAUB/S5/IT0	☐	☐	☐			☐	115#

A

B

C

D

E

F

G

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note: •The ☐ indicates that a choice is required.
 •The absence of the ☐ indicates that no choice is required.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.

- B** Select corner table connection.

L = Unit connects to one corner table

LL = Unit connects to two corner tables

NC = No corner table

- C** Select frame color.

Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder.

- D** Select seat/back color.

Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder.

- E** Select surface finish for table.

Refer to color addendum at ki.com or in

KI Price List or KI Fabrics & Finishes binder. Surface finish offerings are based on edge style selections.

- F** Select table edge color.

Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder. Edge color offerings are based on edge style selections.

- G** Select upholstery grade/color.

Refer to color addendum at ki.com or in KI Fabrics & Finishes binder.

OPTIONS

California TB133 Fire Safety Code

The above seating products can be manufactured using the appropriate flame-retardant materials for compliance to California Technical Bulletin 133. Add "FR" to end of model number.

Model=Upholstery
 Added Lead Time=1 week
 Added List Price=\$78 per seat



Dorsal® Operational Tandem

Multiple Seating

Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
\$ 485	\$ 507	\$ 514	\$ 535	\$ 565	\$ 586	\$ 607
776	797	805	825	853	876	900
975	1014	1031	1071	1127	1171	1217
1265	1304	1321	1359	1417	1459	1506
1463	1521	1549	1607	1693	1757	1823
1554	1591	1610	1647	1703	1750	1792
1752	1810	1836	1895	1978	2047	2113
1951	2028	2064	2140	2254	2344	2434
2039	2099	2125	2185	2268	2335	2404
2239	2319	2353	2432	2543	2632	2722
2437	2533	2580	2675	2815	2929	3041
\$ 541	\$ 594	\$ 599	\$ 597	\$ 629	\$ 652	\$ 686
830	882	887	885	917	944	975
1082	1188	1197	1193	1257	1312	1372
1372	1478	1486	1482	1549	1601	1630
1622	1780	1795	1788	1885	1966	2054
1662	1763	1778	1769	1836	1891	1950
1912	2068	2088	2078	2176	2259	2346
2163	2373	2396	2385	2514	2622	2742
2203	2357	2375	2366	2466	2545	2634
2452	2663	2687	2673	2805	2913	3033
2704	2968	2997	2981	3145	3278	3427

ACCESSORIES

Wallsaver Option
DOP.WS = \$23
(1 per base)

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped **k.d. freight prepaid f.o.b. Green Bay, Wisconsin 54302** factory. Freight class #70.

Specifications and prices are subject to change without prior notice.

Dorsal® Operational Tandem

Multiple Seating

	Features	MODEL NUMBER							Approx. Packaged Weight
		Basic Model	Corner Table Connection	Frame Color	Seat & Back Color	Surface Finish	Edge Color	Upholstery Color	
 DT1US DT2US DT3US DT4US DT5US	1 Seat, 0 In-line Table	DT1WAUS/S1/IT0	☐	☐	☐			☐	26#
	1 Seat, 1 In-line Table	DT2WAUS/S1/IT1	☐	☐	☐	☐	☐	☐	40#
	2 Seats, 0 In-line Table	DT2WAUS/S2/IT0	☐	☐	☐			☐	52#
	2 Seats, 1 In-line Table	DT3WAUS/S2/IT1	☐	☐	☐	☐	☐	☐	66#
	3 Seats, 0 In-line Table	DT3WAUS/S3/IT0	☐	☐	☐			☐	78#
	2 Seats, 2 In-line Table	DT4WAUS/S2/IT2	☐	☐	☐	☐	☐	☐	80#
	3 Seats, 1 In-line Table	DT4WAUS/S3/IT1	☐	☐	☐	☐	☐	☐	92#
	4 Seats, 0 In-line Table	DT4WAUS/S4/IT0	☐	☐	☐			☐	104#
	3 Seats, 2 In-line Table	DT5WAUS/S3/IT2	☐	☐	☐	☐	☐	☐	111#
	4 Seats, 1 In-line Table	DT5WAUS/S4/IT1	☐	☐	☐	☐	☐	☐	123#
 DT1UB DT2UB DT3UB DT4UB DT5UB	5 Seats, 0 In-line Table	DT5WAUS/S5/IT0	☐	☐	☐			☐	135#
	1 Seat, 0 In-line Table	DT1WAUB/S1/IT0	☐	☐	☐			☐	27#
	1 Seat, 1 In-line Table	DT2WAUB/S1/IT1	☐	☐	☐	☐	☐	☐	41#
	2 Seats, 0 In-line Table	DT2WAUB/S2/IT0	☐	☐	☐			☐	54#
	2 Seats, 1 In-line Table	DT3WAUB/S2/IT1	☐	☐	☐	☐	☐	☐	68#
	3 Seats, 0 In-line Table	DT3WAUB/S3/IT0	☐	☐	☐			☐	81#
	2 Seats, 2 In-line Table	DT4WAUB/S2/IT2	☐	☐	☐	☐	☐	☐	82#
	3 Seats, 1 In-line Table	DT4WAUB/S3/IT1	☐	☐	☐	☐	☐	☐	95#
	4 Seats, 0 In-line Table	DT4WAUB/S4/IT0	☐	☐	☐			☐	108#
	3 Seats, 2 In-line Table	DT5WAUB/S3/IT2	☐	☐	☐	☐	☐	☐	109#
	4 Seats, 1 In-line Table	DT5WAUB/S4/IT1	☐	☐	☐	☐	☐	☐	127#
	5 Seats, 0 In-line Table	DT5WAUB/S5/IT0	☐	☐	☐			☐	140#
			A	B	C	D	E	F	G

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note: • The ☐ indicates that a choice is required.
• The absence of the ☐ indicates that no choice is required.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

B Select corner table connection.

L = Unit connects to one corner table

LL = Unit connects to two corner tables

NC = No corner table

C Select frame color.

Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder.

D Select seat/back color.

Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder.

E Select surface finish for table.

Refer to color addendum at ki.com or in

KI Price List or KI Fabrics & Finishes binder. Surface finish offerings are based on edge style selections.

F Select table edge color.

Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder. Edge color offerings are based on edge style selections.

G Select upholstery grade/color.

Refer to color addendum at ki.com or in KI Fabrics & Finishes binder.

OPTIONS

California TB133 Fire Safety Code

The above seating products can be manufactured using the appropriate flame-retardant materials for compliance to California Technical Bulletin 133. Add "FR" to end of model number.
Model=Upholstery
Added Lead Time=1 week
Added List Price=\$78 per seat



Dorsal® Operational Tandem

Multiple Seating

Delivered Pricing Fabric Grade 1	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
\$ 597	\$ 617	\$ 625	\$ 646	\$ 675	\$ 697	\$ 721
995	1017	1024	1045	1075	1097	1118
1306	1344	1362	1399	1456	1501	1549
1703	1744	1761	1798	1855	1901	1946
1902	1961	1989	2047	2132	2197	2265
1994	2034	2051	2090	2148	2191	2236
2302	2361	2388	2445	2530	2599	2665
2502	2580	2614	2692	2805	2895	2983
2702	2761	2787	2843	2929	2999	3064
2900	2979	3013	3091	3205	3292	3382
3098	3196	3239	3338	3480	3588	3702
\$ 652	\$ 704	\$ 710	\$ 707	\$ 739	\$ 766	\$ 797
1050	1102	1109	1106	1137	1164	1195
1413	1517	1529	1524	1589	1643	1701
1814	1918	1928	1924	1989	2043	2101
2065	2221	2239	2231	2328	2409	2498
2101	2206	2216	2211	2276	2330	2375
2465	2619	2639	2630	2727	2808	2897
2717	2925	2949	2936	3068	3176	3294
2863	3017	3037	3029	3127	3208	3298
3116	3472	3347	3337	3466	3574	3691
3369	3628	3658	3642	3808	3941	4088

ACCESSORIES

Wallsaver Option
DOP.WS = \$23
(1 per base)

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped **k.d. freight prepaid f.o.b. Green Bay, Wisconsin 54302** factory. Freight class #70.

Specifications and prices are subject to change without prior notice.

DTCT

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: • The ☐ indicates that a choice is required.
• The absence of the ☐ indicates that no choice is required.

- A** Select basic model.
Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder.
- B** Select frame color.
Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder.
- C** Select surface finish for table.
Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder. Surface finish offerings are based on edge style selections.
- D** Select table edge color.
Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder. Edge color offerings are based on edge style selections.



Dorsal[®] Operational Tandem

Multiple Seating

Delivered Pricing	
\$	516
	873
\$	173

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped **k.d. freight prepaid f.o.b. Green Bay, Wisconsin 54302** factory. Freight class #70.

Specifications and prices are subject to change without prior notice.

Eden™

General Information



Eden™ Armless



Eden™ With Arm






Wedge



Center Arm

Features

Dimensions				
Overall width	23"	26"	31"	3"
Overall depth	32"	32"	32"	18"
Overall height	29"	29"	29"	7.5"



UPHOLSTERY INFORMATION

C.O.M. Fabric

For C.O.M. fabric sent to KI-High Point on multiple rolls, add an additional yard of fabric per roll to the yardage requirements. Multiple rolls have shorter pieces of fabric on them and do not allow nesting and stacking of the fabric to achieve the best yield as is done with one large roll. This results in yardage shortages and requests for additional fabric from the client, which can hold up the order. For each roll that is sent, one yard needs to be added and needs to be added to one of the rolls, not separately.

SPECIAL FINISH MATCHES

KI can match special finish requests at an upcharge of \$57 List per item, up to 12 or a maximum charge of \$618 List per order per color. Special finish requests must be sent to your KI customer service representative.

the customer for approval.

The approval form accompanying the strike-off should be faxed to your KI customer service representative. Upon receipt of the signed approval form, KI will proceed with the order. Disapproved samples may be sent back to KI directly with an explanation of disapproval. A Special Finish Number (SFN) will be assigned to this finish sample for future reference or reorders.

Upon receipt from KI, the finishing department will prepare a "strike-off" which will be sent to



Table

Corner Table




Features		
Dimensions		
Overall width	23"	46"
Overall depth	32"	32"
Overall height	17"	17"

INFORMATION

Warranty
Refer to KI Terms & Conditions document or
visit ki.com

Eden™

Modular Seating

MODEL	Features	COM	MODEL NUMBER						
			Basic Model	Non-Contrast or Fabric Contrast 1	Fabric Contrast 2	Wood Finish	Ganging Option	TB133	
 EDCH	Armless Chair	Non-contrast 2.5 yd	B2	☐ ☐ ☐ ☐		☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	
	• 1 = Back (Fabric Contrast 1) C.O.M. = 1.75 yd	Contrast	B2/FC	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	
	• 2 = Seat (Fabric Contrast 2) C.O.M. = 1.5 yd								
 EDCH	Chair w/Left Arm	Non-contrast 3.25 yd	B221	☐ ☐ ☐ ☐		☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	
	• 1 = Back and arms (Fabric Contrast 1) C.O.M. = 2.5 yd	Contrast	B221/FC	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	
	• 2 = Seat (Fabric Contrast 2) C.O.M. = 1.5 yd								
 EDCH	Chair w/Right Arm	Non-contrast 3.25 yd	B222	☐ ☐ ☐ ☐		☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	
	• 1 = Back and arms (Fabric Contrast 1) C.O.M. = 2.5 yd	Contrast	B222/FC	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	
	• 2 = Seat (Fabric Contrast 2) C.O.M. = 1.5 yd								
			A	B	C	D	E	F	

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note: • The ☐ indicates that a choice is required.
• The absence of the ☐ indicates that no choice is required.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select non-contrast or fabric contrast 1. Refer to Upholstery Fabric cards in the KI Fabrics & Finishes binder.
- C** Select fabric contrast 2. Refer to Upholstery Fabric cards in the KI Fabrics & Finishes binder.
- D** Select wood finish color. Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder.
- E** Select ganging option.
NGG = Nonganging
GDV = Ganging; add \$11
 Ganging upcharge is per connection.

- F** Select TB133.
NFR = No TB133 fire retardant
FR = Fire retardant

INFORMATION

C.O.M. Requirements

C.O.M. yardage requirements listed above are based on plain goods 54" wide. If less than 54" wide or fabrics requiring matching (stripes, plaids, prints, large patterns), additional yardage will be needed. Consult C.O.M. matrix on the Ordering C.O.M., and C.O.L. page for additional yardage needed. For C.O.M. fabric sent to KI-High Point on multiple rolls, add an additional yard of fabric per roll to the yardage requirements.

C.O.L. Requirements

Figure 18 sq. ft. of leather (C.O.L.) for each yard shown (i.e., 4.75 x 18 = 85.5 sq ft).

Contrasting Upholstery

When contrasting fabric is chosen, price at highest in-grade.

California TB133 Fire Safety Code

The above seating products can be manufactured using the appropriate flame-retardant materials and fabric selection for compliance to California Technical Bulletin 133. Add



Approx. Packaged Weight	Grade C.O.M.	Grade C	Grade D	Grade E & C.O.L.	Grade F	Grade G	Grade H	Grade I	Grade J	Grade K	Grade L Leather	Grade M Leather	TB133 add to list price
56#	\$ 691	\$ 707	\$ 740	\$ 777	\$ 805	\$ 858	\$ 908	\$ 1012	\$ 1142	\$ 1269	\$ 1400	\$ 1660	\$ 162
56#	721	737	769	807	834	886	938	1041	1171	1298	1429	1688	162
66#	\$ 837	\$ 860	\$ 899	\$ 948	\$ 983	\$ 1048	\$ 1114	\$ 1247	\$ 1409	\$ 1573	\$ 1738	\$ 2067	\$ 128
66#	867	889	929	977	1012	1078	1144	1277	1438	1603	1767	2096	128
66#	\$ 837	\$ 860	\$ 899	\$ 948	\$ 983	\$ 1048	\$ 1114	\$ 1247	\$ 1409	\$ 1573	\$ 1738	\$ 2067	\$ 128
66#	867	889	929	977	1012	1078	1144	1277	1438	1603	1767	2096	128

"FR" to end of model number and add upcharge. Please contact KI customer service for fabric compliance. Not available with moisture barrier. Gore or Nano-Tex treatments can be used when TB133 is required.

Construction

Frame of laminated plywood and kiln-dried hardwood. Cushioning of multiple densities of polyurethane foam and dacron fiber. Black recessed wood base.

Gangers

Ganging device is 11-gauge steel powder coated black. 3 3/8" wide x 5/8" deep x 1/16" thick. Ganging device attaches to the front and rear glides on each side of each unit at the bottom of the plinth base.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped **assembled freight prepaid f.o.b. High Point, North Carolina 27263** factory. Freight class #175.

Specifications and prices are subject to change without prior notice.

Eden™
Modular Seating

				MODEL NUMBER						
				Basic Model	Non-Contrast or Fabric Contrast 1	Fabric Contrast 2	Wood Finish	Ganging Option	TB133	
MODEL	Features	COM								
 EDCH	Non-contrast	3 yd	B6	☐ ☐ ☐ ☐		☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐		
	Contrast		B6/FC	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐		
 EDCH	Non-contrasting	3 yd	B7	☐ ☐ ☐ ☐		☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐		
	Contrasting		B7/FC	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐		
 EDCH	Non-contrast	.5 yd	B8	☐ ☐ ☐ ☐		☐ ☐ ☐		☐ ☐ ☐		
			A	B	C	D	E	F		

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: •The ☐ indicates that a choice is required.
•The absence of the ☐ indicates that no choice is required.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select non-contrast or fabric contrast 1. Refer to Upholstery Fabric cards in the KI Fabrics & Finishes binder.
- C** Select fabric contrast 2. Refer to Upholstery Fabric cards in the KI Fabrics & Finishes binder.
- D** Select wood finish color. Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder.
- E** Select ganging option.
NGG = Nonganging
GDV = Ganging; add \$11
Ganging upcharge is per connection.

- F** Select TB133.
NFR = No TB133 fire retardant
FR = Fire retardant

INFORMATION

C.O.M. Requirements
C.O.M. yardage requirements listed above are based on plain goods 54" wide. If less than 54" wide or fabrics requiring matching (stripes, plaids, prints, large patterns), additional yardage will be needed. Consult C.O.M. matrix on the Ordering C.O.M., and C.O.L. page for additional yardage needed. For C.O.M. fabric sent to KI-High Point on multiple rolls, add an additional yard of fabric per roll to the yardage requirements.

C.O.L. Requirements
Figure 18 sq. ft. of leather (C.O.L.) for each yard shown (i.e., 4.75 x 18 = 85.5 sq ft).

Contrasting Upholstery
When contrasting fabric is chosen, price at highest in-grade.

California TB133 Fire Safety Code
The above seating products can be manufactured using the appropriate flame-retardant materials and fabric selection for compliance to California Technical Bulletin 133. Add



Approx. Packaged Weight	Grade C.O.M.	Grade C	Grade D	Grade E & C.O.L.	Grade F	Grade G	Grade H	Grade I	Grade J	Grade K	Grade L Leather	Grade M Leather	TB133 add to list price
80#	\$ 803	\$ 822	\$ 858	\$ 899	\$ 931	\$ 988	\$ 1045	\$ 1159	\$ 1304	\$ 1448	\$ 1593	\$ 1881	\$ 190
80#	832	851	886	929	960	1017	1075	1189	1334	1477	1622	1910	190
60#	\$ 803	\$ 822	\$ 858	\$ 899	\$ 931	\$ 988	\$ 1045	\$ 1159	\$ 1304	\$ 1448	\$ 1593	\$ 1881	\$ 190
60#	832	851	886	929	960	1017	1075	1189	1334	1477	1622	1910	190
10#	\$ 157	\$ 161	\$ 167	\$ 176	\$ 184	\$ 196	\$ 208	\$ 220	\$ 246	\$ 272	\$ 295	\$ 345	\$ 41

"FR" to end of model number and add upcharge. Please contact KI customer service for fabric compliance. Not available with moisture barrier. Gore or Nano-Tex treatments can be used when TB133 is required.

Construction

Frame of laminated plywood and kiln-dried hardwood. Cushioning of multiple densities of polyurethane foam and dacron fiber. Black recessed wood base.

Gangers

Ganging device is 11-gauge steel powder coated black. 3 3/8" wide x 5/8" deep x 1/16" thick. Ganging device attaches to the front and rear glides on each side of each unit at the bottom of the plinth base.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped **assembled freight prepaid f.o.b. High Point, North Carolina 27263** factory. Freight class #175.

Specifications and prices are subject to change without prior notice.

Eden™
Modular Seating

			MODEL NUMBER					Approx. Packaged Weight
			Basic Model	Non-Contrast or Fabric Contrast 1	Wood Finish	TB133	Laminate Color	
MODEL	COM							
  EDTB	Table w/Laminate Top	1.5 yd	B3	☐ ☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	41#
  EDTB	Corner Table w/Laminate Top	2.25 yd	B4	☐ ☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	77#
			A	B	C	D	E	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: •The ☐ indicates that a choice is required.
•The absence of the ☐ indicates that no choice is required.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select non-contrast or fabric contrast 1. Refer to Upholstery Fabric cards in the KI Fabrics & Finishes binder.
- C** Select wood finish color. Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder.
- D** Select TB133.
NFR = No TB133 fire retardant
FR = Fire retardant
- E** Select laminate color. Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder.

INFORMATION

C.O.M. Requirements
C.O.M. yardage requirements listed above are based on plain goods 54" wide. If less than 54" wide or fabrics requiring matching (stripes, plaids, prints, large patterns), additional yardage will be needed. Consult C.O.M. matrix on the Ordering C.O.M., and C.O.L. page for additional yardage needed. For C.O.M. fabric sent to KI-High Point on multiple rolls, add an additional yard of fabric per roll to the yardage requirements.

C.O.L. Requirements
Figure 18 sq. ft. of leather (C.O.L.) for each yard shown (i.e., 4.75 x 18 = 85.5 sq ft).

Contrasting Upholstery
When contrasting fabric is chosen, price at highest in-grade.

California TB133 Fire Safety Code
The above seating products can be manufactured using the appropriate flame-retardant materials and fabric selection for compliance to California Technical Bulletin 133. Add

"FR" to end of model number and add upcharge. Please contact KI customer service for fabric compliance. Not available with moisture barrier. Gore or Nano-Tex treatments can be used when TB133 is required.

Construction
Frame of laminated plywood and kiln-dried hardwood. Cushioning of multiple densities of polyurethane foam and dacron fiber. Black recessed wood base.

Construction
Tabletops for B3 and B4, standard in Wilsonart Black 1595-60 laminate. Available in any standard laminate - see color addendum for details and specify.



Grade C.O.M.	Grade C	Grade D	Grade E & C.O.L.	Grade F	Grade G	Grade H	Grade I	Grade J	Grade K	Grade L Leather	Grade M Leather	TB133 add to list price
\$ 571	\$ 584	\$ 602	\$ 625	\$ 640	\$ 672	\$ 703	\$ 763	\$ 838	\$ 916	\$ 991	\$ 1144	\$ 104
\$ 803	\$ 818	\$ 847	\$ 881	\$ 906	\$ 954	\$ 1002	\$ 1096	\$ 1213	\$ 1331	\$ 1449	\$ 1685	\$ 144

SPECIAL SERVICES
Special Carton Marking

With specially marked information N/C

Shipping

 Shipped **assembled freight prepaid f.o.b. High Point, North Carolina 27263** factory. Freight class #175.

Specifications and prices are subject to change without prior notice.

Flex™

General Information



Flex™ (Traditional)

Dimensions	
Overall width	23.75"
Overall depth	30"
Overall height	33"

SPECIFICATIONS

Complimentary Furniture

The following guest chairs offer complimentary furniture that creates continuity and a cohesive look throughout a facility. These complimentary pieces can be found in other sections of the KI price list.

Flex™

FLEX - Flex Healthcare Seating, Flex Occasional Tables

LARESTA FREESTANDING - LaResta® Day Bed

Perth®

Perth® - Perth® Healthcare Seating

LARESTA FREESTANDING - LaResta® Day Bed

Soltice®

Soltice® - Soltice® Healthcare Seating, Soltice® Guest Seating, Soltice® Lounge

Seating

LARESTA FREESTANDING - LaResta® Day Bed

Three®

THREE - Three Healthcare Seating, Three Lounge Seating

UPHOLSTERY INFORMATION

C.O.M. Fabric

For C.O.M. fabric sent to KI-High Point on multiple rolls, add an additional yard of fabric per roll to the yardage requirements. Multiple rolls have shorter pieces of fabric on them and do not allow nesting and stacking of the fabric to achieve the best yield as is done with one large roll. This results in yardage shortages and requests for additional fabric from the client, which can hold up the order. For each roll that is sent, one yard needs to be added and needs to be added to one of the rolls, not separately.

SPECIAL FINISH MATCHES

KI can match special finish requests at an upcharge of \$58 List per item, up to 12 or a maximum charge of \$627 List per order per color. Special finish requests must be sent to your KI customer service representative.

Upon receipt from KI, the finishing department will prepare a "strike-off" which will be sent to the customer for approval.

The approval form accompanying the strike-off should be faxed to your KI customer service representative. Upon receipt of the signed approval form, KI will proceed with the order. Disapproved samples may be sent back to KI directly with an explanation of disapproval. A Special Finish Number (SFN) will be assigned to this finish sample for future reference or reorders.



INFORMATION


Warranty

Refer to KI Terms & Conditions document or
visit ki.com

ELMS

One Seat (Open Arm)

- 1 = Back (Fabric Contrast 1) C.O.M. = 1.25 yd
- 2 = Seat (Fabric Contrast 2) C.O.M. = 1 yd



One Seat (Closed Arm)

- 1 = Back and arms (Fabric Contrast 1) C.O.M. = 2.75 yd
- 2 = Seat (Fabric Contrast 2) C.O.M. = 1 yd

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.

A Select basic model.

- B** Select LEFT facing arm connector.
- | | |
|-----------|-------------------------|
| LC | = Left connecting chair |
| LT | = Left connecting table |
- Arm connection is on Right side when seated.
- C** Select RIGHT facing arm connector.
- | | |
|-----------|--------------------------|
| RC | = Right connecting chair |
| RT | = Right connecting table |
- Arm connection is on Left side when seated.
- D** Select non-contrast or fabric contrast 1.
Refer to Upholstery Fabric cards in the KI
Fabrics & Finishes binder.
- E** Select fabric contrast 2.
Refer to Upholstery Fabric cards in the KI
Fabrics & Finishes binder.

- F** Select wood finish color.
Refer to product addendum at ki.com or in
KI Price List or KI Fabrics & Finishes
binder.
Kensington Maple requires extended
lead-times; add \$53.
- G** Select TB133.
- | | |
|------------|---------------------------|
| NFR | = No TB133 fire retardant |
| FR | = Fire retardant |
- See pricing column for TB133 upcharge.
- H** Select moisture barrier.
- | | |
|------------|-----------------------|
| NMB | = No moisture barrier |
| MB | = Moisture barrier |
- See pricing column for moisture barrier
upcharge.
- I** Select armcaps.
- | | |
|------------|--|
| WAC | = Wood (standard) |
| UAC | = Upholstered, upcharge per
arm; add \$41 |

INFORMATION

C.O.M. Requirements

C.O.M. yardage requirements listed above are based on plain goods 54" wide. If less than 54" wide or fabrics requiring matching (stripes, plaids, prints, large patterns), additional yardage will be needed. Consult COM/COL matrix for ordering additional yardage needed. For C.O.M. fabric sent to KI-High Point on multiple rolls, add an additional yard of fabric per roll to the yardage requirements.

Multiply number of seats, backs, and arms required by yardage amount (e.g. 3 replacement seats required x 1 yard = 3 yards total).

C.O.L. Requirements

Figure 18 sq. ft. of leather (C.O.L.) for each yard shown (i.e., $4.75 \times 18 = 85.5$ sq ft).

Contrasting Upholstery

Contrasting Epilestery
When contrasting fabric is chosen, price at highest in-grade.

Upcharges are the same for Left, Right, and Left/Right units.

Specifications and prices are subject to change without prior notice.



Approx. Packaged Weight	Grade C.O.M.	Grade C	Grade D	Grade E & C.O.L.	Grade F	Grade G	Grade H	Grade I	Grade J	Grade K	Grade L Leather	Grade M Leather	TB133 add to list price	Moisture Barrier add to list price
91#	\$ 1776	\$ 1803	\$ 1847	\$ 1902	\$ 1943	\$ 2017	\$ 2093	\$ 2244	\$ 2430	\$ 2618	\$ 2807	\$ 3181	\$ 249	\$ 174
91#	1835	1860	1906	1960	2001	2076	2152	2303	2488	2677	2865	3240	249	174
91#	\$ 1968	\$ 2006	\$ 2073	\$ 2156	\$ 2217	\$ 2330	\$ 2443	\$ 2669	\$ 2950	\$ 3233	\$ 3516	\$ 4080	\$ 335	\$ 174
91#	2027	2063	2132	2215	2275	2389	2502	2727	3007	3291	3575	4139	335	174

Construction

Seat frame constructed of welded structural steel. Back constructed from formed laminated plywood. (Loveseat from kiln-dried hardwood). Arms constructed from kiln-dried hardwood. Cushioning of multiple densities of polyurethane foam and dacron fiber.

California TB133 Fire Safety Code

The above seating products can be manufactured using the appropriate flame-retardant materials and fabric selection for compliance to California Technical Bulletin 133. Add "FR" to end of model number and add upcharge. Please contact KI customer service for fabric compliance. Not available with moisture barrier. Gore or Nano-Tex treatments can be used when TB133 is required.

Upcharges are the same for Left, Right, and Left/Right units.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C


Shipping

Shipped **assembled freight prepaid f.o.b. High Point, North Carolina 27263** factory. Freight class #175.

Specifications and prices are subject to change without prior notice.

Three Seat (Open Arm)

- 1 = Back (Fabric Contrast 1) C.O.M. = 3 yd
- 2 = Seat (Fabric Contrast 2) C.O.M. = 2 yd



Three Seat (Closed Arm)

- 1 = Back and arms (Fabric Contrast 1) C.O.M. = 4.5 yd
- 2 = Seat (Fabric Contrast 2) C.O.M. = 2 yd

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: • The ☐ indicates that a choice is required.
• The absence of the ☐ indicates that no choice is required.

A Select basic model.

- B** Select LEFT facing arm connector.
- | | |
|-----------|-------------------------|
| LC | = Left connecting chair |
| LT | = Left connecting table |
- Arm connection is on Right side when seated.
- C** Select RIGHT facing arm connector.
- | | |
|-----------|--------------------------|
| RC | = Right connecting chair |
| RT | = Right connecting table |
- Arm connection is on Left side when seated.
- D** Select non-contrast or fabric contrast 1.
Refer to Upholstery Fabric cards in the KI
Fabrics & Finishes binder.
- E** Select fabric contrast 2.
Refer to Upholstery Fabric cards in the KI
Fabrics & Finishes binder.

- F** Select wood finish color.
Refer to color addendum at ki.com or in
KI Price List or KI Fabrics & Finishes
binder.
Kensington Maple requires extended
lead-times; add \$105.
- G** Select TB133.
NFR = No TB133 fire retardant
FR = Fire retardant
See pricing column for TB133 upcharge.
- H** Select moisture barrier.
NMB = No moisture barrier
MB = Moisture barrier
See pricing column for moisture barrier
upcharge.
- I** Select armcaps.
WAC = Wood (standard)
UAC = Upholstered, upcharge per
arm; add \$41

C.O.M. Requirements

C.O.M. yardage requirements listed above are based on plain goods 54" wide. If less than 54" wide or fabrics requiring matching (stripes, plaids, prints, large patterns), additional yardage will be needed. Consult COM/COL matrix for ordering additional yardage needed. For C.O.M. fabric sent to KI-High Point on multiple rolls, add an additional yard of fabric per roll to the yardage requirements.

Multiply number of seats, backs, and arms required by yardage amount (e.g. 3 replacement seats required x 1 yard = 3 yards total).

C.O.L. Requirements

Figure 18 sq. ft. of leather (C.O.L.) for each yard shown (i.e., $4.75 \times 18 = 85.5$ sq ft).

Contrasting Upholstery

Contrasting Epilestery
When contrasting fabric is chosen, price at highest in-grade.



Approx. Packaged Weight	Grade C.O.M.	Grade C	Grade D	Grade E & C.O.L.	Grade F	Grade G	Grade H	Grade I	Grade J	Grade K	Grade L Leather	Grade M Leather	TB133 add to list price	Moisture Barrier add to list price
130#	\$ 2490	\$ 2528	\$ 2594	\$ 2678	\$ 2741	\$ 2853	\$ 2964	\$ 3192	\$ 3472	\$ 3753	\$ 4037	\$ 4603	\$ 363	\$ 260
130#	2578	2616	2683	2765	2828	2940	3052	3279	3560	3841	4124	4691	363	260
130#	\$ 2724	\$ 2777	\$ 2873	\$ 2990	\$ 3075	\$ 3236	\$ 3398	\$ 3716	\$ 4107	\$ 4508	\$ 4905	\$ 5701	\$ 474	\$ 260
130#	2813	2864	2962	3077	3164	3323	3486	3803	4194	4596	4993	5789	474	260

Construction

Seat frame constructed of welded structural steel. Back constructed from formed laminated plywood. (Loveseat from kiln-dried hardwood). Arms constructed from kiln-dried hardwood. Cushioning of multiple densities of polyurethane foam and dacron fiber.

California TB133 Fire Safety Code

The above seating products can be manufactured using the appropriate flame-retardant materials and fabric selection for compliance to California Technical Bulletin 133. Add "FR" to end of model number and add upcharge. Please contact KI customer service for fabric compliance. Not available with moisture barrier. Gore or Nano-Tex treatments can be used when TB133 is required.

Upcharges are the same for Left, Right, and Left/Right units.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping


Shipped **assembled freight prepaid f.o.b. High Point, North Carolina 27263** factory. Freight class #175.

Specifications and prices are subject to change without prior notice.

A diagram of a car seat. The backrest is labeled '1' and the seat is labeled '2'. Arrows indicate the direction of movement: the backrest can move forward and backward, and the seat can move up and down.

Loveseat (Open Arm)

- 1 = Back (Fabric Contrast 1) C.O.M. = 2 yd
- 2 = Seat (Fabric Contrast 2) C.O.M. = 1.25 yd



Loveseat (Closed Arm)

- 1 = Back and arms (Fabric Contrast 1) C.O.M. = 3.5 yd
- 2 = Seat (Fabric Contrast 2) C.O.M. = 1.25 yd

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: • The ☐ indicates that a choice is required.
• The absence of the ☐ indicates that no choice is required.

A Select basic model.

- B** Select LEFT facing arm connector.
- | | |
|-----------|-------------------------|
| LC | = Left connecting chair |
| LT | = Left connecting table |
- Arm connection is on Right side when seated.
- C** Select RIGHT facing arm connector.
- | | |
|-----------|--------------------------|
| RC | = Right connecting chair |
| RT | = Right connecting table |
- Arm connection is on Left side when seated.
- D** Select non-contrast or fabric contrast 1.
Refer to Upholstery Fabric cards in the KI
Fabrics & Finishes binder.
- E** Select fabric contrast 2.
Refer to Upholstery Fabric cards in the KI
Fabrics & Finishes binder.

- F** Select wood finish color.
Refer to product addendum at ki.com or in
KI Price List or KI Fabrics & Finishes
binder.
Kensington Maple requires extended
lead-times; add \$53.
- G** Select TB133.
- | | |
|------------|---------------------------|
| NFR | = No TB133 fire retardant |
| FR | = Fire retardant |
- See pricing column for TB133 upcharge.
- H** Select moisture barrier.
- | | |
|------------|-----------------------|
| NMB | = No moisture barrier |
| MB | = Moisture barrier |
- See pricing column for moisture barrier
upcharge.
- I** Select armcaps.
- | | |
|------------|--|
| WAC | = Wood (standard) |
| UAC | = Upholstered, upcharge per
arm: add \$41 |

C.O.M. Requirements

C.O.M. yardage requirements listed above are based on plain goods 54" wide. If less than 54" wide or fabrics requiring matching (stripes, plaids, prints, large patterns), additional yardage will be needed. Consult COM/COL matrix for ordering additional yardage needed. For C.O.M. fabric sent to KI-High Point on multiple rolls, add an additional yard of fabric per roll to the yardage requirements.

Multiply number of seats, backs, and arms required by yardage amount (e.g. 3 replacement seats required x 1 yard = 3 yards total).

C.O.L. Requirements

Figure 18 sq. ft. of leather (C.O.L.) for each yard shown (i.e., $4.75 \times 18 = 85.5$ sq ft).

Contrasting Upholstery

Contrasting Epilestery
When contrasting fabric is chosen, price at highest in-grade.



Approx. Packaged Weight	Grade C.O.M.	Grade C	Grade D	Grade E & C.O.L.	Grade F	Grade G	Grade H	Grade I	Grade J	Grade K	Grade L Leather	Grade M Leather	TB133 add to list price	Moisture Barrier add to list price
88#	\$ 1496	\$ 1520	\$ 1563	\$ 1616	\$ 1652	\$ 1726	\$ 1797	\$ 1941	\$ 2117	\$ 2298	\$ 2476	\$ 2832	\$ 213	\$ 144
88#	1565	1589	1632	1685	1721	1794	1866	2010	2186	2367	2545	2901	213	144
88#	\$ 1728	\$ 1761	\$ 1819	\$ 1889	\$ 1940	\$ 2037	\$ 2133	\$ 2326	\$ 2570	\$ 2813	\$ 3051	\$ 3533	\$ 266	\$ 144
88#	1797	1830	1888	1958	2009	2106	2202	2395	2639	2882	3120	3602	266	144

Construction

Seat frame constructed of welded structural steel. Back constructed from formed laminated plywood. (Loveseat from kiln-dried hardwood). Arms constructed from kiln-dried hardwood. Cushioning of multiple densities of polyurethane foam and dacron fiber.

California TB133 Fire Safety Code

The above seating products can be manufactured using the appropriate flame-retardant materials and fabric selection for compliance to California Technical Bulletin 133. Add "FR" to end of model number and add upcharge. Please contact KI customer service for fabric compliance. Not available with moisture barrier. Gore or Nano-Tex treatments can be used when TB133 is required.

Upcharges are the same for Left, Right, and Left/Right units.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C


Shipping

Shipped **assembled freight prepaid f.o.b. High Point, North Carolina 27263** factory. Freight class #175.

Specifications and prices are subject to change without prior notice.

Sofa (Open Arm)

- 1 = Back (Fabric Contrast 1) C.O.M. = 3.5 yd
- 2 = Seat (Fabric Contrast 2) C.O.M. = 3 yd



Sofa (Closed Arm)

- 1 = Back and arms (Fabric Contrast 1) C.O.M. = 5 yd
- 2 = Seat (Fabric Contrast 2) C.O.M. = 3 yd

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: • The ☐ indicates that a choice is required.
• The absence of the ☐ indicates that no choice is required.

A Select basic model.

- B** Select LEFT facing arm connector.
- | | |
|-----------|-------------------------|
| LC | = Left connecting chair |
| LT | = Left connecting table |
- Arm connection is on Right side when seated.
- C** Select RIGHT facing arm connector.
- | | |
|-----------|--------------------------|
| RC | = Right connecting chair |
| RT | = Right connecting table |
- Arm connection is on Left side when seated.
- D** Select non-contrast or fabric contrast 1.
Refer to Upholstery Fabric cards in the KI
Fabrics & Finishes binder.
- E** Select fabric contrast 2.
Refer to Upholstery Fabric cards in the KI
Fabrics & Finishes binder.

- F** Select wood finish color.
Refer to product addendum at ki.com or in
KI Price List or KI Fabrics & Finishes
binder.
Kensington Maple requires extended
lead-times; add \$53.
- G** Select TB133.
- | | |
|------------|---------------------------|
| NFR | = No TB133 fire retardant |
| FR | = Fire retardant |
- See pricing column for TB133 upcharge.
- H** Select moisture barrier.
- | | |
|------------|-----------------------|
| NMB | = No moisture barrier |
| MB | = Moisture barrier |
- See pricing column for moisture barrier
upcharge.
- I** Select armcaps.
- | | |
|------------|--|
| WAC | = Wood (standard) |
| UAC | = Upholstered, upcharge per
arm; add \$41 |

C.O.M. Requirements

C.O.M. yardage requirements listed above are based on plain goods 54" wide. If less than 54" wide or fabrics requiring matching (stripes, plaids, prints, large patterns), additional yardage will be needed. Consult COM/COL matrix for ordering additional yardage needed. For C.O.M. fabric sent to KI-High Point on multiple rolls, add an additional yard of fabric per roll to the yardage requirements.

Multiply number of seats, backs, and arms required by yardage amount (e.g. 3 replacement seats required x 1 yard = 3 yards total).

C.O.L. Requirements

Figure 18 sq. ft. of leather (C.O.L.) for each yard shown (i.e., $4.75 \times 18 = 85.5$ sq ft).

Contrasting Upholstery

Contrasting Epilestery
When contrasting fabric is chosen, price at highest in-grade.



Approx. Packaged Weight	Grade C.O.M.	Grade C	Grade D	Grade E & C.O.L.	Grade F	Grade G	Grade H	Grade I	Grade J	Grade K	Grade L Leather	Grade M Leather	TB133 add to list price	Moisture Barrier add to list price
108#	\$ 1842	\$ 1879	\$ 1946	\$ 2027	\$ 2087	\$ 2197	\$ 2309	\$ 2533	\$ 2807	\$ 3089	\$ 3366	\$ 3919	\$ 294	\$ 202
108#	1929	1965	2032	2114	2173	2285	2396	2620	2894	3175	3452	4006	294	202
108#	\$ 2073	\$ 2117	\$ 2201	\$ 2302	\$ 2374	\$ 2512	\$ 2650	\$ 2926	\$ 3265	\$ 3613	\$ 3952	\$ 4640	\$ 358	\$ 202
108#	2160	2204	2288	2389	2461	2599	2737	3013	3352	3700	4040	4727	358	202

Construction

Seat frame constructed of welded structural steel. Back constructed from formed laminated plywood. (Loveseat from kiln-dried hardwood). Arms constructed from kiln-dried hardwood. Cushioning of multiple densities of polyurethane foam and dacron fiber.

California TB133 Fire Safety Code

The above seating products can be manufactured using the appropriate flame-retardant materials and fabric selection for compliance to California Technical Bulletin 133. Add "FR" to end of model number and add upcharge. Please contact KI customer service for fabric compliance. Not available with moisture barrier. Gore or Nano-Tex treatments can be used when TB133 is required.

Upcharges are the same for Left, Right, and Left/Right units.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped **assembled freight prepaid f.o.b. High Point, North Carolina 27263** factory. Freight class #175.

Specifications and prices are subject to change without prior notice.

One Seat Add-on Unit-Left (Open Arm)

- 1 = Back (Fabric Contrast 1) C.O.M. = 1.25 yd
- 2 = Seat (Fabric Contrast 2) C.O.M. = 1 yd

One Seat Add-on Unit-Right (Open Arm)

- 1 = Back (Fabric Contrast 1) C.O.M. = 1.25 yd
- 2 = Seat (Fabric Contrast 2) C.O.M. = 1 yd

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: • The ☐ indicates that a choice is required.
• The absence of the ☐ indicates that no choice is required.

A Select basic model.

- B** Select LEFT facing arm connector.
- | | |
|-----------|-------------------------|
| LC | = Left connecting chair |
| LT | = Left connecting table |
- Arm connection is on Right side when seated.
- C** Select RIGHT facing arm connector.
- | | |
|-----------|--------------------------|
| RC | = Right connecting chair |
| RT | = Right connecting table |
- Arm connection is on Left side when seated.
- D** Select non-contrast or fabric contrast 1.
Refer to Upholstery Fabric cards in the KI
Fabrics & Finishes binder.
- E** Select fabric contrast 2.
Refer to Upholstery Fabric cards in the KI
Fabrics & Finishes binder.

- F** Select wood finish color.
Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder.
Kensington Maple requires extended lead-times; add \$26.
- G** Select TB133.
- | | |
|------------|---------------------------|
| NFR | = No TB133 fire retardant |
| FR | = Fire retardant |
- See pricing column for TB133 upcharge.
- H** Select moisture barrier.
- | | |
|------------|-----------------------|
| NMB | = No moisture barrier |
| MB | = Moisture barrier |
- See pricing column for moisture barrier upcharge.
- I** Select armcaps.
- | | |
|------------|---|
| WAC | = Wood (standard) |
| UAC | = Upholstered, upcharge per arm; add \$41 |

C.O.M. Requirements

C.O.M. yardage requirements listed above are based on plain goods 54" wide. If less than 54" wide or fabrics requiring matching (stripes, plaids, prints, large patterns), additional yardage will be needed. Consult COM/COL matrix for ordering additional yardage needed. For C.O.M. fabric sent to KI-High Point on multiple rolls, add an additional yard of fabric per roll to the yardage requirements.

Multiply number of seats, backs, and arms required by yardage amount (e.g. 3 replacement seats required x 1 yard = 3 yards total).

C.O.L. Requirements

Figure 18 sq. ft. of leather (C.O.L.) for each yard shown (i.e., $4.75 \times 18 = 85.5$ sq ft).

Contrasting Upholstery

Contrasting Ophidiostery
When contrasting fabric is chosen, price at highest in-grade.



FLAS

One Seat Add-on Unit-Left (Closed Arm)

- 1 = Back and arms (Fabric Contrast 1)
C.O.M. = 2.75 yd
- 2 = Seat (Fabric Contrast 2) C.O.M. = 1 yd

FLAS

One Seat Add-on Unit-Right (Close Arm)

- 1 = Back and arms (Fabric Contrast 1)
C.O.M. = 2.75 yd
- 2 = Seat (Fabric Contrast 2) C.O.M. = 1 yd

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: • The ☐ indicates that a choice is required.
• The absence of the ☐ indicates that no choice is required.

A Select basic model.

B Select LEFT facing arm connector.

LC	= Left connecting chair
LT	= Left connecting table

Arm connection is on Right side when seated.

C Select RIGHT facing arm connector.

RC	= Right connecting chair
RT	= Right connecting table

Arm connection is on Left side when seated.

D Select non-contrast or fabric contrast 1.
Refer to Upholstery Fabric cards in the KI
Fabrics & Finishes binder.

E Select fabric contrast 2.
Refer to Upholstery Fabric cards in the KI
Fabrics & Finishes binder.

- F** Select wood finish color.
Refer to color addendum at ki.com or in
KI Price List or KI Fabrics & Finishes
binder.
Kensington Maple requires extended
lead-times; add \$26.
- G** Select TB133.
- | | |
|------------|---------------------------|
| NFR | = No TB133 fire retardant |
| FR | = Fire retardant |
- See pricing column for TB133 upcharge.
- H** Select moisture barrier.
- | | |
|------------|-----------------------|
| NMB | = No moisture barrier |
| MB | = Moisture barrier |
- See pricing column for moisture barrier
upcharge.
- I** Select armcaps.
- | | |
|------------|--|
| WAC | = Wood (standard) |
| UAC | = Upholstered, upcharge per
arm; add \$41 |

C.O.M. Requirements

C.O.M. yardage requirements listed above are based on plain goods 54" wide. If less than 54" wide or fabrics requiring matching (stripes, plaids, prints, large patterns), additional yardage will be needed. Consult COM/COL matrix for ordering additional yardage needed. For C.O.M. fabric sent to KI-High Point on multiple rolls, add an additional yard of fabric per roll to the yardage requirements.

Multiply number of seats, backs, and arms required by yardage amount (e.g. 3 replacement seats required x 1 yard = 3 yards total).

C.O.L. Requirements

Figure 18 sq. ft. of leather (C.O.L.) for each yard shown (i.e., $4.75 \times 18 = 85.5$ sq ft).


Contrasting Upholstery

Contrasting Epilestery
When contrasting fabric is chosen, price at highest in-grade.

Diagram of a flask with two internal components labeled 1 and 2.

Two Seat Add-on Unit-Left (Open Arm)

- 1 = Back (Fabric Contrast 1) C.O.M. = 2.25 yd
- 2 = Seat (Fabric Contrast 2) C.O.M. = 1.5 yd



Two Seat Add-on Unit-Right (Open Arm)

- 1 = Back (Fabric Contrast 1) C.O.M. = 2.25 yd
- 2 = Seat (Fabric Contrast 2) C.O.M. = 1.5 yd

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.

A Select basic model.

- B** Select LEFT facing arm connector.
- | | |
|-----------|-------------------------|
| LC | = Left connecting chair |
| LT | = Left connecting table |
- Arm connection is on Right side when seated.
- C** Select RIGHT facing arm connector.
- | | |
|-----------|--------------------------|
| RC | = Right connecting chair |
| RT | = Right connecting table |
- Arm connection is on Left side when seated.
- D** Select non-contrast or fabric contrast 1.
Refer to Upholstery Fabric cards in the KI
Fabrics & Finishes binder.
- E** Select fabric contrast 2.
Refer to Upholstery Fabric cards in the KI
Fabrics & Finishes binder.

- F** Select wood finish color.
Refer to product addendum at ki.com or in
KI Price List or KI Fabrics & Finishes
binder.
Kensington Maple requires extended
lead-times; add \$53.
- G** Select TB133.
- | | |
|------------|---------------------------|
| NFR | = No TB133 fire retardant |
| FR | = Fire retardant |
- See pricing column for TB133 upcharge.
- H** Select moisture barrier.
- | | |
|------------|-----------------------|
| NMB | = No moisture barrier |
| MB | = Moisture barrier |
- See pricing column for moisture barrier
upcharge.
- I** Select armcaps.
- | | |
|------------|--|
| WAC | = Wood (standard) |
| UAC | = Upholstered, upcharge per
arm; add \$41 |

INFORMATION

C.O.M. Requirements

C.O.M. yardage requirements listed above are based on plain goods 54" wide. If less than 54" wide or fabrics requiring matching (stripes, plaids, prints, large patterns), additional yardage will be needed. Consult COM/COL matrix for ordering additional yardage needed. For C.O.M. fabric sent to KI-High Point on multiple rolls, add an additional yard of fabric per roll to the yardage requirements.

Multiply number of seats, backs, and arms required by yardage amount (e.g. 3 replacement seats required x 1 yard = 3 yards total).

C.O.L. Requirements

Figure 18 sq. ft. of leather (C.O.L.) for each yard shown (i.e., $4.75 \times 18 = 85.5$ sq ft).

Contrasting Upholstery

Contrasting Epilestery
When contrasting fabric is chosen, price at highest in-grade.

HOW TO ORDER

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: • The ☐ indicates that a choice is required.
• The absence of the ☐ indicates that no choice is required.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select LEFT facing arm connector.
- | | |
|-----------|-------------------------|
| LC | = Left connecting chair |
| LT | = Left connecting table |
- Arm connection is on Right side when seated.
- C** Select RIGHT facing arm connector.
- | | |
|-----------|--------------------------|
| RC | = Right connecting chair |
| RT | = Right connecting table |
- Arm connection is on Left side when seated.
- D** Select non-contrast or fabric contrast 1.
Refer to Upholstery Fabric cards in the KI
Fabrics & Finishes binder.
- E** Select fabric contrast 2.
Refer to Upholstery Fabric cards in the KI
Fabrics & Finishes binder.

- F** Select wood finish color.
Refer to color addendum at ki.com or in
KI Price List or KI Fabrics & Finishes
binder.
Kensington Maple requires extended
lead-times; add \$53.
- G** Select TB133.
NFR = No TB133 fire retardant
FR = Fire retardant
See pricing column for TB133 upcharge.
- H** Select moisture barrier.
NMB = No moisture barrier
MB = Moisture barrier
See pricing column for moisture barrier
upcharge.
- I** Select armcaps.
WAC = Wood (standard)
UAC = Upholstered, upcharge per
arm; add \$41

INFORMATION

C.O.M. Requirements

C.O.M. yardage requirements listed above are based on plain goods 54" wide. If less than 54" wide or fabrics requiring matching (stripes, plaids, prints, large patterns), additional yardage will be needed. Consult COM/COL matrix for ordering additional yardage needed. For C.O.M. fabric sent to KI-High Point on multiple rolls, add an additional yard of fabric per roll to the yardage requirements.

Multiply number of seats, backs, and arms required by yardage amount (e.g. 3 replacement seats required x 1 yard = 3 yards total).

C.O.L. Requirements

Figure 18 sq. ft. of leather (C.O.L.) for each yard shown (i.e., $4.75 \times 18 = 85.5$ sq ft).

Contrasting Upholstery


Contrasting Epilestery
When contrasting fabric is chosen, price at highest in-grade.

Upcharges are the same for Left, Right, and Left/Right units.

Specifications and prices are subject to change without prior notice.

Three Seat Add-on Unit-Left (Open Arm)

- 1 = Back (Fabric Contrast 1) C.O.M. = 3 yd
- 2 = Seat (Fabric Contrast 2) C.O.M. = 2 yd



Three Seat Add-on Unit-Right (Open Arm)

- 1 = Back (Fabric Contrast 1) C.O.M. = 3 yd
- 2 = Seat (Fabric Contrast 2) C.O.M. = 2 yd

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: • The ☐ indicates that a choice is required.
• The absence of the ☐ indicates that no choice is required.

A Select basic model.

- | | |
|--|---|
| B | Select LEFT facing arm connector. |
| LC | = Left connecting chair |
| LT | = Left connecting table |
| Arm connection is on Right side when seated. | |
| C | Select RIGHT facing arm connector. |
| RC | = Right connecting chair |
| RT | = Right connecting table |
| Arm connection is on Left side when seated. | |
| D | Select non-contrast or fabric contrast 1.
Refer to Upholstery Fabric cards in the KI
Fabrics & Finishes binder. |
| E | Select fabric contrast 2.
Refer to Upholstery Fabric cards in the KI
Fabrics & Finishes binder. |

- F** Select wood finish color.
Refer to color addendum at ki.com or in
KI Price List or KI Fabrics & Finishes
binder.
Kensington Maple requires extended
lead-times; add \$78.
- G** Select TB133.
- | | |
|------------|---------------------------|
| NFR | = No TB133 fire retardant |
| FR | = Fire retardant |
- See pricing column for TB133 upcharge.
- H** Select moisture barrier.
- | | |
|------------|-----------------------|
| NMB | = No moisture barrier |
| MB | = Moisture barrier |
- See pricing column for moisture barrier
upcharge.
- I** Select armcaps.
- | | |
|------------|--|
| WAC | = Wood (standard) |
| UAC | = Upholstered, upcharge per
arm; add \$41 |

C.O.M. Requirements

C.O.M. yardage requirements listed above are based on plain goods 54" wide. If less than 54" wide or fabrics requiring matching (stripes, plaids, prints, large patterns), additional yardage will be needed. Consult COM/COL matrix for ordering additional yardage needed. For C.O.M. fabric sent to KI-High Point on multiple rolls, add an additional yard of fabric per roll to the yardage requirements.

Multiply number of seats, backs, and arms required by yardage amount (e.g. 3 replacement seats required x 1 yard = 3 yards total).

C.O.L. Requirements

Figure 18 sq. ft. of leather (C.O.L.) for each yard shown (i.e., $4.75 \times 18 = 85.5$ sq ft).

Contrasting Upholstery

When contrasting fabric is chosen, price at highest in-grade.

[illegible]

Construction

Construction Seat frame constructed of welded structural steel. Back constructed from formed laminated plywood. (Loveseat from kiln-dried hardwood). Arms constructed from kiln-dried hardwood. Cushioning of multiple densities of polyurethane foam and dacron fiber.

California TB133 Fire Safety Code

The above seating products can be manufactured using the appropriate flame-retardant materials and fabric selection for compliance to California Technical Bulletin 133. Add "FR" to end of model number and add upcharge. Please contact KI customer service for fabric compliance. Not available with moisture barrier. Gore or Nano-Tex treatments can be used when TB133 is required.

Upcharges are the same for Left, Right, and Left/Right units.

SPECIAL SERVICES

Special Carton Marking

With specially marked information	N/C
-----------------------------------	-----

Shipping

Shipped **assembled freight prepaid f.o.b.**
High Point, North Carolina 27263 factory.
 Freight class #175.

Specifications and prices are subject to change without prior notice.

Three Seat Add-on Unit-Left (Closed Arm)

- 1 = Back and arms (Fabric Contrast 1)
C.O.M. = 5 yd
- 2 = Seat (Fabric Contrast 2) C.O.M. = 2 yd

Three Seat Add-on Unit-Right (Closed Arm)

- 1 = Back and arms (Fabric Contrast 1) C.O.M. = 5 yd
- 2 = Seat (Fabric Contrast 2) C.O.M. = 2 yd

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: • The ☐ indicates that a choice is required.
• The absence of the ☐ indicates that no choice is required.

- A** Select basic model.
- B** Select LEFT facing arm connector.

LC	= Left connecting chair
LT	= Left connecting table

Arm connection is on Right side when seated.
- C** Select RIGHT facing arm connector.

RC	= Right connecting chair
RT	= Right connecting table

Arm connection is on Left side when seated.
- D** Select non-contrast or fabric contrast 1.
Refer to Upholstery Fabric cards in the KI Fabrics & Finishes binder.
- E** Select fabric contrast 2.
Refer to Upholstery Fabric cards in the KI Fabrics & Finishes binder.

- F** Select wood finish color.
Refer to product addendum at ki.com or in
KI Price List or KI Fabrics & Finishes
binder.
Kensington Maple requires extended
lead-times; add \$78.
- G** Select TB133.
- | | |
|------------|---------------------------|
| NFR | = No TB133 fire retardant |
| FR | = Fire retardant |
- See pricing column for TB133 upcharge.
- H** Select moisture barrier.
- | | |
|------------|-----------------------|
| NMB | = No moisture barrier |
| MB | = Moisture barrier |
- See pricing column for moisture barrier
upcharge.
- I** Select armcaps.
- | | |
|------------|--|
| WAC | = Wood (standard) |
| UAC | = Upholstered, upcharge per
arm; add \$41 |
- Upcharge is per arm. Polyurethane arm-

caps NOT available on TB133 approved chairs.



Approx. Packaged Weight	Grade C.O.M.	Grade C	Grade D	Grade E & C.O.L.	Grade F	Grade G	Grade H	Grade I	Grade J	Grade K	Grade L Leather	Grade M Leather	TB133 add to list price	Moisture Barrier add to list price
122#	\$ 2396	\$ 2445	\$ 2535	\$ 2645	\$ 2725	\$ 2877	\$ 3027	\$ 3326	\$ 3697	\$ 4073	\$ 4448	\$ 5199	\$ 462	\$ 260
122#	2484	2533	2623	2732	2814	2964	3114	3414	3785	4160	4535	5287	462	260

122#	\$ 2396	\$ 2445	\$ 2535	\$ 2645	\$ 2725	\$ 2877	\$ 3027	\$ 3326	\$ 3697	\$ 4073	\$ 4448	\$ 5199	\$ 462	\$ 260
122#	2484	2533	2623	2732	2814	2964	3114	3414	3785	4160	4535	5287	462	260

INFORMATION

C.O.M. Requirements

C.O.M. yardage requirements listed above are based on plain goods 54' wide. If less than 54' wide or fabrics requiring matching (stripes, plaids, prints, large patterns), additional yardage will be needed. Consult COM/COL matrix for ordering additional yardage needed. For C.O.M. fabric sent to KI-High Point on multiple rolls, add an additional yard of fabric per roll to the yardage requirements.

Multiply number of seats, backs, and arms required by yardage amount (e.g. 3 replacement seats required x 1 yard = 3 yards total).

C.O.L. Requirements

Figure 18 sq. ft. of leather (C.O.L.) for each yard shown (i.e., 4.75 x 18 = 85.5 sq ft).

Contrasting Upholstery

When contrasting fabric is chosen, price at highest in-grade.

Construction

Seat frame constructed of welded structural steel. Back constructed from formed laminated plywood. (Loveseat from kiln-dried hardwood). Arms constructed from kiln-dried hardwood. Cushioning of multiple densities of polyurethane foam and dacron fiber.

California TB133 Fire Safety Code

The above seating products can be manufactured using the appropriate flame-retardant materials and fabric selection for compliance to California Technical Bulletin 133. Add "FR" to end of model number and add upcharge. Please contact KI customer service for fabric compliance. Not available with moisture barrier. Gore or Nano-Tex treatments can be used when TB133 is required.

Upcharges are the same for Left, Right, and Left/Right units.

SPECIAL SERVICES

Special Carton Marking



With specially marked information N/C

Shipping

Shipped **assembled freight prepaid f.o.b. High Point, North Carolina 27263** factory. Freight class #175.

Specifications and prices are subject to change without prior notice.

Flex™
Multiple Seating Replacement Parts

MODEL	Features	COM	MODEL NUMBER				Approx. Packaged Weight
			Basic Model	Non-Contrast or Fabric Contrast 1	TB133	Moisture Barrier	
 FLRP	Chair Replacement Seat Cover	1 yd	FRS23	☐ ☐ ☐ ☐	☐ ☐	☐ ☐	2#
 FLRP	Loveseat Replacement Seat Cover	2 yd	FRS33	☐ ☐ ☐ ☐	☐ ☐	☐ ☐	3#
 FLRP	Sofa Replacement Seat Cover	3 yd	FRS43	☐ ☐ ☐ ☐	☐ ☐	☐ ☐	3.5#
 FLRP	Chair Replacement Back Cover	1.25 yd	FRB23	☐ ☐ ☐ ☐	☐ ☐	☐ ☐	7#
 FLRP	Replacement Arm Panel	Inside Left 1 yd	FRPIL	☐ ☐ ☐ ☐	☐ ☐	☐ ☐	1#
		Inside Right 1 yd	FRPIR	☐ ☐ ☐ ☐	☐ ☐	☐ ☐	1#
 FLRP	Replacement Arm Panel	Outside Left 1 yd	FRPOL	☐ ☐ ☐ ☐	☐ ☐		1#
		Outside Right 1 yd	FRPOR	☐ ☐ ☐ ☐	☐ ☐		1#
 FLRP	Replacement Arm Panel Cover	Table Left 1 yd	FRPTL	☐ ☐ ☐ ☐	☐ ☐		5#
		Table Right 1 yd	FRPTR	☐ ☐ ☐ ☐	☐ ☐		5#
			A	B	C	D	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: •The ☐ indicates that a choice is required.
•The absence of the ☐ indicates that no choice is required.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- B Select non-contrast or fabric contrast 1. Refer to Upholstery Fabric cards in the KI Fabrics & Finishes binder.
- C Select TB133.
NFR = No TB133 fire retardant
FR = Fire retardant
See pricing column for TB133 upcharge.
- D Select moisture barrier.
NMB = No moisture barrier
MB = Moisture barrier
See pricing column for moisture barrier upcharge.



Grade C.O.M.	Grade C	Grade D	Grade E & C.O.L.	Grade F	Grade G	Grade H	Grade I	Grade J	Grade K	Grade L Leather	Grade M Leather	TB133 add to list price	Moisture Barrier add to list price
\$ 128	\$ 134	\$ 144	\$ 158	\$ 167	\$ 186	\$ 203	\$ 241	\$ 285	\$ 334	\$ 377	\$ 466	\$ 72	\$ 44
\$ 195	\$ 207	\$ 228	\$ 255	\$ 274	\$ 311	\$ 347	\$ 419	\$ 510	\$ 601	\$ 692	\$ 873	\$ 107	\$ 72
\$ 262	\$ 279	\$ 312	\$ 352	\$ 382	\$ 436	\$ 490	\$ 599	\$ 734	\$ 873	\$ 1008	\$ 1280	\$ 127	\$ 102
\$ 116	\$ 121	\$ 132	\$ 145	\$ 154	\$ 174	\$ 191	\$ 228	\$ 273	\$ 321	\$ 363	\$ 455	\$ 72	\$ 44
\$ 85	\$ 89	\$ 95	\$ 102	\$ 107	\$ 117	\$ 126	\$ 144	\$ 167	\$ 195	\$ 213	\$ 260	\$ 14	\$ 10
85	89	95	102	107	117	126	144	167	195	213	260	14	10
\$ 85	\$ 89	\$ 95	\$ 102	\$ 107	\$ 117	\$ 126	\$ 144	\$ 167	\$ 195	\$ 213	\$ 260	\$ 14	N/A
85	89	95	102	107	117	126	144	167	195	213	260	14	N/A
\$ 85	\$ 89	\$ 95	\$ 102	\$ 107	\$ 117	\$ 126	\$ 144	\$ 167	\$ 195	\$ 213	\$ 260	\$ 14	N/A
85	89	95	102	107	117	126	144	167	195	213	260	14	N/A

SPECIAL SERVICES

Special Carton Marking






With specially marked information N/C

Shipping

Shipped **assembled freight prepaid f.o.b. High Point, North Carolina 27263** factory. Freight class #175.

Specifications and prices are subject to change without prior notice.

Flex™
Connecting Tables

MODEL	Features	MODEL NUMBER			Approx. Packaged Weight
		Basic Model	Wood Finish	Laminate Color	
 FLCT	Laminate Top	FT.L	☐ ☐ ☐	☐ ☐ ☐	31#
	Wood Veneer Top	FT.V	☐ ☐ ☐		31#
 FLCT	Laminate Top	FT.L.L	☐ ☐ ☐	☐ ☐ ☐	40#
	Wood Veneer Top	FT.L.V	☐ ☐ ☐		40#
 FLCT	Laminate Top	FT.R.L	☐ ☐ ☐	☐ ☐ ☐	40#
	Wood Veneer Top	FT.R.V	☐ ☐ ☐		40#
 FLCT	Laminate Top	FT45.I.L	☐ ☐ ☐	☐ ☐ ☐	26#
	Wood Veneer Top	FT45.I.V	☐ ☐ ☐		26#
 FLCT	Laminate Top	FT45.O.L	☐ ☐ ☐	☐ ☐ ☐	26#
	Wood Veneer Top	FT45.O.V	☐ ☐ ☐		26#

A

B

C

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: •The ☐ indicates that a choice is required.
•The absence of the ☐ indicates that no choice is required.

HOW TO BUILD A MODEL NUMBER

- A

Select basic model.
- B

Select wood finish color.
Refer to color addendum at [ki.com](#) or in KI Price List or KI Fabrics & Finishes binder.
For Kensington Maple add upcharge.
- C

Select laminate color.
Refer to color addendum at [ki.com](#) or in KI Price List or KI Fabrics & Finishes binder.

KENSINGTON MAPLE UPCHARGE

Kensington Maple requires extended lead-times.	
Model	
FT.L	\$47
FT.V	\$47
FT.L.L	\$47
FT.L.V	\$47
FT.R.L	\$47
FT.R.V	\$47
FT45.I.L	\$47
FT45.I.V	\$47
FT45.O.L	\$47
FT45.O.V	\$47
FT90.C.L	\$141
FT90.C.V	\$141
FT90.I.L	\$141
FT90.I.V	\$141
FT90.O.L	\$141
FT90.O.V	\$141
FT3.L	\$53
FT3.V	\$53

INFORMATION

Construction
Constructed of kiln-dried hardwood and veneers.

\$ 456

515

\$ 571

629

\$ 571

629

\$ 571

629

\$ 571

629

Special Carton Marking





With specially marked information	N/C
-----------------------------------	-----

Shipping

Shipped **assembled freight prepaid f.o.b.**
High Point, North Carolina 27263 factory.
 Freight class #175.

Specifications and prices are subject to change without prior notice.

Flex™
Connecting Tables

MODEL	Features	MODEL NUMBER			Approx. Packaged Weight
		Basic Model	Wood Finish	Laminate Color	
 FLCT	Laminate Top	FT90.C.L	☐ ☐ ☐	☐ ☐ ☐	50#
	Wood Veneer Top	FT90.C.V	☐ ☐ ☐		50#
 FLCT	Laminate Top	FT90.I.L	☐ ☐ ☐	☐ ☐ ☐	40#
	Wood Veneer Top	FT90.I.V	☐ ☐ ☐		40#
 FLCT	Laminate Top	FT90.O.L	☐ ☐ ☐	☐ ☐ ☐	40#
	Wood Veneer Top	FT90.O.V	☐ ☐ ☐		40#
 FLCT	Laminate Top	FT3.L	☐ ☐ ☐	☐ ☐ ☐	50#
	Wood Veneer Top	FT3.V	☐ ☐ ☐		50#
		A	B	C	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: •The ☐ indicates that a choice is required.
•The absence of the ☐ indicates that no choice is required.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- B Select wood finish color.
Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder.
For Kensington Maple add upcharge.
- C Select laminate color.
Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder.

KENSINGTON MAPLE UPCHARGE

Kensington Maple requires extended lead-times.	
Model	
FT.L	\$47
FT.V	\$47
FT.L.L	\$47
FT.L.V	\$47
FT.R.L	\$47
FT.R.V	\$47
FT45.I.L	\$47
FT45.I.V	\$47
FT45.O.L	\$47
FT45.O.V	\$47
FT90.C.L	\$141
FT90.C.V	\$141
FT90.I.L	\$141
FT90.I.V	\$141
FT90.O.L	\$141
FT90.O.V	\$141
FT3.L	\$53
FT3.V	\$53

INFORMATION

Construction
Constructed of kiln-dried hardwood and veneers.



Delivered Pricing	
\$ 918	
976	
\$ 687	
745	
\$ 687	
745	
\$ 1034	
1091	

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped **assembled freight prepaid f.o.b. High Point, North Carolina 27263** factory. Freight class #175.

Specifications and prices are subject to change without prior notice.

GateOne®

General Information




GateOne® Seating (GT5/S4/I1T) **2-Place Unit** **3-Place Unit** **4-Place Unit** **5-Place Unit**

Features

Die-cast aluminum armrests	•
Freestanding	•
Fixed to floor	•
Beam mounted	•
Wallsaver bracket	•
Back-to-back ganging	•
In-line tables	•
Corner ganging tables	•

General Dimensions

Seat width	22"	22"	22"	22"
Unit width	50"	73-1/2"	97"	120-1/2"
Unit depth	29-1/4"	29-1/4"	29-1/4"	29-1/4"
Seat height	18"	18"	18"	18"
Unit height	35"	35"	35"	35"
Weight	90 lbs.	124 lbs.	158 lbs.	200 lbs.
Corner table top	30" x 30"			
In-line table	20" x 24"			
Table height (all table models)	14-1/2"			



Arm



Back-to-Back Ganger



Wallsaver



In-line Table

SPECIFICATIONS

GateOne® is shipped unassembled

Seat and Back

Group 2 vinyl or C.O.V., standard KI, Pallas or C.O.M. upholstery fabrics over 2-1/2" thick polyfoam. Seats and backs are easily replaced in the field. Optional fire retardant treatment to meet California's TB133 code requirements.

Mounting Beam

11-gauge fabricated steel triangular beam. Powder coated finish. Allows for up to five places per beam (seats or seats plus in-line/end of run tables). Die-cast end caps in polished aluminum or powder coated finish.

Foot

Die-cast aluminum with leveling glides. Optional floor mounting bracket for securing unit to floor. 1-1/2" x 3-3/4" aluminum upright extrusion. Available in polished aluminum or powder coated finish.

Seat Support Castings

Die-cast aluminum. Available in polished aluminum or powder coated finish. Attach easily to mounting beam with one fastener.

Armrest

Die-cast aluminum. Available in polished aluminum or powder coated finish. Armless option available.

In-Line/End-of-Run Table

7/8" thick solid core top consisting of high-density particleboard with plastic laminate surface and PVC edge. Used in place of seat on mounting beam.

Corner Ganging Table

7/8" thick solid core top consisting of high density particleboard with plastic laminate surface and PVC edge. For mounting modular units at a 90° angle. Corners are made by attaching table frame to the end of unit mounting beams. Table supported by one leg and leveling glide.

Back Ganging Bracket

11-gauge fabricated steel. Powder coated finish. Easily attaches to foot casting at floor level via screw. Two to five place units to be ganged back-to-back require two ganging brackets.

Side Ganging Bracket

11-gauge fabricated steel. Powder coated finish. Easily attaches to foot casting at floor level via screw. Two to five place units to be ganged side-to-side require two ganging brackets.

Side and Back Wallsaver Brackets

11-gauge fabricated steel. Powder coated finish. Easily attaches to foot casting at floor level via screw. Two brackets per side and two per back.

INFORMATION




C.O.M/C.O.V. Testing Requirements

Not all vinyls/fabrics are suitable for uphol-

stering this product. A 1-1/2 yd. x 54" sample must be submitted and approved prior to acceptance of an order. If the vinyl is directional in pattern or weave, the direction must be indicated on the submitted sample, and additional yardage may be requested.

Test samples must be sent to:

KI
Attn: C.O.M./C.O.V. Specialist
P.O. Box 8100
1330 Bellevue Street
Green Bay, WI 54308-8100



Dimensions

A	2-Place Unit	50"
A	3-Place Unit	73 ¹ / ₂ "
A	4-Place Unit	97"
A	5-Place Unit	120 ¹ / ₂ "
B	Additional Places	23 ³ / ₂ "
C	Seat Width	23 ³ / ₂ "
D	Table Width	20"
E	Table Height	14 ¹ / ₂ "
F	Unit Height	35"
G	Seat Height	18"
H	Beam Center to Front of Seat	13"
I	Beam Center to Back of Seat	16 ¹ / ₄ "
J	Beam Center to Foot End	11 ³ / ₄ "
K	Beam Center to Wall (Wallsaver)	17 ³ / ₄ "
L	Beam Center to Beam Center (Ganged)	35 ¹ / ₈ "
M	Back-to-Back (Ganged)	2 ⁵ / ₈ "
N	Seat Center to Corner Table Mounting Side	13 ⁵ / ₈ "
O	Beam Center to Corner Table Mounting Side	18"
P	Beam Center to Corner Table Back	12"
Q	Corner Table Width	30"



INFORMATION

Warranty

Refer to KI Terms & Conditions document or visit ki.com

GateOne®

Multiple Seating

MODEL	Features	MODEL NUMBER					
		Basic Model	Base Color	Surface Finish	Edge Color	Upholstery Color	
 GT2 GT3 GT4 GT5 GateOne® Seating • Number of seats per beam • One to five seats per beam • Available upholstered in Group 2 Vinyl or C.O.V., standard KI, Pallas, or C.O.M. upholstery fabrics • Drawing must be supplied with each order	1 Seat, 1 End Table	GT2/S1/E1T	☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐ ☐ ☐	
	2 Seats, 0 Table	GT2/S2/E0T	☐ ☐			☐ ☐ ☐ ☐ ☐	
	2 Seats, 1 End Table	GT3/S2/E1T	☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐ ☐ ☐	
	2 Seats, 1 In-Line Table	GT3/S2/I1T	☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐ ☐ ☐	
	3 Seats, 0 Table	GT3/S3/E0I0T	☐ ☐			☐ ☐ ☐ ☐ ☐	
	2 Seats, 1 In-line Table/1 End Table	GT4/S2/E1I1T	☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐ ☐ ☐	
	2 Seats, 2 End Tables	GT4/S2/E2T	☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐ ☐ ☐	
	3 Seats, 1 End Table	GT4/S3/E1T	☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐ ☐ ☐	
	3 Seats, 1 In-line Table	GT4/S3/I1T	☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐ ☐ ☐	
	4 Seats, 0 Table	GT4/S4/E0I0T	☐ ☐			☐ ☐ ☐ ☐ ☐	
	2 Seats, 2 End Tables/1 In-line Table	GT5/S2/E2I1T	☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐ ☐ ☐	
	3 Seats, 1 End Table/1 In-line Table	GT5/S3/E1I1T	☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐ ☐ ☐	
	3 Seats, 2 End Tables	GT5/S3/E2T	☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐ ☐ ☐	
	3 Seats, 2 In-line Tables	GT5/S3/I2T	☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐ ☐ ☐	
	4 Seats, 1 End Table	GT5/S4/E1T	☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐ ☐ ☐	
	4 Seats, 1 In-line Table	GT5/S4/I1T	☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐ ☐ ☐	
	5 Seats, 0 Table	GT5/S5/E0I0T	☐ ☐			☐ ☐ ☐ ☐ ☐	
 GTCT Corner Table • Number of tables per order • Plastic laminate with PVC edge • For mounting modular units at a 90° angle		GTCT	☐ ☐	☐ ☐ ☐	☐ ☐ ☐		
 HRDPT Arms • Number of arms per order • Available in polished aluminum or powder coat finish • Sold per arm		GTA	☐ ☐				

A

B

C

D

E

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: •The ☐ indicates that a choice is required.
•The absence of the ☐ indicates that no choice is required.

HOW TO BUILD A MODEL NUMBER

KI Fabrics & Finishes binder.

- A** Select basic model.
- B** Select base/frame/arm colors.
Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder.
- C** Select surface finish.
Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder. Surface finish offerings are based on edge style selections.
- D** Select edge color.
Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder. Edge color offerings are based on edge style selections.
- E** Select upholstery grade/color.
Refer to color addendum at ki.com or in

OPTIONS

California TB133 Fire Safety Code

Products listed below meet the California TB133 Fire Safety Code standard. Add "FR" prefix to end of model number.
Model =Uph.seat cushion
Added Lead Time =1 week
Added List Price =\$206 per seat.



Approx. Packaged Weight	Delivered Pricing Unupholstered	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing Vinyl Group 2	Delivered Pricing C.O.V.	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
35#	N/A	\$ 1600	\$ 1689	\$ 1658	\$ 1658	\$ 1600	\$ 1646	\$ 1685	\$ 1735	\$ 1785
38#	N/A	1822	2002	1938	1938	1822	1914	1995	2095	2193
54#	N/A	2511	2691	2627	2627	2511	2603	2684	2783	2882
54#	N/A	2511	2691	2627	2627	2511	2603	2684	2783	2882
57#	N/A	2734	3004	2907	2907	2734	2873	2992	3141	3290
70#	N/A	3200	3380	3316	3316	3200	3291	3373	3472	3571
70#	N/A	3200	3380	3316	3316	3200	3291	3373	3472	3571
73#	N/A	3422	3691	3594	3594	3422	3561	3680	3829	3978
73#	N/A	3422	3691	3594	3594	3422	3561	3680	3829	3978
76#	N/A	3644	4004	3874	3874	3644	3829	3991	4188	4386
86#	N/A	3889	4069	4005	4005	3889	3980	4062	4161	4260
89#	N/A	4111	4380	4283	4283	4111	4250	4369	4518	4667
89#	N/A	4111	4380	4283	4283	4111	4250	4369	4518	4667
89#	N/A	4111	4380	4283	4283	4111	4250	4369	4518	4667
92#	N/A	4333	4693	4563	4563	4333	4518	4680	4877	5074
92#	N/A	4333	4693	4563	4563	4333	4518	4680	4877	5074
95#	N/A	4556	5005	4844	4844	4556	4787	4988	5235	5483
42#	\$ 667									
2#	\$ 42									

UPHOLSTERY INFORMATION

C.O.M. and C.O.V. Upholstery

C.O.M. requirement for upholstered seat chair is 1-1/2 yards per chair of nondirectional vinyl or fabric. On orders of 2 or more seats and for complete information on ordering C.O.V. and C.O.M., see "Ordering C.O.M., C.O.L. and C.O.V. section".

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C






Shipping

Shipped **k.d. freight prepaid f.o.b. Bonduel, Wisconsin 54107** factory. Freight class #70.

Specifications and prices are subject to change without prior notice.

GateOne®

Multiple Seating

MODEL	MODEL NUMBER		Approx. Packaged Weight
	Basic Model	Access. Color	
 HRDPT	Back-to-Back Ganger • 11-gauge fabricated steel • Powder coat finish • Sold as set of two • Attachment screws included	44.0386 ☐ ☐	2#
 HRDPT	Side-to-Side Ganger • 11-gauge fabricated steel • Powder coat finish • Sold as set of two • Attachment screws included	44.0387 ☐ ☐	.02#
 HRDPT	Side Wallsaver • 11-gauge fabricated steel • Powder coat finish • Sold as set of two • Attachment screws included	44.0388 ☐ ☐	1#
 HRDPT	Back Wallsaver • 11-gauge fabricated steel • Powder coat finish • Sold as set of two • Attachment screws included	44.0389 ☐ ☐	.04#
 HRDPT	Floor Mounting Brackets • For fixed attachment of base to floor • Black only • Fabricated steel • Sold as set of two • Hardware not included	44.0390.BL	2#

A

B

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: •The ☐ indicates that a choice is required.
•The absence of the ☐ indicates that no choice is required.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select accessory color.
Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder.



Delivered Pricing	
\$	70
\$	36
\$	36
\$	70
\$	50

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped **k.d. freight prepaid f.o.b. Bonduel, Wisconsin 54107** factory. Freight class #70.

Specifications and prices are subject to change without prior notice.

Perth®

General Information



Perth® (Traditional)

Dimensions	
Overall width	23.5"
Overall depth	26"
Overall height	34"

SPECIFICATIONS

Complimentary Furniture

The following guest chairs offer complimentary furniture that creates continuity and a cohesive look throughout a facility. These complimentary pieces can be found in other sections of the KI price list.

Flex™

FLEX - Flex Healthcare Seating, Flex Occasional Tables

LARESTA FREESTANDING - LaResta® Day Bed

Perth®

Perth® - Perth® Healthcare Seating

LARESTA FREESTANDING - LaResta® Day Bed

Soltice®

Soltice® - Soltice® Healthcare Seating, Soltice® Guest Seating, Soltice® Lounge

Seating

LARESTA FREESTANDING - LaResta® Day Bed

Three®

THREE - Three Healthcare Seating, Three Lounge Seating

UPHOLSTERY INFORMATION

C.O.M. Fabric

For C.O.M. fabric sent to KI-High Point on multiple rolls, add an additional yard of fabric per roll to the yardage requirements. Multiple rolls have shorter pieces of fabric on them and do not allow nesting and stacking of the fabric to achieve the best yield as is done with one large roll. This results in yardage shortages and requests for additional fabric from the client, which can hold up the order. For each roll that is sent, one yard needs to be added and needs to be added to one of the rolls, not separately.

SPECIAL FINISH MATCHES

KI can match special finish requests at an upcharge of \$58 List per item, up to 12 or a maximum charge of \$627 List per order per color. Special finish requests must be sent to your KI customer service representative.

Upon receipt from KI, the finishing department will prepare a "strike-off" which will be sent to the customer for approval.

The approval form accompanying the strike-off should be faxed to your KI customer service representative. Upon receipt of the signed approval form, KI will proceed with the order. Disapproved samples may be sent back to KI directly with an explanation of disapproval. A Special Finish Number (SFN) will be assigned to this finish sample for future reference or reorders.





INFORMATION

Warranty

Refer to KI Terms & Conditions document or
visit ki.com

Perth®

Multiple Seating

	Features	COM	MODEL NUMBER										
			Basic Model	Left Connect	Right Connect	Non-Contrast or Fabric Contrast 1	Fabric Contrast 2	Wood Finish	TB133	Moisture Barrier	Arm Cap	Casters	
 PRTH One Seat (Open Arm) • 1 = Back (Fabric Contrast 1) C.O.M. = 1.5 yd • 2 = Seat (Fabric Contrast 2) C.O.M. = 1 yd	Non-contrast	2 yd	POC	☐ ☐	☐ ☐	☐ ☐ ☐ ☐		☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐ ☐ ☐ ☐	
	Contrast		POC/FC	☐ ☐	☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐ ☐ ☐ ☐	
 PRTH One Seat (Closed Arm) • 1 = Back and arms (Fabric Contrast 1) C.O.M. = 2.5 yd • 2 = Seat (Fabric Contrast 2) C.O.M. = 1 yd	Non-contrast	3.5 yd	PPC	☐ ☐	☐ ☐	☐ ☐ ☐ ☐		☐ ☐ ☐		☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐ ☐ ☐ ☐	
	Contrast		PPC/FC	☐ ☐	☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐		☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐ ☐ ☐ ☐	
			A	B	C	D	E	F	G	H	I	J	

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.

- B** Select LEFT facing arm connector.

LC = Left connecting chair

LT = Left connecting table

Arm connection is on Right side when seated.

- C** Select RIGHT facing arm connector.

RC = Right connecting chair

RT = Right connecting table

Arm connection is on Left side when seated.

- D** Select non-contrast or fabric contrast 1.

Refer to Upholstery Fabric cards in the KI Fabrics & Finishes binder.

- E** Select fabric contrast 2.

Refer to Upholstery Fabric cards in the KI Fabrics & Finishes binder.

- F** Select wood finish color.
Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder.

Kensington Maple requires extended lead-times; add \$41.

- G** Select TB133.

NFR = No TB133 fire retardant

FR = Fire retardant

Not available on closed arm models.

See pricing column for TB133 upcharge.

- H** Select moisture barrier.

NMB = No moisture barrier

MB = Moisture barrier

See pricing column for moisture barrier upcharge.

- I** Select armcaps.

WAC = Wood (standard)

PAC = Black poly, upcharge per arm; add \$56

Polyurethane armcaps NOT available on TB133 approved chairs.

- J** Select casters.

FCST = Casters-front only; add \$116

RCST = Casters-back only; add \$116

FRCST = Casters-front and back; add \$116

NC = No casters (standard)



Approx. Packaged Weight	Grade C.O.M.	Grade C	Grade D	Grade E & C.O.L.	Grade F	Grade G	Grade H	Grade I	Grade J	Grade K	Grade L Leather	Grade M Leather	TB133 add to list price	Moisture Barrier add to list price
50#	\$ 806	\$ 830	\$ 858	\$ 887	\$ 962	\$ 1061	\$ 1095	\$ 1144	\$ 1247	\$ 1340	\$ 1443	\$ 1670	\$ 144	\$ 86
50#	835	860	886	917	991	1090	1125	1173	1277	1369	1473	1699	144	86
50#	\$ 931	\$ 953	\$ 988	\$ 1031	\$ 1087	\$ 1180	\$ 1249	\$ 1371	\$ 1545	\$ 1706	\$ 1884	\$ 2262	N/A	\$ 86
50#	960	983	1017	1060	1117	1210	1279	1401	1574	1736	1913	2292	N/A	86

INFORMATION

C.O.M. Requirements

C.O.M. yardage requirements listed above are based on plain goods 54' wide. If less than 54' wide or fabrics requiring matching (stripes, plaids, prints, large patterns), additional yardage will be needed. Consult COM/COL matrix for ordering additional yardage needed. For C.O.M. fabric sent to KI-High Point on multiple rolls, add an additional yard of fabric per roll to the yardage requirements.

Multiply number of seats, backs, and arms required by yardage amount (e.g. 3 replacement seats required x 1 yard = 3 yards total).

C.O.L. Requirements

Figure 18 sq. ft. of leather (C.O.L.) for each yard shown (i.e., 4.75 x 18 = 85.5 sq ft).

Contrasting Upholstery

When contrasting fabric is chosen, price at highest in-grade.

Construction

Seat frame constructed of welded structural steel. Back constructed from formed laminated plywood. (Loveseat from kiln-dried hardwood). Arms constructed from kiln-dried hardwood. Cushioning of multiple densities of polyurethane foam and dacron fiber.

California TB133 Fire Safety Code

The above seating products can be manufactured using the appropriate flame-retardant materials and fabric selection for compliance to California Technical Bulletin 133. Add "FR" to end of model number and add upcharge. Please contact KI customer service for fabric compliance. Not available with moisture barrier or on closed arm models. When using TB133, backs are not field recoverable. Gore or Nano-TEX treatments can be used when TB133 is required.

Upcharges are the same for Left, Right, and Left/Right units.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped **assembled freight prepaid f.o.b. High Point, North Carolina 27263** factory. Freight class #175.

Specifications and prices are subject to change without prior notice.

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: • The ☐ indicates that a choice is required.
• The absence of the ☐ indicates that no choice is required.

- A Select basic model.
- B Select LEFT facing arm connector.

LC	= Left connecting chair
LT	= Left connecting table

Arm connection is on Right side when seated.
- C Select RIGHT facing arm connector.

RC	= Right connecting chair
RT	= Right connecting table

Arm connection is on Left side when seated.
- D Select non-contrast or fabric contrast 1.
Refer to Upholstery Fabric cards in the KI Fabrics & Finishes binder.
- E Select fabric contrast 2.
Refer to Upholstery Fabric cards in the KI Fabrics & Finishes binder.

- F** Select wood finish color.
Refer to color addendum at ki.com or in
KI Price List or KI Fabrics & Finishes
binder.
Kensington Maple requires extended
lead-times; add \$61.
- G** Select TB133.
- | | |
|------------|---------------------------|
| NFR | = No TB133 fire retardant |
| FR | = Fire retardant |
- Not available on closed arm models.
See pricing column for TB133 upcharge.
- H** Select moisture barrier.
- | | |
|------------|-----------------------|
| NMB | = No moisture barrier |
| MB | = Moisture barrier |
- See pricing column for moisture barrier
upcharge.
- I** Select armcaps.
- | | |
|------------|--|
| WAC | = Wood (standard) |
| PAC | = Black poly, upcharge per arm
add \$56 |

Polyurethane armcaps NOT available on TB133 approved chairs.



Approx. Packaged Weight	Grade C.O.M.	Grade C	Grade D	Grade E & C.O.L.	Grade F	Grade G	Grade H	Grade I	Grade J	Grade K	Grade L Leather	Grade M Leather	TB133 add to list price	Moisture Barrier add to list price
91#	\$ 1450	\$ 1474	\$ 1517	\$ 1567	\$ 1603	\$ 1670	\$ 1738	\$ 1822	\$ 1991	\$ 2163	\$ 2332	\$ 2671	\$ 249	\$ 174
91#	1508	1532	1575	1626	1662	1729	1797	1881	2050	2222	2391	2729	249	174
91#	\$ 1705	\$ 1746	\$ 1816	\$ 1900	\$ 1955	\$ 2067	\$ 2176	\$ 2316	\$ 2594	\$ 2871	\$ 3150	\$ 3707	N/A	\$ 174
91#	1764	1805	1875	1958	2014	2125	2235	2375	2653	2930	3208	3766	N/A	174

INFORMATION

C.O.M. Requirements

C.O.M. yardage requirements listed above are based on plain goods 54" wide. If less than 54" wide or fabrics requiring matching (stripes, plaids, prints, large patterns), additional yardage will be needed. Consult COM/COL matrix for ordering additional yardage needed. For C.O.M. fabric sent to KI-High Point on multiple rolls, add an additional yard of fabric per roll to the yardage requirements.

Multiply number of seats, backs, and arms required by yardage amount (e.g. 3 replacement seats required x 1 yard = 3 yards total).

C.O.L. Requirements

Figure 18 sq. ft. of leather (C.O.L.) for each yard shown (i.e., 4.75 x 18 = 85.5 sq ft).

Contrasting Upholstery

When contrasting fabric is chosen, price at highest in-grade.

Construction

Seat frame constructed of welded structural steel. Back constructed from formed laminated plywood. (Loveseat from kiln-dried hardwood). Arms constructed from kiln-dried hardwood. Cushioning of multiple densities of polyurethane foam and dacron fiber.

California TB133 Fire Safety Code

The above seating products can be manufactured using the appropriate flame-retardant materials and fabric selection for compliance to California Technical Bulletin 133. Add "FR" to end of model number and add upcharge. Please contact KI customer service for fabric compliance. Not available with moisture barrier or on closed arm models. When using TB133, backs are not field recoverable. Gore or Nano-Tex treatments can be used when TB133 is required.

Upcharges are the same for Left, Right, and Left/Right units.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped **assembled freight prepaid f.o.b. High Point, North Carolina 27263** factory. Freight class #175.

Specifications and prices are subject to change without prior notice.

HOW TO ORDER

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: • The ☐ indicates that a choice is required.
• The absence of the ☐ indicates that no choice is required.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- B Select LEFT facing arm connector.

LC	= Left connecting chair
LT	= Left connecting table

Arm connection is on Right side when seated.
- C Select RIGHT facing arm connector.

RC	= Right connecting chair
RT	= Right connecting table

Arm connection is on Left side when seated.
- D Select No-contrast or fabric contrast 1.
Refer to Upholstery Fabric cards in the KI Fabrics & Finishes binder.
- E Select fabric contrast 2.
Refer to Upholstery Fabric cards in the KI Fabrics & Finishes binder.

- F** Select wood finish color.
Refer to color addendum at ki.com or in
KI Price List or KI Fabrics & Finishes
binder.
Kensington Maple requires extended
lead-times; add \$81.
- G** Select TB133.
- | | |
|------------|---------------------------|
| NFR | = No TB133 fire retardant |
| FR | = Fire retardant |
- Not available on closed arm models.
See pricing column for TB133 upcharge
- H** Select moisture barrier.
- | | |
|------------|-----------------------|
| NMB | = No moisture barrier |
| MB | = Moisture barrier |
- See pricing column for moisture barrier
upcharge.
- I** Select armcaps.
- | | |
|------------|--|
| WAC | = Wood (standard) |
| PAC | = Black poly, upcharge per arm
add \$56 |

Polyurethane armcaps NOT available on TB133 approved chairs.



Approx. Packaged Weight	Grade C.O.M.	Grade C	Grade D	Grade E & C.O.L.	Grade F	Grade G	Grade H	Grade I	Grade J	Grade K	Grade L Leather	Grade M Leather	TB133 add to list price	Moisture Barrier add to list price
130#	\$ 2200	\$ 2237	\$ 2301	\$ 2377	\$ 2430	\$ 2531	\$ 2633	\$ 2760	\$ 3014	\$ 3268	\$ 3523	\$ 4035	\$ 376	\$ 260
130#	2288	2325	2389	2465	2517	2619	2720	2848	3102	3356	3611	4122	376	260

130#	\$ 2473	\$ 2532	\$ 2633	\$ 2753	\$ 2832	\$ 2993	\$ 3153	\$ 3354	\$ 3754	\$ 4155	\$ 4555	\$ 5356	N/A	\$ 260
130#	2560	2620	2720	2841	2920	3081	3241	3442	3842	4244	4643	5443	N/A	260

INFORMATION

C.O.M. Requirements

C.O.M. yardage requirements listed above are based on plain goods 54' wide. If less than 54' wide or fabrics requiring matching (stripes, plaids, prints, large patterns), additional yardage will be needed. Consult COM/COL matrix for ordering additional yardage needed. For C.O.M. fabric sent to KI-High Point on multiple rolls, add an additional yard of fabric per roll to the yardage requirements.

Multiply number of seats, backs, and arms required by yardage amount (e.g. 3 replacement seats required x 1 yard = 3 yards total).

C.O.L. Requirements

Figure 18 sq. ft. of leather (C.O.L.) for each yard shown (i.e., 4.75 x 18 = 85.5 sq ft).

Contrasting Upholstery

When contrasting fabric is chosen, price at highest in-grade.

Construction

Seat frame constructed of welded structural steel. Back constructed from formed laminated plywood. (Loveseat from kiln-dried hardwood). Arms constructed from kiln-dried hardwood. Cushioning of multiple densities of polyurethane foam and dacron fiber.

California TB133 Fire Safety Code

The above seating products can be manufactured using the appropriate flame-retardant materials and fabric selection for compliance to California Technical Bulletin 133. Add "FR" to end of model number and add upcharge. Please contact KI customer service for fabric compliance. Not available with moisture barrier or on closed arm models. When using TB133, backs are not field recoverable. Gore or Nano-Tex treatments can be used when TB133 is required.

Upcharges are the same for Left, Right, and Left/Right units.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped **assembled freight prepaid f.o.b. High Point, North Carolina 27263** factory. Freight class #175.

Specifications and prices are subject to change without prior notice.

HOW TO ORDER

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: • The ☐ indicates that a choice is required.
• The absence of the ☐ indicates that no choice is required.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select LEFT facing arm connector.

LC	= Left connecting chair
LT	= Left connecting table

Arm connection is on Right side when seated.
- C** Select RIGHT facing arm connector.

RC	= Right connecting chair
RT	= Right connecting table

Arm connection is on Left side when seated.
- D** Select non-contrast or fabric contrast 1.
Refer to Upholstery Fabric cards in the KI Fabrics & Finishes binder.
- E** Select fabric contrast 2.
Refer to Upholstery Fabric cards in the KI Fabrics & Finishes binder.

- F** Select wood finish color.
Refer to color addendum at ki.com or in
KI Price List or KI Fabrics & Finishes
binder.
Kensington Maple requires extended
lead-times; add \$41.
- G** Select TB133.
- | | |
|------------|---------------------------|
| NFR | = No TB133 fire retardant |
| FR | = Fire retardant |
- Not available on closed arm models.
See pricing column for TB133 upcharge.
- H** Select moisture barrier.
- | | |
|------------|-----------------------|
| NMB | = No moisture barrier |
| MB | = Moisture barrier |
- See pricing column for moisture barrier
upcharge.
- I** Select armcaps.
- | | |
|------------|--|
| WAC | = Wood (standard) |
| PAC | = Black poly, upcharge per arm
add \$56 |

Polyurethane armcaps NOT available on TB133 approved chairs.

HOW TO ORDER

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: • The ☐ indicates that a choice is required.
• The absence of the ☐ indicates that no choice is required.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- B Select LEFT facing arm connector.

LC	= Left connecting chair
LT	= Left connecting table

Arm connection is on Right side when seated.
- C Select RIGHT facing arm connector.

RC	= Right connecting chair
RT	= Right connecting table

Arm connection is on Left side when seated.
- D Select No-contrast or fabric contrast 1.
Refer to Upholstery Fabric cards in the KI Fabrics & Finishes binder.
- E Select fabric contrast 2.
Refer to Upholstery Fabric cards in the KI Fabrics & Finishes binder.

- F** Select wood finish color.
Refer to color addendum at ki.com or in
KI Price List or KI Fabrics & Finishes
binder.
Kensington Maple requires extended
lead-times; add \$20.
- G** Select TB133.
- | | |
|------------|---------------------------|
| NFR | = No TB133 fire retardant |
| FR | = Fire retardant |
- See pricing column for TB133 upcharge.
- H** Select moisture barrier.
- | | |
|------------|-----------------------|
| NMB | = No moisture barrier |
| MB | = Moisture barrier |
- See pricing column for moisture barrier
upcharge.
- I** Select armcaps.
- | | |
|------------|---------------------------------|
| WAC | = Wood (standard) |
| PAC | = Black poly, upcharge per arm; |
- add \$56
Polyurethane armcaps NOT available on

TB133 approved chairs.

PRAS

One Seat Add-on Unit-Left (Closed Arm)

- 1 = Back and arms (Fabric Contrast 1) C.O.M. = 2.5 yd
- 2 = Seat (Fabric Contrast 2) C.O.M. = 1 yd



PRAS

One Seat Add-on Unit-Right (Close Arm)

- 1 = Back and arms (Fabric Contrast 1)
- C.O.M. = 2.5 yd
- 2 = Seat (Fabric Contrast 2) C.O.M. = 1 yd

Note: • The ☐ indicates that a choice is required.
• The absence of the ☐ indicates that no choice is required.

- A Select basic model.
- B Select LEFT facing arm connector.

LC	= Left connecting chair
LT	= Left connecting table

Arm connection is on Right side when seated.
- C Select RIGHT facing arm connector.

RC	= Right connecting chair
RT	= Right connecting table

Arm connection is on Left side when seated.
- D Select No-contrast or fabric contrast 1.
Refer to Upholstery Fabric cards in the KI Fabrics & Finishes binder.
- E Select fabric contrast 2.
Refer to Upholstery Fabric cards in the KI Fabrics & Finishes binder.

- F** Select wood finish color.
Refer to color addendum at ki.com or in
KI Price List or KI Fabrics & Finishes
binder.
Kensington Maple requires extended
lead-times; add \$20.
- G** Select moisture barrier.
- | | |
|------------|-----------------------|
| NMB | = No moisture barrier |
| MB | = Moisture barrier |
- See pricing column for moisture barrier
upcharge.
- H** Select armcaps.
- | | |
|------------|---------------------------------|
| WAC | = Wood (standard) |
| PAC | = Black poly, upcharge per arm; |
- add \$56
Polyurethane armcaps NOT available on
TB133 approved chairs.

C.O.M. Requirements

C.O.M. yardage requirements listed above are based on plain goods 54" wide. If less than 54" wide or fabrics requiring matching (stripes, plaids, prints, large patterns), additional yardage will be needed. Consult COM/COL matrix for ordering additional yardage needed. For C.O.M. fabric sent to KI-High Point on multiple rolls, add an additional yard of fabric per roll to the yardage requirements.

Multiply number of seats, backs, and arms required by yardage amount (e.g. 3 replacement seats required x 1 yard = 3 yards total).

Figure 18 sq. ft. of leather (C.O.L.) for each yard shown (i.e., $4.75 \times 18 = 85.5$ sq ft).

When contrasting fabric is chosen, price at highest in-grade.



Grade C.O.M.	Grade C	Grade D	Grade E & C.O.L.	Grade F	Grade G	Grade H	Grade I	Grade J	Grade K	Grade L Leather	Grade M Leather	Moisture Barrier add to list price
\$ 713	\$ 729	\$ 758	\$ 792	\$ 834	\$ 908	\$ 961	\$ 1057	\$ 1195	\$ 1321	\$ 1460	\$ 1754	\$ 86
742	758	788	821	864	938	990	1086	1224	1350	1489	1783	86
\$ 713	\$ 729	\$ 758	\$ 792	\$ 834	\$ 908	\$ 961	\$ 1057	\$ 1195	\$ 1321	\$ 1460	\$ 1754	\$ 86
742	758	788	821	864	938	990	1086	1224	1350	1489	1783	86

Construction
Seat frame constructed of welded structural steel. Back constructed from formed laminated plywood. (Loveseat from kiln-dried hardwood). Arms constructed from kiln-dried hardwood. Cushioning of multiple densities of polyurethane foam and dacron fiber.

SPECIAL SERVICES

Special Carton Marking
With specially marked information N/C

Shipping
Shipped **assembled freight prepaid f.o.b. High Point, North Carolina 27263** factory. Freight class #175.

Specifications and prices are subject to change without prior notice.

HOW TO ORDER

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: • The ☐ indicates that a choice is required.
• The absence of the ☐ indicates that no choice is required.

A Select basic model.

B Select LEFT facing arm connector.

LC	= Left connecting chair
LT	= Left connecting table

Arm connection is on Right side when seated.

C Select RIGHT facing arm connector.

RC	= Right connecting chair
RT	= Right connecting table

Arm connection is on Left side when seated.

D Select non-contrast or fabric contrast 1.
Refer to Upholstery Fabric cards in the KI
Fabrics & Finishes binder.

E Select fabric contrast 2.
Refer to Upholstery Fabric cards in the KI
Fabrics & Finishes binder.

F Select wood finish color.
Refer to color addendum at ki.com or in
KI Price List or KI Fabrics & Finishes
binder.
Kensington Maple requires extended
lead-times; add \$41.

G Select TB133.

NFR	= No TB133 fire retardant
FR	= Fire retardant

See pricing column for TB133 upcharge.

H Select moisture barrier.

NMB	= No moisture barrier
MB	= Moisture barrier

See pricing column for moisture barrier upcharge.

1 Select armcaps.

WAC	= Wood (standard)
PAC	= Black poly, upcharge per arm; add \$56

Polyurethane armcaps NOT available on

TB133 approved chairs.

Specifications and prices are subject to change without prior notice.

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: •The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: • The ☐ indicates that a choice is required.
• The absence of the ☐ indicates that no choice is required.

- A** Select basic model.
- B** Select LEFT facing arm connector.

LC	= Left connecting chair
LT	= Left connecting table

Arm connection is on Right side when seated.
- C** Select RIGHT facing arm connector.

RC	= Right connecting chair
RT	= Right connecting table

Arm connection is on Left side when seated.
- D** Select non-contrast or fabric contrast 1.
Refer to Upholstery Fabric cards in the KI Fabrics & Finishes binder.
- E** Select fabric contrast 2.
Refer to Upholstery Fabric cards in the KI Fabrics & Finishes binder.

- F** Select wood finish color.
Refer to color addendum at ki.com or in
KI Price List or KI Fabrics & Finishes
binder.
Kensington Maple requires extended
lead-times; add \$41.
- G** Select moisture barrier.
- | | |
|------------|-----------------------|
| NMB | = No moisture barrier |
| MB | = Moisture barrier |
- See pricing column for moisture barrier
upcharge.
- H** Select armcaps.
- | | |
|------------|---------------------------------|
| WAC | = Wood (standard) |
| PAC | = Black poly, upcharge per arm; |
- add \$56
Polyurethane armcaps NOT available on
TB133 approved chairs.

C.O.M. Requirements

C.O.M. yardage requirements listed above are based on plain goods 54" wide. If less than 54" wide or fabrics requiring matching (stripes, plaids, prints, large patterns), additional yardage will be needed. Consult COM/COL matrix for ordering additional yardage needed. For C.O.M. fabric sent to KI-High Point on multiple rolls, add an additional yard of fabric per roll to the yardage requirements.

Multiply number of seats, backs, and arms required by yardage amount (e.g. 3 replacement seats required x 1 yard = 3 yards total).

C.O.L. Requirements

Figure 18 sq. ft. of leather (C.O.L.) for each yard shown (i.e., $4.75 \times 18 = 85.5$ sq ft).

Contrasting Upholstery

Contrasting Epilestery
When contrasting fabric is chosen, price at highest in-grade.

1547	1584	1645	1718	1768	1867	1964	2086	2331	2576	2821	3311	174
------	------	------	------	------	------	------	------	------	------	------	------	-----

	\$ 1,183	\$ 1,027	\$ 1,037	\$ 1,037	\$ 1,183	\$ 1,033	\$ 1,033	\$ 1,033	\$ 1,027	\$ 1,073	\$ 1,077	\$ 1,032	\$ 3,032	\$ 177
	1547	1584	1645	1718	1768	1867	1964	2086	2331	2576	2821	3311		174

Construction Seat frame constructed of welded structural steel. Back constructed from formed laminated plywood. (Loveseat from kiln-dried hardwood). Arms constructed from kiln-dried hardwood. Cushioning of multiple densities of polyurethane foam and dacron fiber.

Special Carton Marking

With specially marked information	N/C
-----------------------------------	-----

Shipped **assembled freight prepaid f.o.b.**
High Point, North Carolina 27263 factory.
 Freight class #175.

Specifications and prices are subject to change without prior notice.

HOW TO ORDER

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: • The ☐ indicates that a choice is required.
• The absence of the ☐ indicates that no choice is required.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- B Select LEFT facing arm connector.

LC	= Left connecting chair
LT	= Left connecting table

Arm connection is on Right side when seated.
- C Select RIGHT facing arm connector.

RC	= Right connecting chair
RT	= Right connecting table

Arm connection is on Left side when seated.
- D Select No-contrast or fabric contrast 1.
Refer to Upholstery Fabric cards in the KI Fabrics & Finishes binder.
- E Select fabric contrast 2.
Refer to Upholstery Fabric cards in the KI Fabrics & Finishes binder.

- F** Select wood finish color.
Refer to color addendum at ki.com or in
KI Price List or KI Fabrics & Finishes
binder.
Kensington Maple requires extended
lead-times; add \$61.
- G** Select TB133.
- | | |
|------------|---------------------------|
| NFR | = No TB133 fire retardant |
| FR | = Fire retardant |
- See pricing column for TB133 upcharge.
- H** Select moisture barrier.
- | | |
|------------|-----------------------|
| NMB | = No moisture barrier |
| MB | = Moisture barrier |
- See pricing column for moisture barrier
upcharge.
- I** Select armcaps.
- | | |
|------------|---------------------------------|
| WAC | = Wood (standard) |
| PAC | = Black poly, upcharge per arm; |
- add \$56
Polyurethane armcaps NOT available on

TB133 approved chairs.

Specifications and prices are subject to change without prior notice.



Grade C.O.M.	Grade C	Grade D	Grade E & C.O.L.	Grade F	Grade G	Grade H	Grade I	Grade J	Grade K	Grade L Leather	Grade M Leather	Moisture Barrier add to list price
\$ 2181	\$ 2235	\$ 2328	\$ 2438	\$ 2511	\$ 2658	\$ 2804	\$ 2988	\$ 3356	\$ 3723	\$ 4089	\$ 4823	\$ 260
2269	2323	2416	2525	2599	2747	2893	3075	3444	3810	4178	4912	260
\$ 2181	\$ 2235	\$ 2328	\$ 2438	\$ 2511	\$ 2658	\$ 2804	\$ 2988	\$ 3356	\$ 3723	\$ 4089	\$ 4823	\$ 260
2269	2323	2416	2525	2599	2747	2893	3075	3444	3810	4178	4912	260

Construction
Seat frame constructed of welded structural steel. Back constructed from formed laminated plywood. (Loveseat from kiln-dried hardwood). Arms constructed from kiln-dried hardwood. Cushioning of multiple densities of polyurethane foam and dacron fiber.

SPECIAL SERVICES

Special Carton Marking
With specially marked information N/C

Shipping
Shipped **assembled freight prepaid f.o.b. High Point, North Carolina 27263** factory. Freight class #175.

Specifications and prices are subject to change without prior notice.

Perth®

Multiple Seating Replacement Parts

			MODEL NUMBER					Approx. Packaged Weight
			Basic Model	Non-Contrast or Fabric Contrast 1	Arm Style	TB133	Moisture Barrier	
 PRRP	Chair Replacement Back Foam/Upholstery Cover	1.5 yd	PRB23	□□□□	□	□□□	□□□	7#
 PRRP	Chair Replacement Seat Cover	1 yd	PRS23	□□□□	□	□□□	□□□	2#
 PRRP	Loveseat Replacement Back Foam/Upholstery Cover	2.5 yd	PRB33	□□□□	□	□□□	□□□	3#
 PRRP	Loveseat Replacement Seat Cover	1.25 yd	PRS33	□□□□	□	□□□	□□□	3#
			A	B	C	D	E	

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: • The □ indicates that a choice is required.
 • The absence of the □ indicates that no choice is required.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select non-contrast or fabric contrast 1.
 Refer to Upholstery Fabric cards in the KI Fabrics & Finishes binder.
- C** Select arm style.
H = Closed arm
O = Open arm
- D** Select TB133.
NFR = No TB133 fire retardant
FR = Fire retardant
 See pricing column for TB133 upcharge.
 Not available with poly cap option.
- E** Select moisture barrier.
NMB = No moisture barrier
MB = Moisture barrier
 See pricing column for moisture barrier upcharge.

INFORMATION

C.O.M. Requirements

C.O.M. yardage requirements listed above are based on plain goods 54" wide. If less than 54" wide or fabrics requiring matching (stripes, plaids, prints, large patterns), additional yardage will be needed. Consult C.O.M. matrix on the Ordering C.O.M., and C.O.L. page for additional yardage needed. For C.O.M. fabric sent to KI-High Point on multiple rolls, add an additional yard of fabric per roll to the yardage requirements.

C.O.L. Requirements

Figure 18 sq. ft. of leather (C.O.L.) for each yard shown (i.e., 4.75 x 18 = 85.5 sq ft).

Contrasting Upholstery

When contrasting fabric is chosen, price at highest in-grade.

Moisture Barrier

Moisture barrier is applied underneath the fabric cover as a means of protecting the foam. Not available with TB133.

California TB133 Fire Safety Code

The above seating products can be manufactured using the appropriate flame-retardant materials and fabric selection for compliance to California Technical Bulletin 133. Add "FR" to end of model number and add upcharge. Please contact KI customer service for fabric compliance. Not available with moisture barrier or on closed arm models. When using TB133, backs are not field recoverable. Gore or Nano-Tex treatments can be used when TB133 is required.

Upcharges are the same for Left, Right, and Left/Right units.



Grade C.O.M.	Grade C	Grade D	Grade E & C.O.L.	Grade F	Grade G	Grade H	Grade I	Grade J	Grade K	Grade L Leather	Grade M Leather	TB133 add to list price	Moisture Barrier add to list price
\$ 181	\$ 189	\$ 206	\$ 228	\$ 243	\$ 271	\$ 299	\$ 356	\$ 426	\$ 497	\$ 568	\$ 711	\$ 72	\$ 44
\$ 154	\$ 165	\$ 183	\$ 206	\$ 221	\$ 253	\$ 284	\$ 347	\$ 420	\$ 497	\$ 576	\$ 729	\$ 48	\$ 44
\$ 243	\$ 254	\$ 278	\$ 306	\$ 327	\$ 364	\$ 403	\$ 480	\$ 573	\$ 671	\$ 765	\$ 956	\$ 120	\$ 72
\$ 180	\$ 191	\$ 212	\$ 239	\$ 259	\$ 294	\$ 330	\$ 403	\$ 490	\$ 580	\$ 667	\$ 845	\$ 61	\$ 37

SPECIAL SERVICES

Special Carton Marking






With specially marked information N/C

Shipping

Shipped **assembled unless replacement parts which ship k.d. freight prepaid High Point, North Carolina 27263** factory. Freight class #175.

Specifications and prices are subject to change without prior notice.

Perth®
Connecting Tables

MODEL	Features	MODEL NUMBER			Approx. Packaged Weight
		Basic Model	Wood Finish	Laminate Color	
 PRCT	Laminate Top	PT.L	☐ ☐ ☐	☐ ☐ ☐	19#
	Wood Veneer Top	PT.V	☐ ☐ ☐		19#
 PRCT	Laminate Top	PET.L	☐ ☐ ☐	☐ ☐ ☐	22#
	Wood Veneer Top	PET.V	☐ ☐ ☐		22#
 PRCT	Laminate Top	PT45.L	☐ ☐ ☐	☐ ☐ ☐	20#
	Wood Veneer Top	PT45.V	☐ ☐ ☐		20#
 PRCT	Laminate Top	PT90.L	☐ ☐ ☐	☐ ☐ ☐	25#
	Wood Veneer Top	PT90.V	☐ ☐ ☐		25#
 PRCT	Laminate Top	PT3.L	☐ ☐ ☐	☐ ☐ ☐	30#
	Wood Veneer Top	PT3.V	☐ ☐ ☐		30#
		A	B	C	

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: •The ☐ indicates that a choice is required.
•The absence of the ☐ indicates that no choice is required.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select wood finish color.
Refer to color addendum at [ki.com](#) or in KI Price List or KI Fabrics & Finishes binder.
For Kensington Maple add upcharge.
- C** Select laminate color.
Refer to color addendum at [ki.com](#) or in KI Price List or KI Fabrics & Finishes binder.

KENSINGTON MAPLE UPCHARGE

Kensington Maple requires extended lead-times.	
Model	
PT.L	\$15
PT.V	\$20
PET.L	\$15
PET.V	\$30
PT45.L	\$15
PT45.V	\$30
PT90.L	\$20
PT90.V	\$51
PT3.L	\$25
PT3.V	\$30

INFORMATION

Construction
Constructed of kiln-dried hardwood and veneers.



Delivered Pricing	
\$ 392	442
\$ 522	559
\$ 460	528
\$ 690	790
\$ 782	870

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped **assembled freight prepaid f.o.b. High Point, North Carolina 27263** factory. Freight class #175.

Specifications and prices are subject to change without prior notice.

Strive® Tandem

General Information



Tandem Seating
(ST4NAP/S4/IT0)

2-Place
Unit

3-Place
Unit

4-Place
Unit

Features

Arm	•
Corner tables	•
In-line tables	•
Available w/ poly. or uph. seat	•

General Dimensions

Seat width	18"	18"	18"
Seat depth	18"	18"	18"
Unit width (with arms)	44-1/2"	66-1/2"	92-1/2"
Unit width (no arms)	44-1/2"	66-1/2"	85-1/2"
Seat height	17"	17"	17"
Unit height	33"	33"	33"
Corner table top	30" x 30"		
In-line table	20" x 20"		
Table height (all table models)	17"		
Width between arms (inside arm)	18"		
Arm height from floor	25-3/4"		

SPECIFICATIONS

Backrest

Injection molded polypropylene with integral steel cantilever springs. The combination of the slotted polypropylene back and the spring steel provides a supportive flexing back. Springs are nominal 4.5mm diameter chrome silicon valve spring wire.

Seat

Injection-molded polypropylene seat attached directly to the structure.

Optional Upholstered Seat

Molded urethane foam is attached to an injection molded polypropylene seat board, then upholstered using a draw-string process. The assembled seat pad is attached to the seat by means of hidden fasteners.

Underseat Structure

Support structure is die-formed 13-gauge steel welded to a 1" OD x 14-gauge tubular steel cross member.

Frame Finish

Baked on, electrostatically-applied 45 gloss epoxy powder coating.

Tandem Base

Cast aluminum alloy leg section. 14-gauge 1x2" seamless steel column. Upright and base are painted monochromatic with beam and yoke. Columns are welded to a plate which clamps onto beam.

Tandem Arm

Oval tubular steel arm support with self-skinning urethane armrests measuring 10¼" long x 4" wide. The tubular arm support is welded to a yoke and then fastened to the beam via a coverplate.

In-Line Table

Solid core top is 20" x 20" x 7/8" with a vinyl bullnose edge.

Corner Table

Solid core top is 30" x 30" x 7/8" with a vinyl bullnose edge.

INFORMATION


C.O.M Testing and Production Requirements

Not all materials are suitable for upholstering this product. A 1-1/2 yd. x 54" sample must be submitted and approved prior to acceptance of an order. If the fabric is directional in pattern or weave, the direction must be indicated on the submitted sample, and additional yardage may be requested.

Test samples must be sent to:
KI
Attn: C.O.M./C.O.V. Specialist
1330 Bellevue Street
Green Bay, WI 54302

Design

Designed by Giancarlo Piretti and manufactured in the USA by Krueger International, Inc. under license from Pro-Cord S.p.A.



DIMENSIONS

	No Arms	With Arms
A1 2-Place Unit	44 ¹ / ₂ "	44 ¹ / ₂ "
A2 3-Place Unit	66 ¹ / ₂ "	66 ¹ / ₂ "
A3 4-Place Unit	85 ¹ / ₂ "	92 ¹ / ₂ "
B Additional Places	22"	22"
C Seat Width	18"	
D Table Width	20"	
E Table Height	17"	
F Unit Height	33"	
G Seat Height	17"	
H Beam Center to Front of Seat	10 ¹ / ₄ "	
I Beam Center to Back of Back	11"	
J Beam Center to Foot End	11 ³ / ₄ "	
K Seat Center to Corner Table		
Mounting Side	13 ¹ / ₂ "	
L Beam Center to Corner Table		
Mounting Side	20"	
M Beam Center to Corner Table Back	10"	
N Corner Table Width	30"	
O Beam Center to Back of Flexed Back	14 ¹ / ₄ "	

INFORMATION

Warranty

Refer to KI Terms & Conditions document or visit ki.com

Strive® Tandem

Multiple Seating

MODEL	Features	MODEL NUMBER						
		Basic Model	Corner Table Connection	Frame Color	Seat & Back Color	Surface Finish	Edge Color	
 ST1P ST2P ST3P ST4P ST5P	Tandem Seating No Arms Poly • Optional in-line tables	1 Seat, 0 In-line Table	ST1NAP/S1/IT0	☐	☐	☐	☐	
		1 Seat, 1 In-line Table	ST2NAP/S1/IT1	☐	☐	☐	☐	
		2 Seats, 0 In-line Table	ST2NAP/S2/IT0	☐	☐	☐	☐	
		2 Seats, 1 In-line Table	ST3NAP/S2/IT1	☐	☐	☐	☐	
		3 Seats, 0 In-line Table	ST3NAP/S3/IT0	☐	☐	☐	☐	
		3 Seats, 1 In-line Table	ST4NAP/S3/IT1	☐	☐	☐	☐	
		4 Seats, 0 In-line Table	ST4NAP/S4/IT0	☐	☐	☐	☐	
		3 Seats, 2 In-line Table	ST5NAP/S3/IT2	☐	☐	☐	☐	
		4 Seats, 1 In-line Table	ST5NAP/S4/IT1	☐	☐	☐	☐	
		5 Seats, 0 In-line Table	ST5NAP/S5/IT0	☐	☐	☐	☐	
 ST1P ST2P ST3P ST4P ST5P	Tandem Seating End Arms Only Poly • Optional in-line tables	1 Seat, 0 In-line Table	ST1EAP/S1/IT0	☐	☐	☐	☐	
		1 Seat, 1 In-line Table	ST2EAP/S1/IT1	☐	☐	☐	☐	
		2 Seats, 0 In-line Table	ST2EAP/S2/IT0	☐	☐	☐	☐	
		2 Seats, 1 In-line Table	ST3EAP/S2/IT1	☐	☐	☐	☐	
		3 Seats, 0 In-line Table	ST3EAP/S3/IT0	☐	☐	☐	☐	
		3 Seats, 1 In-line Table	ST4EAP/S3/IT1	☐	☐	☐	☐	
		4 Seats, 0 In-line Table	ST4EAP/S4/IT0	☐	☐	☐	☐	
		3 Seats, 2 In-line Table	ST5EAP/S3/IT2	☐	☐	☐	☐	
		4 Seats, 1 In-line Table	ST5EAP/S4/IT1	☐	☐	☐	☐	
		5 Seats, 0 In-line Table	ST5EAP/S5/IT0	☐	☐	☐	☐	
 ST1P ST2P ST3P ST4P ST5P	Tandem Seating w/Arms Poly • Optional in-line tables	1 Seat, 0 In-line Table	ST1AAP/S1/IT0	☐	☐	☐	☐	
		1 Seat, 1 In-line Table	ST2AAP/S1/IT1	☐	☐	☐	☐	
		2 Seats, 0 In-line Table	ST2AAP/S2/IT0	☐	☐	☐	☐	
		2 Seats, 1 In-line Table	ST3AAP/S2/IT1	☐	☐	☐	☐	
		3 Seats, 0 In-line Table	ST3AAP/S3/IT0	☐	☐	☐	☐	
		3 Seats, 1 In-line Table	ST4AAP/S3/IT1	☐	☐	☐	☐	
		4 Seats, 0 In-line Table	ST4AAP/S4/IT0	☐	☐	☐	☐	
		3 Seats, 2 In-line Table	ST5AAP/S3/IT2	☐	☐	☐	☐	
		4 Seats, 1 In-line Table	ST5AAP/S4/IT1	☐	☐	☐	☐	
		5 Seats, 0 In-line Table	ST5AAP/S5/IT0	☐	☐	☐	☐	

A

B

C

D

E

F

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: • The ☐ indicates that a choice is required.
 • The absence of the ☐ indicates that no choice is required.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.

- B** Select corner table connection.

L = Unit connects to one corner table

LL = Unit connects to two corner tables

NC = No corner table

- C** Select frame color.

Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder.

- D** Select seat/back color.

Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder.

- E** Select surface finish for table.

Refer to color addendum at ki.com or in

KI Price List or KI Fabrics & Finishes binder. Surface finish offerings are based on edge style selections.

- F** Select table edge color.

Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder. Edge color offerings are based on edge style selections.

UPHOLSTERY INFORMATION

C.O.M. Upholstery

C.O.M. requirement 3/4 yard per chair of 54" wide nondirectional fabric. For complete information on ordering C.O.M., see "Ordering C.O.M., C.O.V. and C.O.L." section.



Approx. Packaged Weight	Delivered Pricing
25#	\$ 322
39#	682
45#	644
59#	1004
65#	966
79#	1326
89#	1288
98#	1686
104#	1648
110#	1610
30#	\$ 442
44#	742
47#	764
55#	1124
64#	1086
70#	1446
81#	1408
89#	1806
100#	1768
105#	1730
30#	\$ 442
44#	802
55#	824
69#	1244
80#	1206
94#	1626
105#	1588
113#	2046
124#	2008
135#	1970

OPTIONS

California TB133 Fire Safety Code

The above seating products can be manufactured using the appropriate flame-retardant materials for compliance to California Technical Bulletin 133. No additional lead time. Add "FR" to end of model number.
 Model=Polypropylene
 Added List Price= \$10 per seat
 Model=Upholstered Seat
 Added List Price= \$58 per seat

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped **k.d. freight prepaid f.o.b. Green Bay, Wisconsin 54302** factory. Freight class #70.

Specifications and prices are subject to change without prior notice.

Strive® Tandem

Multiple Seating



ST1U
ST2U
ST3U
ST4U
ST5U

Tandem Seating No Arms Upholstery

- Optional in-line tables

Features	MODEL NUMBER							Approx. Packaged Weight
	Basic Model	Corner Table Connection	Frame Color	Seat & Back Color	Surface Finish	Edge Color	Upholstery Color	
1 Seat, 0 In-line Table	ST1NAU/S1/IT0	☐ ☐	☐ ☐	☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐ ☐ ☐	30#
1 Seat, 1 In-line Table	ST2NAU/S1/IT1	☐ ☐	☐ ☐	☐ ☐ ☐	☐ ☐ ☐ ☐ ☐ ☐	☐ ☐ ☐ ☐ ☐ ☐	☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐	41#
2 Seats, 0 In-line Table	ST2NAU/S2/IT0	☐ ☐	☐ ☐	☐ ☐ ☐	☐ ☐ ☐ ☐ ☐ ☐	☐ ☐ ☐ ☐ ☐ ☐	☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐	50#
2 Seats, 1 In-line Table	ST3NAU/S2/IT1	☐ ☐	☐ ☐	☐ ☐ ☐	☐ ☐ ☐ ☐ ☐ ☐	☐ ☐ ☐ ☐ ☐ ☐	☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐	64#
3 Seats, 0 In-line Table	ST3NAU/S3/IT0	☐ ☐	☐ ☐	☐ ☐ ☐	☐ ☐ ☐ ☐ ☐ ☐	☐ ☐ ☐ ☐ ☐ ☐	☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐	70#
3 Seats, 1 In-line Table	ST4NAU/S3/IT1	☐ ☐	☐ ☐	☐ ☐ ☐	☐ ☐ ☐ ☐ ☐ ☐	☐ ☐ ☐ ☐ ☐ ☐	☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐	84#
4 Seats, 0 In-line Table	ST4NAU/S4/IT0	☐ ☐	☐ ☐	☐ ☐ ☐	☐ ☐ ☐ ☐ ☐ ☐	☐ ☐ ☐ ☐ ☐ ☐	☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐	94#
3 Seats, 2 In-line Table	ST5NAU/S3/IT2	☐ ☐	☐ ☐	☐ ☐ ☐	☐ ☐ ☐ ☐ ☐ ☐	☐ ☐ ☐ ☐ ☐ ☐	☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐	103#
4 Seats, 1 In-line Table	ST5NAU/S4/IT1	☐ ☐	☐ ☐	☐ ☐ ☐	☐ ☐ ☐ ☐ ☐ ☐	☐ ☐ ☐ ☐ ☐ ☐	☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐	109#
5 Seats, 0 In-line Table	ST5NAU/S5/IT0	☐ ☐	☐ ☐	☐ ☐ ☐	☐ ☐ ☐ ☐ ☐ ☐	☐ ☐ ☐ ☐ ☐ ☐	☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐	115#

A

B

C

D

E

F

G

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: •The ☐ indicates that a choice is required.
•The absence of the ☐ indicates that no choice is required.

HOW TO BUILD A MODEL NUMBER

- A

Select basic model.
- B

Select corner table connection.

L

= Unit connects to one corner table

LL

= Unit connects to two corner tables

NC

= No corner table

C

Select frame color.

Refer to color addendum at [ki.com](#) or in KI Price List or KI Fabrics & Finishes binder.

D

Select seat/back color.

Refer to color addendum at [ki.com](#) or in KI Price List or KI Fabrics & Finishes binder.

E

Select surface finish for table.

Refer to color addendum at [ki.com](#) or in

KI Price List or KI Fabrics & Finishes binder. Surface finish offerings are based on edge style selections.

- F

Select table edge color.

Refer to color addendum at [ki.com](#) or in KI Price List or KI Fabrics & Finishes binder. Edge color offerings are based on edge style selections.
- G

Select upholstery grade/color.

Refer to color addendum at [ki.com](#) or in KI Fabrics & Finishes binder.

UPHOLSTERY INFORMATION

C.O.M. Upholstery
C.O.M. requirement 3/4 yard per chair of 54" wide nondirectional fabric. For complete information on ordering C.O.M., see "Ordering C.O.M., C.O.V. and C.O.L." section.



Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing Vinyl Group 2	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
\$ 372	\$ 395	\$ 405	\$ 405	\$ 434	\$ 451	\$ 468	\$ 482
732	755	742	742	771	788	805	819
744	790	810	810	868	902	936	964
1204	1250	1270	1270	1328	1362	1396	1424
1116	1185	1215	1215	1302	1353	1404	1446
1476	1545	1575	1575	1662	1713	1764	1806
1488	1580	1620	1620	1736	1804	1872	1928
1836	1905	1935	1935	2022	2073	2124	2166
1848	1940	1980	1980	2096	2164	2232	2288
1860	1975	2025	2025	2170	2255	2340	2410

OPTIONS

California TB133 Fire Safety Code

The above seating products can be manufactured using the appropriate flame-retardant materials for compliance to California Technical Bulletin 133. No additional lead time. Add "FR" to end of model number.
 Model=Polypropylene
 Added List Price= \$10 per seat
 Model=Upholstered Seat
 Added List Price= \$58 per seat

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped **k.d. freight prepaid f.o.b. Green Bay, Wisconsin 54302** factory. Freight class #70.

Specifications and prices are subject to change without prior notice.

Strive® Tandem

Multiple Seating

	Features	MODEL NUMBER							Approx. Packaged Weight
		Basic Model	Corner Table Connection	Frame Color	Seat & Back Color	Surface Finish	Edge Color	Upholstery Color	
 ST1U ST2U ST3U ST4U ST5U Tandem Seating End Arms Only Upholstery • Optional in-line tables	1 Seat, 0 In-line Table	ST1EAU/S1/IT0	☐	☐	☐			☐	35#
	1 Seat, 1 In-line Table	ST2EAU/S1/IT1	☐	☐	☐	☐	☐	☐	49#
	2 Seats, 0 In-line Table	ST2EAU/S2/IT0	☐	☐	☐			☐	52#
	2 Seats, 1 In-line Table	ST3EAU/S2/IT1	☐	☐	☐	☐	☐	☐	60#
	3 Seats, 0 In-line Table	ST3EAU/S3/IT0	☐	☐	☐			☐	69#
	3 Seats, 1 In-line Table	ST4EAU/S3/IT1	☐	☐	☐	☐	☐	☐	75#
	4 Seats, 0 In-line Table	ST4EAU/S4/IT0	☐	☐	☐			☐	86#
	3 Seats, 2 In-line Table	ST5EAU/S3/IT2	☐	☐	☐	☐	☐	☐	94#
	4 Seats, 1 In-line Table	ST5EAU/S4/IT1	☐	☐	☐	☐	☐	☐	105#
	5 Seats, 0 In-line Table	ST5EAU/S5/IT0	☐	☐	☐			☐	110#
 ST1U ST2U ST3U ST4U ST5U Tandem Seating w/Arms Upholstery • Optional in-line tables	1 Seat, 0 In-line Table	ST1AAU/S1/IT0	☐	☐	☐			☐	35#
	1 Seat, 1 In-line Table	ST2AAU/S1/IT1	☐	☐	☐	☐	☐	☐	49#
	2 Seats, 0 In-line Table	ST2AAU/S2/IT0	☐	☐	☐			☐	60#
	2 Seats, 1 In-line Table	ST3AAU/S2/IT1	☐	☐	☐	☐	☐	☐	74#
	3 Seats, 0 In-line Table	ST3AAU/S3/IT0	☐	☐	☐			☐	85#
	3 Seats, 1 In-line Table	ST4AAU/S3/IT1	☐	☐	☐	☐	☐	☐	99#
	4 Seats, 0 In-line Table	ST4AAU/S4/IT0	☐	☐	☐			☐	110#
	3 Seats, 2 In-line Table	ST5AAU/S3/IT2	☐	☐	☐	☐	☐	☐	118#
	4 Seats, 1 In-line Table	ST5AAU/S4/IT1	☐	☐	☐	☐	☐	☐	129#
	5 Seats, 0 In-line Table	ST5AAU/S5/IT0	☐	☐	☐			☐	140#

A

B

C

D

E

F

G

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note: • The ☐ indicates that a choice is required.
 • The absence of the ☐ indicates that no choice is required.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.

- B** Select corner table connection.

L = Unit connects to one corner table

LL = Unit connects to two corner tables

NC = No corner table

- C** Select frame color.

Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder.

- D** Select seat/back color.

Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder.

- E** Select surface finish for table.

Refer to color addendum at ki.com or in

KI Price List or KI Fabrics & Finishes binder. Surface finish offerings are based on edge style selections.

- F** Select table edge color.

Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder. Edge color offerings are based on edge style selections.

- G** Select upholstery grade/color.

Refer to color addendum at ki.com or in KI Fabrics & Finishes binder.

UPHOLSTERY INFORMATION

C.O.M. Upholstery

C.O.M. requirement 3/4 yard per chair of 54" wide nondirectional fabric. For complete information on ordering C.O.M., see "Ordering C.O.M., C.O.V. and C.O.L." section.



Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing Vinyl Group 2	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
\$ 492	\$ 515	\$ 525	\$ 525	\$ 554	\$ 571	\$ 588	\$ 602
792	815	825	825	854	871	888	902
864	910	930	930	988	1022	1056	1084
1224	1270	1290	1290	1348	1382	1416	1444
1236	1305	1335	1335	1422	1473	1524	1566
1596	1665	1695	1695	1782	1833	1884	1926
1608	1700	1740	1740	1856	1924	1992	2048
1956	2025	2055	2055	2142	2193	2244	2286
1968	2060	2100	2100	2216	2284	2352	2408
1980	2095	2145	2145	2290	2375	2460	2530
\$ 492	\$ 515	\$ 525	\$ 525	\$ 554	\$ 571	\$ 588	\$ 602
852	875	885	885	914	931	948	962
924	970	990	990	1048	1082	1116	1144
1344	1390	1420	1420	1478	1512	1546	1574
1356	1425	1455	1455	1542	1593	1644	1686
1776	1845	1875	1875	1962	2013	2064	2106
1788	1880	1920	1920	2036	2104	2172	2228
2196	2265	2295	2295	2382	2433	2484	2526
2208	2300	2340	2340	2456	2524	2592	2648
2220	2335	2385	2385	2530	2615	2700	2770

OPTIONS

California TB133 Fire Safety Code

The above seating products can be manufactured using the appropriate flame-retardant materials for compliance to California Technical Bulletin 133. No additional lead time. Add "FR" to end of model number.
 Model=Polypropylene
 Added List Price= \$10 per seat
 Model=Upholstered Seat
 Added List Price= \$58 per seat

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped **k.d. freight prepaid f.o.b. Green Bay, Wisconsin 54302** factory. Freight class #70.

Specifications and prices are subject to change without prior notice.

TTCT

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: • The ☐ indicates that a choice is required.
• The absence of the ☐ indicates that no choice is required.

- A** Select basic model.
- B** Select frame color.
Refer to color addendum at [ki.com](#) or in KI Price List or KI Fabrics & Finishes binder.
- C** Select surface finish.
Refer to color addendum at [ki.com](#) or in KI Price List or KI Fabrics & Finishes binder. Surface finish offerings are based on edge style selections.
- D** Select table edge color.
Refer to color addendum at [ki.com](#) or in KI Price List or KI Fabrics & Finishes binder. Edge color offerings are based on edge style selections.



Delivered Pricing	
\$ 500	
500	
\$ 173	

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped **k.d. freight prepaid f.o.b. Green Bay, Wisconsin 54302** factory. Freight class #70.

Specifications and prices are subject to change without prior notice.

Piretti Torsion® Tandem

General Information



Tandem Seating
(TT4CAU/S4)

2-Place
Unit

3-Place
Unit

4-Place
Unit

Features

Arm	•
Corner tables	•
In-line tables	•
Available in polypropylene	•

General Dimensions

Seat width (with arms)	23"	23"	23"
Seat width (no arms)	18"	18"	18"
Unit width (with arms)	46"	69"	92"
Unit width (no arms)	44"	64"	87"
Seat height	17-1/4"	17-1/4"	17-1/4"
Unit height	31-1/2"	31-1/2"	31-1/2"
Corner table top	30" x 30"		
In-line table	20" x 20"		
Table height (all table models)	17"		

SPECIFICATIONS

Seat and Backrest

Seats and backrests are molded compound curved polypropylene with a textured finish. Seat is two-piece construction. Upholstered chairs have partially exposed polypropylene surfaces. Fabric is upholstered over 9/16" foam on the backrest and 15/16" on the seat. The seat attaches to the beam via a seat weldment which is bolted to the beam.

Backrest Supports

Two die-cast aluminum backrest supports attach the backrest to the Torsion® mechanism. A steel tube is cast into each backrest support for added strength.

Torsion® Mechanism

The back flex is achieved by the Torsion® mechanism. It consists of two flat torsion springs captured at both ends by steel bushings which in turn engage with the backrest supports. The Torsion® mechanism creates gradually increasing resistance over the full

12° of back flex.

Tandem Base

Cast aluminum alloy leg section. 14-gauge, 1" x 2" seamless steel column. Upright and base are painted monochromatic with beam and yoke. Columns are welded to a yoke/plate which clamps onto beam.

Tandem Arm

Oval tubular steel arm support with self-skinning urethane armrests measuring 10-1/4" long by 4" wide. The tubular arm support is welded to the seat. If an in-line table is included in the arrangement, a "fill-in" arm is supplied which is mechanically fastened to the beam using a yoke and coverplate. Arm is monochromatic with polypropylene shell.

In-line Table

Solid core top is 20" x 20" x 7/8" with a vinyl bullnose edge.

Corner Table

Solid core top is 30" x 30" x 7/8" with a vinyl

bullnose edge.

INFORMATION

C.O.M Testing and Production Requirements

Not all materials are suitable for upholstering this product. A 1-1/2 yd. x 54" sample must be submitted and approved prior to acceptance of an order. If the fabric is directional in pattern or weave, the direction must be indicated on the submitted sample, and additional yardage may be requested.

Test samples must be sent to:
KI
Attn: C.O.M./C.O.V. Specialist
1330 Bellevue Street
Green Bay, WI 54302


Design

Designed by Giancarlo Piretti and manufactured in the USA by Krueger International, Inc. under license from Pro-Cord S.p.A.



Piretti Torsion® Tandem

General Information



DIMENSIONS

		No Arms	With Arms
A1	2-Place Unit	44"	46"
A2	3-Place Unit	64"	69"
A3	4-Place Unit	87"	92"
B	Additional Places	23"	23"
C	Seat Width	18"	23"
D	Table Width	20"	
E	Table Height	17"	
F	Unit Height	31½"	
G	Seat Height	17¼"	
H	Beam Center to Front of Seat	11"	
I	Beam Center to Back of Seat	12"	
J	Beam Center to Foot End	11¾"	
K	Seat Center to Corner Table Mounting Side	13½"	
L	Beam Center to Corner Table Mounting Side	20"	
M	Beam Center to Corner Table Back	10"	
N	Corner Table Width	30"	

INFORMATION

Warranty

Refer to KI Terms & Conditions document or visit ki.com

Piretti Torsion® Tandem

Multiple Seating

MODEL	Features	MODEL NUMBER						
		Basic Model	Corner Table Connection	Frame Color	Seat & Back Color	Surface Finish	Edge Color	
 Tandem Seating No Arms Poly - Number of seats per arrangement - When selecting a corner connection, corner table must be ordered separately TT1P TT2P TT3P TT4P TT5P	1 Seat, 0 In-line Table	TT1NAP/S1/IT0	☐	☐	☐			
	1 Seat, 1 In-line Table	TT2NAP/S1/IT1	☐	☐	☐	☐	☐	
	2 Seats, 0 In-line Table	TT2NAP/S2/IT0	☐	☐	☐			
	2 Seats, 1 In-line Table	TT3NAP/S2/IT1	☐	☐	☐	☐	☐	
	3 Seats, 0 In-line Table	TT3NAP/S3/IT0	☐	☐	☐			
	3 Seats, 1 In-line Table	TT4NAP/S3/IT1	☐	☐	☐	☐	☐	
	4 Seats, 0 In-line Table	TT4NAP/S4/IT0	☐	☐	☐			
	3 Seats, 2 In-line Table	TT5NAP/S3/IT2	☐	☐	☐	☐	☐	
	4 Seats, 1 In-line Table	TT5NAP/S4/IT1	☐	☐	☐	☐	☐	
	5 Seats, 0 In-line Table	TT5NAP/S5/IT0	☐	☐	☐			
 Tandem Seating End Arms Only Poly - Number of seats per arrangement - When selecting a corner connection, corner table must be ordered separately TT1P TT2P TT3P TT4P TT5P	1 Seat, 0 In-line Table	TT1EAP/S1/IT0	☐	☐	☐			
	1 Seat, 1 In-line Table	TT2EAP/S1/IT1	☐	☐	☐	☐	☐	
	2 Seats, 0 In-line Table	TT2EAP/S2/IT0	☐	☐	☐			
	2 Seats, 1 In-line Table	TT3EAP/S2/IT1	☐	☐	☐	☐	☐	
	3 Seats, 0 In-line Table	TT3EAP/S3/IT0	☐	☐	☐			
	3 Seats, 1 In-line Table	TT4EAP/S3/IT1	☐	☐	☐	☐	☐	
	4 Seats, 0 In-line Table	TT4EAP/S4/IT0	☐	☐	☐			
	3 Seats, 2 In-line Table	TT5EAP/S3/IT2	☐	☐	☐	☐	☐	
	4 Seats, 1 In-line Table	TT5EAP/S4/IT1	☐	☐	☐	☐	☐	
	5 Seats, 0 In-line Table	TT5EAP/S5/IT0	☐	☐	☐			
 Tandem Seating w/Arms Poly - Number of seats per arrangement - When selecting a corner connection, corner table must be ordered separately TT1P TT2P TT3P TT4P TT5P	1 Seat, 0 In-line Table	TT1CAP/S1/IT0	☐	☐	☐			
	1 Seat, 1 In-line Table	TT2CAP/S1/IT1	☐	☐	☐	☐	☐	
	2 Seats, 0 In-line Table	TT2CAP/S2/IT0	☐	☐	☐			
	2 Seats, 1 In-line Table	TT3CAP/S2/IT1	☐	☐	☐	☐	☐	
	3 Seats, 0 In-line Table	TT3CAP/S3/IT0	☐	☐	☐			
	3 Seats, 1 In-line Table	TT4CAP/S3/IT1	☐	☐	☐	☐	☐	
	4 Seats, 0 In-line Table	TT4CAP/S4/IT0	☐	☐	☐			
	3 Seats, 2 In-line Table	TT5CAP/S3/IT2	☐	☐	☐	☐	☐	
	4 Seats, 1 In-line Table	TT5CAP/S4/IT1	☐	☐	☐	☐	☐	
	5 Seats, 0 In-line Table	TT5CAP/S5/IT0	☐	☐	☐			

A

B

C

D

E

F

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note: •The ☐ indicates that a choice is required.
•The absence of the ☐ indicates that no choice is required.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.

- B** Select corner table connection.

L = Unit connects to one corner table

LL = Unit connects to two corner tables

NC = No corner table

- C** Select frame color.

Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder.

- D** Select seat/back color.

Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder.

- E** Select surface finish for table.

Refer to color addendum at ki.com or in

KI Price List or KI Fabrics & Finishes binder. Surface finish offerings are based on edge style selections.

- F** Select table edge color.

Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder. Edge color offerings are based on edge style selections.

OPTIONS

California TB133 Fire Safety Code

The above seating products can be manufactured using the appropriate flame-retardant materials for compliance to California Technical Bulletin 133. Add "FR" to end of model number.

Model = Polypropylene

Added Lead Time = 1 week

Added List Price = \$63 per seat

Model = Upholstered

Added Lead Time = 1 week

Added List Price = \$69 per seat



Approx. Packaged Weight	Delivered Pricing
25#	\$ 367
39#	727
45#	734
59#	1094
65#	1099
79#	1460
89#	1466
98#	1821
104#	1826
110#	1833
30#	\$ 575
44#	936
47#	941
55#	1303
64#	1308
70#	1670
81#	1675
89#	2029
100#	2035
105#	2042
30#	\$ 575
44#	1041
55#	1046
69#	1151
80#	1517
94#	1981
105#	1988
113#	2445
124#	2452
135#	2459

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped **k.d. freight prepaid f.o.b. Green Bay, Wisconsin 54302** factory. Freight class #70.

Specifications and prices are subject to change without prior notice.



Upholstery

- Number of seats per arrangement
- When selecting a corner connection, corner table must be ordered separately

		MODEL NUMBER							Approx. Packaged Weight
		Basic Model	Corner Table Connection	Frame Color	Seat & Back Color	Surface Finish	Edge Color	Upholstery Color	
 TT1U TT2U TT3U TT4U TT5U	1 Seat, 0 In-line Table	TT1NAU/S1/IT0	□□	□□	□□□			□□□□□	30#
	1 Seat, 1 In-line Table	TT2NAU/S1/IT1	□□	□□	□□□	□□□	□□□	□□□□□	41#
	2 Seats, 0 In-line Table	TT2NAU/S2/IT0	□□	□□	□□□			□□□□□	50#
	2 Seats, 1 In-line Table	TT3NAU/S2/IT1	□□	□□	□□□	□□□	□□□	□□□□□	64#
	3 Seats, 0 In-line Table	TT3NAU/S3/IT0	□□	□□	□□□			□□□□□	70#
	3 Seats, 1 In-line Table	TT4NAU/S3/IT1	□□	□□	□□□	□□□	□□□	□□□□□	84#
	4 Seats, 0 In-line Table	TT4NAU/S4/IT0	□□	□□	□□□			□□□□□	94#
	3 Seats, 2 In-line Table	TT5NAU/S3/IT2	□□	□□	□□□	□□□	□□□	□□□□□	103#
	4 Seats, 1 In-line Table	TT5NAU/S4/IT1	□□	□□	□□□	□□□	□□□	□□□□□	109#
	5 Seats, 0 In-line Table	TT5NAU/S5/IT0	□□	□□	□□□			□□□□□	115#

A
B
C
D
E
F
G

Tandem Seating No Arms Upholstery

- Number of seats per arrangement
- When selecting a corner connection, corner table must be ordered separately

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: • The ☐ indicates that a choice is required.
• The absence of the ☐ indicates that no choice is required.

A Select basic model.

- | | |
|-----------|--------------------------------------|
| B | Select corner table connection. |
| L | = Unit connects to one corner table |
| LL | = Unit connects to two corner tables |
| NC | = No corner table |
-
- | | |
|----------|---|
| C | Select frame color.
Refer to color addendum at ki.com or in
KI Price List or KI Fabrics & Finishes
binder. |
| D | Select seat/back color.
Refer to color addendum at ki.com or in
KI Price List or KI Fabrics & Finishes
binder. |
| E | Select surface finish for table.
Refer to color addendum at ki.com or in |

KI Price List or KI Fabrics & Finishes
 binder. Surface finish offerings are based
 on edge style selections.

- F** Select table edge color.
Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder. Edge color offerings are based on edge style selections.
- G** Select upholstery grade/color.
Refer to color addendum at ki.com or in KI Fabrics & Finishes binder.

California TB133 Fire Safety Code

The above seating products can be manufactured using the appropriate flame-retardant materials for compliance to California Technical Bulletin 133. Add "FR" to end of model number.

Model = Polypropylene
Added Lead Time = 1 week
Added List Price = \$63 per seat

Model = Upholstered
Added Lead Time = 1 week
Added List Price = \$69 per seat



Piretti Torsion® Tandem

Multiple Seating

Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing Vinyl Group 2	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
\$ 533	\$ 604	\$ 619	\$ 619	\$ 567	\$ 602	\$ 643	\$ 679
894	1039	1066	1066	960	1031	1114	1186
1066	1137	1153	1153	1100	1135	1176	1213
1427	1714	1772	1772	1561	1706	1868	2012
1598	1707	1728	1728	1648	1703	1764	1818
1960	2391	2477	2477	2160	2377	2620	2837
2133	2277	2304	2304	2198	2271	2353	2424
2321	2753	2839	2839	2522	2737	2982	3198
2492	3066	3182	3182	2760	3048	3373	3662
2665	2844	2880	2880	2750	2839	2942	3031

INFORMATION

Note:

Torsion® in 2V Vinyl with FR requires a customer waiver since addition of the FR fire barrier to the upholstery detracts from the aesthetics of the chair.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped **k.d. freight prepaid f.o.b. Green Bay, Wisconsin 54302** factory. Freight class #70.

Specifications and prices are subject to change without prior notice.

Model = Polypropylene
Added Lead Time = 1 week
Added List Price = \$63 per seat
Model = Upholstered
Added Lead Time = 1 week
Added List Price = \$69 per seat

Note:

SPECIAL SERVICES

With specially marked information	N/C
-----------------------------------	-----

Shipped **k.d. freight prepaid f.o.b. Green Bay, Wisconsin 54302** factory. Freight class #70.

Specifications and prices are subject to change without prior notice.

Multiple Seating

		MODEL NUMBER	MODEL NUMBER				Approx. Packaged Weight
			Basic Model	Frame Color	Surface Finish	Edge Color	
 TTCT	Corner Table • Number of tables per arrangement • Plastic laminate with vinyl bullnose edge • For mounting modular units at a 90° angle • Two required for U-shaped configuration • One required for L-shaped configuration	Connects 2 Units	TTCT/LC	☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	36#
		Connects 1 Unit	TTCT/LO	☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	40#
	Back Ganging Bar • Connects 2 units back-to-back • Powder-coated to match base • Sold in pairs		DOP.GANG	☐ ☐			8#

A
B
C
D

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder.
- B** Select frame color.
Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder.
- C** Select surface finish.
Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder. Surface finish offerings are based on edge style selections.
- D** Select table edge color.
Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder. Edge color offerings are based on edge style selections.



Delivered Pricing	
\$ 500	
500	
\$ 173	

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped **k.d. freight prepaid f.o.b. Green Bay, Wisconsin 54302** factory. Freight class #70.

Specifications and prices are subject to change without prior notice.



Soltice® (Transitional)

Dimensions	
Overall width	22.75"
Overall depth	24"
Overall height	34"

SPECIFICATIONS

Complimentary Furniture

The following guest chairs offer complimentary furniture that creates continuity and a cohesive look throughout a facility. These complimentary pieces can be found in other sections of the KI price list.

Flex™

FLEX - Flex Healthcare Seating, Flex Occasional Tables

LARESTA FREESTANDING - LaResta® Day Bed

Perth®

Perth® - Perth® Healthcare Seating

LARESTA FREESTANDING - LaResta® Day Bed

Soltice®

Soltice® - Soltice® Healthcare Seating, Soltice® Guest Seating, Soltice® Lounge

Seating

LARESTA FREESTANDING - LaResta® Day Bed

Three®

THREE - Three Healthcare Seating, Three Lounge Seating

UPHOLSTERY INFORMATION

C.O.M. Fabric

For C.O.M. fabric sent to KI-High Point on multiple rolls, add an additional yard of fabric per roll to the yardage requirements. Multiple rolls have shorter pieces of fabric on them and do not allow nesting and stacking of the fabric to achieve the best yield as is done with one large roll. This results in yardage shortages and requests for additional fabric from the client, which can hold up the order. For each roll that is sent, one yard needs to be added and needs to be added to one of the rolls, not separately.

SPECIAL FINISH MATCHES

KI can match special finish requests at an upcharge of \$58 List per item, up to 12 or a maximum charge of \$627 List per order per color. Special finish requests must be sent to your KI customer service representative.

Upon receipt from KI, the finishing department will prepare a "strike-off" which will be sent to the customer for approval.

The approval form accompanying the strike-off should be faxed to your KI customer service representative. Upon receipt of the signed approval form, KI will proceed with the order. Disapproved samples may be sent back to KI directly with an explanation of disapproval. A Special Finish Number (SFN) will be assigned to this finish sample for future reference or reorders.









INFORMATION

Warranty
Refer to KI Terms & Conditions document or
visit ki.com

Soltice®

Multiple Seating

MODEL				MODEL NUMBER							
				Basic Model	Non-Contrast or Fabric Contrast 1	Fabric Contrast 2	Wood Finish	Arm Cap	TB133	Moisture Barrier	
 SOMS	One Seat Unit (Open Arm)	Non-contrast	1.5 yd	SOC	☐ ☐ ☐ ☐		☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	
		Contrast		SOC/FC	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	
 SOMS	One Seat Unit (Closed Arm)	Non-contrast	2.5 yd	SPC	☐ ☐ ☐ ☐		☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	
		Contrast		SPC/FC	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	
 SOMS	Two Seat Unit (Open Arm)	Non-contrast	3 yd	SOCC	☐ ☐ ☐ ☐		☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	
		Contrast		SOCC/FC	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	
 SOMS	Two Seat Unit (Closed Arm)	Non-contrast	4.5 yd	SPCC	☐ ☐ ☐ ☐		☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	
		Contrast		SPCC/FC	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	
 SOMS	Three Seat Unit (Open Arm)	Non-contrast	4.5 yd	SOCCC	☐ ☐ ☐ ☐		☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	
		Contrast		SOCCC/FC	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	
 SOMS	Three Seat Unit (Closed Arm)	Non-contrast	5.5 yd	SPCCC	☐ ☐ ☐ ☐		☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	
		Contrast		SPCCC/FC	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	
				A	B	C	D	E	F	G	

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: • The ☐ indicates that a choice is required.
 • The absence of the ☐ indicates that no choice is required.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select non-contrast or fabric contrast 1.
 Refer to Upholstery Fabric cards in the KI Fabrics & Finishes binder.
- C** Select fabric contrast 2.
 Refer to Upholstery Fabric cards in the KI Fabrics & Finishes binder.
- D** Select wood finish color.
 Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder.
- E** Select arm option.
WAC = Wood (standard)
PAC = Black poly, upcharge per arm; add \$61
NAC = No armcaps

- F** Select TB133.
NFR = No TB133 fire retardant
FR = Fire retardant
 See pricing column for TB133 upcharge.
- G** Select moisture barrier.
NMB = No moisture barrier
MB = Moisture barrier
 For moisture barrier add upcharge

KENSINGTON MAPLE UPCHARGE

Kensington Maple requires extended lead-times.

Model	
SOC	\$42
SOC/FC	\$42
SOCC	\$78
SOCC/FC	\$78
SOCCC	\$105
SOCCC/FC	\$105
SPC	\$42
SPC/FC	\$42
SPCC	\$73
SPCC/FC	\$73
SPCCC	\$58
SPCCC/FC	\$58



Approx. Packaged Weight	Grade C.O.M.	Grade C	Grade D	Grade E & C.O.L.	Grade F	Grade G	Grade H	Grade I	Grade J	Grade K	Grade L Leather	Grade M Leather	TB133 add to list price	Moisture Barrier add to list price
38#	\$ 1029	\$ 1037	\$ 1053	\$ 1070	\$ 1083	\$ 1105	\$ 1129	\$ 1159	\$ 1217	\$ 1276	\$ 1336	\$ 1453	\$ 150	\$ 91
38#	1075	1085	1099	1118	1129	1153	1175	1205	1265	1323	1382	1500	150	91
38#	\$ 1125	\$ 1137	\$ 1160	\$ 1187	\$ 1204	\$ 1239	\$ 1275	\$ 1318	\$ 1408	\$ 1496	\$ 1584	\$ 1761	\$ 212	\$ 91
38#	1171	1183	1206	1233	1250	1285	1321	1366	1454	1543	1630	1808	212	91
66#	\$ 1769	\$ 1787	\$ 1815	\$ 1851	\$ 1875	\$ 1921	\$ 1969	\$ 2027	\$ 2147	\$ 2264	\$ 2381	\$ 2617	\$ 262	\$ 193
66#	1828	1846	1875	1911	1934	1981	2028	2087	2205	2324	2441	2677	262	193
67#	\$ 2046	\$ 2072	\$ 2117	\$ 2169	\$ 2204	\$ 2275	\$ 2345	\$ 2435	\$ 2611	\$ 2788	\$ 2965	\$ 3319	\$ 479	\$ 203
67#	2105	2131	2176	2229	2264	2335	2405	2495	2671	2848	3025	3378	479	203
95#	\$ 2600	\$ 2625	\$ 2671	\$ 2723	\$ 2758	\$ 2829	\$ 2899	\$ 2989	\$ 3164	\$ 3342	\$ 3520	\$ 3873	\$ 394	\$ 305
95#	2688	2715	2759	2813	2848	2919	2989	3078	3254	3431	3608	3961	394	305
96#	\$ 2822	\$ 2861	\$ 2928	\$ 3015	\$ 3061	\$ 3167	\$ 3273	\$ 3405	\$ 3671	\$ 3936	\$ 4201	\$ 4732	\$ 601	\$ 305
96#	2911	2950	3017	3104	3150	3256	3362	3495	3760	4025	4290	4820	601	305

INFORMATION

C.O.M. and C.O.L. Requirements

C.O.M. yardage requirements listed above are based on plain goods 54" wide. If less than 54" wide or fabrics requiring matching (stripes, plaids, prints, large patterns), additional yardage will be needed. Consult C.O.M. matrix for additional yardage needed. For C.O.M. fabric sent to KI-High Point on multiple rolls, add an additional yard of fabric per roll to the yardage requirements.

C.O.L. Requirements

Figure 18 sq. ft. of leather (C.O.L.) for each yard shown (i.e., 4.75 x 18 = 85.5 sq ft).

Contrasting Upholstery

When contrasting fabric is chosen, price at highest in-grade.

California TB133 Fire Safety Code

The above seating products can be manufactured using the appropriate flame-retardant materials and fabric selection for compliance to California Technical Bulletin 133. Add "FR" to end of model number and add

upcharge. Please contact KI customer service for fabric compliance. Not available with moisture barrier. Gore or Nano-Text treatments can be used when TB133 is required.

Construction

Frame constructed of kiln-dried lumber and laminated hardwood plywood. Exposed wood components finished with catalyzed varnish (specify finish when ordering). Tight seats and backs sprung with stretch strap webbing stapled into position. Multiple densities of polyurethane foam covered with a layer of .75 super soft foam. Seats, backs and arms are field replaceable.

Note:

For replacement components on Multiple Seating, use Guest Chair replacement parts.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped **assembled freight prepaid f.o.b. High Point, North Carolina 27263** factory. Freight class #175.

Specifications and prices are subject to change without prior notice.

Three®

General Information



Three® (Traditional)

Dimensions	
Overall width	24.5"
Overall depth	26.5"
Overall height	31.5"

SPECIFICATIONS

Complimentary Furniture

The following guest chairs offer complimentary furniture that creates continuity and a cohesive look throughout a facility. These complimentary pieces can be found in other sections of the KI price list.

Flex™

FLEX - Flex Healthcare Seating, Flex Occasional Tables

LARESTA FREESTANDING - LaResta® Day Bed

Perth®

Perth® - Perth® Healthcare Seating

LARESTA FREESTANDING - LaResta® Day Bed

Soltice®

Soltice® - Soltice® Healthcare Seating, Soltice® Guest Seating, Soltice® Lounge

Seating

LARESTA FREESTANDING - LaResta® Day Bed

Three®

THREE - Three Healthcare Seating, Three Lounge Seating

UPHOLSTERY INFORMATION

C.O.M. Fabric

For C.O.M. fabric sent to KI-High Point on multiple rolls, add an additional yard of fabric per roll to the yardage requirements. Multiple rolls have shorter pieces of fabric on them and do not allow nesting and stacking of the fabric to achieve the best yield as is done with one large roll. This results in yardage shortages and requests for additional fabric from the client, which can hold up the order. For each roll that is sent, one yard needs to be added and needs to be added to one of the rolls, not separately.

SPECIAL FINISH MATCHES

KI can match special finish requests at an upcharge of \$57 List per item, up to 12 or a maximum charge of \$618 List per order per color. Special finish requests must be sent to your KI customer service representative.

Upon receipt from KI, the finishing department will prepare a "strike-off" which will be sent to the customer for approval.

The approval form accompanying the strike-off should be faxed to your KI customer service representative. Upon receipt of the signed approval form, KI will proceed with the order. Disapproved samples may be sent back to KI directly with an explanation of disapproval. A Special Finish Number (SFN) will be assigned to this finish sample for future reference or reorders.







INFORMATION

Warranty

Refer to KI Terms & Conditions document or
visit ki.com

Three®

Multiple Seating

MODEL			MODEL NUMBER							
			Basic Model	Non-Contrast or Fabric Contrast 1	Fabric Contrast 2	Wood Finish	TB133	Moisture Barrier	Arm Cap	
Features	COM									
 THMS	Small Single Seat	Non-contrast 3.5 yd	TPC	□□□□		□□□	□□□	□□□	□□□	
		Contrast	TPC/FC	□□□□	□□□□	□□□	□□□	□□□	□□□	
 THMS	Medium Single Seat	Non-contrast 4 yd	TPCR	□□□□		□□□	□□□	□□□	□□□	
		Contrast	TPCR/FC	□□□□	□□□□	□□□	□□□	□□□	□□□	
 THMS	Two Seat Chair	Non-contrast 5.75 yd	TPCC	□□□□		□□□	□□□	□□□	□□□	
		Contrast	TPCC/FC	□□□□	□□□□	□□□	□□□	□□□	□□□	
 THMS	Three Seat Chair	Non-contrast 7.75 yd	TPCCC	□□□□		□□□	□□□	□□□	□□□	
		Contrast	TPCCC/FC	□□□□	□□□□	□□□	□□□	□□□	□□□	
			A	B	C	D	E	F	G	

A

B

C

D

E

F

G

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note: • The □ indicates that a choice is required.
• The absence of the □ indicates that no choice is required.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select non-contrast or fabric contrast 1. Refer to Upholstery Fabric cards in the KI Fabrics & Finishes binder.
- C** Select fabric contrast 2. Refer to Upholstery Fabric cards in the KI Fabrics & Finishes binder.
- D** Select wood finish color. Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder.
- E** Select TB133.
NFR = No TB133 fire retardant
FR = Fire retardant
 See pricing column for TB133 upcharge.

- F** Select moisture barrier.
NMB = No moisture barrier
MB = Moisture barrier
 See pricing column for moisture barrier upcharge.

- G** Select armcaps.
WAC = Wood (standard)
PAC = Black poly, upcharge per arm; add \$46
 Polyurethane armcaps NOT available on TB133 approved chairs.

KENSINGTON MAPLE UPCHARGE

Kensington Maple requires extended lead-times.

Model	
TPC	\$21
TPC/FC	\$21
TPCR	\$21
TPCR/FC	\$21
TPCC	\$31
TPCC/FC	\$31
TPCCC	\$42
TPCCC/FC	\$42



Approx. Packaged Weight	Grade C.O.M.	Grade C	Grade D	Grade E & C.O.L.	Grade F	Grade G	Grade H	Grade I	Grade J	Grade K	Grade L Leather	Grade M Leather	TB133 add to list price	Moisture Barrier add to list price
50#	\$ 1245	\$ 1269	\$ 1311	\$ 1357	\$ 1392	\$ 1456	\$ 1521	\$ 1602	\$ 1764	\$ 1927	\$ 2089	\$ 2413	\$ 290	\$ 175
50#	1277	1300	1343	1389	1423	1487	1553	1634	1796	1959	2121	2445	290	175
55#	\$ 1367	\$ 1396	\$ 1442	\$ 1497	\$ 1536	\$ 1609	\$ 1683	\$ 1775	\$ 1960	\$ 2147	\$ 2333	\$ 2704	\$ 318	\$ 185
55#	1399	1428	1474	1530	1566	1640	1714	1807	1992	2179	2365	2735	318	185
85#	\$ 2146	\$ 2186	\$ 2253	\$ 2333	\$ 2386	\$ 2493	\$ 2599	\$ 2732	\$ 3000	\$ 3266	\$ 3532	\$ 4066	\$ 475	\$ 285
85#	2210	2250	2316	2396	2450	2556	2663	2796	3064	3330	3595	4128	475	285
125#	\$ 2870	\$ 2923	\$ 3013	\$ 3121	\$ 3193	\$ 3336	\$ 3479	\$ 3660	\$ 4018	\$ 4378	\$ 4737	\$ 5456	\$ 619	\$ 361
125#	2966	3018	3108	3215	3288	3432	3575	3754	4114	4473	4832	5552	619	361

INFORMATION

C.O.M. Requirements

C.O.M. yardage requirements listed above are based on plain goods 54" wide. If less than 54" wide or fabrics requiring matching (stripes, plaids, prints, large patterns), additional yardage will be needed. Consult COM/COL matrix for ordering additional yardage needed. For C.O.M. fabric sent to KI-High Point on multiple rolls, add an additional yard of fabric per roll to the yardage requirements.

Multiply number of seats, backs, and arms required by yardage amount (e.g. 3 replacement seats required x 1 yard = 3 yards total).

C.O.L. Requirements

Figure 18 sq. ft. of leather (C.O.L.) for each yard shown (i.e., 4.75 x 18 = 85.5 sq ft).

Contrasting Upholstery

When contrasting fabric is chosen, price at highest in-grade.

Construction

Seat frame constructed of welded structural steel. Back constructed from formed laminated plywood. (Loveseat from kiln-dried hardwood). Arms constructed from kiln-dried hardwood. Cushioning of multiple densities of polyurethane foam and dacron fiber.

California TB133 Fire Safety Code

The above seating products can be manufactured using the appropriate flame-retardant materials and fabric selection for compliance to California Technical Bulletin 133. Add "FR" to end of model number and add upcharge. Please contact KI customer service for fabric compliance. Not available with moisture barrier. Gore or Nano-Tex treatments can be used when TB133 is required.

SPECIAL SERVICES

Special Carton Marking



With specially marked information N/C

Shipping

Shipped **assembled freight prepaid f.o.b. High Point, North Carolina 27263** factory. Freight class #175.

Specifications and prices are subject to change without prior notice.

Three®
Multiple Seating

			MODEL NUMBER							
			Basic Model	Non-Contrast or Fabric Contrast 1	Fabric Contrast 2	Wood Finish	TB133	Moisture Barrier	Arm Cap	
MODEL	Features	COM								
 THMS	Loveseat									
	• 1 = Back and arms (Fabric Contrast 1) C.O.M. = 3.25 yd	Non-contrast 4.75 yd	TP33	□□□□		□□□	□□□	□□□	□□□	
	• 2 = Seat (Fabric Contrast 2) C.O.M. = 1.75 yd	Contrast	TP33/FC	□□□□	□□□□	□□□	□□□	□□□	□□□	
 THMS	Sofa									
	• 1 = Back and arms (Fabric Contrast 1) C.O.M. = 4 yd	Non-contrast 6.25 yd	TP43	□□□□		□□□	□□□	□□□	□□□	
	• 2 = Seat (Fabric Contrast 2) C.O.M. = 2.5 yd	Contrast	TP43/FC	□□□□	□□□□	□□□	□□□	□□□	□□□	
			A	B	C	D	E	F	G	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: •The □ indicates that a choice is required.
•The absence of the □ indicates that no choice is required.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select non-contrast or fabric contrast 1. Refer to Upholstery Fabric cards in the KI Fabrics & Finishes binder.
- C** Select fabric contrast 2. Refer to Upholstery Fabric cards in the KI Fabrics & Finishes binder.
- D** Select wood finish color. Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder.
- E** Select TB133.
NFR = No TB133 fire retardant
FR = Fire retardant
See pricing column for TB133 upcharge.

- F** Select moisture barrier.
NMB = No moisture barrier
MB = Moisture barrier
See pricing column for moisture barrier upcharge.
- G** Select armcaps.
WAC = Wood (standard)
PAC = Black poly, upcharge per arm; add \$46
Polyurethane armcaps NOT available on TB133 approved chairs.

KENSINGTON MAPLE UPCHARGE

Kensington Maple requires extended lead-times.

Model	
TP33	\$21
TP33/FC	\$21
TP43	\$21
TP43/FC	\$21



Approx. Packaged Weight	Grade C.O.M.	Grade C	Grade D	Grade E & C.O.L.	Grade F	Grade G	Grade H	Grade I	Grade J	Grade K	Grade L Leather	Grade M Leather	TB133 add to list price	Moisture Barrier add to list price
75#	\$ 1877	\$ 1911	\$ 1969	\$ 2038	\$ 2085	\$ 2178	\$ 2269	\$ 2386	\$ 2618	\$ 2849	\$ 3081	\$ 3545	\$ 404	\$ 238
75#	1951	1986	2044	2113	2159	2253	2344	2461	2693	2924	3156	3620	404	238
110#	\$ 2428	\$ 2534	\$ 2607	\$ 2694	\$ 2752	\$ 2867	\$ 2983	\$ 3128	\$ 3419	\$ 3708	\$ 3997	\$ 4577	\$ 509	\$ 300
110#	2522	2629	2702	2789	2846	2960	3077	3222	3512	3802	4091	4672	509	300

INFORMATION

C.O.M. Requirements

C.O.M. yardage requirements listed above are based on plain goods 54" wide. If less than 54" wide or fabrics requiring matching (stripes, plaids, prints, large patterns), additional yardage will be needed. Consult COM/COL matrix for ordering additional yardage needed. For C.O.M. fabric sent to KI-High Point on multiple rolls, add an additional yard of fabric per roll to the yardage requirements.

Multiply number of seats, backs, and arms required by yardage amount (e.g. 3 replacement seats required x 1 yard = 3 yards total).

C.O.L. Requirements

Figure 18 sq. ft. of leather (C.O.L.) for each yard shown (i.e., 4.75 x 18 = 85.5 sq ft).

Contrasting Upholstery

When contrasting fabric is chosen, price at highest in-grade.

Construction

Seat frame constructed of welded structural steel. Back constructed from formed laminated plywood. (Loveseat from kiln-dried hardwood). Arms constructed from kiln-dried hardwood. Cushioning of multiple densities of polyurethane foam and dacron fiber.

California TB133 Fire Safety Code

The above seating products can be manufactured using the appropriate flame-retardant materials and fabric selection for compliance to California Technical Bulletin 133. Add "FR" to end of model number and add upcharge. Please contact KI customer service for fabric compliance. Not available with moisture barrier. Gore or Nano-Tex treatments can be used when TB133 is required.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped **assembled freight prepaid f.o.b. High Point, North Carolina 27263** factory. Freight class #175.

Specifications and prices are subject to change without prior notice.



Grade C.O.M.	Grade C	Grade D	Grade E & C.O.L.	Grade F	Grade G	Grade H	Grade I	Grade J	Grade K	Grade L Leather	Grade M Leather	TB133 add to list price	Moisture Barrier add to list price
\$ 1660	\$ 1696	\$ 1758	\$ 1830	\$ 1880	\$ 1977	\$ 2075	\$ 2196	\$ 2440	\$ 2683	\$ 2925	\$ 3412	\$ 383	\$ 208
1709	1746	1807	1881	1929	2027	2124	2245	2489	2732	2976	3463	383	208
\$ 2538	\$ 2591	\$ 2671	\$ 2781	\$ 2850	\$ 2990	\$ 3128	\$ 3302	\$ 3651	\$ 3999	\$ 4345	\$ 5042	\$ 554	\$ 306
2638	2690	2770	2880	2950	3090	3227	3402	3750	4099	4445	5141	554	306
\$ 3036	\$ 3107	\$ 3226	\$ 3369	\$ 3465	\$ 3654	\$ 3844	\$ 4081	\$ 4557	\$ 5031	\$ 5507	\$ 6458	\$ 747	\$ 406
3186	3257	3376	3519	3615	3804	3994	4231	4707	5181	5657	6608	747	406

INFORMATION

C.O.M. Requirements

C.O.M. yardage requirements listed above are based on plain goods 54' wide. If less than 54' wide or fabrics requiring matching (stripes, plaids, prints, large patterns), additional yardage will be needed. Consult COM/COL matrix for ordering additional yardage needed. For C.O.M. fabric sent to KI-High Point on multiple rolls, add an additional yard of fabric per roll to the yardage requirements.

Multiply number of seats, backs, and arms required by yardage amount (e.g. 3 replacement seats required x 1 yard = 3 yards total).

C.O.L. Requirements

Figure 18 sq. ft. of leather (C.O.L.) for each yard shown (i.e., 4.75 x 18 = 85.5 sq ft).

Contrasting Upholstery

When contrasting fabric is chosen, price at highest in-grade.

Construction

Seat frame constructed of welded structural steel. Back constructed from formed laminated plywood. (Loveseat from kiln-dried hardwood). Arms constructed from kiln-dried hardwood. Cushioning of multiple densities of polyurethane foam and dacron fiber.

California TB133 Fire Safety Code

The above seating products can be manufactured using the appropriate flame-retardant materials and fabric selection for compliance to California Technical Bulletin 133. Add "FR" to end of model number and add upcharge. Please contact KI customer service for fabric compliance. Not available with moisture barrier. Gore or Nano-Tex treatments can be used when TB133 is required.

SPECIAL SERVICES

Special Carton Marking



With specially marked information N/C

Shipping

Shipped **assembled freight prepaid f.o.b. High Point, North Carolina 27263** factory. Freight class #175.

Specifications and prices are subject to change without prior notice.

Three®
Multiple Seating

MODEL			MODEL NUMBER							
			Basic Model	Non-Contrast or Fabric Contrast 1	Fabric Contrast 2	Wood Finish	TB133	Moisture Barrier	Arm Cap	
 THLS	Loveseat	Non-contrast 7 yd	T633	□□□□		□□□	□□□	□□□	□□□	
	• 1 = Back and arms (Fabric Contrast 1) C.O.M. = 5.5 yd	Contrast	T633/FC	□□□□	□□□□	□□□	□□□	□□□	□□□	
	• 2 = Seat (Fabric Contrast 2) C.O.M. = 1.75 yd									
 THLS	Sofa	Non-contrast 7.5 yd	T643	□□□□		□□□	□□□	□□□	□□□	
	• 1 = Back and arms (Fabric Contrast 1) C.O.M. = 5.5 yd	Contrast	T643/FC	□□□□	□□□□	□□□	□□□	□□□	□□□	
	• 2 = Seat (Fabric Contrast 2) C.O.M. = 2.75 yd									
			A	B	C	D	E	F	G	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: •The □ indicates that a choice is required.
•The absence of the □ indicates that no choice is required.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select non-contrast or fabric contrast 1. Refer to Upholstery Fabric cards in the KI Fabrics & Finishes binder.
- C** Select fabric contrast 2. Refer to Upholstery Fabric cards in the KI Fabrics & Finishes binder.
- D** Select wood finish color. Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder.
- E** Select TB133.
NFR = No TB133 fire retardant
FR = Fire retardant
See pricing column for TB133 upcharge.

- F** Select moisture barrier.
NMB = No moisture barrier
MB = Moisture barrier
See pricing column for moisture barrier upcharge.
- G** Select armcaps.
WAC = Wood (standard)
PAC = Black poly, upcharge per arm; add \$55
Polyurethane armcaps NOT available on TB133 approved chairs.

KENSINGTON MAPLE UPCHARGE

Kensington Maple requires extended lead-times.

Model	
T633	\$31
T633/FC	\$31
T643	\$31
T643/FC	\$31



Approx. Packaged Weight	Grade C.O.M.	Grade C	Grade D	Grade E & C.O.L.	Grade F	Grade G	Grade H	Grade I	Grade J	Grade K	Grade L Leather	Grade M Leather	TB133 add to list price	Moisture Barrier add to list price
100#	\$ 2167	\$ 2278	\$ 2358	\$ 2456	\$ 2521	\$ 2651	\$ 2781	\$ 2944	\$ 3268	\$ 3592	\$ 3918	\$ 4566	\$ 499	\$ 269
100#	2242	2353	2433	2531	2596	2726	2856	3018	3343	3666	3993	4641	499	269
150#	\$ 2847	\$ 2911	\$ 3018	\$ 3147	\$ 3234	\$ 3406	\$ 3577	\$ 3791	\$ 4221	\$ 4649	\$ 5078	\$ 5936	\$ 583	\$ 275
150#	2941	3005	3112	3242	3328	3500	3671	3885	4314	4743	5172	6030	583	275

INFORMATION

C.O.M. Requirements

C.O.M. yardage requirements listed above are based on plain goods 54" wide. If less than 54" wide or fabrics requiring matching (stripes, plaids, prints, large patterns), additional yardage will be needed. Consult COM/COL matrix for ordering additional yardage needed. For C.O.M. fabric sent to KI-High Point on multiple rolls, add an additional yard of fabric per roll to the yardage requirements.

Multiply number of seats, backs, and arms required by yardage amount (e.g. 3 replacement seats required x 1 yard = 3 yards total).

C.O.L. Requirements

Figure 18 sq. ft. of leather (C.O.L.) for each yard shown (i.e., 4.75 x 18 = 85.5 sq ft).

Contrasting Upholstery

When contrasting fabric is chosen, price at highest in-grade.

Construction

Seat frame constructed of welded structural steel. Back constructed from formed laminated plywood. (Loveseat from kiln-dried hardwood). Arms constructed from kiln-dried hardwood. Cushioning of multiple densities of polyurethane foam and dacron fiber.

California TB133 Fire Safety Code

The above seating products can be manufactured using the appropriate flame-retardant materials and fabric selection for compliance to California Technical Bulletin 133. Add "FR" to end of model number and add upcharge. Please contact KI customer service for fabric compliance. Not available with moisture barrier. Gore or Nano-Tex treatments can be used when TB133 is required.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped **assembled freight prepaid f.o.b. High Point, North Carolina 27263** factory. Freight class #175.

Specifications and prices are subject to change without prior notice.

Index

Model No.	Description	Page	Model No.	Description	Page
44.0386	Multiple Seating: Back-to-Back Ganger	86	FOACCCL	Multiple Seating: Three Seat Add-on Unit-Left (Open Arm)	72
44.0387	Multiple Seating: Side-to-Side Ganger	86	FOACCCR	Multiple Seating: Three Seat Add-on Unit-Right (Open Arm)	72
44.0388	Multiple Seating: Side Wallsaver	86	FOACCL	Multiple Seating: Two Seat Add-on Unit-Left (Open Arm)	68
44.0389	Multiple Seating: Back Wallsaver	86	FOACCR	Multiple Seating: Two Seat Add-on Unit-Right (Open Arm)	68
44.0390.BL	Multiple Seating: Floor Mounting Brackets	86	FOACL	Multiple Seating: One Seat Add-on Unit-Left (Open Arm)	64
B2	Modular Seating: Armless Chair	46	FOACR	Multiple Seating: One Seat Add-on Unit-Right (Open Arm)	64
B221	Modular Seating: Chair w/Left Arm	46	FOC	Multiple Seating: One Seat (Open Arm)	54
B222	Modular Seating: Chair w/Right Arm	46	FOCC	Multiple Seating: Two Seat (Open Arm)	56
B3	Modular Seating: Table w/Laminate Top	50	FOCCC	Multiple Seating: Three Seat (Open Arm)	58
B4	Modular Seating: Corner Table w/Laminate Top	50	FP33	Multiple Seating: Loveseat (Closed Arm)	60
B6	Modular Seating: Outside Wedge	48	FP43	Multiple Seating: Sofa (Closed Arm)	62
B7	Modular Seating: Inside Wedge	48	FPACCCL	Multiple Seating: Three Seat Add-on Unit-Left (Closed Arm)	74
B8	Modular Seating: Center Arm	48	FPACCCR	Multiple Seating: Three Seat Add-on Unit-Right (Closed Arm)	74
BET.L	Connecting Tables: End Table	32			
BH33	Multiple Seating: Loveseat (Closed Arm)	16	FPACCL	Multiple Seating: Two Seat Add-on Unit-Left (Closed Arm)	70
BHACCCL	Multiple Seating: Three Seat Add-on Unit-Left (Closed Arm)	28	FPACCR	Multiple Seating: Two Seat Add-on Unit-Right (Closed Arm)	70
BHACCCR	Multiple Seating: Three Seat Add-on Unit-Right (Closed Arm)	28	FPACL	Multiple Seating: One Seat Add-on Unit-Left (Closed Arm)	66
			FPACR	Multiple Seating: One Seat Add-on Unit-Right (Closed Arm)	66
BHACCL	Multiple Seating: Two Seat Add-on Unit-Left (Closed Arm)	24	FPC	Multiple Seating: One Seat (Closed Arm)	54
BHACCR	Multiple Seating: Two Seat Add-on Unit-Right (Closed Arm)	24	FPCC	Multiple Seating: Two Seat (Closed Arm)	56
BHACL	Multiple Seating: One Seat Add-on Unit-Left (Closed Arm)	20	FPCCC	Multiple Seating: Three Seat (Closed Arm)	58
BHACR	Multiple Seating: One Seat Add-on Unit-Right (Closed Arm)	20	FRB23	Multiple Seating Replacement Parts: Chair Replacement Back Cover	76
BHC	Multiple Seating: One Seat (Closed Arm)	10			
BHCC	Multiple Seating: Two Seat (Closed Arm)	12	FRPIL	Multiple Seating Replacement Parts: Replacement Arm Panel	76
BHCCC	Multiple Seating: Three Seat (Closed Arm)	14	FRPOL	Multiple Seating Replacement Parts: Replacement Arm Panel	76
BO33	Multiple Seating: Loveseat (Open Arm)	16	FRPTL	Multiple Seating Replacement Parts: Replacement Arm Panel Cover	76
BOACCCL	Multiple Seating: Three Seat Add-on Unit-Left (Open Arm)	26			
BOACCCR	Multiple Seating: Three Seat Add-on Unit-Right (Open Arm)	26	FRS23	Multiple Seating Replacement Parts: Chair Replacement Seat Cover	76
BOACCL	Multiple Seating: Two Seat Add-on Unit-Left (Open Arm)	22	FRS33	Multiple Seating Replacement Parts: Loveseat Replacement Seat Cover	76
BOACCR	Multiple Seating: Two Seat Add-on Unit-Right (Open Arm)	22	FRS43	Multiple Seating Replacement Parts: Sofa Replacement Seat Cover	76
BOACL	Multiple Seating: One Seat Add-on Unit-Left (Open Arm)	18			
BOACR	Multiple Seating: One Seat Add-on Unit-Right (Open Arm)	18			
BOC	Multiple Seating: One Seat (Open Arm)	10	FT.L	Connecting Tables: Center Connection Table	78
BOCC	Multiple Seating: Two Seat (Open Arm)	12	FT.L.L	Connecting Tables: End Table-Left	78
BOCCC	Multiple Seating: Three Seat (Open Arm)	14	FT.R.L	Connecting Tables: End Table-Right	78
BRB23	Multiple Seating Replacement Parts: Chair Replacement Back Cover	30	FT3.L	Connecting Tables: Three-Sided "T" Connecting Table	80
BRPH	Multiple Seating Replacement Parts: Chair Replacement Arm Panel Cover	30	FT45.I.L	Connecting Tables: 45 Degree Connector Table-Inside	78
			FT45.O.L	Connecting Tables: 45 Degree Connector Table-Outside	78
BRS23	Multiple Seating Replacement Parts: Chair Replacement Seat Cover	30	FT90.C.L	Connecting Tables: Corner Table	80
			FT90.I.L	Connecting Tables: 90 Degree Connector Table-Inside	80
BRS33	Multiple Seating Replacement Parts: Loveseat Replacement Seat Cover	30	FT90.O.L	Connecting Tables: 90 Degree Connector Table-Outside	80
			GT2/S1/E1T	Multiple Seating: GateOne® Seating	84
BT.L	Connecting Tables: Center Table	32	GTA	Multiple Seating: Arms	84
BT45.L	Connecting Tables: 45 Degree Connector Table	32	GTCT	Multiple Seating: Corner Table	84
BT90.L	Connecting Tables: 90 Degree Connector Table	32	PET.L	Connecting Tables: End Table	112
DOP.GANG	Multiple Seating: Back Ganging Bar	42	PQ33	Multiple Seating: Loveseat (Open Arm)	96
DOP.GANG	Multiple Seating: Back Ganging Bar	122	POACCCL	Multiple Seating: Three Seat Add-on Unit-Left (Open Arm)	106
DOP.GANG	Multiple Seating: Back Ganging Bar	132	POACCCR	Multiple Seating: Three Seat Add-on Unit-Right (Open Arm)	106
DT1NAP/S1/ITO	Multiple Seating: Operational Armless Seat Unupholstered	36	POACCL	Multiple Seating: Two Seat Add-on Unit-Left (Open Arm)	102
DT1NAUB/S1/ITO	Multiple Seating: Operational Armless Seat Upholstered Seat and Back	38	POACCR	Multiple Seating: Two Seat Add-on Unit-Right (Open Arm)	102
			POACL	Multiple Seating: One Seat Add-on Unit-Left (Open Arm)	98
DT1NAUS/S1/ITO	Multiple Seating: Operational Armless Seat Upholstered Seat	38	POACR	Multiple Seating: One Seat Add-on Unit-Right (Open Arm)	98
DT1WAP/S1/ITO	Multiple Seating: Operational Arm Seat Unupholstered	36	POC	Multiple Seating: One Seat (Open Arm)	90
DT1WAUB/S1/ITO	Multiple Seating: Operational Arm Seat Upholstered Seat and Back	40	POCC	Multiple Seating: Two Seat (Open Arm)	92
			POCCC	Multiple Seating: Three Seat (Open Arm)	94
DT1WAUS/S1/ITO	Multiple Seating: Operational Arm Seat Upholstered Seat	40	PP33	Multiple Seating: Loveseat (Closed Arm)	96
DTCT/LC	Multiple Seating: Corner Table	42	PPACCCL	Multiple Seating: Three Seat Add-on Unit-Left (Closed Arm)	108
F033	Multiple Seating: Loveseat (Open Arm)	60	PPACCCR	Multiple Seating: Three Seat Add-on Unit-Right (Closed Arm)	108
F043	Multiple Seating: Sofa (Open Arm)	62			



Model No.	Description	Page
PPACCL	Multiple Seating: Two Seat Add-on Unit-Left (Closed Arm)	104
PPACCR	Multiple Seating: Two Seat Add-on Unit-Right (Closed Arm)	104
PPACL	Multiple Seating: One Seat Add-on Unit-Left (Closed Arm)	100
PPACR	Multiple Seating: One Seat Add-on Unit-Right (Closed Arm)	100
PPC	Multiple Seating: One Seat (Closed Arm)	90
PPCC	Multiple Seating: Two Seat (Closed Arm)	92
PPCCC	Multiple Seating: Three Seat (Closed Arm)	94
PRB23	Multiple Seating Replacement Parts: Chair Replacement Back Foam/Upholstery Cover	110
PRB33	Multiple Seating Replacement Parts: Loveseat Replacement Back Foam/Upholstery Cover	110
PRS23	Multiple Seating Replacement Parts: Chair Replacement Seat Cover	110
PRS33	Multiple Seating Replacement Parts: Loveseat Replacement Seat Cover	110
PTL	Connecting Tables: Center Table	112
PT3.L	Connecting Tables: Three-Sided "T" Connector Table	112
PT45.L	Connecting Tables: 45 Degree Connector Table	112
PT90.L	Connecting Tables: 90 Degree Connector Table	112
SOC	Multiple Seating: One Seat Unit (Open Arm)	136
S OCC	Multiple Seating: Two Seat Unit (Open Arm)	136
S OCCC	Multiple Seating: Three Seat Unit (Open Arm)	136
SPC	Multiple Seating: One Seat Unit (Closed Arm)	136
SPCC	Multiple Seating: Two Seat Unit (Closed Arm)	136
SPCCC	Multiple Seating: Three Seat Unit (Closed Arm)	136
ST1AAP/S1/IT0	Multiple Seating: Tandem Seating w/Arms Poly	116
ST1AAU/S1/IT0	Multiple Seating: Tandem Seating w/Arms Upholstery	120
ST1EAP/S1/IT0	Multiple Seating: Tandem Seating End Arms Only Poly	116
ST1EAU/S1/IT0	Multiple Seating: Tandem Seating End Arms Only Upholstery	120
ST1NAP/S1/IT0	Multiple Seating: Tandem Seating No Arms Poly	116
ST1NAU/S1/IT0	Multiple Seating: Tandem Seating No Arms Upholstery	118
T623	Multiple Seating: Single Seat Lounge Chair	144
T623CC	Multiple Seating: Two Seat Lounge Chair	144
T623CCC	Multiple Seating: Three Seat Lounge Chair	144
T633	Multiple Seating: Loveseat	146
T643	Multiple Seating: Sofa	146
TP33	Multiple Seating: Loveseat	142
TP43	Multiple Seating: Sofa	142
TPC	Multiple Seating: Small Single Seat	140
TPCC	Multiple Seating: Two Seat Chair	140
TPCCC	Multiple Seating: Three Seat Chair	140
TPCR	Multiple Seating: Medium Single Seat	140
TT1CAP/S1/IT0	Multiple Seating: Tandem Seating w/Arms Poly	126
TT1CAU/S1/IT0	Multiple Seating: Tandem Seating w/Arms Upholstery	130
TT1EAP/S1/IT0	Multiple Seating: Tandem Seating End Arms Only Poly	126
TT1EAU/S1/IT0	Multiple Seating: Tandem Seating End Arms Only Upholstery	130
TT1NAP/S1/IT0	Multiple Seating: Tandem Seating No Arms Poly	126
TT1NAU/S1/IT0	Multiple Seating: Tandem Seating No Arms Upholstery	128
TTCT/LC	Multiple Seating: Corner Table	122
TTCT/LC	Multiple Seating: Corner Table	132

**You make the rules.
We make the rest.®**

Of course KI solutions work better for you. They're made for you. No one pays more attention to customer needs than we do. We don't design our furniture to win awards (even though it does). We don't rely on one-size-fits-all solutions (even though they would make our life easier). We find out what you need. And, we make it. The same applies to our service, distribution channels...everything we do. It's all built around knowing what you want and giving you the choice. KI solutions work, because we're working for you.

KI
1330 Bellevue Street
P.O. Box 8100
Green Bay, Wisconsin 54302-8100
1-800-424-2432
www.ki.com

KI is a registered trademark
of Krueger International, Inc.

© 2008 KI
All Rights Reserved.
Litho in USA.
KI-11483/KI/VL/308