

·IRONHAUS·

Handcrafted Fireplace Systems

The Summit

Direct Vent Gas Fireplace



Shown in Arched
Mediterranean Style

THE SUMMIT is in a league of its own. It is the first **IRONHAUS** Direct Vent fireplace to be made available with a **True Arch** to the handcrafted face and doors. This new design allows you to tie into design elements that would have been impossible before using a direct vent fireplace. **THE SUMMIT** has a random flame, tiered burner with a glowing ember bed, and is available in 36" and 42" viewing widths. With 6 different styles and a variety of finishes to choose from **THE SUMMIT** is a natural fit for your custom project.

- *True Arch Designed Face and Doors*
- *Two Huge Sizes: 40" w x 36" h & 46" w x 41" h*
- *Ceramic Fiber Split Log Presentation*
- *6 Different Styles to Choose From*
- *Coordinates Easily with Other Ironhaus Fireplaces*

The Summit - Features

Available in
Natural Gas or
Propane



Choose From 6
Different Face
Styles.

Match to other
IRONHAUS
fireplaces in
your home

How to Order:

- 1) Determine Natural Gas or LP and design style.
- 2) Choose texture & finish.
- 3) Verify install and venting requirements with your dealer or builder.
- 4) Place order with dealer or online at www.ironhaus.com.

36" 22,400-32 BTU NG 20,000-28 LP
42" 25,000-36 BTU NG 23,000-33 LP



Santa Fe Style
M6 - *NT/BP/BC/RT



Craftsman Style
M1 - *NT/BC/BK/DB



BC - Burnished Black Copper



BK - Hammered Black



NT - Hammered Natural



RT - Burnished Rust



DB - Hammered Dark Bronze



BP - Burnished Buff Pewter

The Summit - Styles & Finishes



European Style
M7 - *NT/BP/DB/BC



Mountain Style
M3 - *NT/BK/BC



Mediterranean Style
M4 - *NT/DB/BC/RT



Old World Style
M2 - *NT/BP/RT/BC

*Designs are designated for available finishes. For alternate customizations contact IRONHAUS at www.ironhaus.com or contact your Dealer.




BC - Distressed Black Copper



NT - Distressed Natural



BP - Distressed Buff Pewter



RT - Distressed Rust



DB - Distressed Dark Bronze



BK - Distressed Black

The Summit - Specifications






Figure 4 - Framing Clearances for Installation Against an Exterior Wall



Ref.	Mantel Depth	Ref.	Mantel from Top of Louver Opening
1	14"	A	16"
2	12"	B	14"
3	10"	C	12"
4	8"	D	10"
5	6"	E	8"
6	4"	F	6"
7	2"	G	4"

Figure 6 - Clearances for Combustible Mantels




Figure 4 - Framing Clearances for Installation Against an Exterior Wall




Figure 5 - Framing Clearances for Corner Installation




Figure 5 - Framing Clearances for Corner Installation

36" Framing Dimensions

42" Framing Dimensions

For more information or dealer locations please visit us on the web or contact us.

IRONHAUS, Inc.

113 Lewis LN, Hamilton, MT 59840

1.866.880.0900 406.961.1800 406.961.1801 fax www.ironhaus.com