

Planes Table of Contents

Collaborative Tables – Y-Leg

Half Round – Laminate – Flip	101
Half Round – Laminate – Non-flip	111
Half Round – Wood – Flip	106
Half Round – Wood – Non-flip	116
Hexagon – Laminate – Flip	100
Hexagon – Laminate – Non-flip	110
Hexagon – Wood – Flip	105
Hexagon – Wood – Non-flip	115
Pebble – Laminate – Flip	99
Pebble – Laminate – Non-flip	109
Pebble – Wood – Flip	104
Pebble – Wood – Non-flip	114
Polygon – Laminate – Flip	102
Polygon – Laminate – Non-flip	112
Polygon – Wood – Flip	107
Polygon – Wood – Non-flip	117
Rectangular – Laminate – Flip	98
Rectangular – Laminate – Non-flip	108
Rectangular – Wood – Flip	103
Rectangular – Wood – Non-flip	113
Vertical Wire Management	118
Y-Leg Bumper	118

Conference Tables – Interior Leg

Half Round – Laminate	122
Half Round – Wood	126
Hexagon – Laminate – One-Piece Top	132-133
Hexagon – Laminate – Three-Piece Tops	156-157
Hexagon – Laminate – Two-Piece Tops	144-145
Hexagon – Wood – One-Piece Top	138-139
Hexagon – Wood – Three-Piece Tops	162-163
Hexagon – Wood – Two-Piece Tops	150-151
Pebble – Laminate – One-Piece Top	130-131
Pebble – Laminate – Three-Piece Tops	154-155
Pebble – Laminate – Two-Piece Tops	142-143
Pebble – Wood – One-Piece Top	136-137
Pebble – Wood – Three-Piece Tops	160-161
Pebble – Wood – Two-Piece Tops	148-149
Polygon – Laminate	123
Polygon – Wood	127
Rectangular – Laminate	120-121
Rectangular – Laminate – One-Piece Top	128-129
Rectangular – Laminate – Three-Piece Tops	152-153
Rectangular – Laminate – Two-Piece Tops	140-141
Rectangular – Wood	124-125
Rectangular – Wood – One-Piece Top	134-135
Rectangular – Wood – Three-Piece Tops	158-159
Rectangular – Wood – Two-Piece Tops	146-147
Round – Laminate	120-121
Round – Wood	124-125
Square – Laminate	120-121
Square – Wood	124-125

Conference Tables – Perimeter Leg

Rectangular – Laminate	164
Rectangular – Laminate – One-Piece Top	165
Rectangular – Laminate – Three-Piece Tops	168-169
Rectangular – Laminate – Two-Piece Tops	166-167
Rectangular – Wood	170
Rectangular – Wood – One-Piece Top	171
Rectangular – Wood – Three-Piece Tops	174-175
Rectangular – Wood – Two-Piece Tops	172-173
Square – Laminate	164
Square – Wood	170

Electrical Components

Flip Top Unit	375
---------------	-----

Accessories

Cable Base	178
Cable Column	178
Casters	177
Ganging Clip	177
Glides	177
Grommet	177
Wire Manager – Horizontal	177

Carts

Catering – Laminate	181
Medium Media – Laminate	180
Medium Media – Wood	180
Podium – Laminate	182
Podium – Wood	182
Small Media – Laminate	179
Small Media – Wood	179

Credenza Bases and Tops

19" High Base – Laminate	184
19" High Base – Wood	184
29" High Base – Laminate	187
29" High Base – Wood	187
29" High Base w/ Slider Unit – Laminate	185
29" High Base w/ Slider Unit – Wood	185
35" High Base w/ Slider Unit – Laminate	186
35" High Base w/ Slider Unit – Wood	186
39" High Base w/ Slider Unit – Laminate	188
39" High Base w/ Slider Unit – Wood	188
45" High Base w/ Slider Unit – Laminate	189
45" High Base w/ Slider Unit – Wood	189
Credenza Top – Laminate	183
Credenza Top – Wood	183

Information Display

Horizontal Wall Rail End Caps	192
Horizontal Wall Rail for Information Boards	191
Information Boards	191
Large Easel	190
Standard Easel	190
Wall Cleat for Information Boards	191

Finishes

Legacy Finishes	195
Preferred Finishes	194
Wood Finishes	196

Terms of Sale


North American	431-434
----------------	---------

Index

Lifetime Product Warranty

Planes Collaborative Tables – Y-Leg/Flip – Laminate

	Depth	Length	Number	①	②	③	④	(T) T-Mold Price	(J) Edgeband Price	(V) Cascade Price
Rectangular – Laminate – Flip	30"(762mm)	60"(1524mm)	TARA-3060-L	■	■	Y	■	\$1007	\$1035	\$1054
		66"(1676mm)	TARA-3066-L	■	■	Y	■	1056	1086	1107
		72"(1829mm)	TARA-3072-L	■	■	Y	■	1106	1138	1161
	36"(914mm)	60"(1524mm)	TARA-3660-L	■	■	Y	■	\$1106	\$1138	\$1161
		66"(1676mm)	TARA-3666-L	■	■	Y	■	1165	1200	1225
		72"(1829mm)	TARA-3672-L	■	■	Y	■	1224	1262	1288



TARA

Features

- Includes 1 3/16"(30mm) thick top, two Y-leg assemblies, stretcher and hardware.
- Standard table height is 29"(737mm) with 27 7/8"(708mm) knee clearance.
- Laminate top with T-mold, 3mm edgeband or cascade edges.
- Top available in standard or green core option.
- Underside of table top has matching laminate surface.
- Table top flips from horizontal to vertical position via pneumatic assist mechanism activated by two finger pulls.
- Tables nest when flipped to vertical position. Refer to Specification Guide for details.
- Base and stretcher are painted aluminum.
- Stretcher provides lay-in cable management.
- Optional Flip top unit electrical modules are separately specified. Refer to electrical components for appropriate product specification.
- Optional casters (two locking) or glides are field interchangeable.
- Castors have light platinum hub with graphite tread.
- Glides are light platinum with 1/2"(13mm) height adjustment.
- Ships unassembled.

◆ Available on RUSH with Standard Core only.

Specification Tips

- 3mm edgeband edge is recommended to allow a flat seam between tables.
- The following Planes products are separately specified:
 - Ganging clip
 - Flip top unit electrical modules
 - Grommets (field cut opening)
 - Vertical wire management
 - Y-leg Bumper

To Order, Specify:

1) Product number, including:

① Edge Option:

- T T-Mold
- J Edgeband
- V Cascade

② Core Option:

- S Standard ◆
- G Green, add \$100 list

③ Flip Top Unit Cutout(s):

- N None
- F Center – single-sided/4 outlets, add \$25 list
- J Center – single-sided/6 outlets, add \$25 list

④ Base Options:

- H Flip – Caster
- F Flip – Glide

2) Laminate surface color.


3) Edge trim color.

4) Base trim color.

Note: \$35 upcharge (list) for Metallic trim color.

Planes Collaborative Tables – Y-Leg/Flip – Laminate

Pebble – Laminate – Flip



TARP

Depth	Length	Number	①	②	③	④	(T) T-Mold Price	(V) Cascade Price
30" (762mm)	60" (1524mm)	TARP-3060-L	■	■	Y	4 ■	\$1007	\$1054
	66" (1676mm)	TARP-3066-L	■	■	Y	4 ■	1056	1107
	72" (1829mm)	TARP-3072-L	■	■	Y	4 ■	1106	1161
36" (914mm)	60" (1524mm)	TARP-3660-L	■	■	Y	4 ■	\$1106	\$1161
	66" (1676mm)	TARP-3666-L	■	■	Y	4 ■	1165	1225
	72" (1829mm)	TARP-3672-L	■	■	Y	4 ■	1224	1288

Features

- Includes 1 3/16" (30mm) thick top, two Y-leg assemblies, stretcher and hardware.
- Standard table height is 29" (737mm) with 27 7/8" (708mm) knee clearance.
- Laminate top with T-mold or cascade edges.
- Top available in standard or green core option.
- Table top flips from horizontal to vertical position via pneumatic assist mechanism activated by two finger pulls.
- Tables nest when flipped to vertical position. Refer to Specification Guide for details.
- Underside of table top has matching laminate surface.
- Base and stretcher are painted aluminum.
- Stretcher provides lay-in cable management.
- Optional Flip top unit electrical modules are separately specified. Refer to electrical components for appropriate product specification.
- Optional casters (two locking) or glides are field interchangeable.
- Casters have light platinum hub with graphite tread.
- Glides are light platinum with 1/2" (13mm) height adjustment.
- Ships unassembled.

■ Available on RUSH with Standard Core only.

Specification Tips

- The following Planes products are separately specified:
 - Ganging clip
 - Flip top unit electrical modules
 - Grommets (field cut opening)
 - Vertical wire management
 - Y-leg Bumper

To Order, Specify:

- 1) Product number, including:

① Edge Option:

- T T-Mold
V Cascade

② Core Option:

- S Standard ■
G Green, add \$100 list

③ Flip Top Unit Cutout(s):

- N None
F Center – single sided/4 outlets, add \$25 list
J Center – single-sided/6 outlets, add \$25 list

④ Base Options:

- H Flip – Caster
F Flip – Glide

- 2) Laminate surface color.


- 3) Edge trim color.

- 4) Base trim color.

Note: \$35 upcharge (list) for Metallic trim color.

Planes Collaborative Tables – Y-Leg/Flip – Laminate

	Depth	Length	Number	①	②	③	④	(T) T-Mold Price	(V) Cascade Price
Hexagon – Laminate – Flip	30"(762mm)	60"(1524mm)	TARX-3060-L	■	■	■	Y 4 ■	\$1007	\$1054
		66"(1676mm)	TARX-3066-L	■	■	■	Y 4 ■	1056	1107
		72"(1829mm)	TARX-3072-L	■	■	■	Y 4 ■	1106	1161
	36"(914mm)	60"(1524mm)	TARX-3660-L	■	■	■	Y 4 ■	\$1106	\$1161
		66"(1676mm)	TARX-3666-L	■	■	■	Y 4 ■	1165	1225
		72"(1829mm)	TARX-3672-L	■	■	■	Y 4 ■	1224	1288



TARX

Features

- Includes 1 3/16"(30mm) thick top, two Y-leg assemblies, stretcher and hardware.
- Standard table height is 29"(737mm) with 27 7/8"(708mm) knee clearance.
- Laminate top with T-mold or cascade edge.
- Top available in standard or green core option.
- Table top flips from horizontal to vertical position via pneumatic assist mechanism activated by two finger pulls.
- Tables nest when flipped to vertical position. Refer to Specification Guide for details.
- Underside of table top has matching laminate surface.
- Base and stretcher are painted aluminum.
- Stretcher provides lay-in cable management
- Optional Flip top unit electrical modules are separately specified. Refer to electrical components for appropriate product specification.
- Optional casters (two locking) or glides are field interchangeable.
- Casters have light platinum hub with graphite tread.
- Glides are light platinum with 1/2"(13mm) height adjustment.
- Ships unassembled.

■ Available on RUSH with Standard Core only.

Specification Tips

- The following Planes products are separately specified:
 - Ganging clip
 - Flip top unit electrical modules
 - Grommets (field cut opening)
 - Vertical wire management
 - Y-leg Bumper

To Order, Specify:

- 1) Product number, including:

① Edge Option:

- T T-Mold
V Cascade

② Core Option:

- S Standard ■
G Green, add \$100 list

③ Flip Top Unit Cutout(s):

- N None
F Center – single-sided/4 outlets, add \$25 list
J Center – single-sided/6 outlets, add \$25 list


④ Base Options:

- H Flip – Caster
F Flip – Glide

- 2) Laminate surface color.
3) Edge trim color.
4) Base trim color.



Note: \$35 upcharge (list) for Metallic trim color.

Planes Collaborative Tables – Y-Leg/Flip – Laminate

	Depth	Length	Number	①②③④	(T) T-Mold Price	(J) Edgeband Price	(V) Cascade Price
Half Round – Laminate – Flip	72”(1829mm)	36”(914mm)	TAHN-3672-L	■ ■ ■ Y ■ 4 ■	\$1224	\$1262	\$1288
  TAHN	Features • Includes 1 3/16”(30mm) thick top, two Y-leg assemblies, stretcher and hardware. • Standard table height is 29”(737mm) with 27 7/8”(708mm) knee clearance. • Laminate top with T-mold, 3mm edgeband or cascade edges. • Top available in standard or green core option. • Table top flips from horizontal to vertical position via pneumatic assist mechanism activated by two finger pulls. • Tables nest when flipped to vertical position. Refer to Specification Guide for details. • Underside of table top has matching laminate surface. • Base and stretcher are painted aluminum. • Stretcher provides lay-in cable management. • Optional Flip top unit electrical modules are separately specified. Refer to electrical components for appropriate product specification. • Optional casters (two locking) or glides are field interchangeable. • Casters have light platinum hub with graphite tread. • Glides are light platinum with 1/2”(13mm) height adjustment. • Ships unassembled. ■ Available on RUSH with Standard Core only.						
	Specification Tips • 3mm edgeband edge is recommended to allow a flat seam between tables. • Depth is meant to accommodate two 36”(914mm) tables. • The following Planes products are separately specified: –Ganging clip –Flip top unit electrical modules –Grommets (field cut opening) –Vertical wire management –Y-leg Bumper						
To Order, Specify: - Product number, including: Edge Option: T T-Mold J Edgeband V Cascade Core Option: S Standard ■ G Green, add \$100 list Flip Top Unit Cutout(s): N None F Center – single-sided/4 outlets, add \$25 list J Center – single-sided/6 outlets, add \$25 list Base Options: H Flip – Caster F Flip – Glide - Laminate surface color. - Edge trim color. - Base trim color. Note: \$35 upcharge (list) for Metallic trim color.							

Planes Collaborative Tables – Y-Leg/Flip – Laminate

	Depth	Length	Number	①	②	③	④	(T) T-Mold Price	(J) Edgeband Price	(V) Cascade Price
Polygon – Laminate – Flip	30''(762mm)	60''(1524mm)	TACV-3060-L	■	■	■	Y ■ 4 ■	\$1007	\$1035	\$1054
	36''(914mm)	72''(1829mm)	TACV-3672-L	■	■	■	Y ■ 4 ■	1224	1262	1288



TACV

Features

- Includes 1 3/16''(30mm) thick top, two Y-leg assemblies, stretcher and hardware.
- Standard table height is 29''(737mm) with 27 7/8''(708mm) knee clearance.
- Laminate top with T-mold, 3mm edgeband or cascade edges.
- Top available in standard or green core option.
- Table top flips from horizontal to vertical position via pneumatic assist mechanism activated by two finger pulls.
- Tables nest when flipped to vertical position. Refer to Specification Guide for details.
- Underside of table top has matching laminate surface.
- Base and stretcher are painted aluminum.
- Stretcher provides lay-in cable management.
- Optional Flip top unit electrical modules are separately specified. Refer to electrical components for appropriate product specification.
- Optional casters (two locking) or glides are field interchangeable.
- Casters have light platinum hub with graphite tread.
- Glides are light platinum with 1/2''(13mm) height adjustment.
- Ships unassembled.

■ Available on RUSH with Standard Core only.

Specification Tips

- 3mm edgeband edge is recommended to allow a flat seam between tables.
- Depth matches 30''(762mm) or 36''(914mm) deep rectangular tables.
- The following Planes products are separately specified:
 - Ganging clip
 - Flip top unit electrical modules
 - Grommets (field cut opening)
 - Vertical wire management
 - Y-leg Bumper

To Order, Specify:

1) Product number, including:

① Edge Option:

- T T-Mold
- J Edgeband
- V Cascade

② Core Option:

- S Standard ■
- G Green, add \$100 list

③ Flip Top Unit Cutout(s):

- N None
- F Center – single-sided/4 outlets, add \$25 list
- J Center – single-sided/6 outlets, add \$25 list

④ Base Options:


- H Flip – Caster
- F Flip – Glide

- 2) Laminate surface color.
- 3) Edge trim color.
- 4) Base trim color.

Note: \$35 upcharge (list) for Metallic trim color.

Planes Collaborative Tables – Y-Leg/Flip – Wood

Rectangular – Wood – Flip



TARA

Depth	Length	Number	①	②	③	④	(K) Edgeband		(M) Cascade		(U) Knife**						
							Group I	Group II	Group I	Group II	Group I	Group II					
30''(762mm)	60''(1524mm)	TARA-3060-W	■	■	■	Y	■	4	\$1329	\$1355	\$1473	\$1499	\$1595	\$1621			
	66''(1676mm)	TARA-3066-W	■	■	■	■	Y	■	4	1405	1433	1562	1590	1694	1722		
	72''(1829mm)	TARA-3072-W	■	■	■	■	■	Y	■	4	1483	1513	1651	1681	1794	1824	
36''(914mm)	60''(1524mm)	TARA-3660-W	■	■	■	■	■	Y	■	4	\$1483	\$1513	\$1651	\$1681	\$1794	\$1824	
	66''(1676mm)	TARA-3666-W	■	■	■	■	■	■	Y	■	4	1575	1608	1758	1791	1913	1946
	72''(1829mm)	TARA-3672-W	■	■	■	■	■	■	■	Y	■	4	1666	1701	1865	1900	2032

Features

- Includes 1 3/16" (30mm) thick top, two Y-leg assemblies, stretcher and hardware.
- Standard table height is 29" (737mm) with 27 7/8" (708mm) knee clearance.
- Wood veneer top with 3mm edgeband, cascade or knife wood edges.
- Top available in standard or green core option.
- Table top flips from horizontal to vertical position via pneumatic assist mechanism activated by two finger pulls.
- Tables nest when flipped to vertical position. Refer to Specification Guide for details.
- Underside of table top has matching wood veneer surface.
- Base and stretcher are painted aluminum.
- Stretcher provides lay-in cable management.
- Optional Flip top unit electrical modules are separately specified. Refer to electrical components for appropriate product specification.
- Optional casters (two locking) or glides are field interchangeable.
- Casters have light platinum hub with graphite tread.
- Glides are light platinum with 1/2" (13mm) height adjustment.
- Ships unassembled.

Specification Tips

- 3mm edgeband edge is recommended to allow a flat seam between tables; refer to Specification Guide.
- The following Planes products are separately specified:
 - Ganging clip
 - Flip top unit electrical modules
 - Grommets (field cut opening)
 - Vertical wire management
 - Y-leg Bumper

**Knife wood edge must be specified with green core option.

To Order, Specify:

- 1) Product number, including:

① Wood Edge Option:

- ☐ K Edgeband
☐ M Cascade
☐ U Knife**

② Core Option:

- ☐ S Standard
☐ G Green, add \$100 list

③ Flip Top Unit Cutout(s):

- ☐ N None
☐ F Center – single-sided/4 outlets, add \$25 list
☐ J Center – single-sided/6 outlets, add \$25 list

④ Base Options:

- ☐ H Flip – Caster
☐ F Flip – Glide


- 2) Wood finish color.

- 3) Base trim color.

Note: \$35 upcharge (list) for Metallic trim color.

Planes Collaborative Tables – Y-Leg/Flip – Wood

Pebble – Wood – Flip



TARP

Depth	Length	Number	①	②	③	④	(K) Edgeband		(M) Cascade		(U) Knife**						
							Group I	Group II	Group I	Group II	Group I	Group II					
30''(762mm)	60''(1524mm)	TARP-3060-W	■	■	■	Y	■	4	\$1329	\$1355	\$1473	\$1499	\$1595	\$1621			
	66''(1676mm)	TARP-3066-W	■	■	■	■	Y	■	4	1405	1433	1562	1590	1694	1722		
	72''(1829mm)	TARP-3072-W	■	■	■	■	■	Y	■	4	1483	1513	1651	1681	1794	1824	
36''(914mm)	60''(1524mm)	TARP-3660-W	■	■	■	■	■	Y	■	4	\$1483	\$1513	\$1651	\$1681	\$1794	\$1824	
	66''(1676mm)	TARP-3666-W	■	■	■	■	■	■	Y	■	4	1575	1608	1758	1791	1913	1946
	72''(1829mm)	TARP-3672-W	■	■	■	■	■	■	■	Y	■	4	1666	1701	1865	1900	2032

Features

- Includes 1 3/16''(30mm) thick top, two Y-leg assemblies, stretcher and hardware.
- Standard table height is 29''(737mm) with 27 7/8''(708mm) knee clearance.
- Wood veneer top with 3mm edgeband, cascade or knife wood edges.
- Top available in standard or green core option.
- Table top flips from horizontal to vertical position via pneumatic assist mechanism activated by two finger pulls.
- Tables nest when flipped to vertical position. Refer to Specification Guide for details.
- Underside of table top has matching wood veneer surface.
- Base and stretcher are painted aluminum.
- Stretcher provides lay-in cable management.
- Optional Flip top unit electrical modules are separately specified. Refer to electrical components for appropriate product specification.
- Optional casters (two locking) or glides are field interchangeable.
- Casters have light platinum hub with graphite tread.
- Glides are light platinum with 1/2''(13mm) height adjustment.
- Ships unassembled.

Specification Tips

- The following Planes products are separately specified:
 - Ganging clip
 - Flip top unit electrical modules
 - Grommets (field cut opening)
 - Vertical wire management
 - Y-leg Bumper

**Knife wood edge must be specified with green core option.

To Order, Specify:

- 1) Product number, including:

① Wood Edge Option:

- ☐ K Edgeband
- ☐ M Cascade
- ☐ U Knife**

② Core Option:

- ☐ S Standard
- ☐ G Green, add \$100 list

③ Flip Top Unit Cutout(s):

- ☐ N None
- ☐ F Center – single-sided/4 outlets, add \$25 list
- ☐ J Center – single-sided/6 outlets, add \$25 list

④ Base Options:

- ☐ H Flip – Caster
- ☐ F Flip – Glide


- 2) Wood finish color.

- 3) Base trim color.

Note: \$35 upcharge (list) for Metallic trim color.

Planes Collaborative Tables – Y-Leg/Flip – Wood

Hexagon – Wood – Flip



TARX

Depth	Length	Number	①	②	③	④	(K)		(M)		(U)			
							Edgeband Group I	Group II	Cascade Group I	Group II	Knife** Group I	Group II		
30''(762mm)	60''(1524mm)	TARX-3060-W	■	■	■	Y	■	4	\$1329	\$1355	\$1473	\$1499	\$1595	\$1621
	66''(1676mm)	TARX-3066-W	■	■	■	Y	■	4	1405	1433	1562	1590	1694	1722
	72''(1829mm)	TARX-3072-W	■	■	■	Y	■	4	1483	1513	1651	1681	1794	1824
36''(914mm)	60''(1524mm)	TARX-3660-W	■	■	■	Y	■	4	\$1483	\$1513	\$1651	\$1681	\$1794	\$1824
	66''(1676mm)	TARX-3666-W	■	■	■	Y	■	4	1575	1608	1758	1791	1913	1946
	72''(1829mm)	TARX-3672-W	■	■	■	Y	■	4	1666	1701	1865	1900	2032	2067

Features

- Includes 1 3/16" (30mm) thick top, two Y-leg assemblies, stretcher and hardware.
- Standard table height is 29" (737mm) with 27 7/8" (708mm) knee clearance.
- Wood veneer top with 3mm edgeband, cascade or knife wood edges.
- Top available in standard or green core option.
- Table top flips from horizontal to vertical position via pneumatic assist mechanism activated by two finger pulls.
- Tables nest when flipped to vertical position. Refer to Specification Guide for details.
- Underside of table top has matching wood veneer surface.
- Base and stretcher are painted aluminum.
- Stretcher provides lay-in cable management.
- Optional Flip top unit electrical modules are separately specified. Refer to electrical components for appropriate product specification.
- Optional casters (two locking) or glides are field interchangeable.
- Casters have light platinum hub with graphite tread.
- Glides are light platinum with 1/2" (13mm) height adjustment.
- Ships unassembled.

Specification Tips

- The following Planes products are separately specified:
 - Ganging clip
 - Flip top unit electrical modules
 - Grommets (field cut opening)
 - Vertical wire management
 - Y-leg Bumper

**Knife wood edge must be specified with green core option.

To Order, Specify:

- 1) Product number, including:

① Wood Edge Option:

- ☐ K Edgeband
☐ M Cascade
☐ U Knife**

② Core Option:

- ☐ S Standard
☐ G Green, add \$100 list

③ Flip Top Unit Cutout(s):

- ☐ N None
☐ F Center – single-sided/4 outlets, add \$25 list
☐ J Center – single-sided/6 outlets, add \$25 list

④ Base Options:

- ☐ H Flip – Caster
☐ F Flip – Glide


- 2) Wood finish color.

- 3) Base trim color.

Note: \$35 upcharge (list) for Metallic trim color.

Planes Collaborative Tables – Y-Leg/Flip – Wood

	Depth	Length	Number	①②③④	(K) Edgeband Group I	Group II	(M) Cascade Group I	Group II	(U) Knife** Group I	Group II
Half Round – Wood – Flip	72''(1829mm)	36''(914mm)	TAHN-3672-W	■ ■ ■ Y ■ 4	\$1666	\$1701	\$1865	\$1900	\$2032	\$2067



TAHN

Features

- Includes 1 3/16''(30mm) thick top, two Y-leg assemblies, stretcher and hardware.
- Standard table height is 29''(737mm) with 27 7/8''(708mm) knee clearance.
- Wood veneer top with 3mm edgeband, cascade or knife wood edges.
- Top available in standard or green core option.
- Table top flips from horizontal to vertical position via pneumatic assist mechanism activated by two finger pulls.
- Tables nest when flipped to vertical position. Refer to Specification Guide for details.
- Underside of table top has matching wood veneer surface.
- Base and stretcher are painted aluminum.
- Stretcher provides lay-in cable management.
- Optional Flip top unit electrical modules are separately specified. Refer to electrical components for appropriate product specification.
- Optional casters (two locking) or glides are field interchangeable.
- Casters have light platinum hub with graphite tread.
- Glides are light platinum with 1/2''(13mm) height adjustment.
- Ships unassembled.

Specification Tips

- 3mm edgeband edge is recommended to allow a flat seam between tables.
- Depth matches two 36''(914mm) deep rectangular tables.
- The following Planes products are separately specified:
 - Ganging clip
 - Grommets (field cut opening)
 - Flip top unit electrical modules
 - Vertical wire management
 - Y-leg Bumper

**Knife wood edge must be specified with green core option.

To Order, Specify:

1) Product number, including:

① Edge Option:

- ☐ K Edgeband
- ☐ M Cascade
- ☐ U Knife**

② Core Option:

- ☐ S Standard
- ☐ G Green, add \$100 list

③ Flip Top Unit Cutout(s):

- ☐ N None
- ☐ F Center – single-sided/4 outlets, add \$25 list
- ☐ J Center – single-sided/6 outlets, add \$25 list

④ Base Options:

- ☐ H Flip – Caster
- ☐ F Flip – Glide



2) Wood finish color.

3) Base trim color.

Note: \$35 upcharge (list) for Metallic trim color.

Planes Collaborative Tables – Y-Leg/Flip – Wood

	Depth	Length	Number	①	②	③	④	(K) Edgeband Group I	Group II	(M) Cascade Group I	Group II	(U) Knife** Group I	Group II		
Polygon – Wood – Flip	30”(762mm)	60”(1524mm)	TACV-3060-W	■	■	■	Y	■	4	\$1329	\$1355	\$1473	\$1499	\$1595	\$1621
	36”(914mm)	72”(1829mm)	TACV-3672-W	■	■	■	Y	■	4	1666	1701	1865	1900	2032	2067



TACV

Features

- Includes 1 3/16" (30mm) thick top, two Y-leg assemblies, stretcher and hardware.
- Standard table height is 29" (737mm) with 27 7/8" (708mm) knee clearance.
- Wood veneer top with 3mm edgeband, cascade, or knife wood edges.
- Top available in standard or green core option.
- Table top flips from horizontal to vertical position via pneumatic assist mechanism activated by two finger pulls.
- Tables nest when flipped to vertical position. Refer to Specification Guide for details.
- Underside of table top has matching wood veneer surface.
- Base and stretcher are painted aluminum.
- Stretcher provides lay-in cable management.
- Optional Flip top unit electrical modules are separately specified. Refer to electrical components for appropriate product specification.
- Optional casters (two locking) or glides are field interchangeable.
- Casters have light platinum hub with graphite tread.
- Glides are light platinum with 1/2" (13mm) height adjustment.
- Ships unassembled.

Specification Tips

- 3mm edgeband edge is recommended to allow a flat seam between tables.
- Depth matches 30" (762mm) or 36" (914mm) deep rectangular tables.
- The following Planes products are separately specified:
 - Ganging clip
 - Grommets (field cut opening)
 - Flip top unit electrical modules
 - Vertical cable management
 - Y-leg Bumper

**Knife wood edge must be specified with green core option.

To Order, Specify:

1) Product number, including:

① Edge Option

- ☐ K Edgeband
- ☐ M Cascade
- ☐ U Knife**

② Core Option

- ☐ S Standard
- ☐ G Green, add \$100 list

③ Flip Top Unit Cutout(s):

- ☐ N None
- ☐ F Center – single-sided/4 outlets, add \$25 list
- ☐ J Center – single-sided/6 outlets, add \$25 list

④ Base Options

- ☐ H Flip – Caster
- ☐ F Flip – Glide

2) Wood finish color.

3) Base trim color.

Note: \$35 upcharge (list) for Metallic trim color.

Planes Collaborative Tables – Y-Leg/Non-Flip – Laminate

Rectangular – Laminate – Non-flip



TARA

Depth	Length	Number	①	②	③	④	(T) T-Mold Price	(J) Edgeband Price	(V) Cascade Price
30''(762mm)	60''(1524mm)	TARA-3060-L	■	■	Y	■ 4	\$ 915	\$ 943	\$ 962
	66''(1676mm)	TARA-3066-L	■	■	Y	■ 4	960	990	1011
	72''(1829mm)	TARA-3072-L	■	■	Y	■ 4	1005	1037	1060
36''(914mm)	60''(1524mm)	TARA-3660-L	■	■	Y	■ 4	\$1005	\$1037	\$1060
	66''(1676mm)	TARA-3666-L	■	■	Y	■ 4	1059	1094	1119
	72''(1829mm)	TARA-3672-L	■	■	Y	■ 4	1113	1151	1177
	78''(1981mm)	TARA-3678-L	■	■	Y	■ 4	1167	1208	1236
	84''(2134mm)	TARA-3684-L	■	■	Y	■ 4	1221	1265	1295
	90''(2286mm)	TARA-3690-L	■	■	Y	■ 4	1275	1321	1354
	96''(2438mm)	TARA-3696-L	■	■	Y	■ 4	1329	1378	1412

Features

- Includes 1 3/16''(30mm) thick top, two Y-leg assemblies, stretcher and hardware.
- Standard table height is 29''(737mm) with 27 7/8''(708mm) knee clearance.
- Laminate top with T-mold, 3mm edgeband or cascade edges.
- Top available in standard or green core option.
- Base and stretcher are painted aluminum.
- Optional Flip top unit electrical modules are separately specified. Refer to electrical components for appropriate product specification.
- Optional casters (two locking) or glides are field interchangeable.
- Casters have light platinum hub with graphite tread.
- Glides are light platinum with 1/2''(13mm) height adjustment.
- Ships unassembled.
- Available on RUSH with Standard Core only.

Specification Tips

- 3mm edgeband edge is recommended to allow a flat seam between tables.
- The following Planes products are separately specified:
 - Ganging clip
 - Flip top unit electrical modules
 - Grommets (field cut opening)
 - Vertical wire management

To Order, Specify:

- 1) Product number, including:

① Edge Option:

- ☐ T T-Mold
☐ J Edgeband
☐ V Cascade

② Core Option:

- ☐ S Standard ■
☐ G Green, add \$100 list

③ Flip Top Unit Cutout(s):

- ☐ N None
☐ F Center – single-sided/4 outlets, add \$25 list
☐ J Center – single-sided/6 outlets, add \$25 list

④ Base Options:

- ☐ C Caster
☐ G Glide

- 2) Laminate surface color.
 3) Edge trim color.
 4) Base trim color.

Note: \$35 upcharge (list) for Metallic trim color.

Planes Collaborative Tables – Y-Leg/Non-Flip – Laminate



TARP

	Depth	Length	Number	①	②	③	④	(T) T-Mold Price	(V) Cascade Price
Pebble – Laminate – Non-flip	30" (762mm)	60" (1524mm)	TARP-3060-L	■	■	■	Y 4	\$ 915	\$ 962
		66" (1676mm)	TARP-3066-L	■	■	■	Y 4	960	1011
		72" (1829mm)	TARP-3072-L	■	■	■	Y 4	1005	1060
	36" (914mm)	60" (1524mm)	TARP-3660-L	■	■	■	Y 4	\$1005	\$1060
		66" (1676mm)	TARP-3666-L	■	■	■	Y 4	1059	1119
		72" (1829mm)	TARP-3672-L	■	■	■	Y 4	1113	1177
		78" (1981mm)	TARP-3678-L	■	■	■	Y 4	1167	1236
		84" (2134mm)	TARP-3684-L	■	■	■	Y 4	1221	1295
		90" (2286mm)	TARP-3690-L	■	■	■	Y 4	1275	1354
		96" (2438mm)	TARP-3696-L	■	■	■	Y 4	1329	1412

Features

- Includes 1 3/16" (30mm) thick top, two Y-leg assemblies, stretcher and hardware.
- Standard table height is 29" (737mm) with 27 7/8" (708mm) knee clearance.
- Laminate top with T-mold or cascade edges.
- Top available in standard or green core option.
- Base and stretcher are painted aluminum.
- Optional Flip top unit electrical modules are separately specified. Refer to electrical components for appropriate product specification.
- Optional casters (two locking) or glides are field interchangeable.
- Castors have light platinum hub with graphite tread.
- Glides are light platinum with 1/2" (13mm) height adjustment.
- Ships unassembled.
- Available on RUSH with Standard Core only.

Specification Tips

- The following Planes products are separately specified:
 - Ganging clip
 - Flip top unit electrical modules
 - Grommets (field cut opening)
 - Vertical wire management

To Order, Specify:

- Product number, including:

① Edge Option:

- T T-Mold
- V Cascade

② Core Option:

- S Standard
- G Green, add \$100 list

③ Flip Top Unit Cutout(s):

- N None
- F Center – single-sided/4 outlets, add \$25 list
- J Center – single-sided/6 outlets, add \$25 list

④ Base Options:

- C Caster
- G Glide

- Laminate surface color.
- Edge trim color.
- Base trim color.

Note: \$35 upcharge (list) for Metallic trim color.

Planes Collaborative Tables – Y-Leg/Non-Flip – Laminate



TARX

	Depth	Length	Number	①	②	③	④	(T) T-Mold Price	(V) Cascade Price
Hexagon – Laminate – Non-flip	30" (762mm)	60" (1524mm)	TARX-3060-L	■	■	■	Y 4	\$ 915	\$ 962
		66" (1676mm)	TARX-3066-L	■	■	■	Y 4	960	1011
		72" (1829mm)	TARX-3072-L	■	■	■	Y 4	1005	1060
	36" (914mm)	60" (1524mm)	TARX-3660-L	■	■	■	Y 4	\$1005	\$1060
		66" (1676mm)	TARX-3666-L	■	■	■	Y 4	1059	1119
		72" (1829mm)	TARX-3672-L	■	■	■	Y 4	1113	1177
		78" (1981mm)	TARX-3678-L	■	■	■	Y 4	1167	1236
		84" (2134mm)	TARX-3684-L	■	■	■	Y 4	1221	1295
		90" (2286mm)	TARX-3690-L	■	■	■	Y 4	1275	1354
		96" (2438mm)	TARX-3696-L	■	■	■	Y 4	1329	1412

Features

- Includes 1 3/16" (30mm) thick top, two Y-leg assemblies, stretcher and hardware.
- Standard table height is 29" (737mm) with 27 7/8" (708mm) knee clearance.
- Laminate top with T-mold or cascade edges.
- Top available in standard or green core option.
- Base and stretcher are painted aluminum.
- Optional Flip top unit electrical modules are separately specified. Refer to electrical components for appropriate product specification.
- Optional casters (two locking) or glides are field interchangeable.
- Casters have light platinum hub with graphite tread.
- Glides are light platinum with 1/2" (13mm) height adjustment.
- Ships unassembled.
- ◆ Available on RUSH with Standard Core only.

Specification Tips

- The following Planes products are separately specified:
 - Ganging clip
 - Flip top unit electrical modules
 - Grommets (field cut opening)
 - Vertical wire management

To Order, Specify:

- 1) Product number, including:

① Edge Option:

- ☐ T T-Mold
☐ V Cascade

② Core Option:

- ☐ S Standard ◆
☐ G Green, add \$100 list

③ Flip Top Unit Cutout(s):

- ☐ N None
☐ F Center – single-sided/4 outlets, add \$25 list
☐ J Center – single-sided/6 outlets, add \$25 list

④ Base Options:

- ☐ C Caster
☐ G Glide

- 2) Laminate surface color.
- 3) Edge trim color.
- 4) Base trim color.


Note: \$35 upcharge (list) for Metallic trim color.

Planes Collaborative Tables – Y-Leg/Non-Flip – Laminate

	Depth	Length	Number	① ② ③ ④	(T) T-Mold Price	(J) Edgeband Price	(V) Cascade Price
Half Round – Laminate – Non-flip  TAHN	72" (1829mm)	36" (914mm)	TAHN-3672-L	■ ■ ■ Y ■ 4 ■	\$1113	\$1151	\$1177
Features - Includes 1 3/16" (30mm) thick top, two Y-leg assemblies, stretcher and hardware. - Standard table height is 29" (737mm) with 27 7/8" (708mm) knee clearance. - Laminate top with T-mold, 3mm edgeband or cascade edges. - Top available in standard or green core option. - Base and stretcher are painted aluminum. - Optional flip top unit electrical modules are separately specified. Refer to Electrical Components for appropriate product specification. - Optional casters (two locking) or glides are field interchangeable. - Castors have light platinum hub with graphite tread. - Glides are light platinum with 1/2" (13mm) height adjustment. - Ships unassembled. ■ Available on RUSH with Standard Core only.							
Specification Tips 3mm edgeband edge is recommended to allow a flat seam between tables; refer to Specification Guide. - Depth is meant to accommodate two 36" (914mm) tables. - The following Planes products are separately specified: –Ganging clip –Flip top unit electrical modules –Grommets (field cut opening) –Vertical wire management							
To Order, Specify: - Product number, including: Edge Option: - T T-Mold - J Edgeband - V Cascade Core Option: - S Standard ■ - G Green, add \$100 list Flip Top Unit Cutout(s): - N None - F Center – single-sided/4 outlets, add \$25 list - J Center – single-sided/6 outlets, add \$25 list Base Options: - C Caster - G Glide - Laminate surface color. - Edge trim color. - Base trim color. Note: \$35 upcharge (list) for Metallic trim color.							

Planes Collaborative Tables – Y-Leg/Non-Flip – Laminate

	Depth	Length	Number	1	2	3	4	(T) T-Mold Price	(J) Edgeband Price	(V) Cascade Price
Polygon – Laminate – Non-flip	30''(762mm)	60''(1524mm)	TACV-3060-L			Y		\$ 915	\$ 943	\$ 962
	36''(914mm)	72''(1829mm)	TACV-3672-L			Y		1113	1151	1177



TACV

Features

- Includes 1 3/16''(30mm) thick top, two Y-leg assemblies, stretcher and hardware.
 - Standard table height is 29''(737mm) with 27 7/8''(708mm) knee clearance.
 - Laminate top with T-mold, 3mm edgeband or cascade edges.
 - Top available in standard or green core option.
 - Base and stretcher are painted aluminum.
 - Optional Flip top unit electrical modules are separately specified. Refer to electrical components for appropriate product specification.
 - Optional casters (two locking) or glides are field interchangeable.
 - Casters have light platinum hub with graphite tread.
 - Glides are light platinum with 1/2''(13mm) height adjustment.
 - Ships unassembled.
- ◆ Available on RUSH with Standard Core only.

Specification Tips

- 3mm edgeband edge is recommended to allow a flat seam between tables.
- Depth matches 30''(762mm) or 36''(914mm) deep rectangular tables.
- The following Planes products are separately specified:
 - Ganging clip
 - Flip top unit electrical modules
 - Grommets (field cut opening)
 - Vertical wire management

To Order, Specify:

- 1) Product number, including:
- 1 Edge Option:**
- T T-Mold
 - J Edgeband
 - V Cascade
- 2 Core Option:**
- S Standard ◆
 - G Green, add \$100 list
- 3 Flip Top Unit Cutout(s):**
- N None
 - F Center – single-sided/4 outlets, add \$25 list
 - J Center – single-sided/6 outlets, add \$25 list
- 4 Base Options:**
- C Caster
 - G Glide
- 2) Laminate surface color.
- 3) Edge trim color.
- 4) Base trim color.

Note: \$35 upcharge (list) for Metallic trim color.

Planes Collaborative Tables – Y-Leg/Non-Flip – Wood

Rectangular – Wood – Non-flip



TARA

Depth	Length	Number	①	②	③	④	(K)		(M)		(U)			
							Edgeband Group I	Group II	Cascade Group I	Group II	Knife** Group I	Group II		
30''(762mm)	60''(1524mm)	TARA-3060-W	■	■	■	Y	■	4	\$1237	\$1263	\$1381	\$1407	\$1503	\$1529
	66''(1676mm)	TARA-3066-W	■	■	■	Y	■	4	1309	1337	1466	1494	1598	1626
	72''(1829mm)	TARA-3072-W	■	■	■	Y	■	4	1382	1412	1550	1580	1693	1723
36''(914mm)	60''(1524mm)	TARA-3660-W	■	■	■	Y	■	4	\$1382	\$1412	\$1550	\$1580	\$1693	\$1723
	66''(1676mm)	TARA-3666-W	■	■	■	Y	■	4	1469	1502	1652	1685	1807	1840
	72''(1829mm)	TARA-3672-W	■	■	■	Y	■	4	1555	1590	1754	1789	1921	1956
	78''(1981mm)	TARA-3678-W	■	■	■	Y	■	4	1642	1680	1855	1893	2035	2073
	84''(2134mm)	TARA-3684-W	■	■	■	Y	■	4	1729	1769	1957	1997	2149	2189
	90''(2286mm)	TARA-3690-W	■	■	■	Y	■	4	1816	1859	2058	2101	2263	2306
	96''(2438mm)	TARA-3696-W	■	■	■	Y	■	4	1903	1949	2160	2206	2377	2423

Features

- Includes 1 3/16" (30mm) thick top, two Y-leg assemblies, stretcher and hardware.
- Standard table height is 29" (737mm) with 27 7/8" (708mm) knee clearance.
- Wood veneer top with 3mm edgeband, cascade or knife wood edges.
- Top available in standard or green core option.
- Base and stretcher are painted aluminum.
- Optional Flip top unit electrical modules are separately specified. Refer to electrical components for appropriate product specification.
- Optional casters (two locking) or glides are field interchangeable.
- Castors have light platinum hub with graphite tread.
- Glides are light platinum with 1/2" (13mm) height adjustment.
- Ships unassembled.

Specification Tips

- 3mm edgeband edge is recommended to allow a flat seam between tables.
- The following Planes products are separately specified:
 - Ganging clip
 - Flip top unit electrical modules
 - Grommets (field cut opening)
 - Vertical wire management

**Knife wood edge must be specified with green core option.

To Order, Specify:

- Product number, including:

① Wood Edge Option:

- ☐ K Edgeband
- ☐ M Cascade
- ☐ U Knife**

② Core Option:

- ☐ S Standard
- ☐ G Green, add \$100 list

③ Flip Top Unit Cutout(s):

- ☐ N None
- ☐ F Center – single-sided/4 outlets, add \$25 list
- ☐ J Center – single-sided/6 outlets, add \$25 list

④ Base Options:

- ☐ C Caster
- ☐ G Glide

- Wood finish color.

- Base trim color.

Note: \$35 upcharge (list) for Metallic trim color.

Planes Collaborative Tables – Y-Leg/Non-Flip – Wood



TARP

	Depth	Length	Number	①	②	③	④	(K) Edgeband Group I	Group II	(M) Cascade Group I	Group II	(U) Knife** Group I	Group II
Pebble – Wood – Non-flip	30" (762mm)	60" (1524mm)	TARP-3060-W	■	■	■	Y ■ 4	\$1237	\$1263	\$1381	\$1407	\$1503	\$1529
		66" (1676mm)	TARP-3066-W	■	■	■	Y ■ 4	1309	1337	1466	1494	1598	1626
		72" (1829mm)	TARP-3072-W	■	■	■	Y ■ 4	1382	1412	1550	1580	1693	1723
	36" (914mm)	60" (1524mm)	TARP-3660-W	■	■	■	Y ■ 4	\$1382	\$1412	\$1550	\$1580	\$1693	\$1723
		66" (1676mm)	TARP-3666-W	■	■	■	Y ■ 4	1469	1502	1652	1685	1807	1840
		72" (1829mm)	TARP-3672-W	■	■	■	Y ■ 4	1555	1590	1754	1789	1921	1956
		78" (1981mm)	TARP-3678-W	■	■	■	Y ■ 4	1642	1680	1855	1893	2035	2073
		84" (2134mm)	TARP-3684-W	■	■	■	Y ■ 4	1729	1769	1957	1997	2149	2189
		90" (2286mm)	TARP-3690-W	■	■	■	Y ■ 4	1816	1859	2058	2101	2263	2306
		96" (2438mm)	TARP-3696-W	■	■	■	Y ■ 4	1903	1949	2160	2206	2377	2423

Features

- Includes 1 3/16" (30mm) thick top, two Y-leg assemblies, stretcher and hardware.
- Standard table height is 29" (737mm) with 27 7/8" (708mm) knee clearance.
- Wood veneer top with 3mm edgeband, cascade or knife wood edges.
- Top available in standard or green core option.
- Base and stretcher are painted aluminum.
- Optional Flip top unit electrical modules are separately specified. Refer to electrical components for appropriate product specification.
- Optional casters (two locking) or glides are field interchangeable.
- Castors have light platinum hub with graphite tread.
- Glides are light platinum with 1/2" (13mm) height adjustment.
- Ships unassembled.

Specification Tips

- 3mm edgeband edge is recommended to allow a flat seam between tables.
- The following Planes products are separately specified:
 - Ganging clip
 - Flip top unit electrical modules
 - Grommets (field cut opening)
 - Vertical wire management

**Knife wood edge must be specified with green core option.

To Order, Specify:

1) Product number, including:

① Wood Edge Option:

- ☐ K Edgeband
- ☐ M Cascade
- ☐ U Knife**

② Core Option:

- ☐ S Standard
- ☐ G Green, add \$100 list

③ Flip Top Unit Cutout(s):

- ☐ N None
- ☐ F Center – single-sided/4 outlets, add \$25 list
- ☐ J Center – single-sided/6 outlets, add \$25 list

④ Base Options:

- ☐ C Caster
- ☐ G Glide

2) Wood finish color.

3) Base trim color.

Note: \$35 upcharge (list) for Metallic trim color.

Planes Collaborative Tables – Y-Leg/Non-Flip – Wood

Hexagon – Wood – Non-flip



TARX

Depth	Length	Number	①	②	③	④	(K) Edgeband		(M) Cascade		(U) Knife**			
							Group I	Group II	Group I	Group II	Group I	Group II		
30''(762mm)	60''(1524mm)	TARX-3060-W	■	■	■	Y	■	4	\$1237	\$1263	\$1381	\$1407	\$1503	\$1529
	66''(1676mm)	TARX-3066-W	■	■	■	Y	■	4	1309	1337	1466	1494	1598	1626
	72''(1829mm)	TARX-3072-W	■	■	■	Y	■	4	1382	1412	1550	1580	1693	1723
36''(914mm)	60''(1524mm)	TARX-3660-W	■	■	■	Y	■	4	\$1382	\$1412	\$1550	\$1580	\$1693	\$1723
	66''(1676mm)	TARX-3666-W	■	■	■	Y	■	4	1469	1502	1652	1685	1807	1840
	72''(1829mm)	TARX-3672-W	■	■	■	Y	■	4	1555	1590	1754	1789	1921	1956
	78''(1981mm)	TARX-3678-W	■	■	■	Y	■	4	1642	1680	1855	1893	2035	2073
	84''(2134mm)	TARX-3684-W	■	■	■	Y	■	4	1729	1767	1957	1995	2149	2187
	90''(2286mm)	TARX-3690-W	■	■	■	Y	■	4	1816	1859	2058	2101	2263	2306
	96''(2438mm)	TARX-3696-W	■	■	■	Y	■	4	1903	1949	2160	2206	2377	2423

Features

- Includes 1 3/16" (30mm) thick top, two Y-leg assemblies, stretcher and hardware.
- Standard table height is 29" (737mm) with 27 7/8" (708mm) knee clearance.
- Wood veneer top with 3mm edgeband, cascade or knife wood edges.
- Top available in standard or green core option.
- Base and stretcher are painted aluminum.
- Optional Flip top unit electrical modules are separately specified. Refer to electrical components for appropriate product specification.
- Optional casters (two locking) or glides are field interchangeable.
- Castors have light platinum hub with graphite tread.
- Glides are light platinum with 1/2" (13mm) height adjustment.
- Ships unassembled.

Specification Tips

- 3mm edgeband edge is recommended to allow a flat seam between tables.
- The following Planes products are separately specified:
 - Ganging clip
 - Flip top unit electrical modules
 - Grommets (field cut opening)
 - Vertical wire management

**Knife wood edge must be specified with green core option.

To Order, Specify:

- 1) Product number, including:

① Wood Edge Option:

- ☐ K Edgeband
☐ M Cascade
☐ U Knife**

② Core Option:

- ☐ S Standard
☐ G Green, add \$100 list

③ Flip Top Unit Cutout(s):

- ☐ N None
☐ F Center – single-sided/4 outlets, add \$25 list
☐ J Center – single-sided/6 outlets, add \$25 list

④ Base Options:

- ☐ C Caster
☐ G Glide

- 2) Wood finish color.

- 3) Base trim color.

Note: \$35 upcharge (list) for Metallic trim color.

Planes Collaborative Tables – Y-Leg/Non-Flip – Wood

	Depth	Length	Number	①	②	③	④	(K) Edgeband Group I	Group II	(M) Cascade Group I	Group II	(U) Knife** Group I	Group II
Half Round – Wood – Non-flip	72" (1829mm)	36" (914mm)	TAHN-3672-W	■	■	■	Y ■ 4	\$1555	\$1590	\$1754	\$1789	\$1921	\$1956



TAHN

Features

- Includes 1 3/16" (30mm) thick top, two Y-leg assemblies, stretcher and hardware.
- Standard table height is 29" (737mm) with 27 7/8" (708mm) knee clearance.
- Wood veneer top with 3mm edgeband, cascade or knife wood edges.
- Top available in standard or green core option.
- Base and stretcher are painted aluminum.
- Optional Flip top unit electrical modules are separately specified. Refer to electrical components for appropriate product specification.
- Optional casters (two locking) or glides are field interchangeable.
- Castors have light platinum hub with graphite tread.
- Glides are light platinum with 1/2" (13mm) height adjustment.
- Ships unassembled.

Specification Tips

- 3mm edgeband edge is recommended to allow a flat seam between tables.
- Depth matches two 36" (914mm) deep rectangular tables.
- The following Planes products are separately specified:
 - Ganging clip
 - Grommets (field cut opening)
 - Flip top unit electrical modules
 - Vertical wire management

**Knife wood edge must be specified with green core option.

To Order, Specify:

- 1) Product number, including:

① Edge Option:

- ☐ K Edgeband
☐ M Cascade
☐ U Knife**

② Core Option:

- ☐ S Standard
☐ G Green, add \$100 list

③ Flip Top Unit Cutout(s):

- ☐ N None
☐ F Center – single-sided/4 outlets, add \$25 list
☐ J Center – single-sided/6 outlets, add \$25 list

④ Base Options:

- ☐ C Y-Base, non-flip – caster
☐ G Y-Base, non-flip – glide


- 2) Wood finish color.

- 3) Base trim color.

Note: \$35 upcharge (list) for Metallic trim color.

Planes Collaborative Tables – Y-Leg/Non-Flip – Wood

	Depth	Length	Number	①	②	③	④	(K) Edgeband Group I	Group II	(M) Cascade Group I	Group II	(U) Knife** Group I	Group II		
Polygon – Wood – Non-flip	30”(762mm)	60”(1524mm)	TACV-3060-W	■	■	■	Y	■	4	\$1237	\$1263	\$1381	\$1407	\$1503	\$1529
	36”(914mm)	72”(1829mm)	TACV-3672-W	■	■	■	Y	■	4	1555	1590	1754	1789	1921	1956



TACV

Features

- Includes 1 3/16" (30mm) thick top, two Y-leg assemblies, stretcher and hardware.
- Standard table height is 29" (737mm) with 27 7/8" (708mm) knee clearance.
- Wood veneer top with 3mm edgeband, cascade, or knife wood edges.
- Top available in standard or green core option.
- Base and stretcher are painted aluminum.
- Optional Flip top unit electrical modules are separately specified. Refer to electrical components for appropriate product specification.
- Optional casters (two locking) or glides are field interchangeable.
- Castors have light platinum hub with graphite tread.
- Glides are light platinum with 1/2" (13mm) height adjustment.
- Ships unassembled.

Specification Tips

- 3mm edgeband edge is recommended to allow a flat seam between tables.
- Depth matches 30" (762mm) or 36" (914mm) deep rectangular tables.
- The following Planes products are separately specified:
 - Ganging clip
 - Grommets (field cut opening)
 - Flip top unit electrical modules
 - Vertical cable management

**Knife wood edge must be specified with green core option.

To Order, Specify:

- Product number, including:

① Edge Option:

- ☐ K Edgeband
- ☐ M Cascade
- ☐ U Knife**

② Core Option:

- ☐ S Standard
- ☐ G Green, add \$100 list

③ Flip Top Unit Cutout(s):

- ☐ N None
- ☐ F Center – single-sided/4 outlets, add \$25 list
- ☐ J Center – single-sided/6 outlets, add \$25 list

④ Base Options:

- ☐ C Y-Base, non-flip – caster
- ☐ G Y-Base, non-flip – glide


- Wood finish color.

- Base trim color.

Note: \$35 upcharge (list) for Metallic trim color.

Planes Collaborative Tables – Y-Leg

	Width	Length	Number	Price
Vertical Wire Management	2"(51mm)	12"(305mm)	TA01-0212 	\$35



TA01-0212

Features

- Includes one plastic wire manager sleeve
- Standard in light platinum color
- Field installed

 Available on RUSH.


Specification Tips

- For use on the Y-leg assembly for flip top unit wire management
- Snaps into top portion of Y-leg assembly.

To Order, Specify:

- 1) Product number
(No color specification required.)

Y-Leg Bumper



TA01-0213
TA01-0214

Description	Number	Price
For use on 36"(914mm) deep top	TA01-0213 	\$5
For use on 30"(762mm) deep top	TA01-0214	5

Feature

- Includes 4 bumpers in light platinum.

 Available on RUSH.

Specification Tip

- Protects Y-leg tables when nested.


To Order, Specify:

- 1) Product number
(No color specification required.)

This page intentionally blank

Planes Conference Tables – Interior Leg – Laminate


Round, Square, Rectangular Laminate



TARN



TARQ



TARA

Features

- Includes 1 3/16" (30mm) top, interior leg bases and hardware.
- Standard table height is 29" (737mm).
- Laminate top with T-mold, 3 mm edgeband or cascade edges based upon shape.
- Table top seams are 1mm edgeband on two piece tops.
- Top available in standard or green core option.
- Interior legs are painted aluminum.
- Interior leg is 1 1/8" (29mm) x 3 1/4" (83mm).
- Optional Flip top unit electrical modules are separately specified. Refer to electrical components for appropriate product specification.
- Optional cable base can be specified for tables 36" (914mm) deep and deeper:
 - 36" (914mm) deep tables will ship with 8" (203mm) x 14" (356mm) cable base.
 - 42" (1067mm) deep and deeper tables will ship with 14" (356mm) x 14" (356mm) cable base.
 - One piece tops will include one cable base to be centered under table top.
 - Two piece tops will include one cable base to be centered on seams under table top.
 - Cable base and table top(s) are laminate and can be specified in different surface colors and edge trim colors.
 - Optional Cable Base may reduce number of legs shipped with product.
 - Refer to Specification Guide for use guidelines and details.
- Available with glides only; 1/2" (13mm) height adjustment.
- Ships unassembled.

◆ Available on RUSH with Standard Core only.

Specification Tips

- Cable base not recommended for 30" (762mm) deep tables.
- Tables with multiple-piece tops have equal sized pieces.
- The following Planes products are separately specified:
 - Grommets (field cut opening)
 - Flip top unit electrical modules
 - Horizontal wire manager
- Refer to Specification Guide for seating capacities with Cable Base Option and leg locations.

*Multiple piece tops with Cascade edge option will require an additional specification for the 1mm edgeband seam.

To Order, Specify:

1) Product number, including:

① Edge Option:

- T** T-Mold
- J** Edgeband
- V** Cascade*

② Core Option:

- S** Standard ◆
- G** Green, add \$100 list

③ Flip top unit Cutout(s):

Cutout options **F, J, M, Q**:
add \$25 list for one-piece top;
add \$50 list for two-piece tops.

- N** None
- F** Center – single-sided/4 outlets
- J** Center – single-sided/6 outlets
- M** Center – double-sided/8 outlets
- Q** Center – double-sided/12 outlets

④ Cable Base Option:

- N** None
- C** Cable Base:
add \$495 list for 36" deep tables;
add \$525 list for 42" deep and deeper tables

- 2) Laminate surface color.
- 3) 1mm edgeband trim color. (Cascade edge/multiple-tops only)*
- 4) Edge trim color.
- 5) Base trim color.
- 6) Laminate surface – Cable Base
- 7) Edge trim color – Cable Base

Note: \$35 upcharge (list) for Metallic trim color.

Planes Conference Tables – Interior Leg – Laminate


Round, Square, Rectangular – Laminate

No. of Pieces	No. of Legs	*Seating Capacity	Depth	Length	Number	① ② ③ ④	(T) T-Mold Price	(J) Edgeband Price	(V) Cascade Price
Round									
1	4	4	42"(1067mm)	42"(1067mm)	TARN-4242-L	■ ■ ■ JG4N	\$ 521	NA	\$ 567
1	4	4	48"(1219mm)	48"(1219mm)	TARN-4848-L	■ ■ ■ JG4N	656	NA	714
1	4	4	54"(1372mm)	54"(1372mm)	TARN-5454-L	■ ■ ■ JG4N	809	NA	881
1	4	4	60"(1524mm)	60"(1524mm)	TARN-6060-L	■ ■ ■ JG4N	980	NA	1067
2	6	6	66"(1676mm)	66"(1676mm)	TARN-6666-L	■ ■ ■ JG4	NA	\$1543	\$1596
2	6	6	72"(1829mm)	72"(1829mm)	TARN-7272-L	■ ■ ■ JG4	NA	1816	1879
Square									
1	4	4	42"(1067mm)	42"(1067mm)	TARQ-4242-L	■ ■ ■ JG4N	\$ 521	\$ 548	\$ 567
1	4	4	48"(1219mm)	48"(1219mm)	TARQ-4848-L	■ ■ ■ JG4N	656	690	714
1	4	4	54"(1372mm)	54"(1372mm)	TARQ-5454-L	■ ■ ■ JG4N	809	851	881
1	4	8	60"(1524mm)	60"(1524mm)	TARQ-6060-L	■ ■ ■ JG4N	980	1031	1067
2	6	8	66"(1676mm)	66"(1676mm)	TARQ-6666-L	■ ■ ■ JG4	\$1309	\$1543	\$1596
2	6	8	72"(1829mm)	72"(1829mm)	TARQ-7272-L	■ ■ ■ JG4	1541	1816	1879
Rectangular									
1	4	4	30"(762mm)	60"(1524mm)	TARA-3060-L	■ ■ ■ JG4N	\$ 530	\$ 558	\$ 577
1	4	4		66"(1676mm)	TARA-3066-L	■ ■ ■ JG4N	575	605	626
1	6	4		72"(1829mm)	TARA-3072-L	■ ■ ■ JG4N	620	652	675
1	4	4	36"(914mm)	60"(1524mm)	TARA-3660-L	■ ■ ■ JG4	\$ 620	\$ 652	\$ 675
1	4	4		66"(1676mm)	TARA-3666-L	■ ■ ■ JG4	674	709	734
1	4	4	42"(1067mm)	48"(1219mm)	TARA-4248-L	■ ■ ■ JG4	584	614	636
1	4	4		54"(1372mm)	TARA-4254-L	■ ■ ■ JG4	647	681	704
1	4	4		60"(1524mm)	TARA-4260-L	■ ■ ■ JG4	710	747	773
1	4	6		66"(1676mm)	TARA-4266-L	■ ■ ■ JG4	773	813	841
1	6	6		72"(1829mm)	TARA-4272-L	■ ■ ■ JG4	836	880	910
1	6	6		78"(1981mm)	TARA-4278-L	■ ■ ■ JG4	899	946	979
1	4	4	48"(1219mm)	54"(1372mm)	TARA-4854-L	■ ■ ■ JG4	\$ 728	\$ 766	\$ 792
1	4	4		60"(1524mm)	TARA-4860-L	■ ■ ■ JG4	800	842	871
1	4	6		66"(1676mm)	TARA-4866-L	■ ■ ■ JG4	872	917	949
1	6	6		72"(1829mm)	TARA-4872-L	■ ■ ■ JG4	944	993	1027
1	6	8		78"(1981mm)	TARA-4878-L	■ ■ ■ JG4	1016	1069	1106
1	4	4	54"(1372mm)	60"(1524mm)	TARA-5460-L	■ ■ ■ JG4	\$ 890	\$ 936	\$ 969
1	4	6		66"(1676mm)	TARA-5466-L	■ ■ ■ JG4	971	1022	1057
1	6	6		72"(1829mm)	TARA-5472-L	■ ■ ■ JG4	1052	1107	1145
1	6	6		78"(1981mm)	TARA-5478-L	■ ■ ■ JG4	1133	1192	1233
1	4	8	60"(1524mm)	66"(1676mm)	TARA-6066-L	■ ■ ■ JG4	\$1070	\$1126	\$1165
1	6	8		72"(1829mm)	TARA-6072-L	■ ■ ■ JG4	1160	1220	1263
1	6	8		78"(1981mm)	TARA-6078-L	■ ■ ■ JG4	1250	1315	1361

*Recommended seating capacity based upon 27"(686mm) per chair.

Planes Conference Tables – Interior Leg – Laminate

	No. of Tops	No. of Legs	Depth	Length	Number	①②③	(T) T-Mold Price	(J) Edgeband Price	(V) Cascade Price
Half Round – Laminate	1	4	60"(1524mm)	30"(762mm)	TAHN-3060-L	■ ■ ■ JG4N ■	\$530	\$558	\$577
	1	4	72"(1829mm)	36"(914mm)	TAHN-3672-L	■ ■ ■ JG4N ■	728	766	792



TAHN

Features

- Includes 1 3/16"(30mm) thick top, interior leg bases and hardware.
- Standard table height is 29"(737mm).
- Laminate top with T-mold, 3mm edgeband or cascade edges.
- Top available in standard or green core option.
- Bases are painted aluminum.
- Optional Flip top unit electrical modules are separately specified. Refer to electrical components for appropriate product specification.
- Available with glides only; 1/2"(13mm) height adjustment.
- Ships unassembled.

■ Available on RUSH with Standard Core only.

Specification Tips

- Cable base not recommended for half round tables.
- 3mm edgeband edge is recommended to allow a flat seam between tables.
- Depth matches two 30"(762mm) or 36"(914mm) deep rectangular tables.
- The following Planes products are separately specified:
 - Grommets (field cut opening)
 - Flip top unit electrical modules
 - Horizontal wire manager
- Refer to Specification Guide for leg locations.

To Order, Specify:

1) Product number, including:

① Edge Option:

- ☐ T T-Mold
- ☐ J Edgeband
- ☐ V Cascade

② Core Option:

- ☐ S Standard ■
- ☐ G Green, add **\$100** list

③ Flip Top Unit Cutout(s):

- ☐ N None
- ☐ F Center – single sided/4 outlets, add **\$25** list
- ☐ J Center – single-sided/6 outlets, add **\$25** list

2) Laminate surface color.



3) Edge trim color.

4) Base trim color.

Note: **\$35** upcharge (list) for Metallic trim color.

Planes Conference Tables – Interior Leg – Laminate

	No. of Tops	No. of Legs	Depth	Length	Number	①②③	(T) T-Mold Price	(J) Edgeband Price	(V) Cascade Price
Polygon – Laminate	1	5	30"(762mm)	60"(1524mm)	TACV-3060-L	■ ■ ■ JG4N	\$530	\$558	\$577
	1	5	36"(914mm)	72"(1829mm)	TACV-3672-L	■ ■ ■ JG4N	728	766	792



TACV

Features

- Includes 1 3/16"(30mm) thick top, interior leg bases and hardware.
- Standard table height is 29"(737mm).
- Laminate top with T-mold, 3mm edgeband or cascade edges.
- Top available in standard or green core option.
- Bases are painted aluminum.
- Optional Flip Top unit electrical modules are separately specified. Refer to electrical components for appropriate product specification.
- Available with glides only; 1/2"(13mm) height adjustment.
- Ships unassembled.

■ Available on RUSH with Standard Core only.

Specification Tips

- Cable base not recommended for polygon table.
- 3mm edgeband edge is recommended to allow a flat seam between tables.
- Depth matches 30"(762mm) or 36"(914mm) deep rectangular tables.
- The following Planes products are separately specified:
 - Grommets (field cut opening)
 - Flip top unit electrical modules
 - Horizontal wire manager
- Refer to Specification Guide for leg locations.

To Order, Specify:

1) Product number, including:

① Edge Option:

- ☐ T T-Mold
- ☐ J Edgeband
- ☐ V Cascade

② Core Option:

- ☐ S Standard ■
- ☐ G Green, add \$100 list

③ Flip Top Unit Cutout(s):

- ☐ N None
- ☐ F Center – single-sided/4 outlets, add \$25 list
- ☐ J Center – single-sided/6 outlets, add \$25 list

2) Laminate surface color.


3) Edge trim color.

4) Base trim color.

Note: \$35 upcharge (list) for Metallic trim color

Planes Conference Tables – Interior Leg – Wood


Round, Square, Rectangular
Wood



TARN



TARQ



TARA

Features

- Includes 1 3/16”(30mm) top, interior leg bases and hardware.
- Standard table height is 29”(737mm).
- Wood veneer top with wood edgeband, cascade or knife edge.
- Table top seams are 1mm edge band on two piece tops.
- Top available in standard or green core option.
- Interior legs are painted aluminum.
- Interior leg is 1 1/8”(29mm) x 3 1/4”(83mm).
- Optional cable base can be specified for tables 36”(914mm) deep and deeper:
 - 36”(914mm) deep tables will ship with 8”(203mm) x 14”(356mm) cable base.
 - 42”(1067mm) deep and deeper tables will ship with 14”(356mm) x 14”(356mm) cable base.
 - One piece tops will include one cable base to be centered under table top.
 - Two piece tops will include one cable base to be centered on seams under table top.
 - Cable base and table top(s) are wood veneer and can be specified in different surface colors and edge trim colors.
 - Refer to Specification Guide for use guidelines and details.
- Optional Flip top unit electrical modules are separately specified. Refer to electrical components for appropriate product specification.
- Available with glides only; 1/2”(13mm) height adjustment.
- Ships unassembled.

Specification Tips

- Cable base not recommended for 30”(762mm) deep tables.
- Tables with multiple-piece tops have equal sized pieces.
- The following Planes products are separately specified:
 - Grommets (field cut opening)
 - Flip top unit electrical modules
 - Horizontal wire manager
- Refer to Specification Guide for seating capacities with Cable Base Option and leg locations.

**Knife edge available with green core option only.

To Order, Specify:

1) Product number, including:

1 Edge Option:

- ☐ K Edgeband
- ☐ M Cascade
- ☐ U Knife**

2 Core Option:

- ☐ S Standard
- ☐ G Green, add \$100 list

3 Flip Top Unit Cutout(s):

Cutout options **F, J, M, Q**:
add \$25 list for one-piece top;
add \$50 list for two-piece tops.

- ☐ N None
- ☐ F Center – single-sided/4 outlets
- ☐ J Center – single-sided/6 outlets
- ☐ M Center – double-sided/8 outlets
- ☐ Q Center – double-sided/12 outlets

4 Cable Base Option:

- ☐ N None
- ☐ C Cable Base:
add \$495 list for 36” deep tables;
add \$525 list for 42” deep and deeper tables

- 2) Wood finish color.
- 3) Base trim color.
- 4) Wood finish color – Cable Base.

Note: \$35 upcharge (list) for Metallic trim color.

Planes Conference Tables – Interior Leg – Wood

Round, Square, Rectangular – Wood

Round, Square, Rectangular – Wood							(K) Edgeband Wood		(M) Cascade Wood		(U) Knife** Wood	
No. of Pieces	No. of Legs	*Seating Capacity	Depth	Length	Number	①②③④	Group I	Group II	Group I	Group II	Group I	Group II
Round												
1	4	4	42”(1067mm)	42”(1067mm)	TARN-4242-W	■ ■ ■ JG4N	\$ 838	\$ 863	\$ 979	\$1004	\$1099	\$1124
1	4	4	48”(1219mm)	48”(1219mm)	TARN-4848-W	■ ■ ■ JG4N	1055	1087	1233	1265	1384	1416
1	4	4	54”(1372mm)	54”(1372mm)	TARN-5454-W	■ ■ ■ JG4N	1301	1340	1521	1560	1707	1746
1	4	4	60”(1524mm)	60”(1524mm)	TARN-6060-W	■ ■ ■ JG4N	1576	1623	1842	1889	2068	2115
2	6	6	66”(1676mm)	66”(1676mm)	TARN-6666-W	■ ■ ■ JG4	\$2357	\$2428	\$2756	\$2827	\$3094	\$3165
2	6	6	72”(1829mm)	72”(1829mm)	TARN-7272-W	■ ■ ■ JG4	2775	2858	3245	3328	3642	3725
Square												
1	4	4	42”(1067mm)	42”(1067mm)	TARQ-4242-W	■ ■ ■ JG4N	\$ 838	\$ 863	\$ 979	\$1004	\$1099	\$1124
1	4	4	48”(1219mm)	48”(1219mm)	TARQ-4848-W	■ ■ ■ JG4N	1055	1087	1233	1265	1384	1416
1	4	4	54”(1372mm)	54”(1372mm)	TARQ-5454-W	■ ■ ■ JG4N	1301	1340	1521	1560	1707	1746
1	4	8	60”(1524mm)	60”(1524mm)	TARQ-6060-W	■ ■ ■ JG4N	1576	1623	1842	1889	2068	2115
2	6	8	66”(1676mm)	66”(1676mm)	TARQ-6666-W	■ ■ ■ JG4	\$2357	\$2428	\$2756	\$2827	\$3094	\$3165
2	6	8	72”(1829mm)	72”(1829mm)	TARQ-7272-W	■ ■ ■ JG4	2775	2858	3245	3328	3642	3725
Rectangular												
1	4	4	30”(762mm)	60”(1524mm)	TARA-3060-W	■ ■ ■ JG4N	\$ 852	\$ 878	\$ 996	\$1022	\$1118	\$1144
1	4	4		66”(1676mm)	TARA-3066-W	■ ■ ■ JG4N	924	952	1081	1109	1213	1241
1	6	4		72”(1829mm)	TARA-3072-W	■ ■ ■ JG4N	997	1027	1165	1195	1308	1338
1	4	4	36”(914mm)	60”(1524mm)	TARA-3660-W	■ ■ ■ JG4	\$ 997	\$1027	\$1165	\$1195	\$1308	\$1338
1	4	4		66”(1676mm)	TARA-3666-W	■ ■ ■ JG4	1084	1117	1267	1300	1422	1455
1	4	4	42”(1067mm)	48”(1219mm)	TARA-4248-W	■ ■ ■ JG4	\$ 939	\$ 967	\$1098	\$1126	\$1232	\$1260
1	4	4		54”(1372mm)	TARA-4254-W	■ ■ ■ JG4	1040	1071	1216	1247	1365	1396
1	4	4		60”(1524mm)	TARA-4260-W	■ ■ ■ JG4	1141	1175	1335	1369	1498	1532
1	4	6		66”(1676mm)	TARA-4266-W	■ ■ ■ JG4	1243	1280	1453	1490	1631	1668
1	6	6		72”(1829mm)	TARA-4272-W	■ ■ ■ JG4	1344	1384	1572	1612	1764	1804
1	6	6		78”(1981mm)	TARA-4278-W	■ ■ ■ JG4	1445	1488	1690	1733	1897	1940
1	4	4	48”(1219mm)	54”(1372mm)	TARA-4854-W	■ ■ ■ JG4	\$1170	\$1205	\$1369	\$1404	\$1536	\$1571
1	4	4		60”(1524mm)	TARA-4860-W	■ ■ ■ JG4	1286	1325	1504	1543	1688	1727
1	4	6		66”(1676mm)	TARA-4866-W	■ ■ ■ JG4	1402	1444	1639	1681	1840	1882
1	6	6		72”(1829mm)	TARA-4872-W	■ ■ ■ JG4	1518	1564	1775	1821	1992	2038
1	6	8		78”(1981mm)	TARA-4878-W	■ ■ ■ JG4	1633	1682	1910	1959	2144	2193
1	4	4	54”(1372mm)	60”(1524mm)	TARA-5460-W	■ ■ ■ JG4	\$1431	\$1474	\$1673	\$1716	\$1878	\$1921
1	4	6		66”(1676mm)	TARA-5466-W	■ ■ ■ JG4	1561	1608	1949	1996	1925	1972
1	6	6		72”(1829mm)	TARA-5472-W	■ ■ ■ JG4	1691	1742	1978	2029	2220	2271
1	4	6		78”(1981mm)	TARA-5478-W	■ ■ ■ JG4	1822	1877	2130	2185	2391	2446
1	4	8	60”(1524mm)	66”(1676mm)	TARA-6066-W	■ ■ ■ JG4	\$1720	\$1772	\$2011	\$2063	\$2258	\$2310
1	6	8		72”(1829mm)	TARA-6072-W	■ ■ ■ JG4	1865	1921	2181	2237	2448	2504
1	6	8		78”(1981mm)	TARA-6078-W	■ ■ ■ JG4	2010	2070	2350	2410	2638	2698

*Recommended seating capacity based upon 27"(686mm) per chair.

**Knife edge available with green core option only.

Planes Conference Tables – Interior Leg – Wood

No. of Tops	No. of Legs	Depth	Length	Number	①②③	(K) Edgeband Wood Group I	Group II	(M) Cascade Wood Group I	Group II	(U) Knife** Wood Group I	Group II
1	4	60''(1524mm)	30''(762mm)	TAHN-3060-W	■ ■ ■ JG4N	\$ 852	\$ 878	\$ 996	\$1022	\$1118	\$1144
1	4	72''(1829mm)	36''(914mm)	TAHN-3672-W	■ ■ ■ JG4N	1170	1205	1369	1404	1536	1571

Half Round – Wood



TAHN

Features

- Includes 1 3/16''(30mm) thick top, interior leg bases and hardware.
- Standard table height is 29''(737mm).
- Wood veneer top with 3mm wood edgeband, cascade or knife wood edge.
- Top available in standard or green core option.
- Bases are painted aluminum.
- Optional Flip top unit electrical modules are separately specified. Refer to electrical components for appropriate product specification.
- Available with glides only; 1/2''(13mm) height adjustment.
- Ships unassembled.

Specification Tips

- Cable base not recommended for half round tables.
- 3mm edgeband edge is recommended to allow a flat seam between tables; refer to Specification Guide.
- Depth matches two 30''(762mm) or 36''(914mm) deep rectangular tables.
- The following Planes products are separately specified:
 - Grommets (field cut opening)
 - Flip top unit electrical modules
 - Horizontal wire manager
- Refer to Specification Guide for leg locations.

**Knife wood edge available with green core option only.

To Order, Specify:

1) Product number, including:

① Edge Option:

- ☐ K Edgeband
- ☐ M Cascade
- ☐ U Knife**

② Core Option:

- ☐ S Standard
- ☐ G Green, add \$100 list

③ Flip Top Unit Cutout(s):

- ☐ N None
- ☐ F Center – single-sided/4 outlets, add \$25 list
- ☐ J Center – single-sided/6 outlets, add \$25 list

2) Wood finish color.


3) Base trim color.

Note: \$35 upcharge (list) for Metallic trim color.

Planes Conference Tables – Interior Leg – Wood

No. of Tops	No. of Legs	Depth	Length	Number	①②③	(K) Edgeband Wood Group I	Group II	(M) Cascade Wood Group I	Group II	(U) Knife** Wood Group I	Group II
1	5	30" (762mm)	60" (1524mm)	TACV-3060-W	■ ■ ■ JG4N	\$ 852	\$ 878	\$ 996	\$1022	\$1118	\$1144
1	5	36" (914mm)	72" (1829mm)	TACV-3672-W	■ ■ ■ JG4N	1170	1205	1369	1404	1536	1571

Polygon – Wood



TACV

Features

- Includes 1 3/16" (30mm) thick top, interior leg bases and hardware.
- Standard table height is 29" (737mm).
- Wood veneer top with 3mm edgeband, cascade or knife wood edges
- Top available in standard or green core option.
- Bases are painted aluminum.
- Optional Flip top unit electrical modules are separately specified. Refer to electrical components for appropriate product specification.
- Available with glides only; 1/2" (13mm) height adjustment.
- Ships unassembled.

Specification Tips

- Cable bases not recommended for polygon tables.
- 3mm edgeband edge is recommended to allow a flat seam between tables.
- Depth matches 30" (762mm) or 36" (914mm) deep rectangular tables.
- The following Planes products are separately specified:
 - Grommets (field cut opening)
 - Flip top unit electrical modules
 - Horizontal wire manager
- Refer to Specification Guide for leg locations.

**Knife wood edge available with green core option only.

To Order, Specify:

1) Product number, including:

① Edge Option:

- ☐ K Edgeband
- ☐ M Cascade
- ☐ U Knife**

② Core Option:

- ☐ S Standard
- ☐ G Green, add \$100 list

③ Flip Top Unit Cutout(s):

- ☐ N None
- ☐ F Center – single-sided/4 outlets, add \$25 list
- ☐ J Center – single-sided/6 outlets, add \$25 list


2) Wood finish color.

3) Base trim color.

Note: \$35 upcharge (list) for Metallic trim color.

Planes Conference Tables – One-Piece Top – Interior Leg – Laminate

Rectangular – Laminate



TARA

Features

- Includes 1 3/16" (30mm) thick top, interior leg bases and hardware.
- Standard table height is 29" (737mm).
- Laminate top with T-mold, 3mm edgeband or cascade edges.
- Top available in standard or green core option.
- Interior legs are painted aluminum.
- Interior leg is 1 1/8" (29mm) x 3 1/4" (83mm).
- Optional cable base can be specified for tables 36" (914mm) deep and deeper:
 - 36" (914mm) deep tables will ship with 8" (203mm) x 14" (356mm) cable base.
 - 42" (1067mm) deep and deeper tables will ship with 14" (356mm) x 14" (356mm) cable base.
 - One piece tops will include one cable base to be centered under table top.
 - Cable base and table top(s) are laminate and can be specified in different surface colors and edge trim colors.
 - Refer to Specification Guide for use guidelines.
- Optional Flip top unit electrical modules are separately specified. Refer to electrical components for appropriate product specification.
- Available with glides only; 1/2" (13mm) height adjustment.
- Ships unassembled.
- ◆ Available on RUSH with Standard Core only.

Specification Tips

- The following Planes products are separately specified:
 - Grommets (field cut opening)
 - Flip top unit electrical modules
 - Horizontal wire management
- Refer to Specification Guide for seating capacities with Cable Base Option and leg locations.

To Order, Specify:

1) Product number, including:

① Edge Option:

- T** T-Mold
- J** Edgeband
- V** Cascade

② Core Option:

- S** Standard ◆
- G** Green, add \$100 list

③ Flip Top Unit Cutout(s):

- N** None
- F** Center – single-sided/4 outlets, add \$25 list
- V** Left/Right – single-sided/4 outlets, add \$50 list
- J** Center – single-sided/6 outlets, add \$25 list
- K** Left/Right – single-sided/6 outlets, add \$50 list
- M** Center – double-sided/8 outlets, add \$25 list
- P** Left/Right – double-sided/8 outlets, add \$50 list
- Q** Center – double-sided/12 outlets, add \$25 list
- T** Left/Right – double-sided/12 outlets, add \$50 list

④ Cable Base Option:

- N** None
- C** Cable Base: add \$495 list for 36" deep tables; add \$525 list for 42" deep and deeper tables

- 2) Laminate surface color.
- 3) Edge trim color.
- 4) Base trim color.
- 5) Laminate surface – Cable Base
- 6) Edge trim color – Cable Base

Note: \$35 upcharge (list) for Metallic trim color.

Planes Conference Tables – One-Piece Top – Interior Leg – Laminate


Rectangular – Laminate

No. of Legs	*Seating Capacity	Depth	Length	Number	①	②	③	④	(T) T-Mold Price	(J) Edgeband Price	(V) Cascade Price
6	6	36"(914mm)	72"(1829mm)	TARA-3672-L	■	■	■	JG4 ■	\$ 728	\$ 766	\$ 792
6	6		78"(1981mm)	TARA-3678-L	■	■	■	JG4 ■	782	823	851
6	8		84"(2134mm)	TARA-3684-L	■	■	■	JG4 ■	836	880	910
6	8		90"(2286mm)	TARA-3690-L	■	■	■	JG4 ■	890	936	969
6	8		96"(2438mm)	TARA-3696-L	■	■	■	JG4 ■	944	993	1027
6	8	42"(1067mm)	84"(2134mm)	TARA-4284-L	■	■	■	JG4 ■	\$ 962	\$1012	\$1047
6	8		90"(2286mm)	TARA-4290-L	■	■	■	JG4 ■	1025	1078	1116
6	8		96"(2438mm)	TARA-4296-L	■	■	■	JG4 ■	1088	1145	1184
6	8		102"(2591mm)	TARA-42A2-L	■	■	■	JG4 ■	1151	1211	1253
6	10		108"(2743mm)	TARA-42A8-L	■	■	■	JG4 ■	1214	1277	1321
6	10		114"(2896mm)	TARA-42B4-L	■	■	■	JG4 ■	1277	1344	1390
6	10		120"(3048mm)	TARA-42C0-L	■	■	■	JG4 ■	1340	1410	1459
6	8	48"(1291mm)	84"(2134mm)	TARA-4884-L	■	■	■	JG4 ■	\$1088	\$1145	\$1184
6	8		90"(2286mm)	TARA-4890-L	■	■	■	JG4 ■	1160	1220	1263
6	8		96"(2438mm)	TARA-4896-L	■	■	■	JG4 ■	1232	1296	1341
6	8		102"(2591mm)	TARA-48A2-L	■	■	■	JG4 ■	1304	1372	1419
6	10		108"(2743mm)	TARA-48A8-L	■	■	■	JG4 ■	1376	1448	1498
6	10		114"(2896mm)	TARA-48B4-L	■	■	■	JG4 ■	1448	1524	1576
6	10		120"(3048mm)	TARA-48C0-L	■	■	■	JG4 ■	1520	1599	1654
6	10	54"(1372mm)	84"(2134mm)	TARA-5484-L	■	■	■	JG4 ■	\$1214	\$1277	\$1321
6	10		90"(2286mm)	TARA-5490-L	■	■	■	JG4 ■	1295	1363	1410
6	10		96"(2438mm)	TARA-5496-L	■	■	■	JG4 ■	1376	1448	1498
6	10		102"(2591mm)	TARA-54A2-L	■	■	■	JG4 ■	1457	1533	1586
6	10		108"(2743mm)	TARA-54A8-L	■	■	■	JG4 ■	1538	1618	1674
6	10		114"(2896mm)	TARA-54B4-L	■	■	■	JG4 ■	1619	1703	1762
6	10		120"(3048mm)	TARA-54C0-L	■	■	■	JG4 ■	1700	1789	1850
6	10	60"(1524mm)	84"(2134mm)	TARA-6084-L	■	■	■	JG4 ■	\$1340	\$1410	\$1459
6	10		90"(2286mm)	TARA-6090-L	■	■	■	JG4 ■	1430	1505	1556
6	10		96"(2438mm)	TARA-6096-L	■	■	■	JG4 ■	1520	1599	1654
6	10		102"(2591mm)	TARA-60A2-L	■	■	■	JG4 ■	1610	1694	1752
6	10		108"(2743mm)	TARA-60A8-L	■	■	■	JG4 ■	1700	1789	1850
6	10		114"(2896mm)	TARA-60B4-L	■	■	■	JG4 ■	1790	1883	1948
6	10		120"(3048mm)	TARA-60C0-L	■	■	■	JG4 ■	1880	1978	2046

*Recommended seating capacity based upon 27"(686mm) per chair.

Planes Conference Tables – One-Piece Top – Interior Leg – Laminate

Pebble – Laminate



TARP

Features

- Includes 1 3/16" (30mm) thick top, interior leg bases and hardware.
- Standard table height is 29" (737mm).
- Laminate top with T-mold or cascade edges.
- Top available in standard or green core option.
- Interior legs are painted aluminum.
- Interior leg is 1 1/8" (29mm) x 3 1/4" (83mm).
- Optional cable base can be specified for tables 36" (914mm) deep and deeper:
 - 36" (914mm) deep tables will ship with 8" (203mm) x 14" (356mm) cable base.
 - 42" (1067mm) deep and deeper tables will ship with 14" (356mm) x 14" (356mm) cable base.
 - One piece tops will include one cable base to be centered under table top.
 - Cable base and table top(s) are laminate and can be specified in different surface colors and edge trim colors.
 - Refer to Specification Guide for use guidelines.
- Optional Flip top unit electrical modules are separately specified. Refer to electrical components for appropriate product specification.
- Available with glides only; 1/2" (13mm) height adjustment.
- Ships unassembled.
- ◆ Available on RUSH with Standard Core only.

Specification Tips

- The following Planes products are separately specified:
 - Grommets (field cut grommet)
 - Flip top unit electrical modules
 - Horizontal wire management
- Refer to Specification Guide for seating capacities with Cable Base Option and leg locations.

To Order, Specify:

1) Product number, including:

① Edge Option:

- T T-Mold
- V Cascade

② Core Option:

- S Standard ◆
- G Green, add \$100 list

③ Flip Top Unit Cutout(s):

- N None
- F Center – single-sided/4 outlets, add \$25 list
- V Left/Right – single-sided/4 outlets, add \$50 list
- J Center – single-sided/6 outlets, add \$25 list
- K Left/Right – single-sided/6 outlets, add \$50 list
- M Center – double-sided/8 outlets, add \$25 list
- P Left/Right – double-sided/8 outlets, add \$50 list
- Q Center – double-sided/12 outlets, add \$25 list
- T Left/Right – double-sided/12 outlets, add \$50 list

④ Cable Base Option:

- N None
- C Cable Base: add \$495 list for 36" deep tables; add \$525 list for 42" deep and deeper tables

- 2) Laminate surface color.
- 3) Edge trim color.
- 4) Base trim color.
- 5) Laminate surface – Cable Base
- 6) Edge trim color – Cable Base

Note: \$35 upcharge (list) for Metallic trim color.

Planes Conference Tables – One-Piece Top – Interior Leg – Laminate


Pebble – Laminate

No. of Legs	*Seating Capacity	Depth	Length	Number	①	②	③	④	(T) T-Mold Price	(V) Cascade Price
4	6	36"(914mm)	72"(1829mm)	TARP-3672-L	■	■	■	JG4 ■	\$ 728	\$ 792
6	6		78"(1981mm)	TARP-3678-L	■	■	■	JG4 ■	782	851
6	8		84"(2134mm)	TARP-3684-L	■	■	■	JG4 ■	836	910
6	8		90"(2286mm)	TARP-3690-L	■	■	■	JG4 ■	890	969
6	8		96"(2438mm)	TARP-3696-L	■	■	■	JG4 ■	944	1027
6	8	42"(1067mm)	84"(2134mm)	TARP-4284-L	■	■	■	JG4 ■	\$ 962	\$1047
6	8		90"(2286mm)	TARP-4290-L	■	■	■	JG4 ■	1025	1116
6	8		96"(2438mm)	TARP-4296-L	■	■	■	JG4 ■	1088	1184
6	8		102"(2591mm)	TARP-42A2-L	■	■	■	JG4 ■	1151	1253
6	10		108"(2743mm)	TARP-42A8-L	■	■	■	JG4 ■	1214	1316
6	10		114"(2896mm)	TARP-42B4-L	■	■	■	JG4 ■	1277	1390
6	10		120"(3048mm)	TARP-42C0-L	■	■	■	JG4 ■	1340	1459
6	8	48"(1291mm)	84"(2134mm)	TARP-4884-L	■	■	■	JG4 ■	\$1088	\$1184
6	8		90"(2286mm)	TARP-4890-L	■	■	■	JG4 ■	1160	1263
6	8		96"(2438mm)	TARP-4896-L	■	■	■	JG4 ■	1232	1341
6	8		102"(2591mm)	TARP-48A2-L	■	■	■	JG4 ■	1304	1419
6	10		108"(2743mm)	TARP-48A8-L	■	■	■	JG4 ■	1376	1498
6	10		114"(2896mm)	TARP-48B4-L	■	■	■	JG4 ■	1448	1576
6	10		120"(3048mm)	TARP-48C0-L	■	■	■	JG4 ■	1520	1654
6	10	54"(1372mm)	84"(2134mm)	TARP-5484-L	■	■	■	JG4 ■	\$1214	\$1321
6	10		90"(2286mm)	TARP-5490-L	■	■	■	JG4 ■	1295	1410
6	10		96"(2438mm)	TARP-5496-L	■	■	■	JG4 ■	1376	1498
6	10		102"(2591mm)	TARP-54A2-L	■	■	■	JG4 ■	1457	1586
6	10		108"(2743mm)	TARP-54A8-L	■	■	■	JG4 ■	1538	1674
6	10		114"(2896mm)	TARP-54B4-L	■	■	■	JG4 ■	1619	1762
6	10		120"(3048mm)	TARP-54C0-L	■	■	■	JG4 ■	1700	1850
6	10	60"(1524mm)	84"(2134mm)	TARP-6084-L	■	■	■	JG4 ■	\$1340	\$1459
6	10		90"(2286mm)	TARP-6090-L	■	■	■	JG4 ■	1430	1556
6	10		96"(2438mm)	TARP-6096-L	■	■	■	JG4 ■	1520	1654
6	10		102"(2591mm)	TARP-60A2-L	■	■	■	JG4 ■	1610	1752
6	10		108"(2743mm)	TARP-60A8-L	■	■	■	JG4 ■	1700	1850
6	10		114"(2896mm)	TARP-60B4-L	■	■	■	JG4 ■	1790	1948
6	10		120"(3048mm)	TARP-60C0-L	■	■	■	JG4 ■	1880	2046

*Recommended seating capacity based upon 27"(686mm) per chair.

Planes Conference Tables – One-Piece Top – Interior Leg – Laminate

Hexagon – Laminate



TARX

Features

- Includes 1 3/16" (30mm) thick top, interior leg bases and hardware.
- Standard table height is 29" (737mm).
- Laminate top with T-mold or cascade edges.
- Top available in standard or green core option.
- Interior legs are painted aluminum.
- Interior leg is 1 1/8" (29mm) x 3 1/4" (83mm).
- Optional cable base can be specified for tables 36" (914mm) deep and deeper:
 - 36" (914mm) deep tables will ship with 8" (203mm) x 14" (356mm) cable base.
 - 42" (1067mm) deep and deeper tables will ship with 14" (356mm) x 14" (356mm) cable base.
 - One piece tops will include one cable base to be centered under table top.
 - Cable base and table top(s) are laminate and can be specified in different surface colors and edge trim colors.
 - Refer to Specification Guide for use guidelines.
- Optional Flip top unit electrical modules are separately specified. Refer to electrical components for appropriate product specification.
- Available with glides only; 1/2" (13mm) height adjustment.
- Ships unassembled.
- ◆ Available on RUSH with Standard Core only.

Specification Tips

- The following Planes products are separately specified:
 - Grommets (field cut opening)
 - Flip top unit electrical modules
 - Horizontal wire management
- Refer to Specification Guide for seating capacities with Cable Base Option and leg locations.

To Order, Specify:

1) Product number, including:

① Edge Option:

- T T-Mold
- V Cascade

② Core Option:

- S Standard ◆
- G Green, add \$100 list

③ Flip Top Unit Cutout(s):

- N None
- F Center – single-sided/4 outlets, add \$25 list
- V Left/Right – single-sided/4 outlets, add \$50 list
- J Center – single-sided/6 outlets, add \$25 list
- K Left/Right – single-sided/6 outlets, add \$50 list
- M Center – double-sided/8 outlets, add \$25 list
- P Left/Right – double-sided/8 outlets, add \$50 list
- Q Center – double-sided/12 outlets, add \$25 list
- T Left/Right – double-sided/12 outlets, add \$50 list

④ Cable Base Option:

- N None
- C Cable Base: add \$495 list for 36" deep tables; add \$525 list for 42" deep and deeper tables

- 2) Laminate surface color.
- 3) Edge trim color.
- 4) Base trim color.
- 5) Laminate surface – Cable Base
- 6) Edge trim color – Cable Base

Note: \$35 upcharge (list) for Metallic trim color.

Planes Conference Tables – One-Piece Top – Interior Leg – Laminate


Hexagon – Laminate

No. of Legs	*Seating Capacity	Depth	Length	Number	①	②	③	④	(T) T-Mold Price	(V) Cascade Price
4	6	36"(914mm)	72"(1829mm)	TARX-3672-L	■	■	■	JG4 ■	\$ 728	\$ 792
6	6		78"(1981mm)	TARX-3678-L	■	■	■	JG4 ■	782	851
6	8		84"(2134mm)	TARX-3684-L	■	■	■	JG4 ■	836	910
6	8		90"(2286mm)	TARX-3690-L	■	■	■	JG4 ■	890	969
6	8		96"(2438mm)	TARX-3696-L	■	■	■	JG4 ■	944	1027
6	8	42"(1067mm)	84"(2134mm)	TARX-4284-L	■	■	■	JG4 ■	\$ 962	\$1047
6	8		90"(2286mm)	TARX-4290-L	■	■	■	JG4 ■	1025	1116
6	8		96"(2438mm)	TARX-4296-L	■	■	■	JG4 ■	1088	1184
6	8		102"(2591mm)	TARX-42A2-L	■	■	■	JG4 ■	1151	1253
6	10		108"(2743mm)	TARX-42A8-L	■	■	■	JG4 ■	1214	1321
6	10		114"(2896mm)	TARX-42B4-L	■	■	■	JG4 ■	1277	1390
6	10		120"(3048mm)	TARX-42C0-L	■	■	■	JG4 ■	1340	1459
6	8	48"(1291mm)	84"(2134mm)	TARX-4884-L	■	■	■	JG4 ■	\$1088	\$1184
6	8		90"(2286mm)	TARX-4890-L	■	■	■	JG4 ■	1160	1263
6	8		96"(2438mm)	TARX-4896-L	■	■	■	JG4 ■	1232	1341
6	8		102"(2591mm)	TARX-48A2-L	■	■	■	JG4 ■	1304	1419
6	10		108"(2743mm)	TARX-48A8-L	■	■	■	JG4 ■	1376	1498
6	10		114"(2896mm)	TARX-48B4-L	■	■	■	JG4 ■	1448	1576
6	10		120"(3048mm)	TARX-48C0-L	■	■	■	JG4 ■	1520	1654
6	10	54"(1372mm)	84"(2134mm)	TARX-5484-L	■	■	■	JG4 ■	\$1214	\$1321
6	10		90"(2286mm)	TARX-5490-L	■	■	■	JG4 ■	1295	1410
6	10		96"(2438mm)	TARX-5496-L	■	■	■	JG4 ■	1376	1498
6	10		102"(2591mm)	TARX-54A2-L	■	■	■	JG4 ■	1457	1586
6	10		108"(2743mm)	TARX-54A8-L	■	■	■	JG4 ■	1538	1674
6	10		114"(2896mm)	TARX-54B4-L	■	■	■	JG4 ■	1619	1762
6	10		120"(3048mm)	TARX-54C0-L	■	■	■	JG4 ■	1700	1850
6	10	60"(1524mm)	84"(2134mm)	TARX-6084-L	■	■	■	JG4 ■	\$1340	\$1459
6	10		90"(2286mm)	TARX-6090-L	■	■	■	JG4 ■	1430	1556
6	10		96"(2438mm)	TARX-6096-L	■	■	■	JG4 ■	1520	1654
6	10		102"(2591mm)	TARX-60A2-L	■	■	■	JG4 ■	1610	1752
6	10		108"(2743mm)	TARX-60A8-L	■	■	■	JG4 ■	1700	1850
6	10		114"(2896mm)	TARX-60B4-L	■	■	■	JG4 ■	1790	1948
6	10		120"(3048mm)	TARX-60C0-L	■	■	■	JG4 ■	1880	2046

*Recommended seating capacity based upon 27"(686mm) per chair.

Planes Conference Tables – One-Piece Top – Interior Leg – Wood

Rectangular – Wood



TARA

Features

- Includes 1 3/16”(30mm) thick top, interior leg bases and hardware.
- Standard table height is 29”(737mm).
- Top available in standard or green core option.
- Wood veneer top with 3mm wood edgeband, cascade or knife wood edge.
- Top available in standard or green core option.
- Interior legs are painted aluminum.
- Interior leg is 1 1/8”(29mm) x 3 1/4”(83mm).
- Optional cable base can be specified for tables 36”(914mm) deep and deeper:
 - 36”(914mm) deep tables will ship with 8”(203mm) x 14”(356mm) cable base.
 - 42”(1067mm) deep and deeper tables will ship with 14”(356mm) x 14”(356mm) cable base.
 - One piece tops will include one cable base to be centered under table top.
 - Cable base and table top(s) are wood veneer and can be specified in different surface colors and edge trim colors.
 - Refer to Specification Guide for use guidelines.
- Optional Flip top unit electrical modules are separately specified. Refer to electrical components for appropriate product specification.
- Available with glides only; 1/2”(13mm) height adjustment.
- Ships unassembled.

Specification Tips

- The following Planes products are separately specified:
 - Grommets (field cut opening)
 - Flip top unit electrical modules
 - Horizontal wire management
- Refer to Specification Guide for seating capacities with Cable Base Option and leg locations.

**Knife edge available with green core option only.

To Order, Specify:

1) Product number, including:

① Wood Edge Option:

- ☐ K Edgeband
- ☐ M Cascade
- ☐ U Knife **

② Core Option:

- ☐ S Standard
- ☐ G Green, add \$100 list

③ Flip Top Unit Cutout(s):

- ☐ N None
- ☐ F Center – single-sided/4 outlets, add \$25 list
- ☐ V Left/Right – single-sided/4 outlets, add \$50 list
- ☐ J Center – single-sided/6 outlets, add \$25 list
- ☐ K Left/Right – single-sided/6 outlets, add \$50 list
- ☐ M Center – double-sided/8 outlets, add \$25 list
- ☐ P Left/Right – double-sided/8 outlets, add \$50 list
- ☐ Q Center – double-sided/12 outlets, add \$25 list
- ☐ T Left/Right – double-sided/12 outlets, add \$50 list

④ Cable Base Option:

- ☐ N None
- ☐ C Cable Base: add \$495 list for 36” deep tables; add \$525 list for 42” deep and deeper tables

2) Wood finish color.

3) Base trim color.

4) Wood finish color – Cable Base

Note: \$35 upcharge (list) for Metallic trim color.

Planes Conference Tables – One-Piece Top – Interior Leg – Wood

Rectangular – Wood


No. of Legs	*Seating Capacity	Depth	Length	Number					(K) Edgeband Wood Group I	Group II	(M) Cascade Wood Group I	Group II	(U) Knife** Wood Group I	Group II
					1	2	3	4						
6	6	36"(914mm)	72"(1829mm)	TARA-3672-W	■	■	■	JG4	\$1170	\$1205	\$1369	\$1404	\$1536	\$1571
6	6		78"(1981mm)	TARA-3678-W	■	■	■	JG4	1257	1295	1470	1508	1650	1688
6	8		84"(2134mm)	TARA-3684-W	■	■	■	JG4	1344	1384	1572	1612	1764	1804
6	8		90"(2286mm)	TARA-3690-W	■	■	■	JG4	1431	1474	1673	1716	1878	1921
6	8		96"(2438mm)	TARA-3696-W	■	■	■	JG4	1518	1564	1775	1821	1992	2038
6	8	42"(1067mm)	84"(2134mm)	TARA-4284-W	■	■	■	JG4	\$1547	\$1593	\$1808	\$1854	\$2030	\$2076
6	8		90"(2286mm)	TARA-4290-W	■	■	■	JG4	1648	1697	1927	1976	2163	2212
6	8		96"(2438mm)	TARA-4296-W	■	■	■	JG4	1749	1801	2045	2097	2296	2348
6	8		102"(2591mm)	TARA-42A2-W	■	■	■	JG4	1850	1906	2164	2220	2429	2485
6	10		108"(2743mm)	TARA-42A8-W	■	■	■	JG4	1952	2011	2282	2341	2562	2621
6	10		114"(2896mm)	TARA-42B4-W	■	■	■	JG4	2053	2115	2401	2463	2694	2756
6	10		120"(3048mm)	TARA-42C0-W	■	■	■	JG4	2154	2219	2519	2584	2827	2892
6	8	48"(1291mm)	84"(2134mm)	TARA-4884-W	■	■	■	JG4	\$1749	\$1801	\$2045	\$2097	\$2296	\$2348
6	8		90"(2286mm)	TARA-4890-W	■	■	■	JG4	1865	1921	2181	2237	2448	2504
6	8		96"(2438mm)	TARA-4896-W	■	■	■	JG4	1981	2040	2316	2375	2600	2659
6	8		102"(2591mm)	TARA-48A2-W	■	■	■	JG4	2096	2159	2451	2514	2751	2814
6	10		108"(2743mm)	TARA-48A8-W	■	■	■	JG4	2212	2278	2587	2653	2903	2969
6	10		114"(2896mm)	TARA-48B4-W	■	■	■	JG4	2328	2398	2722	2792	3055	3125
6	10		120"(3048mm)	TARA-48C0-W	■	■	■	JG4	2444	2517	2857	2930	3207	3280
6	10	54"(1372mm)	84"(2134mm)	TARA-5484-W	■	■	■	JG4	\$1952	\$2011	\$2282	\$2341	\$2562	\$2621
6	10		90"(2286mm)	TARA-5490-W	■	■	■	JG4	2082	2144	2434	2496	2732	2794
6	10		96"(2438mm)	TARA-5496-W	■	■	■	JG4	2212	2278	2587	2653	2903	2969
6	10		102"(2591mm)	TARA-54A2-W	■	■	■	JG4	2342	2412	2739	2809	3074	3144
6	10		108"(2743mm)	TARA-54A8-W	■	■	■	JG4	2473	2547	2891	2965	3245	3319
6	10		114"(2896mm)	TARA-54B4-W	■	■	■	JG4	2603	2681	3043	3121	3416	3494
6	10		120"(3048mm)	TARA-54C0-W	■	■	■	JG4	2733	2815	3196	3278	3587	3669
6	10	60"(1524mm)	84"(2134mm)	TARA-6084-W	■	■	■	JG4	\$2154	\$2219	\$2519	\$2584	\$2827	\$2892
6	10		90"(2286mm)	TARA-6090-W	■	■	■	JG4	2299	2368	2688	2757	3017	3086
6	10		96"(2438mm)	TARA-6096-W	■	■	■	JG4	2444	2517	2857	2930	3207	3280
6	10		102"(2591mm)	TARA-60A2-W	■	■	■	JG4	2588	2666	3027	3105	3397	3475
6	10		108"(2743mm)	TARA-60A8-W	■	■	■	JG4	2733	2815	3196	3278	3587	3669
6	10		114"(2896mm)	TARA-60B4-W	■	■	■	JG4	2878	2964	3365	3451	3777	3863
6	10		120"(3048mm)	TARA-60C0-W	■	■	■	JG4	3022	3113	3534	3625	3967	4058

*Recommended seating capacity based upon 27"(686mm) per chair.

**Knife edge available with green core option only.

Planes Conference Tables – One-Piece Top – Interior Leg – Wood

Pebble – Wood



TARP

Features

- Includes 1 3/16”(30mm) thick top, interior leg bases and hardware.
- Standard table height is 29”(737mm).
- Wood veneer top with 3mm wood edgeband, cascade or knife wood edge.
- Top available in standard or green core option.
- Interior legs are painted aluminum.
- Interior leg is 1 1/8”(29mm) x 3 1/4”(83mm).
- Optional cable base can be specified for tables 36”(914mm) deep and deeper:
 - 36”(914mm) deep tables will ship with 8”(203mm) x 14”(356mm) cable base.
 - 42”(1067mm) deep and deeper tables will ship with 14”(356mm) x 14”(356mm) cable base.
 - One piece tops will include one cable base to be centered under table top.
 - Cable base and table top(s) are wood veneer and can be specified in different surface colors and edge trim colors.
 - Refer to Specification Guide for use guidelines.
- Optional Flip top unit electrical modules are separately specified. Refer to electrical components for appropriate product specification.
- Available with glides only; 1/2”(13mm) height adjustment.
- Ships unassembled.

Specification Tips

- The following Planes products are separately specified:
 - Grommets (field cut opening)
 - Flip top unit electrical modules
 - Horizontal wire management
- Refer to Specification Guide for seating capacities with Cable Base Option and leg locations.

**Knife edge available with green core option only.

To Order, Specify:

1) Product number, including:

1 Wood Edge Option:

- ☐ K Edgeband
- ☐ M Cascade
- ☐ U Knife**

2 Core Option:

- ☐ S Standard
- ☐ G Green, add \$100 list

3 Flip Top Unit Cutout(s):

- ☐ N None
- ☐ F Center – single-sided/4 outlets, add \$25 list
- ☐ V Left/Right – single-sided/4 outlets, add \$50 list
- ☐ J Center – single-sided/6 outlets, add \$25 list
- ☐ K Left/Right – single-sided/6 outlets, add \$50 list
- ☐ M Center – double-sided/8 outlets, add \$25 list
- ☐ P Left/Right – double-sided/8 outlets, add \$50 list
- ☐ Q Center – double-sided/12 outlets, add \$25 list
- ☐ T Left/Right – double-sided/12 outlets, add \$50 list

4 Cable Base Option:

- ☐ N None
- ☐ C Cable Base: add \$495 list for 36” deep tables; add \$525 list for 42” deep and deeper tables

2) Wood finish color.

3) Base trim color.

4) Wood finish color – Cable Base

Note: \$35 upcharge (list) for Metallic trim color.

Planes Conference Tables – One-Piece Top – Interior Leg – Wood

Pebble – Wood


No. of Legs	*Seating Capacity	Depth	Length	Number					(K) Edgeband Wood Group I	Group II	(M) Cascade Wood Group I	Group II	(U) Knife** Wood Group I	Group II
					1	2	3	4						
4	6	36"(914mm)	72"(1829mm)	TARP-3672-W	■	■	■	JG4	\$1170	\$1205	\$1369	\$1404	\$1536	\$1571
6	6		78"(1981mm)	TARP-3678-W	■	■	■	JG4	1257	1295	1470	1508	1650	1688
6	8		84"(2134mm)	TARP-3684-W	■	■	■	JG4	1344	1384	1572	1612	1764	1804
6	8		90"(2286mm)	TARP-3690-W	■	■	■	JG4	1431	1474	1673	1716	1878	1921
6	8		96"(2438mm)	TARP-3696-W	■	■	■	JG4	1518	1564	1775	1821	1992	2038
6	8	42"(1067mm)	84"(2134mm)	TARP-4284-W	■	■	■	JG4	\$1547	\$1593	\$1808	\$1854	\$2030	\$2076
6	8		90"(2286mm)	TARP-4290-W	■	■	■	JG4	1648	1697	1927	1976	2163	2212
6	8		96"(2438mm)	TARP-4296-W	■	■	■	JG4	1749	1801	2045	2097	2296	2348
6	8		102"(2591mm)	TARP-42A2-W	■	■	■	JG4	1850	1906	2164	2220	2429	2485
6	10		108"(2743mm)	TARP-42A8-W	■	■	■	JG4	1952	2011	2282	2341	2562	2621
6	10		114"(2896mm)	TARP-42B4-W	■	■	■	JG4	2053	2115	2401	2463	2694	2756
6	10		120"(3048mm)	TARP-42C0-W	■	■	■	JG4	2154	2219	2519	2584	2827	2892
6	8	48"(1291mm)	84"(2134mm)	TARP-4884-W	■	■	■	JG4	\$1749	\$1801	\$2045	\$2097	\$2296	\$2348
6	8		90"(2286mm)	TARP-4890-W	■	■	■	JG4	1865	1891	2181	2207	2448	2474
6	8		96"(2438mm)	TARP-4896-W	■	■	■	JG4	1981	2040	2316	2375	2600	2659
6	8		102"(2591mm)	TARP-48A2-W	■	■	■	JG4	2096	2159	2451	2514	2751	2814
6	10		108"(2743mm)	TARP-48A8-W	■	■	■	JG4	2212	2278	2587	2653	2903	2969
6	10		114"(2896mm)	TARP-48B4-W	■	■	■	JG4	2328	2398	2722	2792	3055	3125
6	10		120"(3048mm)	TARP-48C0-W	■	■	■	JG4	2444	2517	2857	2930	3207	3280
6	10	54"(1372mm)	84"(2134mm)	TARP-5484-W	■	■	■	JG4	\$1952	\$2011	\$2282	\$2341	\$2562	\$2621
6	10		90"(2286mm)	TARP-5490-W	■	■	■	JG4	2082	2144	2434	2496	2732	2794
6	10		96"(2438mm)	TARP-5496-W	■	■	■	JG4	2212	2238	2587	2613	2903	2929
6	10		102"(2591mm)	TARP-54A2-W	■	■	■	JG4	2342	2412	2739	2809	3074	3144
6	10		108"(2743mm)	TARP-54A8-W	■	■	■	JG4	2473	2543	2891	2961	3245	3315
6	10		114"(2896mm)	TARP-54B4-W	■	■	■	JG4	2603	2681	3043	3121	3416	3494
6	10		120"(3048mm)	TARP-54C0-W	■	■	■	JG4	2733	2815	3196	3278	3587	3669
6	10	60"(1524mm)	84"(2134mm)	TARP-6084-W	■	■	■	JG4	\$2154	\$2219	\$2519	\$2584	\$2827	\$2892
6	10		90"(2286mm)	TARP-6090-W	■	■	■	JG4	2299	2368	2688	2757	3017	3086
6	10		96"(2438mm)	TARP-6096-W	■	■	■	JG4	2444	2517	2857	2930	3207	3280
6	10		102"(2591mm)	TARP-60A2-W	■	■	■	JG4	2588	2666	3027	3105	3397	3475
6	10		108"(2743mm)	TARP-60A8-W	■	■	■	JG4	2733	2815	3196	3278	3587	3669
6	10		114"(2896mm)	TARP-60B4-W	■	■	■	JG4	2878	2964	3365	3451	3777	3863
6	10		120"(3048mm)	TARP-60C0-W	■	■	■	JG4	3022	3113	3534	3625	3967	4058

*Recommended seating capacity based upon 27"(686mm) per chair.

**Knife edge available with green core option only.

Planes Conference Tables – One-Piece Top – Interior Leg – Wood

Hexagon – Wood



TARX

Features

- Includes 1 3/16" (30mm) thick top, interior leg bases and hardware.
- Standard table height is 29" (737mm).
- Wood veneer top with 3mm wood edgeband, cascade or knife wood edge.
- Top available in standard or green core option.
- Interior legs are painted aluminum.
- Interior leg is 1 1/8" (29mm) x 3 1/4" (83mm).
- Optional cable base can be specified for tables 36" (914mm) deep and deeper:
 - 36" (914mm) deep tables will ship with 8" (203mm) x 14" (356mm) cable base.
 - 42" (1067mm) deep and deeper tables will ship with 14" (356mm) x 14" (356mm) cable base.
 - One piece tops will include one cable base to be centered under table top.
 - Cable base and table top(s) are wood veneer and can be specified in different surface colors and edge trim colors.
 - Refer to Specification Guide for use guidelines.
- Optional Flip top unit electrical modules are separately specified. Refer to electrical components for appropriate product specification.
- Available with glides only; 1/2" (13mm) height adjustment.
- Ships unassembled.

Specification Tips

- The following Planes products are separately specified:
 - Grommets (field cut opening)
 - Flip top unit electrical modules
 - Horizontal wire management
- Refer to Specification Guide for seating capacities with Cable Base Option and leg locations.

**Knife edge available with green core option only.

To Order, Specify:

1) Product number, including:

① Wood Edge Option:

- K** Edgeband
- M** Cascade
- U** Knife **

② Core Option:

- S** Standard
- G** Green, add **\$100** list

③ Flip Top Unit Cutout(s):

- N** None
- V** Left/Right – single-sided/4 outlets, add **\$25** list
- J** Center – single-sided/6 outlets, add **\$25** list
- K** Left/Right – single-sided/6 outlets, add **\$50** list
- M** Center – double-sided/8 outlets, add **\$25** list
- P** Left/Right – double-sided/8 outlets, add **\$50** list
- Q** Center – double-sided/12 outlets, add **\$25** list
- T** Left/Right – double-sided/12 outlets, add **\$50** list

④ Cable Base Option:

- N** None
- C** Cable Base: add **\$495** list for 36" deep tables; add **\$525** list for 42" deep and deeper tables

2) Wood finish color.

3) Base trim color.

4) Wood finish color – Cable Base

Note: **\$35** upcharge (list) for Metallic trim color.

Planes Conference Tables – One-Piece Top – Interior Leg – Wood

Hexagon – Wood


No. of Legs	*Seating Capacity	Depth	Length	Number	①	②	③	④	(K) Edgeband Wood Group I	Group II	(M) Cascade Wood Group I	Group II	(U) Knife** Wood Group I	Group II
4	6	36"(914mm)	72"(1829mm)	TARX-3672-W	■	■	■	JG4	\$1170	\$1205	\$1369	\$1404	\$1536	\$1571
6	6		78"(1981mm)	TARX-3678-W	■	■	■	JG4	1257	1295	1470	1508	1650	1688
6	8		84"(2134mm)	TARX-3684-W	■	■	■	JG4	1344	1382	1572	1610	1764	1802
6	8		90"(2286mm)	TARX-3690-W	■	■	■	JG4	1431	1474	1673	1716	1878	1921
6	8		96"(2438mm)	TARX-3696-W	■	■	■	JG4	1518	1564	1775	1821	1992	2038
6	8	42"(1067mm)	84"(2134mm)	TARX-4284-W	■	■	■	JG4	\$1547	\$1593	\$1808	\$1854	\$2030	\$2076
6	8		90"(2286mm)	TARX-4290-W	■	■	■	JG4	1648	1697	1927	1976	2163	2212
6	8		96"(2438mm)	TARX-4296-W	■	■	■	JG4	1749	1801	2045	2097	2296	2348
6	8		102"(2591mm)	TARX-42A2-W	■	■	■	JG4	1850	1906	2164	2220	2429	2485
6	10		108"(2743mm)	TARX-42A8-W	■	■	■	JG4	1952	2011	2282	2341	2562	2621
6	10		114"(2896mm)	TARX-42B4-W	■	■	■	JG4	2053	2115	2401	2463	2694	2756
6	10		120"(3048mm)	TARX-42C0-W	■	■	■	JG4	2154	2219	2519	2584	2827	2892
6	8	48"(1291mm)	84"(2134mm)	TARX-4884-W	■	■	■	JG4	\$1749	\$1801	\$2045	\$2097	\$2296	\$2348
6	8		90"(2286mm)	TARX-4890-W	■	■	■	JG4	1865	1921	2181	2237	2448	2504
6	8		96"(2438mm)	TARX-4896-W	■	■	■	JG4	1981	2040	2316	2375	2600	2659
6	8		102"(2591mm)	TARX-48A2-W	■	■	■	JG4	2096	2159	2451	2514	2751	2814
6	10		108"(2743mm)	TARX-48A8-W	■	■	■	JG4	2212	2278	2587	2653	2903	2969
6	10		114"(2896mm)	TARX-48B4-W	■	■	■	JG4	2328	2398	2722	2792	3055	3125
6	10		120"(3048mm)	TARX-48C0-W	■	■	■	JG4	2444	2517	2857	2930	3207	3280
6	10	54"(1372mm)	84"(2134mm)	TARX-5484-W	■	■	■	JG4	\$1952	\$2011	\$2282	\$2341	\$2562	\$2621
6	10		90"(2286mm)	TARX-5490-W	■	■	■	JG4	2082	2144	2434	2496	2732	2794
6	10		96"(2438mm)	TARX-5496-W	■	■	■	JG4	2212	2278	2587	2653	2903	2969
6	10		102"(2591mm)	TARX-54A2-W	■	■	■	JG4	2342	2412	2739	2809	3074	3144
6	10		108"(2743mm)	TARX-54A8-W	■	■	■	JG4	2473	2547	2891	2965	3245	3319
6	10		114"(2896mm)	TARX-54B4-W	■	■	■	JG4	2603	2681	3043	3121	3416	3494
6	10		120"(3048mm)	TARX-54C0-W	■	■	■	JG4	2733	2815	3196	3278	3587	3669
6	10	60"(1524mm)	84"(2134mm)	TARX-6084-W	■	■	■	JG4	\$2154	\$2219	\$2519	\$2584	\$2827	\$2892
6	10		90"(2286mm)	TARX-6090-W	■	■	■	JG4	2299	2368	2688	2757	3017	3086
6	10		96"(2438mm)	TARX-6096-W	■	■	■	JG4	2444	2517	2857	2930	3207	3280
6	10		102"(2591mm)	TARX-60A2-W	■	■	■	JG4	2588	2666	3027	3105	3397	3475
6	10		108"(2743mm)	TARX-60A8-W	■	■	■	JG4	2733	2815	3196	3278	3587	3669
6	10		114"(2896mm)	TARX-60B4-W	■	■	■	JG4	2878	2964	3365	3451	3777	3863
6	10		120"(3048mm)	TARX-60C0-W	■	■	■	JG4	3022	3113	3534	3625	3967	4058

*Recommended seating capacity based upon 27"(686mm) per chair.

**Knife edge available with green core option only.

Planes Conference Tables – Two-Piece Tops – Interior Leg – Laminate

Rectangular – Laminate



TARA

Features

- Includes 1 3/16”(30mm) thick tops, interior leg bases and hardware.
- Standard table height is 29”(737mm).
- Laminate top with 3mm edgeband or cascade edges.
- Table top seam is 1mm edgeband.
- Top available in standard or green core option.
- Interior legs are painted aluminum.
- Interior leg is 1 1/8”(29mm) x 3 1/4”(83mm).
- Optional cable base is available:
 - 42”(1067mm) deep and deeper tables will ship with 14”(356mm) x 14”(356mm) cable base
 - Two piece tops will include one cable base to be centered on seam under table top.
 - Cable base and table top(s) are laminate and can be specified in different surface colors and edge trim colors.
 - Refer to Specification Guide for use guidelines.
- Optional Flip top unit electrical modules are separately specified. Refer to electrical components for appropriate product specification.
- Available with glides only; 1/2”(13mm) height adjustment.
- Ships unassembled.

Specification Tips

- Tables with multiple-piece tops have equal sized pieces.
- The following Planes products are separately specified:
 - Grommets (field cut opening)
 - Flip top unit electrical modules
 - Horizontal wire management
- Refer to Specification Guide for seating capacities with Cable Base Option and leg locations.

*Multiple piece tops with Cascade edge option will require an additional specification for the 1mm edgeband seam.

To Order, Specify:

1) Product number, including:

1 Edge Option:

- J Edgeband
- V Cascade*

2 Core Option:

- S Standard
- G Green, add \$200 list

3 Flip Top Unit Cutout(s):

- N None
- F Center – single-sided/4 outlets, add \$50 list
- V Left/Right – single-sided/4 outlets, add \$100 list
- J Center – single-sided/6 outlets, add \$50 list
- K Left/Right – single-sided/6 outlets, add \$100 list
- M Center – double-sided/8 outlets, add \$50 list
- P Left/Right – double-sided/8 outlets, add \$100 list
- Q Center – double-sided/12 outlets, add \$50 list
- T Left/Right – double-sided/12 outlets, add \$100 list

4 Cable Base Option:

- N None
- C Cable Base:
 - add \$495 list for 36” deep tables;
 - add \$525 list for 42” deep and deeper tables

- 2) Laminate surface color.
- 3) 1mm edgeband trim color. (Cascade edge/multiple-tops only)*
- 4) Edge trim color.
- 5) Base trim color.
- 6) Laminate surface – Cable Base
- 7) Edge trim color – Cable Base

Note: \$35 upcharge (list) for Metallic trim color.

Planes Conference Tables – Two-Piece Tops – Interior Leg – Laminate


Rectangular – Laminate

No. of Legs	*Seating Capacity	Depth	Length	Number	①	②	③	④	(J) Edgeband Price	(V) Cascade Price
6	10	42" (1067mm)	126" (3200mm)	TARA-42C6-L	■	■	■	JG4	\$1851	\$1915
6	10		132" (3353mm)	TARA-42D2-L	■	■	■	JG4	1935	2002
10	10		138" (3505mm)	TARA-42D8-L	■	■	■	JG4	2018	2087
10	10		144" (3658mm)	TARA-42E4-L	■	■	■	JG4	2101	2174
10	10		150" (3810mm)	TARA-42F0-L	■	■	■	JG4	2185	2260
10	12		156" (3962mm)	TARA-42F6-L	■	■	■	JG4	2267	2345
10	12		162" (4115mm)	TARA-42G2-L	■	■	■	JG4	2351	2432
10	12		168" (4267mm)	TARA-42G8-L	■	■	■	JG4	2433	2517
10	12		174" (4420mm)	TARA-42H4-L	■	■	■	JG4	2517	2604
10	12		180" (4572mm)	TARA-42J0-L	■	■	■	JG4	2600	2689
6	10	48" (1219mm)	126" (3200mm)	TARA-48C6-L	■	■	■	JG4	\$2101	\$2174
6	10		132" (3353mm)	TARA-48D2-L	■	■	■	JG4	2197	2272
10	10		138" (3505mm)	TARA-48D8-L	■	■	■	JG4	2291	2370
10	10		144" (3658mm)	TARA-48E4-L	■	■	■	JG4	2386	2469
10	10		150" (3810mm)	TARA-48F0-L	■	■	■	JG4	2482	2567
10	12		156" (3962mm)	TARA-48F6-L	■	■	■	JG4	2576	2665
10	12		162" (4115mm)	TARA-48G2-L	■	■	■	JG4	2671	2764
10	12		168" (4267mm)	TARA-48G8-L	■	■	■	JG4	2767	2862
10	12		174" (4420mm)	TARA-48H4-L	■	■	■	JG4	2861	2960
10	12		180" (4572mm)	TARA-48J0-L	■	■	■	JG4	2957	3059
6	10	54" (1372mm)	126" (3200mm)	TARA-54C6-L	■	■	■	JG4	\$2351	\$2432
6	10		132" (3353mm)	TARA-54D2-L	■	■	■	JG4	2457	2542
10	10		138" (3505mm)	TARA-54D8-L	■	■	■	JG4	2564	2653
10	10		144" (3658mm)	TARA-54E4-L	■	■	■	JG4	2671	2764
10	10		150" (3810mm)	TARA-54F0-L	■	■	■	JG4	2779	2874
10	12		156" (3962mm)	TARA-54F6-L	■	■	■	JG4	2885	2984
10	12		162" (4115mm)	TARA-54G2-L	■	■	■	JG4	2992	3095
10	12		168" (4267mm)	TARA-54G8-L	■	■	■	JG4	3099	3206
10	14		174" (4420mm)	TARA-54H4-L	■	■	■	JG4	3205	3316
10	14		180" (4572mm)	TARA-54J0-L	■	■	■	JG4	3313	3427
6	10	60" (1524mm)	126" (3200mm)	TARA-60C6-L	■	■	■	JG4	\$2600	\$2689
6	10		132" (3353mm)	TARA-60D2-L	■	■	■	JG4	2719	2812
10	10		138" (3505mm)	TARA-60D8-L	■	■	■	JG4	2838	2935
10	10		144" (3658mm)	TARA-60E4-L	■	■	■	JG4	2957	3059
10	10		150" (3810mm)	TARA-60F0-L	■	■	■	JG4	3076	3182
10	12		156" (3962mm)	TARA-60F6-L	■	■	■	JG4	3194	3304
10	12		162" (4115mm)	TARA-60G2-L	■	■	■	JG4	3313	3427
10	12		168" (4267mm)	TARA-60G8-L	■	■	■	JG4	3432	3550
10	14		174" (4420mm)	TARA-60H4-L	■	■	■	JG4	3551	3673
10	14		180" (4572mm)	TARA-60J0-L	■	■	■	JG4	3670	3796

*Recommended seating capacity based upon 27" (686mm) per chair.

Planes Conference Tables – Two-Piece Tops – Interior Leg – Laminate

Pebble – Laminate



TARP

Features

- Includes 1 3/16" (30mm) thick tops, interior leg bases and hardware.
- Standard table height is 29" (737mm).
- Laminate top with 3mm edgeband or cascade edges.
- Table top seam is 1mm edgeband.
- Top available in standard or green core option.
- Interior legs are painted aluminum.
- Interior leg is 1 1/8" (29mm) x 3 1/4" (83mm).
- Optional cable base is available:
 - 42" (1067mm) deep and deeper tables will ship with 14" (356mm) x 14" (356mm) cable base
 - Two piece tops will include one cable base to be centered on seam under table top.
 - Cable base and table top(s) are laminate and can be specified in different surface colors and edge trim colors.
 - Refer to Specification Guide for use guidelines.
- Optional Flip top unit electrical modules are separately specified. Refer to electrical components for appropriate product specification.
- Available with glides only; 1/2" (13mm) height adjustment.
- Ships unassembled.

Specification Tips

- Tables with multiple-piece tops have equal sized pieces.
- The following Planes products are separately specified:
 - Grommets (field cut openings)
 - Flip top unit electrical modules
 - Horizontal wire management
- Refer to Specification Guide for seating capacities with Cable Base Option and leg locations.

*Multiple piece tops with Cascade edge option will require an additional specification for the 1mm edgeband seam.

To Order, Specify:

1) Product number, including:

① Edge Option:

- J** Edgeband
- V** Cascade*

② Core Option:

- S** Standard
- G** Green, add **\$200** list

③ Flip Top Unit Cutout(s):

- N** None
- F** Center – single-sided/4 outlets, add **\$50** list
- V** Left/Right – single-sided/4 outlets, add **\$100** list
- J** Center – single-sided/6 outlets, add **\$50** list
- K** Left/Right – single-sided/6 outlets, add **\$100** list
- M** Center – double-sided/8 outlets, add **\$50** list
- P** Left/Right – double-sided/8 outlets, add **\$100** list
- Q** Center – double-sided/12 outlets, add **\$50** list
- T** Left/Right – double-sided/12 outlets, add **\$100** list

④ Cable Base Option:

- N** None
- C** Cable Base, add **\$525** list

2) Laminate surface color.

3) 1mm edgeband trim color. (Cascade edge/multiple-tops only)*

4) Edge trim color.

5) Base trim color.

6) Laminate surface – Cable Base

7) Edge trim color – Cable Base

Note: **\$35** upcharge (list) for Metallic trim color.

Planes Conference Tables – Two-Piece Tops – Interior Leg – Laminate


Pebble – Laminate

No. of Legs	*Seating Capacity	Depth	Length	Number	①	②	③	④	(J) Edgeband Price	(V) Cascade Price
6	10	42"(1067mm)	126"(3200mm)	TARP-42C6-L	■	■	■	JG4	\$1851	\$1915
6	10		132"(3353mm)	TARP-42D2-L	■	■	■	JG4	1935	2002
6	10		138"(3505mm)	TARP-42D8-L	■	■	■	JG4	2018	2087
6	10		144"(3658mm)	TARP-42E4-L	■	■	■	JG4	2101	2174
10	10		150"(3810mm)	TARP-42F0-L	■	■	■	JG4	2185	2260
10	10		156"(3962mm)	TARP-42F6-L	■	■	■	JG4	2267	2345
10	10		162"(4115mm)	TARP-42G2-L	■	■	■	JG4	2351	2432
10	12		168"(4267mm)	TARP-42G8-L	■	■	■	JG4	2433	2517
10	12		174"(4420mm)	TARP-42H4-L	■	■	■	JG4	2517	2604
10	12		180"(4572mm)	TARP-42J0-L	■	■	■	JG4	2600	2689
6	10	48"(1219mm)	126"(3200mm)	TARP-48C6-L	■	■	■	JG4	\$2101	\$2174
6	10		132"(3353mm)	TARP-48D2-L	■	■	■	JG4	2197	2272
6	10		138"(3505mm)	TARP-48D8-L	■	■	■	JG4	2291	2370
6	10		144"(3658mm)	TARP-48E4-L	■	■	■	JG4	2386	2469
10	10		150"(3810mm)	TARP-48F0-L	■	■	■	JG4	2482	2567
10	10		156"(3962mm)	TARP-48F6-L	■	■	■	JG4	2576	2665
10	10		162"(4115mm)	TARP-48G2-L	■	■	■	JG4	2671	2764
10	10		168"(4267mm)	TARP-48G8-L	■	■	■	JG4	2767	2862
10	12		174"(4420mm)	TARP-48H4-L	■	■	■	JG4	2861	2960
10	12		180"(4572mm)	TARP-48J0-L	■	■	■	JG4	2957	3059
6	10	54"(1372mm)	126"(3200mm)	TARP-54C6-L	■	■	■	JG4	\$2351	\$2432
6	10		132"(3353mm)	TARP-54D2-L	■	■	■	JG4	2457	2542
6	10		138"(3505mm)	TARP-54D8-L	■	■	■	JG4	2564	2653
6	10		144"(3658mm)	TARP-54E4-L	■	■	■	JG4	2671	2764
10	10		150"(3810mm)	TARP-54F0-L	■	■	■	JG4	2779	2874
10	10		156"(3962mm)	TARP-54F6-L	■	■	■	JG4	2885	2984
10	10		162"(4115mm)	TARP-54G2-L	■	■	■	JG4	2992	3095
10	10		168"(4267mm)	TARP-54G8-L	■	■	■	JG4	3099	3206
10	12		174"(4420mm)	TARP-54H4-L	■	■	■	JG4	3205	3316
10	12		180"(4572mm)	TARP-54J0-L	■	■	■	JG4	3313	3427
6	10	60"(1524mm)	126"(3200mm)	TARP-60C6-L	■	■	■	JG4	\$2600	\$2689
6	10		132"(3353mm)	TARP-60D2-L	■	■	■	JG4	2719	2812
6	10		138"(3505mm)	TARP-60D8-L	■	■	■	JG4	2838	2935
6	10		144"(3658mm)	TARP-60E4-L	■	■	■	JG4	2957	3059
10	10		150"(3810mm)	TARP-60F0-L	■	■	■	JG4	3076	3182
10	10		156"(3962mm)	TARP-60F6-L	■	■	■	JG4	3194	3304
10	10		162"(4115mm)	TARP-60G2-L	■	■	■	JG4	3313	3427
10	10		168"(4267mm)	TARP-60G8-L	■	■	■	JG4	3432	3550
10	12		174"(4420mm)	TARP-60H4-L	■	■	■	JG4	3551	3673
10	12		180"(4572mm)	TARP-60J0-L	■	■	■	JG4	3670	3796

*Recommended seating capacity based upon 27"(686mm) per chair.

Planes Conference Tables – Two-Piece Tops – Interior Leg – Laminate

Hexagon – Laminate



TARX

Features

- Includes 1 3/16" (30mm) thick tops, interior leg bases and hardware.
- Standard table height is 29" (737mm).
- Laminate top with 3mm edgeband or cascade edges.
- Table top seam is 1mm edgeband.
- Top available in standard or green core option.
- Interior legs are painted aluminum.
- Interior leg is 1 1/8" (29mm) x 3 1/4" (83mm).
- Optional cable base is available:
 - 42" (1067mm) deep and deeper tables will ship with 14" (356mm) x 14" (356mm) cable base
 - Two piece tops will include one cable base to be centered on seam under table top.
 - Cable base and table top(s) are laminate and can be specified in different surface colors and edge trim colors.
 - Refer to Specification Guide for use guidelines.
- Optional Flip top unit electrical modules are separately specified. Refer to electrical components for appropriate product specification.
- Available with glides only; 1/2" (13mm) height adjustment.
- Ships unassembled.

Specification Tips

- Tables with multiple-piece tops have equal sized pieces.
- The following Planes products are separately specified:
 - Grommets (field cut openings)
 - Flip top unit electrical modules
 - Horizontal wire management
- Refer to Specification Guide for seating capacities with Cable Base Option and leg locations.

*Multiple piece tops with Cascade edge option will require an additional specification for the 1mm edgeband seam.

To Order, Specify:

1) Product number, including:

① Edge Option:

- J** Edgeband
- V** Cascade*

② Core Option:

- S** Standard
- G** Green, add **\$200** list

③ Flip Top Unit Cutout(s):

- N** None
- F** Center – single-sided/4 outlets, add **\$50** list
- V** Left/Right – single-sided/4 outlets, add **\$100** list
- J** Center – single-sided/6 outlets, add **\$50** list
- K** Left/Right – single-sided/6 outlets, add **\$100** list
- M** Center – double-sided/8 outlets, add **\$50** list
- P** Left/Right – double-sided/8 outlets, add **\$100** list
- Q** Center – double-sided/12 outlets, add **\$50** list
- T** Left/Right – double-sided/12 outlets, add **\$100** list

④ Cable Base Option:

- N** None
- C** Cable Base, add **\$525** list

2) Laminate surface color.

3) 1mm edgeband trim color. (Cascade edge/multiple-tops only)*

4) Edge trim color.

5) Base trim color.

6) Laminate surface – Cable Base

7) Edge trim color – Cable Base

Note: **\$35** upcharge (list) for Metallic trim color.

Planes Conference Tables – Two-Piece Tops – Interior Leg – Laminate


Hexagon – Laminate

No. of Legs	*Seating Capacity	Depth	Length	Number	①	②	③	④	(J) Edgeband Price	(V) Cascade Price
6	10	42"(1067mm)	126"(3200mm)	TARX-42C6-L	■	■	■	JG4	\$1851	\$1915
6	10		132"(3353mm)	TARX-42D2-L	■	■	■	JG4	1935	2017
6	10		138"(3505mm)	TARX-42D8-L	■	■	■	JG4	2018	2087
6	10		144"(3658mm)	TARX-42E4-L	■	■	■	JG4	2101	2101
10	10		150"(3810mm)	TARX-42F0-L	■	■	■	JG4	2185	2260
10	10		156"(3962mm)	TARX-42F6-L	■	■	■	JG4	2267	2345
10	10		162"(4115mm)	TARX-42G2-L	■	■	■	JG4	2351	2432
10	10		168"(4267mm)	TARX-42G8-L	■	■	■	JG4	2433	2517
10	12		174"(4420mm)	TARX-42H4-L	■	■	■	JG4	2517	2604
10	12		180"(4572mm)	TARX-42J0-L	■	■	■	JG4	2600	2689
6	10	48"(1219mm)	126"(3200mm)	TARX-48C6-L	■	■	■	JG4	\$2101	\$2174
6	10		132"(3353mm)	TARX-48D2-L	■	■	■	JG4	2197	2272
6	10		138"(3505mm)	TARX-48D8-L	■	■	■	JG4	2291	2370
6	10		144"(3658mm)	TARX-48E4-L	■	■	■	JG4	2386	2469
10	10		150"(3810mm)	TARX-48F0-L	■	■	■	JG4	2482	2567
10	10		156"(3962mm)	TARX-48F6-L	■	■	■	JG4	2576	2665
10	10		162"(4115mm)	TARX-48G2-L	■	■	■	JG4	2671	2764
10	10		168"(4267mm)	TARX-48G8-L	■	■	■	JG4	2767	2862
10	12		174"(4420mm)	TARX-48H4-L	■	■	■	JG4	2861	2960
10	12		180"(4572mm)	TARX-48J0-L	■	■	■	JG4	2957	3059
6	10	54"(1372mm)	126"(3200mm)	TARX-54C6-L	■	■	■	JG4	\$2351	\$2432
6	10		132"(3353mm)	TARX-54D2-L	■	■	■	JG4	2457	2542
6	10		138"(3505mm)	TARX-54D8-L	■	■	■	JG4	2564	2653
6	10		144"(3658mm)	TARX-54E4-L	■	■	■	JG4	2671	2764
10	10		150"(3810mm)	TARX-54F0-L	■	■	■	JG4	2779	2874
10	10		156"(3962mm)	TARX-54F6-L	■	■	■	JG4	2885	2984
10	10		162"(4115mm)	TARX-54G2-L	■	■	■	JG4	2992	3095
10	10		168"(4267mm)	TARX-54G8-L	■	■	■	JG4	3099	3206
10	12		174"(4420mm)	TARX-54H4-L	■	■	■	JG4	3205	3316
10	12		180"(4572mm)	TARX-54J0-L	■	■	■	JG4	3313	3427
6	10	60"(1524mm)	126"(3200mm)	TARX-60C6-L	■	■	■	JG4	\$2600	\$2689
6	10		132"(3353mm)	TARX-60D2-L	■	■	■	JG4	2719	2812
6	10		138"(3505mm)	TARX-60D8-L	■	■	■	JG4	2838	2935
6	10		144"(3658mm)	TARX-60E4-L	■	■	■	JG4	2957	3059
10	10		150"(3810mm)	TARX-60F0-L	■	■	■	JG4	3076	3182
10	10		156"(3962mm)	TARX-60F6-L	■	■	■	JG4	3194	3304
10	10		162"(4115mm)	TARX-60G2-L	■	■	■	JG4	3313	3427
10	10		168"(4267mm)	TARX-60G8-L	■	■	■	JG4	3432	3550
10	12		174"(4420mm)	TARX-60H4-L	■	■	■	JG4	3551	3673
10	12		180"(4572mm)	TARX-60J0-L	■	■	■	JG4	3670	3796

*Recommended seating capacity based upon 27"(686mm) per chair.

Planes Conference Tables – Two-Piece Tops – Interior Leg – Wood

Rectangular – Wood



TARA

Features

- Includes 1 3/16”(30mm) thick tops, interior leg bases and hardware.
- Standard table height is 29”(737mm).
- Wood veneer top with 3mm wood edgeband, cascade or knife wood edge.
- Table top seam is 1mm edgeband.
- Top available in standard or green core option.
- Interior legs are painted aluminum.
- Interior leg is 1 1/8”(29mm) x 3 1/4”(83mm).
- Optional cable base is available:
 - 42”(1067mm) deep and deeper tables will ship with 14”(356mm) x 14”(356mm) cable base
 - Two piece tops will include one cable base to be centered on seam under table top.
 - Cable base and table top(s) are wood veneer and can be specified in different surface colors and edge trim colors.
 - Refer to Specification Guide for use guidelines.
- Optional Flip top unit electrical modules are separately specified. Refer to electrical components for appropriate product specification.
- Available with glides only; 1/2”(13mm) height adjustment.
- Ships unassembled.

Specification Tips

- Tables with multiple-piece tops have equal sized pieces.
- The following Planes products are separately specified:
 - Grommets (field cut opening)
 - Flip top unit electrical modules
 - Horizontal wire management
- Refer to Specification Guide for seating capacities with Cable Base Option and leg locations.

**Knife edge must be specified with green core.

To Order, Specify:

1) Product number, including:

1 Wood Edge Option:

- ☐ K Edgeband
- ☐ M Cascade
- ☐ U Knife**

2 Core Option:

- ☐ S Standard
- ☐ G Green, add \$200 list

3 Flip Top Unit Cutout(s):

- ☐ N None
- ☐ F Center – single-sided/4 outlets, add \$50 list
- ☐ V Left/Right – single-sided/4 outlets, add \$100 list
- ☐ J Center – single-sided/6 outlets, add \$50 list
- ☐ K Left/Right – single-sided/6 outlets, add \$100 list
- ☐ M Center – double-sided/8 outlets, add \$50 list
- ☐ P Left/Right – double-sided/8 outlets, add \$100 list
- ☐ Q Center – double-sided/12 outlets, add \$50 list
- ☐ T Left/Right – double-sided/12 outlets, add \$100 list

4 Cable Base Option:

- ☐ N None
- ☐ C Cable Base, add \$525 list

2) Wood finish color.

3) Base trim color.

4) Wood finish color – Cable Base

Note: \$35 upcharge (list) for Metallic trim color.

Planes Conference Tables – Two-Piece Tops – Interior Leg – Wood

Rectangular – Wood


No. of Legs	*Seating Capacity	Depth	Length	Number					(K) Edgeband Wood		(M) Cascade Wood		(U) Knife** Wood	
					①	②	③	④	Group I	Group II	Group I	Group II	Group I	Group II
6	10	42"(1067mm)	126"(3200mm)	TARA-42C6-W	■	■	■	JG4	\$2829	\$2914	\$3308	\$3393	\$3713	\$3798
6	10		132"(3353mm)	TARA-42D2-W	■	■	■	JG4	2957	3046	3457	3546	3880	3969
10	10		138"(3505mm)	TARA-42D8-W	■	■	■	JG4	3083	3176	3605	3698	4046	4139
10	10		144"(3658mm)	TARA-42E4-W	■	■	■	JG4	3211	3307	3754	3850	4214	4310
10	10		150"(3810mm)	TARA-42F0-W	■	■	■	JG4	3338	3438	3903	4003	4381	4481
10	12		156"(3962mm)	TARA-42F6-W	■	■	■	JG4	3465	3569	4051	4155	4547	4651
10	12		162"(4115mm)	TARA-42G2-W	■	■	■	JG4	3592	3700	4200	4308	4714	4822
10	12		168"(4267mm)	TARA-42G8-W	■	■	■	JG4	3719	3831	4348	4460	4880	4992
10	12		174"(4420mm)	TARA-42H4-W	■	■	■	JG4	3846	3961	4497	4612	5048	5163
10	14		180"(4572mm)	TARA-42J0-W	■	■	■	JG4	3973	4092	4645	4764	5214	5333
6	10	48"(1219mm)	126"(3200mm)	TARA-48C6-W	■	■	■	JG4	\$3211	\$3307	\$3754	\$3850	\$4214	\$4310
6	10		132"(3353mm)	TARA-48D2-W	■	■	■	JG4	3356	3457	3924	4025	4405	4506
10	10		138"(3505mm)	TARA-48D8-W	■	■	■	JG4	3501	3606	4093	4198	4594	4699
10	10		144"(3658mm)	TARA-48E4-W	■	■	■	JG4	3646	3755	4263	4372	4785	4894
10	10		150"(3810mm)	TARA-48F0-W	■	■	■	JG4	3792	3906	4434	4548	4976	5090
10	12		156"(3962mm)	TARA-48F6-W	■	■	■	JG4	3936	4054	4603	4721	5166	5284
10	12		162"(4115mm)	TARA-48G2-W	■	■	■	JG4	4082	4204	4773	4895	5357	5479
10	12		168"(4267mm)	TARA-48G8-W	■	■	■	JG4	4228	4355	4943	5070	5548	5675
10	12		174"(4420mm)	TARA-48H4-W	■	■	■	JG4	4372	4503	5112	5243	5738	5869
10	14		180"(4572mm)	TARA-48J0-W	■	■	■	JG4	4518	4654	5282	5418	5929	6065
6	10	54"(1372mm)	126"(3200mm)	TARA-54C6-W	■	■	■	JG4	\$3592	\$3700	\$4200	\$4308	\$4714	\$4822
6	10		132"(3353mm)	TARA-54D2-W	■	■	■	JG4	3755	3868	4390	4503	4928	5041
10	10		138"(3505mm)	TARA-54D8-W	■	■	■	JG4	3918	4036	4636	4754	5143	5261
10	10		144"(3658mm)	TARA-54E4-W	■	■	■	JG4	4082	4204	4773	4895	5357	5479
10	10		150"(3810mm)	TARA-54F0-W	■	■	■	JG4	4246	4373	4964	5091	5572	5699
10	12		156"(3962mm)	TARA-54F6-W	■	■	■	JG4	4408	4540	5154	5286	5786	5918
10	12		162"(4115mm)	TARA-54G2-W	■	■	■	JG4	4572	4709	5346	5483	6000	6137
10	12		168"(4267mm)	TARA-54G8-W	■	■	■	JG4	4735	4877	5537	5679	6215	6357
10	14		174"(4420mm)	TARA-54H4-W	■	■	■	JG4	4898	5045	5727	5874	6429	6576
10	14		180"(4572mm)	TARA-54J0-W	■	■	■	JG4	5062	5214	5918	6070	6643	6795
6	10	60"(1524mm)	126"(3200mm)	TARA-60C6-W	■	■	■	JG4	\$3973	\$4092	\$4645	\$4764	\$5214	\$5333
6	10		132"(3353mm)	TARA-60D2-W	■	■	■	JG4	4154	4279	4857	4982	5452	5577
10	10		138"(3505mm)	TARA-60D8-W	■	■	■	JG4	4336	4466	5070	5200	5691	5821
10	10		144"(3658mm)	TARA-60E4-W	■	■	■	JG4	4518	4654	5282	5418	5929	6065
10	10		150"(3810mm)	TARA-60F0-W	■	■	■	JG4	4699	4840	5495	5636	6167	6308
10	12		156"(3962mm)	TARA-60F6-W	■	■	■	JG4	4880	5026	5706	5852	6405	6551
10	12		162"(4115mm)	TARA-60G2-W	■	■	■	JG4	5062	5214	5918	6070	6643	6795
10	12		168"(4267mm)	TARA-60G8-W	■	■	■	JG4	5243	5400	6131	6288	6882	7039
10	14		174"(4420mm)	TARA-60H4-W	■	■	■	JG4	5425	5588	6343	6506	7120	7283
10	14		180"(4572mm)	TARA-60J0-W	■	■	■	JG4	5607	5775	6556	6724	7358	7526

*Recommended seating capacity based upon 27"(686mm) per chair.

**Knife edge must be specified with green core.

Planes Conference Tables – Two-Piece Tops – Interior Leg – Wood

Pebble – Wood



TARP

Features

- Includes 1 3/16" (30mm) thick tops, interior leg bases and hardware.
- Standard table height is 29" (737mm).
- Wood veneer top with 3mm wood edgeband, cascade or knife wood edge.
- Table top seam is 1mm edgeband.
- Top available in standard or green core option.
- Interior legs are painted aluminum.
- Interior leg is 1 1/8" (29mm) x 3 1/4" (83mm).
- Optional cable base is available:
 - 42" (1067mm) deep and deeper tables will ship with 14" (356mm) x 14" (356mm) cable base
 - Two piece tops will include one cable base to be centered on seam under table top.
 - Cable base and table top(s) are wood veneer and can be specified in different surface colors and edge trim colors.
 - Refer to Specification Guide for use guidelines.
- Optional Flip top unit electrical modules are separately specified. Refer to electrical components for appropriate product specification.
- Available with glides only; 1/2" (13mm) height adjustment.
- Ships unassembled.

Specification Tips

- Tables with multiple-piece tops have equal sized pieces.
- The following Planes products are separately specified:
 - Grommets (field cut openings)
 - Flip top unit electrical modules
 - Horizontal wire management
- Refer to Specification Guide for seating capacities with Cable Base Option and leg locations.

**Knife edge must be specified with green core.

To Order, Specify:

1) Product number, including:

① Wood Edge Option:

- ☐ K Edgeband
- ☐ M Cascade
- ☐ U Knife**

② Core Option:

- ☐ S Standard
- ☐ G Green, add \$200 list

③ Flip Top Unit Cutout(s):

- ☐ N None
- ☐ F Center – single-sided/4 outlets, add \$50 list
- ☐ V Left/Right – single-sided/4 outlets, add \$100 list
- ☐ J Center – 6 single-sided/outlets, add \$50 list
- ☐ K Left/Right – single-sided/6 outlets, add \$100 list
- ☐ M Center – double-sided/8 outlets, add \$50 list
- ☐ P Left/Right – double-sided/8 outlets, add \$100 list
- ☐ Q Center – double-sided/12 outlets, add \$50 list
- ☐ T Left/Right – double-sided/12 outlets, add \$100 list

④ Cable Base Option:

- ☐ N None
- ☐ C Cable Base, add \$525 list

2) Wood finish color.

3) Base trim color.

4) Wood finish color – Cable Base

Note: \$35 upcharge (list) for Metallic trim color.

Planes Conference Tables – Two-Piece Tops – Interior Leg – Wood

Pebble – Wood


No. of Legs	*Seating Capacity	Depth	Length	Number					(K) Edgeband Wood Group I	Group II	(M) Cascade Wood Group I	Group II	(U) Knife** Wood Group I	Group II
					1	2	3	4						
6	10	42''(1067mm)	126''(3200mm)	TARP-42C6-W	■	■	■	JG4	\$2829	\$2914	\$3308	\$3393	\$3713	\$3798
6	10		132''(3353mm)	TARP-42D2-W	■	■	■	JG4	2957	3046	3457	3546	3880	3969
6	10		138''(3505mm)	TARP-42D8-W	■	■	■	JG4	3083	3176	3605	3698	4046	4139
6	10		144''(3658mm)	TARP-42E4-W	■	■	■	JG4	3211	3307	3754	3850	4214	4310
10	10		150''(3810mm)	TARP-42F0-W	■	■	■	JG4	3338	3438	3903	4003	4381	4481
10	10		156''(3962mm)	TARP-42F6-W	■	■	■	JG4	3465	3569	4051	4155	4547	4651
10	10		162''(4115mm)	TARP-42G2-W	■	■	■	JG4	3592	3700	4200	4308	4714	4822
10	10		168''(4267mm)	TARP-42G8-W	■	■	■	JG4	3719	3831	4348	4460	4880	4992
10	12		174''(4420mm)	TARP-42H4-W	■	■	■	JG4	3846	3961	4497	4612	5048	5163
10	12		180''(4572mm)	TARP-42J0-W	■	■	■	JG4	3973	4092	4645	4764	5214	5333
6	10	48''(1219mm)	126''(3200mm)	TARP-48C6-W	■	■	■	JG4	\$3211	\$3307	\$3754	\$3850	\$4214	\$4310
6	10		132''(3353mm)	TARP-48D2-W	■	■	■	JG4	3356	3457	3924	4025	4405	4506
6	10		138''(3505mm)	TARP-48D8-W	■	■	■	JG4	3501	3606	4093	4198	4594	4699
6	10		144''(3658mm)	TARP-48E4-W	■	■	■	JG4	3646	3755	4263	4372	4785	4894
10	10		150''(3810mm)	TARP-48F0-W	■	■	■	JG4	3792	3906	4434	4548	4976	5090
10	10		156''(3962mm)	TARP-48F6-W	■	■	■	JG4	3936	4054	4603	4721	5166	5284
10	10		162''(4115mm)	TARP-48G2-W	■	■	■	JG4	4082	4204	4773	4895	5357	5479
10	10		168''(4267mm)	TARP-48G8-W	■	■	■	JG4	4228	4355	4943	5070	5548	5675
10	12		174''(4420mm)	TARP-48H4-W	■	■	■	JG4	4372	4503	5112	5243	5738	5869
10	12		180''(4572mm)	TARP-48J0-W	■	■	■	JG4	4518	4654	5282	5418	5929	6065
6	10	54''(1372mm)	126''(3200mm)	TARP-54C6-W	■	■	■	JG4	\$3592	\$3700	\$4200	\$4308	\$4714	\$4822
6	10		132''(3353mm)	TARP-54D2-W	■	■	■	JG4	3755	3868	4390	4503	4928	5041
6	10		138''(3505mm)	TARP-54D8-W	■	■	■	JG4	3918	4036	4582	4700	5143	5261
6	10		144''(3658mm)	TARP-54E4-W	■	■	■	JG4	4082	4204	4773	4895	5357	5479
10	10		150''(3810mm)	TARP-54F0-W	■	■	■	JG4	4246	4373	4964	5091	5572	5699
10	10		156''(3962mm)	TARP-54F6-W	■	■	■	JG4	4408	4540	5154	5286	5786	5918
10	10		162''(4115mm)	TARP-54G2-W	■	■	■	JG4	4572	4709	5346	5483	6000	6137
10	10		168''(4267mm)	TARP-54G8-W	■	■	■	JG4	4735	4877	5537	5679	6215	6357
10	12		174''(4420mm)	TARP-54H4-W	■	■	■	JG4	4898	5045	5727	5874	6429	6576
10	12		180''(4572mm)	TARP-54J0-W	■	■	■	JG4	5062	5214	5918	6070	6643	6795
6	10	60''(1524mm)	126''(3200mm)	TARP-60C6-W	■	■	■	JG4	\$3973	\$4092	\$4645	\$4764	\$5214	\$5333
6	10		132''(3353mm)	TARP-60D2-W	■	■	■	JG4	4154	4279	4857	4982	5452	5577
6	10		138''(3505mm)	TARP-60D8-W	■	■	■	JG4	4336	4466	5070	5200	5691	5821
6	10		144''(3658mm)	TARP-60E4-W	■	■	■	JG4	4518	4654	5282	5418	5929	6065
10	10		150''(3810mm)	TARP-60F0-W	■	■	■	JG4	4699	4840	5495	5636	6167	6308
10	10		156''(3962mm)	TARP-60F6-W	■	■	■	JG4	4880	5026	5706	5852	6405	6551
10	10		162''(4115mm)	TARP-60G2-W	■	■	■	JG4	5062	5214	5918	6070	6643	6795
10	10		168''(4267mm)	TARP-60G8-W	■	■	■	JG4	5243	5400	6131	6288	6882	7039
10	12		174''(4420mm)	TARP-60H4-W	■	■	■	JG4	5425	5588	6343	6506	7120	7283
10	12		180''(4572mm)	TARP-60J0-W	■	■	■	JG4	5607	5775	6556	6724	7358	7526

*Recommended seating capacity based upon 27''(686mm) per chair.

**Knife edge must be specified with green core.

Planes Conference Tables – Two-Piece Tops – Interior Leg – Wood

Hexagon – Wood



TARX

Features

- Includes 1 3/16”(30mm) thick tops, interior leg bases and hardware.
- Standard table height is 29”(737mm).
- Wood veneer top with 3mm wood edgeband, cascade or knife wood edge.
- Table top seam is 1mm edgeband.
- Top available in standard or green core option.
- Interior legs are painted aluminum.
- Interior leg is 1 1/8”(29mm) x 3 1/4”(83mm).
- Optional cable base is available:
 - 42”(1067mm) deep and deeper tables will ship with 14”(356mm) x 14”(356mm) cable base
 - Two piece tops will include one cable base to be centered on seam under table top.
 - Cable base and table top(s) are wood veneer and can be specified in different surface colors and edge trim colors.
 - Refer to Specification Guide for use guidelines.
- Optional Flip top unit electrical modules are separately specified. Refer to electrical components for appropriate product specification.
- Available with glides only; 1/2”(13mm) height adjustment.
- Ships unassembled.

Specification Tips

- Tables with multiple-piece tops have equal sized pieces.
- The following Planes products are separately specified:
 - Grommets (field cut openings)
 - Flip top unit electrical modules
 - Horizontal wire management
- Refer to Specification Guide for seating capacities with Cable Base Option and leg locations.

**Knife edge must be specified with green core.

To Order, Specify:

1) Product number, including:

① Wood Edge Option:

- ☐ K Edgeband
- ☐ M Cascade
- ☐ U Knife**

② Core Option:

- ☐ S Standard
- ☐ G Green, add \$200 list

③ Flip Top Unit Cutout(s):

- ☐ N None
- ☐ F Center – single-sided/4 outlets, add \$50 list
- ☐ V Left/Right – single-sided/4 outlets, add \$100 list
- ☐ J Center – single-sided/6 outlets, add \$50 list
- ☐ K Left/Right – single-sided/6 outlets, add \$100 list
- ☐ M Center – double-sided/8 outlets, add \$50 list
- ☐ P Left/Right – double-sided/8 outlets, add \$100 list
- ☐ Q Center – double-sided/12 outlets, add \$50 list
- ☐ T Left/Right – double-sided/12 outlets, add \$100 list

④ Cable Base Option:

- ☐ N None
- ☐ C Cable Base, add \$525 list

2) Wood finish color.

3) Base trim color.

4) Wood finish color – Cable Base

Note: \$35 upcharge (list) for Metallic trim color.

Planes Conference Tables – Two-Piece Tops – Interior Leg – Wood

Hexagon – Wood

No. of Legs	*Seating Capacity	Depth	Length	Number	1	2	3	4	(K) Edgeband Wood Group I	Group II	(M) Cascade Wood Group I	Group II	(U) Knife** Wood Group I	Group II
6	10	42"(1067mm)	126"(3200mm)	TARX-42C6-W	■	■	■	JG4	\$2829	\$2914	\$3308	\$3393	\$3713	\$3798
6	10		132"(3353mm)	TARX-42D2-W	■	■	■	JG4	2957	3046	3457	3546	3880	3969
6	10		138"(3505mm)	TARX-42D8-W	■	■	■	JG4	3083	3176	3605	3698	4046	4139
6	10		144"(3658mm)	TARX-42E4-W	■	■	■	JG4	3211	3307	3754	3850	4214	4310
10	10		150"(3810mm)	TARX-42F0-W	■	■	■	JG4	3338	3438	3903	4003	4381	4481
10	10		156"(3962mm)	TARX-42F6-W	■	■	■	JG4	3465	3569	4051	4155	4547	4651
10	10		162"(4115mm)	TARX-42G2-W	■	■	■	JG4	3592	3700	4200	4308	4714	4822
10	10		168"(4267mm)	TARX-42G8-W	■	■	■	JG4	3719	3831	4348	4460	4880	4992
10	12		174"(4420mm)	TARX-42H4-W	■	■	■	JG4	3846	3961	4497	4612	5048	5163
10	12		180"(4572mm)	TARX-42J0-W	■	■	■	JG4	3973	4092	4645	4764	5214	5333
6	10	48"(1219mm)	126"(3200mm)	TARX-48C6-W	■	■	■	JG4	\$3211	\$3307	\$3754	\$3850	\$4214	\$4310
6	10		132"(3353mm)	TARX-48D2-W	■	■	■	JG4	3356	3457	3924	4025	4405	4506
6	10		138"(3505mm)	TARX-48D8-W	■	■	■	JG4	3501	3606	4093	4198	4594	4699
6	10		144"(3658mm)	TARX-48E4-W	■	■	■	JG4	3646	3755	4263	4372	4785	4894
10	10		150"(3810mm)	TARX-48F0-W	■	■	■	JG4	3792	3906	4434	4548	4976	5090
10	10		156"(3962mm)	TARX-48F6-W	■	■	■	JG4	3936	4054	4603	4721	5166	5284
10	10		162"(4115mm)	TARX-48G2-W	■	■	■	JG4	4082	4204	4773	4895	5357	5479
10	10		168"(4267mm)	TARX-48G8-W	■	■	■	JG4	4228	4355	4943	5070	5548	5675
10	12		174"(4420mm)	TARX-48H4-W	■	■	■	JG4	4372	4503	5112	5243	5738	5869
10	12		180"(4572mm)	TARX-48J0-W	■	■	■	JG4	4518	4654	5282	5418	5929	6065
6	10	54"(1372mm)	126"(3200mm)	TARX-54C6-W	■	■	■	JG4	\$3592	\$3700	\$4200	\$4308	\$4714	\$4822
6	10		132"(3353mm)	TARX-54D2-W	■	■	■	JG4	3755	3868	4390	4503	4928	5041
6	10		138"(3505mm)	TARX-54D8-W	■	■	■	JG4	3918	4036	4582	4700	5143	5261
6	10		144"(3658mm)	TARX-54E4-W	■	■	■	JG4	4082	4204	4773	4895	5357	5479
10	10		150"(3810mm)	TARX-54F0-W	■	■	■	JG4	4246	4373	4964	5091	5572	5699
10	10		156"(3962mm)	TARX-54F6-W	■	■	■	JG4	4408	4540	5154	5286	5786	5918
10	10		162"(4115mm)	TARX-54G2-W	■	■	■	JG4	4572	4709	5346	5483	6000	6137
10	10		168"(4267mm)	TARX-54G8-W	■	■	■	JG4	4735	4877	5537	5679	6689	6831
10	12		174"(4420mm)	TARX-54H4-W	■	■	■	JG4	4898	5045	5727	5874	6429	6576
10	12		180"(4572mm)	TARX-54J0-W	■	■	■	JG4	5062	5214	5918	6070	6643	6795
6	10	60"(1524mm)	126"(3200mm)	TARX-60C6-W	■	■	■	JG4	\$3973	\$4092	\$4645	\$4764	\$5214	\$5333
6	10		132"(3353mm)	TARX-60D2-W	■	■	■	JG4	4154	4279	4857	4982	5452	5577
6	10		138"(3505mm)	TARX-60D8-W	■	■	■	JG4	4336	4466	5070	5200	5691	5821
6	10		144"(3658mm)	TARX-60E4-W	■	■	■	JG4	4518	4654	5282	5418	5929	6065
10	10		150"(3810mm)	TARX-60F0-W	■	■	■	JG4	4699	4840	5495	5636	6167	6308
10	10		156"(3962mm)	TARX-60F6-W	■	■	■	JG4	4880	5026	5706	5852	6405	6551
10	10		162"(4115mm)	TARX-60G2-W	■	■	■	JG4	5062	5214	5918	6070	6643	6795
10	10		168"(4267mm)	TARX-60G8-W	■	■	■	JG4	5243	5400	6131	6288	6882	7039
10	12		174"(4420mm)	TARX-60H4-W	■	■	■	JG4	5425	5588	6343	6506	7120	7283
10	12		180"(4572mm)	TARX-60J0-W	■	■	■	JG4	5607	5775	6556	6724	7358	7526

*Recommended seating capacity based upon 27"(686mm) per chair.

**Knife edge must be specified with green core.

Planes Conference Tables – Three-Piece Tops – Interior Leg – Laminate

Rectangular – Laminate



TARA

Features

- Includes 1 3/16”(30mm) thick tops, interior leg bases and hardware.
- Standard table height is 29”(737mm).
- Laminate top with 3mm edgeband or cascade edges.
- Table top seams are 1mm edgeband.
- Top available in standard or green core option.
- Interior legs are painted aluminum.
- Interior leg is 1 1/8”(29mm) x 3 1/4”(83mm).
- Optional cable bases are available:
 - 42”(1067mm) deep and deeper tables will ship with 14”(356mm) x 14”(356mm) cable bases.
 - Three piece tops will include two cable bases to be centered on seams.
 - Cable base and table top(s) are laminate and can be specified in different surface colors and edge trim colors.
 - Refer to Specification Guide for use guidelines.
- Optional Flip top unit electrical modules are separately specified. Refer to electrical components for appropriate product specification.
- Available with glides only; 1/2”(13mm) height adjustment.
- Ships unassembled.

Specification Tips

- Tables with multiple-piece tops have equal sized pieces.
- The following Planes products are separately specified:
 - Grommets (field cut opening)
 - Flip top unit electrical modules
 - Horizontal wire management
- Refer to Specification Guide for seating capacities with Cable Base Option and leg locations.

*Multiple piece tops with Cascade edge option will require an additional specification for the 1mm edgeband seam.

To Order, Specify:

1) Product number, including:

1 Edge Option:

- J Edgeband
- V Cascade*

2 Core Option:

- S Standard
- G Green, add \$300 list

3 Flip Top Unit Cutout(s):

- N None
- F Center – single-sided/4 outlets, add \$75 list
- V Left/Right – single-sided/4 outlets, add \$150 list
- J Center – single-sided/6 outlets, add \$75 list
- K Left/Right – single-sided/6 outlets, add \$150 list
- M Center – double-sided/8 outlets, add \$75 list
- P Left/Right – double-sided/8 outlets, add \$150 list
- Q Center – double-sided/12 outlets, add \$75 list
- T Left/Right – double-sided/12 outlets, add \$150 list

4 Cable Base Option:

- N None
- C Cable Bases (2), add \$1050 list

- 2) Laminate surface color.
- 3) 1mm edgeband trim color.
(Cascade edge/multiple-tops only)*
- 4) Edge trim color.
- 5) Base trim color.
- 6) Laminate surface – Cable Bases
- 7) Edge trim color – Cable Bases

Note: \$35 upcharge (list) for Metallic trim color.

Planes Conference Tables – Three-Piece Tops – Interior Leg – Laminate


Rectangular – Laminate

No. of Legs	*Seating Capacity	Depth	Length	Number	①	②	③	④	(J) Edgeband Price	(V) Cascade Price
8	14	42" (1067mm)	186" (4724mm)	TARA-42J6-L	■	■	■	JG4 ■	\$2683	\$2776
8	14		192" (4877mm)	TARA-42K2-L	■	■	■	JG4 ■	2767	2862
8	14		198" (5029mm)	TARA-42K8-L	■	■	■	JG4 ■	2849	2948
14	14		204" (5182mm)	TARA-42L4-L	■	■	■	JG4 ■	2933	3034
14	14		210" (5334mm)	TARA-42M0-L	■	■	■	JG4 ■	3016	3120
14	14		216" (5486mm)	TARA-42M6-L	■	■	■	JG4 ■	3099	3206
14	16		222" (5639mm)	TARA-42N2-L	■	■	■	JG4 ■	3182	3291
14	16		228" (5791mm)	TARA-42N8-L	■	■	■	JG4 ■	3265	3378
14	16		234" (5944mm)	TARA-42P4-L	■	■	■	JG4 ■	3348	3463
14	16		240" (6096mm)	TARA-42Q0-L	■	■	■	JG4 ■	3432	3550
14	16		246" (6248mm)	TARA-42Q6-L	■	■	■	JG4 ■	3515	3636
14	16		252" (6401mm)	TARA-42R2-L	■	■	■	JG4 ■	3598	3722
14	18		258" (6553mm)	TARA-42R8-L	■	■	■	JG4 ■	3681	3808
14	18		264" (6706mm)	TARA-42S4-L	■	■	■	JG4 ■	3764	3894
14	20		270" (6858mm)	TARA-42T0-L	■	■	■	JG4 ■	3847	3980
8	14	48" (1219mm)	186" (4724mm)	TARA-48J6-L	■	■	■	JG4 ■	\$3051	\$3156
8	14		192" (4877mm)	TARA-48K2-L	■	■	■	JG4 ■	3146	3255
8	14		198" (5029mm)	TARA-48K8-L	■	■	■	JG4 ■	3242	3354
14	14		204" (5182mm)	TARA-48L4-L	■	■	■	JG4 ■	3336	3451
14	14		210" (5334mm)	TARA-48M0-L	■	■	■	JG4 ■	3432	3550
14	14		216" (5486mm)	TARA-48M6-L	■	■	■	JG4 ■	3527	3649
14	16		222" (5639mm)	TARA-48N2-L	■	■	■	JG4 ■	3621	3746
14	16		228" (5791mm)	TARA-48N8-L	■	■	■	JG4 ■	3717	3845
14	16		234" (5944mm)	TARA-48P4-L	■	■	■	JG4 ■	3812	3944
14	16		240" (6096mm)	TARA-48Q0-L	■	■	■	JG4 ■	3906	4041
14	16		246" (6248mm)	TARA-48Q6-L	■	■	■	JG4 ■	4002	4140
14	16		252" (6401mm)	TARA-48R2-L	■	■	■	JG4 ■	4096	4238
14	18		258" (6553mm)	TARA-48R8-L	■	■	■	JG4 ■	4192	4336
14	18		264" (6706mm)	TARA-48S4-L	■	■	■	JG4 ■	4287	4435
14	20		270" (6858mm)	TARA-48T0-L	■	■	■	JG4 ■	4381	4533
8	14	54" (1372mm)	186" (4724mm)	TARA-54J6-L	■	■	■	JG4 ■	\$3420	\$3538
8	14		192" (4877mm)	TARA-54K2-L	■	■	■	JG4 ■	3527	3649
8	14		198" (5029mm)	TARA-54K8-L	■	■	■	JG4 ■	3633	3758
14	14		204" (5182mm)	TARA-54L4-L	■	■	■	JG4 ■	3740	3869
14	14		210" (5334mm)	TARA-54M0-L	■	■	■	JG4 ■	3847	3980
14	14		216" (5486mm)	TARA-54M6-L	■	■	■	JG4 ■	3955	4091
14	16		222" (5639mm)	TARA-54N2-L	■	■	■	JG4 ■	4061	4201
14	16		228" (5791mm)	TARA-54N8-L	■	■	■	JG4 ■	4168	4312
14	16		234" (5944mm)	TARA-54P4-L	■	■	■	JG4 ■	4275	4423
14	16		240" (6096mm)	TARA-54Q0-L	■	■	■	JG4 ■	4381	4533
14	16		246" (6248mm)	TARA-54Q6-L	■	■	■	JG4 ■	4489	4643
14	16		252" (6401mm)	TARA-54R2-L	■	■	■	JG4 ■	4596	4754
14	18		258" (6553mm)	TARA-54R8-L	■	■	■	JG4 ■	4703	4865
14	18		264" (6706mm)	TARA-54S4-L	■	■	■	JG4 ■	4809	4975
14	20		270" (6858mm)	TARA-54T0-L	■	■	■	JG4 ■	4916	5086
8	14	60" (1524mm)	186" (4724mm)	TARA-60J6-L	■	■	■	JG4 ■	\$3787	\$3918
8	14		192" (4877mm)	TARA-60K2-L	■	■	■	JG4 ■	3906	4041
8	14		198" (5029mm)	TARA-60K8-L	■	■	■	JG4 ■	4025	4164
14	14		204" (5182mm)	TARA-60L4-L	■	■	■	JG4 ■	4144	4287
14	14		210" (5334mm)	TARA-60M0-L	■	■	■	JG4 ■	4263	4410
14	14		216" (5486mm)	TARA-60M6-L	■	■	■	JG4 ■	4381	4533
14	16		222" (5639mm)	TARA-60N2-L	■	■	■	JG4 ■	4500	4656
14	16		228" (5791mm)	TARA-60N8-L	■	■	■	JG4 ■	4619	4779
14	16		234" (5944mm)	TARA-60P4-L	■	■	■	JG4 ■	4738	4902
14	16		240" (6096mm)	TARA-60Q0-L	■	■	■	JG4 ■	4857	5025
14	16		246" (6248mm)	TARA-60Q6-L	■	■	■	JG4 ■	4975	5147
14	16		252" (6401mm)	TARA-60R2-L	■	■	■	JG4 ■	5094	5270
14	18		258" (6553mm)	TARA-60R8-L	■	■	■	JG4 ■	5213	5393
14	18		264" (6706mm)	TARA-60S4-L	■	■	■	JG4 ■	5332	5516
14	20		270" (6858mm)	TARA-60T0-L	■	■	■	JG4 ■	5451	5639

*Recommended seating capacity based upon 27" (686mm) per chair.

Planes Conference Tables – Three-Piece Tops – Interior Leg – Laminate

Pebble – Laminate



TARP

Features

- Includes 1 3/16" (30mm) thick tops, interior leg bases and hardware.
- Standard table height is 29" (737mm).
- Laminate top with 3mm edgeband or cascade edges.
- Table top seams are 1mm edgeband.
- Top available in standard or green core option.
- Interior legs are painted aluminum.
- Interior leg is 1 1/8" (29mm) x 3 1/4" (83mm).
- Optional cable bases are available :
 - 42" (1067mm) deep and deeper tables will ship with 14" (356mm) x 14" (356mm) cable bases.
 - Three piece tops will include two cable bases to be centered on seams.
 - Cable base and table top(s) are laminate and can be specified in different surface colors and edge trim colors.
 - Refer to Specification Guide for use guidelines.
- Optional Flip top unit electrical modules are separately specified. Refer to electrical components for appropriate product specification.
- Available with glides only; 1/2" (13mm) height adjustment.
- Ships unassembled.

Specification Tips

- Tables with multiple-piece tops have equal sized pieces.
- The following Planes products are separately specified:
 - Grommets (field cut opening)
 - Flip top unit electrical modules
 - Horizontal wire management
- Refer to Specification Guide for seating capacities with Cable Base Option and leg locations.

*Multiple piece tops with Cascade edge option will require an additional specification for the 1mm edgeband seam.

To Order, Specify:

1) Product number, including:

① Edge Option:

- ☐ J Edgeband
- ☐ V Cascade*

② Core Option:

- ☐ S Standard
- ☐ G Green, add \$300 list

③ Flip Top Unit Cutout(s):

- ☐ N None
- ☐ F Center – single-sided/4 outlets, add \$75 list
- ☐ V Left/Right – single-sided/4 outlets, add \$150 list
- ☐ J Center – single-sided/6 outlets, add \$75 list
- ☐ K Left/Right – single-sided/6 outlets, add \$150 list
- ☐ M Center – double-sided/8 outlets, add \$75 list
- ☐ P Left/Right – double-sided/8 outlets, add \$150 list
- ☐ Q Center – double-sided/12 outlets, add \$75 list
- ☐ T Left/Right – double-sided/12 outlets, add \$150 list

④ Cable Base Option:

- ☐ N None
- ☐ C Cable Bases(2), add \$1050 list

- 2) Laminate surface color.
- 3) 1mm edgeband trim color.
(Cascade edge/multiple-tops only)*
- 4) Edge trim color.
- 5) Base trim color.
- 6) Laminate surface – Cable Bases
- 7) Edge trim color – Cable Bases

Note: \$35 upcharge (list) for Metallic trim color.

Planes Conference Tables – Three-Piece Tops – Interior Leg – Laminate

Pebble – Laminate

No. of Legs	*Seating Capacity	Depth	Length	Number	①	②	③	④	(J) Edgeband Price	(V) Cascade Price
8	14	42" (1067mm)	186" (4724mm)	TARP-42J6-L	■	■	■	JG4 ■	\$2683	\$2776
8	14		192" (4877mm)	TARP-42K2-L	■	■	■	JG4 ■	2767	2862
8	14		198" (5029mm)	TARP-42K8-L	■	■	■	JG4 ■	2849	2948
10	14		204" (5182mm)	TARP-42L4-L	■	■	■	JG4 ■	2933	3034
10	14		210" (5334mm)	TARP-42M0-L	■	■	■	JG4 ■	3016	3120
10	14		216" (5486mm)	TARP-42M6-L	■	■	■	JG4 ■	3099	3206
14	14		222" (5639mm)	TARP-42N2-L	■	■	■	JG4 ■	3182	3291
14	14		228" (5791mm)	TARP-42N8-L	■	■	■	JG4 ■	3265	3378
14	14		234" (5944mm)	TARP-42P4-L	■	■	■	JG4 ■	3348	3463
14	14		240" (6096mm)	TARP-42Q0-L	■	■	■	JG4 ■	3432	3550
14	14		246" (6248mm)	TARP-42Q6-L	■	■	■	JG4 ■	3515	3636
14	14		252" (6401mm)	TARP-42R2-L	■	■	■	JG4 ■	3598	3722
14	14		258" (6553mm)	TARP-42R8-L	■	■	■	JG4 ■	3681	3808
14	14		264" (6706mm)	TARP-42S4-L	■	■	■	JG4 ■	3764	3894
14	16		270" (6858mm)	TARP-42T0-L	■	■	■	JG4 ■	3847	3980
8	14	48" (1219mm)	186" (4724mm)	TARP-48J6-L	■	■	■	JG4 ■	\$3051	\$3156
8	14		192" (4877mm)	TARP-48K2-L	■	■	■	JG4 ■	3146	3255
8	14		198" (5029mm)	TARP-48K8-L	■	■	■	JG4 ■	3242	3354
8	14		204" (5182mm)	TARP-48L4-L	■	■	■	JG4 ■	3336	3451
8	14		210" (5334mm)	TARP-48M0-L	■	■	■	JG4 ■	3432	3550
8	14		216" (5486mm)	TARP-48M6-L	■	■	■	JG4 ■	3527	3649
14	14		222" (5639mm)	TARP-48N2-L	■	■	■	144 ■	3621	3746
14	14		228" (5791mm)	TARP-48N8-L	■	■	■	JG4 ■	3717	3845
14	14		234" (5944mm)	TARP-48P4-L	■	■	■	JG4 ■	3812	3944
14	14		240" (6096mm)	TARP-48Q0-L	■	■	■	JG4 ■	3906	4041
14	14		246" (6248mm)	TARP-48Q6-L	■	■	■	JG4 ■	4002	4140
14	14		252" (6401mm)	TARP-48R2-L	■	■	■	JG4 ■	4096	4238
14	14		258" (6553mm)	TARP-48R8-L	■	■	■	JG4 ■	4192	4336
14	14		264" (6706mm)	TARP-48S4-L	■	■	■	JG4 ■	4287	4435
14	16		270" (6858mm)	TARP-48T0-L	■	■	■	JG4 ■	4381	4533
8	14	54" (1372mm)	186" (4724mm)	TARP-54J6-L	■	■	■	JG4 ■	\$3420	\$3538
8	14		192" (4877mm)	TARP-54K2-L	■	■	■	JG4 ■	3527	3649
8	14		198" (5029mm)	TARP-54K8-L	■	■	■	JG4 ■	3633	3758
8	14		204" (5182mm)	TARP-54L4-L	■	■	■	JG4 ■	3740	3869
8	14		210" (5334mm)	TARP-54M0-L	■	■	■	JG4 ■	3847	3980
8	14		216" (5486mm)	TARP-54M6-L	■	■	■	JG4 ■	3955	4091
14	14		222" (5639mm)	TARP-54N2-L	■	■	■	JG4 ■	4061	4201
14	14		228" (5791mm)	TARP-54N8-L	■	■	■	JG4 ■	4168	4312
14	14		234" (5944mm)	TARP-54P4-L	■	■	■	JG4 ■	4275	4423
14	14		240" (6096mm)	TARP-54Q0-L	■	■	■	JG4 ■	4381	4533
14	14		246" (6248mm)	TARP-54Q6-L	■	■	■	JG4 ■	4489	4643
14	14		252" (6401mm)	TARP-54R2-L	■	■	■	JG4 ■	4596	4754
14	14		258" (6553mm)	TARP-54R8-L	■	■	■	JG4 ■	4703	4865
14	14		264" (6706mm)	TARP-54S4-L	■	■	■	JG4 ■	4809	4975
14	16		270" (6858mm)	TARP-54T0-L	■	■	■	JG4 ■	4916	5086
8	14	60" (1524mm)	186" (4724mm)	TARP-60J6-L	■	■	■	JG4 ■	\$3787	\$3918
8	14		192" (4877mm)	TARP-60K2-L	■	■	■	JG4 ■	3906	4041
8	14		198" (5029mm)	TARP-60K8-L	■	■	■	JG4 ■	4025	4164
8	14		204" (5182mm)	TARP-60L4-L	■	■	■	JG4 ■	4144	4287
8	14		210" (5334mm)	TARP-60M0-L	■	■	■	JG4 ■	4263	4410
8	14		216" (5486mm)	TARP-60M6-L	■	■	■	JG4 ■	4381	4533
14	14		222" (5639mm)	TARP-60N2-L	■	■	■	JG4 ■	4500	4656
14	14		228" (5791mm)	TARP-60N8-L	■	■	■	JG4 ■	4619	4779
14	14		234" (5944mm)	TARP-60P4-L	■	■	■	JG4 ■	4738	4902
14	14		240" (6096mm)	TARP-60Q0-L	■	■	■	JG4 ■	4857	5025
14	14		246" (6248mm)	TARP-60Q6-L	■	■	■	JG4 ■	4975	5147
14	14		252" (6401mm)	TARP-60R2-L	■	■	■	JG4 ■	5094	5270
14	14		258" (6553mm)	TARP-60R8-L	■	■	■	JG4 ■	5213	5393
14	14		264" (6706mm)	TARP-60S4-L	■	■	■	JG4 ■	5332	5516
14	16		270" (6858mm)	TARP-60T0-L	■	■	■	JG4 ■	5451	5639

*Recommended seating capacity based upon 27" (686mm) per chair.

Planes Conference Tables – Three-Piece Tops – Interior Leg – Laminate

Hexagon – Laminate



TARX

Features

- Includes 1 3/16”(30mm) thick top, interior leg bases and hardware.
- Standard table height is 29”(737mm).
- Laminate top with 3mm edgeband or cascade edges.
- Table top seams are 1mm edgeband.
- Top available in standard or green core option.
- Interior legs are painted aluminum.
- Interior leg is 1 1/8”(29mm) x 3 1/4”(83mm).
- Optional cable bases are available :
 - 42”(1067mm) deep and deeper tables will ship with 14”(356mm) x 14”(356mm) cable bases.
 - Three piece tops will include two cable bases to be centered on seams.
 - Cable base and table top(s) are laminate and can be specified in different surface colors and edge trim colors.
 - Refer to Specification Guide for use guidelines.
- Optional Flip top unit electrical modules are separately specified. Refer to electrical components for appropriate product specification.
- Available with glides only; 1/2”(13mm) height adjustment.
- Ships unassembled.

Specification Tips

- Tables with multiple-piece tops have equal sized pieces.
- The following Planes products are separately specified:
 - Grommets (field cut opening)
 - Flip top unit electrical modules
 - Horizontal wire management
- Refer to Specification Guide for seating capacities with Cable Base Option and leg locations.

*Multiple piece tops with Cascade edge option will require an additional specification for the 1mm edgeband seam.

To Order, Specify:

1) Product number, including:

1 Edge Option:

- J Edgeband
- V Cascade*

2 Core Option:

- S Standard
- G Green, add \$300 list

3 Flip Top Unit Cutout(s):

- N None
- F Center – single-sided/4 outlets, add \$75 list
- V Left/Right – single-sided/4 outlets, add \$150 list
- J Center – single-sided/6 outlets, add \$75 list
- K Left/Right – single-sided/6 outlets, add \$150 list
- M Center – double-sided/8 outlets, add \$75 list
- P Left/Right – double-sided/8 outlets, add \$150 list
- Q Center – double-sided/12 outlets, add \$75 list
- T Left/Right – double-sided/12 outlets, add \$150 list

4 Cable Base Option:

- N None
- C Cable Bases(2), add \$1050 list

- 2) Laminate surface color.
- 3) 1mm edgeband trim color. (Cascade edge/multiple-tops only)*
- 4) Edge trim color.
- 5) Base trim color.
- 6) Laminate surface – Cable Bases
- 7) Edge trim color – Cable Bases

Note: \$35 upcharge (list) for Metallic trim color.

Planes Conference Tables – Three-Piece Tops – Interior Leg – Laminate

Hexagon – Laminate

No. of Legs	*Seating Capacity	Depth	Length	Number	①	②	③	④	(J) Edgeband Price	(V) Cascade Price
8	14	42" (1067mm)	186" (4724mm)	TARX-42J6-L	■	■	■	JG4 ■	\$2683	\$2776
8	14		192" (4877mm)	TARX-42K2-L	■	■	■	JG4 ■	2767	2862
8	14		198" (5029mm)	TARX-42K8-L	■	■	■	JG4 ■	2849	2948
10	14		204" (5182mm)	TARX-42L4-L	■	■	■	JG4 ■	2933	3034
10	14		210" (5334mm)	TARX-42M0-L	■	■	■	JG4 ■	3016	3120
10	14		216" (5486mm)	TARX-42M6-L	■	■	■	JG4 ■	3099	3206
14	14		222" (5639mm)	TARX-42N2-L	■	■	■	JG4 ■	3182	3291
14	14		228" (5791mm)	TARX-42N8-L	■	■	■	JG4 ■	3265	3378
14	14		234" (5944mm)	TARX-42P4-L	■	■	■	JG4 ■	3348	3463
14	14		240" (6096mm)	TARX-42Q0-L	■	■	■	JG4 ■	3432	3550
14	14		246" (6248mm)	TARX-42Q6-L	■	■	■	JG4 ■	3515	3636
14	14		252" (6401mm)	TARX-42R2-L	■	■	■	JG4 ■	3598	3722
14	14		258" (6553mm)	TARX-42R8-L	■	■	■	JG4 ■	3681	3808
14	14		264" (6706mm)	TARX-42S4-L	■	■	■	JG4 ■	3764	3894
14	16		270" (6858mm)	TARX-42T0-L	■	■	■	JG4 ■	3847	3980
8	14	48" (1219mm)	186" (4724mm)	TARX-48J6-L	■	■	■	JG4 ■	\$3051	\$3156
8	14		192" (4877mm)	TARX-48K2-L	■	■	■	JG4 ■	3146	3255
8	14		198" (5029mm)	TARX-48K8-L	■	■	■	JG4 ■	3242	3354
8	14		204" (5182mm)	TARX-48L4-L	■	■	■	JG4 ■	3336	3451
8	14		210" (5334mm)	TARX-48M0-L	■	■	■	JG4 ■	3432	3550
8	14		216" (5486mm)	TARX-48M6-L	■	■	■	JG4 ■	3527	3649
14	14		222" (5639mm)	TARX-48N2-L	■	■	■	JG4 ■	3621	3746
14	14		228" (5791mm)	TARX-48N8-L	■	■	■	JG4 ■	3717	3845
14	14		234" (5944mm)	TARX-48P4-L	■	■	■	JG4 ■	3812	3944
14	14		240" (6096mm)	TARX-48Q0-L	■	■	■	JG4 ■	3906	4041
14	14		246" (6248mm)	TARX-48Q6-L	■	■	■	JG4 ■	4002	4140
14	14		252" (6401mm)	TARX-48R2-L	■	■	■	JG4 ■	4096	4238
14	14		258" (6553mm)	TARX-48R8-L	■	■	■	JG4 ■	4192	4336
14	14		264" (6706mm)	TARX-48S4-L	■	■	■	JG4 ■	4287	4435
14	16		270" (6858mm)	TARX-48T0-L	■	■	■	JG4 ■	4381	4533
8	14	54" (1372mm)	186" (4724mm)	TARX-54J6-L	■	■	■	JG4 ■	\$3420	\$3538
8	14		192" (4877mm)	TARX-54K2-L	■	■	■	JG4 ■	3527	3649
8	14		198" (5029mm)	TARX-54K8-L	■	■	■	JG4 ■	3633	3758
8	14		204" (5182mm)	TARX-54L4-L	■	■	■	JG4 ■	3740	3869
8	14		210" (5334mm)	TARX-54M0-L	■	■	■	JG4 ■	3847	3980
8	14		216" (5486mm)	TARX-54M6-L	■	■	■	JG4 ■	3955	4091
14	14		222" (5639mm)	TARX-54N2-L	■	■	■	JG4 ■	4061	4201
14	14		228" (5791mm)	TARX-54N8-L	■	■	■	JG4 ■	4168	4312
14	14		234" (5944mm)	TARX-54P4-L	■	■	■	JG4 ■	4275	4423
14	14		240" (6096mm)	TARX-54Q0-L	■	■	■	JG4 ■	4381	4533
14	14		246" (6248mm)	TARX-54Q6-L	■	■	■	JG4 ■	4489	4643
14	14		252" (6401mm)	TARX-54R2-L	■	■	■	JG4 ■	4596	4754
14	14		258" (6553mm)	TARX-54R8-L	■	■	■	JG4 ■	4703	4865
14	14		264" (6706mm)	TARX-54S4-L	■	■	■	JG4 ■	4809	4975
14	16		270" (6858mm)	TARX-54T0-L	■	■	■	JG4 ■	4916	5086
8	14	60" (1524mm)	186" (4724mm)	TARX-60J6-L	■	■	■	JG4 ■	\$3787	\$3918
8	14		192" (4877mm)	TARX-60K2-L	■	■	■	JG4 ■	3906	4041
8	14		198" (5029mm)	TARX-60K8-L	■	■	■	JG4 ■	4025	4164
8	14		204" (5182mm)	TARX-60L4-L	■	■	■	JG4 ■	4144	4287
8	14		210" (5334mm)	TARX-60M0-L	■	■	■	JG4 ■	4263	4410
8	14		216" (5486mm)	TARX-60M6-L	■	■	■	JG4 ■	4381	4533
14	14		222" (5639mm)	TARX-60N2-L	■	■	■	JG4 ■	4500	4656
14	14		228" (5791mm)	TARX-60N8-L	■	■	■	JG4 ■	4619	4779
14	14		234" (5944mm)	TARX-60P4-L	■	■	■	JG4 ■	4738	4902
14	14		240" (6096mm)	TARX-60Q0-L	■	■	■	JG4 ■	4857	5025
14	14		246" (6248mm)	TARX-60Q6-L	■	■	■	JG4 ■	4975	5147
14	14		252" (6401mm)	TARX-60R2-L	■	■	■	JG4 ■	5094	5270
14	14		258" (6553mm)	TARX-60R8-L	■	■	■	JG4 ■	5213	5393
14	14		264" (6706mm)	TARX-60S4-L	■	■	■	JG4 ■	5332	5516
14	16		270" (6858mm)	TARX-60T0-L	■	■	■	JG4 ■	5451	5639

*Recommended seating capacity based upon 27" (686mm) per chair.

Planes Conference Tables – Three-Piece Tops – Interior Leg – Wood

Rectangular – Wood



TARA

Features

- Includes 1 3/16”(30mm) thick tops, interior leg bases and hardware.
- Standard table height is 29”(737mm).
- Wood veneer top with 3mm wood edgeband, cascade or knife wood edge.
- Table top seams are 1mm edgeband.
- Top available in standard or green core option.
- Interior legs are painted aluminum.
- Interior leg is 1 1/8”(29mm) x 3 1/4”(83mm).
- Optional cable bases are available :
 - 42”(1067mm) deep and deeper tables will ship with 14”(356mm) x 14”(356mm) cable bases.
 - Three piece tops will include two cable bases to be centered on seams.
 - Cable base and table top(s) are wood veneer and can be specified in different surface colors and edge trim colors.
 - Refer to Specification Guide for use guidelines.
- Optional Flip top unit electrical modules are separately specified. Refer to electrical components for appropriate product specification.
- Available with glides only; 1/2”(13mm) height adjustment.
- Ships unassembled.

Specification Tips

- Tables with multiple-piece tops have equal sized pieces.
- The following Planes products are separately specified:
 - Grommets (field cut opening)
 - Flip top unit electrical modules
 - Horizontal wire management
- Refer to Specification Guide for seating capacities with Cable Base Option and leg locations.

**Knife edge must be specified with green core.

To Order, Specify:

1) Product number, including:

1 Wood Edge Option:

- ☐ K Edgeband
- ☐ M Cascade
- ☐ U Knife**

2 Core Option:

- ☐ S Standard
- ☐ G Green, add \$300 list

3 Flip Top Unit Cutout(s):

- ☐ N None
- ☐ F Center – single-sided/4 outlets, add \$75 list
- ☐ V Left/Right – single-sided/4 outlets, add \$150 list
- ☐ J Center – single-sided/6 outlets, add \$75 list
- ☐ K Left/Right – single-sided/6 outlets, add \$150 list
- ☐ M Center – double-sided/8 outlets, add \$75 list
- ☐ P Left/Right – double-sided/8 outlets, add \$150 list
- ☐ Q Center – double-sided/12 outlets, add \$75 list
- ☐ T Left/Right – double-sided/12 outlets, add \$150 list

4 Cable Base Option:

- ☐ N None
- ☐ C Cable Bases(2), add \$1050 list

2) Wood finish color.

3) Base trim color.

4) Wood finish color – Cable Bases

Note: \$35 upcharge (list) for Metallic trim color.

Planes Conference Tables – Three-Piece Tops – Interior Leg – Wood

Rectangular – Wood

No. of Legs	*Seating Capacity	Depth	Length	Number					(K) Edgeband Wood Group I	Group II	(M) Cascade Wood Group I	Group II	(U) Knife** Wood Group I	Group II
					①	②	③	④						
8	14	42"(1067mm)	186"(4724mm)	TARA-42J6-W	■	■	■	JG4	\$4100	\$4223	\$4794	\$4917	\$ 5381	\$ 5504
8	14		192"(4877mm)	TARA-42K2-W	■	■	■	JG4	4228	4355	4943	5070	5548	5675
8	14		198"(5029mm)	TARA-42K8-W	■	■	■	JG4	4354	4485	5091	5222	5714	5845
14	14		204"(5182mm)	TARA-42L4-W	■	■	■	JG4	4481	4615	5240	5374	5882	6016
14	14		210"(5334mm)	TARA-42M0-W	■	■	■	JG4	4608	4746	5388	5526	6048	6186
14	14		216"(5486mm)	TARA-42M6-W	■	■	■	JG4	4735	4877	5537	5679	6215	6357
14	16		222"(5639mm)	TARA-42N2-W	■	■	■	JG4	4862	5008	5685	5831	6381	6527
14	16		228"(5791mm)	TARA-42N8-W	■	■	■	JG4	4989	5139	5834	5984	6548	6698
14	16		234"(5944mm)	TARA-42P4-W	■	■	■	JG4	5116	5269	5982	6135	6714	6867
14	16		240"(6096mm)	TARA-42Q0-W	■	■	■	JG4	5243	5400	6131	6288	6882	7039
14	16		246"(6248mm)	TARA-42Q6-W	■	■	■	JG4	5371	5532	6280	6441	7049	7210
14	16		252"(6401mm)	TARA-42R2-W	■	■	■	JG4	5497	5662	6428	6593	7215	7380
14	18		258"(6553mm)	TARA-42R8-W	■	■	■	JG4	5625	5794	6577	6746	7382	7551
14	18		264"(6706mm)	TARA-42S4-W	■	■	■	JG4	5751	5924	6725	6898	7548	7721
14	20		270"(6858mm)	TARA-42T0-W	■	■	■	JG4	5879	6055	6874	7050	7716	7892
8	14	48"(1219mm)	186"(4724mm)	TARA-48J6-W	■	■	■	JG4	\$4662	\$4802	\$5451	\$5591	\$ 6119	\$ 6259
8	14		192"(4877mm)	TARA-48K2-W	■	■	■	JG4	4808	4952	5621	5765	6310	6454
8	14		198"(5029mm)	TARA-48K8-W	■	■	■	JG4	4953	5102	5792	5941	6501	6650
14	14		204"(5182mm)	TARA-48L4-W	■	■	■	JG4	5098	5251	5961	6114	6691	6844
14	14		210"(5334mm)	TARA-48M0-W	■	■	■	JG4	5243	5400	6131	6288	6882	7039
14	14		216"(5486mm)	TARA-48M6-W	■	■	■	JG4	5389	5551	6301	6463	7073	7235
14	16		222"(5639mm)	TARA-48N2-W	■	■	■	JG4	5534	5700	6470	6636	7262	7428
14	16		228"(5791mm)	TARA-48N8-W	■	■	■	JG4	5679	5849	6640	6810	7453	7623
14	16		234"(5944mm)	TARA-48P4-W	■	■	■	JG4	5825	6000	6810	6985	7644	7819
14	16		240"(6096mm)	TARA-48Q0-W	■	■	■	JG4	5969	6148	6980	7159	7834	8013
14	16		246"(6248mm)	TARA-48Q6-W	■	■	■	JG4	6115	6298	7150	7333	8025	8208
14	16		252"(6401mm)	TARA-48R2-W	■	■	■	JG4	6259	6447	7319	7507	8215	8403
14	18		258"(6553mm)	TARA-48R8-W	■	■	■	JG4	6405	6597	7489	7681	8406	8598
14	18		264"(6706mm)	TARA-48S4-W	■	■	■	JG4	6551	6748	7659	7856	8597	8794
14	20		270"(6858mm)	TARA-48T0-W	■	■	■	JG4	6695	6896	7828	8029	8787	8988
8	14	54"(1372mm)	186"(4724mm)	TARA-54J6-W	■	■	■	JG4	\$5225	\$5382	\$6110	\$6267	\$ 6858	\$ 7015
8	14		192"(4877mm)	TARA-54K2-W	■	■	■	JG4	5389	5551	6301	6463	7073	7235
8	14		198"(5029mm)	TARA-54K8-W	■	■	■	JG4	5552	5719	6491	6658	7286	7453
14	14		204"(5182mm)	TARA-54L4-W	■	■	■	JG4	5715	5886	6683	6854	7501	7672
14	14		210"(5334mm)	TARA-54M0-W	■	■	■	JG4	5879	6055	6874	7050	7716	7892
14	14		216"(5486mm)	TARA-54M6-W	■	■	■	JG4	6043	6224	7065	7246	7930	8111
14	16		222"(5639mm)	TARA-54N2-W	■	■	■	JG4	6205	6391	7255	7441	8144	8330
14	16		228"(5791mm)	TARA-54N8-W	■	■	■	JG4	6369	6560	7447	7638	8359	8550
14	16		234"(5944mm)	TARA-54P4-W	■	■	■	JG4	6532	6728	7638	7834	8573	8769
14	16		240"(6096mm)	TARA-54Q0-W	■	■	■	JG4	6695	6896	7828	8029	8787	8988
14	16		246"(6248mm)	TARA-54Q6-W	■	■	■	JG4	6859	7065	8020	8226	9002	9208
14	16		252"(6401mm)	TARA-54R2-W	■	■	■	JG4	7022	7233	8211	8422	9216	9427
14	18		258"(6553mm)	TARA-54R8-W	■	■	■	JG4	7186	7402	8402	8618	9431	9647
14	18		264"(6706mm)	TARA-54S4-W	■	■	■	JG4	7349	7569	8592	8812	9645	9865
14	20		270"(6858mm)	TARA-54T0-W	■	■	■	JG4	7512	7737	8784	9009	9859	10084
8	14	60"(1524mm)	186"(4724mm)	TARA-60J6-W	■	■	■	JG4	\$5788	\$5962	\$6767	\$6941	\$ 7596	\$ 7770
8	14		192"(4877mm)	TARA-60K2-W	■	■	■	JG4	5969	6148	6980	7159	7834	8013
8	14		198"(5029mm)	TARA-60K8-W	■	■	■	JG4	6151	6336	7192	7377	8073	8258
14	14		204"(5182mm)	TARA-60L4-W	■	■	■	JG4	6333	6523	7404	7594	8311	8501
14	14		210"(5334mm)	TARA-60M0-W	■	■	■	JG4	6514	6709	7617	7812	8550	8745
14	14		216"(5486mm)	TARA-60M6-W	■	■	■	JG4	6695	6896	7828	8029	8787	8988
14	16		222"(5639mm)	TARA-60N2-W	■	■	■	JG4	6877	7083	8041	8247	9025	9231
14	16		228"(5791mm)	TARA-60N8-W	■	■	■	JG4	7058	7270	8253	8465	9264	9476
14	16		234"(5944mm)	TARA-60P4-W	■	■	■	JG4	7240	7457	8466	8683	9502	9719
14	16		240"(6096mm)	TARA-60Q0-W	■	■	■	JG4	7422	7645	8678	8901	9741	9964
14	16		246"(6248mm)	TARA-60Q6-W	■	■	■	JG4	7603	7831	8889	9117	9978	10206
14	16		252"(6401mm)	TARA-60R2-W	■	■	■	JG4	7784	8018	9102	9336	10216	10450
14	18		258"(6553mm)	TARA-60R8-W	■	■	■	JG4	7966	8205	9314	9553	10455	10694
14	18		264"(6706mm)	TARA-60S4-W	■	■	■	JG4	8148	8392	9527	9771	10693	10937
14	20		270"(6858mm)	TARA-60T0-W	■	■	■	JG4	8329	8579	9739	9989	10932	11182

*Recommended seating capacity based upon 27"(686mm) per chair.

**Knife edge must be specified with green core.

Planes Conference Tables – Three-Piece Tops – Interior Leg – Wood

Pebble – Wood



TARP

Features

- Includes 1 3/16”(30mm) thick tops, interior leg bases and hardware.
- Standard table height is 29”(737mm).
- Wood veneer top with 3mm wood edgeband, cascade or knife wood edge.
- Table top seams are 1mm edgeband.
- Top available in standard or green core option.
- Interior legs are painted aluminum.
- Interior leg is 1 1/8”(29mm) x 3 1/4”(83mm).
- Optional cable bases are available :
 - 42”(1067mm) deep and deeper tables will ship with 14”(356mm) x 14”(356mm) cable bases.
 - Three piece tops will include two cable bases to be centered on seams.
 - Cable base and table top(s) are wood veneer and can be specified in different surface colors and edge trim colors.
 - Refer to Specification Guide for use guidelines.
- Optional Flip top unit electrical modules are separately specified. Refer to electrical components for appropriate product specification.
- Available with glides only; 1/2”(13mm) height adjustment.
- Ships unassembled.

Specification Tips

- Tables with multiple-piece tops have equal sized pieces.
- The following Planes products are separately specified:
 - Grommets (field cut opening)
 - Flip top unit electrical modules
 - Horizontal wire management
- Refer to Specification Guide for seating capacities with Cable Base Option and leg locations.

**Knife edge must be specified with green core.

To Order, Specify:

1) Product number, including:

① Wood Edge Option:

- ☐ K Edgeband
- ☐ M Cascade
- ☐ U Knife**

② Core Option:

- ☐ S Standard
- ☐ G Green, add \$300 list

③ Flip Top Unit Cutout(s):

- ☐ N None
- ☐ F Center – single-sided/4 outlets, add \$75 list
- ☐ V Left/Right – single-sided/4 outlets, add \$150 list
- ☐ J Center – single-sided/6 outlets, add \$75 list
- ☐ K Left/Right – single-sided/6 outlets, add \$150 list
- ☐ M Center – double-sided/8 outlets, add \$75 list
- ☐ P Left/Right – double-sided/8 outlets, add \$150 list
- ☐ Q Center – double-sided/12 outlets, add \$75 list
- ☐ T Left/Right – double-sided/12 outlets, add \$150 list

④ Cable Base Option:

- ☐ N None
- ☐ C Cable Bases(2), add \$1050 list

2) Wood finish color.

3) Base trim color.

4) Wood finish color – Cable Bases

Note: \$35 upcharge (list) for Metallic trim color.

Planes Conference Tables – Three-Piece Tops – Interior Leg – Wood

Pebble – Wood

No. of Legs	*Seating Capacity	Depth	Length	Number					(K) Edgeband Wood Group I	Group II	(M) Cascade Wood Group I	Group II	(U) Knife** Wood Group I	Group II
					①	②	③	④						
8	14	42"(1067mm)	186"(4724mm)	TARP-42J6-W			JG4		\$4100	\$4223	\$4794	\$4917	\$ 5381	\$ 5504
8	14		192"(4877mm)	TARP-42K2-W			JG4		4228	4355	4943	5070	5548	5675
8	14		198"(5029mm)	TARP-42K8-W			JG4		4354	4485	5091	5222	5714	5845
10	14		204"(5182mm)	TARP-42L4-W			JG4		4481	4615	5240	5374	5882	6016
10	14		210"(5334mm)	TARP-42M0-W			JG4		4608	4746	5388	5526	6048	6186
10	14		216"(5486mm)	TARP-42M6-W			JG4		4735	4877	5537	5679	6215	6357
14	14		222"(5639mm)	TARP-42N2-W			JG4		4862	5008	5685	5831	6381	6527
14	14		228"(5791mm)	TARP-42N8-W			JG4		4989	5139	5834	5984	6548	6698
14	14		234"(5944mm)	TARP-42P4-W			JG4		5116	5269	5982	6135	6714	6867
14	14		240"(6096mm)	TARP-42Q0-W			JG4		5243	5400	6131	6288	6882	7039
14	14		246"(6248mm)	TARP-42Q6-W			JG4		5371	5532	6280	6441	7049	7210
14	14		252"(6401mm)	TARP-42R2-W			JG4		5497	5662	6428	6593	7215	7380
14	14		258"(6553mm)	TARP-42R8-W			JG4		5625	5794	6577	6746	7382	7551
14	14		264"(6706mm)	TARP-42S4-W			JG4		5751	5924	6725	6898	7548	7721
14	16		270"(6858mm)	TARP-42T0-W			JG4		5879	6055	6874	7050	7716	7892
8	14	48"(1219mm)	186"(4724mm)	TARP-48J6-W			JG4		\$4662	\$4802	\$5451	\$5591	\$ 6119	\$ 6259
8	14		192"(4877mm)	TARP-48K2-W			JG4		4808	4987	5621	5800	6310	6489
8	14		198"(5029mm)	TARP-48K8-W			JG4		4953	5102	5792	5941	6501	6650
10	14		204"(5182mm)	TARP-48L4-W			JG4		5098	5251	5961	6114	6691	6844
10	14		210"(5334mm)	TARP-48M0-W			JG4		5243	5400	6131	6288	6882	7039
10	14		216"(5486mm)	TARP-48M6-W			JG4		5389	5551	6301	6463	7073	7235
14	14		222"(5639mm)	TARP-48N2-W			144		5534	5700	6470	6636	7262	7428
14	14		228"(5791mm)	TARP-48N8-W			JG4		5679	5849	6640	6810	7453	7623
14	14		234"(5944mm)	TARP-48P4-W			JG4		5825	6000	6810	6985	7644	7819
14	14		240"(6096mm)	TARP-48Q0-W			JG4		5969	6148	6980	7159	7834	8013
14	14		246"(6248mm)	TARP-48Q6-W			JG4		6115	6298	7150	7333	8025	8208
14	14		252"(6401mm)	TARP-48R2-W			JG4		6259	6447	7319	7507	8215	8403
14	14		258"(6553mm)	TARP-48R8-W			JG4		6405	6597	7489	7681	8406	8598
14	14		264"(6706mm)	TARP-48S4-W			JG4		6551	6748	7659	7856	8597	8794
14	16		270"(6858mm)	TARP-48T0-W			JG4		6695	6896	7828	8029	8787	8988
8	14	54"(1372mm)	186"(4724mm)	TARP-54J6-W			JG4		\$5225	\$5382	\$6110	\$6267	\$ 6858	\$ 7015
8	14		192"(4877mm)	TARP-54K2-W			JG4		5389	5551	6301	6463	7073	7235
8	14		198"(5029mm)	TARP-54K8-W			JG4		5552	5719	6491	6658	7286	7453
10	14		204"(5182mm)	TARP-54L4-W			JG4		5715	5886	6683	6854	7501	7672
10	14		210"(5334mm)	TARP-54M0-W			JG4		5879	6055	6874	7050	7716	7892
10	14		216"(5486mm)	TARP-54M6-W			JG4		6043	6224	7065	7246	7930	8111
14	14		222"(5639mm)	TARP-54N2-W			JG4		6205	6391	7255	7441	8144	8330
14	14		228"(5791mm)	TARP-54N8-W			JG4		6369	6560	7447	7638	8359	8550
14	14		234"(5944mm)	TARP-54P4-W			JG4		6532	6728	7638	7834	8573	8769
14	14		240"(6096mm)	TARP-54Q0-W			JG4		6695	6896	7828	8029	8787	8988
14	14		246"(6248mm)	TARP-54Q6-W			JG4		6859	7065	8020	8226	9002	9208
14	14		252"(6401mm)	TARP-54R2-W			JG4		7022	7233	8211	8422	9216	9427
14	14		258"(6553mm)	TARP-54R8-W			JG4		7186	7402	8402	8618	9431	9647
14	14		264"(6706mm)	TARP-54S4-W			JG4		7349	7569	8592	8812	9645	9865
14	16		270"(6858mm)	TARP-54T0-W			JG4		7512	7737	8784	9009	9859	10084
8	14	60"(1524mm)	186"(4724mm)	TARP-60J6-W			JG4		\$5788	\$5962	\$6767	\$6941	\$ 7596	\$ 7770
8	14		192"(4877mm)	TARP-60K2-W			JG4		5969	6122	6980	7133	7834	7987
8	14		198"(5029mm)	TARP-60K8-W			JG4		6151	6336	7192	7377	8073	8258
10	14		204"(5182mm)	TARP-60L4-W			JG4		6333	6523	7404	7594	8311	8501
10	14		210"(5334mm)	TARP-60M0-W			JG4		6514	6709	7617	7812	8550	8745
10	14		216"(5486mm)	TARP-60M6-W			JG4		6695	6896	7828	8029	8787	8988
14	14		222"(5639mm)	TARP-60N2-W			JG4		6877	7083	8041	8247	9025	9231
14	14		228"(5791mm)	TARP-60N8-W			JG4		7058	7270	8253	8465	9264	9476
14	14		234"(5944mm)	TARP-60P4-W			JG4		7240	7457	8466	8683	9502	9719
14	14		240"(6096mm)	TARP-60Q0-W			JG4		7422	7645	8678	8901	9741	9964
14	14		246"(6248mm)	TARP-60Q6-W			JG4		7603	7831	8889	9117	9978	10206
14	14		252"(6401mm)	TARP-60R2-W			JG4		7784	8018	9102	9336	10216	10450
14	14		258"(6553mm)	TARP-60R8-W			JG4		7966	8205	9314	9553	10455	10694
14	14		264"(6706mm)	TARP-60S4-W			JG4		8148	8392	9527	9771	10693	10937
14	16		270"(6858mm)	TARP-60T0-W			JG4		8329	8579	9739	9989	10932	11182

*Recommended seating capacity based upon 27"(686mm) per chair.

**Knife edge must be specified with green core.

Planes Conference Tables – Three-Piece Tops – Interior Leg – Wood

Hexagon – Wood



TARX

Features

- Includes 1 3/16”(30mm) thick tops, interior leg bases and hardware.
- Standard table height is 29”(737mm).
- Wood veneer top with 3mm wood edgeband, cascade or knife wood edge.
- Table top seams are 1mm edgeband.
- Top available in standard or green core option.
- Interior legs are painted aluminum.
- Interior leg is 1 1/8”(29mm) x 3 1/4”(83mm).
- Optional cable bases are available :
 - 42”(1067mm) deep and deeper tables will ship with 14”(356mm) x 14”(356mm) cable bases.
 - Three piece tops will include two cable bases to be centered on seams.
 - Cable base and table top(s) are wood veneer and can be specified in different surface colors and edge trim colors.
 - Refer to Specification Guide for use guidelines.
- Optional Flip top unit electrical modules are separately specified. Refer to electrical components for appropriate product specification.
- Available with glides only; 1/2”(13mm) height adjustment.
- Ships unassembled.

Specification Tips

- Tables with multiple-piece tops have equal sized pieces.
- The following Planes products are separately specified:
 - Grommets (field cut opening)
 - Flip top unit electrical modules
 - Horizontal wire management
- Refer to Specification Guide for seating capacities with Cable Base Option and leg locations.

**Knife edge must be specified with green core.

To Order, Specify:

1) Product number, including:

1 Wood Edge Option:

- ☐ K Edgeband
- ☐ M Cascade
- ☐ U Knife**

2 Core Option:

- ☐ S Standard
- ☐ G Green, add \$300 list

3 Flip Top Unit Cutout(s):

- ☐ N None
- ☐ F Center – single-sided/4 outlets, add \$75 list
- ☐ V Left/Right – single-sided/4 outlets, add \$150 list
- ☐ J Center – single-sided/6 outlets, add \$75 list
- ☐ K Left/Right – single-sided/6 outlets, add \$150 list
- ☐ M Center – double-sided/8 outlets, add \$75 list
- ☐ P Left/Right – double-sided/8 outlets, add \$150 list
- ☐ Q Center – double-sided/12 outlets, add \$75 list
- ☐ T Left/Right – double-sided/12 outlets, add \$150 list

4 Cable Base Option:

- ☐ N None
- ☐ C Cable Bases(2), add \$1050 list

2) Wood finish color.

3) Base trim color.

4) Wood finish color – Cable Bases

Note: \$35 upcharge (list) for Metallic trim color.

Planes Conference Tables – Three-Piece Tops – Interior Leg – Wood

Hexagon – Wood


No. of Legs	*Seating Capacity	Depth	Length	Number					(K) Edgeband Wood Group I	Group II	(M) Cascade Wood Group I	Group II	(U) Knife** Wood Group I	Group II
					①	②	③	④						
8	14	42"(1067mm)	186"(4724mm)	TARX-42J6-W			JG4		\$4100	\$4223	\$4794	\$4917	\$ 5381	\$ 5504
8	14		192"(4877mm)	TARX-42K2-W			JG4		4228	4355	4943	5070	5548	5675
8	14		198"(5029mm)	TARX-42K8-W			JG4		4354	4485	5091	5222	5714	5845
10	14		204"(5182mm)	TARX-42L4-W			JG4		4481	4615	5240	5374	5882	6016
10	14		210"(5334mm)	TARX-42M0-W			JG4		4608	4746	5388	5526	6048	6186
10	14		216"(5486mm)	TARX-42M6-W			JG4		4735	4877	5537	5679	6215	6357
14	14		222"(5639mm)	TARX-42N2-W			JG4		4862	5008	5685	5831	6381	6527
14	14		228"(5791mm)	TARX-42N8-W			JG4		4989	5139	5834	5984	6548	6698
14	14		234"(5944mm)	TARX-42P4-W			JG4		5116	5269	5982	6135	6714	6867
14	14		240"(6096mm)	TARX-42Q0-W			JG4		5243	5400	6131	6288	6882	7039
14	14		246"(6248mm)	TARX-42Q6-W			JG4		5371	5532	6280	6441	7049	7210
14	14		252"(6401mm)	TARX-42R2-W			JG4		5497	5662	6428	6593	7215	7380
14	14		258"(6553mm)	TARX-42R8-W			JG4		5625	5794	6577	6746	7382	7551
14	14		264"(6706mm)	TARX-42S4-W			JG4		5751	5924	6725	6898	7548	7721
14	16		270"(6858mm)	TARX-42T0-W			JG4		5879	6055	6874	7050	7716	7892
8	14	48"(1219mm)	186"(4724mm)	TARX-48J6-W			JG4		\$4662	\$4802	\$5451	\$5591	\$ 6119	\$ 6259
8	14		192"(4877mm)	TARX-48K2-W			JG4		4808	4952	5621	5765	6310	6454
8	14		198"(5029mm)	TARX-48K8-W			JG4		4953	5102	5792	5941	6501	6650
10	14		204"(5182mm)	TARX-48L4-W			JG4		5098	5251	5961	6114	6691	6844
10	14		210"(5334mm)	TARX-48M0-W			JG4		5243	5400	6131	6288	6882	7039
10	14		216"(5486mm)	TARX-48M6-W			JG4		5389	5551	6301	6463	7073	7235
14	14		222"(5639mm)	TARX-48N2-W			JG4		5534	5700	6470	6636	7262	7428
14	14		228"(5791mm)	TARX-48N8-W			JG4		5679	5849	6640	6810	7453	7623
14	14		234"(5944mm)	TARX-48P4-W			JG4		5825	6000	6810	6985	7644	7819
14	14		240"(6096mm)	TARX-48Q0-W			JG4		5969	6148	6980	7159	7834	8013
14	14		246"(6248mm)	TARX-48Q6-W			JG4		6115	6298	7150	7333	8025	8208
14	14		252"(6401mm)	TARX-48R2-W			JG4		6259	6447	7319	7507	8215	8403
14	14		258"(6553mm)	TARX-48R8-W			JG4		6405	6597	7489	7681	8406	8598
14	14		264"(6706mm)	TARX-48S4-W			JG4		6551	6748	7659	7856	8597	8794
14	16		270"(6858mm)	TARX-48T0-W			JG4		6695	6896	7828	8029	8787	8988
8	14	54"(1372mm)	186"(4724mm)	TARX-54J6-W			JG4		\$5225	\$5382	\$6110	\$6267	\$ 6858	\$ 7015
8	14		192"(4877mm)	TARX-54K2-W			JG4		5389	5551	6301	6463	7073	7235
8	14		198"(5029mm)	TARX-54K8-W			JG4		5552	5719	6491	6658	7286	7453
10	14		204"(5182mm)	TARX-54L4-W			JG4		5715	5886	6683	6854	7501	7672
10	14		210"(5334mm)	TARX-54M0-W			JG4		5879	6055	6874	7050	7716	7892
10	14		216"(5486mm)	TARX-54M6-W			JG4		6043	6224	7065	7246	7930	8111
14	14		222"(5639mm)	TARX-54N2-W			JG4		6205	6391	7255	7441	8144	8330
14	14		228"(5791mm)	TARX-54N8-W			JG4		6369	6560	7447	7638	8359	8550
14	14		234"(5944mm)	TARX-54P4-W			JG4		6532	6728	7638	7834	8573	8769
14	14		240"(6096mm)	TARX-54Q0-W			JG4		6695	6896	7828	8029	8787	8988
14	14		246"(6248mm)	TARX-54Q6-W			JG4		6859	7065	7919	8125	9002	9208
14	14		252"(6401mm)	TARX-54R2-W			JG4		7022	7233	8211	8422	9216	9427
14	14		258"(6553mm)	TARX-54R8-W			JG4		7186	7402	8402	8618	9431	9647
14	14		264"(6706mm)	TARX-54S4-W			JG4		7349	7569	8592	8812	9645	9865
14	16		270"(6858mm)	TARX-54T0-W			JG4		7512	7737	8784	9009	9859	10084
8	14	60"(1524mm)	186"(4724mm)	TARX-60J6-W			JG4		\$5788	\$5962	\$6767	\$6941	\$ 7596	\$ 7770
8	14		192"(4877mm)	TARX-60K2-W			JG4		5969	6148	6980	7159	7834	8013
8	14		198"(5029mm)	TARX-60K8-W			JG4		6151	6336	7192	7377	8073	8258
10	14		204"(5182mm)	TARX-60L4-W			JG4		6333	6523	7404	7594	8311	8501
10	14		210"(5334mm)	TARX-60M0-W			JG4		6514	6709	7617	7812	8550	8745
10	14		216"(5486mm)	TARX-60M6-W			JG4		6695	6896	7828	8029	8787	8988
14	14		222"(5639mm)	TARX-60N2-W			JG4		6877	7083	8041	8247	9025	9231
14	14		228"(5791mm)	TARX-60N8-W			JG4		7058	7270	8253	8465	9264	9476
14	14		234"(5944mm)	TARX-60P4-W			JG4		7240	7457	8466	8683	9502	9719
14	14		240"(6096mm)	TARX-60Q0-W			JG4		7422	7645	8678	8901	9741	9964
14	14		246"(6248mm)	TARX-60Q6-W			JG4		7603	7831	8889	9117	9978	10206
14	14		252"(6401mm)	TARX-60R2-W			JG4		7784	8018	9102	9336	10216	10450
14	14		258"(6553mm)	TARX-60R8-W			JG4		7966	8205	9314	9553	10455	10694
14	14		264"(6706mm)	TARX-60S4-W			JG4		8148	8392	9527	9771	10693	10937
14	16		270"(6858mm)	TARX-60T0-W			JG4		8329	8579	9739	9989	10932	11182

*Recommended seating capacity based upon 27"(686mm) per chair.


**Knife edge must be specified with green core.

Planes Conference Tables – Perimeter Leg – Laminate

	No. of Pieces	No. of Legs	*Seating Capacity	Depth	Length	Number	①	②	Price
Square and Rectangular – Laminate – 2" (51mm) Core	Square								
	1	4	4	42" (1067mm)	42" (1067mm)	TARQ-4242-LJM	PG4N		\$ 611
	1	4	4	48" (1219mm)	48" (1219mm)	TARQ-4848-LJM	PG4N		764
	1	4	4	54" (1372mm)	54" (1372mm)	TARQ-5454-LJM	PG4N		950
	1	4	4	60" (1524mm)	60" (1524mm)	TARQ-6060-LJM	PG4N		1158
	2	6	6	66" (1676mm)	66" (1676mm)	TARQ-6666-LJM	PG4		\$1914
	2	6	6	72" (1829mm)	72" (1829mm)	TARQ-7272-LJM	PG4		2258
	Rectangular								
	1	4	4	30" (762mm)	60" (1524mm)	TARA-3060-LJM	PG4N		\$ 626
	1	4	4		66" (1676mm)	TARA-3066-LJM	PG4N		679
	1	6	4		72" (1829mm)	TARA-3072-LJM	PG4N		731
	1	4	4	36" (914mm)	60" (1524mm)	TARA-3660-LJM	PG4		\$ 731
	1	4	4		66" (1676mm)	TARA-3666-LJM	PG4		795
	1	4	4	42" (1067mm)	48" (1219mm)	TARA-4248-LJM	PG4		\$ 685
	1	4	4		54" (1372mm)	TARA-4254-LJM	PG4		760
	1	4	4		60" (1524mm)	TARA-4260-LJM	PG4		834
	1	4	6		66" (1676mm)	TARA-4266-LJM	PG4		909
	1	6	6		72" (1829mm)	TARA-4272-LJM	PG4		984
	1	6	6		78" (1981mm)	TARA-4278-LJM	PG4		1058
	1	4	4	48" (1219mm)	54" (1372mm)	TARA-4854-LJM	PG4		\$ 855
	1	4	4		60" (1524mm)	TARA-4860-LJM	PG4		941
	1	4	6		66" (1676mm)	TARA-4866-LJM	PG4		1025
	1	6	6		72" (1829mm)	TARA-4872-LJM	PG4		1110
	1	6	8		78" (1981mm)	TARA-4878-LJM	PG4		1195
	1	4	4	54" (1372mm)	60" (1524mm)	TARA-5460-LJM	PG4		\$1046
	1	4	6		66" (1676mm)	TARA-5466-LJM	PG4		1142
	1	6	6		72" (1829mm)	TARA-5472-LJM	PG4		1237
	1	6	6		78" (1981mm)	TARA-5478-LJM	PG4		1333
	1	4	8	60" (1524mm)	66" (1676mm)	TARA-6066-LJM	PG4		\$1258
	1	6	8		72" (1829mm)	TARA-6072-LJM	PG4		1364
	1	6	8		78" (1981mm)	TARA-6078-LJM	PG4		1470



TARQ



TARA

Features

- Includes 2" (51mm) thick top(s), perimeter leg bases and hardware.
- Standard table height is 30" (762mm).
- Laminate top with 3mm edgeband edges only.
- Table top seam is 1mm edgeband on multiple piece tops.
- Perimeter legs are painted aluminum.
- Perimeter leg is 1 3/8" (35mm) x 4" (102mm).
- Optional cable base can be specified for tables 36" (914mm) deep and deeper:
 - 36" (914mm) deep tables will ship with 8" (203mm) x 14" (356mm) cable base.
 - 42" (1067mm) deep and deeper tables will ship with 14" (356mm) x 14" (356mm) cable base.
 - One piece tops will include one cable base to be centered under table top.
 - Two piece tops will include one cable base to be centered on seam under table top.
 - Cable base and table top(s) are laminate and can be specified in different surface colors and edge trim colors.
 - Refer to Specification Guide for use guidelines.
- Optional Flip top unit electrical modules are separately specified. Refer to electrical components for appropriate product specification.
- Available with glides only; 1/2" (13mm) height adjustment.
- Ships unassembled.

Specification Tips

- Cable base not recommended to 30" (762mm) deep tables.
- Tables with multiple-piece tops have equal sized pieces.
- The following Planes products are separately specified:
 - Grommets (field cut opening)
 - Flip top unit electrical modules
 - Horizontal wire management
- Refer to Specification Guide for seating capacities with Cable Base Option and leg locations.

*Recommended seating capacity based upon 27" (686mm) per chair.

To Order, Specify:

- Product number, including:

① Flip Top Unit Cutout(s):

Cutout options **F, J, M, Q**:
add \$25 list for one-piece top;
add \$50 list for two-piece tops.

- N** None
- F** Center – single-sided/4 outlets
- J** Center – single-sided/6 outlets
- M** Center – double-sided/8 outlets
- Q** Center – double-sided/12 outlets

② Cable Base Option:


- N** None
- C** Cable Base:
add \$495 list for 36" deep tables;
add \$525 list for 42" deep and deeper tables

- Laminate surface color.
- Edge trim color.
- Base trim color.
- Laminate Surface – Cable Base
- Edge trim color – Cable Base

Note: \$35 upcharge (list) for Metallic trim color.

Planes Conference Tables – One-Piece Top – Perimeter Leg – Laminate

Rectangular – Laminate – 2" (51mm) Core



TARA

No. of Legs	*Seating Capacity	Depth	Length	Number	①	②	Price
6	6	36" (914mm)	72" (1829mm)	TARA-3672-LJM	PG4		\$ 859
6	6		78" (1981mm)	TARA-3678-LJM	PG4		923
6	8		84" (2134mm)	TARA-3684-LJM	PG4		987
6	8		90" (2286mm)	TARA-3690-LJM	PG4		1050
6	8		96" (2438mm)	TARA-3696-LJM	PG4		1114
6	8	42" (1067mm)	84" (2134mm)	TARA-4284-LJM	PG4		\$1132
6	8		90" (2286mm)	TARA-4290-LJM	PG4		1206
6	8		96" (2438mm)	TARA-4296-LJM	PG4		1281
6	8		102" (2591mm)	TARA-42A2-LJM	PG4		1355
6	10		108" (2743mm)	TARA-42A8-LJM	PG4		1429
6	10		114" (2896mm)	TARA-42B4-LJM	PG4		1504
6	10		120" (3048mm)	TARA-42C0-LJM	PG4		1569
6	8	48" (1219mm)	84" (2134mm)	TARA-4884-LJM	PG4		\$1280
6	8		90" (2286mm)	TARA-4890-LJM	PG4		1365
6	8		96" (2438mm)	TARA-4896-LJM	PG4		1450
6	8		102" (2591mm)	TARA-48A2-LJM	PG4		1535
6	10		108" (2743mm)	TARA-48A8-LJM	PG4		1620
6	10		114" (2896mm)	TARA-48B4-LJM	PG4		1705
6	10		120" (3048mm)	TARA-48C0-LJM	PG4		1780
6	10	54" (1372mm)	84" (2134mm)	TARA-5484-LJM	PG4		\$1432
6	10		90" (2286mm)	TARA-5490-LJM	PG4		1524
6	10		96" (2438mm)	TARA-5496-LJM	PG4		1620
6	10		102" (2591mm)	TARA-54A2-LJM	PG4		1715
6	10		108" (2743mm)	TARA-54A8-LJM	PG4		1810
6	10		114" (2896mm)	TARA-54B4-LJM	PG4		1906
6	10		120" (3048mm)	TARA-54C0-LJM	PG4		1991
6	10	60" (1524mm)	84" (2134mm)	TARA-6084-LJM	PG4		\$1577
6	10		90" (2286mm)	TARA-6090-LJM	PG4		1683
6	10		96" (2438mm)	TARA-6096-LJM	PG4		1789
6	10		102" (2591mm)	TARA-60A2-LJM	PG4		1895
6	10		108" (2743mm)	TARA-60A8-LJM	PG4		2002
6	10		114" (2896mm)	TARA-60B4-LJM	PG4		2107
6	10		120" (3048mm)	TARA-60C0-LJM	PG4		2201

Features

- Includes 2" (51mm) thick top, perimeter leg bases and hardware.
- Standard table height is 30" (762mm).
- Laminate top with 3mm edgeband edges only.
- Perimeter legs are painted aluminum.
- Perimeter leg is 1 3/8" (35mm) x 4" (102mm).
- Optional cable base can be specified for tables 36" (914mm) deep and deeper:
 - 36" (914mm) deep tables will ship with 8" (203mm) x 14" (356mm) cable base.
 - 42" (1067mm) deep and deeper tables will ship with 14" (356mm) x 14" (356mm) cable base.
 - One piece tops will include one cable base to be centered under table top.
 - Cable base and table top(s) are laminate and can be specified in different surface colors and edge trim colors.
 - Refer to Specification Guide for use guidelines.
- Optional Flip top unit electrical modules are separately specified. Refer to electrical components for appropriate product specification.
- Available with glides only; 1/2" (13mm) height adjustment.
- Ships unassembled.

Specification Tips

- The following Planes products are separately specified:
 - Grommets (field cut opening)
 - Flip top unit electrical modules
 - Horizontal wire management
- Refer to Specification Guide for seating capacities with Cable Base Option and leg locations.

*Recommended seating capacity based upon 27" (686mm) per chair.

To Order, Specify:

- 1) Product number, including:

① Flip Top Unit Cutout(s):

- N** None
- F** Center – single-sided/4 outlets, add \$25 list
- V** Left/Right – single-sided/4 outlets, add \$50 list
- J** Center – single-sided/6 outlets, add \$25 list
- K** Left/Right – single-sided/6 outlets, add \$50 list
- M** Center – double-sided/8 outlets, add \$25 list
- P** Left/Right – double-sided/8 outlets, add \$50 list
- Q** Center – double-sided/12 outlets, add \$25 list
- T** Left/Right – double-sided/12 outlets, add \$50 list


② Cable Base Option:

- N** None
- C** Cable Base: add \$495 list for 36" deep tables; add \$525 list for 42" deep and deeper tables

- 2) Laminate surface color.
 3) Edge trim color.
 4) Base trim color.
 5) Laminate Surface – Cable Base
 6) Edge trim color – Cable Base
Note: \$35 upcharge (list) for Metallic trim color.

Planes Conference Tables – Two-Piece Tops – Perimeter Leg – Laminate

Rectangular – Laminate –
2”(51mm) Core



TARA

Features

- Includes 2”(51mm) thick tops, perimeter leg bases and hardware.
- Standard table height is 30”(762mm).
- Laminate top with 3mm edgeband edges only.
- Table top seam is 1mm edgeband.
- Perimeter legs are painted aluminum.
- Perimeter leg is 1 3/8”(35mm) x 4”(102mm).
- Optional cable base is available: :
 - 42”(1067mm) deep and deeper tables will ship with 14”(356mm) x 14”(356mm) cable base.
 - Two piece tops will include one cable base to be centered on seams under table top.
 - Cable base and table top(s) are laminate and can be specified in different surface colors and edge trim colors.
 - Refer to Specification Guide for use guidelines.
- Optional Flip top unit electrical modules are separately specified. Refer to electrical components for appropriate product specification.
- Available with glides only; 1/2”(13mm) height adjustment.
- Ships unassembled.

Specification Tips

- Tables with multiple-piece tops have equal sized pieces.
- The following Planes products are separately specified:
 - Grommets (field cut opening)
 - Flip top unit electrical modules
 - Horizontal wire management
- Refer to Specification Guide for seating capacities with Cable Base Option and leg locations.

To Order, Specify:

1) Product number, including:

① Flip Top Unit Cutout(s):

- N** None
- F** Center – single-sided/4 outlets, add \$50 list
- V** Left/Right – single-sided/4 outlets, add \$100 list
- J** Center – single-sided/6 outlets, add \$50 list
- K** Left/Right – single-sided/6 outlets, add \$100 list
- M** Center – double-sided/8 outlets, add \$50 list
- P** Left/Right – double-sided/8 outlets, add \$100 list
- Q** Center – double-sided/12 outlets, add \$50 list
- T** Left/Right – double-sided/12 outlets, add \$100 list

② Cable Base Option:

- N** None
- C** Cable Base, add \$525 list

- 2) Laminate surface color.
- 3) Edge trim color.
- 4) Base trim color.
- 5) Laminate Surface – Cable Base
- 6) Edge trim color – Cable Base

Note: \$35 upcharge (list) for Metallic trim color.

Planes Conference Tables – Two-Piece Tops – Perimeter Leg – Laminate

Rectangular – Laminate – 2”(51mm) Core

No. of Legs	*Seating Capacity	Depth	Length	Number	①	②	Price
6	10	42”(1067mm)	126”(3200mm)	TARA-42C6-LJM	PG4		\$2271
6	10		132”(3353mm)	TARA-42D2-LJM	PG4		2374
10	10		138”(3505mm)	TARA-42D8-LJM	PG4		2476
10	10		144”(3658mm)	TARA-42E4-LJM	PG4		2578
10	10		150”(3810mm)	TARA-42F0-LJM	PG4		2681
10	12		156”(3962mm)	TARA-42F6-LJM	PG4		2782
10	12		162”(4115mm)	TARA-42G2-LJM	PG4		2885
10	12		168”(4267mm)	TARA-42G8-LJM	PG4		2986
10	12		174”(4420mm)	TARA-42H4-LJM	PG4		3089
10	14		180”(4572mm)	TARA-42J0-LJM	PG4		3191
6	10	48”(1219mm)	126”(3200mm)	TARA-48C6-LJM	PG4		\$2578
6	10		132”(3353mm)	TARA-48D2-LJM	PG4		2695
10	10		138”(3505mm)	TARA-48D8-LJM	PG4		2811
10	10		144”(3658mm)	TARA-48E4-LJM	PG4		2928
10	10		150”(3810mm)	TARA-48F0-LJM	PG4		3046
10	12		156”(3962mm)	TARA-48F6-LJM	PG4		3161
10	12		162”(4115mm)	TARA-48G2-LJM	PG4		3278
10	12		168”(4267mm)	TARA-48G8-LJM	PG4		3396
10	12		174”(4420mm)	TARA-48H4-LJM	PG4		3512
10	14		180”(4572mm)	TARA-48J0-LJM	PG4		3629
6	10	54”(1372mm)	126”(3200mm)	TARA-54C6-LJM	PG4		\$2884
6	10		132”(3353mm)	TARA-54D2-LJM	PG4		3015
10	10		138”(3505mm)	TARA-54D8-LJM	PG4		3146
10	10		144”(3658mm)	TARA-54E4-LJM	PG4		3278
10	10		150”(3810mm)	TARA-54F0-LJM	PG4		3410
10	12		156”(3962mm)	TARA-54F6-LJM	PG4		3540
10	12		162”(4115mm)	TARA-54G2-LJM	PG4		3672
10	12		168”(4267mm)	TARA-54G8-LJM	PG4		3803
10	14		174”(4420mm)	TARA-54H4-LJM	PG4		3934
10	14		180”(4572mm)	TARA-54J0-LJM	PG4		4066
6	10	60”(1524mm)	126”(3200mm)	TARA-60C6-LJM	PG4		\$3190
6	10		132”(3353mm)	TARA-60D2-LJM	PG4		3336
10	10		138”(3505mm)	TARA-60D8-LJM	PG4		3482
10	10		144”(3658mm)	TARA-60E4-LJM	PG4		3628
10	10		150”(3810mm)	TARA-60F0-LJM	PG4		3774
10	12		156”(3962mm)	TARA-60F6-LJM	PG4		3920
10	12		162”(4115mm)	TARA-60G2-LJM	PG4		4066
10	12		168”(4267mm)	TARA-60G8-LJM	PG4		4212
10	14		174”(4420mm)	TARA-60H4-LJM	PG4		4358
10	14		180”(4572mm)	TARA-60J0-LJM	PG4		4504

*Recommended seating capacity based upon 27”(686mm) per chair.

Planes Conference Tables – Three-Piece Tops – Perimeter Leg – Laminate

Rectangular – Laminate –
2”(51mm) Core



TARA

Features

- Includes 2”(51mm) thick tops, perimeter leg bases and hardware.
- Standard table height is 30”(762mm).
- Laminate top with 3mm edgeband edges only.
- Table top seams are 1mm edgeband.
- Perimeter legs are painted aluminum.
- Perimeter leg is 1 3/8”(35mm) x 4”(102mm).
- Optional cable bases are available:
 - 42”(1067mm) deep and deeper tables will ship with 14”(356mm) x 14”(356mm) cable base.
 - Three piece tops will include two cable bases to be centered on seams.
 - Cable base and table top(s) are laminate and can be specified in different surface colors and edge trim colors.
 - Refer to Specification Guide for use guidelines.
- Optional Flip top unit electrical modules are separately specified. Refer to electrical components for appropriate product specification.
- Available with glides only; 1/2”(13mm) height adjustment.
- Ships unassembled.

Specification Tips

- Tables with multiple-piece tops have equal sized pieces.
- The following Planes products are separately specified:
 - Grommets (field cut opening)
 - Flip top unit electrical modules
 - Horizontal wire management
- Refer to Specification Guide for seating capacities with Cable Base Option and leg locations.

To Order, Specify:

1) Product number, including:

1 Flip Top Unit Cutout(s):

- N** None
- F** Center – single-sided/4 outlets, add \$75 list
- V** Left/Right – single-sided/4 outlets, add \$150 list
- J** Center – single-sided/6 outlets, add \$75 list
- K** Left/Right – single-sided/6 outlets, add \$150 list
- M** Center – double-sided/8 outlets, add \$75 list
- P** Left/Right – double-sided/8 outlets, add \$150 list
- Q** Center – double-sided/12 outlets, add \$75 list
- T** Left/Right – double-sided/12 outlets, add \$150 list

2 Cable Base Option:

- N** None
- C** Cable Base (2), add \$1050 list

- 2) Laminate surface color.
- 3) Edge trim color.
- 4) Base trim color.
- 5) Laminate Surface – Cable Base
- 6) Edge trim color – Cable Base

Note: \$35 upcharge (list) for Metallic trim color.



Planes Conference Tables – Three-Piece Tops – Perimeter Leg – Laminate

Rectangular – Laminate – 2”(51mm) Core

No. of Legs	*Seating Capacity	Depth	Length	Number	①	②	Price
8	14	42”(1067mm)	186”(4724mm)	TARA-42J6-LJM	PG4		\$3293
8	14		192”(4877mm)	TARA-42K2-LJM	PG4		3396
8	14		198”(5029mm)	TARA-42K8-LJM	PG4		3497
14	14		204”(5182mm)	TARA-42L4-LJM	PG4		3600
14	14		210”(5334mm)	TARA-42M0-LJM	PG4		3702
14	14		216”(5486mm)	TARA-42M6-LJM	PG4		3804
14	16		222”(5639mm)	TARA-42N2-LJM	PG4		3906
14	16		228”(5791mm)	TARA-42N8-LJM	PG4		4008
14	16		234”(5944mm)	TARA-42P4-LJM	PG4		4111
14	16		240”(6096mm)	TARA-42Q0-LJM	PG4		4214
14	16		246”(6248mm)	TARA-42Q6-LJM	PG4		4316
14	16		252”(6401mm)	TARA-42R2-LJM	PG4		4418
14	18		258”(6553mm)	TARA-42R8-LJM	PG4		4520
14	18		264”(6706mm)	TARA-42S4-LJM	PG4		4622
14	20		270”(6858mm)	TARA-42T0-LJM	PG4		4860
8	14	48”(1219mm)	186”(4724mm)	TARA-48J6-LJM	PG4		\$3745
8	14		192”(4877mm)	TARA-48K2-LJM	PG4		3862
8	14		198”(5029mm)	TARA-48K8-LJM	PG4		3980
14	14		204”(5182mm)	TARA-48L4-LJM	PG4		4095
14	14		210”(5334mm)	TARA-48M0-LJM	PG4		4213
14	14		216”(5486mm)	TARA-48M6-LJM	PG4		4330
14	14		222”(5639mm)	TARA-48N2-LJM	PG4		4445
14	16		228”(5791mm)	TARA-48N8-LJM	PG4		4563
14	16		234”(5944mm)	TARA-48P4-LJM	PG4		4680
14	16		240”(6096mm)	TARA-48Q0-LJM	PG4		4796
14	16		246”(6248mm)	TARA-48Q6-LJM	PG4		4913
14	16		252”(6401mm)	TARA-48R2-LJM	PG4		5029
14	18		258”(6553mm)	TARA-48R8-LJM	PG4		5147
14	18		264”(6706mm)	TARA-48S4-LJM	PG4		5264
14	20		270”(6858mm)	TARA-48T0-LJM	PG4		5531
8	14	54”(1372mm)	186”(4724mm)	TARA-54J6-LJM	PG4		\$4198
8	14		192”(4877mm)	TARA-54K2-LJM	PG4		4329
8	14		198”(5029mm)	TARA-54K8-LJM	PG4		4460
14	14		204”(5182mm)	TARA-54L4-LJM	PG4		4591
14	14		210”(5334mm)	TARA-54M0-LJM	PG4		4723
14	14		216”(5486mm)	TARA-54M6-LJM	PG4		4855
14	16		222”(5639mm)	TARA-54N2-LJM	PG4		4986
14	16		228”(5791mm)	TARA-54N8-LJM	PG4		5117
14	16		234”(5944mm)	TARA-54P4-LJM	PG4		5248
14	16		240”(6096mm)	TARA-54Q0-LJM	PG4		5379
14	16		246”(6248mm)	TARA-54Q6-LJM	PG4		5511
14	16		252”(6401mm)	TARA-54R2-LJM	PG4		5643
14	18		258”(6553mm)	TARA-54R8-LJM	PG4		5774
14	18		264”(6706mm)	TARA-54S4-LJM	PG4		5905
14	20		270”(6858mm)	TARA-54T0-LJM	PG4		6203
8	14	60”(1524mm)	186”(4724mm)	TARA-60J6-LJM	PG4		\$4648
8	14		192”(4877mm)	TARA-60K2-LJM	PG4		3974
8	14		198”(5029mm)	TARA-60K8-LJM	PG4		4941
14	14		204”(5182mm)	TARA-60L4-LJM	PG4		5087
14	14		210”(5334mm)	TARA-60M0-LJM	PG4		5233
14	14		216”(5486mm)	TARA-60M6-LJM	PG4		5378
14	16		222”(5639mm)	TARA-60N2-LJM	PG4		5525
14	16		228”(5791mm)	TARA-60N8-LJM	PG4		5671
14	16		234”(5944mm)	TARA-60P4-LJM	PG4		5817
14	16		240”(6096mm)	TARA-60Q0-LJM	PG4		5963
14	16		246”(6248mm)	TARA-60Q6-LJM	PG4		6108
14	16		252”(6401mm)	TARA-60R2-LJM	PG4		6254
14	18		258”(6553mm)	TARA-60R8-LJM	PG4		6401
14	18		264”(6706mm)	TARA-60S4-LJM	PG4		6547
14	20		270”(6858mm)	TARA-60T0-LJM	PG4		6940

*Recommended seating capacity based upon 27”(686mm) per chair.

Planes Conference Tables – Perimeter Leg – Wood

	No. of Pieces	No. of Legs	*Seating Capacity	Depth	Length	Number	①	②	Wood Group I	Wood Group II
Square and Rectangular – Wood – 2”(51mm) Core  TARQ  TARA	Square									
	1	4	4	42”(1067mm)	42”(1067mm)	TARQ-4242-WKM	PG4N		\$ 901	\$ 926
	1	4	4	48”(1219mm)	48”(1219mm)	TARQ-4848-WKM	PG4N		1129	1161
	1	4	4	54”(1372mm)	54”(1372mm)	TARQ-5454-WKM	PG4N		1400	1439
	1	4	4	60”(1524mm)	60”(1524mm)	TARQ-6060-WKM	PG4N		1703	1750
	2	6	6	66”(1676mm)	66”(1676mm)	TARQ-6666-WKM	PG4		\$2728	\$2799
	2	6	6	72”(1829mm)	72”(1829mm)	TARQ-7272-WKM	PG4		3217	3300
	Rectangular									
	1	4	4	30”(762mm)	60”(1524mm)	TARA-3060-WKM	PG4N		\$ 920	\$ 946
	1	4	4		66”(1676mm)	TARA-3066-WKM	PG4N		998	1026
	1	6	4		72”(1829mm)	TARA-3072-WKM	PG4N		1076	1106
	1	4	4	36”(914mm)	60”(1524mm)	TARA-3660-WKM	PG4		\$1076	\$1106
	1	4	4		66”(1676mm)	TARA-3666-WKM	PG4		1170	1203
	1	4	4	42”(1067mm)	48”(1219mm)	TARA-4248-WKM	PG4		\$1010	\$1038
	1	4	4		54”(1372mm)	TARA-4254-WKM	PG4		1119	1150
	1	4	4		60”(1524mm)	TARA-4260-WKM	PG4		1228	1262
	1	4	6		66”(1676mm)	TARA-4266-WKM	PG4		1339	1376
	1	6	6		72”(1829mm)	TARA-4272-WKM	PG4		1448	1488
	1	6	6		78”(1981mm)	TARA-4278-WKM	PG4		1557	1600
	1	4	4	48”(1219mm)	54”(1372mm)	TARA-4854-WKM	PG4		\$1259	\$1294
	1	4	4		60”(1524mm)	TARA-4860-WKM	PG4		1385	1424
	1	4	6		66”(1676mm)	TARA-4866-WKM	PG4		1510	1552
	1	6	6		72”(1829mm)	TARA-4872-WKM	PG4		1635	1681
	1	6	8		78”(1981mm)	TARA-4878-WKM	PG4		1759	1808
	1	4	4	54”(1372mm)	60”(1524mm)	TARA-5460-WKM	PG4		\$1541	\$1584
	1	4	6		66”(1676mm)	TARA-5466-WKM	PG4		1681	1728
	1	6	6		72”(1829mm)	TARA-5472-WKM	PG4		1821	1872
	1	6	6		78”(1981mm)	TARA-5478-WKM	PG4		1963	2018
	1	4	8	60”(1524mm)	66”(1676mm)	TARA-6066-WKM	PG4		\$1852	\$1904
	1	6	8		72”(1829mm)	TARA-6072-WKM	PG4		2009	2065
	1	6	8		78”(1981mm)	TARA-6078-WKM	PG4		2165	2225

Features

- Includes 2”(51mm) thick top(s), perimeter leg bases and hardware.
- Standard table height is 30”(762mm).
- Wood veneer top with 3mm wood edgeband edges.
- Table top seam is 1mm edgeband on multiple piece tops.
- Perimeter legs are painted aluminum.
- Perimeter leg is 1 3/8”(35mm) x 4”(102mm).
- Optional cable base can be specified for tables 36”(914mm) deep and deeper:
 - 36”(914mm) deep tables will ship with 8”(203mm) x 14”(356mm) cable base.
 - 42”(1067mm) deep and deeper tables will ship with 14”(356mm) x 14”(356mm) cable base.
 - One piece tops will include one cable base to be centered under table top.
 - Two piece tops will include one cable base to be centered on seam under table top.
 - Cable base and table top(s) are wood veneer and can be specified in different surface colors and edge trim colors.
 - Refer to Specification Guide for use guidelines.
- Optional Flip top unit electrical modules are separately specified. Refer to electrical components for appropriate product specification.
- Available with glides only; 1/2”(13mm) height adjustment.
- Ships unassembled.

Specification Tips

- Tables with multiple piece tops have equal sized pieces.
- The following Planes products are separately specified:
 - Grommets (field cut opening)
 - Flip top unit electrical modules
 - Horizontal wire management
- Refer to Specification Guide for seating capacities with Cable Base Option and leg locations.

*Recommended seating capacity based upon 27”(686mm) per chair.

To Order, Specify:

- Product number, including:

① Flip Top Unit Cutout(s):

Cutout options **F, J, M, Q**:

- add \$25 list for one-piece top;
- add \$50 list for two-piece tops.

- N** None
- F** Center – single-sided/4 outlets
- J** Center – single-sided/6 outlets
- M** Center – double-sided/8 outlets
- Q** Center – double-sided/12 outlets

② Cable Base Option:


- N** None
- C** Cable Base:
 - add \$495 list for 36” deep tables;
 - add \$525 list for 42” deep and deeper tables

- Wood finish color.
- Base trim color.
- Wood finish color – Cable Base

Note: \$35 upcharge (list) for Metallic trim color.

Planes Conference Tables – One-Piece Top – Perimeter Leg – Wood

Rectangular – Wood – 2" (51mm) Core



TARA

No. of Legs	*Seating Capacity	Depth	Length	Number	①	②	Wood Group I	Wood Group II
6	6	36" (914mm)	72" (1829mm)	TARA-3672-WKM	PG4		\$1263	\$1298
6	6		78" (1981mm)	TARA-3678-WKM	PG4		1357	1395
6	8		84" (2134mm)	TARA-3684-WKM	PG4		1451	1491
6	8		90" (2286mm)	TARA-3690-WKM	PG4		1545	1588
6	8		96" (2438mm)	TARA-3696-WKM	PG4		1639	1685
6	8	42" (1067mm)	84" (2134mm)	TARA-4284-WKM	PG4		\$1667	\$1713
6	8		90" (2286mm)	TARA-4290-WKM	PG4		1776	1825
6	8		96" (2438mm)	TARA-4296-WKM	PG4		1885	1937
6	8		102" (2591mm)	TARA-42A2-WKM	PG4		1994	2050
6	10		108" (2743mm)	TARA-42A8-WKM	PG4		2104	2163
6	10		114" (2896mm)	TARA-42B4-WKM	PG4		2213	2275
6	10		120" (3048mm)	TARA-42C0-WKM	PG4		2313	2378
6	8	48" (1219mm)	84" (2134mm)	TARA-4884-WKM	PG4		\$1884	\$1936
6	8		90" (2286mm)	TARA-4890-WKM	PG4		2010	2066
6	8		96" (2438mm)	TARA-4896-WKM	PG4		2135	2194
6	8		102" (2591mm)	TARA-48A2-WKM	PG4		2259	2322
6	10		108" (2743mm)	TARA-48A8-WKM	PG4		2384	2450
6	10		114" (2896mm)	TARA-48B4-WKM	PG4		2509	2579
6	10		120" (3048mm)	TARA-48C0-WKM	PG4		2625	2698
6	10	54" (1372mm)	84" (2134mm)	TARA-5484-WKM	PG4		\$2107	\$2166
6	10		90" (2286mm)	TARA-5490-WKM	PG4		2243	2305
6	10		96" (2438mm)	TARA-5496-WKM	PG4		2384	2450
6	10		102" (2591mm)	TARA-54A2-WKM	PG4		2524	2594
6	10		108" (2743mm)	TARA-54A8-WKM	PG4		2665	2739
6	10		114" (2896mm)	TARA-54B4-WKM	PG4		2806	2884
6	10		120" (3048mm)	TARA-54C0-WKM	PG4		2935	3017
6	10	60" (1524mm)	84" (2134mm)	TARA-6084-WKM	PG4		\$2321	\$2386
6	10		90" (2286mm)	TARA-6090-WKM	PG4		2477	2546
6	10		96" (2438mm)	TARA-6096-WKM	PG4		2634	2707
6	10		102" (2591mm)	TARA-60A2-WKM	PG4		2789	2867
6	10		108" (2743mm)	TARA-60A8-WKM	PG4		2946	3028
6	10		114" (2896mm)	TARA-60B4-WKM	PG4		3102	3188
6	10		120" (3048mm)	TARA-60C0-WKM	PG4		3245	3336

Features

- Includes 2" (51mm) thick top, perimeter leg bases and hardware.
- Standard table height is 30" (762mm).
- Wood veneer top with 3mm wood edgeband edges.
- Perimeter legs are painted aluminum.
- Perimeter leg is 1 3/8" (35mm) x 4" (102mm).
- Optional cable base can be specified for tables 36" (914mm) deep and deeper:
 - 36" (914mm) deep tables will ship with 8" (203mm) x 14" (356mm) cable base.
 - 42" (1067mm) deep and deeper tables will ship with 14" (356mm) x 14" (356mm) cable base.
 - One piece tops will include one cable base to be centered under table top.
 - Cable base and table top(s) are wood veneer and can be specified in different surface colors and edge trim colors.
 - Refer to Specification Guide for use guidelines.
- Optional Flip top unit electrical modules are separately specified. Refer to electrical components for appropriate product specification.
- Available with glides only; 1/2" (13mm) height adjustment.
- Ships unassembled.

Specification Tips

- The following Planes products are separately specified:
 - Grommets (field cut opening)
 - Flip top unit electrical modules
 - Horizontal wire management
- Refer to Specification Guide for seating capacities with Cable Base Option and leg locations.

*Recommended seating capacity based upon 27" (686mm) per chair.

To Order, Specify:

1) Product number, including:

① Flip Top Unit Cutout(s):

- ☐ N None
- ☐ F Center – single-sided/4 outlets, add \$25 list
- ☐ V Left/Right – single-sided/4 outlets, add \$50 list
- ☐ J Center – single-sided/6 outlets, add \$25 list
- ☐ K Left/Right – single-sided/6 outlets, add \$50 list
- ☐ M Center – double-sided/8 outlets, add \$25 list
- ☐ P Left/Right – double-sided/8 outlets, add \$50 list
- ☐ Q Center – double-sided/12 outlets, add \$25 list
- ☐ T Left/Right – double-sided/12 outlets, add \$50 list

② Cable Base Option:

- ☐ N None
- ☐ C Cable Base: add \$495 list for 36" deep tables; add \$525 list for 42" deep and deeper tables

2) Wood finish color.


3) Base trim color.

4) Wood finish color – Cable Base

Note: \$35 upcharge (list) for Metallic trim color

Planes Conference Tables – Two-Piece Tops – Perimeter Leg – Wood

Rectangular – Wood –
2”(51mm) Core



TARA

Features

- Includes 2”(51mm) thick tops, perimeter leg bases and hardware.
- Standard table height is 30”(762mm).
- Wood veneer top with 3mm wood edgeband edges.
- Table top seam is 1mm edgeband on multiple piece tops.
- Perimeter legs are painted aluminum.
- Perimeter leg is 1 3/8”(35mm) x 4”(102mm).
- Optional cable base is available:
 - 42”(1067mm) deep and deeper tables will ship with 14”(356mm) x 14”(356mm) cable base.
 - Two piece tops will include one cable base to be centered on seam under table top.
 - Cable base and table top(s) are wood veneer and can be specified in different surface colors and edge trim colors.
 - Refer to Specification Guide for use guidelines.
- Optional Flip top unit electrical modules are separately specified. Refer to electrical components for appropriate product specification.
- Available with glides only; 1/2”(13mm) height adjustment.
- Ships unassembled.

Specification Tips

- Tables with multiple-piece tops have equal sized pieces.
- The following Planes products are separately specified:
 - Grommets (field cut opening)
 - Flip top unit electrical modules
 - Horizontal wire management
- Refer to Specification Guide for seating capacities with Cable Base Option and leg locations.

To Order, Specify:

1) Product number, including:

❶ Flip Top Unit Cutout(s):

- N** None
- F** Center – single-sided/4 outlets, add \$50 list
- V** Left/Right – single-sided/4 outlets, add \$100 list
- J** Center – single-sided/6 outlets, add \$50 list
- K** Left/Right – single-sided/6 outlets, add \$100 list
- M** Center – double-sided/8 outlets, add \$50 list
- P** Left/Right – double sided/8 outlets, add \$100 list
- Q** Center – double-sided/12 outlets, add \$50 list
- T** Left/Right – double-sided/12 outlets, add \$100 list

❷ Cable Base Option:

- N** None
- C** Cable Base, add \$525 list

- 2) Wood finish color.
- 3) Base trim color.
- 4) Wood finish color – Cable Base

Note: \$35 upcharge (list) for Metallic trim color.

Planes Conference Tables – Two-Piece Tops – Perimeter Leg – Wood

Rectangular – Wood – 2”(51mm) Core

No. of Legs	*Seating Capacity	Depth	Length	Number	①	②	Wood Group I	Wood Group II
6	10	42”(1067mm)	126”(3200mm)	TARA-42C6-WKM	PG4		\$3249	\$3334
6	10		132”(3353mm)	TARA-42D2-WKM	PG4		3396	3485
10	10		138”(3505mm)	TARA-42D8-WKM	PG4		3541	3634
10	10		144”(3658mm)	TARA-42E4-WKM	PG4		3688	3784
10	10		150”(3810mm)	TARA-42F0-WKM	PG4		3834	3934
10	12		156”(3962mm)	TARA-42F6-WKM	PG4		3980	4084
10	12		162”(4115mm)	TARA-42G2-WKM	PG4		4126	4234
10	12		168”(4267mm)	TARA-42G8-WKM	PG4		4272	4384
10	12		174”(4420mm)	TARA-42H4-WKM	PG4		4418	4533
10	14		180”(4572mm)	TARA-42J0-WKM	PG4		4564	4683
6	10	48”(1219mm)	126”(3200mm)	TARA-48C6-WKM	PG4		\$3688	\$3784
6	10		132”(3353mm)	TARA-48D2-WKM	PG4		3854	3955
10	10		138”(3505mm)	TARA-48D8-WKM	PG4		4021	4126
10	10		144”(3658mm)	TARA-48E4-WKM	PG4		4188	4297
10	10		150”(3810mm)	TARA-48F0-WKM	PG4		4356	4470
10	12		156”(3962mm)	TARA-48F6-WKM	PG4		4521	4639
10	12		162”(4115mm)	TARA-48G2-WKM	PG4		4689	4811
10	12		168”(4267mm)	TARA-48G8-WKM	PG4		4857	4984
10	12		174”(4420mm)	TARA-48H4-WKM	PG4		5023	5154
10	14		180”(4572mm)	TARA-48J0-WKM	PG4		5190	5326
6	10	54”(1372mm)	126”(3200mm)	TARA-54C6-WKM	PG4		\$4125	\$4233
6	10		132”(3353mm)	TARA-54D2-WKM	PG4		4313	4426
10	10		138”(3505mm)	TARA-54D8-WKM	PG4		4500	4618
10	10		144”(3658mm)	TARA-54E4-WKM	PG4		4689	4811
10	10		150”(3810mm)	TARA-54F0-WKM	PG4		4877	5004
10	12		156”(3962mm)	TARA-54F6-WKM	PG4		5063	5195
10	12		162”(4115mm)	TARA-54G2-WKM	PG4		5252	5389
10	12		168”(4267mm)	TARA-54G8-WKM	PG4		5439	5581
10	14		174”(4420mm)	TARA-54H4-WKM	PG4		5627	5774
10	14		180”(4572mm)	TARA-54J0-WKM	PG4		5815	5967
6	10	60”(1524mm)	126”(3200mm)	TARA-60C6-WKM	PG4		\$4563	\$4682
6	10		132”(3353mm)	TARA-60D2-WKM	PG4		4771	4896
10	10		138”(3505mm)	TARA-60D8-WKM	PG4		4980	5110
10	10		144”(3658mm)	TARA-60E4-WKM	PG4		5189	5325
10	10		150”(3810mm)	TARA-60F0-WKM	PG4		5397	5538
10	12		156”(3962mm)	TARA-60F6-WKM	PG4		5606	5752
10	12		162”(4115mm)	TARA-60G2-WKM	PG4		5815	5967
10	12		168”(4267mm)	TARA-60G8-WKM	PG4		6023	6180
10	14		174”(4420mm)	TARA-60H4-WKM	PG4		6232	6395
10	14		180”(4572mm)	TARA-60J0-WKM	PG4		6441	6609

*Recommended seating capacity based upon 27”(686mm) per chair.

Planes Conference Tables – Three-Piece Tops – Perimeter Leg – Wood

Rectangular – Wood –
2”(51mm) Core



TARA

Features

- Includes 2”(51mm) thick tops, perimeter leg bases and hardware.
- Standard table height is 30”(762mm).
- Wood veneer top with 3mm wood edgeband edges.
- Table top seams are 1mm edgeband on multiple piece tops.
- Perimeter legs are painted aluminum.
- Perimeter leg is 1 3/8”(35mm) x 4”(102mm).
- Optional cable bases are available:
 - 42”(1067mm) deep and deeper tables will ship with 14”(356mm) x 14”(356mm) cable base.
 - Three piece tops will include two cable bases to be centered on seams
 - Cable base and table top(s) are wood veneer and can be specified in different surface colors and edge trim colors.
 - Refer to Specification Guide for use guidelines.
- Optional Flip top unit electrical modules are separately specified. Refer to electrical components for appropriate product specification.
- Available with glides only; 1/2”(13mm) height adjustment.
- Ships unassembled.

Specification Tips

- Tables with multiple-piece tops have equal sized pieces.
- The following Planes products are separately specified:
 - Grommets (field installed)
 - Flip top unit electrical modules
 - Horizontal wire management
- Refer to Specification Guide for seating capacities with Cable Base Option and leg locations.

To Order, Specify:

1) Product number, including:

❶ Flip Top Unit Cutout(s):

- N** None
- F** Center – single-sided/4 outlets, add \$75 list
- V** Left/Right – single-sided/4 outlets, add \$150 list
- J** Center – single-sided/6 outlets, add \$75 list
- K** Left/Right – single-sided/6 outlets, add \$150 list
- M** Center – double-sided/8 outlets, add \$75 list
- P** Left/Right – double-sided/8 outlets, add \$150 list
- Q** Center – double-sided/12 outlets, add \$75 list
- T** Left/Right – double-sided/12 outlets, add \$150 list

❷ Cable Base Option:

- N** None
- C** Cable Bases(2), add \$1050 list

2) Wood finish color.

3) Base trim color.

4) Wood finish color – Cable Base

Note: \$35 upcharge (list) for Metallic trim color.





Planes Conference Tables – Three-Piece Tops – Perimeter Leg – Wood

Rectangular – Wood – 2”(51mm) Core

No. of Legs	*Seating Capacity	Depth	Length	Number	①	②	Wood Group I	Wood Group II
8	14	42”(1067mm)	186”(4724mm)	TARA-42J6-WKM	PG4		\$4710	\$ 4833
8	14		192”(4877mm)	TARA-42K2-WKM	PG4		4857	4984
8	14		198”(5029mm)	TARA-42K8-WKM	PG4		5002	5133
14	14		204”(5182mm)	TARA-42L4-WKM	PG4		5148	5282
14	14		210”(5334mm)	TARA-42M0-WKM	PG4		5294	5432
14	14		216”(5486mm)	TARA-42M6-WKM	PG4		5440	5582
14	16		222”(5639mm)	TARA-42N2-WKM	PG4		5586	5732
14	16		228”(5791mm)	TARA-42N8-WKM	PG4		5732	5882
14	16		234”(5944mm)	TARA-42P4-WKM	PG4		5879	6032
14	16		240”(6096mm)	TARA-42Q0-WKM	PG4		6025	6182
14	16		246”(6248mm)	TARA-42Q6-WKM	PG4		6172	6333
14	16		252”(6401mm)	TARA-42R2-WKM	PG4		6317	6482
14	18		258”(6553mm)	TARA-42R8-WKM	PG4		6464	6633
14	18		264”(6706mm)	TARA-42S4-WKM	PG4		6609	6782
14	20		270”(6858mm)	TARA-42T0-WKM	PG4		6892	7068
8	14	48”(1219mm)	186”(4724mm)	TARA-48J6-WKM	PG4		\$5356	\$ 5496
8	14		192”(4877mm)	TARA-48K2-WKM	PG4		5524	5668
8	14		198”(5029mm)	TARA-48K8-WKM	PG4		5691	5840
14	14		204”(5182mm)	TARA-48L4-WKM	PG4		5857	6010
14	14		210”(5334mm)	TARA-48M0-WKM	PG4		6024	6181
14	14		216”(5486mm)	TARA-48M6-WKM	PG4		6192	6354
14	16		222”(5639mm)	TARA-48N2-WKM	PG4		6358	6524
14	16		228”(5791mm)	TARA-48N8-WKM	PG4		6525	6695
14	16		234”(5944mm)	TARA-48P4-WKM	PG4		6693	6868
14	16		240”(6096mm)	TARA-48Q0-WKM	PG4		6859	7038
14	16		246”(6248mm)	TARA-48Q6-WKM	PG4		7026	7209
14	16		252”(6401mm)	TARA-48R2-WKM	PG4		7192	7380
14	18		258”(6553mm)	TARA-48R8-WKM	PG4		7360	7552
14	18		264”(6706mm)	TARA-48S4-WKM	PG4		7528	7725
14	20		270”(6858mm)	TARA-48T0-WKM	PG4		7845	8046
8	14	54”(1372mm)	186”(4724mm)	TARA-54J6-WKM	PG4		\$6003	\$ 6160
8	14		192”(4877mm)	TARA-54K2-WKM	PG4		6191	6353
8	14		198”(5029mm)	TARA-54K8-WKM	PG4		6379	6546
14	14		204”(5182mm)	TARA-54L4-WKM	PG4		6566	6737
14	14		210”(5334mm)	TARA-54M0-WKM	PG4		6755	6931
14	14		216”(5486mm)	TARA-54M6-WKM	PG4		6943	7124
14	16		222”(5639mm)	TARA-54N2-WKM	PG4		7130	7316
14	16		228”(5791mm)	TARA-54N8-WKM	PG4		7318	7509
14	16		234”(5944mm)	TARA-54P4-WKM	PG4		7505	7701
14	16		240”(6096mm)	TARA-54Q0-WKM	PG4		7693	7894
14	16		246”(6248mm)	TARA-54Q6-WKM	PG4		7881	8087
14	16		252”(6401mm)	TARA-54R2-WKM	PG4		8069	8280
14	18		258”(6553mm)	TARA-54R8-WKM	PG4		8257	8473
14	18		264”(6706mm)	TARA-54S4-WKM	PG4		8445	8665
14	20		270”(6858mm)	TARA-54T0-WKM	PG4		8799	9024
8	14	60”(1524mm)	186”(4724mm)	TARA-60J6-WKM	PG4		\$6649	\$ 6823
8	14		192”(4877mm)	TARA-60K2-WKM	PG4		6037	6216
8	14		198”(5029mm)	TARA-60K8-WKM	PG4		7067	7252
14	14		204”(5182mm)	TARA-60L4-WKM	PG4		7276	7466
14	14		210”(5334mm)	TARA-60M0-WKM	PG4		7484	7679
14	14		216”(5486mm)	TARA-60M6-WKM	PG4		7692	7893
14	16		222”(5639mm)	TARA-60N2-WKM	PG4		7902	8108
14	16		228”(5791mm)	TARA-60N8-WKM	PG4		8110	8322
14	16		234”(5944mm)	TARA-60P4-WKM	PG4		8319	8536
14	16		240”(6096mm)	TARA-60Q0-WKM	PG4		8528	8751
14	16		246”(6248mm)	TARA-60Q6-WKM	PG4		8736	8964
14	16		252”(6401mm)	TARA-60R2-WKM	PG4		8944	9178
14	18		258”(6553mm)	TARA-60R8-WKM	PG4		9154	9393
14	18		264”(6706mm)	TARA-60S4-WKM	PG4		9363	9607
14	20		270”(6858mm)	TARA-60T0-WKM	PG4		9818	10068

*Recommended seating capacity based upon 27”(686mm) per chair.

Planes Electrical Components

	Bezel Width	Bezel Depth	Configuration	Flip Top Unit Cutout Code Options	Number	Price
Flip Top Unit  EUE1-1331W  EUE2-1331W  EUE1-C331W  EUE2-C331W	Corded Single-Sided Outlets					
	8 5/16" (211mm)	4 3/8" (111mm)	2 Power, 2 Data	F, V	EUE1-0000-1221W	\$375
			3 Power, 1 Data	F, V	EUE1-0000-1311W	375
	11 1/4" (286mm)		3 Power, 3 Data	J, K	EUE1-0000-1331W	375
			4 Power, 2 Data	J, K	EUE1-0000-1421W	375
	Corded Double-Sided Outlets					
	8 5/16" (211mm)	8" (203mm)	2 Power, 2 Data	M, P	EUE2-0000-1221W	\$750
			3 Power, 1 Data	M, P	EUE2-0000-1311W	750
	11 1/4" (286mm)		3 Power, 3 Data	Q, T	EUE2-0000-1331W	750
			4 Power, 2 Data	Q, T	EUE2-0000-1421W	750
	Hardwire Single-Sided Outlets					
	8 5/16" (211mm)	4 3/8" (111mm)	2 Power, 2 Data	F, V	EUE1-0000-C221W	\$428
	11 1/4" (286mm)		3 Power, 3 Data	J, K	EUE1-0000-C331W	428
	Hardwire Double-Sided Outlets					
	8 5/16" (211mm)	8" (203mm)	2 Power, 2 Data	M, P	EUE2-0000-C221W	\$856
	11 1/4" (286mm)		3 Power, 3 Data	Q, T	EUE2-0000-C331W	856

Features

- Hardwire flip top unit includes one flip top unit with power outlets and communication openings, mounting clips, 6 foot flexible metal conduit feed with wires for hardwire, multiple data jack adapters to accommodate most varieties of field supplied data jacks, also includes blank data covers.
- Corded flip top unit includes one flip top unit with power outlets and communication openings, 12 foot long – 15-amp cord with plug, mounting clips, multiple data jack adapters to accommodate most varieties of field supplied data jacks, also includes blank data covers.
- Flip top unit is flush mounted with spring release cover.
- Flip top unit overall height is 2 3/4" (70mm) and will extend below the table tops.
- Standard in anodized finish.
- Ships assembled.

To Order, Specify:

- 1) Product number.
(No finish specification required.)



Specification Tips

- For use with all Planes tables where power and data cutouts have been specified.
- Order flip top units to match cutouts specified for each table.
- Flip top unit plug-in cord drops down from bottom of unit to plug into external power outlet.
- Flip top unit can be retrofitted; requires field cut-out and installation.
- **For use with 120 volt 60 hertz power source only.**
- **Flip top unit applications should be reviewed by local authorities (electrical inspector) prior to ordering.**

Planes Accessories

--

Planes Accessories

	Height	Depth	Width	Number	Laminate Price	Wood Group I	Wood Group II
Cable Base  TA01-0814  TA01-1414	Laminate						
	28"(711mm)	8"(203mm)	14"(356mm)	TA01-0814-L	\$495		
		14"(356mm)	14"(356mm)	TA01-1414-L	525		
	Wood						
	28"(711mm)	8"(203mm)	14"(356mm)	TA01-0814-W		\$837	\$862
		14"(356mm)	14"(356mm)	TA01-1414-W		887	914

Features

- Includes 28"(711mm) high cable base and mounting hardware.
- Laminate with 1mm edgeband or wood veneer with 1mm wood edgeband.
- Provides internal cable management with removable panels for access.
- Standard in green core.
- Bracket is standard in charcoal.
- Includes 1"(25mm) adjustable glides.
- Ships assembled.

To Order, Specify:

- 1) Product number.
- 2) Laminate surface color or wood finish color.
- 3) Edge trim color for laminate.

Specification Tips

- Refer to Specification Guide for use guidelines.
- **Cable base not recommended for use with 30"(762mm) deep tables, half round tables, polygon tables or Y-leg tables.**
- Specify 8"(203mm) x 14"(356mm) cable base for 36"(914mm) deep tables.
- Specify 14"(356mm) x 14"(356mm) cable base for 42"(1067mm) deep and deeper tables.
- One and two-piece table tops – one cable base.
- Three-piece table tops – two cable bases.
- Cable base cord access:
 - 1 1/2"(38mm) at top
 - adjustable side panels allow 1"(25mm) gap at bottom edges
 - 3"(76mm) diameter cutout in bottom

The following Planes products are separately specified:

- Horizontal wire management

	Height	Depth	Width	Number	Price
Cable Column  TA01-0217	28"(711mm)	2"(51mm)	4 1/2"(114mm)	TA01-0217	\$175

Features

- Cable Column offers a wire management option for conference tables when the Cable Base Option cannot be used.
- Includes one Cable Column with mounting hardware for attaching to underside of table.
- Hardware for attaching Cable Column to floor is field supplied.
- Ships unassembled.


To Order, Specify:

- 1) Product number.
- 2) Trim color.

Specification Tips

- Cable Column attaches to underside of table, extends to the floor where it is also attached.
- Cable Column is not load bearing and does not replace table leg(s).
- Cable Column can be installed anywhere under a conference table unless it would interfere with table legs, Horizontal Wire Manager or Flip Top Power/Data Units.
- The Cable Column can be used with the Horizontal Wire Manager for cable management.

Planes Carts – Small Media

Cart – Small Media –
Laminate or Wood

GAKF-1919

Height	Depth	Width	Number	①	②	③	Wood Laminate	Wood Group I	Group II
Laminate									
29"(737mm)	22"(559mm)	22 1/2"(572mm)	GAKF-1919-LJ	N		4	\$950		
Wood									
29"(737mm)	22"(559mm)	22 1/2"(572mm)	GAKF-1919-WK	N		4		\$1350	\$1391

Features

- Includes cart with one door, shelf and hardware.
- Laminate with 1mm edgeband or wood veneer with 1mm wood edgeband.
- Available in standard or green core option.
- Rails are aluminum and available in metallic trim colors only.
- Cart top has overhang with 22"(559mm) x 22 1/2"(572mm) usable top surface.
- Standard with one adjustable shelf – 1"(25mm) increments.
- Cart door has touch latch with locking option.
- Optional locks are available in black or chrome.
- Lock plugs and keys are shipped with random numbering unless specified as keyed-alike or master-keyed.
- Optional casters (two locking) or glides are field interchangeable.
- Casters have light platinum hub with graphite tread.
- Glides are light platinum with 1/2"(13mm) height adjustment.
- Cart interior dimensions:
17 3/8"(411mm) W x 21 5/8"(549mm) H x 16 7/8"(429mm) D
- Cart door opening: 16 1/2"(419mm) W x 21 5/8"(549mm) H
- Ships assembled.
- ◆ Available on RUSH with Standard Core only.

To Order, Specify:

1) Product number, including:

① Core Option:

S Standard ◆

G Green, add **\$100** list**② Door Locking Option:**

N Non-locking

A Locking, add **\$50** list**③ Base Option:**

C Caster

G Glide


2) Laminate surface color or wood finish color.

3) Edge trim color for laminate.

4) Rail trim color.
(Metallic trim colors only.)5) Lock plug trim color.
Black – LR-BL
Chrome – LR-BP

Planes Carts – Medium Media

Cart – Medium Media –
Laminate or Wood



GAKE-1919

Height	Depth	Width	Number	①	②	③	Laminate	Wood Group I	Wood Group II
Laminate									
36"(914mm)	19"(483mm)	19"(483mm)	GAKE-1919-LJ	☐ N	☐	6	\$1300		
Wood									
36"(914mm)	19"(483mm)	19"(483mm)	GAKE-1919-WK	☐ N	☐	6		\$1650	\$1700

Features

- Includes cart with four doors and hardware.
- Laminate with 1mm edgeband or wood veneer with 1mm wood edgeband.
- Available in standard or green core.
- Standard with dual handles.
- Rails and handles are aluminum and available in metallic trim colors only.
- Cart standard with 2 3/4"(70mm) diameter bottom cutout for wire access to floor. Optional grommet separately specified for field retrofitting.
- Cart door configuration:
 - 6 3/8"(162mm) high upper touch latch flap door in front and back that folds down flat to allow air flow and is standard with locking option
 - 21 3/4"(552mm) lower touch latch door in front and back with locking option with adjustable shelf in 1"(25mm) increments
- 4"(101mm) deep full-height enclosure in front for power and cable management.
- Optional locks are available in black or chrome.
- Lock plugs and keys are shipped with random numbering unless specified as keyed-alike or master-keyed.
- Optional casters (two locking) or glides are field interchangeable.
- Casters have light platinum hub with graphite tread.
- Glides are light platinum with 1/2"(13mm) height adjustment.
- Ships assembled.

◆ Available on RUSH with Standard Core only.

Specification Tips

The following Planes products are separately specified:
–Grommet
–Power strip

To Order, Specify:

1) Product number, including:

① Core Option:

- ☐ S Standard
- ☐ G Green, add \$100 list

② Door Locking Option:

- ☐ N Non-locking
- ☐ A Locking, add \$50 list


③ Base Option:

- ☐ C Caster
- ☐ G Glide

- 2) Laminate surface color or wood finish color.
- 3) Edge trim color for laminate.
- 4) Rail trim color.
(Metallic trim colors only.)
- 5) Lock plug trim color.
Black – LR-BL
Chrome – LR-BP

Planes Carts – Catering

	Height	Depth	Width	Number	①	②	Price
Cart – Catering – Laminate	36"(914mm)	19"(483mm)	35 1/4"(895mm)	GAKG-1935-LJ	■	NN ■ 6 ■	\$1150



GAKG-1935

Features

- Includes cart, shelf and shelf hardware.
 - Laminate with 1mm edgeband.
 - Available in standard or green core option.
 - Standard with dual handles.
 - Rails and handles are aluminum and available in metallic trim colors only.
 - Standard with center adjustable shelf; 3 1/2"(89mm) increments.
 - Each cart end has upper and lower open stationary shelves with shelf rails to accommodate beverage containers.
 - Optional casters (two locking) or glides are field interchangeable.
 - Casters have light platinum hub with graphite tread.
 - Glides are light platinum with 1/2"(13mm) height adjustment.
 - Ships assembled.
- Available on RUSH with Standard Core only.

To Order, Specify:

1) Product number, including:

① Core Option:

- S Standard ■
- G Green, add **\$100** list


② Base Option:

- C Caster
- G Glide

- 2) Laminate surface color.
- 3) Edge trim color.
- 4) Rail and handles trim color.
(Metallic trim colors only.)

Planes Cart – Podium

Cart – Podium –
Laminate or Wood



GAJD-1919

Height	Depth	Width	Number	①	②	③	Laminate	Wood Group I	Wood Group II
Laminate									
46"(1168mm)	22 1/4"(565mm)	22 1/2"(572mm)	GAJD-1919-LJ	N		9	\$1600		
Wood									
46"(1168mm)	22 1/4"(565mm)	22 1/2"(572mm)	GAJD-1919-WK	N		9		\$2704	\$2785

Features

- Includes podium, shelf and hardware.
 - Laminate with 1mm edgeband or wood veneer with 1mm wood edge.
 - Available in standard or green core.
 - Podium sloping top is 22 1/2"(572mm) wide x 16 3/8"(416mm) deep with paper ledge.
 - Rails are aluminum and available in metallic trim colors only.
 - Optional casters (two locking) or glides are field interchangeable.
 - Casters have light platinum hub with graphite tread.
 - Glides are light platinum with 1/2"(13mm) height adjustment.
 - Podium doors are touch latch and available as all locking or all non-locking.
 - Optional locks are available in black or chrome
 - Lock plugs and keys are shipped with random numbering unless specified as keyed-alike or master-keyed.
 - Podium user side has open shelf, lower storage with lockable touch latch door and one adjustable shelf.
 - Podium back has touch latch, lockable full height door with full-height enclosure for power and cable management or separately specified power strip (spur).
 - Podium bottom has 2 3/4"(70mm) cutout for wire access to floor. Optional grommet can be ordered separately for field installation.
 - Ships assembled.
- ◆ Available on RUSH with Standard Core only.

Specification Tip

The following Planes products are separately specified:
–Grommet

To Order, Specify:

1) Product number, including:

① Core Option:

- S Standard ◆
- G Green, add \$100 list

② Door Locking Option:


- N Non-locking, all
- A Locking, add \$50 list

③ Base Option:

- C Caster
- G Glide

- 2) Laminate surface color or wood finish color.
- 3) Edge trim color for laminate.
- 4) Rail trim color.
(Metallic trim colors only.)
- 5) Lock plug trim color.
Black – LR-BL
Chrome – LR-BP

Planes Credenza Tops

Credenza Top –
Laminate or Wood

GACJ

Depth	Width	Number	Laminate Price	Wood Group I	Wood Group II
Laminate					
20"(508mm)	36"(914mm)	GACJ-2036-LJSNNNN	\$234		
	48"(1219mm)	GACJ-2048-LJSNNNN	313		
	54"(1372mm)	GACJ-2054-LJSNNNN	352		
	72"(1829mm)	GACJ-2072-LJSNNNN	468		
	96"(2438mm)	GACJ-2096-LJSNNNN	624		
	108"(2743mm)	GACJ-20A8-LJSNNNN	702		
Wood					
20"(508mm)	36"(914mm)	GACJ-2036-WKSNNNN		\$ 376	\$ 388
	48"(1219mm)	GACJ-2048-WKSNNNN		502	517
	54"(1372mm)	GACJ-2054-WKSNNNN		565	582
	72"(1829mm)	GACJ-2072-WKSNNNN		752	775
	96"(2438mm)	GACJ-2096-WKSNNNN		1003	1033
	108"(2743mm)	GACJ-20A8-WKSNNNN		1128	1162

Features

- Includes one 1 3/16"(30mm) thick credenza top and hardware for use on Planes credenza bases.
- Laminate with 1mm edgeband or wood veneer with 1mm wood edgeband.
- Credenza top available in standard core.
- Top installs on credenza base with 1/4"(6mm) reveal.
- ◆ Available on RUSH.

To Order, Specify:

- 1) Product number.
- 2) Laminate surface color or wood finish color.
- 3) Edge trim color for laminate.

Specification Tip

- **Must be used with credenza base for finished aesthetic.**

Grommet



TA01

Top Thickness	Diameter	Number	Price
3/4"(19mm)	2 3/4"(70mm)	TA01-0220	\$25
	1 3/4"(40mm)	TA01-0221	20

Features


- Includes one grommet.
- Field installed into field cut opening.

To Order, Specify:

- 1) Product number.
- 2) Trim color.

Note: \$4 upcharge list for Metallic trim colors.

Planes Credenza Bases – 19" High

	*Overall Height	Depth	Width	Number	①	Laminate Price	Wood Group I	Wood Group II
Credenza Base – 19"(483mm) High – Laminate or Wood  GAC1	Laminate							
	19"(483mm)	20"(508mm)	36"(914mm)	GAC1-2036-LNSN	G2	\$ 883		
			48"(1219mm)	GAC1-2048-LNSN	G2	1104		
			54"(1372mm)	GAC1-2054-LNSN	G2	1325		
			72"(1829mm)	GAC1-2072-LNSN	G2	1766		
			96"(2438mm)	GAC1-2096-LNSN	G2	2208		
			108"(2743mm)	GAC1-20A8-LNSN	G2	2649		
	Wood							
	19"(483mm)	20"(508mm)	36"(914mm)	GAC1-2036-WNSN	G2		\$1492	\$1537
			48"(1219mm)	GAC1-2048-WNSN	G2		1866	1923
			54"(1372mm)	GAC1-2054-WNSN	G2		2239	2307
			72"(1829mm)	GAC1-2072-WNSN	G2		2984	3073
			96"(2438mm)	GAC1-2096-WNSN	G2		3731	3843
			108"(2743mm)	GAC1-20A8-WNSN	G2		4476	4610

Features

- Includes 19"(483mm) high base cabinet with one or more shelves, doors, legs and hardware.
- **Credenza top is ordered separately.**
- Laminate with 1mm edgeband or wood veneer with wood 1mm edgeband.
- 1/8"(3mm) reveal between credenza top and base
- Credenza base available in standard core.
- Cabinet doors have touch latches.
- Optional locks are available in Black or Chrome.
- Lock plugs and keys are shipped with random numbering unless specified as keyed-alike or master-keyed.
- Leg is 2 1/4"(57mm) high painted aluminum.
- Available with black glides only; 1 1/2"(38mm) height adjustment.
- Includes one adjustable shelf per cabinet with 1 1/4"(32mm) adjustment increments.
 - 36"(914mm) wide has two doors and four legs
 - 48"(1219mm) wide has three doors and four legs
 - 54"(1372mm) wide has three doors and four legs
 - 72"(1829mm) wide has four doors and six legs
 - 96"(2438mm) wide has six doors and six legs
 - 108"(2743mm) wide has six doors and six legs
- Ships unassembled.
- ◆ Available on RUSH.

Specification Tip

- **Must order a 1 3/16"(30mm) thick credenza top separately.**
- Grommets are ordered separately and requires field cutting and installation.

* Overall height includes credenza base, legs, reveal and separately specified credenza top.

To Order, Specify:

- 1) Product number, including:

① Locking Option:

- ☐ N Non-locking
☐ A All locking, add \$52 list







- 2) Laminate surface color or wood finish color.
- 3) Edge trim color for laminate.
- 4) Leg trim color.
- 5) Lock plug trim color.
 Black – LR-BL
 Chrome – LR-BP

Notes: \$36 upcharge (list) for Metallic trim color.

\$56 upcharge (list) for Premium wood grain laminates.

Planes Credenza Base with Slider Unit – 29" High

Credenza Base – 29"(737mm) High with Slider Unit – Laminate or Wood



GAC2

*Overall Height	Depth	Width	Number	①	Glass 1	4	5	6	Acrylic
Laminate									
29"(737mm)	20"(508mm)	36"(914mm)	GAC2-2036-LGSN	G4	\$1388	\$1710	\$1758	\$1790	\$1549
		48"(1219mm)	GAC2-2048-LGSN	G4	1736	2139	2199	2239	1938
		54"(1372mm)	GAC2-2054-LGSN	G4	2083	2567	2638	2687	2325
		72"(1829mm)	GAC2-2072-LGSN	G4	2777	3422	3517	3582	3100
		96"(2438mm)	GAC2-2096-LGSN	G4	3472	4278	4398	4479	3875
		108"(2743mm)	GAC2-20A8-LGSN	G4	4166	5132	5278	5374	4649
Wood Group I									
29"(737mm)	20"(508mm)	36"(914mm)	GAC2-2036-WGSN	G4	\$2534	\$2856	\$2904	\$2936	\$2695
		48"(1219mm)	GAC2-2048-WGSN	G4	3028	3431	3491	3531	3230
		54"(1372mm)	GAC2-2054-WGSN	G4	3520	4004	4075	4124	3762
		72"(1829mm)	GAC2-2072-WGSN	G4	4693	5338	5433	5498	5016
		96"(2438mm)	GAC2-2096-WGSN	G4	5867	6673	6793	6874	6270
		108"(2743mm)	GAC2-20A8-WGSN	G4	7040	8006	8152	8248	7523
Wood Group II									
29"(737mm)	20"(508mm)	36"(914mm)	GAC2-2036-WGSN	G4	\$2610	\$2932	\$2980	\$3012	\$2771
		48"(1219mm)	GAC2-2048-WGSN	G4	3119	3522	3582	3622	3321
		54"(1372mm)	GAC2-2054-WGSN	G4	3626	4110	4181	4230	3868
		72"(1829mm)	GAC2-2072-WGSN	G4	4833	5478	5573	5638	5156
		96"(2438mm)	GAC2-2096-WGSN	G4	6043	6849	6969	7050	6446
		108"(2743mm)	GAC2-20A8-WGSN	G4	7251	8217	8363	8459	7734

Features

- Includes 19"(483mm) high base cabinet with one shelf, doors, legs and 10"(254mm) high upper slider unit with glass or acrylic slider doors, pulls and hardware.
- Credenza top is ordered separately.**
- Laminate with 1mm edgeband or wood veneer with 1mm wood edgeband.
- 1/8"(3mm) reveal between base and slider unit and between slider unit and credenza top.
- Available in standard core.
- Cabinet doors have touch latches.
- Slider unit doors are glass or acrylic with painted aluminum bar pulls.
- Optional locks are available in black or chrome.
- Lock plugs and keys are shipped with random numbering unless specified as keyed-alike or master-keyed.
- Leg is 2 1/4"(57mm) high painted metal.
- Available with black glides only; 1 1/2"(38mm) height adjustment.
- Cabinet includes one adjustable shelf per cabinet with 1 1/4"(32mm) adjustment increments.
- 36"(914mm) wide has two doors and four legs
- 48"(1219mm) wide has three doors and four legs
- 54"(1372mm) wide has three doors and four legs
- 72"(1829mm) wide has four doors and six legs
- 96"(2438mm) wide has six doors and six legs
- 108"(2743mm) wide has six doors and six legs
- Ships unassembled.

To Order, Specify:

- Product number, including:

① Locking Option:

- ☐ N Non-locking
- ☐ A All locking, add \$104 list
- ☐ L Slider unit locking only, add \$52 list

- Laminate surface color or wood finish color.
- Edge trim color for laminate.
- Leg, slider pull and track trim color.
- Slider unit glass/acrylic door.
- Lock plug trim color.
Black – LR-BL
Chrome – LR-BP

Notes: \$36 upcharge (list) for Metallic trim color.







\$56 upcharge (list) for Premium wood grain laminates.

Specification Tip

- Must order a 1 3/16"(30mm) thick credenza top separately.**

* Overall height includes credenza base, legs, reveal, slider unit and separately specified credenza top.

Planes Credenza Base with Slider Unit – 35" High

	*Overall Height	Depth	Width	Number	①	Glass 1	4	5	6	Acrylic
Credenza Base – 35" (889mm) High with Slider Unit – Laminate or Wood       	Laminate									
	35" (889mm)	20" (508mm)	36" (914mm)	GAC2-2036-LGSN	G6	\$1660	\$1982	\$2030	\$2062	\$1821
			48" (1219mm)	GAC2-2048-LGSN	G6	2077	2480	2540	2580	2279
			54" (1372mm)	GAC2-2054-LGSN	G6	2492	2976	3047	3096	2734
			72" (1829mm)	GAC2-2072-LGSN	G6	3322	3967	4062	4127	3645
			96" (2438mm)	GAC2-2096-LGSN	G6	4153	4959	5079	5160	4556
			108" (2743mm)	GAC2-20A8-LGSN	G6	4982	5948	6094	6190	5465
	Wood Group I									
	35" (889mm)	20" (508mm)	36" (914mm)	GAC2-2036-WGSN	G6	\$2806	\$3128	\$3176	\$3208	\$2967
			48" (1219mm)	GAC2-2048-WGSN	G6	3369	3772	3832	3872	3571
			54" (1372mm)	GAC2-2054-WGSN	G6	3929	4413	4484	4533	4171
			72" (1829mm)	GAC2-2072-WGSN	G6	5238	5883	5978	6043	5561
			96" (2438mm)	GAC2-2096-WGSN	G6	6548	7354	7474	7555	6951
			108" (2743mm)	GAC2-20A8-WGSN	G6	7856	8822	8968	9064	8339
	Wood Group II									
	35" (889mm)	20" (508mm)	36" (914mm)	GAC2-2036-WGSN	G6	\$2882	\$3204	\$3252	\$3284	3043
			48" (1219mm)	GAC2-2048-WGSN	G6	3460	3863	3923	3963	3662
			54" (1372mm)	GAC2-2054-WGSN	G6	4035	4519	4590	4639	4277
			72" (1829mm)	GAC2-2072-WGSN	G6	5378	6023	6118	6183	5701
			96" (2438mm)	GAC2-2096-WGSN	G6	6724	7530	7650	7731	7127
			108" (2743mm)	GAC2-20A8-WGSN	G6	8067	9033	9179	9275	8550

Features

- Includes 19" (483mm) high base cabinet with one shelf, doors, legs and 16" (406mm) high upper slider unit with one shelf, glass or acrylic slider doors, door tracks, pulls and hardware.
- Credenza top is ordered separately.**
- Laminate with 1mm edgeband or wood veneer with 1mm wood edgeband.
- 1/8" (3mm) reveal between base and slider unit and between slider unit and credenza top.
- Credenza available in standard core.
- Cabinet doors have touch latches.
- Slider unit doors are glass or acrylic with painted aluminum bar pulls.
- Optional locks are available in black or chrome.
- Lock plugs and keys are shipped with random numbering unless specified as keyed-alike or master keyed.
- Leg is 2 1/4" (57mm) high painted metal.
- Available with Black glides only; 1 1/2" (38mm) height adjustment.
- Slider unit includes one adjustable shelf per unit with 1 1/4" (32mm) adjustment increments.
- Cabinet includes one adjustable shelf per cabinet with 1 1/4" (32mm) adjustment increments.
 - 36" (914mm) wide has two doors and four legs
 - 48" (1219mm) wide has three doors and four legs
 - 54" (1372mm) wide has three doors and four legs
 - 72" (1829mm) wide has four doors and six legs
 - 96" (2438mm) wide has six doors and six legs
 - 108" (2743mm) wide has six doors and six legs
- Ships unassembled.

Specification Tip

- Must order a 1 3/16" (30mm) thick credenza top separately.**

* Overall height includes credenza base legs, reveal, slider unit and credenza top.

To Order, Specify:

- Product number, including:

① Locking Option:

- ☐ N Non-locking
- ☐ A All locking, add \$104 list
- ☐ L Slider unit locking only, add \$52 list

- Laminate surface color or wood finish color.
- Edge trim color for laminate.
- Leg, slider door pull and track trim color.
- Slider unit glass/acrylic door.
- Lock plug trim color.
 - Black – LR-BL
 - Chrome – LR-BP


Notes: \$35 upcharge (list) for Metallic trim color.

\$56 upcharge (list) for Premium wood grain laminates.

GAC2

Planes Credenza Base – 29" High

Credenza Base – 29"(737mm) High – Laminate or Wood



GAC1

*Overall Height	Depth	Width	Number	①	Price
Laminate					
29"(737mm)	20"(508mm)	36"(914mm)	GAC1-2036-LNSN	G4	\$1177
		48"(1219mm)	GAC1-2048-LNSN	G4	1472
		54"(1372mm)	GAC1-2054-LNSN	G4	1767
		72"(1829mm)	GAC1-2072-LNSN	G4	2355
		96"(2438mm)	GAC1-2096-LNSN	G4	2944
		108"(2743mm)	GAC1-20A8-LNSN	G4	3532
Wood Group I					
29"(737mm)	20"(508mm)	36"(914mm)	GAC1-2036-WNSN	G4	\$1786
		48"(1219mm)	GAC1-2048-WNSN	G4	2234
		54"(1372mm)	GAC1-2054-WNSN	G4	2681
		72"(1829mm)	GAC1-2072-WNSN	G4	3573
		96"(2438mm)	GAC1-2096-WNSN	G4	4467
		108"(2743mm)	GAC1-20A8-WNSN	G4	5359
Wood Group II					
29"(737mm)	20"(508mm)	36"(914mm)	GAC1-2036-WNSN	G4	\$1831
		48"(1219mm)	GAC1-2048-WNSN	G4	2291
		54"(1372mm)	GAC1-2054-WNSN	G4	2749
		72"(1829mm)	GAC1-2072-WNSN	G4	3662
		96"(2438mm)	GAC1-2096-WNSN	G4	4579
		108"(2743mm)	GAC1-20A8-WNSN	G4	5493

Features

- Includes 29"(737mm) high base cabinet with two shelves, doors, legs and hardware.
- Credenza top is ordered separately.**
- Laminate with 1mm edgeband or wood veneer with 1mm wood edgeband.
- 1/8"(3mm) reveal between base unit and credenza top.
- Credenza available in standard core.
- Cabinet doors have touch latches.
- Optional locks are available in black or chrome.
- Lock plugs and keys are shipped with random numbering unless specified as keyed-alike or master-keyed.
- Leg is 2 1/4"(57mm) high painted metal.
- Available with black glides only; 1 1/2"(38mm) height adjustment.
- Includes one adjustable shelf per cabinet with 1/4"(6mm) adjustment increments.
 - 36"(914mm) wide has two doors and four legs
 - 48"(1219mm) wide has three doors and four legs
 - 54"(1372mm) wide has three doors and four legs
 - 72"(1829mm) wide has four doors and six legs
 - 96"(2438mm) wide has six doors and six legs
 - 108"(2743mm) wide has six doors and six legs
- Ships unassembled.

◆ Available on RUSH.

To Order, Specify:

- Product number, including:

① Locking Option:

- ☐ N Non-locking
- ☐ A All locking, add \$52 list

- Laminate surface color or wood finish color.
- Edge trim color for laminate.
- Leg trim color.
- Lock plug trim color.
 - Black – LR-BL
 - Chrome – LR-BP

Notes: \$36 upcharge (list) for Metallic trim color.







\$56 upcharge (list) for Premium wood grain laminates.

Specification Tip

- Must order a 1 3/16"(30mm) thick credenza top separately.**
- Grommets are ordered separately and requires field cutting and installation.

* Overall height includes credenza base legs, reveal, slider unit and separately specified credenza top.

Planes Credenza Base with Slider Unit – 39" High

	*Overall Height	Depth	Width	Number	①	Glass 1	4	5	6	Acrylic
Credenza Base – 39" (991mm) High with Slider Unit – Laminate or Wood      	Laminate									
	39" (991mm)	20" (508mm)	36" (914mm)	GAC2-2036-LGSN	G7	\$1682	\$2004	\$2052	\$2084	\$1843
			48" (1219mm)	GAC2-2048-LGSN	G7	2104	2507	2567	2607	2306
			54" (1372mm)	GAC2-2054-LGSN	G7	2525	3009	3080	3129	2767
			72" (1829mm)	GAC2-2072-LGSN	G7	3366	4011	4106	4171	3689
			96" (2438mm)	GAC2-2096-LGSN	G7	4208	5014	5134	5215	4611
			108" (2743mm)	GAC2-20A8-LGSN	G7	5049	6015	6161	6257	5532
	Wood Group I									
	39" (991mm)	20" (508mm)	36" (914mm)	GAC2-2036-WGSN	G7	\$2828	\$3150	\$3198	\$3230	\$2989
			48" (1219mm)	GAC2-2048-WGSN	G7	3396	3799	3859	3899	3598
			54" (1372mm)	GAC2-2054-WGSN	G7	3962	4446	4517	4566	4204
			72" (1829mm)	GAC2-2072-WGSN	G7	5282	5927	6022	6087	5605
			96" (2438mm)	GAC2-2096-WGSN	G7	6603	7409	7529	7610	7006
			108" (2743mm)	GAC2-20A8-WGSN	G7	7923	8889	9035	9131	8406
	Wood Group II									
	39" (991mm)	20" (508mm)	36" (914mm)	GAC2-2036-WGSN	G7	\$2904	\$3226	\$3274	\$3306	\$3065
			48" (1219mm)	GAC2-2048-WGSN	G7	3487	3890	3950	3990	3689
			54" (1372mm)	GAC2-2054-WGSN	G7	4068	4552	4623	4672	4310
			72" (1829mm)	GAC2-2072-WGSN	G7	5422	6067	6162	6227	5745
			96" (2438mm)	GAC2-2096-WGSN	G7	6779	7585	7705	7786	7182
			108" (2743mm)	GAC2-20A8-WGSN	G7	8134	9100	9246	9342	8617

Features

- Includes 29" (737mm) high base cabinet with two shelves, doors, legs and 10" (254mm) high upper slider unit with glass or acrylic slider doors, pulls and hardware.
- Credenza top is ordered separately.**
- Laminate with 1mm edgeband or wood veneer with 1mm wood edgeband.
- 1/8" (3mm) reveal between base and slider unit and between slider unit and credenza top.
- Credenza available in standard core.
- Cabinet doors have touch latches.
- Slider unit doors are glass or acrylic with painted aluminum bar pulls.
- Optional locks are available in black or chrome.
- Lock plugs and keys are shipped with random numbering unless specified as keyed-alike or master-keyed.
- Leg is 2 1/4" (57mm) high painted metal.
- Available with black glides only; 1 1/2" (38mm) height adjustment.
- Cabinet includes one adjustable shelf per cabinet with 1/4" (6mm) adjustment increments.
 - 36" (914mm) wide has two doors and four legs
 - 48" (1219mm) wide has three doors and four legs
 - 54" (1372mm) wide has three doors and four legs
 - 72" (1829mm) wide has four doors and six legs
 - 96" (2438mm) wide has six doors and six legs
 - 108" (2743mm) wide has six doors and six legs
- Ships unassembled.

To Order, Specify:

- Product number, including:

① Locking Option:

- ☐ N Non-locking
- ☐ A All locking, add \$104 list
- ☐ L Slider unit locking only, add \$52 list

- Laminate surface color or wood finish color.
- Edge trim color for laminate.
- Leg, slider pull and track trim color.
- Slider unit glass/acrylic door.
- Lock plug trim color.
 - Black – LR-BL
 - Chrome – LR-BP

Notes: \$35 upcharge (list) for Metallic trim color.

\$56 upcharge (list) for Premium wood grain laminates.

Specification Tip


- Must order a 1 3/16" (30mm) thick credenza top separately.**

* Overall height includes credenza base legs, reveal, slider unit and separately specified credenza top.

GAC2

Planes Credenza Base with Slider Unit – 45" High

Credenza Base – 45"(1143mm) High with Slider Unit – Laminate or Wood



GACB

*Overall Height	Depth	Width	Number	①	②	Glass 1	4	5	6
Laminate									
45"(1143mm)	20"(508mm)	36"(914mm)	GACB-2036-LJ	N	G9	\$1880	\$2190	\$2236	\$2267
		54"(1372mm)	GACB-2054-LJ	N	G9	2820	3285	3354	3401
		72"(1829mm)	GACB-2072-LJ	N	G9	3760	4380	4472	4534
		108"(2743mm)	GACB-20A8-LJ	N	G9	5640	6569	6709	6802
Wood Group I									
45"(1143mm)	20"(508mm)	36"(914mm)	GACB-2036-WK	N	G9	\$2982	\$3292	\$3338	\$3369
		54"(1372mm)	GACB-2054-WK	N	G9	4202	4667	4736	4783
		72"(1829mm)	GACB-2072-WK	N	G9	5602	6222	6314	6376
		108"(2743mm)	GACB-20A8-WK	N	G9	8403	9332	9472	9565
Wood Group II									
45"(1143mm)	20"(508mm)	36"(914mm)	GACB-2036-WK	N	G9	\$3055	\$3365	\$3411	\$3442
		54"(1372mm)	GACB-2054-WK	N	G9	4304	4769	4838	4885
		72"(1829mm)	GACB-2072-WK	N	G9	5737	6357	6449	6511
		108"(2743mm)	GACB-20A8-WK	N	G9	8606	9535	9675	9768

Features

- Includes 29"(737mm) high base cabinet with two shelves, doors, legs and 16"(406mm) high upper slider unit with one shelf, glass slider doors, pulls and hardware.
- Credenza top is ordered separately.**
- Laminate with 1mm edgeband or wood veneer with 1mm wood edgeband.
- 1/4"(6mm) reveal between base and slider unit and between slider unit and credenza top.
- Credenza available in standard or green core option.
- Cabinet doors have touch latches.
- Slider unit doors are glass only with painted aluminum bar pulls.
- Optional locks are available in black or chrome.
- Lock plugs and keys are shipped with random numbering unless specified as keyed-alike or master-keyed.
- Leg is 3 1/8"(79mm) high painted metal.
- Available with black glides only; 1/2"(13mm) height adjustment.
- Slider unit includes one adjustable shelf per unit.
- Cabinet includes two adjustable shelves per cabinet with 1 1/4"(32mm) adjustment increments.
 - 36"(914mm) wide is one cabinet with two doors and 4 legs
 - 54"(1372mm) wide is one cabinet with three doors and 4 legs
 - 72"(1829mm) wide is two two-door cabinets with 4 single/2 shared legs
 - 108"(2743mm) wide is two three-door cabinets with 4 single/2 shared legs
- Ships unassembled.

Specification Tip

- Must order a 1 3/16"(30mm) thick credenza top separately.**

* Overall height includes credenza base legs, reveal, slider unit and separately specified credenza top.

To Order, Specify:

- Product number, including:

① Core Option:

- ☐ S Standard
- ☐ G Green,
 - 36"/54" – add \$100 list
 - 72"/108" – add \$200 list

② Locking Option:


- ☐ N Non-locking
- ☐ A All locking, add \$100 list
- ☐ L Slider unit locking only, add \$50 list

- Laminate surface color or wood finish color.
- Edge trim color for laminate.
- Leg, slider pull and track trim color.
- Slider unit door glass.
- Lock plug trim color.
 - Black – LR-BL
 - Chrome – LR-BP

Note: \$35 upcharge (list) for Metallic trim color.

Planes Information Display – Easels

	Height	Depth	Width	Number	①	Price
Standard Easel	75''(1905mm)	28''(711mm)	45''(1143mm)	KAIE-0029-LJS	■ B ■	\$1100



KAIE-0029

Features

- Includes frame and attached, two-sided laminate writing surface/center board with attached marker tray.
 - Includes four dry erase markers and one eraser.
 - **One information board can be hung from each side of easel; specify separately.**
 - Center board has pins to allow hanging of standard size easel paper pad.
 - Writable surface/center board is 0.64''(16mm) thick with 1mm bright white edgeband and has a 31''(787mm) wide x 43''(1092mm) high writing surface.
 - Aluminum frame available in metallic trim colors only.
 - Easel marker tray is 30''(762mm) wide x 1 3/8''(35mm) high x 3''(76mm) deep. Accessible from one side only.
 - Optional casters (two locking) or glides are field interchangeable.
 - Casters have light platinum hub with graphite tread.
 - Glides are light platinum with 1/2''(13mm) adjustment.
 - Easel can be used as a projection screen and/or space divider.
 - Easel height with information board(s) attached is 78''(1981mm).
 - Ships unassembled.
- Available on RUSH.

Specification Tips

- Only Planes information boards can be hung off the Planes easel.
- The following Planes products are separately specified:
 - Information Boards

To Order, Specify:


- 1) Product number, including:

① Base Option:

- ☐ C Caster
☐ G Glide

- 2) Frame trim color.
(Metallic trim colors only.)

Large Easel	75''(1905mm)	28''(711mm)	88''(2235mm)	KAIE-0072-LJS	■ B	\$2000
-------------	--------------	-------------	--------------	---------------	-----	--------



KAIE-0072

Features

- Includes frame, and attached, two-sided laminate writing surface/center board with attached marker tray.
- Includes four dry erase markers and one eraser.
- **Two information boards can be hung from each side of easel; specify separately.**
- Center board has pins to allow hanging of standard size easel paper pads.
- Writable surface/center board is 0.64''(16mm) thick with 1mm bright white edgeband and has a 74''(1880mm) wide x 43''(1092mm) high writing surface.
- Aluminum frame available in metallic trim colors only.
- Easel marker tray is 73''(1854mm) wide x 1 3/8''(35mm) high x 3''(76mm) deep. Accessible from one side only.
- Optional casters (two locking) or glides are field interchangeable.
- Casters have light platinum hub with graphite tread.
- Glides are light platinum with 1/2''(13mm) adjustment.
- Easel can be used as a projection screen and/or space divider.
- Easel height with information board(s) attached is 78''(1981mm).
- Ships unassembled.

Specification Tips

- Only Planes information boards can be hung off the Planes easel.
- The following Planes products are separately specified:
 - Information Boards

To Order, Specify:

- 1) Product number, including:


① Base Option:

- ☐ C Caster
☐ G Glide

- 2) Frame trim color.
(Metallic trim colors only.)

Planes Information Display – Boards and Accessories

	Height	Width	Number	Price
Information Boards	42" (1067mm)	40" (1016mm)	KAIB-0040-LJSNA ■	\$400



KAIB-0040

Features

- Includes one information board and attachment cleats.
- Includes four dry erase markers and one eraser.
- Laminate writable surface/information boards are 0.64" (16mm) thick with one usable side and 1mm bright white edgeband.
- Safety interlock prevents dislodgement from easels and horizontal wall rail.
- Lightweight construction – each board is approximately 19 pounds.
- Information board cleats and bumpers are light platinum.
- Ships assembled.
- Available on RUSH.


To Order, Specify:

- 1) Product number.
(No finish specification required.)

Specification Tips

- **Planes information boards add 3" (76mm) to overall easel height.**
- Information board back cleats (2) fit over top rail of easel and lower bumpers (2) allow vertical alignment.
- The following Planes products are separately specified:
 - Standard Easel
 - Large Easel
 - Horizontal Wall Rail for Information Boards

Horizontal Wall Rail for Information Boards



KAIW-0096

	Width	Number	Price
	96" (2438mm)	KAIW-0096 ■	\$900

Features

- Includes upper and lower rails, four wall cleats, two end caps and hardware.
- Lower rail also functions as a 2 1/4" (57mm) x 96" (2438mm) marker tray.
- 96" (2438mm) horizontal wall rail accommodates two information boards side-by-side.
- Rails can be cut down to accommodate desired width.
- Rails available in metallic trim colors only.
- Rail end caps and cleats are light platinum.
- Wall rails are mounted horizontally.
- Ships unassembled.
- Available on RUSH.


To Order, Specify:

- 1) Product number.
- 2) Trim color for cleats.
(Metallic trim colors only.)

Specification Tips

- **Planes horizontal wall rail requires proper structural wall backing for support. Mounting hardware is field supplied.**
- The following Planes products are separately specified:
 - Information Boards

Wall Cleat for Information Boards



KAIH-0000

Height	Depth	Width	Number	Price
3-1/2" (89mm)	1-1/2" (38mm)	1-3/4" (44mm)	KAIH-0000	\$65

Features

- Includes two cleats in light platinum.
- For use with the Planes information board horizontal wall rail in field modified application.



To Order, Specify:

- 1) Product number.
(No finish specification required.)

Specification Tip

- **Planes horizontal wall rail requires proper structural wall backing for support. Mounting hardware is field supplied.**

Planes Information Display – Boards and Accessories

	Number	Price
Horizontal Wall Rail End Caps  KAIC-0000	KAIC-0000	\$10
Features - Includes two end caps in light platinum. - For use with the Planes information board horizontal wall rail in field modified application.		
To Order, Specify: 1) Product number. (No finish specification required.)		
Specification Tip Planes horizontal wall rail requires proper structural wall backing for support. Mounting hardware is field supplied.		
Y-Leg Bumper  TA01-0214	Description For use on 30"(762mm) deep top	Number TA01-0214
	Feature Includes 4 bumpers in light platinum, for easel Y-leg.	Price \$5
	To Order, Specify: 1) Product number (No color specification required.)	
	Specification Tip Protects Y-leg tables when nested.	

This page intentionally blank

Planes Preferred Finishes

The surface materials shown on this page were selected to support the design intent of the products.

	Table, Credenza Case, Cart Case		Credenza Slider Unit Doors	Table Legs	Grommet	Cart Frame, Credenza Foot and Slider Track, Door Pull, Easel Frame, Wall Rail
	Surface	Edge Trims				
Textured Paint						
Cement				TR-TY		
Grout				TR-TG		
Pitch				TR-TF		
Plaster				TR-TW	TR-TW	
Metallic Paint						
Champagne				TR-MC	TR-MC	TR-MC
Silver				TR-LE	TR-LE	TR-LE
Laminate – Premium Wood Grain*						
Brazilwood	H-KA	HP-KA				
Colombian Walnut	H-KG	HP-KG				
New Age Oak	H-KC	HP-KC				
River Cherry	H-KD	HP-KD				
Sanara	H-KE	HP-KE				
Williamsburg Cherry	H-KF	HP-KF				
Laminate – Solid						
Linen	H-WL	HP-WL				
Platinum	H-3P	HP-3P				
Putty	H-AA	HP-AA				
White Sand	H-LC	HP-LC				
Glass (Grade)						
Clear, Std., Tempered (1)			2G-01C			
Satin Etched, Std., Tempered (5)			2G-E21			
White Backpainted, Std., Tempered (4)			2G-SSW			
White Backpainted, Low Iron, Tempered (6)			2G-SLW			
Acrylic						
White			55-WT			

*Upcharge for Premium Wood Grain Laminates.

Components that have a non-specifiable finish

	Anodized Aluminum	Light Platinum	Light Platinum Hub and Graphite Tread	White
Bezels for Power and Data	●			
Bezel Interior and Outlets				●
Caster			●	
Conference Table Glide		●		
Y-Leg Glide		●		

See page 195 for additional finishes.

Customer's Own Material (COM)

For general Customer's Own Material information including: processes and forms, please refer to: Haworth.com/surfaces > COM Section

For information on approved COM's, please refer to: Haworth.com/surfaces > COM Library

For information on Haworth+ Alliance Program, please refer to: Haworth.com/surfaces > Haworth+ Library

Planes Legacy Finishes

The surface materials shown on this page are additional finishes available on the products.

	Table Credenza Case, Cart Case		Table Legs	Credenza Foot, Door Pull, Credenza Slider Track	Cart Frame, Easel Frame, Wall Rail, Grommet
	Surface	Edge Trims			
Paint					
Beige	TR-R		TR-R	TR-R	
Chalk	TR-AK		TR-AK	TR-AK	
Charcoal	TR-K		TR-K	TR-K	
Graphite	TR-J		TR-J	TR-J	
Gray Tone	TR-G		TR-G	TR-G	
Putty	TR-AA		TR-AA	TR-AA	
Smoke	TR-E		TR-E	TR-E	
Metallic Paint					
Gunmetal			TR-MG	TR-MG	TR-MG
Laminate – Solid					
Beige	H-34	HP-34			
Chalk	H-AK	HP-AK			
Charcoal	H-8J	HP-8J			
Graphite	H-3J	HP-3J			
Gray Tone	H-62	HP-62			
Smoke	H-3E	HP-3E			
Laminate – Wood Grain					
Maple	H-AE	HP-AE*			
Laminate Patterned					
Barley Grain	H-DH				
Oaks Grain	H-DA				
Wheat Grain	H-DE				
Owl Nest	H-EK				
Quail Nest	H-EC				
Rhea Nest	H-ED				
Robin Nest	H-EA				
Grey Spex	H-22				
White Spex	H-21				


*Edgeband only.

Alert:

These materials are current, however they are being considered for future obsolescence due to low volume.
Laminate – Wood
Medium Cherry H-AD

Planes Wood Finishes

Preferred

Wood Group	Veneer Type	Variety	Cutting Technique	Surface	Matching Technique	Grain Direction		Finish Name/ Color	Specification Number
						Panel Face	Component Face		
	Double Cut	Select African Woods	Rift Cut	Open Pore	N/A	Horizontal	Horizontal	Beachwood	WL-RL
								Ebony	WJ-RE
								Melba	WE-RT
								Sorrel	WF-RC
								Wenge	WC-RW


Legacy

Wood Group	Veneer Type	Variety	Cutting Technique	Surface	Matching Technique	Grain Direction		Finish Name/ Color	Specification Number
						Panel Face	Component Face		
	Natural	Maple	Half-Round Cut	Open Pore	Book Matched	Vertical	Vertical	Maple	VP-N
								Sand on Maple	VP-AD
	Natural	Cherry	Plain Sliced	Open Pore	Book Matched	Vertical	Vertical	Medium Cherry	VC-U
								Amber on Cherry	VC-CA1
								Classic on Cherry	VC-83
								American on Cherry	VC-W23
								Crown on Cherry	VC-W24
								Light Cherry	VC-W06
	Natural	Oak	Plain Sliced	Open Pore	Book Matched	Vertical	Vertical	Oak	VJ-W05
	Natural	Walnut	Plain Sliced	Open Pore	Book Matched	Vertical	Vertical	Espresso on Walnut	VR-W15
								Retro on Walnut	VR-W31
								Cordovan on Walnut	VR-W13
								Mahogany Satin on Walnut	VR-W21
								Naturally Walnut	VR-W12

Knife Edge Options: Laminate and Wood

Wood Table Tops: $1\frac{3}{16}$ " Thick


Current Knife Edge (Option U)



Laminate or Wood Table Tops: $1\frac{3}{16}$ " Thick

As of September 1, 2009, Knife Edge Options and Dimensions Change to:


- Laminate (F)
- Wood (U)



Knife edge available with green core option only.

Planes Collaborative Tables – Y-Leg/Flip – Laminate

Rectangular – Laminate – Flip



TARA

Depth	Length	Number	①	②	③	④	(T) T-Mold Price	(J) Edgeband Price	(V) Cascade Price	(F) Knife Price
30" (762mm)	60" (1524mm)	TARA-3060-L	■	■	Y	4	\$1047	\$1076	\$1096	\$1361
	66" (1676mm)	TARA-3066-L	■	■	Y	4	1098	1129	1151	1426
	72" (1829mm)	TARA-3072-L	■	■	Y	4	1150	1183	1207	1492
36" (914mm)	60" (1524mm)	TARA-3660-L	■	■	Y	4	\$1150	\$1183	\$1207	\$1478
	66" (1676mm)	TARA-3666-L	■	■	Y	4	1211	1247	1273	1553
	72" (1829mm)	TARA-3672-L	■	■	Y	4	1272	1312	1339	1628

Features

- Includes 1 3/16" (30mm) thick top, two Y-leg assemblies, stretcher and hardware.
- Standard table height is 29" (737mm) with 27 7/8" (708mm) knee clearance.
- Laminate top with T-mold, 3mm edgeband, cascade or knife edges.
- Top available in standard or green core option.
- Underside of table top has matching laminate surface.
- Table top flips from horizontal to vertical position via pneumatic assist mechanism activated by two finger pulls.
- Tables nest when flipped to vertical position. Refer to Specification Guide for details.
- Base and stretcher are painted aluminum.
- Stretcher provides lay-in cable management.
- Optional Flip top unit electrical modules are separately specified. Refer to electrical components for appropriate product specification.
- Optional casters (two locking) or glides are field interchangeable.
- Casters have light platinum hub with graphite tread.
- Glides are light platinum with 1/2" (13mm) height adjustment.
- Ships unassembled.

◆ Available on RUSH with Standard Core only.

Specification Tips

- 3mm edgeband edge is recommended to allow a flat seam between tables.
- The following Planes products are separately specified:
 - Ganging clip
 - Flip top unit electrical modules
 - Grommets (field cut opening)
 - Vertical wire management
 - Y-leg Bumper

*Knife edge must be specified with green core.

To Order, Specify:

1) Product number, including:

① Edge Option:

- T T-Mold
- J Edgeband
- V Cascade
- F Knife*

② Core Option:

- S Standard ◆
- G Green, add \$100 list

③ Flip Top Unit Cutout(s):

- N None
- F Center – single-sided/4 outlets, add \$25 list
- J Center – single-sided/6 outlets, add \$25 list

④ Base Options:

- H Flip – Caster
- F Flip – Glide

2) Laminate surface color.


3) Edge trim color.

4) Base trim color.

Note: \$35 upcharge (list) for Metallic trim color.

Planes Collaborative Tables – Y-Leg/Flip – Laminate

	Depth	Length	Number	① ② ③ ④	(T) T-Mold Price	(J) Edgeband Price	(V) Cascade Price	(F) Knife Price
Half Round – Laminate – Flip	72"(1829mm)	36"(914mm)	TAHN-3672-L	■ ■ ■ Y ■ 4 ■	\$1272	\$1312	\$1339	\$1628



TAHN

Features

- Includes 1 3/16"(30mm) thick top, two Y-leg assemblies, stretcher and hardware.
- Standard table height is 29"(737mm) with 27 7/8"(708mm) knee clearance.
- Laminate top with T-mold, 3mm edgeband, cascade or knife edges.
- Top available in standard or green core option.
- Table top flips from horizontal to vertical position via pneumatic assist mechanism activated by two finger pulls.
- Tables nest when flipped to vertical position. Refer to Specification Guide for details.
- Underside of table top has matching laminate surface.
- Base and stretcher are painted aluminum.
- Stretcher provides lay-in cable management.
- Optional Flip top unit electrical modules are separately specified. Refer to electrical components for appropriate product specification.
- Optional casters (two locking) or glides are field interchangeable.
- Castors have light platinum hub with graphite tread.
- Glides are light platinum with 1/2"(13mm) height adjustment.
- Ships unassembled.

■ Available on RUSH with Standard Core only.

Specification Tips

- 3mm edgeband edge is recommended to allow a flat seam between tables.
- Depth is meant to accommodate two 36"(914mm) tables.
- The following Planes products are separately specified:
 - Ganging clip
 - Flip top unit electrical modules
 - Grommets (field cut opening)
 - Vertical wire management
 - Y-leg Bumper

*Knife edge must be specified with green core.

To Order, Specify:

- Product number, including:

① Edge Option:

- ☐ T T-Mold
- ☐ J Edgeband
- ☐ V Cascade
- ☐ F Knife*

② Core Option:

- ☐ S Standard ■
- ☐ G Green, add \$100 list

③ Flip Top Unit Cutout(s):

- ☐ N None
- ☐ F Center – single-sided/4 outlets, add \$25 list
- ☐ J Center – single-sided/6 outlets, add \$25 list

④ Base Options:



- ☐ H Flip – Caster
- ☐ F Flip – Glide

- Laminate surface color.
- Edge trim color.
- Base trim color.

Note: \$35 upcharge (list) for Metallic trim color.

Planes Collaborative Tables – Y-Leg/Flip – Laminate

	Depth	Length	Number	①	②	③	④	(T) T-Mold Price	(J) Edgeband Price	(V) Cascade Price	(F) Knife Price
Polygon – Laminate – Flip	30''(762mm)	60''(1524mm)	TACV-3060-L	■	■	■	Y ■ 4 ■	\$1047	\$1076	\$1096	\$1361
	36''(914mm)	72''(1829mm)	TACV-3672-L	■	■	■	Y ■ 4 ■	1272	1312	1339	1628



TACV

Features

- Includes 1 3/16''(30mm) thick top, two Y-leg assemblies, stretcher and hardware.
- Standard table height is 29''(737mm) with 27 7/8''(708mm) knee clearance.
- Laminate top with T-mold, 3mm edgeband, cascade or knife edges.
- Top available in standard or green core option.
- Table top flips from horizontal to vertical position via pneumatic assist mechanism activated by two finger pulls.
- Tables nest when flipped to vertical position. Refer to Specification Guide for details.
- Underside of table top has matching laminate surface.
- Base and stretcher are painted aluminum.
- Stretcher provides lay-in cable management.
- Optional Flip top unit electrical modules are separately specified. Refer to electrical components for appropriate product specification.
- Optional casters (two locking) or glides are field interchangeable.
- Castors have light platinum hub with graphite tread.
- Glides are light platinum with 1/2''(13mm) height adjustment.
- Ships unassembled.

■ Available on RUSH with Standard Core only.

Specification Tips

- 3mm edgeband edge is recommended to allow a flat seam between tables.
- Depth matches 30''(762mm) or 36''(914mm) deep rectangular tables.
- The following Planes products are separately specified:
 - Ganging clip
 - Flip top unit electrical modules
 - Grommets (field cut opening)
 - Vertical wire management
 - Y-leg Bumper

*Knife edge must be specified with green core.

To Order, Specify:

1) Product number, including:

① Edge Option:

- T T-Mold
- J Edgeband
- V Cascade
- F Knife*

② Core Option:

- S Standard ■
- G Green, add \$100 list

③ Flip Top Unit Cutout(s):

- N None
- F Center – single-sided/4 outlets, add \$25 list
- J Center – single-sided/6 outlets, add \$25 list

④ Base Options:

- H Flip – Caster
- F Flip – Glide

2) Laminate surface color.

3) Edge trim color.

4) Base trim color.

Note: \$35 upcharge (list) for Metallic trim color.

Planes Collaborative Tables – Y-Leg/Non-Flip – Laminate

Rectangular – Laminate – Non-flip



TARA

	Depth	Length	Number	①	②	③	④	(T) T-Mold Price	(J) Edgeband Price	(V) Cascade Price	(F) Knife Price
Rectangular – Laminate – Non-flip	30" (762mm)	60" (1524mm)	TARA-3060-L	■	■	Y	4	\$ 951	\$ 980	\$1000	\$1265
		66" (1676mm)	TARA-3066-L	■	■	Y	4	998	1029	1051	1326
		72" (1829mm)	TARA-3072-L	■	■	Y	4	1045	1078	1102	1387
	36" (914mm)	60" (1524mm)	TARA-3660-L	■	■	Y	4	\$1045	\$1078	\$1373	\$1102
		66" (1676mm)	TARA-3666-L	■	■	Y	4	1101	1137	1163	1443
		72" (1829mm)	TARA-3672-L	■	■	Y	4	1157	1197	1224	1513
		78" (1981mm)	TARA-3678-L	■	■	Y	4	1213	1256	1285	1583
		84" (2134mm)	TARA-3684-L	■	■	Y	4	1269	1315	1346	1653
		90" (2286mm)	TARA-3690-L	■	■	Y	4	1326	1374	1408	1724
		96" (2438mm)	TARA-3696-L	■	■	Y	4	1382	1433	1468	1794

Features

- Includes 1 3/16" (30mm) thick top, two Y-leg assemblies, stretcher and hardware.
 - Standard table height is 29" (737mm) with 27 7/8" (708mm) knee clearance.
 - Laminate top with T-mold, 3mm edgeband, cascade or knife edges.
 - Top available in standard or green core option.
 - Base and stretcher are painted aluminum.
 - Optional Flip top unit electrical modules are separately specified. Refer to electrical components for appropriate product specification.
 - Optional casters (two locking) or glides are field interchangeable.
 - Castors have light platinum hub with graphite tread.
 - Glides are light platinum with 1/2" (13mm) height adjustment.
 - Ships unassembled.
- ◆ Available on RUSH with Standard Core only.

Specification Tips

- 3mm edgeband edge is recommended to allow a flat seam between tables.
- The following Planes products are separately specified:
 - Ganging clip
 - Flip top unit electrical modules
 - Grommets (field cut opening)
 - Vertical wire management

*Knife edge must be specified with green core.

To Order, Specify:

- 1) Product number, including:

① Edge Option:

- ☐ T T-Mold
☐ J Edgeband
☐ V Cascade
☐ F Knife*

② Core Option:

- ☐ S Standard ◆
☐ G Green, add \$100 list

③ Flip Top Unit Cutout(s):

- ☐ N None
☐ F Center – single-sided/4 outlets, add \$25 list
☐ J Center – single-sided/6 outlets, add \$25 list

④ Base Options:

- ☐ C Caster
☐ G Glide

- 2) Laminate surface color.
 3) Edge trim color.
 4) Base trim color.


Note: \$35 upcharge (list) for Metallic trim color.

Planes Collaborative Tables – Y-Leg/Non-Flip – Laminate

	Depth	Length	Number	1	2	3	4	(T) T-Mold Price	(J) Edgeband Price	(V) Cascade Price	(F) Knife Price	
Half Round – Laminate – Non-flip	72″(1829mm)	36″(914mm)	TAHN-3672-L	■	■	Y ■	4 ■	\$1157	\$1197	\$1224	\$1513	
 TAHN	Features - Includes 1 3/16″(30mm) thick top, two Y-leg assemblies, stretcher and hardware. - Standard table height is 29″(737mm) with 27 7/8″(708mm) knee clearance. - Laminate top with T-mold, 3mm edgeband, cascade or knife edges. - Top available in standard or green core option. - Base and stretcher are painted aluminum. - Optional flip top unit electrical modules are separately specified. Refer to Electrical Components for appropriate product specification. - Optional casters (two locking) or glides are field interchangeable. - Casters have light platinum hub with graphite tread. - Glides are light platinum with 1/2″(13mm) height adjustment. - Ships unassembled. ■ Available on RUSH with Standard Core only.							To Order, Specify: 1) Product number, including: 1 Edge Option: T T-Mold J Edgeband V Cascade F Knife* 2 Core Option: S Standard ■ G Green, add \$100 list 3 Flip Top Unit Cutout(s): N None F Center – single-sided/4 outlets, add \$25 list J Center – single-sided/6 outlets, add \$25 list 4 Base Options: C Caster G Glide 2) Laminate surface color. 3) Edge trim color. 4) Base trim color. Note: \$35 upcharge (list) for Metallic trim color.				
	Specification Tips 3mm edgeband edge is recommended to allow a flat seam between tables; refer to Specification Guide. - Depth is meant to accommodate two 36″(914mm) tables. - The following Planes products are separately specified: –Ganging clip –Flip top unit electrical modules –Grommets (field cut opening) –Vertical wire management *Knife edge must be specified with green core.											

Planes Collaborative Tables – Y-Leg/Non-Flip – Laminate

	Depth	Length	Number	①	②	③	④	(T) T-Mold Price	(J) Edgeband Price	(V) Cascade Price	(F) Knife Price
Polygon – Laminate – Non-flip	30" (762mm)	60" (1524mm)	TACV-3060-L	■	■	■	Y 4 ■	\$ 951	\$ 980	\$1000	\$1265
	36" (914mm)	72" (1829mm)	TACV-3672-L	■	■	■	Y 4 ■	1157	1197	1224	1513



TACV

Features

- Includes 1 3/16" (30mm) thick top, two Y-leg assemblies, stretcher and hardware.
- Standard table height is 29" (737mm) with 27 7/8" (708mm) knee clearance.
- Laminate top with T-mold, 3mm edgeband, cascade or knife edges.
- Top available in standard or green core option.
- Base and stretcher are painted aluminum.
- Optional Flip top unit electrical modules are separately specified. Refer to electrical components for appropriate product specification.
- Optional casters (two locking) or glides are field interchangeable.
- Castors have light platinum hub with graphite tread.
- Glides are light platinum with 1/2" (13mm) height adjustment.
- Ships unassembled.

■ Available on RUSH with Standard Core only.

Specification Tips

- 3mm edgeband edge is recommended to allow a flat seam between tables.
- Depth matches 30" (762mm) or 36" (914mm) deep rectangular tables.
- The following Planes products are separately specified:
 - Ganging clip
 - Flip top unit electrical modules
 - Grommets (field cut opening)
 - Vertical wire management

*Knife edge must be specified with green core.

To Order, Specify:

1) Product number, including:

① Edge Option:

- T T-Mold
- J Edgeband
- V Cascade
- F Knife*

② Core Option:

- S Standard ■
- G Green, add \$100 list

③ Flip Top Unit Cutout(s):

- N None
- F Center – single-sided/4 outlets, add \$25 list
- J Center – single-sided/6 outlets, add \$25 list

④ Base Options:

- C Caster
- G Glide

2) Laminate surface color.


3) Edge trim color.

4) Base trim color.


Note: \$35 upcharge (list) for Metallic trim color.

Planes Conference Tables – Interior Leg – Laminate


Round, Square, Rectangular Laminate



TARN



TARQ



TARA

Features

- Includes 1 3/16" (30mm) top, interior leg bases and hardware.
- Standard table height is 29" (737mm).
- Laminate top with T-mold, 3 mm edgeband, cascade or knife edges based upon shape.
- Table top seams are 1mm edgeband on two piece tops.
- Top available in standard or green core option.
- Interior legs are painted aluminum.
- Interior leg is 1 1/8" (29mm) x 3 1/4" (83mm).
- Optional Flip top unit electrical modules are separately specified. Refer to electrical components for appropriate product specification.
- Optional cable base can be specified for tables 36" (914mm) deep and deeper:
 - 36" (914mm) deep tables will ship with 8" (203mm) x 14" (356mm) cable base.
 - 42" (1067mm) deep and deeper tables will ship with 14" (356mm) x 14" (356mm) cable base.
 - One piece tops will include one cable base to be centered under table top.
 - Two piece tops will include one cable base to be centered on seams under table top.
 - Cable base and table top(s) are laminate and can be specified in different surface colors and edge trim colors.
 - Optional Cable Base may reduce number of legs shipped with product.
 - Refer to Specification Guide for use guidelines and details.
- Available with glides only; 1/2" (13mm) height adjustment.
- Ships unassembled.

◆ Available on RUSH with Standard Core only.

Specification Tips

- Cable base not recommended for 30" (762mm) deep tables.
- Tables with multiple-piece tops have equal sized pieces.
- The following Planes products are separately specified:
 - Grommets (field cut opening)
 - Flip top unit electrical modules
 - Horizontal wire manager
- Refer to Specification Guide for seating capacities with Cable Base Option and leg locations.

*Multiple piece tops with Cascade edge option will require an additional specification for the 1mm edgeband seam.

**Knife edge must be specified with green core.

To Order, Specify:

1) Product number, including:

① Edge Option:

- T T-Mold
- J Edgeband
- V Cascade*
- F Knife**

② Core Option:

- S Standard ◆
- G Green, add \$100 list

③ Flip top unit Cutout(s):

Cutout options **F, J, M, Q**:
add \$25 list for one-piece top;
add \$50 list for two-piece tops.

- N None
- F Center – single-sided/4 outlets
- J Center – single-sided/6 outlets
- M Center – double-sided/8 outlets
- Q Center – double-sided/12 outlets

④ Cable Base Option:

- N None
- C Cable Base:
add \$495 list for 36" deep tables;
add \$525 list for 42" deep and deeper tables

- 2) Laminate surface color.
- 3) 1mm edgeband trim color. (Cascade edge/multiple-tops only)*
- 4) Edge trim color.
- 5) Base trim color.
- 6) Laminate surface – Cable Base
- 7) Edge trim color – Cable Base

Note: \$35 upcharge (list) for Metallic trim color.

Planes Conference Tables – Interior Leg – Laminate


Round, Square, Rectangular – Laminate

No. of Pieces	No. of Legs	*Seating Capacity	Depth	Length	Number	①	②	③	④	(T) T-Mold Price	(J) Edgeband Price	(V) Cascade Price	(F) Knife Price
Round													
1	4	4	42"(1067mm)	42"(1067mm)	TARN-4242-L				JG4N	\$ 542	NA	\$ 590	N/A
1	4	4	48"(1219mm)	48"(1219mm)	TARN-4848-L				JG4N	682	NA	742	N/A
1	4	4	54"(1372mm)	54"(1372mm)	TARN-5454-L				JG4N	841	NA	916	N/A
1	4	4	60"(1524mm)	60"(1524mm)	TARN-6060-L				JG4N	1019	NA	1109	N/A
2	6	6	66"(1676mm)	66"(1676mm)	TARN-6666-L				JG4	NA	\$1604	\$1659	\$1877
2	6	6	72"(1829mm)	72"(1829mm)	TARN-7272-L				JG4	NA	1889	1955	2147
Square													
1	4	4	42"(1067mm)	42"(1067mm)	TARQ-4242-L				JG4N	\$ 542	\$ 570	\$ 590	\$ 842
1	4	4	48"(1219mm)	48"(1219mm)	TARQ-4848-L				JG4N	682	717	742	1010
1	4	4	54"(1372mm)	54"(1372mm)	TARQ-5454-L				JG4N	841	885	916	1197
1	4	8	60"(1524mm)	60"(1524mm)	TARQ-6060-L				JG4N	1019	1072	1109	1403
2	6	8	66"(1676mm)	66"(1676mm)	TARQ-6666-L				JG4	\$1361	\$1604	\$1659	\$1877
2	6	8	72"(1829mm)	72"(1829mm)	TARQ-7272-L				JG4	1603	1889	1955	2147
Rectangular													
1	4	4	30"(762mm)	60"(1524mm)	TARA-3060-L				JG4N	\$ 551	\$ 580	\$ 600	\$ 865
1	4	4		66"(1676mm)	TARA-3066-L				JG4N	598	629	651	926
1	6	4		72"(1829mm)	TARA-3072-L				JG4N	645	678	702	987
1	4	4	36"(914mm)	60"(1524mm)	TARA-3660-L				JG4	\$ 645	\$ 678	\$ 702	\$ 973
1	4	4		66"(1676mm)	TARA-3666-L				JG4	701	737	763	1043
1	4	4	42"(1067mm)	48"(1219mm)	TARA-4248-L				JG4	607	638	661	921
1	4	4		54"(1372mm)	TARA-4254-L				JG4	673	708	732	1001
1	4	4		60"(1524mm)	TARA-4260-L				JG4	738	776	804	1080
1	4	6		66"(1676mm)	TARA-4266-L				JG4	804	846	875	1160
1	6	6		72"(1829mm)	TARA-4272-L				JG4	869	915	946	1239
1	6	6		78"(1981mm)	TARA-4278-L				JG4	935	984	1018	1319
1	4	4	48"(1219mm)	54"(1372mm)	TARA-4854-L				JG4	\$ 757	\$ 797	\$ 824	\$1099
1	4	4		60"(1524mm)	TARA-4860-L				JG4	832	876	906	1188
1	4	6		66"(1676mm)	TARA-4866-L				JG4	907	954	987	1277
1	6	6		72"(1829mm)	TARA-4872-L				JG4	982	1033	1068	1366
1	6	8		78"(1981mm)	TARA-4878-L				JG4	1057	1112	1151	1455
1	4	4	54"(1372mm)	60"(1524mm)	TARA-5460-L				JG4	\$ 926	\$ 974	\$1008	\$1296
1	4	6		66"(1676mm)	TARA-5466-L				JG4	1010	1063	1099	1394
1	6	6		72"(1829mm)	TARA-5472-L				JG4	1094	1151	1191	1492
1	6	6		78"(1981mm)	TARA-5478-L				JG4	1178	1239	1282	1590
1	4	8	60"(1524mm)	66"(1676mm)	TARA-6066-L				JG4	\$1113	\$1171	\$1212	\$1511
1	6	8		72"(1829mm)	TARA-6072-L				JG4	1206	1268	1313	1618
1	6	8		78"(1981mm)	TARA-6078-L				JG4	1300	1368	1415	1726

*Recommended seating capacity based upon 27"(686mm) per chair.

Planes Conference Tables – Interior Leg – Laminate

Half Round – Laminate



TAHN

No. of Tops	No. of Legs	Depth	Length	Number	① ② ③	(T) T-Mold Price	(J) Edgeband Price	(V) Cascade Price	(F) Knife Price
1	4	60"(1524mm)	30"(762mm)	TAHN-3060-L	■ ■ ■ JG4N	■ \$551	\$580	\$600	\$ 865
1	4	72"(1829mm)	36"(914mm)	TAHN-3672-L	■ ■ ■ JG4N	■ 757	797	824	1113

Features

- Includes 1 3/16"(30mm) thick top, interior leg bases and hardware.
- Standard table height is 29"(737mm).
- Laminate top with T-mold, 3mm edgeband, cascade or knife edges.
- Top available in standard or green core option.
- Bases are painted aluminum.
- Optional Flip top unit electrical modules are separately specified. Refer to electrical components for appropriate product specification.
- Available with glides only; 1/2"(13mm) height adjustment.
- Ships unassembled.
- Available on RUSH with Standard Core only.

Specification Tips

- Cable base not recommended for half round tables.
- 3mm edgeband edge is recommended to allow a flat seam between tables.
- Depth matches two 30"(762mm) or 36"(914mm) deep rectangular tables.
- The following Planes products are separately specified:
 - Grommets (field cut opening)
 - Flip top unit electrical modules
 - Horizontal wire manager
- Refer to Specification Guide for leg locations.

*Knife edge must be specified with green core.

To Order, Specify:

1) Product number, including:

① Edge Option:

- T T-Mold
- J Edgeband
- V Cascade
- F Knife*

② Core Option:

- S Standard ■
- G Green, add \$100 list

③ Flip Top Unit Cutout(s):

- N None
- F Center – single sided/4 outlets, add \$25 list
- J Center – single-sided/6 outlets, add \$25 list

2) Laminate surface color.



3) Edge trim color.

4) Base trim color.

Note: \$35 upcharge (list) for Metallic trim color.

Planes Conference Tables – Interior Leg – Laminate

	No. of Tops	No. of Legs	Depth	Length	Number	①	②	③	(T) T-Mold Price	(J) Edgeband Price	(V) Cascade Price	(F) Knife Price	
Polygon – Laminate	1	5	30”(762mm)	60”(1524mm)	TACV-3060-L	■	■	■	JG4N	◆ \$551	\$580	\$600	\$ 865
	1	5	36”(914mm)	72”(1829mm)	TACV-3672-L	■	■	■	JG4N	◆ 757	797	824	1113



TACV

Features

- Includes 1 3/16" (30mm) thick top, interior leg bases and hardware.
- Standard table height is 29" (737mm).
- Laminate top with T-mold, 3mm edgeband, cascade or knife edges.
- Top available in standard or green core option.
- Bases are painted aluminum.
- Optional Flip Top unit electrical modules are separately specified. Refer to electrical components for appropriate product specification.
- Available with glides only; 1/2" (13mm) height adjustment.
- Ships unassembled.

◆ Available on RUSH with Standard Core only.

Specification Tips

- Cable base not recommended for polygon table.
- 3mm edgeband edge is recommended to allow a flat seam between tables.
- Depth matches 30" (762mm) or 36" (914mm) deep rectangular tables.
- The following Planes products are separately specified:
 - Grommets (field cut opening)
 - Flip top unit electrical modules
 - Horizontal wire manager
- Refer to Specification Guide for leg locations.

*Knife edge must be specified with green core.

To Order, Specify:

1) Product number, including:

① Edge Option:

- T T-Mold
- J Edgeband
- V Cascade
- F Knife*

② Core Option:

- S Standard ◆
- G Green, add \$100 list

③ Flip Top Unit Cutout(s):

- N None
- F Center – single-sided/4 outlets, add \$25 list
- J Center – single-sided/6 outlets, add \$25 list

2) Laminate surface color.


3) Edge trim color.

4) Base trim color.

Note: \$35 upcharge (list) for Metallic trim color

Planes Conference Tables – One-Piece Top – Interior Leg – Laminate

Rectangular – Laminate



TARA

Features

- Includes 1 3/16”(30mm) thick top, interior leg bases and hardware.
- Standard table height is 29”(737mm).
- Laminate top with T-mold, 3mm edgeband, cascade or knife edges.
- Top available in standard or green core option.
- Interior legs are painted aluminum.
- Interior leg is 1 1/8”(29mm) x 3 1/4”(83mm).
- Optional cable base can be specified for tables 36”(914mm) deep and deeper:
 - 36”(914mm) deep tables will ship with 8”(203mm) x 14”(356mm) cable base.
 - 42”(1067mm) deep and deeper tables will ship with 14”(356mm) x 14”(356mm) cable base.
 - One piece tops will include one cable base to be centered under table top.
 - Cable base and table top(s) are laminate and can be specified in different surface colors and edge trim colors.
 - Refer to Specification Guide for use guidelines.
- Optional Flip top unit electrical modules are separately specified. Refer to electrical components for appropriate product specification.
- Available with glides only; 1/2”(13mm) height adjustment.
- Ships unassembled.
- ◆ Available on RUSH with Standard Core only.

Specification Tips

- The following Planes products are separately specified:
 - Grommets (field cut opening)
 - Flip top unit electrical modules
 - Horizontal wire management
- Refer to Specification Guide for seating capacities with Cable Base Option and leg locations.

*Knife edge must be specified with green core.

To Order, Specify:

1) Product number, including:

1 Edge Option:

- T T-Mold
- J Edgeband
- V Cascade
- F Knife*

2 Core Option:

- S Standard ◆
- G Green, add \$100 list

3 Flip Top Unit Cutout(s):

- N None
- F Center – single-sided/4 outlets, add \$25 list
- V Left/Right – single-sided/4 outlets, add \$50 list
- J Center – single-sided/6 outlets, add \$25 list
- K Left/Right – single-sided/6 outlets, add \$50 list
- M Center – double-sided/8 outlets, add \$25 list
- P Left/Right – double-sided/8 outlets, add \$50 list
- Q Center – double-sided/12 outlets, add \$25 list
- T Left/Right – double-sided/12 outlets, add \$50 list

4 Cable Base Option:

- N None
- C Cable Base:
 - add \$495 list for 36” deep tables;
 - add \$525 list for 42” deep and deeper tables

- 2) Laminate surface color.
- 3) Edge trim color.
- 4) Base trim color.
- 5) Laminate surface – Cable Base
- 6) Edge trim color – Cable Base

Note: \$35 upcharge (list) for Metallic trim color.

Planes Conference Tables – One-Piece Top – Interior Leg – Laminate


Rectangular – Laminate

No. of Legs	*Seating Capacity	Depth	Length	Number	①	②	③	④	(T) T-Mold Price	(J) Edgeband Price	(V) Cascade Price	(F) Knife Price
6	6	36"(914mm)	72"(1829mm)	TARA-3672-L	■	■	■	JG4 ■	\$ 757	\$ 797	\$ 824	\$1113
6	6		78"(1981mm)	TARA-3678-L	■	■	■	JG4 ■	813	856	885	1183
6	8		84"(2134mm)	TARA-3684-L	■	■	■	JG4 ■	869	915	946	1253
6	8		90"(2286mm)	TARA-3690-L	■	■	■	JG4 ■	926	974	1008	1324
6	8		96"(2438mm)	TARA-3696-L	■	■	■	JG4 ■	982	1033	1068	1394
6	8	42"(1067mm)	84"(2134mm)	TARA-4284-L	■	■	■	JG4 ■	\$1000	\$1052	\$1088	\$1398
6	8		90"(2286mm)	TARA-4290-L	■	■	■	JG4 ■	1066	1121	1161	1478
6	8		96"(2438mm)	TARA-4296-L	■	■	■	JG4 ■	1132	1191	1232	1558
6	8		102"(2591mm)	TARA-42A2-L	■	■	■	JG4 ■	1197	1259	1303	1637
6	10		108"(2743mm)	TARA-42A8-L	■	■	■	JG4 ■	1263	1329	1374	1717
6	10		114"(2896mm)	TARA-42B4-L	■	■	■	JG4 ■	1328	1398	1446	1796
6	10		120"(3048mm)	TARA-42C0-L	■	■	■	JG4 ■	1394	1467	1518	1876
6	8	48"(1291mm)	84"(2134mm)	TARA-4884-L	■	■	■	JG4 ■	\$1132	\$1191	\$1232	\$1544
6	8		90"(2286mm)	TARA-4890-L	■	■	■	JG4 ■	1206	1268	1313	1632
6	8		96"(2438mm)	TARA-4896-L	■	■	■	JG4 ■	1281	1348	1394	1721
6	8		102"(2591mm)	TARA-48A2-L	■	■	■	JG4 ■	1356	1427	1476	1810
6	10		108"(2743mm)	TARA-48A8-L	■	■	■	JG4 ■	1431	1506	1558	1899
6	10		114"(2896mm)	TARA-48B4-L	■	■	■	JG4 ■	1506	1585	1639	1988
6	10		120"(3048mm)	TARA-48C0-L	■	■	■	JG4 ■	1581	1663	1720	2077
6	10	54"(1372mm)	84"(2134mm)	TARA-5484-L	■	■	■	JG4 ■	\$1263	\$1329	\$1374	\$1689
6	10		90"(2286mm)	TARA-5490-L	■	■	■	JG4 ■	1347	1418	1467	1787
6	10		96"(2438mm)	TARA-5496-L	■	■	■	JG4 ■	1431	1506	1558	1885
6	10		102"(2591mm)	TARA-54A2-L	■	■	■	JG4 ■	1515	1594	1649	1983
6	10		108"(2743mm)	TARA-54A8-L	■	■	■	JG4 ■	1600	1683	1741	2082
6	10		114"(2896mm)	TARA-54B4-L	■	■	■	JG4 ■	1684	1771	1833	2180
6	10		120"(3048mm)	TARA-54C0-L	■	■	■	JG4 ■	1768	1861	1924	2278
6	10	60"(1524mm)	84"(2134mm)	TARA-6084-L	■	■	■	JG4 ■	\$1394	\$1467	\$1518	\$1834
6	10		90"(2286mm)	TARA-6090-L	■	■	■	JG4 ■	1487	1565	1618	1941
6	10		96"(2438mm)	TARA-6096-L	■	■	■	JG4 ■	1581	1663	1720	2049
6	10		102"(2591mm)	TARA-60A2-L	■	■	■	JG4 ■	1674	1761	1822	2156
6	10		108"(2743mm)	TARA-60A8-L	■	■	■	JG4 ■	1768	1861	1924	2264
6	10		114"(2896mm)	TARA-60B4-L	■	■	■	JG4 ■	1862	1959	2026	2372
6	10		120"(3048mm)	TARA-60C0-L	■	■	■	JG4 ■	1955	2057	2128	2479

*Recommended seating capacity based upon 27"(686mm) per chair.

Planes Conference Tables – Two-Piece Tops – Interior Leg – Laminate

Rectangular – Laminate



TARA

Features

- Includes 1 3/16" (30mm) thick tops, interior leg bases and hardware.
- Standard table height is 29" (737mm).
- Laminate top with 3mm edgeband, cascade or knife edges.
- Table top seam is 1mm edgeband.
- Top available in standard or green core option.
- Interior legs are painted aluminum.
- Interior leg is 1 1/8" (29mm) x 3 1/4" (83mm).
- Optional cable base is available:
 - 42" (1067mm) deep and deeper tables will ship with 14" (356mm) x 14" (356mm) cable base
 - Two piece tops will include one cable base to be centered on seam under table top.
 - Cable base and table top(s) are laminate and can be specified in different surface colors and edge trim colors.
 - Refer to Specification Guide for use guidelines.
- Optional Flip top unit electrical modules are separately specified. Refer to electrical components for appropriate product specification.
- Available with glides only; 1/2" (13mm) height adjustment.
- Ships unassembled.

Specification Tips

- Tables with multiple-piece tops have equal sized pieces.
- The following Planes products are separately specified:
 - Grommets (field cut opening)
 - Flip top unit electrical modules
 - Horizontal wire management
- Refer to Specification Guide for seating capacities with Cable Base Option and leg locations.

*Multiple piece tops with Cascade edge option will require an additional specification for the 1mm edgeband seam.

**Knife edge must be specified with green core.

To Order, Specify:

1) Product number, including:

① Edge Option:

- J** Edgeband
- V** Cascade*
- F** Knife**

② Core Option:

- S** Standard
- G** Green, add **\$200** list

③ Flip Top Unit Cutout(s):

- N** None
- F** Center – single-sided/4 outlets, add **\$50** list
- V** Left/Right – single-sided/4 outlets, add **\$100** list
- J** Center – single-sided/6 outlets, add **\$50** list
- K** Left/Right – single-sided/6 outlets, add **\$100** list
- M** Center – double-sided/8 outlets, add **\$50** list
- P** Left/Right – double-sided/8 outlets, add **\$100** list
- Q** Center – double-sided/12 outlets, add **\$50** list
- T** Left/Right – double-sided/12 outlets, add **\$100** list

④ Cable Base Option:

- N** None
- C** Cable Base: add **\$495** list for 36" deep tables; add **\$525** list for 42" deep and deeper tables

2) Laminate surface color.

3) 1mm edgeband trim color. (Cascade edge/multiple-tops only)*

4) Edge trim color.

5) Base trim color.

6) Laminate surface – Cable Base

7) Edge trim color – Cable Base

Note: **\$35** upcharge (list) for Metallic trim color.

Planes Conference Tables – Two-Piece Tops – Interior Leg – Laminate


Rectangular – Laminate

No. of Legs	*Seating Capacity	Depth	Length	Number	①	②	③	④	(J) Edgeband Price	(V) Cascade Price	(F) Knife Price
6	10	42" (1067mm)	126" (3200mm)	TARA-42C6-L	■	■	■	JG4 ■	\$1925	\$1992	\$2234
6	10		132" (3353mm)	TARA-42D2-L	■	■	■	JG4 ■	2013	2082	2322
10	10		138" (3505mm)	TARA-42D8-L	■	■	■	JG4 ■	2098	2170	2408
10	10		144" (3658mm)	TARA-42E4-L	■	■	■	JG4 ■	2185	2261	2496
10	10		150" (3810mm)	TARA-42F0-L	■	■	■	JG4 ■	2272	2350	2584
10	12		156" (3962mm)	TARA-42F6-L	■	■	■	JG4 ■	2358	2439	2671
10	12		162" (4115mm)	TARA-42G2-L	■	■	■	JG4 ■	2445	2529	2759
10	12		168" (4267mm)	TARA-42G8-L	■	■	■	JG4 ■	2531	2618	2846
10	12		174" (4420mm)	TARA-42H4-L	■	■	■	JG4 ■	2617	2708	2933
10	12		180" (4572mm)	TARA-42J0-L	■	■	■	JG4 ■	2704	2796	3020
6	10	48" (1219mm)	126" (3200mm)	TARA-48C6-L	■	■	■	JG4 ■	\$2185	\$2261	\$2468
6	10		132" (3353mm)	TARA-48D2-L	■	■	■	JG4 ■	2285	2363	2567
10	10		138" (3505mm)	TARA-48D8-L	■	■	■	JG4 ■	2383	2465	2664
10	10		144" (3658mm)	TARA-48E4-L	■	■	■	JG4 ■	2481	2568	2762
10	10		150" (3810mm)	TARA-48F0-L	■	■	■	JG4 ■	2581	2669	2860
10	12		156" (3962mm)	TARA-48F6-L	■	■	■	JG4 ■	2679	2771	2957
10	12		162" (4115mm)	TARA-48G2-L	■	■	■	JG4 ■	2778	2875	3056
10	12		168" (4267mm)	TARA-48G8-L	■	■	■	JG4 ■	2878	2977	3154
10	12		174" (4420mm)	TARA-48H4-L	■	■	■	JG4 ■	2975	3078	3251
10	12		180" (4572mm)	TARA-48J0-L	■	■	■	JG4 ■	3075	3181	3349
6	10	54" (1372mm)	126" (3200mm)	TARA-54C6-L	■	■	■	JG4 ■	\$2445	\$2529	\$2703
6	10		132" (3353mm)	TARA-54D2-L	■	■	■	JG4 ■	2555	2643	2810
10	10		138" (3505mm)	TARA-54D8-L	■	■	■	JG4 ■	2667	2759	2919
10	10		144" (3658mm)	TARA-54E4-L	■	■	■	JG4 ■	2778	2875	3028
10	10		150" (3810mm)	TARA-54F0-L	■	■	■	JG4 ■	2890	2989	3136
10	12		156" (3962mm)	TARA-54F6-L	■	■	■	JG4 ■	3000	3103	3244
10	12		162" (4115mm)	TARA-54G2-L	■	■	■	JG4 ■	3112	3219	3353
10	12		168" (4267mm)	TARA-54G8-L	■	■	■	JG4 ■	3223	3334	3461
10	14		174" (4420mm)	TARA-54H4-L	■	■	■	JG4 ■	3333	3449	3569
10	14		180" (4572mm)	TARA-54J0-L	■	■	■	JG4 ■	3445	3564	3677
6	10	60" (1524mm)	126" (3200mm)	TARA-60C6-L	■	■	■	JG4 ■	\$2704	\$2796	\$2936
6	10		132" (3353mm)	TARA-60D2-L	■	■	■	JG4 ■	2827	2924	3055
10	10		138" (3505mm)	TARA-60D8-L	■	■	■	JG4 ■	2951	3052	3174
10	10		144" (3658mm)	TARA-60E4-L	■	■	■	JG4 ■	3075	3181	3293
10	10		150" (3810mm)	TARA-60F0-L	■	■	■	JG4 ■	3199	3309	3412
10	12		156" (3962mm)	TARA-60F6-L	■	■	■	JG4 ■	3321	3436	3530
10	12		162" (4115mm)	TARA-60G2-L	■	■	■	JG4 ■	3445	3564	3649
10	12		168" (4267mm)	TARA-60G8-L	■	■	■	JG4 ■	3569	3692	3768
10	14		174" (4420mm)	TARA-60H4-L	■	■	■	JG4 ■	3694	3820	3888
10	14		180" (4572mm)	TARA-60J0-L	■	■	■	JG4 ■	3817	3948	4007

*Recommended seating capacity based upon 27" (686mm) per chair.

Planes Conference Tables – Two-Piece Tops – Interior Leg – Laminate

Pebble – Laminate



TARP

Features

- Includes 1 3/16" (30mm) thick tops, interior leg bases and hardware.
- Standard table height is 29" (737mm).
- Laminate top with 3mm edgeband, cascade or knife edges.
- Table top seam is 1mm edgeband.
- Top available in standard or green core option.
- Interior legs are painted aluminum.
- Interior leg is 1 1/8" (29mm) x 3 1/4" (83mm).
- Optional cable base is available:
 - 42" (1067mm) deep and deeper tables will ship with 14" (356mm) x 14" (356mm) cable base
 - Two piece tops will include one cable base to be centered on seam under table top.
 - Cable base and table top(s) are laminate and can be specified in different surface colors and edge trim colors.
 - Refer to Specification Guide for use guidelines.
- Optional Flip top unit electrical modules are separately specified. Refer to electrical components for appropriate product specification.
- Available with glides only; 1/2" (13mm) height adjustment.
- Ships unassembled.

Specification Tips

- Tables with multiple-piece tops have equal sized pieces.
- The following Planes products are separately specified:
 - Grommets (field cut openings)
 - Flip top unit electrical modules
 - Horizontal wire management
- Refer to Specification Guide for seating capacities with Cable Base Option and leg locations.

*Multiple piece tops with Cascade edge option will require an additional specification for the 1mm edgeband seam.

**Knife edge must be specified with green core.

To Order, Specify:

1) Product number, including:

① Edge Option:

- ☐ J Edgeband
- ☐ V Cascade*
- ☐ F Knife**

② Core Option:

- ☐ S Standard
- ☐ G Green, add \$200 list

③ Flip Top Unit Cutout(s):

- ☐ N None
- ☐ F Center – single-sided/4 outlets, add \$50 list
- ☐ V Left/Right – single-sided/4 outlets, add \$100 list
- ☐ J Center – single-sided/6 outlets, add \$50 list
- ☐ K Left/Right – single-sided/6 outlets, add \$100 list
- ☐ M Center – double-sided/8 outlets, add \$50 list
- ☐ P Left/Right – double-sided/8 outlets, add \$100 list
- ☐ Q Center – double-sided/12 outlets, add \$50 list
- ☐ T Left/Right – double-sided/12 outlets, add \$100 list

④ Cable Base Option:

- ☐ N None
- ☐ C Cable Base, add \$525 list

2) Laminate surface color.

3) 1mm edgeband trim color. (Cascade edge/multiple-tops only)*

4) Edge trim color.

5) Base trim color.

6) Laminate surface – Cable Base

7) Edge trim color – Cable Base

Note: \$35 upcharge (list) for Metallic trim color.

Planes Conference Tables – Two-Piece Tops – Interior Leg – Laminate


Pebble – Laminate

No. of Legs	*Seating Capacity	Depth	Length	Number	①	②	③	④	(J) Edgeband Price	(V) Cascade Price	(F) Knife Price
6	10	42" (1067mm)	126" (3200mm)	TARP-42C6-L	■	■	■	JG4 ■	\$1925	\$1992	\$2234
6	10		132" (3353mm)	TARP-42D2-L	■	■	■	JG4 ■	2013	2082	2322
6	10		138" (3505mm)	TARP-42D8-L	■	■	■	JG4 ■	2098	2170	2408
6	10		144" (3658mm)	TARP-42E4-L	■	■	■	JG4 ■	2185	2261	2496
10	10		150" (3810mm)	TARP-42F0-L	■	■	■	JG4 ■	2272	2350	2584
10	10		156" (3962mm)	TARP-42F6-L	■	■	■	JG4 ■	2358	2439	2671
10	10		162" (4115mm)	TARP-42G2-L	■	■	■	JG4 ■	2445	2529	2759
10	12		168" (4267mm)	TARP-42G8-L	■	■	■	JG4 ■	2531	2618	2846
10	12		174" (4420mm)	TARP-42H4-L	■	■	■	JG4 ■	2617	2708	2933
10	12		180" (4572mm)	TARP-42J0-L	■	■	■	JG4 ■	2704	2796	3020
6	10	48" (1219mm)	126" (3200mm)	TARP-48C6-L	■	■	■	JG4 ■	\$2185	\$2261	\$2468
6	10		132" (3353mm)	TARP-48D2-L	■	■	■	JG4 ■	2285	2363	2567
6	10		138" (3505mm)	TARP-48D8-L	■	■	■	JG4 ■	2383	2465	2664
6	10		144" (3658mm)	TARP-48E4-L	■	■	■	JG4 ■	2481	2568	2762
10	10		150" (3810mm)	TARP-48F0-L	■	■	■	JG4 ■	2581	2669	2860
10	10		156" (3962mm)	TARP-48F6-L	■	■	■	JG4 ■	2679	2771	2957
10	10		162" (4115mm)	TARP-48G2-L	■	■	■	JG4 ■	2778	2875	3056
10	10		168" (4267mm)	TARP-48G8-L	■	■	■	JG4 ■	2878	2977	3154
10	12		174" (4420mm)	TARP-48H4-L	■	■	■	JG4 ■	2975	3078	3251
10	12		180" (4572mm)	TARP-48J0-L	■	■	■	JG4 ■	3075	3181	3349
6	10	54" (1372mm)	126" (3200mm)	TARP-54C6-L	■	■	■	JG4 ■	\$2445	\$2529	\$2703
6	10		132" (3353mm)	TARP-54D2-L	■	■	■	JG4 ■	2555	2643	2810
6	10		138" (3505mm)	TARP-54D8-L	■	■	■	JG4 ■	2667	2759	2919
6	10		144" (3658mm)	TARP-54E4-L	■	■	■	JG4 ■	2778	2875	3028
10	10		150" (3810mm)	TARP-54F0-L	■	■	■	JG4 ■	2890	2989	3136
10	10		156" (3962mm)	TARP-54F6-L	■	■	■	JG4 ■	3000	3103	3244
10	10		162" (4115mm)	TARP-54G2-L	■	■	■	JG4 ■	3112	3219	3353
10	10		168" (4267mm)	TARP-54G8-L	■	■	■	JG4 ■	3223	3334	3461
10	12		174" (4420mm)	TARP-54H4-L	■	■	■	JG4 ■	3333	3449	3569
10	12		180" (4572mm)	TARP-54J0-L	■	■	■	JG4 ■	3445	3564	3677
6	10	60" (1524mm)	126" (3200mm)	TARP-60C6-L	■	■	■	JG4 ■	\$2704	\$2796	\$2936
6	10		132" (3353mm)	TARP-60D2-L	■	■	■	JG4 ■	2827	2924	3055
6	10		138" (3505mm)	TARP-60D8-L	■	■	■	JG4 ■	2951	3052	3174
6	10		144" (3658mm)	TARP-60E4-L	■	■	■	JG4 ■	3075	3181	3293
10	10		150" (3810mm)	TARP-60F0-L	■	■	■	JG4 ■	3199	3309	3412
10	10		156" (3962mm)	TARP-60F6-L	■	■	■	JG4 ■	3321	3436	3530
10	10		162" (4115mm)	TARP-60G2-L	■	■	■	JG4 ■	3445	3564	3649
10	10		168" (4267mm)	TARP-60G8-L	■	■	■	JG4 ■	3569	3692	3768
10	12		174" (4420mm)	TARP-60H4-L	■	■	■	JG4 ■	3694	3820	3888
10	12		180" (4572mm)	TARP-60J0-L	■	■	■	JG4 ■	3817	3948	4007

*Recommended seating capacity based upon 27" (686mm) per chair.

Planes Conference Tables – Two-Piece Tops – Interior Leg – Laminate

Hexagon – Laminate



TARX

Features

- Includes 1 3/16" (30mm) thick tops, interior leg bases and hardware.
- Standard table height is 29" (737mm).
- Laminate top with 3mm edgeband, cascade or knife edges.
- Table top seam is 1mm edgeband.
- Top available in standard or green core option.
- Interior legs are painted aluminum.
- Interior leg is 1 1/8" (29mm) x 3 1/4" (83mm).
- Optional cable base is available:
 - 42" (1067mm) deep and deeper tables will ship with 14" (356mm) x 14" (356mm) cable base
 - Two piece tops will include one cable base to be centered on seam under table top.
 - Cable base and table top(s) are laminate and can be specified in different surface colors and edge trim colors.
 - Refer to Specification Guide for use guidelines.
- Optional Flip top unit electrical modules are separately specified. Refer to electrical components for appropriate product specification.
- Available with glides only; 1/2" (13mm) height adjustment.
- Ships unassembled.

Specification Tips

- Tables with multiple-piece tops have equal sized pieces.
- The following Planes products are separately specified:
 - Grommets (field cut openings)
 - Flip top unit electrical modules
 - Horizontal wire management
- Refer to Specification Guide for seating capacities with Cable Base Option and leg locations.

*Multiple piece tops with Cascade edge option will require an additional specification for the 1mm edgeband seam.

**Knife edge must be specified with green core.

To Order, Specify:

1) Product number, including:

① Edge Option:

- J** Edgeband
- V** Cascade*
- F** Knife**

② Core Option:

- S** Standard
- G** Green, add **\$200** list

③ Flip Top Unit Cutout(s):

- N** None
- F** Center – single-sided/4 outlets, add **\$50** list
- V** Left/Right – single-sided/4 outlets, add **\$100** list
- J** Center – single-sided/6 outlets, add **\$50** list
- K** Left/Right – single-sided/6 outlets, add **\$100** list
- M** Center – double-sided/8 outlets, add **\$50** list
- P** Left/Right – double-sided/8 outlets, add **\$100** list
- Q** Center – double-sided/12 outlets, add **\$50** list
- T** Left/Right – double-sided/12 outlets, add **\$100** list

④ Cable Base Option:

- N** None
- C** Cable Base, add **\$525** list

2) Laminate surface color.

3) 1mm edgeband trim color. (Cascade edge/multiple-tops only)*

4) Edge trim color.

5) Base trim color.

6) Laminate surface – Cable Base

7) Edge trim color – Cable Base

Note: **\$35** upcharge (list) for Metallic trim color.

Planes Conference Tables – Two-Piece Tops – Interior Leg – Laminate

Hexagon – Laminate

No. of Legs	*Seating Capacity	Depth	Length	Number	①	②	③	④	(J) Edgeband Price	(V) Cascade Price	(F) Knife Price
6	10	42" (1067mm)	126" (3200mm)	TARX-42C6-L	■	■	■	JG4 ■	\$1925	\$1992	\$2234
6	10		132" (3353mm)	TARX-42D2-L	■	■	■	JG4 ■	2013	2098	2322
6	10		138" (3505mm)	TARX-42D8-L	■	■	■	JG4 ■	2098	2170	2408
6	10		144" (3658mm)	TARX-42E4-L	■	■	■	JG4 ■	2185	2185	2496
10	10		150" (3810mm)	TARX-42F0-L	■	■	■	JG4 ■	2272	2350	2584
10	10		156" (3962mm)	TARX-42F6-L	■	■	■	JG4 ■	2358	2439	2671
10	10		162" (4115mm)	TARX-42G2-L	■	■	■	JG4 ■	2445	2529	2759
10	10		168" (4267mm)	TARX-42G8-L	■	■	■	JG4 ■	2531	2618	2846
10	12		174" (4420mm)	TARX-42H4-L	■	■	■	JG4 ■	2617	2708	2933
10	12		180" (4572mm)	TARX-42J0-L	■	■	■	JG4 ■	2704	2796	3020
6	10	48" (1219mm)	126" (3200mm)	TARX-48C6-L	■	■	■	JG4 ■	\$2185	\$2261	\$2468
6	10		132" (3353mm)	TARX-48D2-L	■	■	■	JG4 ■	2285	2363	2567
6	10		138" (3505mm)	TARX-48D8-L	■	■	■	JG4 ■	2383	2465	2664
6	10		144" (3658mm)	TARX-48E4-L	■	■	■	JG4 ■	2481	2568	2762
10	10		150" (3810mm)	TARX-48F0-L	■	■	■	JG4 ■	2581	2669	2860
10	10		156" (3962mm)	TARX-48F6-L	■	■	■	JG4 ■	2679	2771	2957
10	10		162" (4115mm)	TARX-48G2-L	■	■	■	JG4 ■	2778	2875	3056
10	10		168" (4267mm)	TARX-48G8-L	■	■	■	JG4 ■	2878	2977	3154
10	12		174" (4420mm)	TARX-48H4-L	■	■	■	JG4 ■	2975	3078	3251
10	12		180" (4572mm)	TARX-48J0-L	■	■	■	JG4 ■	3075	3181	3349
6	10	54" (1372mm)	126" (3200mm)	TARX-54C6-L	■	■	■	JG4 ■	\$2445	\$2529	\$2703
6	10		132" (3353mm)	TARX-54D2-L	■	■	■	JG4 ■	2555	2643	2810
6	10		138" (3505mm)	TARX-54D8-L	■	■	■	JG4 ■	2667	2759	2919
6	10		144" (3658mm)	TARX-54E4-L	■	■	■	JG4 ■	2778	2875	3028
10	10		150" (3810mm)	TARX-54F0-L	■	■	■	JG4 ■	2890	2989	3136
10	10		156" (3962mm)	TARX-54F6-L	■	■	■	JG4 ■	3000	3103	3244
10	10		162" (4115mm)	TARX-54G2-L	■	■	■	JG4 ■	3112	3219	3353
10	10		168" (4267mm)	TARX-54G8-L	■	■	■	JG4 ■	3223	3334	3461
10	12		174" (4420mm)	TARX-54H4-L	■	■	■	JG4 ■	3333	3449	3569
10	12		180" (4572mm)	TARX-54J0-L	■	■	■	JG4 ■	3445	3564	3677
6	10	60" (1524mm)	126" (3200mm)	TARX-60C6-L	■	■	■	JG4 ■	\$2704	\$2796	\$2936
6	10		132" (3353mm)	TARX-60D2-L	■	■	■	JG4 ■	2827	2924	3055
6	10		138" (3505mm)	TARX-60D8-L	■	■	■	JG4 ■	2951	3052	3174
6	10		144" (3658mm)	TARX-60E4-L	■	■	■	JG4 ■	3075	3181	3293
10	10		150" (3810mm)	TARX-60F0-L	■	■	■	JG4 ■	3199	3309	3412
10	10		156" (3962mm)	TARX-60F6-L	■	■	■	JG4 ■	3321	3436	3530
10	10		162" (4115mm)	TARX-60G2-L	■	■	■	JG4 ■	3445	3564	3649
10	10		168" (4267mm)	TARX-60G8-L	■	■	■	JG4 ■	3569	3692	3768
10	12		174" (4420mm)	TARX-60H4-L	■	■	■	JG4 ■	3694	3820	3888
10	12		180" (4572mm)	TARX-60J0-L	■	■	■	JG4 ■	3817	3948	4007

*Recommended seating capacity based upon 27" (686mm) per chair.

Planes Conference Tables – Three-Piece Tops – Interior Leg – Laminate

Rectangular – Laminate



TARA

Features

- Includes 1 3/16”(30mm) thick tops, interior leg bases and hardware.
- Standard table height is 29”(737mm).
- Laminate top with 3mm edgeband, cascade or knife edges.
- Table top seams are 1mm edgeband.
- Top available in standard or green core option.
- Interior legs are painted aluminum.
- Interior leg is 1 1/8”(29mm) x 3 1/4”(83mm).
- Optional cable bases are available:
 - 42”(1067mm) deep and deeper tables will ship with 14”(356mm) x 14”(356mm) cable bases.
 - Three piece tops will include two cable bases to be centered on seams.
 - Cable base and table top(s) are laminate and can be specified in different surface colors and edge trim colors.
 - Refer to Specification Guide for use guidelines.
- Optional Flip top unit electrical modules are separately specified. Refer to electrical components for appropriate product specification.
- Available with glides only; 1/2”(13mm) height adjustment.
- Ships unassembled.

Specification Tips

- Tables with multiple-piece tops have equal sized pieces.
- The following Planes products are separately specified:
 - Grommets (field cut opening)
 - Flip top unit electrical modules
 - Horizontal wire management
- Refer to Specification Guide for seating capacities with Cable Base Option and leg locations.

*Multiple piece tops with Cascade edge option will require an additional specification for the 1mm edgeband seam.

**Knife edge must be specified with green core.

To Order, Specify:

1) Product number, including:

1 Edge Option:

- J Edgeband
- V Cascade*
- F Knife**

2 Core Option:

- S Standard
- G Green, add \$300 list

3 Flip Top Unit Cutout(s):

- N None
- F Center – single-sided/4 outlets, add \$75 list
- V Left/Right – single-sided/4 outlets, add \$150 list
- J Center – single-sided/6 outlets, add \$75 list
- K Left/Right – single-sided/6 outlets, add \$150 list
- M Center – double-sided/8 outlets, add \$75 list
- P Left/Right – double-sided/8 outlets, add \$150 list
- Q Center – double-sided/12 outlets, add \$75 list
- T Left/Right – double-sided/12 outlets, add \$150 list

4 Cable Base Option:

- N None
- C Cable Bases (2), add \$1050 list

- 2) Laminate surface color.
- 3) 1mm edgeband trim color.
(Cascade edge/multiple-tops only)*
- 4) Edge trim color.
- 5) Base trim color.
- 6) Laminate surface – Cable Bases
- 7) Edge trim color – Cable Bases

Note: \$35 upcharge (list) for Metallic trim color.

Planes Conference Tables – Three-Piece Tops – Interior Leg – Laminate


Rectangular – Laminate

No. of Legs	*Seating Capacity	Depth	Length	Number	①	②	③	④	(J) Edgeband Price	(V) Cascade Price	(F) Knife Price
8	14	42"(1067mm)	186"(4724mm)	TARA-42J6-L	■	■	■	JG4	\$2790	\$2887	\$3212
8	14		192"(4877mm)	TARA-42K2-L	■	■	■	JG4	2878	2977	3300
8	14		198"(5029mm)	TARA-42K8-L	■	■	■	JG4	2963	3066	3387
14	14		204"(5182mm)	TARA-42L4-L	■	■	■	JG4	3051	3156	3475
14	14		210"(5334mm)	TARA-42M0-L	■	■	■	JG4	3136	3244	3561
14	14		216"(5486mm)	TARA-42M6-L	■	■	■	JG4	3223	3334	3649
14	16		222"(5639mm)	TARA-42N2-L	■	■	■	JG4	3309	3423	3736
14	16		228"(5791mm)	TARA-42N8-L	■	■	■	JG4	3396	3513	3824
14	16		234"(5944mm)	TARA-42P4-L	■	■	■	JG4	3482	3602	3911
14	16		240"(6096mm)	TARA-42Q0-L	■	■	■	JG4	3569	3692	3998
14	16		246"(6248mm)	TARA-42Q6-L	■	■	■	JG4	3655	3781	4086
14	16		252"(6401mm)	TARA-42R2-L	■	■	■	JG4	3742	3871	4173
14	18		258"(6553mm)	TARA-42R8-L	■	■	■	JG4	3828	3960	4261
14	18		264"(6706mm)	TARA-42S4-L	■	■	■	JG4	3915	4050	4348
14	20		270"(6858mm)	TARA-42T0-L	■	■	■	JG4	4001	4140	4436
8	14	48"(1219mm)	186"(4724mm)	TARA-48J6-L	■	■	■	JG4	\$3173	\$3283	\$3551
8	14		192"(4877mm)	TARA-48K2-L	■	■	■	JG4	3272	3385	3649
8	14		198"(5029mm)	TARA-48K8-L	■	■	■	JG4	3372	3488	3747
14	14		204"(5182mm)	TARA-48L4-L	■	■	■	JG4	3469	3589	3844
14	14		210"(5334mm)	TARA-48M0-L	■	■	■	JG4	3569	3692	3942
14	14		216"(5486mm)	TARA-48M6-L	■	■	■	JG4	3668	3795	4041
14	16		222"(5639mm)	TARA-48N2-L	■	■	■	JG4	3766	3896	4138
14	16		228"(5791mm)	TARA-48N8-L	■	■	■	JG4	3866	3999	4236
14	16		234"(5944mm)	TARA-48P4-L	■	■	■	JG4	3964	4101	4334
14	16		240"(6096mm)	TARA-48Q0-L	■	■	■	JG4	4063	4203	4432
14	16		246"(6248mm)	TARA-48Q6-L	■	■	■	JG4	4162	4306	4530
14	16		252"(6401mm)	TARA-48R2-L	■	■	■	JG4	4260	4407	4627
14	18		258"(6553mm)	TARA-48R8-L	■	■	■	JG4	4359	4509	4725
14	18		264"(6706mm)	TARA-48S4-L	■	■	■	JG4	4459	4613	4824
14	20		270"(6858mm)	TARA-48T0-L	■	■	■	JG4	4557	4715	4921
8	14	54"(1372mm)	186"(4724mm)	TARA-54J6-L	■	■	■	JG4	\$3557	\$3679	\$3890
8	14		192"(4877mm)	TARA-54K2-L	■	■	■	JG4	3668	3795	3999
8	14		198"(5029mm)	TARA-54K8-L	■	■	■	JG4	3778	3908	4106
14	14		204"(5182mm)	TARA-54L4-L	■	■	■	JG4	3890	4024	4215
14	14		210"(5334mm)	TARA-54M0-L	■	■	■	JG4	4001	4140	4324
14	14		216"(5486mm)	TARA-54M6-L	■	■	■	JG4	4113	4254	4432
14	16		222"(5639mm)	TARA-54N2-L	■	■	■	JG4	4224	4369	4540
14	16		228"(5791mm)	TARA-54N8-L	■	■	■	JG4	4334	4484	4648
14	16		234"(5944mm)	TARA-54P4-L	■	■	■	JG4	4446	4600	4757
14	16		240"(6096mm)	TARA-54Q0-L	■	■	■	JG4	4557	4715	4865
14	16		246"(6248mm)	TARA-54Q6-L	■	■	■	JG4	4668	4828	4973
14	16		252"(6401mm)	TARA-54R2-L	■	■	■	JG4	4780	4944	5082
14	18		258"(6553mm)	TARA-54R8-L	■	■	■	JG4	4891	5060	5191
14	18		264"(6706mm)	TARA-54S4-L	■	■	■	JG4	5001	5174	5298
14	20		270"(6858mm)	TARA-54T0-L	■	■	■	JG4	5113	5290	5407
8	14	60"(1524mm)	186"(4724mm)	TARA-60J6-L	■	■	■	JG4	\$3939	\$4075	\$4229
8	14		192"(4877mm)	TARA-60K2-L	■	■	■	JG4	4063	4203	4348
8	14		198"(5029mm)	TARA-60K8-L	■	■	■	JG4	4186	4331	4467
14	14		204"(5182mm)	TARA-60L4-L	■	■	■	JG4	4310	4459	4586
14	14		210"(5334mm)	TARA-60M0-L	■	■	■	JG4	4434	4587	4705
14	14		216"(5486mm)	TARA-60M6-L	■	■	■	JG4	4557	4715	4823
14	16		222"(5639mm)	TARA-60N2-L	■	■	■	JG4	4680	4842	4942
14	16		228"(5791mm)	TARA-60N8-L	■	■	■	JG4	4804	4970	5061
14	16		234"(5944mm)	TARA-60P4-L	■	■	■	JG4	4928	5098	5180
14	16		240"(6096mm)	TARA-60Q0-L	■	■	■	JG4	5051	5226	5299
14	16		246"(6248mm)	TARA-60Q6-L	■	■	■	JG4	5174	5353	5417
14	16		252"(6401mm)	TARA-60R2-L	■	■	■	JG4	5298	5481	5536
14	18		258"(6553mm)	TARA-60R8-L	■	■	■	JG4	5422	5609	5655
14	18		264"(6706mm)	TARA-60S4-L	■	■	■	JG4	5545	5737	5774
14	20		270"(6858mm)	TARA-60T0-L	■	■	■	JG4	5669	5865	5893

*Recommended seating capacity based upon 27"(686mm) per chair.

Planes Conference Tables – Three-Piece Tops – Interior Leg – Laminate

Pebble – Laminate



TARP

Features

- Includes 1 3/16”(30mm) thick tops, interior leg bases and hardware.
- Standard table height is 29”(737mm).
- Laminate top with 3mm edgeband, cascade or knife edges.
- Table top seams are 1mm edgeband.
- Top available in standard or green core option.
- Interior legs are painted aluminum.
- Interior leg is 1 1/8”(29mm) x 3 1/4”(83mm).
- Optional cable bases are available :
 - 42”(1067mm) deep and deeper tables will ship with 14”(356mm) x 14”(356mm) cable bases.
 - Three piece tops will include two cable bases to be centered on seams.
 - Cable base and table top(s) are laminate and can be specified in different surface colors and edge trim colors.
 - Refer to Specification Guide for use guidelines.
- Optional Flip top unit electrical modules are separately specified. Refer to electrical components for appropriate product specification.
- Available with glides only; 1/2”(13mm) height adjustment.
- Ships unassembled.

Specification Tips

- Tables with multiple-piece tops have equal sized pieces.
- The following Planes products are separately specified:
 - Grommets (field cut opening)
 - Flip top unit electrical modules
 - Horizontal wire management
- Refer to Specification Guide for seating capacities with Cable Base Option and leg locations.

*Multiple piece tops with Cascade edge option will require an additional specification for the 1mm edgeband seam.

**Knife edge must be specified with green core.

To Order, Specify:

1) Product number, including:

1 Edge Option:

- J Edgeband
- V Cascade*
- F Knife**

2 Core Option:

- S Standard
- G Green, add \$300 list

3 Flip Top Unit Cutout(s):

- N None
- F Center – single-sided/4 outlets, add \$75 list
- V Left/Right – single-sided/4 outlets, add \$150 list
- J Center – single-sided/6 outlets, add \$75 list
- K Left/Right – single-sided/6 outlets, add \$150 list
- M Center – double-sided/8 outlets, add \$75 list
- P Left/Right – double-sided/8 outlets, add \$150 list
- Q Center – double-sided/12 outlets, add \$75 list
- T Left/Right – double-sided/12 outlets, add \$150 list

4 Cable Base Option:

- N None
- C Cable Bases(2), add \$1050 list

- 2) Laminate surface color.
- 3) 1mm edgeband trim color.
(Cascade edge/multiple-tops only)*
- 4) Edge trim color.
- 5) Base trim color.
- 6) Laminate surface – Cable Bases
- 7) Edge trim color – Cable Bases

Note: \$35 upcharge (list) for Metallic trim color.

Planes Conference Tables – Three-Piece Tops – Interior Leg – Laminate

Pebble – Laminate

No. of Legs	*Seating Capacity	Depth	Length	Number	①	②	③	④	(J) Edgeband Price	(V) Cascade Price	(F) Knife Price
8	14	42"(1067mm)	186"(4724mm)	TARP-42J6-L	■	■	■	JG4	\$2790	\$2887	\$3212
8	14		192"(4877mm)	TARP-42K2-L	■	■	■	JG4	2878	2977	3300
8	14		198"(5029mm)	TARP-42K8-L	■	■	■	JG4	2963	3066	3387
10	14		204"(5182mm)	TARP-42L4-L	■	■	■	JG4	3051	3156	3475
10	14		210"(5334mm)	TARP-42M0-L	■	■	■	JG4	3136	3244	3561
10	14		216"(5486mm)	TARP-42M6-L	■	■	■	JG4	3223	3334	3649
14	14		222"(5639mm)	TARP-42N2-L	■	■	■	JG4	3309	3423	3736
14	14		228"(5791mm)	TARP-42N8-L	■	■	■	JG4	3396	3513	3824
14	14		234"(5944mm)	TARP-42P4-L	■	■	■	JG4	3482	3602	3911
14	14		240"(6096mm)	TARP-42Q0-L	■	■	■	JG4	3569	3692	3998
14	14		246"(6248mm)	TARP-42Q6-L	■	■	■	JG4	3655	3781	4086
14	14		252"(6401mm)	TARP-42R2-L	■	■	■	JG4	3742	3871	4173
14	14		258"(6553mm)	TARP-42R8-L	■	■	■	JG4	3828	3960	4261
14	14		264"(6706mm)	TARP-42S4-L	■	■	■	JG4	3915	4050	4348
14	16		270"(6858mm)	TARP-42T0-L	■	■	■	JG4	4001	4140	4436
8	14	48"(1219mm)	186"(4724mm)	TARP-48J6-L	■	■	■	JG4	\$3173	\$3283	\$3551
8	14		192"(4877mm)	TARP-48K2-L	■	■	■	JG4	3272	3385	3649
8	14		198"(5029mm)	TARP-48K8-L	■	■	■	JG4	3372	3488	3747
8	14		204"(5182mm)	TARP-48L4-L	■	■	■	JG4	3469	3589	3844
8	14		210"(5334mm)	TARP-48M0-L	■	■	■	JG4	3569	3692	3942
8	14		216"(5486mm)	TARP-48M6-L	■	■	■	JG4	3668	3795	4041
14	14		222"(5639mm)	TARP-48N2-L	■	■	■	144	3766	3896	4138
14	14		228"(5791mm)	TARP-48N8-L	■	■	■	JG4	3866	3999	4236
14	14		234"(5944mm)	TARP-48P4-L	■	■	■	JG4	3964	4101	4334
14	14		240"(6096mm)	TARP-48Q0-L	■	■	■	JG4	4063	4203	4432
14	14		246"(6248mm)	TARP-48Q6-L	■	■	■	JG4	4162	4306	4530
14	14		252"(6401mm)	TARP-48R2-L	■	■	■	JG4	4260	4407	4627
14	14		258"(6553mm)	TARP-48R8-L	■	■	■	JG4	4359	4509	4725
14	14		264"(6706mm)	TARP-48S4-L	■	■	■	JG4	4459	4613	4824
14	16		270"(6858mm)	TARP-48T0-L	■	■	■	JG4	4557	4715	4921
8	14	54"(1372mm)	186"(4724mm)	TARP-54J6-L	■	■	■	JG4	\$3557	\$3679	\$3890
8	14		192"(4877mm)	TARP-54K2-L	■	■	■	JG4	3668	3795	3999
8	14		198"(5029mm)	TARP-54K8-L	■	■	■	JG4	3778	3908	4106
8	14		204"(5182mm)	TARP-54L4-L	■	■	■	JG4	3890	4024	4215
8	14		210"(5334mm)	TARP-54M0-L	■	■	■	JG4	4001	4140	4324
8	14		216"(5486mm)	TARP-54M6-L	■	■	■	JG4	4113	4254	4432
14	14		222"(5639mm)	TARP-54N2-L	■	■	■	JG4	4224	4369	4540
14	14		228"(5791mm)	TARP-54N8-L	■	■	■	JG4	4334	4484	4648
14	14		234"(5944mm)	TARP-54P4-L	■	■	■	JG4	4446	4600	4757
14	14		240"(6096mm)	TARP-54Q0-L	■	■	■	JG4	4557	4715	4865
14	14		246"(6248mm)	TARP-54Q6-L	■	■	■	JG4	4668	4828	4973
14	14		252"(6401mm)	TARP-54R2-L	■	■	■	JG4	4780	4944	5082
14	14		258"(6553mm)	TARP-54R8-L	■	■	■	JG4	4891	5060	5191
14	14		264"(6706mm)	TARP-54S4-L	■	■	■	JG4	5001	5174	5298
14	16		270"(6858mm)	TARP-54T0-L	■	■	■	JG4	5113	5290	5407
8	14	60"(1524mm)	186"(4724mm)	TARP-60J6-L	■	■	■	JG4	\$3939	\$4075	\$4229
8	14		192"(4877mm)	TARP-60K2-L	■	■	■	JG4	4063	4203	4348
8	14		198"(5029mm)	TARP-60K8-L	■	■	■	JG4	4186	4331	4467
8	14		204"(5182mm)	TARP-60L4-L	■	■	■	JG4	4310	4459	4586
8	14		210"(5334mm)	TARP-60M0-L	■	■	■	JG4	4434	4587	4705
8	14		216"(5486mm)	TARP-60M6-L	■	■	■	JG4	4557	4715	4823
14	14		222"(5639mm)	TARP-60N2-L	■	■	■	JG4	4680	4842	4942
14	14		228"(5791mm)	TARP-60N8-L	■	■	■	JG4	4804	4970	5061
14	14		234"(5944mm)	TARP-60P4-L	■	■	■	JG4	4928	5098	5180
14	14		240"(6096mm)	TARP-60Q0-L	■	■	■	JG4	5051	5226	5299
14	14		246"(6248mm)	TARP-60Q6-L	■	■	■	JG4	5174	5353	5417
14	14		252"(6401mm)	TARP-60R2-L	■	■	■	JG4	5298	5481	5536
14	14		258"(6553mm)	TARP-60R8-L	■	■	■	JG4	5422	5609	5655
14	14		264"(6706mm)	TARP-60S4-L	■	■	■	JG4	5545	5737	5774
14	16		270"(6858mm)	TARP-60T0-L	■	■	■	JG4	5669	5865	5893

*Recommended seating capacity based upon 27"(686mm) per chair.

Planes Conference Tables – Three-Piece Tops – Interior Leg – Laminate

Hexagon – Laminate



TARX

Features

- Includes 1 3/16”(30mm) thick top, interior leg bases and hardware.
- Standard table height is 29”(737mm).
- Laminate top with 3mm edgeband, cascade or knife edges.
- Table top seams are 1mm edgeband.
- Top available in standard or green core option.
- Interior legs are painted aluminum.
- Interior leg is 1 1/8”(29mm) x 3 1/4”(83mm).
- Optional cable bases are available :
 - 42”(1067mm) deep and deeper tables will ship with 14”(356mm) x 14”(356mm) cable bases.
 - Three piece tops will include two cable bases to be centered on seams.
 - Cable base and table top(s) are laminate and can be specified in different surface colors and edge trim colors.
 - Refer to Specification Guide for use guidelines.
- Optional Flip top unit electrical modules are separately specified. Refer to electrical components for appropriate product specification.
- Available with glides only; 1/2”(13mm) height adjustment.
- Ships unassembled.

Specification Tips

- Tables with multiple-piece tops have equal sized pieces.
- The following Planes products are separately specified:
 - Grommets (field cut opening)
 - Flip top unit electrical modules
 - Horizontal wire management
- Refer to Specification Guide for seating capacities with Cable Base Option and leg locations.

*Multiple piece tops with Cascade edge option will require an additional specification for the 1mm edgeband seam.

**Knife edge must be specified with green core.

To Order, Specify:

1) Product number, including:

1 Edge Option:

- ☐ J Edgeband
- ☐ V Cascade*
- ☐ F Knife**

2 Core Option:

- ☐ S Standard
- ☐ G Green, add \$300 list

3 Flip Top Unit Cutout(s):

- ☐ N None
- ☐ F Center – single-sided/4 outlets, add \$75 list
- ☐ V Left/Right – single-sided/4 outlets, add \$150 list
- ☐ J Center – single-sided/6 outlets, add \$75 list
- ☐ K Left/Right – single-sided/6 outlets, add \$150 list
- ☐ M Center – double-sided/8 outlets, add \$75 list
- ☐ P Left/Right – double-sided/8 outlets, add \$150 list
- ☐ Q Center – double-sided/12 outlets, add \$75 list
- ☐ T Left/Right – double-sided/12 outlets, add \$150 list

4 Cable Base Option:

- ☐ N None
- ☐ C Cable Bases(2), add \$1050 list

2) Laminate surface color.

3) 1mm edgeband trim color. (Cascade edge/multiple-tops only)*

4) Edge trim color.

5) Base trim color.

6) Laminate surface – Cable Bases

7) Edge trim color – Cable Bases

Note: \$35 upcharge (list) for Metallic trim color.

Planes Conference Tables – Three-Piece Tops – Interior Leg – Laminate

Hexagon – Laminate

No. of Legs	*Seating Capacity	Depth	Length	Number	①	②	③	④	(J) Edgeband Price	(V) Cascade Price	(F) Knife Price
8	14	42"(1067mm)	186"(4724mm)	TARX-42J6-L	■	■	■	JG4	\$2790	\$2887	\$3212
8	14		192"(4877mm)	TARX-42K2-L	■	■	■	JG4	2878	2977	3300
8	14		198"(5029mm)	TARX-42K8-L	■	■	■	JG4	2963	3066	3387
10	14		204"(5182mm)	TARX-42L4-L	■	■	■	JG4	3051	3156	3475
10	14		210"(5334mm)	TARX-42M0-L	■	■	■	JG4	3136	3244	3561
10	14		216"(5486mm)	TARX-42M6-L	■	■	■	JG4	3223	3334	3649
14	14		222"(5639mm)	TARX-42N2-L	■	■	■	JG4	3309	3423	3736
14	14		228"(5791mm)	TARX-42N8-L	■	■	■	JG4	3396	3513	3824
14	14		234"(5944mm)	TARX-42P4-L	■	■	■	JG4	3482	3602	3911
14	14		240"(6096mm)	TARX-42Q0-L	■	■	■	JG4	3569	3692	3998
14	14		246"(6248mm)	TARX-42Q6-L	■	■	■	JG4	3655	3781	4086
14	14		252"(6401mm)	TARX-42R2-L	■	■	■	JG4	3742	3871	4173
14	14		258"(6553mm)	TARX-42R8-L	■	■	■	JG4	3828	3960	4261
14	14		264"(6706mm)	TARX-42S4-L	■	■	■	JG4	3915	4050	4348
14	16		270"(6858mm)	TARX-42T0-L	■	■	■	JG4	4001	4140	4436
8	14	48"(1219mm)	186"(4724mm)	TARX-48J6-L	■	■	■	JG4	\$3173	\$3283	\$3551
8	14		192"(4877mm)	TARX-48K2-L	■	■	■	JG4	3272	3385	3649
8	14		198"(5029mm)	TARX-48K8-L	■	■	■	JG4	3372	3488	3747
8	14		204"(5182mm)	TARX-48L4-L	■	■	■	JG4	3469	3589	3844
8	14		210"(5334mm)	TARX-48M0-L	■	■	■	JG4	3569	3692	3942
8	14		216"(5486mm)	TARX-48M6-L	■	■	■	JG4	3668	3795	4041
14	14		222"(5639mm)	TARX-48N2-L	■	■	■	JG4	3766	3896	4138
14	14		228"(5791mm)	TARX-48N8-L	■	■	■	JG4	3866	3999	4236
14	14		234"(5944mm)	TARX-48P4-L	■	■	■	JG4	3964	4101	4334
14	14		240"(6096mm)	TARX-48Q0-L	■	■	■	JG4	4063	4203	4432
14	14		246"(6248mm)	TARX-48Q6-L	■	■	■	JG4	4162	4306	4530
14	14		252"(6401mm)	TARX-48R2-L	■	■	■	JG4	4260	4407	4627
14	14		258"(6553mm)	TARX-48R8-L	■	■	■	JG4	4359	4509	4725
14	14		264"(6706mm)	TARX-48S4-L	■	■	■	JG4	4459	4613	4824
14	16		270"(6858mm)	TARX-48T0-L	■	■	■	JG4	4557	4715	4921
8	14	54"(1372mm)	186"(4724mm)	TARX-54J6-L	■	■	■	JG4	\$3557	\$3679	\$3890
8	14		192"(4877mm)	TARX-54K2-L	■	■	■	JG4	3668	3795	3999
8	14		198"(5029mm)	TARX-54K8-L	■	■	■	JG4	3778	3908	4106
8	14		204"(5182mm)	TARX-54L4-L	■	■	■	JG4	3890	4024	4215
8	14		210"(5334mm)	TARX-54M0-L	■	■	■	JG4	4001	4140	4324
8	14		216"(5486mm)	TARX-54M6-L	■	■	■	JG4	4113	4254	4432
14	14		222"(5639mm)	TARX-54N2-L	■	■	■	JG4	4224	4369	4540
14	14		228"(5791mm)	TARX-54N8-L	■	■	■	JG4	4334	4484	4648
14	14		234"(5944mm)	TARX-54P4-L	■	■	■	JG4	4446	4600	4757
14	14		240"(6096mm)	TARX-54Q0-L	■	■	■	JG4	4557	4715	4865
14	14		246"(6248mm)	TARX-54Q6-L	■	■	■	JG4	4668	4828	4973
14	14		252"(6401mm)	TARX-54R2-L	■	■	■	JG4	4780	4944	5082
14	14		258"(6553mm)	TARX-54R8-L	■	■	■	JG4	4891	5060	5191
14	14		264"(6706mm)	TARX-54S4-L	■	■	■	JG4	5001	5174	5298
14	16		270"(6858mm)	TARX-54T0-L	■	■	■	JG4	5113	5290	5407
8	14	60"(1524mm)	186"(4724mm)	TARX-60J6-L	■	■	■	JG4	\$3939	\$4075	\$4229
8	14		192"(4877mm)	TARX-60K2-L	■	■	■	JG4	4063	4203	4348
8	14		198"(5029mm)	TARX-60K8-L	■	■	■	JG4	4186	4331	4467
8	14		204"(5182mm)	TARX-60L4-L	■	■	■	JG4	4310	4459	4586
8	14		210"(5334mm)	TARX-60M0-L	■	■	■	JG4	4434	4587	4705
8	14		216"(5486mm)	TARX-60M6-L	■	■	■	JG4	4557	4715	4823
14	14		222"(5639mm)	TARX-60N2-L	■	■	■	JG4	4680	4842	4942
14	14		228"(5791mm)	TARX-60N8-L	■	■	■	JG4	4804	4970	5061
14	14		234"(5944mm)	TARX-60P4-L	■	■	■	JG4	4928	5098	5180
14	14		240"(6096mm)	TARX-60Q0-L	■	■	■	JG4	5051	5226	5299
14	14		246"(6248mm)	TARX-60Q6-L	■	■	■	JG4	5174	5353	5417
14	14		252"(6401mm)	TARX-60R2-L	■	■	■	JG4	5298	5481	5536
14	14		258"(6553mm)	TARX-60R8-L	■	■	■	JG4	5422	5609	5655
14	14		264"(6706mm)	TARX-60S4-L	■	■	■	JG4	5545	5737	5774
14	16		270"(6858mm)	TARX-60T0-L	■	■	■	JG4	5669	5865	5893

*Recommended seating capacity based upon 27"(686mm) per chair.

Electronic Update(s)

<u>DATE</u>	<u>New Page(s)</u>	<u>Revised Page(s)</u>	<u>Description</u>
March 2009	1 – 18		New Planes Height Adjustable Tables
May 2009	1 – 6		Planes Height Adjustable Spec Info
September 2009			Planes Tables – Knife Edge Addition

Planes®

HAWORTH®



North America

Planes Height Adjustable Tables
Addendum/Price List – March 2009


Table of Contents

Planes Height Adjustable Tables

90° Angled Laminate or Wood – Electric Adjustment	9
90° Angled Laminate or Wood – Incremental Adjustment	8
90° Notched Laminate or Wood – Electric Adjustment	17
90° Notched Laminate or Wood – Incremental Adjustment	16
90° Split Top Laminate or Wood – Electric Adjustment	13
90° Split Top Laminate or Wood – Incremental Adjustment	12
90° Straight Laminate or Wood – Incremental Adjustment	10
90° Straight Laminate or Wood – Electric Adjustment	11
90° Wrap Around Laminate or Wood – Electric Adjustment	15
90° Wrap Around Laminate or Wood – Incremental Adjustment	14
Grommet	18
Rectangular Laminate or Wood – Electric Adjustment	6-7
Rectangular Laminate or Wood – Incremental, Crank or Torsion Adjustment	4-5
Thumbscrew for Incremental Adjustment Table	18

Planes Height Adjustable Tables — Rectangular

Laminate or Wood — Incremental, Crank or Torsion Adjustment



TARA

Incremental Leg



Hand Crank



Torsion Paddle



Features

- Includes 1 3/16" (30mm) thick top, two C-leg base assemblies, wire management clips and height adjustment mechanism and hardware.
- Laminate top with T-Mold or 3mm edgeband edges or wood veneer top with 3mm wood edgeband.
- Top available in standard or green core option.
- Height adjustment mechanisms:
 - Incremental adjustment base assembly adjusts in 1" (25mm) increments within 22" (559mm) to 35" (889mm) height range.
 - Button head screws are standard in bright zinc.
 - Base standard with black telescoping base tubes.
 - Thumbscrew replacement for button head screw is available; separately specified.
 - Hand crank provides 1" (25mm) vertical movement for every 6 turns within 27" (686mm) to 45" (1143mm) height range.
 - Hand crank is right-handed and retracts under the table top.
 - Base standard with black telescoping base tubes.
 - Torsion pneumatic cylinder provides continuous adjustment range within 27" (686mm) to 45" (1143mm) height range.
 - Paddle is standard in black.
 - Base standard with Trivalent chrome telescoping base tubes.
- Base includes leg assembly and foot; available in painted trim colors.
- Glides have 1" (25mm) height adjustment and are standard in black.
- Grommets are available for field installation; separately specified.
- Single Flip Top Units are available for field installation; separately specified. Refer to Specification Guide.
- Ships unassembled.

Specification Tips

- Tops are designed to allow pinch point clearance to accommodate cables; refer to Specification Guide for application guidelines.
- Height adjustable tables not designed to accept AKP's, suspended or attached pedestals.
- Table load capacity:
 - Incremental and hand crank: 250 pounds
 - Torsion: 100 pounds

To Order, Specify:

1) Product number, including:

① Surface Option:

- L** Laminate
- W** Wood

② Edge Option:

- T** T-Mold
- J** Edgeband
- K** Wood Edgeband

③ Core Option:

- S** Standard
- G** Green, add **\$100** list.

- 2) Laminate surface color or wood finish color.
- 3) Edge trim color (laminate only).
- 4) Base trim color.

Note: **\$36** upcharge (list) for Metallic trim color.


Planes Height Adjustable Tables — Rectangular

Laminate or Wood — Incremental, Crank or Torsion Adjustment


Depth	Width	Number ①②③	(T) T-Mold Price	(J) Edgeband Price	(K) Edgeband Wood Group I	(K) Edgeband Wood Group II
Incremental Adjustment — Height Adjustment Range: 22"(559mm) to 35"(889mm)						
23"(584mm)	34"(864mm)	TARA-2334-■ ■ ■ NCD	\$ 938	\$ 954	\$1120	\$1134
	40"(1016mm)	TARA-2340-■ ■ ■ NCD	963	980	1164	1180
	46"(1168mm)	TARA-2346-■ ■ ■ NCD	1006	1028	1263	1283
	58"(1473mm)	TARA-2358-■ ■ ■ NCD	1078	1104	1373	1396
	64"(1626mm)	TARA-2364-■ ■ ■ NCD	1107	1135	1437	1463
	70"(1778mm)	TARA-2370-■ ■ ■ NCD	1155	1186	1514	1558
29"(737mm)	34"(864mm)	TARA-2934-■ ■ ■ NCD	\$1000	\$1021	\$1252	\$1271
	40"(1016mm)	TARA-2940-■ ■ ■ NCD	1024	1046	1288	1309
	46"(1168mm)	TARA-2946-■ ■ ■ NCD	1057	1081	1344	1367
	58"(1473mm)	TARA-2958-■ ■ ■ NCD	1138	1167	1481	1508
	64"(1626mm)	TARA-2964-■ ■ ■ NCD	1171	1204	1553	1584
	70"(1778mm)	TARA-2970-■ ■ ■ NCD	1197	1230	1579	1631
Crank Adjustment — Height Adjustment Range: 27"(686mm) to 45"(1143mm)						
23"(584mm)	34"(864mm)	TARA-2334-■ ■ ■ NCB	\$1486	\$1502	\$1668	\$1682
	40"(1016mm)	TARA-2340-■ ■ ■ NCB	1520	1537	1721	1737
	46"(1168mm)	TARA-2346-■ ■ ■ NCB	1563	1585	1820	1840
	58"(1473mm)	TARA-2358-■ ■ ■ NCB	1664	1690	1959	1982
	64"(1626mm)	TARA-2364-■ ■ ■ NCB	1695	1723	2025	2051
	70"(1778mm)	TARA-2370-■ ■ ■ NCB	1761	1792	2120	2164
29"(737mm)	34"(864mm)	TARA-2934-■ ■ ■ NCB	\$1555	\$1576	\$1807	\$1826
	40"(1016mm)	TARA-2940-■ ■ ■ NCB	1590	1612	1854	1875
	46"(1168mm)	TARA-2946-■ ■ ■ NCB	1632	1656	1919	1942
	58"(1473mm)	TARA-2958-■ ■ ■ NCB	1740	1769	2083	2110
	64"(1626mm)	TARA-2964-■ ■ ■ NCB	1776	1809	2158	2189
	70"(1778mm)	TARA-2970-■ ■ ■ NCB	1820	1853	2202	2254
Torsion Adjustment — Height Adjustment Range: 27"(686mm) to 45"(1143mm)						
23"(584mm)	34"(864mm)	TARA-2334-■ ■ ■ NCA	\$2004	\$2020	\$2186	\$2200
	40"(1016mm)	TARA-2340-■ ■ ■ NCA	2045	2062	2246	2262
	46"(1168mm)	TARA-2346-■ ■ ■ NCA	2090	2112	2347	2367
29"(737mm)	34"(864mm)	TARA-2934-■ ■ ■ NCA	\$2080	\$2101	\$2332	\$2351
	40"(1016mm)	TARA-2940-■ ■ ■ NCA	2124	2146	2388	2409
	46"(1168mm)	TARA-2946-■ ■ ■ NCA	2176	2200	2463	2486

Planes Height Adjustable Tables — Rectangular

Laminate or Wood — Electric Adjustment



TARA



Features

- Includes 1 3/16" (30mm) thick top, two C-leg base assemblies, wire management clips and height adjustment mechanism and hardware.
- Laminate top with T-Mold or 3mm edgeband edges or wood veneer top with 3mm wood edgeband.
- Top available in standard or green core option.
- Height adjustment touch pad actuator options:
 - Single Stage Touch Pad Actuator available in Standard (E) up/down movement or Programmable (R) providing three different up/down programmed heights.
 - Provides 27" (686mm) to 46" (1168mm) continuous height adjustment range.
 - Dual Stage Low Touch Pad Actuator available in Standard (P) stores up/down adjustment or Programmable (S) stores three different up/down programmed heights.
 - Provides 22" (559mm) to 48" (1219mm) continuous height adjustment range.
 - Dual Stage High Touch Pad Actuator available in Standard (Q) up/down adjustment or Programmable (T) stores three different up/down programmed heights.
 - Provides 24" (610mm) to 50" (1270mm) continuous height adjustment range.
- Touch Pad Actuator:
 - Can be mounted on left or right side of table; predrilled for field installed and field changeable.
 - Touch pad actuator has touch pad controls and standard with black housing.
 - Touch pad actuator control box and motor box are field installed and standard with black housings.
- Height adjustment: 1" (25mm) per 1.6 seconds.
- Standard with black telescoping base tubes.
- Base includes leg assembly and foot; available in painted trim colors.
- Glides have 1" (25mm) height adjustment and are standard in black.
- Grommets are available for field installation; separately specified.
- Single Flip Top Units are available for field installation; separately specified. Refer to Specification Guide.
- Ships unassembled.

Specification Tips

- Tops are designed to allow pinch point clearance to accommodate cables; refer to Specification Guide for application guidelines.
- Height adjustable tables not designed to accept AKP's, suspended or attached pedestals.
- Table load capacity: 250 pounds

To Order, Specify:

1) Product number, including:

① Surface Option:

- L** Laminate
- W** Wood

② Edge Option:

- T** T-Mold
- J** Edgeband
- K** Wood Edgeband

③ Core Option:

- S** Standard
- G** Green, add **\$100** list.

④ Height Adjustment Actuator Options:

Single Stage:

- E** Standard
- R** Programmable, add **\$115** list.

Dual Stage, Low:

- P** Standard
- S** Programmable, add **\$115** list.

Dual Stage, High:

- Q** Standard
- T** Programmable, add **\$115** list.

2) Laminate surface color or wood finish color.

3) Edge trim color (laminate only).

4) Base trim color.

Note: **\$36** upcharge (list) for Metallic trim color.


Planes Height Adjustable Tables — Rectangular

Laminate or Wood — Electric Adjustment

Depth	Width	Number	①	②	③	④	(T) T-Mold Price	(J) Edgeband Price	(K) Edgeband Wood Group I	(K) Edgeband Wood Group II
Single Stage — Height Adjustment Range: 27" (686mm) to 46" (1168mm)										
23" (584mm)	34" (864mm)	TARA-2334-	■	■	■	NC ■	\$1677	\$1693	\$1859	\$1873
	40" (1016mm)	TARA-2340-	■	■	■	NC ■	1714	1731	1915	1931
	46" (1168mm)	TARA-2346-	■	■	■	NC ■	1758	1780	2015	2035
	58" (1473mm)	TARA-2358-	■	■	■	NC ■	1868	1894	2163	2186
	64" (1626mm)	TARA-2364-	■	■	■	NC ■	1900	1928	2230	2256
	70" (1778mm)	TARA-2370-	■	■	■	NC ■	1972	2003	2331	2375
29" (737mm)	34" (864mm)	TARA-2934-	■	■	■	NC ■	\$1748	\$1769	\$2000	\$2019
	40" (1016mm)	TARA-2940-	■	■	■	NC ■	1787	1809	2051	2072
	46" (1168mm)	TARA-2946-	■	■	■	NC ■	1833	1857	2120	2143
	58" (1473mm)	TARA-2958-	■	■	■	NC ■	1950	1979	2293	2320
	64" (1626mm)	TARA-2964-	■	■	■	NC ■	1987	2020	2369	2400
	70" (1778mm)	TARA-2970-	■	■	■	NC ■	2037	2070	2419	2471
Dual Stage/Low — Height Adjustment Range: 22" (559mm) to 48" (1219mm)										
23" (584mm)	34" (864mm)	TARA-2334-	■	■	■	NC ■	\$2172	\$2188	\$2354	\$2368
	40" (1016mm)	TARA-2340-	■	■	■	NC ■	2216	2233	2417	2433
	46" (1168mm)	TARA-2346-	■	■	■	NC ■	2260	2282	2517	2537
	58" (1473mm)	TARA-2358-	■	■	■	NC ■	2397	2423	2692	2715
	64" (1626mm)	TARA-2364-	■	■	■	NC ■	2430	2458	2760	2786
	70" (1778mm)	TARA-2370-	■	■	■	NC ■	2519	2550	2878	2922
29" (737mm)	34" (864mm)	TARA-2934-	■	■	■	NC ■	\$2249	\$2270	\$2501	\$2520
	40" (1016mm)	TARA-2940-	■	■	■	NC ■	2297	2319	2561	2582
	46" (1168mm)	TARA-2946-	■	■	■	NC ■	2352	2376	2639	2662
	58" (1473mm)	TARA-2958-	■	■	■	NC ■	2493	2522	2836	2863
	64" (1626mm)	TARA-2964-	■	■	■	NC ■	2532	2565	2914	2945
	70" (1778mm)	TARA-2970-	■	■	■	NC ■	2599	2632	2981	3033
Dual Stage/High — Height Adjustment Range: 24" (610mm) to 50" (1270mm)										
23" (584mm)	34" (864mm)	TARA-2334-	■	■	■	NC ■	\$2172	\$2188	\$2354	\$2368
	40" (1016mm)	TARA-2340-	■	■	■	NC ■	2216	2233	2417	2433
	46" (1168mm)	TARA-2346-	■	■	■	NC ■	2260	2282	2517	2537
	58" (1473mm)	TARA-2358-	■	■	■	NC ■	2397	2423	2692	2715
	64" (1626mm)	TARA-2364-	■	■	■	NC ■	2497	2525	2827	2853
	70" (1778mm)	TARA-2370-	■	■	■	NC ■	2519	2550	2878	2922
29" (737mm)	34" (864mm)	TARA-2934-	■	■	■	NC ■	\$2249	\$2270	\$2501	\$2520
	40" (1016mm)	TARA-2940-	■	■	■	NC ■	2297	2319	2561	2582
	46" (1168mm)	TARA-2946-	■	■	■	NC ■	2352	2376	2639	2662
	58" (1473mm)	TARA-2958-	■	■	■	NC ■	2493	2522	2836	2863
	64" (1626mm)	TARA-2964-	■	■	■	NC ■	2532	2565	2914	2945
	70" (1778mm)	TARA-2970-	■	■	■	NC ■	2599	2632	2981	3033


Planes Height Adjustable Tables — 90° Angled

	Left/Right Depth	Width	Number	①	②	③	④	(T) T-Mold Price	(J) Edgeband Price	(K) Edgeband Wood Group I	(K) Edgeband Wood Group II
Incremental Adjustment — Height Adjustment Range: 22" (559mm) to 35" (889mm)											
Laminate or Wood — Incremental Adjustment	23" (584mm)	34" (864mm)	TACU-3434-	■	■	■	NCD ■	\$1043	\$1069	\$1196	\$1210
		40" (1016mm)	TACU-4040-	■	■	■	NCD ■	1086	1116	1260	1274
		46" (1168mm)	TACU-4646-	■	■	■	NCD ■	1139	1175	1348	1364



(Left-hand orientation)

TACU



Incremental Leg

Features

- Includes 1 3/16" (30mm) thick top, two C-leg base assemblies, wire management clips and height adjustment mechanism and hardware.
- Laminate top with T-Mold or 3mm edgeband edges or wood veneer top with 3mm wood edgeband.
- Top available in standard or green core option.
- Height adjustment mechanisms:
 - Incremental adjustment base assembly adjusts in 1" (25mm) increments within 22" (559mm) to 35" (889mm) height range.
 - Button head screws are standard in bright zinc.
 - Base standard with black telescoping base tubes.
 - Thumbscrew replacement for button head screw is available; separately specified.
- Base includes leg assembly and foot; available in painted trim colors.
- Glides have 1" (25mm) height adjustment and are standard in black.
- Grommets are available for field installation; separately specified.
- Single Flip Top Units are available for field installation; separately specified. Refer to Specification Guide.
- Ships unassembled.

Specification Tips

- Tops are designed to allow pinch point clearance to accommodate cables; refer to Specification Guide for application guidelines.
- Height adjustable tables not designed to accept AKP's, suspended or attached pedestals.
- Table load capacity: 250 pounds

To Order, Specify:

- Product number, including:

① Surface Option:

- L** Laminate
W Wood

② Edge Option:

- T** T-Mold
J Edgeband
K Wood Edgeband

③ Core Option:

- S** Standard
G Green, add **\$100** list.

④ Orientation (as seated):


- E** Left (24" (610mm) depth)
H Right (24" (610mm) depth)

- Laminate surface color or wood finish color.
- Edge trim color (laminate only).
- Base trim color.

Note: **\$36** upcharge (list) for Metallic trim color.


Planes Height Adjustable Tables — 90° Angled

Laminate or Wood — Electric Adjustment



(Left-hand orientation)

TACU



Left/Right Depth	Width	Number	①	②	③	④	⑤	(T) T-Mold Price	(J) Edgeband Price	(K) Edgeband Wood Group I	(K) Edgeband Wood Group II
Single Stage — Height Adjustment Range: 27" (686mm) to 46" (1168mm)											
23" (584mm)	34" (864mm)	TACU-3434-				NC		\$1782	\$1808	\$1935	\$1949
	40" (1016mm)	TACU-4040-				NC		1837	1867	2011	2025
	46" (1168mm)	TACU-4646-				NC		1891	1927	2100	2116
Dual Stage/Low — Height Adjustment Range: 22" (559mm) to 48" (1219mm)											
23" (584mm)	34" (864mm)	TACU-3434-				NC		\$2277	\$2303	\$2430	\$2444
	40" (1016mm)	TACU-4040-				NC		2339	2369	2513	2527
	46" (1168mm)	TACU-4646-				NC		2393	2429	2602	2618
Dual Stage/High — Height Adjustment Range: 24" (610mm) to 50" (1270mm)											
23" (584mm)	34" (864mm)	TACU-3434-				NC		\$2277	\$2303	\$2430	\$2444
	40" (1016mm)	TACU-4040-				NC		2339	2369	2513	2527
	46" (1168mm)	TACU-4646-				NC		2393	2429	2602	2618

Features

- Includes 1 3/16" (30mm) thick top, two C-leg base assemblies, wire management clips and height adjustment mechanism and hardware.
- Laminate top with T-Mold or 3mm edgeband edges or wood veneer top with 3mm wood edgeband.
- Top available in standard or green core option.
- Height adjustment touch pad actuator options:
 - Single Stage Touch Pad Actuator available in Standard (E) up/down movement or Programmable (R) providing three different up/down programmed heights.
 - Provides 27" (686mm) to 46" (1168mm) continuous height adjustment range.
 - Dual Stage Low Touch Pad Actuator available in Standard (P) stores up/down adjustment or Programmable (S) stores three different up/down programmed heights.
 - Provides 22" (559mm) to 48" (1219mm) continuous height adjustment range.
 - Dual Stage High Touch Pad Actuator available in Standard (Q) up/down adjustment or Programmable (T) stores three different up/down programmed heights.
 - Provides 24" (610mm) to 50" (1270mm) continuous height adjustment range.
 - Base standard with black telescoping base tubes.
- Touch Pad Actuator:
 - Can be mounted on left or right side of table; predrilled for field installed and field changeable.
 - Touch pad actuator has touch pad controls and standard with black housing.
 - Touch pad actuator control box and motor box are field installed and standard with black housings.
- Height adjustment: 1" (25mm) per 1.6 seconds.
- Standard with black telescoping base tubes.
- Base includes leg assembly and foot; available in painted trim colors.
- Glides have 1" (25mm) height adjustment and are standard in black.
- Grommets are available for field installation; separately specified.
- Single Flip Top Units are available for field installation; separately specified. Refer to Specification Guide.
- Ships unassembled.

Specification Tips

- Tops are designed to allow pinch point clearance to accommodate cables; refer to Specification Guide for application guidelines.
- Height adjustable tables not designed to accept AKP's, suspended or attached pedestals.
- Table load capacity: 250 pounds

To Order, Specify:

- Product number, including:

① Surface Option:

- ☐ L Laminate
- ☐ W Wood

② Edge Option:

- ☐ T T-Mold
- ☐ J Edgeband
- ☐ K Wood Edgeband

③ Core Option:

- ☐ S Standard
- ☐ G Green, add \$100 list.

④ Height Adjustment Actuator Options:

Single Stage:

- ☐ E Standard
- ☐ R Programmable, add \$115 list.

Dual Stage, Low:

- ☐ P Standard
- ☐ S Programmable, add \$115 list.

Dual Stage, High:

- ☐ Q Standard
- ☐ T Programmable, add \$115 list.

⑤ Orientation (as seated):


- ☐ E Left (24" (610mm) depth)
- ☐ H Right (24" (610mm) depth)

- Laminate surface color or wood finish color.
- Edge trim color (laminate only).
- Base trim color.


Note: \$36 upcharge (list) for Metallic trim color.

Planes Height Adjustable Tables — 90° Straight

	Left/Right Depth	Width	Number ①②③	(T) T-Mold Price	(J) Edgeband Price	(K) Edgeband Wood Group I	(K) Edgeband Wood Group II
Laminate or Wood — Incremental Adjustment	Incremental Adjustment — Height Adjustment Range: 22" (559mm) to 35" (889mm)						
	23" (584mm)/ 23" (584mm)	34" (864mm)	TACA-3434- ■ ■ ■ NCDB	\$1053	\$1080	\$1205	\$1224
		40" (1016mm)	TACA-4040- ■ ■ ■ NCDB	1088	1119	1255	1276
		46" (1168mm)	TACA-4646- ■ ■ ■ NCDB	1139	1175	1338	1363



TACA



Features

- Includes 1 3/16" (30mm) thick top, two C-leg base assemblies, wire management clips and height adjustment mechanism and hardware.
- Laminate top with T-Mold or 3mm edgeband edges or wood veneer top with 3mm wood edgeband.
- Top available in standard or green core option.
- Height adjustment mechanisms:
 - Incremental adjustment base assembly adjusts in 1" (25mm) increments within 22" (559mm) to 35" (889mm) height range.
 - Button head screws are standard in bright zinc.
 - Base standard with black telescoping base tubes.
 - Thumbscrew replacement for button head screw is available; separately specified.
- Base includes leg assembly and foot; available in painted trim colors.
- Glides have 1" (25mm) height adjustment and are standard in black.
- Grommets are available for field installation; separately specified.
- Single Flip Top Units are available for field installation; separately specified. Refer to Specification Guide.
- Ships unassembled.

Specification Tips

- Tops are designed to allow pinch point clearance to accommodate cables; refer to Specification Guide for application guidelines.
- Height adjustable tables not designed to accept AKP's, suspended or attached pedestals.
- Table load capacity: 250 pounds

To Order, Specify:

- Product number, including:

① Surface Option:

- ☐ L Laminate
☐ W Wood

② Edge Option:

- ☐ T T-Mold
☐ J Edgeband
☐ K Wood Edgeband

③ Core Option:


- ☐ S Standard
☐ G Green, add **\$100** list.

- Laminate surface color or wood finish color.
- Edge trim color (laminate only).
- Base trim color.


Note: **\$36** upcharge (list) for Metallic trim color.

Planes Height Adjustable Tables — 90° Straight

Laminate or Wood — Electric Adjustment



TACA



Left/Right Depth	Width	Number	①	②	③	④	(T) T-Mold Price	(J) Edgeband Price	(K) Edgeband Wood Group I	(K) Edgeband Wood Group II
Single Stage — Height Adjustment Range: 27" (686mm) to 46" (1168mm)										
23" (584mm)/ 23" (584mm)	34" (864mm)	TACA-3434-				NC B	\$1792	\$1819	\$1944	\$1963
	40" (1016mm)	TACA-4040-				NC B	1839	1870	2006	2027
	46" (1168mm)	TACA-4646-				NC B	1891	1927	2090	2115
Dual Stage/Low — Height Adjustment Range: 22" (559mm) to 48" (1219mm)										
23" (584mm)/ 23" (584mm)	34" (864mm)	TACA-3434-				NC B	\$2287	\$2314	\$2439	\$2458
	40" (1016mm)	TACA-4040-				NC B	2341	2372	2508	2529
	46" (1168mm)	TACA-4646-				NC B	2393	2429	2592	2617
Dual Stage/High — Height Adjustment Range: 24" (610mm) to 50" (1270mm)										
23" (584mm)/ 23" (584mm)	34" (864mm)	TACA-3434-				NC B	\$2287	\$2314	\$2439	\$2458
	40" (1016mm)	TACA-4040-				NC B	2341	2372	2508	2529
	46" (1168mm)	TACA-4646-				NC B	2393	2429	2592	2617

Features

- Includes 1 3/16" (30mm) thick top, two C-leg base assemblies, wire management clips and height adjustment mechanism and hardware.
- Laminate top with T-Mold or 3mm edgeband edges or wood veneer top with 3mm wood edgeband.
- Top available in standard or green core option.
- Height adjustment touch pad actuator options:
 - Single Stage Touch Pad Actuator available in Standard (E) up/down movement or Programmable (R) providing three different up/down programmed heights.
 - Provides 27" (686mm) to 46" (1168mm) continuous height adjustment range.
 - Dual Stage Low Touch Pad Actuator available in Standard (P) stores up/down adjustment or Programmable (S) stores three different up/down programmed heights.
 - Provides 22" (559mm) to 48" (1219mm) continuous height adjustment range.
 - Dual Stage High Touch Pad Actuator available in Standard (Q) up/down adjustment or Programmable (T) stores three different up/down programmed heights.
 - Provides 24" (610mm) to 50" (1270mm) continuous height adjustment range.
- Touch Pad Actuator:
 - Can be mounted on left or right side of table; predrilled for field installed and field changeable.
 - Touch pad actuator has touch pad controls and standard with black housing.
 - Touch pad actuator motor box is field installed and standard with black housing.
- Height adjustment: 1" (25mm) per 1.6 seconds.
- Standard with black telescoping base tubes.
- Base includes leg assembly and foot; available in painted trim colors.
- Glides have 1" (25mm) height adjustment and are standard in black.
- Grommets are available for field installation; separately specified.
- Single Flip Top Units are available for field installation; separately specified. Refer to Specification Guide.
- Ships unassembled.

Specification Tips

- Tops are designed to allow pinch point clearance to accommodate cables; refer to Specification Guide for application guidelines.
- Height adjustable tables not designed to accept AKP's, suspended or attached pedestals.
- Table load capacity: 250 pounds

To Order, Specify:

- Product number, including:

① Surface Option:

- ☐ L Laminate
- ☐ W Wood

② Edge Option:

- ☐ T T-Mold
- ☐ J Edgeband
- ☐ K Wood Edgeband

③ Core Option:

- ☐ S Standard
- ☐ G Green, add \$100 list.

④ Height Adjustment Actuator Options:

Single Stage:

- ☐ E Standard
- ☐ R Programmable, add \$115 list.

Dual Stage, Low:

- ☐ P Standard
- ☐ S Programmable, add \$115 list.

Dual Stage, High:


- ☐ Q Standard
- ☐ T Programmable, add \$115 list.

- Laminate surface color or wood finish color.
- Edge trim color (laminate only).
- Base trim color.


Note: \$36 upcharge (list) for Metallic trim color.

Planes Height Adjustable Tables — 90° Split Top

	Left/Right Depth	Width	Number ①②③	(T) T-Mold Price	(J) Edgeband Price	(K) Edgeband Wood Group I	(K) Edgeband Wood Group II
Laminate or Wood — Incremental Adjustment	Incremental Adjustment — Height Adjustment Range: 22''(559mm) to 35''(889mm)						
	23''(584mm)/ 23''(584mm)	46''(1168mm)	TACK-4646-■ ■ ■ NCDB	\$1847	\$1983	\$2498	\$2576



TACK



Features

- Includes 1 3/16''(30mm) thick top, two C-leg base assemblies, wire management clips and height adjustment mechanism and hardware.
- Laminate top with T-Mold or 3mm edgeband edges or wood veneer top with 3mm wood edgeband.
- Top available in standard or green core option.
- Dual worksurfaces with 1''(25mm) space between the front and rear worksurfaces. Front worksurface is 12''(305mm) deep.
- Adjustable front worksurface is attached to the rear worksurface with a spring-assist mechanism.
- Front worksurface manually adjusts to any position 7''(178mm) above and 5 3/4''(146mm) below the rear worksurface.
- Front worksurface tilts -15° to +9°.
- Spring-assist mechanism available in charcoal finish color only.
- Height adjustment mechanisms:
 - Incremental adjustment base assembly adjusts in 1''(25mm) increments within 22''(559mm) to 35''(889mm) height range.
 - Button head screws are standard in bright zinc.
 - Base standard with black telescoping base tubes.
 - Thumbscrew replacement for button head screw is available; separately specified.
- Base includes leg assembly and foot; available in painted trim colors.
- Glides have 1''(25mm) height adjustment and are standard in black.
- Grommets are available for field installation; separately specified.
- Single Flip Top Units are available for field installation; separately specified. Refer to Specification Guide.
- Ships unassembled.

Specification Tips

- Tops are designed to allow pinch point clearance to accommodate cables; refer to Specification Guide for application guidelines.
- Height adjustable tables not designed to accept AKP's, suspended or attached pedestals.
- Table load capacity: 250 pounds

To Order, Specify:

- Product number, including:

① Surface Option:

- ☐ L Laminate
☐ W Wood

② Edge Option:

- ☐ T T-Mold
☐ J Edgeband
☐ K Wood Edgeband

③ Core Option:


- ☐ S Standard
☐ G Green, add **\$100** list.

- Laminate surface color or wood finish color.
- Edge trim color (laminate only).
- Base trim color.


Note: **\$36** upcharge (list) for Metallic trim color.

Planes Height Adjustable Tables — 90° Split Top

Laminate or Wood — Electric Adjustment



TACK



Left/Right Depth	Width	Number	①	②	③	④	(T) T-Mold Price	(J) Edgeband Price	(K) Edgeband Wood Group I	(K) Edgeband Wood Group II
Single Stage — Height Adjustment Range: 27" (686mm) to 46" (1168mm)										
23" (584mm)/ 23" (584mm)	46" (1168mm)	TACK-4646-	■	■	■	NC ■ B	\$2599	\$2735	\$3250	\$3328
Dual Stage/Low — Height Adjustment Range: 22" (559mm) to 48" (1219mm)										
23" (584mm)/ 23" (584mm)	46" (1168mm)	TACK-4646-	■	■	■	NC ■ B	\$3101	\$3237	\$3752	\$3830
Dual Stage/High — Height Adjustment Range: 24" (610mm) to 50" (1270mm)										
23" (584mm)/ 23" (584mm)	46" (1168mm)	TACK-4646-	■	■	■	NC ■ B	\$3101	\$3237	\$3752	\$3830

Features

- Includes 1 3/16" (30mm) thick top, two C-leg base assemblies, wire management clips and height adjustment mechanism and hardware.
- Laminate top with T-Mold or 3mm edgeband edges or wood veneer top with 3mm wood edgeband.
- Top available in standard or green core option.
- Dual worksurfaces with 1" (25mm) space between the front and rear worksurfaces. Front worksurface is 12" (305mm) deep.
- Adjustable front worksurface is attached to the rear worksurface with a spring-assist mechanism.
- Front worksurface manually adjusts to any position 7" (178mm) above and 5 3/4" (146mm) below the rear worksurface.
- Front worksurface tilts -15° to +9°.
- Spring-assist mechanism available in charcoal finish color only.
- Height adjustment touch pad actuator options:
 - Single Stage Touch Pad Actuator available in Standard (E) up/down movement or Programmable (R) providing three different up/down programmed heights.
 - Provides 27" (686mm) to 46" (1168mm) continuous height adjustment range.
 - Dual Stage Low Touch Pad Actuator available in Standard (P) stores up/down adjustment or Programmable (S) stores three different up/down programmed heights.
 - Provides 22" (559mm) to 48" (1219mm) continuous height adjustment range.
 - Dual Stage High Touch Pad Actuator available in Standard (Q) up/down adjustment or Programmable (T) stores three different up/down programmed heights.
 - Provides 24" (610mm) to 50" (1270mm) continuous height adjustment range.
- Touch Pad Actuator:
 - Can be mounted on left or right side of table; predrilled for field installed and field changeable.
 - Touch pad actuator has touch pad controls and standard with black housing.
 - Touch pad actuator control box and motor box are field installed and standard with black housings.
- Height adjustment: 1" (25mm) per 1.6 seconds.
- Standard with black telescoping base tubes.
- Base includes leg assembly and foot; available in painted trim colors.
- Glides have 1" (25mm) height adjustment and are standard in black.
- Grommets are available for field installation; separately specified.
- Single Flip Top Units are available for field installation; separately specified. Refer to Specification Guide.
- Ships unassembled.

Specification Tips

- Tops are designed to allow pinch point clearance to accommodate cables; refer to Specification Guide for application guidelines.
- Height adjustable tables not designed to accept AKP's, suspended or attached pedestals.
- Table load capacity: 250 pounds

To Order, Specify:

- Product number, including:

① Surface Option:

- ☐ L Laminate
- ☐ W Wood

② Edge Option:

- ☐ T T-Mold
- ☐ J Edgeband
- ☐ K Wood Edgeband

③ Core Option:

- ☐ S Standard
- ☐ G Green, add \$100 list.

④ Height Adjustment Actuator Options:

Single Stage:

- ☐ E Standard
- ☐ R Programmable, add \$115 list.

Dual Stage, Low:

- ☐ P Standard
- ☐ S Programmable, add \$115 list.

Dual Stage, High:


- ☐ Q Standard
- ☐ T Programmable, add \$115 list.

- Laminate surface color or wood finish color.
- Edge trim color (laminate only).
- Base trim color.


Note: \$36 upcharge (list) for Metallic trim color.

Planes Height Adjustable Tables — 90° Wrap Around

	Left/Right Depth	Width	Number ①②③	(T) T-Mold Price	(J) Edgeband Price	(K) Edgeband Wood Group I	(K) Edgeband Wood Group II
Laminate or Wood — Incremental Adjustment	Incremental Adjustment — Height Adjustment Range: 22" (559mm) to 35" (889mm)						
	23" (584mm)/ 23" (584mm)	34" (864mm)	TACR-3434- ■ ■ ■ NCDB	\$1042	\$1069	\$1194	\$1213
		40" (1016mm)	TACR-4040- ■ ■ ■ NCDB	1076	1105	1243	1264
		46" (1168mm)	TACR-4646- ■ ■ ■ NCDB	1124	1158	1323	1348



TACR



Features

- Includes 1 3/16" (30mm) thick top, two C-leg base assemblies, wire management clips and height adjustment mechanism and hardware.
- Laminate top with T-Mold or 3mm edgeband edges or wood veneer top with 3mm wood edgeband.
- Top available in standard or green core option.
- Height adjustment mechanisms:
 - Incremental adjustment base assembly adjusts in 1" (25mm) increments within 22" (559mm) to 35" (889mm) height range.
 - Button head screws are standard in bright zinc.
 - Base standard with black telescoping base tubes.
 - Thumbscrew replacement for button head screw is available; separately specified.
- Base includes leg assembly and foot; available in painted trim colors.
- Glides have 1" (25mm) height adjustment and are standard in black.
- Grommets are available for field installation; separately specified.
- Single Flip Top Units are available for field installation; separately specified. Refer to Specification Guide.
- Ships unassembled.

Specification Tips

- Tops are designed to allow pinch point clearance to accommodate cables; refer to Specification Guide for application guidelines.
- Height adjustable tables not designed to accept AKP's, suspended or attached pedestals.
- Table load capacity: 250 pounds

To Order, Specify:

- Product number, including:

① Surface Option:

- ☐ L Laminate
☐ W Wood

② Edge Option:

- ☐ T T-Mold
☐ J Edgeband
☐ K Wood Edgeband

③ Core Option:


- ☐ S Standard
☐ G Green, add **\$100** list.

- Laminate surface color or wood finish color.
- Edge trim color (laminate only).
- Base trim color.

Note: **\$36** upcharge (list) for Metallic trim color.

Planes Height Adjustable Tables — 90° Wrap Around

Laminate or Wood — Electric Adjustment



TACR

Standard Actuator



Programmable Actuator



Left/Right Depth	Width	Number	①	②	③	④	(T) T-Mold Price	(J) Edgeband Price	(K) Edgeband Wood Group I	(K) Edgeband Wood Group II
Single Stage — Height Adjustment Range: 27" (686mm) to 46" (1168mm)										
23" (584mm)/ 23" (584mm)	34" (864mm)	TACR-3434-				NC B	\$1781	\$1808	\$1933	\$1952
	40" (1016mm)	TACR-4040-				NC B	1827	1856	1994	2015
	46" (1168mm)	TACR-4646-				NC B	1876	1910	2075	2100
Dual Stage/Low — Height Adjustment Range: 22" (559mm) to 48" (1219mm)										
23" (584mm)/ 23" (584mm)	34" (864mm)	TACR-3434-				NC B	\$2276	\$2303	\$2428	\$2447
	40" (1016mm)	TACR-4040-				NC B	2329	2358	2496	2517
	46" (1168mm)	TACR-4646-				NC B	2378	2412	2577	2602
Dual Stage/High — Height Adjustment Range: 24" (610mm) to 50" (1270mm)										
23" (584mm)/ 23" (584mm)	34" (864mm)	TACR-3434-				NC B	\$2276	\$2303	\$2428	\$2447
	40" (1016mm)	TACR-4040-				NC B	2329	2358	2496	2517
	46" (1168mm)	TACR-4646-				NC B	2378	2412	2577	2602

Features

- Includes 1 3/16" (30mm) thick top, two C-leg base assemblies, wire management clips and height adjustment mechanism and hardware.
- Laminate top with T-Mold or 3mm edgeband edges or wood veneer top with 3mm wood edgeband.
- Top available in standard or green core option.
- Height adjustment touch pad actuator options:
 - Single Stage Touch Pad Actuator available in Standard (E) up/down movement or Programmable (R) providing three different up/down programmed heights.
 - Provides 27" (686mm) to 46" (1168mm) continuous height adjustment range.
 - Dual Stage Low Touch Pad Actuator available in Standard (P) stores up/down adjustment or Programmable (S) stores three different up/down programmed heights.
 - Provides 22" (559mm) to 48" (1219mm) continuous height adjustment range.
 - Dual Stage High Touch Pad Actuator available in Standard (Q) up/down adjustment or Programmable (T) stores three different up/down programmed heights.
 - Provides 24" (610mm) to 50" (1270mm) continuous height adjustment range.
- Touch Pad Actuator:
 - Can be mounted on left or right side of table; predrilled for field installed and field changeable.
 - Touch pad actuator has touch pad controls and standard with black housing.
 - Touch pad actuator control box and motor box are field installed and standard with black housings.
- Height adjustment: 1" (25mm) per 1.6 seconds.
- Standard with black telescoping base tubes.
- Base includes leg assembly and foot; available in painted trim colors.
- Glides have 1" (25mm) height adjustment and are standard in black.
- Grommets are available for field installation; separately specified.
- Single Flip Top Units are available for field installation; separately specified. Refer to Specification Guide.
- Ships unassembled.

Specification Tips

- Tops are designed to allow pinch point clearance to accommodate cables; refer to Specification Guide for application guidelines.
- Height adjustable tables not designed to accept AKP's, suspended or attached pedestals.
- Table load capacity: 250 pounds

To Order, Specify:

- Product number, including:

① Surface Option:

- ☐ L Laminate
- ☐ W Wood

② Edge Option:

- ☐ T T-Mold
- ☐ J Edgeband
- ☐ K Wood Edgeband

③ Core Option:

- ☐ S Standard
- ☐ G Green, add \$100 list.

④ Height Adjustment Actuator Options:

Single Stage:

- ☐ E Standard
- ☐ R Programmable, add \$115 list.

Dual Stage, Low:

- ☐ P Standard
- ☐ S Programmable, add \$115 list.

Dual Stage, High:


- ☐ Q Standard
- ☐ T Programmable, add \$115 list.

- Laminate surface color or wood finish color.
- Edge trim color (laminate only).
- Base trim color.


Note: \$36 upcharge (list) for Metallic trim color.

Planes Height Adjustable Tables — 90° Notched

	Left/Right Depth	Width	Number ①②③	(T) T-Mold Price	(J) Edgeband Price	(K) Edgeband Wood Group I	(K) Edgeband Wood Group II
Laminate or Wood — Incremental Adjustment	Incremental Adjustment — Height Adjustment Range: 22" (559mm) to 35" (889mm)						
	23" (584mm)/ 23" (584mm)	34" (864mm)	TACN-3434- ■ ■ ■ NCDB	\$1044	\$1071	\$1198	\$1211
		40" (1016mm)	TACN-4040- ■ ■ ■ NCDB	1084	1114	1257	1271
		46" (1168mm)	TACN-4646- ■ ■ ■ NCDB	1137	1173	1344	1360



TACN



Features

- Includes 1 3/16" (30mm) thick top, two C-leg base assemblies, wire management clips and height adjustment mechanism and hardware.
- Laminate top with T-Mold or 3mm edgeband edges or wood veneer top with 3mm wood edgeband.
- Top available in standard or green core option.
- Height adjustment mechanisms:
 - Incremental adjustment base assembly adjusts in 1" (25mm) increments within 22" (559mm) to 35" (889mm) height range.
 - Button head screws are standard in bright zinc.
 - Base standard with black telescoping base tubes.
 - Thumbscrew replacement for button head screw is available; separately specified.
- Base includes leg assembly and foot; available in painted trim colors.
- Glides have 1" (25mm) height adjustment and are standard in black.
- Grommets are available for field installation; separately specified.
- Single Flip Top Units are available for field installation; separately specified. Refer to Specification Guide.
- Ships unassembled.

Specification Tips

- Tops are designed to allow pinch point clearance to accommodate cables; refer to Specification Guide for application guidelines.
- Height adjustable tables not designed to accept AKP's, suspended or attached pedestals.
- Table load capacity: 250 pounds

To Order, Specify:

- Product number, including:

① Surface Option:

- ☐ L Laminate
☐ W Wood

② Edge Option:

- ☐ T T-Mold
☐ J Edgeband
☐ K Wood Edgeband

③ Core Option:


- ☐ S Standard
☐ G Green, add **\$100** list.

- Laminate surface color or wood finish color.
- Edge trim color (laminate only).
- Base trim color.

Note: **\$36** upcharge (list) for Metallic trim color.

Planes Height Adjustable Tables — 90° Notched

Laminate or Wood — Electric Adjustment



TACN

Standard Actuator



Programmable Actuator



Left/Right Depth	Width	Number	①	②	③	④	(T) T-Mold Price	(J) Edgeband Price	(K) Edgeband Wood Group I	(K) Edgeband Wood Group II
Single Stage — Height Adjustment Range: 27" (686mm) to 46" (1168mm)										
23" (584mm)/ 23" (584mm)	34" (864mm)	TACN-3434-				NC B	\$1783	\$1810	\$1937	\$1950
	40" (1016mm)	TACN-4040-				NC B	1835	1865	2008	2022
	46" (1168mm)	TACN-4646-				NC B	1889	1925	2096	2112
Dual Stage/Low — Height Adjustment Range: 22" (559mm) to 48" (1219mm)										
23" (584mm)/ 23" (584mm)	34" (864mm)	TACN-3434-				NC B	\$2278	\$2305	\$2432	\$2445
	40" (1016mm)	TACN-4040-				NC B	2337	2367	2510	2524
	46" (1168mm)	TACN-4646-				NC B	2391	2427	2598	2614
Dual Stage/High — Height Adjustment Range: 24" (610mm) to 50" (1270mm)										
23" (584mm)/ 23" (584mm)	34" (864mm)	TACN-3434-				NC B	\$2278	\$2305	\$2432	\$2445
	40" (1016mm)	TACN-4040-				NC B	2337	2367	2510	2524
	46" (1168mm)	TACN-4646-				NC B	2391	2427	2598	2614

Features

- Includes 1 3/16" (30mm) thick top, two C-leg base assemblies, wire management clips and height adjustment mechanism and hardware.
- Laminate top with T-Mold or 3mm edgeband edges or wood veneer top with 3mm wood edgeband.
- Top available in standard or green core option.
- Height adjustment touch pad actuator options:
 - Single Stage Touch Pad Actuator available in Standard (E) up/down movement or Programmable (R) providing three different up/down programmed heights.
 - Provides 27" (686mm) to 46" (1168mm) continuous height adjustment range.
 - Dual Stage Low Touch Pad Actuator available in Standard (P) stores up/down adjustment or Programmable (S) stores three different up/down programmed heights.
 - Provides 22" (559mm) to 48" (1219mm) continuous height adjustment range.
 - Dual Stage High Touch Pad Actuator available in Standard (Q) up/down adjustment or Programmable (T) stores three different up/down programmed heights.
 - Provides 24" (610mm) to 50" (1270mm) continuous height adjustment range.
- Touch Pad Actuator:
 - Can be mounted on left or right side of table; predrilled for field installed and field changeable.
 - Touch pad actuator has touch pad controls and standard with black housing.
 - Touch pad actuator control box and motor box are field installed and standard with black housings.
- Height adjustment: 1" (25mm) per 1.6 seconds.
- Standard with black telescoping base tubes.
- Base includes leg assembly and foot; available in painted trim colors.
- Glides have 1" (25mm) height adjustment and are standard in black.
- Grommets are available for field installation; separately specified.
- Single Flip Top Units are available for field installation; separately specified. Refer to Specification Guide.
- Ships unassembled.

Specification Tips

- Tops are designed to allow pinch point clearance to accommodate cables; refer to Specification Guide for application guidelines.
- Height adjustable tables not designed to accept AKP's, suspended or attached pedestals.
- Table load capacity: 250 pounds

To Order, Specify:

- Product number, including:

① Surface Option:

- ☐ L Laminate
- ☐ W Wood

② Edge Option:

- ☐ T T-Mold
- ☐ J Edgeband
- ☐ K Wood Edgeband

③ Core Option:

- ☐ S Standard
- ☐ G Green, add \$100 list.

④ Height Adjustment Actuator Options:

Single Stage:

- ☐ E Standard
- ☐ R Programmable, add \$115 list.

Dual Stage, Low:

- ☐ P Standard
- ☐ S Programmable, add \$115 list.

Dual Stage, High:

- ☐ Q Standard
- ☐ T Programmable, add \$115 list.

- Laminate surface color or wood finish color.
- Edge trim color (laminate only).
- Base trim color.

Note: \$36 upcharge (list) for Metallic trim color.

Panel Height Adjustable Tables — Accessories

		Number	Price
Grommet		JAG-1	\$12
 JAG-1	Features - Includes one 1 9/16" (40mm) round grommet. - Field drilled 1 3/4" (44mm) hole. - Standard in black. - Recommended for Height Adjustable Tables.	To Order, Specify: 1) Product number. (No finish specification required.)	
Thumbscrew for Incremental Adjustable Table		TA01-0219	\$10
 TA01-0219	Features - Includes two flat headed thumbscrews. - Standard in black.	To Order, Specify: 1) Product number. (No finish specification required.)	
	Specification Tip Optional thumbscrew for Planes Incremental Height Adjustable Height Tables to replace button head screw. Allows adjustment without tools.		

HAWORTH®

For more information call 800.344.2600 or 616.393.3000.


Haworth is a registered trademark of Haworth, Inc.
Printed in USA ©Haworth, Inc. 2009 03.09

haworth.com | haworth-europe.com | haworth-asia.com


Planes Height Adjustable Tables: Features

Planes Height Adjustable Tables offer a variety of table adjustment options to fit the user needs. Each option offers different set of features.


Choose from these five height adjustment options: Incremental, Crank, Torsion, and Electrical (Standard or Programmable Actuator).



Incremental




Hand Crank




Torsion



Electrical: Single Stage
(Standard Actuator)



Electrical: Dual Stage
(Programmable Actuator)



Refer to Tables Price Book for general Planes Specifications.


Planes Height Adjustable Tables: Statement of Line

Tables: Rectangular and Corner


- Incremental Height Adjustable Tables have a height adjustment range of 22" to 35".
- Crank Height Adjustable Tables have a height adjustment range of 27" to 45"
- Single Stage Electric Height Adjustable Tables have a height adjustment range of 27" to 46".
- Dual Stage/Low Electric Height Adjustable Tables have a height adjustment range of 22" to 48".
- Dual Stage/High Electric Height Adjustable Tables have a height adjustment range of 24" to 50".

Rectangular Table Dimensions

DEPTH	LENGTH					
	34"	40"	46"	58"	64"	70"
23"	•	•	•	•	•	•
29"	•	•	•	•	•	•




Incremental



Hand Crank



Single Stage
(Standard)



Dual Stage
(Programmable)

90° Angled Corner, 90° Straight Corner, 90° Wrap Around Corner, and 90° Notched Table Dimensions

DEPTH	LENGTH		
	34"	40"	46"
23"	•	•	•

90° Split Top Table Dimensions


DEPTH	LENGTH	
	46"	
23"	•	

Tables: Rectangular Torsion

- Rectangular Torsion Height Adjustable Tables have a height adjustment range of 27" to 45" and are only available in sizes listed.


Rectangular Torsion Table Dimensions

DEPTH	LENGTH		
	34"	40"	46"
23"	•	•	•
29"	•	•	•




Torsion

Accessories



Grommet




Thumb Screw


Planes Height Adjustable Tables: Edge and Core Options

Edge Options for Laminate Table Tops: 1³/₁₆"

3mm T-Mold Edge (Option T)




3mm Edgeband Edge (Option J)



Edge Options for Wood Table Tops: 1³/₁₆"

3mm Edgeband (Option K)




Core Options

Standard Core: Engineered composite panel made with wood fiber, 100% of which is recycled fiber, bonded with resin. Table tops made with this core are compliant with GREENGUARD® Standard for Low Emitting Products. This top is 1³/₁₆" thick.

Green Core: Engineered composite panel made with wood fiber, 100% of which is recycled fiber, bonded with resin. This core contains no added formaldehyde. Table tops made with this core are certified to the GREENGUARD® Standard for Low Emitting Products. Green core top is 1³/₁₆" thick.


Planes Height Adjustable Tables: Below Table Top Dimensions

Rectangular Table Dimensions



DEPTH	WIDTH					
	34"	40"	46"	58"	64"	70"
A	26.93"	32.93"	38.93"	50.93"	56.93"	62.93"
B	3.27"	3.27"	3.27"	3.27"	3.27"	3.27"
C (23")	2.93"	2.93"	2.93"	2.93"	2.93"	2.93"
C (29")	5.93"	5.93"	5.93"	5.93"	5.93"	5.93"
D (23")	13.44"	13.44"	13.44"	13.44"	13.44"	13.44"
D (29")	16.44"	16.44"	16.44"	16.44"	16.44"	16.44"

Corner Table Dimensions



Angled 90° Table Dimensions

DEPTH	WIDTH		
	34"	40"	46"
A	26.93"	29.50"	34.73"
B	9.65"	12.65"	14.27"
C	11.18"	13.80"	15.03"
D (23")	15.13"	15.34"	16.94"

Notched 90° Table Dimensions

DEPTH	WIDTH		
	34"	40"	46"
A	26.93"	29.50"	34.73"
B	9.65"	12.65"	14.27"
C	11.18"	13.80"	15.03"
D (23")	15.13"	15.34"	16.94"

Straight 90° Table Dimensions

DEPTH	WIDTH		
	34"	40"	46"
A	26.93"	29.50"	34.73"
B	9.65"	12.65"	14.27"
C	11.18"	13.80"	15.03"
D (23")	18.125"	18.33"	19.93"

Wrap Around 90° Table Dimensions


DEPTH	WIDTH		
	34"	40"	46"
A	26.93"	29.50"	34.73"
B	9.65"	12.65"	14.27"
C	11.18"	13.80"	15.03"
D (23")	14.59"	10.56"	7.91"




Tip Height adjustable tables are not designed to accept AKPs, suspended, or attached pedestals.

Planes Height Adjustable Tables: Kneespace Clearances

Rectangular Tables



Corner Tables



Height Adjustment Ranges By Actuator Type

A = Incremental	22" – 35"
B = Crank and Torsion	27" – 45"
C = Single Stage Electric	27" – 46"
D = Dual Stage Electric Low	22" – 48"
E = Dual Stage Electric High	24" – 50"

Kneespace Actual Heights By Actuator Type

	A	B	C	D	E
Low	18.7"	23.7"	23.3"	18.3"	20.3"
High	31.7"	41.7"	42.3"	44.3"	46.3"

Kneespace Actual Widths


WIDTHS						
	34"	40"	46"	58"	64"	70"
F (Rectangular)	20.15"	26.15"	32.15"	44.15"	50.15"	56.15"
F (Corners)	20.15"	22.73"	27.96"	---	---	---

Planes Height Adjustable Tables: Pinch Points

Planes Height Adjustable Tables are 1" less in depth and 2" less in width than Adaptable Component Worksurfaces.

Rectangular Table Dimensions

Adaptable Worksurface: Rectangular




Planes Height Adjustable Table: Rectangular




Corner Table Dimensions

Adaptable Worksurface: Corner




Planes Height Adjustable Table: Corner



Knife Edge Options: Laminate and Wood

Wood Table Tops: 1 $\frac{3}{16}$ " Thick


Current Knife Edge (Option U)



Laminate or Wood Table Tops: 1 $\frac{3}{16}$ " Thick

As of September 1, 2009, Knife Edge Options and Dimensions Change to:


- Laminate (F)
- Wood (U)



Knife edge available with green core option only.

Planes Collaborative Tables – Y-Leg/Flip – Laminate

Rectangular – Laminate – Flip



TARA

Depth	Length	Number	①	②	③	④	(T) T-Mold Price	(J) Edgeband Price	(V) Cascade Price	(F) Knife Price
30" (762mm)	60" (1524mm)	TARA-3060-L	■	■	Y	4	\$1047	\$1076	\$1096	\$1361
	66" (1676mm)	TARA-3066-L	■	■	Y	4	1098	1129	1151	1426
	72" (1829mm)	TARA-3072-L	■	■	Y	4	1150	1183	1207	1492
36" (914mm)	60" (1524mm)	TARA-3660-L	■	■	Y	4	\$1150	\$1183	\$1207	\$1478
	66" (1676mm)	TARA-3666-L	■	■	Y	4	1211	1247	1273	1553
	72" (1829mm)	TARA-3672-L	■	■	Y	4	1272	1312	1339	1628

Features

- Includes 1 3/16" (30mm) thick top, two Y-leg assemblies, stretcher and hardware.
- Standard table height is 29" (737mm) with 27 7/8" (708mm) knee clearance.
- Laminate top with T-mold, 3mm edgeband, cascade or knife edges.
- Top available in standard or green core option.
- Underside of table top has matching laminate surface.
- Table top flips from horizontal to vertical position via pneumatic assist mechanism activated by two finger pulls.
- Tables nest when flipped to vertical position. Refer to Specification Guide for details.
- Base and stretcher are painted aluminum.
- Stretcher provides lay-in cable management.
- Optional Flip top unit electrical modules are separately specified. Refer to electrical components for appropriate product specification.
- Optional casters (two locking) or glides are field interchangeable.
- Casters have light platinum hub with graphite tread.
- Glides are light platinum with 1/2" (13mm) height adjustment.
- Ships unassembled.

◆ Available on RUSH with Standard Core only.

Specification Tips

- 3mm edgeband edge is recommended to allow a flat seam between tables.
- The following Planes products are separately specified:
 - Ganging clip
 - Flip top unit electrical modules
 - Grommets (field cut opening)
 - Vertical wire management
 - Y-leg Bumper

*Knife edge must be specified with green core.

To Order, Specify:

1) Product number, including:

① Edge Option:

- T T-Mold
- J Edgeband
- V Cascade
- F Knife*

② Core Option:

- S Standard ◆
- G Green, add \$100 list

③ Flip Top Unit Cutout(s):

- N None
- F Center – single-sided/4 outlets, add \$25 list
- J Center – single-sided/6 outlets, add \$25 list

④ Base Options:


- H Flip – Caster
- F Flip – Glide

- 2) Laminate surface color.
- 3) Edge trim color.
- 4) Base trim color.

Note: \$35 upcharge (list) for Metallic trim color.

Planes Collaborative Tables – Y-Leg/Flip – Laminate

	Depth	Length	Number	①	②	③	④	(T) T-Mold Price	(J) Edgeband Price	(V) Cascade Price	(F) Knife Price
Half Round – Laminate – Flip	72"(1829mm)	36"(914mm)	TAHN-3672-L	■	■	■	Y ■ 4 ■	\$1272	\$1312	\$1339	\$1628



TAHN

Features

- Includes 1 3/16"(30mm) thick top, two Y-leg assemblies, stretcher and hardware.
- Standard table height is 29"(737mm) with 27 7/8"(708mm) knee clearance.
- Laminate top with T-mold, 3mm edgeband, cascade or knife edges.
- Top available in standard or green core option.
- Table top flips from horizontal to vertical position via pneumatic assist mechanism activated by two finger pulls.
- Tables nest when flipped to vertical position. Refer to Specification Guide for details.
- Underside of table top has matching laminate surface.
- Base and stretcher are painted aluminum.
- Stretcher provides lay-in cable management.
- Optional Flip top unit electrical modules are separately specified. Refer to electrical components for appropriate product specification.
- Optional casters (two locking) or glides are field interchangeable.
- Castors have light platinum hub with graphite tread.
- Glides are light platinum with 1/2"(13mm) height adjustment.
- Ships unassembled.

■ Available on RUSH with Standard Core only.

Specification Tips

- 3mm edgeband edge is recommended to allow a flat seam between tables.
- Depth is meant to accommodate two 36"(914mm) tables.
- The following Planes products are separately specified:
 - Ganging clip
 - Flip top unit electrical modules
 - Grommets (field cut opening)
 - Vertical wire management
 - Y-leg Bumper

*Knife edge must be specified with green core.

To Order, Specify:

1) Product number, including:

① Edge Option:

- T T-Mold
- J Edgeband
- V Cascade
- F Knife*

② Core Option:

- S Standard ■
- G Green, add \$100 list

③ Flip Top Unit Cutout(s):

- N None
- F Center – single-sided/4 outlets, add \$25 list
- J Center – single-sided/6 outlets, add \$25 list

④ Base Options:

- H Flip – Caster
- F Flip – Glide

2) Laminate surface color.



3) Edge trim color.

4) Base trim color.

Note: \$35 upcharge (list) for Metallic trim color.

Planes Collaborative Tables – Y-Leg/Flip – Laminate

	Depth	Length	Number	①	②	③	④	(T) T-Mold Price	(J) Edgeband Price	(V) Cascade Price	(F) Knife Price
Polygon – Laminate – Flip	30''(762mm)	60''(1524mm)	TACV-3060-L	■	■	■	Y ■ 4 ■	\$1047	\$1076	\$1096	\$1361
	36''(914mm)	72''(1829mm)	TACV-3672-L	■	■	■	Y ■ 4 ■	1272	1312	1339	1628



TACV

Features

- Includes 1 3/16''(30mm) thick top, two Y-leg assemblies, stretcher and hardware.
- Standard table height is 29''(737mm) with 27 7/8''(708mm) knee clearance.
- Laminate top with T-mold, 3mm edgeband, cascade or knife edges.
- Top available in standard or green core option.
- Table top flips from horizontal to vertical position via pneumatic assist mechanism activated by two finger pulls.
- Tables nest when flipped to vertical position. Refer to Specification Guide for details.
- Underside of table top has matching laminate surface.
- Base and stretcher are painted aluminum.
- Stretcher provides lay-in cable management.
- Optional Flip top unit electrical modules are separately specified. Refer to electrical components for appropriate product specification.
- Optional casters (two locking) or glides are field interchangeable.
- Castors have light platinum hub with graphite tread.
- Glides are light platinum with 1/2''(13mm) height adjustment.
- Ships unassembled.

■ Available on RUSH with Standard Core only.

Specification Tips

- 3mm edgeband edge is recommended to allow a flat seam between tables.
- Depth matches 30''(762mm) or 36''(914mm) deep rectangular tables.
- The following Planes products are separately specified:
 - Ganging clip
 - Flip top unit electrical modules
 - Grommets (field cut opening)
 - Vertical wire management
 - Y-leg Bumper

*Knife edge must be specified with green core.

To Order, Specify:

1) Product number, including:

① Edge Option:

- T T-Mold
- J Edgeband
- V Cascade
- F Knife*

② Core Option:

- S Standard ■
- G Green, add \$100 list

③ Flip Top Unit Cutout(s):

- N None
- F Center – single-sided/4 outlets, add \$25 list
- J Center – single-sided/6 outlets, add \$25 list

④ Base Options:

- H Flip – Caster
- F Flip – Glide

2) Laminate surface color.

3) Edge trim color.

4) Base trim color.

Note: \$35 upcharge (list) for Metallic trim color.

Planes Collaborative Tables – Y-Leg/Non-Flip – Laminate

Rectangular – Laminate – Non-flip



TARA

	Depth	Length	Number	①	②	③	④	(T) T-Mold Price	(J) Edgeband Price	(V) Cascade Price	(F) Knife Price
Rectangular – Laminate – Non-flip	30" (762mm)	60" (1524mm)	TARA-3060-L	■	■	Y	4	\$ 951	\$ 980	\$1000	\$1265
		66" (1676mm)	TARA-3066-L	■	■	Y	4	998	1029	1051	1326
		72" (1829mm)	TARA-3072-L	■	■	Y	4	1045	1078	1102	1387
	36" (914mm)	60" (1524mm)	TARA-3660-L	■	■	Y	4	\$1045	\$1078	\$1373	\$1102
		66" (1676mm)	TARA-3666-L	■	■	Y	4	1101	1137	1163	1443
		72" (1829mm)	TARA-3672-L	■	■	Y	4	1157	1197	1224	1513
		78" (1981mm)	TARA-3678-L	■	■	Y	4	1213	1256	1285	1583
		84" (2134mm)	TARA-3684-L	■	■	Y	4	1269	1315	1346	1653
		90" (2286mm)	TARA-3690-L	■	■	Y	4	1326	1374	1408	1724
		96" (2438mm)	TARA-3696-L	■	■	Y	4	1382	1433	1468	1794

Features

- Includes 1 3/16" (30mm) thick top, two Y-leg assemblies, stretcher and hardware.
 - Standard table height is 29" (737mm) with 27 7/8" (708mm) knee clearance.
 - Laminate top with T-mold, 3mm edgeband, cascade or knife edges.
 - Top available in standard or green core option.
 - Base and stretcher are painted aluminum.
 - Optional Flip top unit electrical modules are separately specified. Refer to electrical components for appropriate product specification.
 - Optional casters (two locking) or glides are field interchangeable.
 - Casters have light platinum hub with graphite tread.
 - Glides are light platinum with 1/2" (13mm) height adjustment.
 - Ships unassembled.
- ◆ Available on RUSH with Standard Core only.

Specification Tips

- 3mm edgeband edge is recommended to allow a flat seam between tables.
- The following Planes products are separately specified:
 - Ganging clip
 - Flip top unit electrical modules
 - Grommets (field cut opening)
 - Vertical wire management

*Knife edge must be specified with green core.

To Order, Specify:

1) Product number, including:

① Edge Option:

- T T-Mold
- J Edgeband
- V Cascade
- F Knife*

② Core Option:

- S Standard ◆
- G Green, add \$100 list

③ Flip Top Unit Cutout(s):

- N None
- F Center – single-sided/4 outlets, add \$25 list
- J Center – single-sided/6 outlets, add \$25 list

④ Base Options:

- C Caster
- G Glide

2) Laminate surface color.

3) Edge trim color.

4) Base trim color.


Note: \$35 upcharge (list) for Metallic trim color.

Planes Collaborative Tables – Y-Leg/Non-Flip – Laminate

	Depth	Length	Number	1	2	3	4	(T) T-Mold Price	(J) Edgeband Price	(V) Cascade Price	(F) Knife Price	
Half Round – Laminate – Non-flip	72”(1829mm)	36”(914mm)	TAHN-3672-L	■	■	Y	■ 4	\$1157	\$1197	\$1224	\$1513	
 TAHN	Features - Includes 1 3/16”(30mm) thick top, two Y-leg assemblies, stretcher and hardware. - Standard table height is 29”(737mm) with 27 7/8”(708mm) knee clearance. - Laminate top with T-mold, 3mm edgeband, cascade or knife edges. - Top available in standard or green core option. - Base and stretcher are painted aluminum. - Optional flip top unit electrical modules are separately specified. Refer to Electrical Components for appropriate product specification. - Optional casters (two locking) or glides are field interchangeable. - Casters have light platinum hub with graphite tread. - Glides are light platinum with 1/2”(13mm) height adjustment. - Ships unassembled. ■ Available on RUSH with Standard Core only.							To Order, Specify: 1) Product number, including: 1 Edge Option: T T-Mold J Edgeband V Cascade F Knife* 2 Core Option: S Standard ■ G Green, add \$100 list 3 Flip Top Unit Cutout(s): N None F Center – single-sided/4 outlets, add \$25 list J Center – single-sided/6 outlets, add \$25 list 4 Base Options: C Caster G Glide 2) Laminate surface color. 3) Edge trim color. 4) Base trim color. Note: \$35 upcharge (list) for Metallic trim color.				
	Specification Tips 3mm edgeband edge is recommended to allow a flat seam between tables; refer to Specification Guide. - Depth is meant to accommodate two 36”(914mm) tables. - The following Planes products are separately specified: –Ganging clip –Flip top unit electrical modules –Grommets (field cut opening) –Vertical wire management *Knife edge must be specified with green core.											

Planes Collaborative Tables – Y-Leg/Non-Flip – Laminate

	Depth	Length	Number	①	②	③	④	(T) T-Mold Price	(J) Edgeband Price	(V) Cascade Price	(F) Knife Price
Polygon – Laminate – Non-flip	30" (762mm)	60" (1524mm)	TACV-3060-L	■	■	■	Y 4 ■	\$ 951	\$ 980	\$1000	\$1265
	36" (914mm)	72" (1829mm)	TACV-3672-L	■	■	■	Y 4 ■	1157	1197	1224	1513



TACV

Features

- Includes 1 3/16" (30mm) thick top, two Y-leg assemblies, stretcher and hardware.
- Standard table height is 29" (737mm) with 27 7/8" (708mm) knee clearance.
- Laminate top with T-mold, 3mm edgeband, cascade or knife edges.
- Top available in standard or green core option.
- Base and stretcher are painted aluminum.
- Optional Flip top unit electrical modules are separately specified. Refer to electrical components for appropriate product specification.
- Optional casters (two locking) or glides are field interchangeable.
- Casters have light platinum hub with graphite tread.
- Glides are light platinum with 1/2" (13mm) height adjustment.
- Ships unassembled.

■ Available on RUSH with Standard Core only.

Specification Tips

- 3mm edgeband edge is recommended to allow a flat seam between tables.
- Depth matches 30" (762mm) or 36" (914mm) deep rectangular tables.
- The following Planes products are separately specified:
 - Ganging clip
 - Flip top unit electrical modules
 - Grommets (field cut opening)
 - Vertical wire management

*Knife edge must be specified with green core.

To Order, Specify:

1) Product number, including:

① Edge Option:

- T T-Mold
- J Edgeband
- V Cascade
- F Knife*

② Core Option:

- S Standard ■
- G Green, add \$100 list

③ Flip Top Unit Cutout(s):

- N None
- F Center – single-sided/4 outlets, add \$25 list
- J Center – single-sided/6 outlets, add \$25 list

④ Base Options:

- C Caster
- G Glide

2) Laminate surface color.


3) Edge trim color.

4) Base trim color.


Note: \$35 upcharge (list) for Metallic trim color.

Planes Conference Tables – Interior Leg – Laminate


Round, Square, Rectangular Laminate



TARN



TARQ



TARA

Features

- Includes 1 3/16" (30mm) top, interior leg bases and hardware.
- Standard table height is 29" (737mm).
- Laminate top with T-mold, 3 mm edgeband, cascade or knife edges based upon shape.
- Table top seams are 1mm edgeband on two piece tops.
- Top available in standard or green core option.
- Interior legs are painted aluminum.
- Interior leg is 1 1/8" (29mm) x 3 1/4" (83mm).
- Optional Flip top unit electrical modules are separately specified. Refer to electrical components for appropriate product specification.
- Optional cable base can be specified for tables 36" (914mm) deep and deeper:
 - 36" (914mm) deep tables will ship with 8" (203mm) x 14" (356mm) cable base.
 - 42" (1067mm) deep and deeper tables will ship with 14" (356mm) x 14" (356mm) cable base.
 - One piece tops will include one cable base to be centered under table top.
 - Two piece tops will include one cable base to be centered on seams under table top.
 - Cable base and table top(s) are laminate and can be specified in different surface colors and edge trim colors.
 - Optional Cable Base may reduce number of legs shipped with product.
 - Refer to Specification Guide for use guidelines and details.
- Available with glides only; 1/2" (13mm) height adjustment.
- Ships unassembled.

◆ Available on RUSH with Standard Core only.

Specification Tips

- Cable base not recommended for 30" (762mm) deep tables.
- Tables with multiple-piece tops have equal sized pieces.
- The following Planes products are separately specified:
 - Grommets (field cut opening)
 - Flip top unit electrical modules
 - Horizontal wire manager
- Refer to Specification Guide for seating capacities with Cable Base Option and leg locations.

*Multiple piece tops with Cascade edge option will require an additional specification for the 1mm edgeband seam.

**Knife edge must be specified with green core.

To Order, Specify:

1) Product number, including:

① Edge Option:

- T** T-Mold
- J** Edgeband
- V** Cascade*
- F** Knife**

② Core Option:

- S** Standard ◆
- G** Green, add \$100 list

③ Flip top unit Cutout(s):

Cutout options **F, J, M, Q**:
add \$25 list for one-piece top;
add \$50 list for two-piece tops.

- N** None
- F** Center – single-sided/4 outlets
- J** Center – single-sided/6 outlets
- M** Center – double-sided/8 outlets
- Q** Center – double-sided/12 outlets

④ Cable Base Option:

- N** None
- C** Cable Base:
add \$495 list for 36" deep tables;
add \$525 list for 42" deep and deeper tables

- 2) Laminate surface color.
- 3) 1mm edgeband trim color. (Cascade edge/multiple-tops only)*
- 4) Edge trim color.
- 5) Base trim color.
- 6) Laminate surface – Cable Base
- 7) Edge trim color – Cable Base

Note: \$35 upcharge (list) for Metallic trim color.

Planes Conference Tables – Interior Leg – Laminate


Round, Square, Rectangular – Laminate

No. of Pieces	No. of Legs	*Seating Capacity	Depth	Length	Number	①	②	③	④	(T) T-Mold Price	(J) Edgeband Price	(V) Cascade Price	(F) Knife Price
Round													
1	4	4	42"(1067mm)	42"(1067mm)	TARN-4242-L				JG4N	\$ 542	NA	\$ 590	N/A
1	4	4	48"(1219mm)	48"(1219mm)	TARN-4848-L				JG4N	682	NA	742	N/A
1	4	4	54"(1372mm)	54"(1372mm)	TARN-5454-L				JG4N	841	NA	916	N/A
1	4	4	60"(1524mm)	60"(1524mm)	TARN-6060-L				JG4N	1019	NA	1109	N/A
2	6	6	66"(1676mm)	66"(1676mm)	TARN-6666-L				JG4	NA	\$1604	\$1659	\$1877
2	6	6	72"(1829mm)	72"(1829mm)	TARN-7272-L				JG4	NA	1889	1955	2147
Square													
1	4	4	42"(1067mm)	42"(1067mm)	TARQ-4242-L				JG4N	\$ 542	\$ 570	\$ 590	\$ 842
1	4	4	48"(1219mm)	48"(1219mm)	TARQ-4848-L				JG4N	682	717	742	1010
1	4	4	54"(1372mm)	54"(1372mm)	TARQ-5454-L				JG4N	841	885	916	1197
1	4	8	60"(1524mm)	60"(1524mm)	TARQ-6060-L				JG4N	1019	1072	1109	1403
2	6	8	66"(1676mm)	66"(1676mm)	TARQ-6666-L				JG4	\$1361	\$1604	\$1659	\$1877
2	6	8	72"(1829mm)	72"(1829mm)	TARQ-7272-L				JG4	1603	1889	1955	2147
Rectangular													
1	4	4	30"(762mm)	60"(1524mm)	TARA-3060-L				JG4N	\$ 551	\$ 580	\$ 600	\$ 865
1	4	4		66"(1676mm)	TARA-3066-L				JG4N	598	629	651	926
1	6	4		72"(1829mm)	TARA-3072-L				JG4N	645	678	702	987
1	4	4	36"(914mm)	60"(1524mm)	TARA-3660-L				JG4	\$ 645	\$ 678	\$ 702	\$ 973
1	4	4		66"(1676mm)	TARA-3666-L				JG4	701	737	763	1043
1	4	4	42"(1067mm)	48"(1219mm)	TARA-4248-L				JG4	607	638	661	921
1	4	4		54"(1372mm)	TARA-4254-L				JG4	673	708	732	1001
1	4	4		60"(1524mm)	TARA-4260-L				JG4	738	776	804	1080
1	4	6		66"(1676mm)	TARA-4266-L				JG4	804	846	875	1160
1	6	6		72"(1829mm)	TARA-4272-L				JG4	869	915	946	1239
1	6	6		78"(1981mm)	TARA-4278-L				JG4	935	984	1018	1319
1	4	4	48"(1219mm)	54"(1372mm)	TARA-4854-L				JG4	\$ 757	\$ 797	\$ 824	\$1099
1	4	4		60"(1524mm)	TARA-4860-L				JG4	832	876	906	1188
1	4	6		66"(1676mm)	TARA-4866-L				JG4	907	954	987	1277
1	6	6		72"(1829mm)	TARA-4872-L				JG4	982	1033	1068	1366
1	6	8		78"(1981mm)	TARA-4878-L				JG4	1057	1112	1151	1455
1	4	4	54"(1372mm)	60"(1524mm)	TARA-5460-L				JG4	\$ 926	\$ 974	\$1008	\$1296
1	4	6		66"(1676mm)	TARA-5466-L				JG4	1010	1063	1099	1394
1	6	6		72"(1829mm)	TARA-5472-L				JG4	1094	1151	1191	1492
1	6	6		78"(1981mm)	TARA-5478-L				JG4	1178	1239	1282	1590
1	4	8	60"(1524mm)	66"(1676mm)	TARA-6066-L				JG4	\$1113	\$1171	\$1212	\$1511
1	6	8		72"(1829mm)	TARA-6072-L				JG4	1206	1268	1313	1618
1	6	8		78"(1981mm)	TARA-6078-L				JG4	1300	1368	1415	1726

*Recommended seating capacity based upon 27"(686mm) per chair.

Planes Conference Tables – Interior Leg – Laminate

Half Round – Laminate



TAHN

No. of Tops	No. of Legs	Depth	Length	Number	① ② ③	(T) T-Mold Price	(J) Edgeband Price	(V) Cascade Price	(F) Knife Price
1	4	60"(1524mm)	30"(762mm)	TAHN-3060-L	■ ■ ■ JG4N	■ \$551	\$580	\$600	\$ 865
1	4	72"(1829mm)	36"(914mm)	TAHN-3672-L	■ ■ ■ JG4N	■ 757	797	824	1113

Features

- Includes 1 3/16"(30mm) thick top, interior leg bases and hardware.
- Standard table height is 29"(737mm).
- Laminate top with T-mold, 3mm edgeband, cascade or knife edges.
- Top available in standard or green core option.
- Bases are painted aluminum.
- Optional Flip top unit electrical modules are separately specified. Refer to electrical components for appropriate product specification.
- Available with glides only; 1/2"(13mm) height adjustment.
- Ships unassembled.
- Available on RUSH with Standard Core only.

Specification Tips

- Cable base not recommended for half round tables.
- 3mm edgeband edge is recommended to allow a flat seam between tables.
- Depth matches two 30"(762mm) or 36"(914mm) deep rectangular tables.
- The following Planes products are separately specified:
 - Grommets (field cut opening)
 - Flip top unit electrical modules
 - Horizontal wire manager
- Refer to Specification Guide for leg locations.

*Knife edge must be specified with green core.

To Order, Specify:

1) Product number, including:

① Edge Option:

- T T-Mold
- J Edgeband
- V Cascade
- F Knife*

② Core Option:

- S Standard ■
- G Green, add \$100 list

③ Flip Top Unit Cutout(s):

- N None
- F Center – single sided/4 outlets, add \$25 list
- J Center – single-sided/6 outlets, add \$25 list

2) Laminate surface color.


3) Edge trim color.

4) Base trim color.

Note: \$35 upcharge (list) for Metallic trim color.

Planes Conference Tables – Interior Leg – Laminate

	No. of Tops	No. of Legs	Depth	Length	Number	①	②	③	(T) T-Mold Price	(J) Edgeband Price	(V) Cascade Price	(F) Knife Price	
Polygon – Laminate	1	5	30”(762mm)	60”(1524mm)	TACV-3060-L	■	■	■	JG4N	◆ \$551	\$580	\$600	\$ 865
	1	5	36”(914mm)	72”(1829mm)	TACV-3672-L	■	■	■	JG4N	◆ 757	797	824	1113



Features

- Includes 1 3/16" (30mm) thick top, interior leg bases and hardware.
- Standard table height is 29" (737mm).
- Laminate top with T-mold, 3mm edgeband, cascade or knife edges.
- Top available in standard or green core option.
- Bases are painted aluminum.
- Optional Flip Top unit electrical modules are separately specified. Refer to electrical components for appropriate product specification.
- Available with glides only; 1/2" (13mm) height adjustment.
- Ships unassembled.
- ◆ Available on RUSH with Standard Core only.

Specification Tips

- Cable base not recommended for polygon table.
- 3mm edgeband edge is recommended to allow a flat seam between tables.
- Depth matches 30" (762mm) or 36" (914mm) deep rectangular tables.
- The following Planes products are separately specified:
 - Grommets (field cut opening)
 - Flip top unit electrical modules
 - Horizontal wire manager
- Refer to Specification Guide for leg locations.

*Knife edge must be specified with green core.

To Order, Specify:

1) Product number, including:

① Edge Option:

- T T-Mold
- J Edgeband
- V Cascade
- F Knife*

② Core Option:

- S Standard ◆
- G Green, add \$100 list

③ Flip Top Unit Cutout(s):

- N None
- F Center – single-sided/4 outlets, add \$25 list
- J Center – single-sided/6 outlets, add \$25 list

2) Laminate surface color.


3) Edge trim color.

4) Base trim color.

Note: \$35 upcharge (list) for Metallic trim color

Planes Conference Tables – One-Piece Top – Interior Leg – Laminate

Rectangular – Laminate



TARA

Features

- Includes 1 3/16”(30mm) thick top, interior leg bases and hardware.
- Standard table height is 29”(737mm).
- Laminate top with T-mold, 3mm edgeband, cascade or knife edges.
- Top available in standard or green core option.
- Interior legs are painted aluminum.
- Interior leg is 1 1/8”(29mm) x 3 1/4”(83mm).
- Optional cable base can be specified for tables 36”(914mm) deep and deeper:
 - 36”(914mm) deep tables will ship with 8”(203mm) x 14”(356mm) cable base.
 - 42”(1067mm) deep and deeper tables will ship with 14”(356mm) x 14”(356mm) cable base.
 - One piece tops will include one cable base to be centered under table top.
- Cable base and table top(s) are laminate and can be specified in different surface colors and edge trim colors.
- Refer to Specification Guide for use guidelines.
- Optional Flip top unit electrical modules are separately specified. Refer to electrical components for appropriate product specification.
- Available with glides only; 1/2”(13mm) height adjustment.
- Ships unassembled.
- ◆ Available on RUSH with Standard Core only.

Specification Tips

- The following Planes products are separately specified:
 - Grommets (field cut opening)
 - Flip top unit electrical modules
 - Horizontal wire management
- Refer to Specification Guide for seating capacities with Cable Base Option and leg locations.

*Knife edge must be specified with green core.

To Order, Specify:

1) Product number, including:

1 Edge Option:

- T T-Mold
- J Edgeband
- V Cascade
- F Knife*

2 Core Option:

- S Standard ◆
- G Green, add \$100 list

3 Flip Top Unit Cutout(s):

- N None
- F Center – single-sided/4 outlets, add \$25 list
- V Left/Right – single-sided/4 outlets, add \$50 list
- J Center – single-sided/6 outlets, add \$25 list
- K Left/Right – single-sided/6 outlets, add \$50 list
- M Center – double-sided/8 outlets, add \$25 list
- P Left/Right – double-sided/8 outlets, add \$50 list
- Q Center – double-sided/12 outlets, add \$25 list
- T Left/Right – double-sided/12 outlets, add \$50 list

4 Cable Base Option:

- N None
- C Cable Base:
 - add \$495 list for 36” deep tables;
 - add \$525 list for 42” deep and deeper tables

- 2) Laminate surface color.
- 3) Edge trim color.
- 4) Base trim color.
- 5) Laminate surface – Cable Base
- 6) Edge trim color – Cable Base

Note: \$35 upcharge (list) for Metallic trim color.

Planes Conference Tables – One-Piece Top – Interior Leg – Laminate


Rectangular – Laminate

No. of Legs	*Seating Capacity	Depth	Length	Number	①	②	③	④	(T) T-Mold Price	(J) Edgeband Price	(V) Cascade Price	(F) Knife Price
6	6	36"(914mm)	72"(1829mm)	TARA-3672-L	■	■	■	JG4	\$ 757	\$ 797	\$ 824	\$1113
6	6		78"(1981mm)	TARA-3678-L	■	■	■	JG4	813	856	885	1183
6	8		84"(2134mm)	TARA-3684-L	■	■	■	JG4	869	915	946	1253
6	8		90"(2286mm)	TARA-3690-L	■	■	■	JG4	926	974	1008	1324
6	8		96"(2438mm)	TARA-3696-L	■	■	■	JG4	982	1033	1068	1394
6	8	42"(1067mm)	84"(2134mm)	TARA-4284-L	■	■	■	JG4	\$1000	\$1052	\$1088	\$1398
6	8		90"(2286mm)	TARA-4290-L	■	■	■	JG4	1066	1121	1161	1478
6	8		96"(2438mm)	TARA-4296-L	■	■	■	JG4	1132	1191	1232	1558
6	8		102"(2591mm)	TARA-42A2-L	■	■	■	JG4	1197	1259	1303	1637
6	10		108"(2743mm)	TARA-42A8-L	■	■	■	JG4	1263	1329	1374	1717
6	10		114"(2896mm)	TARA-42B4-L	■	■	■	JG4	1328	1398	1446	1796
6	10		120"(3048mm)	TARA-42C0-L	■	■	■	JG4	1394	1467	1518	1876
6	8	48"(1291mm)	84"(2134mm)	TARA-4884-L	■	■	■	JG4	\$1132	\$1191	\$1232	\$1544
6	8		90"(2286mm)	TARA-4890-L	■	■	■	JG4	1206	1268	1313	1632
6	8		96"(2438mm)	TARA-4896-L	■	■	■	JG4	1281	1348	1394	1721
6	8		102"(2591mm)	TARA-48A2-L	■	■	■	JG4	1356	1427	1476	1810
6	10		108"(2743mm)	TARA-48A8-L	■	■	■	JG4	1431	1506	1558	1899
6	10		114"(2896mm)	TARA-48B4-L	■	■	■	JG4	1506	1585	1639	1988
6	10		120"(3048mm)	TARA-48C0-L	■	■	■	JG4	1581	1663	1720	2077
6	10	54"(1372mm)	84"(2134mm)	TARA-5484-L	■	■	■	JG4	\$1263	\$1329	\$1374	\$1689
6	10		90"(2286mm)	TARA-5490-L	■	■	■	JG4	1347	1418	1467	1787
6	10		96"(2438mm)	TARA-5496-L	■	■	■	JG4	1431	1506	1558	1885
6	10		102"(2591mm)	TARA-54A2-L	■	■	■	JG4	1515	1594	1649	1983
6	10		108"(2743mm)	TARA-54A8-L	■	■	■	JG4	1600	1683	1741	2082
6	10		114"(2896mm)	TARA-54B4-L	■	■	■	JG4	1684	1771	1833	2180
6	10		120"(3048mm)	TARA-54C0-L	■	■	■	JG4	1768	1861	1924	2278
6	10	60"(1524mm)	84"(2134mm)	TARA-6084-L	■	■	■	JG4	\$1394	\$1467	\$1518	\$1834
6	10		90"(2286mm)	TARA-6090-L	■	■	■	JG4	1487	1565	1618	1941
6	10		96"(2438mm)	TARA-6096-L	■	■	■	JG4	1581	1663	1720	2049
6	10		102"(2591mm)	TARA-60A2-L	■	■	■	JG4	1674	1761	1822	2156
6	10		108"(2743mm)	TARA-60A8-L	■	■	■	JG4	1768	1861	1924	2264
6	10		114"(2896mm)	TARA-60B4-L	■	■	■	JG4	1862	1959	2026	2372
6	10		120"(3048mm)	TARA-60C0-L	■	■	■	JG4	1955	2057	2128	2479

*Recommended seating capacity based upon 27"(686mm) per chair.

Planes Conference Tables – Two-Piece Tops – Interior Leg – Laminate

Rectangular – Laminate



TARA

Features

- Includes 1 3/16" (30mm) thick tops, interior leg bases and hardware.
- Standard table height is 29" (737mm).
- Laminate top with 3mm edgeband, cascade or knife edges.
- Table top seam is 1mm edgeband.
- Top available in standard or green core option.
- Interior legs are painted aluminum.
- Interior leg is 1 1/8" (29mm) x 3 1/4" (83mm).
- Optional cable base is available:
 - 42" (1067mm) deep and deeper tables will ship with 14" (356mm) x 14" (356mm) cable base
 - Two piece tops will include one cable base to be centered on seam under table top.
 - Cable base and table top(s) are laminate and can be specified in different surface colors and edge trim colors.
 - Refer to Specification Guide for use guidelines.
- Optional Flip top unit electrical modules are separately specified. Refer to electrical components for appropriate product specification.
- Available with glides only; 1/2" (13mm) height adjustment.
- Ships unassembled.

Specification Tips

- Tables with multiple-piece tops have equal sized pieces.
- The following Planes products are separately specified:
 - Grommets (field cut opening)
 - Flip top unit electrical modules
 - Horizontal wire management
- Refer to Specification Guide for seating capacities with Cable Base Option and leg locations.

*Multiple piece tops with Cascade edge option will require an additional specification for the 1mm edgeband seam.

**Knife edge must be specified with green core.

To Order, Specify:

1) Product number, including:

① Edge Option:

- J** Edgeband
- V** Cascade*
- F** Knife**

② Core Option:

- S** Standard
- G** Green, add **\$200** list

③ Flip Top Unit Cutout(s):

- N** None
- F** Center – single-sided/4 outlets, add **\$50** list
- V** Left/Right – single-sided/4 outlets, add **\$100** list
- J** Center – single-sided/6 outlets, add **\$50** list
- K** Left/Right – single-sided/6 outlets, add **\$100** list
- M** Center – double-sided/8 outlets, add **\$50** list
- P** Left/Right – double-sided/8 outlets, add **\$100** list
- Q** Center – double-sided/12 outlets, add **\$50** list
- T** Left/Right – double-sided/12 outlets, add **\$100** list

④ Cable Base Option:

- N** None
- C** Cable Base: add **\$495** list for 36" deep tables; add **\$525** list for 42" deep and deeper tables

2) Laminate surface color.

3) 1mm edgeband trim color. (Cascade edge/multiple-tops only)*

4) Edge trim color.

5) Base trim color.

6) Laminate surface – Cable Base

7) Edge trim color – Cable Base

Note: **\$35** upcharge (list) for Metallic trim color.

Planes Conference Tables – Two-Piece Tops – Interior Leg – Laminate


Rectangular – Laminate

No. of Legs	*Seating Capacity	Depth	Length	Number	①	②	③	④	(J) Edgeband Price	(V) Cascade Price	(F) Knife Price
6	10	42" (1067mm)	126" (3200mm)	TARA-42C6-L	■	■	■	JG4 ■	\$1925	\$1992	\$2234
6	10		132" (3353mm)	TARA-42D2-L	■	■	■	JG4 ■	2013	2082	2322
10	10		138" (3505mm)	TARA-42D8-L	■	■	■	JG4 ■	2098	2170	2408
10	10		144" (3658mm)	TARA-42E4-L	■	■	■	JG4 ■	2185	2261	2496
10	10		150" (3810mm)	TARA-42F0-L	■	■	■	JG4 ■	2272	2350	2584
10	12		156" (3962mm)	TARA-42F6-L	■	■	■	JG4 ■	2358	2439	2671
10	12		162" (4115mm)	TARA-42G2-L	■	■	■	JG4 ■	2445	2529	2759
10	12		168" (4267mm)	TARA-42G8-L	■	■	■	JG4 ■	2531	2618	2846
10	12		174" (4420mm)	TARA-42H4-L	■	■	■	JG4 ■	2617	2708	2933
10	12		180" (4572mm)	TARA-42J0-L	■	■	■	JG4 ■	2704	2796	3020
6	10	48" (1219mm)	126" (3200mm)	TARA-48C6-L	■	■	■	JG4 ■	\$2185	\$2261	\$2468
6	10		132" (3353mm)	TARA-48D2-L	■	■	■	JG4 ■	2285	2363	2567
10	10		138" (3505mm)	TARA-48D8-L	■	■	■	JG4 ■	2383	2465	2664
10	10		144" (3658mm)	TARA-48E4-L	■	■	■	JG4 ■	2481	2568	2762
10	10		150" (3810mm)	TARA-48F0-L	■	■	■	JG4 ■	2581	2669	2860
10	12		156" (3962mm)	TARA-48F6-L	■	■	■	JG4 ■	2679	2771	2957
10	12		162" (4115mm)	TARA-48G2-L	■	■	■	JG4 ■	2778	2875	3056
10	12		168" (4267mm)	TARA-48G8-L	■	■	■	JG4 ■	2878	2977	3154
10	12		174" (4420mm)	TARA-48H4-L	■	■	■	JG4 ■	2975	3078	3251
10	12		180" (4572mm)	TARA-48J0-L	■	■	■	JG4 ■	3075	3181	3349
6	10	54" (1372mm)	126" (3200mm)	TARA-54C6-L	■	■	■	JG4 ■	\$2445	\$2529	\$2703
6	10		132" (3353mm)	TARA-54D2-L	■	■	■	JG4 ■	2555	2643	2810
10	10		138" (3505mm)	TARA-54D8-L	■	■	■	JG4 ■	2667	2759	2919
10	10		144" (3658mm)	TARA-54E4-L	■	■	■	JG4 ■	2778	2875	3028
10	10		150" (3810mm)	TARA-54F0-L	■	■	■	JG4 ■	2890	2989	3136
10	12		156" (3962mm)	TARA-54F6-L	■	■	■	JG4 ■	3000	3103	3244
10	12		162" (4115mm)	TARA-54G2-L	■	■	■	JG4 ■	3112	3219	3353
10	12		168" (4267mm)	TARA-54G8-L	■	■	■	JG4 ■	3223	3334	3461
10	14		174" (4420mm)	TARA-54H4-L	■	■	■	JG4 ■	3333	3449	3569
10	14		180" (4572mm)	TARA-54J0-L	■	■	■	JG4 ■	3445	3564	3677
6	10	60" (1524mm)	126" (3200mm)	TARA-60C6-L	■	■	■	JG4 ■	\$2704	\$2796	\$2936
6	10		132" (3353mm)	TARA-60D2-L	■	■	■	JG4 ■	2827	2924	3055
10	10		138" (3505mm)	TARA-60D8-L	■	■	■	JG4 ■	2951	3052	3174
10	10		144" (3658mm)	TARA-60E4-L	■	■	■	JG4 ■	3075	3181	3293
10	10		150" (3810mm)	TARA-60F0-L	■	■	■	JG4 ■	3199	3309	3412
10	12		156" (3962mm)	TARA-60F6-L	■	■	■	JG4 ■	3321	3436	3530
10	12		162" (4115mm)	TARA-60G2-L	■	■	■	JG4 ■	3445	3564	3649
10	12		168" (4267mm)	TARA-60G8-L	■	■	■	JG4 ■	3569	3692	3768
10	14		174" (4420mm)	TARA-60H4-L	■	■	■	JG4 ■	3694	3820	3888
10	14		180" (4572mm)	TARA-60J0-L	■	■	■	JG4 ■	3817	3948	4007

*Recommended seating capacity based upon 27" (686mm) per chair.

Planes Conference Tables – Two-Piece Tops – Interior Leg – Laminate

Pebble – Laminate



TARP

Features

- Includes 1 3/16" (30mm) thick tops, interior leg bases and hardware.
- Standard table height is 29" (737mm).
- Laminate top with 3mm edgeband, cascade or knife edges.
- Table top seam is 1mm edgeband.
- Top available in standard or green core option.
- Interior legs are painted aluminum.
- Interior leg is 1 1/8" (29mm) x 3 1/4" (83mm).
- Optional cable base is available:
 - 42" (1067mm) deep and deeper tables will ship with 14" (356mm) x 14" (356mm) cable base
 - Two piece tops will include one cable base to be centered on seam under table top.
 - Cable base and table top(s) are laminate and can be specified in different surface colors and edge trim colors.
 - Refer to Specification Guide for use guidelines.
- Optional Flip top unit electrical modules are separately specified. Refer to electrical components for appropriate product specification.
- Available with glides only; 1/2" (13mm) height adjustment.
- Ships unassembled.

Specification Tips

- Tables with multiple-piece tops have equal sized pieces.
- The following Planes products are separately specified:
 - Grommets (field cut openings)
 - Flip top unit electrical modules
 - Horizontal wire management
- Refer to Specification Guide for seating capacities with Cable Base Option and leg locations.

*Multiple piece tops with Cascade edge option will require an additional specification for the 1mm edgeband seam.

**Knife edge must be specified with green core.

To Order, Specify:

1) Product number, including:

① Edge Option:

- ☐ J Edgeband
- ☐ V Cascade*
- ☐ F Knife**

② Core Option:

- ☐ S Standard
- ☐ G Green, add \$200 list

③ Flip Top Unit Cutout(s):

- ☐ N None
- ☐ F Center – single-sided/4 outlets, add \$50 list
- ☐ V Left/Right – single-sided/4 outlets, add \$100 list
- ☐ J Center – single-sided/6 outlets, add \$50 list
- ☐ K Left/Right – single-sided/6 outlets, add \$100 list
- ☐ M Center – double-sided/8 outlets, add \$50 list
- ☐ P Left/Right – double-sided/8 outlets, add \$100 list
- ☐ Q Center – double-sided/12 outlets, add \$50 list
- ☐ T Left/Right – double-sided/12 outlets, add \$100 list

④ Cable Base Option:

- ☐ N None
- ☐ C Cable Base, add \$525 list

2) Laminate surface color.

3) 1mm edgeband trim color. (Cascade edge/multiple-tops only)*

4) Edge trim color.

5) Base trim color.

6) Laminate surface – Cable Base

7) Edge trim color – Cable Base

Note: \$35 upcharge (list) for Metallic trim color.

Planes Conference Tables – Two-Piece Tops – Interior Leg – Laminate


Pebble – Laminate

No. of Legs	*Seating Capacity	Depth	Length	Number	①	②	③	④	(J) Edgeband Price	(V) Cascade Price	(F) Knife Price
6	10	42" (1067mm)	126" (3200mm)	TARP-42C6-L	■	■	■	JG4 ■	\$1925	\$1992	\$2234
6	10		132" (3353mm)	TARP-42D2-L	■	■	■	JG4 ■	2013	2082	2322
6	10		138" (3505mm)	TARP-42D8-L	■	■	■	JG4 ■	2098	2170	2408
6	10		144" (3658mm)	TARP-42E4-L	■	■	■	JG4 ■	2185	2261	2496
10	10		150" (3810mm)	TARP-42F0-L	■	■	■	JG4 ■	2272	2350	2584
10	10		156" (3962mm)	TARP-42F6-L	■	■	■	JG4 ■	2358	2439	2671
10	10		162" (4115mm)	TARP-42G2-L	■	■	■	JG4 ■	2445	2529	2759
10	12		168" (4267mm)	TARP-42G8-L	■	■	■	JG4 ■	2531	2618	2846
10	12		174" (4420mm)	TARP-42H4-L	■	■	■	JG4 ■	2617	2708	2933
10	12		180" (4572mm)	TARP-42J0-L	■	■	■	JG4 ■	2704	2796	3020
6	10	48" (1219mm)	126" (3200mm)	TARP-48C6-L	■	■	■	JG4 ■	\$2185	\$2261	\$2468
6	10		132" (3353mm)	TARP-48D2-L	■	■	■	JG4 ■	2285	2363	2567
6	10		138" (3505mm)	TARP-48D8-L	■	■	■	JG4 ■	2383	2465	2664
6	10		144" (3658mm)	TARP-48E4-L	■	■	■	JG4 ■	2481	2568	2762
10	10		150" (3810mm)	TARP-48F0-L	■	■	■	JG4 ■	2581	2669	2860
10	10		156" (3962mm)	TARP-48F6-L	■	■	■	JG4 ■	2679	2771	2957
10	10		162" (4115mm)	TARP-48G2-L	■	■	■	JG4 ■	2778	2875	3056
10	10		168" (4267mm)	TARP-48G8-L	■	■	■	JG4 ■	2878	2977	3154
10	12		174" (4420mm)	TARP-48H4-L	■	■	■	JG4 ■	2975	3078	3251
10	12		180" (4572mm)	TARP-48J0-L	■	■	■	JG4 ■	3075	3181	3349
6	10	54" (1372mm)	126" (3200mm)	TARP-54C6-L	■	■	■	JG4 ■	\$2445	\$2529	\$2703
6	10		132" (3353mm)	TARP-54D2-L	■	■	■	JG4 ■	2555	2643	2810
6	10		138" (3505mm)	TARP-54D8-L	■	■	■	JG4 ■	2667	2759	2919
6	10		144" (3658mm)	TARP-54E4-L	■	■	■	JG4 ■	2778	2875	3028
10	10		150" (3810mm)	TARP-54F0-L	■	■	■	JG4 ■	2890	2989	3136
10	10		156" (3962mm)	TARP-54F6-L	■	■	■	JG4 ■	3000	3103	3244
10	10		162" (4115mm)	TARP-54G2-L	■	■	■	JG4 ■	3112	3219	3353
10	10		168" (4267mm)	TARP-54G8-L	■	■	■	JG4 ■	3223	3334	3461
10	12		174" (4420mm)	TARP-54H4-L	■	■	■	JG4 ■	3333	3449	3569
10	12		180" (4572mm)	TARP-54J0-L	■	■	■	JG4 ■	3445	3564	3677
6	10	60" (1524mm)	126" (3200mm)	TARP-60C6-L	■	■	■	JG4 ■	\$2704	\$2796	\$2936
6	10		132" (3353mm)	TARP-60D2-L	■	■	■	JG4 ■	2827	2924	3055
6	10		138" (3505mm)	TARP-60D8-L	■	■	■	JG4 ■	2951	3052	3174
6	10		144" (3658mm)	TARP-60E4-L	■	■	■	JG4 ■	3075	3181	3293
10	10		150" (3810mm)	TARP-60F0-L	■	■	■	JG4 ■	3199	3309	3412
10	10		156" (3962mm)	TARP-60F6-L	■	■	■	JG4 ■	3321	3436	3530
10	10		162" (4115mm)	TARP-60G2-L	■	■	■	JG4 ■	3445	3564	3649
10	10		168" (4267mm)	TARP-60G8-L	■	■	■	JG4 ■	3569	3692	3768
10	12		174" (4420mm)	TARP-60H4-L	■	■	■	JG4 ■	3694	3820	3888
10	12		180" (4572mm)	TARP-60J0-L	■	■	■	JG4 ■	3817	3948	4007

*Recommended seating capacity based upon 27" (686mm) per chair.

Planes Conference Tables – Two-Piece Tops – Interior Leg – Laminate

Hexagon – Laminate



TARX

Features

- Includes 1 3/16" (30mm) thick tops, interior leg bases and hardware.
- Standard table height is 29" (737mm).
- Laminate top with 3mm edgeband, cascade or knife edges.
- Table top seam is 1mm edgeband.
- Top available in standard or green core option.
- Interior legs are painted aluminum.
- Interior leg is 1 1/8" (29mm) x 3 1/4" (83mm).
- Optional cable base is available:
 - 42" (1067mm) deep and deeper tables will ship with 14" (356mm) x 14" (356mm) cable base
 - Two piece tops will include one cable base to be centered on seam under table top.
 - Cable base and table top(s) are laminate and can be specified in different surface colors and edge trim colors.
 - Refer to Specification Guide for use guidelines.
- Optional Flip top unit electrical modules are separately specified. Refer to electrical components for appropriate product specification.
- Available with glides only; 1/2" (13mm) height adjustment.
- Ships unassembled.

Specification Tips

- Tables with multiple-piece tops have equal sized pieces.
- The following Planes products are separately specified:
 - Grommets (field cut openings)
 - Flip top unit electrical modules
 - Horizontal wire management
- Refer to Specification Guide for seating capacities with Cable Base Option and leg locations.

*Multiple piece tops with Cascade edge option will require an additional specification for the 1mm edgeband seam.

**Knife edge must be specified with green core.

To Order, Specify:

1) Product number, including:

① Edge Option:

- J** Edgeband
- V** Cascade*
- F** Knife**

② Core Option:

- S** Standard
- G** Green, add **\$200** list

③ Flip Top Unit Cutout(s):

- N** None
- F** Center – single-sided/4 outlets, add **\$50** list
- V** Left/Right – single-sided/4 outlets, add **\$100** list
- J** Center – single-sided/6 outlets, add **\$50** list
- K** Left/Right – single-sided/6 outlets, add **\$100** list
- M** Center – double-sided/8 outlets, add **\$50** list
- P** Left/Right – double-sided/8 outlets, add **\$100** list
- Q** Center – double-sided/12 outlets, add **\$50** list
- T** Left/Right – double-sided/12 outlets, add **\$100** list

④ Cable Base Option:

- N** None
- C** Cable Base, add **\$525** list

2) Laminate surface color.

3) 1mm edgeband trim color. (Cascade edge/multiple-tops only)*

4) Edge trim color.

5) Base trim color.

6) Laminate surface – Cable Base

7) Edge trim color – Cable Base

Note: **\$35** upcharge (list) for Metallic trim color.

Planes Conference Tables – Two-Piece Tops – Interior Leg – Laminate

Hexagon – Laminate

No. of Legs	*Seating Capacity	Depth	Length	Number	①	②	③	④	(J) Edgeband Price	(V) Cascade Price	(F) Knife Price
6	10	42"(1067mm)	126"(3200mm)	TARX-42C6-L	■	■	■	JG4 ■	\$1925	\$1992	\$2234
6	10		132"(3353mm)	TARX-42D2-L	■	■	■	JG4 ■	2013	2098	2322
6	10		138"(3505mm)	TARX-42D8-L	■	■	■	JG4 ■	2098	2170	2408
6	10		144"(3658mm)	TARX-42E4-L	■	■	■	JG4 ■	2185	2185	2496
10	10		150"(3810mm)	TARX-42F0-L	■	■	■	JG4 ■	2272	2350	2584
10	10		156"(3962mm)	TARX-42F6-L	■	■	■	JG4 ■	2358	2439	2671
10	10		162"(4115mm)	TARX-42G2-L	■	■	■	JG4 ■	2445	2529	2759
10	10		168"(4267mm)	TARX-42G8-L	■	■	■	JG4 ■	2531	2618	2846
10	12		174"(4420mm)	TARX-42H4-L	■	■	■	JG4 ■	2617	2708	2933
10	12		180"(4572mm)	TARX-42J0-L	■	■	■	JG4 ■	2704	2796	3020
6	10	48"(1219mm)	126"(3200mm)	TARX-48C6-L	■	■	■	JG4 ■	\$2185	\$2261	\$2468
6	10		132"(3353mm)	TARX-48D2-L	■	■	■	JG4 ■	2285	2363	2567
6	10		138"(3505mm)	TARX-48D8-L	■	■	■	JG4 ■	2383	2465	2664
6	10		144"(3658mm)	TARX-48E4-L	■	■	■	JG4 ■	2481	2568	2762
10	10		150"(3810mm)	TARX-48F0-L	■	■	■	JG4 ■	2581	2669	2860
10	10		156"(3962mm)	TARX-48F6-L	■	■	■	JG4 ■	2679	2771	2957
10	10		162"(4115mm)	TARX-48G2-L	■	■	■	JG4 ■	2778	2875	3056
10	10		168"(4267mm)	TARX-48G8-L	■	■	■	JG4 ■	2878	2977	3154
10	12		174"(4420mm)	TARX-48H4-L	■	■	■	JG4 ■	2975	3078	3251
10	12		180"(4572mm)	TARX-48J0-L	■	■	■	JG4 ■	3075	3181	3349
6	10	54"(1372mm)	126"(3200mm)	TARX-54C6-L	■	■	■	JG4 ■	\$2445	\$2529	\$2703
6	10		132"(3353mm)	TARX-54D2-L	■	■	■	JG4 ■	2555	2643	2810
6	10		138"(3505mm)	TARX-54D8-L	■	■	■	JG4 ■	2667	2759	2919
6	10		144"(3658mm)	TARX-54E4-L	■	■	■	JG4 ■	2778	2875	3028
10	10		150"(3810mm)	TARX-54F0-L	■	■	■	JG4 ■	2890	2989	3136
10	10		156"(3962mm)	TARX-54F6-L	■	■	■	JG4 ■	3000	3103	3244
10	10		162"(4115mm)	TARX-54G2-L	■	■	■	JG4 ■	3112	3219	3353
10	10		168"(4267mm)	TARX-54G8-L	■	■	■	JG4 ■	3223	3334	3461
10	12		174"(4420mm)	TARX-54H4-L	■	■	■	JG4 ■	3333	3449	3569
10	12		180"(4572mm)	TARX-54J0-L	■	■	■	JG4 ■	3445	3564	3677
6	10	60"(1524mm)	126"(3200mm)	TARX-60C6-L	■	■	■	JG4 ■	\$2704	\$2796	\$2936
6	10		132"(3353mm)	TARX-60D2-L	■	■	■	JG4 ■	2827	2924	3055
6	10		138"(3505mm)	TARX-60D8-L	■	■	■	JG4 ■	2951	3052	3174
6	10		144"(3658mm)	TARX-60E4-L	■	■	■	JG4 ■	3075	3181	3293
10	10		150"(3810mm)	TARX-60F0-L	■	■	■	JG4 ■	3199	3309	3412
10	10		156"(3962mm)	TARX-60F6-L	■	■	■	JG4 ■	3321	3436	3530
10	10		162"(4115mm)	TARX-60G2-L	■	■	■	JG4 ■	3445	3564	3649
10	10		168"(4267mm)	TARX-60G8-L	■	■	■	JG4 ■	3569	3692	3768
10	12		174"(4420mm)	TARX-60H4-L	■	■	■	JG4 ■	3694	3820	3888
10	12		180"(4572mm)	TARX-60J0-L	■	■	■	JG4 ■	3817	3948	4007

*Recommended seating capacity based upon 27"(686mm) per chair.

Planes Conference Tables – Three-Piece Tops – Interior Leg – Laminate

Rectangular – Laminate



TARA

Features

- Includes 1 3/16”(30mm) thick tops, interior leg bases and hardware.
- Standard table height is 29”(737mm).
- Laminate top with 3mm edgeband, cascade or knife edges.
- Table top seams are 1mm edgeband.
- Top available in standard or green core option.
- Interior legs are painted aluminum.
- Interior leg is 1 1/8”(29mm) x 3 1/4”(83mm).
- Optional cable bases are available:
 - 42”(1067mm) deep and deeper tables will ship with 14”(356mm) x 14”(356mm) cable bases.
 - Three piece tops will include two cable bases to be centered on seams.
 - Cable base and table top(s) are laminate and can be specified in different surface colors and edge trim colors.
 - Refer to Specification Guide for use guidelines.
- Optional Flip top unit electrical modules are separately specified. Refer to electrical components for appropriate product specification.
- Available with glides only; 1/2”(13mm) height adjustment.
- Ships unassembled.

Specification Tips

- Tables with multiple-piece tops have equal sized pieces.
- The following Planes products are separately specified:
 - Grommets (field cut opening)
 - Flip top unit electrical modules
 - Horizontal wire management
- Refer to Specification Guide for seating capacities with Cable Base Option and leg locations.

*Multiple piece tops with Cascade edge option will require an additional specification for the 1mm edgeband seam.

**Knife edge must be specified with green core.

To Order, Specify:

1) Product number, including:

1 Edge Option:

- J Edgeband
- V Cascade*
- F Knife**

2 Core Option:

- S Standard
- G Green, add \$300 list

3 Flip Top Unit Cutout(s):

- N None
- F Center – single-sided/4 outlets, add \$75 list
- V Left/Right – single-sided/4 outlets, add \$150 list
- J Center – single-sided/6 outlets, add \$75 list
- K Left/Right – single-sided/6 outlets, add \$150 list
- M Center – double-sided/8 outlets, add \$75 list
- P Left/Right – double-sided/8 outlets, add \$150 list
- Q Center – double-sided/12 outlets, add \$75 list
- T Left/Right – double-sided/12 outlets, add \$150 list

4 Cable Base Option:

- N None
- C Cable Bases (2), add \$1050 list

- 2) Laminate surface color.
- 3) 1mm edgeband trim color.
(Cascade edge/multiple-tops only)*
- 4) Edge trim color.
- 5) Base trim color.
- 6) Laminate surface – Cable Bases
- 7) Edge trim color – Cable Bases

Note: \$35 upcharge (list) for Metallic trim color.

Planes Conference Tables – Three-Piece Tops – Interior Leg – Laminate


Rectangular – Laminate

No. of Legs	*Seating Capacity	Depth	Length	Number	①	②	③	④	(J) Edgeband Price	(V) Cascade Price	(F) Knife Price
8	14	42"(1067mm)	186"(4724mm)	TARA-42J6-L	■	■	■	JG4	\$2790	\$2887	\$3212
8	14		192"(4877mm)	TARA-42K2-L	■	■	■	JG4	2878	2977	3300
8	14		198"(5029mm)	TARA-42K8-L	■	■	■	JG4	2963	3066	3387
14	14		204"(5182mm)	TARA-42L4-L	■	■	■	JG4	3051	3156	3475
14	14		210"(5334mm)	TARA-42M0-L	■	■	■	JG4	3136	3244	3561
14	14		216"(5486mm)	TARA-42M6-L	■	■	■	JG4	3223	3334	3649
14	16		222"(5639mm)	TARA-42N2-L	■	■	■	JG4	3309	3423	3736
14	16		228"(5791mm)	TARA-42N8-L	■	■	■	JG4	3396	3513	3824
14	16		234"(5944mm)	TARA-42P4-L	■	■	■	JG4	3482	3602	3911
14	16		240"(6096mm)	TARA-42Q0-L	■	■	■	JG4	3569	3692	3998
14	16		246"(6248mm)	TARA-42Q6-L	■	■	■	JG4	3655	3781	4086
14	16		252"(6401mm)	TARA-42R2-L	■	■	■	JG4	3742	3871	4173
14	18		258"(6553mm)	TARA-42R8-L	■	■	■	JG4	3828	3960	4261
14	18		264"(6706mm)	TARA-42S4-L	■	■	■	JG4	3915	4050	4348
14	20		270"(6858mm)	TARA-42T0-L	■	■	■	JG4	4001	4140	4436
8	14	48"(1219mm)	186"(4724mm)	TARA-48J6-L	■	■	■	JG4	\$3173	\$3283	\$3551
8	14		192"(4877mm)	TARA-48K2-L	■	■	■	JG4	3272	3385	3649
8	14		198"(5029mm)	TARA-48K8-L	■	■	■	JG4	3372	3488	3747
14	14		204"(5182mm)	TARA-48L4-L	■	■	■	JG4	3469	3589	3844
14	14		210"(5334mm)	TARA-48M0-L	■	■	■	JG4	3569	3692	3942
14	14		216"(5486mm)	TARA-48M6-L	■	■	■	JG4	3668	3795	4041
14	16		222"(5639mm)	TARA-48N2-L	■	■	■	JG4	3766	3896	4138
14	16		228"(5791mm)	TARA-48N8-L	■	■	■	JG4	3866	3999	4236
14	16		234"(5944mm)	TARA-48P4-L	■	■	■	JG4	3964	4101	4334
14	16		240"(6096mm)	TARA-48Q0-L	■	■	■	JG4	4063	4203	4432
14	16		246"(6248mm)	TARA-48Q6-L	■	■	■	JG4	4162	4306	4530
14	16		252"(6401mm)	TARA-48R2-L	■	■	■	JG4	4260	4407	4627
14	18		258"(6553mm)	TARA-48R8-L	■	■	■	JG4	4359	4509	4725
14	18		264"(6706mm)	TARA-48S4-L	■	■	■	JG4	4459	4613	4824
14	20		270"(6858mm)	TARA-48T0-L	■	■	■	JG4	4557	4715	4921
8	14	54"(1372mm)	186"(4724mm)	TARA-54J6-L	■	■	■	JG4	\$3557	\$3679	\$3890
8	14		192"(4877mm)	TARA-54K2-L	■	■	■	JG4	3668	3795	3999
8	14		198"(5029mm)	TARA-54K8-L	■	■	■	JG4	3778	3908	4106
14	14		204"(5182mm)	TARA-54L4-L	■	■	■	JG4	3890	4024	4215
14	14		210"(5334mm)	TARA-54M0-L	■	■	■	JG4	4001	4140	4324
14	14		216"(5486mm)	TARA-54M6-L	■	■	■	JG4	4113	4254	4432
14	16		222"(5639mm)	TARA-54N2-L	■	■	■	JG4	4224	4369	4540
14	16		228"(5791mm)	TARA-54N8-L	■	■	■	JG4	4334	4484	4648
14	16		234"(5944mm)	TARA-54P4-L	■	■	■	JG4	4446	4600	4757
14	16		240"(6096mm)	TARA-54Q0-L	■	■	■	JG4	4557	4715	4865
14	16		246"(6248mm)	TARA-54Q6-L	■	■	■	JG4	4668	4828	4973
14	16		252"(6401mm)	TARA-54R2-L	■	■	■	JG4	4780	4944	5082
14	18		258"(6553mm)	TARA-54R8-L	■	■	■	JG4	4891	5060	5191
14	18		264"(6706mm)	TARA-54S4-L	■	■	■	JG4	5001	5174	5298
14	20		270"(6858mm)	TARA-54T0-L	■	■	■	JG4	5113	5290	5407
8	14	60"(1524mm)	186"(4724mm)	TARA-60J6-L	■	■	■	JG4	\$3939	\$4075	\$4229
8	14		192"(4877mm)	TARA-60K2-L	■	■	■	JG4	4063	4203	4348
8	14		198"(5029mm)	TARA-60K8-L	■	■	■	JG4	4186	4331	4467
14	14		204"(5182mm)	TARA-60L4-L	■	■	■	JG4	4310	4459	4586
14	14		210"(5334mm)	TARA-60M0-L	■	■	■	JG4	4434	4587	4705
14	14		216"(5486mm)	TARA-60M6-L	■	■	■	JG4	4557	4715	4823
14	16		222"(5639mm)	TARA-60N2-L	■	■	■	JG4	4680	4842	4942
14	16		228"(5791mm)	TARA-60N8-L	■	■	■	JG4	4804	4970	5061
14	16		234"(5944mm)	TARA-60P4-L	■	■	■	JG4	4928	5098	5180
14	16		240"(6096mm)	TARA-60Q0-L	■	■	■	JG4	5051	5226	5299
14	16		246"(6248mm)	TARA-60Q6-L	■	■	■	JG4	5174	5353	5417
14	16		252"(6401mm)	TARA-60R2-L	■	■	■	JG4	5298	5481	5536
14	18		258"(6553mm)	TARA-60R8-L	■	■	■	JG4	5422	5609	5655
14	18		264"(6706mm)	TARA-60S4-L	■	■	■	JG4	5545	5737	5774
14	20		270"(6858mm)	TARA-60T0-L	■	■	■	JG4	5669	5865	5893

*Recommended seating capacity based upon 27"(686mm) per chair.

Planes Conference Tables – Three-Piece Tops – Interior Leg – Laminate

Pebble – Laminate



TARP

Features

- Includes 1 3/16”(30mm) thick tops, interior leg bases and hardware.
- Standard table height is 29”(737mm).
- Laminate top with 3mm edgeband, cascade or knife edges.
- Table top seams are 1mm edgeband.
- Top available in standard or green core option.
- Interior legs are painted aluminum.
- Interior leg is 1 1/8”(29mm) x 3 1/4”(83mm).
- Optional cable bases are available :
 - 42”(1067mm) deep and deeper tables will ship with 14”(356mm) x 14”(356mm) cable bases.
 - Three piece tops will include two cable bases to be centered on seams.
 - Cable base and table top(s) are laminate and can be specified in different surface colors and edge trim colors.
 - Refer to Specification Guide for use guidelines.
- Optional Flip top unit electrical modules are separately specified. Refer to electrical components for appropriate product specification.
- Available with glides only; 1/2”(13mm) height adjustment.
- Ships unassembled.

Specification Tips

- Tables with multiple-piece tops have equal sized pieces.
- The following Planes products are separately specified:
 - Grommets (field cut opening)
 - Flip top unit electrical modules
 - Horizontal wire management
- Refer to Specification Guide for seating capacities with Cable Base Option and leg locations.

*Multiple piece tops with Cascade edge option will require an additional specification for the 1mm edgeband seam.

**Knife edge must be specified with green core.

To Order, Specify:

1) Product number, including:

1 Edge Option:

- ☐ J Edgeband
- ☐ V Cascade*
- ☐ F Knife**

2 Core Option:

- ☐ S Standard
- ☐ G Green, add \$300 list

3 Flip Top Unit Cutout(s):

- ☐ N None
- ☐ F Center – single-sided/4 outlets, add \$75 list
- ☐ V Left/Right – single-sided/4 outlets, add \$150 list
- ☐ J Center – single-sided/6 outlets, add \$75 list
- ☐ K Left/Right – single-sided/6 outlets, add \$150 list
- ☐ M Center – double-sided/8 outlets, add \$75 list
- ☐ P Left/Right – double-sided/8 outlets, add \$150 list
- ☐ Q Center – double-sided/12 outlets, add \$75 list
- ☐ T Left/Right – double-sided/12 outlets, add \$150 list

4 Cable Base Option:

- ☐ N None
- ☐ C Cable Bases(2), add \$1050 list

- 2) Laminate surface color.
- 3) 1mm edgeband trim color.
(Cascade edge/multiple-tops only)*
- 4) Edge trim color.
- 5) Base trim color.
- 6) Laminate surface – Cable Bases
- 7) Edge trim color – Cable Bases

Note: \$35 upcharge (list) for Metallic trim color.

Planes Conference Tables – Three-Piece Tops – Interior Leg – Laminate

Pebble – Laminate

No. of Legs	*Seating Capacity	Depth	Length	Number	①	②	③	④	(J) Edgeband Price	(V) Cascade Price	(F) Knife Price
8	14	42"(1067mm)	186"(4724mm)	TARP-42J6-L	■	■	■	JG4	\$2790	\$2887	\$3212
8	14		192"(4877mm)	TARP-42K2-L	■	■	■	JG4	2878	2977	3300
8	14		198"(5029mm)	TARP-42K8-L	■	■	■	JG4	2963	3066	3387
10	14		204"(5182mm)	TARP-42L4-L	■	■	■	JG4	3051	3156	3475
10	14		210"(5334mm)	TARP-42M0-L	■	■	■	JG4	3136	3244	3561
10	14		216"(5486mm)	TARP-42M6-L	■	■	■	JG4	3223	3334	3649
14	14		222"(5639mm)	TARP-42N2-L	■	■	■	JG4	3309	3423	3736
14	14		228"(5791mm)	TARP-42N8-L	■	■	■	JG4	3396	3513	3824
14	14		234"(5944mm)	TARP-42P4-L	■	■	■	JG4	3482	3602	3911
14	14		240"(6096mm)	TARP-42Q0-L	■	■	■	JG4	3569	3692	3998
14	14		246"(6248mm)	TARP-42Q6-L	■	■	■	JG4	3655	3781	4086
14	14		252"(6401mm)	TARP-42R2-L	■	■	■	JG4	3742	3871	4173
14	14		258"(6553mm)	TARP-42R8-L	■	■	■	JG4	3828	3960	4261
14	14		264"(6706mm)	TARP-42S4-L	■	■	■	JG4	3915	4050	4348
14	16		270"(6858mm)	TARP-42T0-L	■	■	■	JG4	4001	4140	4436
8	14	48"(1219mm)	186"(4724mm)	TARP-48J6-L	■	■	■	JG4	\$3173	\$3283	\$3551
8	14		192"(4877mm)	TARP-48K2-L	■	■	■	JG4	3272	3385	3649
8	14		198"(5029mm)	TARP-48K8-L	■	■	■	JG4	3372	3488	3747
8	14		204"(5182mm)	TARP-48L4-L	■	■	■	JG4	3469	3589	3844
8	14		210"(5334mm)	TARP-48M0-L	■	■	■	JG4	3569	3692	3942
8	14		216"(5486mm)	TARP-48M6-L	■	■	■	JG4	3668	3795	4041
14	14		222"(5639mm)	TARP-48N2-L	■	■	■	144	3766	3896	4138
14	14		228"(5791mm)	TARP-48N8-L	■	■	■	JG4	3866	3999	4236
14	14		234"(5944mm)	TARP-48P4-L	■	■	■	JG4	3964	4101	4334
14	14		240"(6096mm)	TARP-48Q0-L	■	■	■	JG4	4063	4203	4432
14	14		246"(6248mm)	TARP-48Q6-L	■	■	■	JG4	4162	4306	4530
14	14		252"(6401mm)	TARP-48R2-L	■	■	■	JG4	4260	4407	4627
14	14		258"(6553mm)	TARP-48R8-L	■	■	■	JG4	4359	4509	4725
14	14		264"(6706mm)	TARP-48S4-L	■	■	■	JG4	4459	4613	4824
14	16		270"(6858mm)	TARP-48T0-L	■	■	■	JG4	4557	4715	4921
8	14	54"(1372mm)	186"(4724mm)	TARP-54J6-L	■	■	■	JG4	\$3557	\$3679	\$3890
8	14		192"(4877mm)	TARP-54K2-L	■	■	■	JG4	3668	3795	3999
8	14		198"(5029mm)	TARP-54K8-L	■	■	■	JG4	3778	3908	4106
8	14		204"(5182mm)	TARP-54L4-L	■	■	■	JG4	3890	4024	4215
8	14		210"(5334mm)	TARP-54M0-L	■	■	■	JG4	4001	4140	4324
8	14		216"(5486mm)	TARP-54M6-L	■	■	■	JG4	4113	4254	4432
14	14		222"(5639mm)	TARP-54N2-L	■	■	■	JG4	4224	4369	4540
14	14		228"(5791mm)	TARP-54N8-L	■	■	■	JG4	4334	4484	4648
14	14		234"(5944mm)	TARP-54P4-L	■	■	■	JG4	4446	4600	4757
14	14		240"(6096mm)	TARP-54Q0-L	■	■	■	JG4	4557	4715	4865
14	14		246"(6248mm)	TARP-54Q6-L	■	■	■	JG4	4668	4828	4973
14	14		252"(6401mm)	TARP-54R2-L	■	■	■	JG4	4780	4944	5082
14	14		258"(6553mm)	TARP-54R8-L	■	■	■	JG4	4891	5060	5191
14	14		264"(6706mm)	TARP-54S4-L	■	■	■	JG4	5001	5174	5298
14	16		270"(6858mm)	TARP-54T0-L	■	■	■	JG4	5113	5290	5407
8	14	60"(1524mm)	186"(4724mm)	TARP-60J6-L	■	■	■	JG4	\$3939	\$4075	\$4229
8	14		192"(4877mm)	TARP-60K2-L	■	■	■	JG4	4063	4203	4348
8	14		198"(5029mm)	TARP-60K8-L	■	■	■	JG4	4186	4331	4467
8	14		204"(5182mm)	TARP-60L4-L	■	■	■	JG4	4310	4459	4586
8	14		210"(5334mm)	TARP-60M0-L	■	■	■	JG4	4434	4587	4705
8	14		216"(5486mm)	TARP-60M6-L	■	■	■	JG4	4557	4715	4823
14	14		222"(5639mm)	TARP-60N2-L	■	■	■	JG4	4680	4842	4942
14	14		228"(5791mm)	TARP-60N8-L	■	■	■	JG4	4804	4970	5061
14	14		234"(5944mm)	TARP-60P4-L	■	■	■	JG4	4928	5098	5180
14	14		240"(6096mm)	TARP-60Q0-L	■	■	■	JG4	5051	5226	5299
14	14		246"(6248mm)	TARP-60Q6-L	■	■	■	JG4	5174	5353	5417
14	14		252"(6401mm)	TARP-60R2-L	■	■	■	JG4	5298	5481	5536
14	14		258"(6553mm)	TARP-60R8-L	■	■	■	JG4	5422	5609	5655
14	14		264"(6706mm)	TARP-60S4-L	■	■	■	JG4	5545	5737	5774
14	16		270"(6858mm)	TARP-60T0-L	■	■	■	JG4	5669	5865	5893

*Recommended seating capacity based upon 27"(686mm) per chair.

Planes Conference Tables – Three-Piece Tops – Interior Leg – Laminate

Hexagon – Laminate



TARX

Features

- Includes 1 3/16”(30mm) thick top, interior leg bases and hardware.
- Standard table height is 29”(737mm).
- Laminate top with 3mm edgeband, cascade or knife edges.
- Table top seams are 1mm edgeband.
- Top available in standard or green core option.
- Interior legs are painted aluminum.
- Interior leg is 1 1/8”(29mm) x 3 1/4”(83mm).
- Optional cable bases are available :
 - 42”(1067mm) deep and deeper tables will ship with 14”(356mm) x 14”(356mm) cable bases.
 - Three piece tops will include two cable bases to be centered on seams.
 - Cable base and table top(s) are laminate and can be specified in different surface colors and edge trim colors.
 - Refer to Specification Guide for use guidelines.
- Optional Flip top unit electrical modules are separately specified. Refer to electrical components for appropriate product specification.
- Available with glides only; 1/2”(13mm) height adjustment.
- Ships unassembled.

Specification Tips

- Tables with multiple-piece tops have equal sized pieces.
- The following Planes products are separately specified:
 - Grommets (field cut opening)
 - Flip top unit electrical modules
 - Horizontal wire management
- Refer to Specification Guide for seating capacities with Cable Base Option and leg locations.

*Multiple piece tops with Cascade edge option will require an additional specification for the 1mm edgeband seam.

**Knife edge must be specified with green core.

To Order, Specify:

1) Product number, including:

1 Edge Option:

- ☐ J Edgeband
- ☐ V Cascade*
- ☐ F Knife**

2 Core Option:

- ☐ S Standard
- ☐ G Green, add \$300 list

3 Flip Top Unit Cutout(s):

- ☐ N None
- ☐ F Center – single-sided/4 outlets, add \$75 list
- ☐ V Left/Right – single-sided/4 outlets, add \$150 list
- ☐ J Center – single-sided/6 outlets, add \$75 list
- ☐ K Left/Right – single-sided/6 outlets, add \$150 list
- ☐ M Center – double-sided/8 outlets, add \$75 list
- ☐ P Left/Right – double-sided/8 outlets, add \$150 list
- ☐ Q Center – double-sided/12 outlets, add \$75 list
- ☐ T Left/Right – double-sided/12 outlets, add \$150 list

4 Cable Base Option:

- ☐ N None
- ☐ C Cable Bases(2), add \$1050 list

2) Laminate surface color.

3) 1mm edgeband trim color. (Cascade edge/multiple-tops only)*

4) Edge trim color.

5) Base trim color.

6) Laminate surface – Cable Bases

7) Edge trim color – Cable Bases

Note: \$35 upcharge (list) for Metallic trim color.

Planes Conference Tables – Three-Piece Tops – Interior Leg – Laminate

Hexagon – Laminate

No. of Legs	*Seating Capacity	Depth	Length	Number	①	②	③	④	(J) Edgeband Price	(V) Cascade Price	(F) Knife Price
8	14	42"(1067mm)	186"(4724mm)	TARX-42J6-L	■	■	■	JG4	\$2790	\$2887	\$3212
8	14		192"(4877mm)	TARX-42K2-L	■	■	■	JG4	2878	2977	3300
8	14		198"(5029mm)	TARX-42K8-L	■	■	■	JG4	2963	3066	3387
10	14		204"(5182mm)	TARX-42L4-L	■	■	■	JG4	3051	3156	3475
10	14		210"(5334mm)	TARX-42M0-L	■	■	■	JG4	3136	3244	3561
10	14		216"(5486mm)	TARX-42M6-L	■	■	■	JG4	3223	3334	3649
14	14		222"(5639mm)	TARX-42N2-L	■	■	■	JG4	3309	3423	3736
14	14		228"(5791mm)	TARX-42N8-L	■	■	■	JG4	3396	3513	3824
14	14		234"(5944mm)	TARX-42P4-L	■	■	■	JG4	3482	3602	3911
14	14		240"(6096mm)	TARX-42Q0-L	■	■	■	JG4	3569	3692	3998
14	14		246"(6248mm)	TARX-42Q6-L	■	■	■	JG4	3655	3781	4086
14	14		252"(6401mm)	TARX-42R2-L	■	■	■	JG4	3742	3871	4173
14	14		258"(6553mm)	TARX-42R8-L	■	■	■	JG4	3828	3960	4261
14	14		264"(6706mm)	TARX-42S4-L	■	■	■	JG4	3915	4050	4348
14	16		270"(6858mm)	TARX-42T0-L	■	■	■	JG4	4001	4140	4436
8	14	48"(1219mm)	186"(4724mm)	TARX-48J6-L	■	■	■	JG4	\$3173	\$3283	\$3551
8	14		192"(4877mm)	TARX-48K2-L	■	■	■	JG4	3272	3385	3649
8	14		198"(5029mm)	TARX-48K8-L	■	■	■	JG4	3372	3488	3747
8	14		204"(5182mm)	TARX-48L4-L	■	■	■	JG4	3469	3589	3844
8	14		210"(5334mm)	TARX-48M0-L	■	■	■	JG4	3569	3692	3942
8	14		216"(5486mm)	TARX-48M6-L	■	■	■	JG4	3668	3795	4041
14	14		222"(5639mm)	TARX-48N2-L	■	■	■	JG4	3766	3896	4138
14	14		228"(5791mm)	TARX-48N8-L	■	■	■	JG4	3866	3999	4236
14	14		234"(5944mm)	TARX-48P4-L	■	■	■	JG4	3964	4101	4334
14	14		240"(6096mm)	TARX-48Q0-L	■	■	■	JG4	4063	4203	4432
14	14		246"(6248mm)	TARX-48Q6-L	■	■	■	JG4	4162	4306	4530
14	14		252"(6401mm)	TARX-48R2-L	■	■	■	JG4	4260	4407	4627
14	14		258"(6553mm)	TARX-48R8-L	■	■	■	JG4	4359	4509	4725
14	14		264"(6706mm)	TARX-48S4-L	■	■	■	JG4	4459	4613	4824
14	16		270"(6858mm)	TARX-48T0-L	■	■	■	JG4	4557	4715	4921
8	14	54"(1372mm)	186"(4724mm)	TARX-54J6-L	■	■	■	JG4	\$3557	\$3679	\$3890
8	14		192"(4877mm)	TARX-54K2-L	■	■	■	JG4	3668	3795	3999
8	14		198"(5029mm)	TARX-54K8-L	■	■	■	JG4	3778	3908	4106
8	14		204"(5182mm)	TARX-54L4-L	■	■	■	JG4	3890	4024	4215
8	14		210"(5334mm)	TARX-54M0-L	■	■	■	JG4	4001	4140	4324
8	14		216"(5486mm)	TARX-54M6-L	■	■	■	JG4	4113	4254	4432
14	14		222"(5639mm)	TARX-54N2-L	■	■	■	JG4	4224	4369	4540
14	14		228"(5791mm)	TARX-54N8-L	■	■	■	JG4	4334	4484	4648
14	14		234"(5944mm)	TARX-54P4-L	■	■	■	JG4	4446	4600	4757
14	14		240"(6096mm)	TARX-54Q0-L	■	■	■	JG4	4557	4715	4865
14	14		246"(6248mm)	TARX-54Q6-L	■	■	■	JG4	4668	4828	4973
14	14		252"(6401mm)	TARX-54R2-L	■	■	■	JG4	4780	4944	5082
14	14		258"(6553mm)	TARX-54R8-L	■	■	■	JG4	4891	5060	5191
14	14		264"(6706mm)	TARX-54S4-L	■	■	■	JG4	5001	5174	5298
14	16		270"(6858mm)	TARX-54T0-L	■	■	■	JG4	5113	5290	5407
8	14	60"(1524mm)	186"(4724mm)	TARX-60J6-L	■	■	■	JG4	\$3939	\$4075	\$4229
8	14		192"(4877mm)	TARX-60K2-L	■	■	■	JG4	4063	4203	4348
8	14		198"(5029mm)	TARX-60K8-L	■	■	■	JG4	4186	4331	4467
8	14		204"(5182mm)	TARX-60L4-L	■	■	■	JG4	4310	4459	4586
8	14		210"(5334mm)	TARX-60M0-L	■	■	■	JG4	4434	4587	4705
8	14		216"(5486mm)	TARX-60M6-L	■	■	■	JG4	4557	4715	4823
14	14		222"(5639mm)	TARX-60N2-L	■	■	■	JG4	4680	4842	4942
14	14		228"(5791mm)	TARX-60N8-L	■	■	■	JG4	4804	4970	5061
14	14		234"(5944mm)	TARX-60P4-L	■	■	■	JG4	4928	5098	5180
14	14		240"(6096mm)	TARX-60Q0-L	■	■	■	JG4	5051	5226	5299
14	14		246"(6248mm)	TARX-60Q6-L	■	■	■	JG4	5174	5353	5417
14	14		252"(6401mm)	TARX-60R2-L	■	■	■	JG4	5298	5481	5536
14	14		258"(6553mm)	TARX-60R8-L	■	■	■	JG4	5422	5609	5655
14	14		264"(6706mm)	TARX-60S4-L	■	■	■	JG4	5545	5737	5774
14	16		270"(6858mm)	TARX-60T0-L	■	■	■	JG4	5669	5865	5893

*Recommended seating capacity based upon 27"(686mm) per chair.

HAWORTH®

For more information call 800.344.2600 or 616.393.3000.

Amsterdam	Guatemala City	New Delhi
Bangalore	Geneva	New York
Barcelona	Holland, MI	Paris
Beijing	Hong Kong	Pune
Bologna	Kuala Lumpur	Shanghai
Brussels	Lisbon	Singapore
Budapest	London	Stuttgart
Calgary	Los Angeles	Sydney
Chicago	Madrid	Tokyo
Dallas	Melbourne	Warsaw
Dubai	Milan	Washington DC
Frankfurt	Mexico City	Zurich
	Mumbai	

Haworth is a registered trademark of Haworth, Inc.
Printed in USA ©Haworth, Inc. 2008 04.08 Item #0021



Haworth Specification Guide and Price List covers are printed on 100% chlorine-free paper. Internal Specification and Price List pages are manufactured with 10% post-consumer fiber.

haworth.com | haworth-europe.com | haworth-asia.com