


Voice and Data

HAWORTH®

Haworth prices in this book will increase on August 30, 2008 by 4%



North America

Voice and Data Price List — April 2008

This Haworth North American price book contains US list prices.



Canadian customers can convert the US list price into their Canadian equivalent by going to www.Haworth.com/Canada to find the current Canadian multipliers. These multiplier factors allow you to convert the US list price into a Canadian list price.


Table of Contents

General Information	4-11	Accessories	
Standard Components		External Consolidation Point Enclosure —	
Equipment Rack	10	Pre-Terminated Zone	18
Universal Mounting Bracket	10	RACE® Termination Block and Mounting Hardware	18
Termination Block	11	Plenum Box	19
Ring Wire Manager	11	Plenum Box Accessories	19
Patch Panel	12	KM8 Jack RJ45 — Cat 6T	20
24-Port Plug n Play Patch Panel	12	K610 Jack — Cat 5eT	21
TrueNet® Patch Cord — Cat 5eT	13	K610 Jack — RJ11 USOC	21
TrueNet® Patch Cord — Cat 6T	13	Faceplates	22
Horizontal Cable — Cat 5e	14	Consolidation Point Label	23
Horizontal Cable — Cat 6T	14	Faceplate Accessories	23
Pre-Terminated Zone		ADC® Insertion Tool	24
Outlet Tap RJ45 568A	15	Locking Tool	24
Outlet Tap RJ45 568B	15	Locking Screws	24
Outlet Tap Un-Terminated	16	Terms of Sale	25-28
UMS Patch Panel	16	Index	29
Pre-Terminated External Consolidation Point for		ADC® and TrueNet® Warranty	Inside Back Cover
Enhanced PREMISE®, PLACES®, UniGroup®	17		
12-Port Zone Consolidation Box	17		


Haworth's customers expect flexibility. Voice and data cabling can either enhance business' desire to move, add, and change, or can make change difficult and cost-prohibitive. Whether that application involves a typical work station environment or an open floor meeting/auditorium space, we have a solution to keep a business in business.

Haworth's offering for Voice and Data solutions includes many familiar components that fall into the following five categories:


1 STANDARD COMPONENTS — 7' equipment racks, patch panels, and ring wire managers




DER-7-C



DMSU-1




DEPS




DRWM-1

2 STANDARD CABLING — Communication cabling (Cat 5e or Cat 6) that is routed through the ceiling or floor to a consolidation point (UMS Patch Panels, Ultim8, etc.)



CAT 5e


DCV-X-5
DCP-X-5




CAT 6

DCV-X-6
DCP-X-6


3 PRE-TERMINAED ZONE CONSOLIDATION POINTS — 12-port zone consolidation box, UMS patch panels, 24 and 48 port patch panels, and external consolidation point housings available. Each type of consolidation point device acts as a modular connection point for outlet taps.



DIEB




DPCB



PLENUM BOX WITH MINI PATCH PANELS

- 4 **OUTLET TAPS** — Comprised of an outlet jack on one end (RJ45) and a modular plug on the other. Plenum rated versions available in lengths of 25', 35', and 50'. PVC versions available in lengths of 7', 15', 25', 30', 35', and 50'



DPCA




DPCB




DPPU


- 5 **FACEPLATES AND PATCH CORDS** — Modular furniture and single gang faceplates are available along with TrueNet patch cords in lengths of 4', 7', 10', and 15'




DPC




3-Port Modular Faceplate



4-Port Flush Modular Faceplate



4-Port Angled Faceplate



6-Port Flush Mount Faceplate

The illustrations on the next few pages will help you become familiar with a few of the major applications of cabling infrastructure offered through Haworth.

Illustration A – Homerun application with cabling routed through the ceiling.

Illustration B – Homerun application when using a raised access floor.

Illustration C – Pre-Terminated zone furniture application.


Illustration D – Pre-Terminated zone application with raised access floor.

Illustration E – Zone cabling application in a plenum raised floor.

Illustration F, G, and H – Pre-Terminated zone applications in a plenum raised floor.

Home Run Furniture Feed Cabling Method - Ceiling


A



Link See pages 4 & 5 for number references.


Home Run Furniture Feed Cabling Method - Raised Floor

B




Pre-Terminated Zone Furniture Feed Cabling Method - Ceiling

C




Pre-Terminated Zone Structured Zone Cabling Method in Raised Access Floor

D




E

Zone Cabling Method in Raised Access Floor (Plenum)



F


Pre-Terminated Zone Structured Zone Cabling Method in Raised Access Floor (Plenum)



G

Pre-Terminated Zone Structured Zone Cabling Method in Raised Access Floor


Structured Zone Grid



H


Pre-Terminated Zone Structured Zone Cabling Method in Raised Access Floor (Plenum)

Structured Zone Grid



Standard Components

	Height	Width	Description	Number	Price
Equipment Rack	7'(2.13m)	19"(483mm)	Equipment rack, aluminum black	DER-7-C	\$196.58
			Equipment rack, clear finish	DER-7-F	196.58



DER-7-C
DER-7-F

Features

- Provides means to mount patch panels and wire management components.
- Grounded to avoid electrical shock.
- High-grade structure aluminum is used for durability.
- Black or clear finish to match closet aesthetics.
- Threaded steel inserts used for fast/secure installation.
- Electronic Industry Association (EIA) compliant.


To Order, Specify:

- 1) Product number.
(No finish specification required.)

Specification Tip

- Equipment rack mounts to the floor.

	Height	Width	Depth	Description	Number	Price
Universal Mounting Bracket	14.75"(375mm)	8.25"(210mm)	5.25"(133mm)	Universal Mounting Bracket	DMSU-1	\$25.28



DMSU-1

Features

- Includes bracket and push rivets.
- Provides modularity and flexibility.
- Provides mounting for ADC® Ultim8 block and UMS Patch Panel.

To Order, Specify:


- 1) Product number.
(No finish specification required.)

Specification Tips

- Holds up to 13 Ultim8 blocks and label holders.
- Mounts directly to a wall, an optional rack, or a wall-mount backboard.

Standard Components

	Height	Width	Depth	Description	Number	Price
Termination Block	0.875"(22mm)	4.875"(124mm)	1.625"(41mm)	8-Pair Ultim8 Block	DUB-8	\$103.68



DUB-8

Features

- Ultim8 Termination Block.
- ADC's highest performance termination block.
- Provides termination of 8-pairs (2 UTP cables).
- Each block has built in wire guides, and jumper rings.
- Use for closet, consolidation point termination, and plenum box.
- Termination Blocks come in a package of 10.
- Meets TIA/EIA Category 6 requirements.


To Order, Specify:

- 1) Product number.
(No finish specification required.)

Specification Tip

- Mounts on Universal Mounting Bracket or mounting rails in plenum box and consolidation point.

	Width	Length	Description	Number	Price
Ring Wire Manager	1.75"(44mm)	19"(483mm)	Ring Wire Manager	DRWM-1	\$37.63



DRWM-1

Features

- Utilizes five plastic wire management rings.
- Designed to maintain patch cord organization.

To Order, Specify:

- 1) Product number.
(No finish specification required.)


Specification Tips

- For installation between Patch Panels.
- Mounts on standard 19" EIA rack.

Standard Components

	Height	Width	Depth	Description	Number	Price
Patch Panel	1.25"(32mm)	19"(483mm)	1.5"(38mm)	Cat 5eT Patch Panel, 24-Port, Silk-screened	DEPS-24-5	\$149.13
	3.5"(89mm)			Cat 5eT Patch Panel, 48-Port, Silk-screened	DEPS-48-5	291.48
	1.25"(32mm)	19"(483mm)	1.5"(38mm)	Cat 6T Patch Panel, 24-Port, Silk-screened	DEPS-24-6	\$276.76
	3.5"(32mm)			Cat 6T Patch Panel, 48-Port, Silk-screened	DEPS-48-6	529.45

24-Port



48-Port

DEPS-5
DEPS-6

Features

- 24- and 48-Port High-Density Enhanced patch panels have silk-screened labels.
- 24-Port Patch intended for use with plenum box.
- Provides secure and reliable ADC termination.
- Meets TIA/EIA Category 5e or 6 requirements.


To Order, Specify:

- 1) Product number.
(No finish specification required.)

Specification Tips

- Patch panels mount on standard 19" EIA rack, wall-mount brackets.
- For installation between Ring Wire Managers.

24-Port Plug n Play Patch Panel



DPPG-24

	3.5"(89mm)	19"(483mm)	1.5"(38mm)	Patch Plus, 24-Port	DPPG-24	\$58.33
--	------------	------------	------------	---------------------	---------	----------------

Features

- Includes station, workstation, and panel identification labeling capabilities.
- Includes wire management on front and back.
- Compatible with K610 and KM8 jacks.
- Offers the most flexible and modular closet solution.
- Standard in black fascia.


To Order, Specify:

- 1) Product number.
(No finish specification required.)

Specification Tips

- Requires a separately specified jack.
- Patch panels mount on standard 19" EIA rack or wall-mount brackets.

Standard Components

	Length	Description	Color	Number	Price
 <p>DPC-5</p>	4'(1.22m)	RJ45, TrueNet Patch Cord — Cat 5eT	Blue	DPC-4-5U	\$ 8.87
			White	DPC-4-5W	8.87
	7'(2.13m)	RJ45, TrueNet Patch Cord — Cat 5eT	Blue	DPC-7-5U	\$ 9.94
			White	DPC-7-5W	9.94
	10'(3.05m)	RJ45, TrueNet Patch Cord — Cat 5eT	Blue	DPC-10-5U	\$11.01
			White	DPC-10-5W	11.01
	15'(4.57m)	RJ45, TrueNet Patch Cord — Cat 5eT	Blue	DPC-15-5U	\$12.79
			White	DPC-15-5W	12.79

Features


- TrueNet Patch Cords with injection molded strain relief use C5eT cable.
- Cat 5e performance.

To Order, Specify:

- 1) Product number.
(No finish specification required.)

Specification Tip

- Connects to K610 or KM8 jacks in the closet and/or workstation.

	Length	Description	Color	Number	Price
 <p>DXT-6</p>	4'(1.22m)	RJ45, TrueNet Patch Cord — Cat 6T	Blue	DXT-4-6U	\$11.08
			White	DXT-4-6W	11.08
	7'(2.13m)	RJ45, TrueNet Patch Cord — Cat 6T	Blue	DXT-7-6U	\$13.58
			White	DXT-7-6W	13.58
	10'(3.05m)	RJ45, TrueNet Patch Cord — Cat 6T	Blue	DXT-10-6U	\$16.08
			White	DXT-10-6W	16.08
	15'(4.57m)	RJ45, TrueNet Patch Cord — Cat 6T	Blue	DXT-15-6U	\$20.24
			White	DXT-15-6W	20.24

Features

- TrueNet Patch Cords with molded strain relief boots use C6T cable.
- Cat 6 performance.


To Order, Specify:

- 1) Product number.
(No finish specification required.)

Specification Tip

- Connects to K610 or KM8 jacks in the closet and/or workstation.

Standard Components

	Length	Description	Color	Number	Price
Horizontal Cable — Cat 5e  DCV-5 DCP-5	1000'(305m)	C5e PVC Cable	Blue	DCV-E-5U	\$ 87.59
			White	DCV-E-5W	87.59
	1000'(305m)	C5e Plenum Cable	Blue	DCP-E-5U	237.76
			White	DCP-E-5W	237.76
	1000'(305m)	C5eT PVC Cable	Blue	DCV-T-5U	\$143.92
			White	DCV-T-5W	143.92
1000'(305m)	C5eT Plenum Cable	Blue	DCP-T-5U	\$312.86	
		White	DCP-T-5W	312.86	

NOTE:
Plenum Cable Insulation is 100% FEP.

Features


- 4-pair horizontal Category 5e airĒS® cable.
- Meets TIA/EIA Cat 5e horizontal cable requirements.
- Conductors are 24 AWG solid bare copper.
- Jacket is flame retardant PVC.

To Order, Specify:

- 1) Product number.
(No finish specification required.)

Specification Tip

- To create a TrueNet end-to-end solution specify C5eT components.

Horizontal Cable — Cat 6T  DCV-6 DCP-6	1000'(305m)	C6T PVC Cable	Blue	DCV-T-6U	\$187.72
			White	DCV-T-6W	187.72
	1000'(305m)	C6T Plenum Cable	Blue	DCP-T-6U	\$521.43
			White	DCP-T-6W	521.43

NOTE:
Plenum Cable Insulation is 100% FEP.

Features

- 4-pair horizontal Category 6 airĒS cable.
- Meets TIA/EIA Category 6 horizontal cable requirements.
- Conductors are 23 AWG solid bare copper.
- Jacket is flame retardant PVC.


To Order, Specify:

- 1) Product number.
(No finish specification required.)

Specification Tip

- To create a TrueNet end-to-end solution specify C6T components.

Pre-Terminated Zone

	Length	Description	Cat 5eT Number	Cat 5eT Price	Cat 6T Number	Cat 6T Price
 DPCA	7'(2.13m)	Outlet Tap RJ45A PVC	DPCA-7-5	\$16.43	DPCA-7-6	\$22.74
	15'(4.57m)		DPCA-15-5	18.66	DPCA-15-6	25.20
	25'(7.62m)		DPCA-25-5	21.39	DPCA-25-6	31.67
	30'(9.14m)		DPCA-30-5	22.76	DPCA-30-6	33.10
	35'(10.67m)		DPCA-35-5	24.83	DPCA-35-6	35.95
	50'(15.24m)		DPCA-50-5	29.96	DPCA-50-6	42.78
	25'(7.62m)	Outlet Tap RJ45A Plenum	DPPA-25-5	\$25.17	DPPA-25-6	\$33.37
	35'(10.67m)		DPPA-35-5	29.30	DPPA-35-6	37.70
	50'(15.24m)		DPPA-50-5	35.48	DPPA-50-6	47.33

Features

- Includes an RJ45 plug on one end, solid conductor cable, and an RJ45 jack on the other end.
- Available with PVC or Plenum Jacket (Plenum versions limited to 25', 35' & 50' lengths).
- TIA/EIA-568-A Wiring.
- Available in Cat 5eT or 6T.
- Installs without tools.

Specification Tips

- Inserts into a consolidation point patch panel to provide a communication outlet.
- Specify faceplates separately for use with Outlet Tap.

To Order, Specify


- 1) Product Number.
-Specify color as last digit in product number.

U = Blue	W = White	X = Yellow
D = Red	N = Green	Y = Gray
F = Black	E = Purple	V = Ivory
O = Orange		

Examples:

DPCA-7-5**U** = Cat 5eT
7' Blue Outlet Tap RJ45 568A

DPCA-7-6**U** = Cat 6T
7' Blue Outlet Tap RJ45 568A

	Length	Description	DPCB-7-5	DPCB-7-6	\$22.74
 DPCB	7'(2.13m)	Outlet Tap RJ45B PVC	DPCB-7-5	DPCB-7-6	\$22.74
	15'(4.57m)		DPCB-15-5	DPCB-15-6	25.20
	25'(7.62m)		DPCB-25-5	DPCB-25-6	31.67
	30'(9.14m)		DPCB-30-5	DPCB-30-6	33.10
	35'(10.67m)		DPCB-35-5	DPCB-35-6	35.95
	50'(15.24m)		DPCB-50-5	DPCB-50-6	42.78
	25'(7.62m)	Outlet Tap RJ45B Plenum	DPPB-25-5	DPPB-25-6	\$33.37
	35'(10.67m)		DPPB-35-5	DPPB-35-6	37.70
	50'(15.24m)		DPPB-50-5	DPPB-50-6	47.33

Features

- Includes an RJ45 plug on one end, solid conductor cable, and an RJ45 jack on the other end.
- Available with PVC or Plenum Jacket (Plenum versions limited to 25', 35' & 50' lengths).
- TIA/EIA-568-B Wiring.
- Available in Cat 5eT or 6T.
- Installs without tools.

Specification Tips

- Inserts into a consolidation point patch panel to provide a communication outlet.
- Specify faceplates separately for use with Outlet Tap.

To Order, Specify

- 1) Product Number.
-Specify color as last digit in product number.


U = Blue	W = White	X = Yellow
D = Red	N = Green	Y = Gray
F = Black	E = Purple	V = Ivory
O = Orange		

Examples:

DPCB-7-5**U** = Cat 5eT
7' Blue Outlet Tap RJ45 568B

DPCB-7-6**U** = Cat 6T
7' Blue Outlet Tap RJ45 568B

Pre-Terminated Zone

	Length	Description	Number	Price
 <p>DPPU</p>	25'(7.62m)	Outlet Tap Un-Terminated Cat 6 PVC	DPPU-25-V	\$28.51
	35'(10.67m)		DPPU-35-V	34.93
	50'(15.24m)		DPPU-50-V	44.52
	25'(7.62m)	Outlet Tap Un-Terminated Cat 6 Plenum	DPPU-25-P	\$28.51
	35'(10.67m)		DPPU-35-P	34.93
	50'(15.24m)		DPPU-50-P	44.52

Features

- Includes an RJ45 plug on one end, solid conductor cable, and an Un-Terminated end for field termination on the other end.
- Category 6 only.
- Available with PVC or Plenum Rated Jacket.


To Order, Specify

- 1) Product Number.
(No finish specification required.)

Specification Tips

- Inserts into a consolidation point patch panel to provide a communication outlet.
- Specify communication jacks and faceplates separately for use with Outlet Tap.

UMS Patch Panel



DIPP-6-5
DIPP-6-6

	Height	Width	Depth	Description	Number	Price
	1.687"(43mm)	4.75"(121mm)	2.0625"(52mm)	6-Port UMS Patch Panel Cat 5e	DIPP-6-5	\$41.73
	1.687"(43mm)	4.75"(121mm)	2.0625"(52mm)	6-Port UMS Patch Panel Cat 6	DIPP-6-6	58.07

Features

- TIA/EIA 568A or 568B Compatibility Wiring.
- Includes one patch board on one base.
- For use in External consolidation point enclosures or plenum box.

To Order, Specify


- 1) Product Number.
(No finish specification required.)

Specifications Tips

- Mounts on rails of External consolidation point with center aligned rails.
- Mounts on plenum box mounting rails.

Pre-Terminated Zone

	Height	Width	Depth	Description	Number	Price
Pre-Terminated External Consolidation Point for Enhanced PREMISE, PLACES, UniGroup	18.75"(476mm)	12.50"(317mm)	5.25"(133mm)	12-Circuit External Consolidation Point with Patch Panel Cat 5e	DIEB-12-5	\$143.85
				18-Circuit External Consolidation Point with Patch Panel Cat 5e	DIEB-18-5	185.69
				24-Circuit External Consolidation Point with Patch Panel Cat 5e	DIEB-24-5	226.80
	18.75"(476mm)	12.50"(317mm)	5.25"(133mm)	12-Circuit External Consolidation Point with Patch Panel Cat 6	DIEB-12-6	\$175.35
				18-Circuit External Consolidation Point with Patch Panel Cat 6	DIEB-18-6	234.68
				24-Circuit External Consolidation Point with Patch Panel Cat 6	DIEB-24-6	291.90



DIEB-5
DIEB-6

Features

- Includes a metal enclosure with removable cover; one-piece plastic skirt, UMS 6-port patch panels with mounting hardware, and mounting brackets for Enhanced PREMISE, PLACES, and UniGroup.
- Provides an external mounted connection point with plug-n-play cabling.
- 12, 18, or 24 communication circuit capacity.
- Each UMS Patch Panel provides 6 circuits.
- Available in Charcoal trim color only.


To Order, Specify

- 1) Product Number.
(No finish specification required.)

Specification Tips

- Locking Tool and Locking Screws are available for use with enclosure cover.
- For use with either Cat 5eT or Cat 6T applications.

12-Port Zone Consolidation Box	1.50"(57mm)	6.75"(171mm)	4.33"(110mm)	12-Port Surface Box	DPCB-12	\$11.12
---------------------------------------	-------------	--------------	--------------	---------------------	---------	----------------



DPCB-12

Features

- Can be configured for 6 or 12 ports.
- 6-port cable guides for cable management.
- Discreet port labeling.
- Flush face for clean look and protection of connectors.
- Constructed of durable ABS plastic rated UL 94 VO.
- UL 1863 listed for safety.
- Available in white only.
- Does not include jacks.

To Order, Specify

- 1) Product Number.
(No finish specification required.)

Specification Tip

- Jacks must be specified separately.

Accessories

	Description	Color	Number	Price
External Consolidation Point Enclosure — Pre-Terminated Zone 	External Consolidation Point Enclosure	Charcoal	DIEB-B-K	\$60.90

DIEB-B-K

Features

- Includes a metal enclosure with removable cover, termination block mounting rails, one-piece plastic skirt, label and mounting brackets for Enhanced PREMISE, PLACES, and UniGroup.
- Available in Charcoal trim color only.


To Order, Specify:

- 1) Product number.
(No finish specification required.)

Specification Tips

- Specify separate UMS Patch Panel and Outlet Tap for Pre-Terminated applications.
- Locking Tool and Locking Screws are available for use with enclosure cover.

RACE Termination Block and Mounting Hardware



DHR-K

RACE hardware kit	DHR-K	\$35.24
-------------------	-------	----------------

Feature

- Includes metal mounting brackets, plastic mounting bars, and fasteners.

To Order, Specify:


- 1) Product number.
(No finish specification required.)

Specification Tips


- Specify separately the Ultim8 Termination Block.
- Mounts inside a RACE Floor Power and Communications Cover.

Accessories

	Height	Width	Depth	Description	Number	Price
Plenum Box	6"(152mm)	21"(533mm)	21"(533mm)	Plenum Rated Box with no cover	DPCB-R-N	\$240.45
				Plenum Rated Box with cover	DPCB-R-C	312.90



DPCB-R-N



DPCB-R-C

Features

- Solid Steel construction.
- Plenum rated and U.L. Listed.
- Allows for mounting of Ultim8 blocks, UMS Patch Panels, and 24-Port (1U) Patch Panels.
- Available with or without cover.
- Allows for lay-in cabling.
- Attachment Hardware for Box only included.
- Plenum rated filler foam for cable openings included and available separately as DPHK-F.


To Order, Specify

- 1) Product Number.
(No finish specification required.)


Note: Not for use in low profile raised floors (i.e. Nexus™).

Specification Tips

- Order mounting brackets for internal components separately.
- Mounts in standard 24" x 24" raised floor panel openings.
- Requires at least 6" (152mm) of clear height below raised floor tiles.

Plenum Box Accessories	Width	Length	Description	Number	Price
		21"(533mm)	Mounting Rods for Ultim8 & UMS Blocks (pkg of 2)	DPHK-R	\$48.30
			19" Patch Panel Mounting Brackets (pkg of 4)	DPHK-P	15.75
	1"(25mm)	6"(152mm)	Fire Rated Foam (package of 32 pieces)	DPHK-F	13.65

DPHK-R shown with separately ordered UMS Patch Panels above and Ultim8 Blocks below.



DPHK-P

Features

- Allows for mounting of separately ordered components.
- Attachment hardware included.
- DPHK-P allows for attachment of 24-Port (1U) Patch Panels.
- DPHK-F provides fire rated foam for cable openings on Plenum Box.


To Order, Specify

- 1) Product Number.
(No finish specification required.)

Specification Tip

- Order UMS Blocks and Patch Panels separately.

Accessories

	Description	Color	Number	Price
KM8 Jack RJ45 — Cat 6T  DJ-KM8-6 (Tool-less)	KM8 RJ45 UTP Cable Managed Jack	Gray	DJ-KM8-6Y	\$9.94
		Ivory	DJ-KM8-6V	9.94
		White	DJ-KM8-6W	9.94
		Black	DJ-KM8-6C	9.94
		Blue	DJ-KM8-6U	9.94
		Red	DJ-KM8-6D	9.94
		Orange	DJ-KM8-6O	9.94
		Purple	DJ-KM8-6E	9.94
		Green	DJ-KM8-6N	9.94
		Yellow	DJ-KM8-6X	9.94

Features


- Cable manager ensures performance.
- Ease of installation due to simultaneous termination.
- Provides for reliable and repeatable field termination.
- Meets TIA/EIA Cat 6 requirements.
- Highest contact reliability at all times.

To Order, Specify:

- 1) Product number.
(No finish specification required.)

Specification Tip

- Connects to Un-Terminated Outlet Tap Assembly.

	Description	Color	Number	Price
KM8 Jack RJ45 — Cat 6T  DJ-K8-6 (In-line)	KM8 RJ45 UTP In-Line Jack	Gray	DJ-K8-6Y	\$9.94
		Ivory	DJ-K8-6V	9.94
		White	DJ-K8-6W	9.94
		Black	DJ-K8-6C	9.94
		Blue	DJ-K8-6U	9.94
		Red	DJ-K8-6D	9.94
		Orange	DJ-K8-6O	9.94
		Purple	DJ-K8-6E	9.94
		Green	DJ-K8-6N	9.94
		Yellow	DJ-K8-6X	9.94

Features

- In-line style jack.
- Meets TIA/EIA Cat 6 requirements.
- Highest contact reliability at all times.


To Order, Specify:

- 1) Product number.
(No finish specification required.)

Specification Tip

- Connects to Un-Terminated Outlet Tap Assembly.

Accessories

	Description	Color	Number	Price
 <p>DJ-600-5</p>	K610 Jack — Cat 5eT C5eT K610 Jack, 568A/B	Gray	DJ-600-5Y	\$5.64
		Ivory	DJ-600-5V	5.64
		White	DJ-600-5W	5.64
		Black	DJ-600-5C	5.64
		Blue	DJ-600-5U	5.64
		Red	DJ-600-5D	5.64
		Orange	DJ-600-5O	5.64
		Purple	DJ-600-5E	5.64
		Green	DJ-600-5N	5.64
		Yellow	DJ-600-5X	5.64

Features


- Provides for field termination to either T568A or T568B wiring.
- Meets TIA/EIA Cat 5e requirements.
- Traditional right angle.

To Order, Specify:

- 1) Product number.
(No finish specification required.)

Specification Tip

- Connects to Cat 5eT Un-Terminated Outlet Tap Assembly, horizontal cabling, or Un-Terminated Patch Panel Harness.

	Description	Color	Number	Price
 <p>DJM-600-M</p>	K610 Jack — RJ11 USOC K610 Modular Jack, Right Angle	Gray	DJM-600-MY	\$5.17
		Ivory	DJM-600-MV	5.17
		White	DJM-600-MW	5.17
		Black	DJM-600-MC	5.17
		Blue	DJM-600-MU	5.17
		Red	DJM-600-MD	5.17
		Orange	DJM-600-MO	5.17
		Purple	DJM-600-ME	5.17
		Green	DJM-600-MN	5.17
		Yellow	DJM-600-MX	5.17

Features

- Typically used for voice applications.
- Can be used with any horizontal cabling.





To Order, Specify:

- 1) Product number.
(No finish specification required.)

Specification Tip

- Connects to Un-Terminated Outlet Tap Assembly.

Accessories

	Height	Width	Depth	Description	Color	Number	Price
Faceplates  DFF-3	1.61"(41mm)	3.125"(79mm)	0.375"(10mm)	3-Port Modular Furniture Faceplate	White	DFF-3-W	\$2.79
					Ivory	DFF-3-V	2.79
					Gray	DFF-3-Y	2.79
					Black	DFF-3-C	2.79
 DMF-4	4.5"(114mm)	2.75"(70mm)	0.25"(6mm)	4-Port Flush Mount Faceplate	White	DMF-4-W	\$2.34
					Ivory	DMF-4-V	2.34
					Gray	DMF-4-Y	2.34
					Black	DMF-4-C	2.34
 DAF-4	4.5"(114mm)	2.75"(70mm)	0.25"(6mm)	4-Port Angled Faceplate	White	DAF-4-W	\$2.84
					Ivory	DAF-4-V	2.84
					Gray	DAF-4-Y	2.84
					Black	DAF-4-C	2.84
 DMF-6	4.5"(114mm)	2.75"(70mm)	0.25"(6mm)	6-Port Flush Mount Faceplate	White	DMF-6-W	\$2.34
					Ivory	DMF-6-V	2.34
					Gray	DMF-6-Y	2.34
					Black	DMF-6-C	2.34

Features


- 3-port faceplates include six reversible icon and ID tabs.
- 4- and 6-port faceplates include paper labels, mounting screws, clear plastic label protectors, and six reversible icon and ID tabs.
- Used as a mounting plate to attach outlets onto furniture.
- TIA/EIA compliant.

To Order, Specify:

- 1) Product number.
(No finish specification required.)

Accessories

	Height	Width	Description	Number	Price
Consolidation Point Label	4.25"(108mm)	8.625"(219mm)	18-Circuit Consolidation Point Label, Adhesive	DHLA-3	\$1.53
	4.25"(108mm)	12.5"(317mm)	24-Circuit Consolidation Point Label, Adhesive	DHLA-4	1.84



DHLA


Features

- Provides labeling for easy circuit identification.
- 18-circuit label used on the interior of an internal, external, or RACE consolidation point enclosure.
- 24-circuit label used on the interior of an external consolidation point enclosure.
- Self-adhesive label.



To Order, Specify:

- 1) Product number.
(No finish specification required.)

Faceplate Accessories



DMI-B



DID-6

Description	Quantity	Color	Number	Price
Blank Modular Insert	25	White	DMI-B-W	\$8.86
		Ivory	DMI-B-V	8.86
		Gray	DMI-B-Y	8.86
		Black	DMI-B-C	8.86
ID Tags with Icons #1-6	6	White	DID-6-W	\$1.67
		Ivory	DID-6-V	1.67
		Gray	DID-6-Y	1.67
		Black	DID-6-C	1.67

Feature

- ID tags show voice and data icons on opposite sides.




To Order, Specify:

- 1) Product number.
(No finish specification required.)

Specification Tip

- Blank inserts can be used to fill unused openings in faceplates.

Accessories — Test Adapters & Miscellaneous

	Description	Number	Price
 <p>DT-1</p>	<p>ADC Insertion Tool</p> <p>ADC Insertion Tool</p> <p>Feature</p> <ul style="list-style-type: none"> • ADC insertion tool is used to terminate cables to connecting hardware. Connecting hardware includes: Ultim8, K600, and Patch Panels. 	<p>DT-1</p> <p>To Order, Specify:</p> <ol style="list-style-type: none"> 1) Product number. (No finish specification required.) 	<p>\$73.93</p>
 <p>DLT-1</p>	<p>Locking Tool</p> <p>Locking Tool</p> <p>Feature</p> <ul style="list-style-type: none"> • Used with Locking Screws to secure Consolidation Point enclosures. 	<p>DLT-1</p> <p>To Order, Specify:</p> <ol style="list-style-type: none"> 1) Product number. (No finish specification required.) 	<p>\$37.53</p>
 <p>DLTS-25</p>	<p>Locking Screws</p> <p>Locking Screws</p> <p>Features</p> <ul style="list-style-type: none"> • Locking screws come in a package of 25. • Dimensions: 8-32 x 3/8" tamper proof pin with socket button head. 	<p>DLTS-25</p> <p>To Order, Specify:</p> <ol style="list-style-type: none"> 1) Product number. (No finish specification required.) 	<p>\$20.82</p>

North American Terms of Sale

These Terms of Sale are part of a quotation, bid response, or other sales document issued by Haworth, Inc., Haworth, Ltd. ("Haworth").

These Terms of Sale do not cover products manufactured in North America shipping to non-North American countries nor do they cover products manufactured in non-North American countries shipping to North America. For those terms of sale, please contact Haworth's Global Trade and Compliance Department at 616.393.3000 or through Haworth.com.

A. Ordering Information

Haworth sells its products on the terms set forth in these standard Terms of Sale:

ORDERS MUST BE SUBMITTED IN WRITING OR ELECTRONICALLY (OrderLine) AS REPRESENTED BY A VALID PURCHASE ORDER, WHICH INCLUDES PRODUCT TOTAL.

An order is not binding upon Haworth until Haworth issues an order acknowledgment to the customer (the "Customer"), which will include price information and an anticipated shipping date.

1. Order Changes/Cancellations

For Specials, Customer's Own Material (C.O.M.), finish matches, custom colors, custom products and RUSH orders, no changes or cancellations are allowed. All other products require approval for changes or cancellations. A change/cancellation fee will apply. Contact Order Services for applicable charges.

Ship-to addresses changed within five (5) business days of shipment will incur fees to cover administrative costs due to re-labeling of product and/or reconsignment fees with the carrier.

Order cancellations are complete annulments of orders. Order changes are the deletion of line items or a change in size, color, quantity, ship-to address, or scope of work. There is no penalty for additions; however, any change may cause the order or the line items affected to be rescheduled. Order changes involving additional product and services which increase the value must be accompanied by an amended Purchase Order or other document as agreed.

ALL CHANGES MUST BE IN WRITING, REGARDLESS OF THE (DOLLAR) VALUE. CHANGES ARE NOT BINDING UPON HAWORTH UNTIL HAWORTH ISSUES AN ACKNOWLEDGMENT OF THE CHANGE.

2. C.O.M. (Customer's Own Material)

A Customer who requests a fabric, surface or finish material (C.O.M.) not in Haworth's standard finish offering must first confirm approval of or request new approval for the C.O.M.

Haworth will determine feasibility of the material for manufacturability. For a description of the procedure to submit C.O.M. samples, contact Haworth's Order Services department. For testing information, see the C.O.M. section of the catalog, or call Haworth Order Services.

If Haworth agrees to use the C.O.M., (1) Haworth shall have no responsibility for the condition, quality, value, performance, physical properties, or any other aspect of the C.O.M.; and (2) Haworth shall have no liability for any damages, injuries, or losses to the Customer or to any third party that shall be caused by any C.O.M., and the Customer shall hold Haworth harmless for all such liability.

3. Valid/Complete Purchase Order

The following information is required in order to process an order with Haworth:

a. Customer Information

- i. **Sold To:** Legal name, complete address (if Haworth is to bill the end user, provide end user Purchase Order made out to Haworth, Inc., Haworth, Ltd. and phone and fax number.
- ii. **Ship To:** Legal name and address.
- iii. **Purchase Order Number:** From the party Haworth will be billing.
- iv. **Authorized Signature:** All Purchase Orders must be signed by a duly authorized representative if a signature line is present. Electronically transmitted Purchase Orders will be accepted without a signature if dealer billed and the dealer has an electronic purchase payment agreement on file.
- v. **Contact Name and Phone Number:** Person Haworth should contact with any questions regarding the order.
- vi. **Shipping Contact:** Name and phone number of person to be contacted regarding shipping and delivery matters.
- vii. **Tagging Instructions:** This information will appear on all documentation received from Haworth including: cartons, acknowledgments, and invoices. Normally 1 tag is allowed per \$8,000.
- viii. **Price Agreement or National Sales Agreement Number**
- ix. **Product Total:** Net dollars.
- x. **Installation, Design, Project Management, and/or Service Fees**

b. Product Information

- i. **Quantity**
- ii. **Product Numbers**
- iii. **Colors**
- iv. **Specials:** Specify Inquiry and line number for new special products.

- v. **Customer's Own Material:** Order entry code, manufacturer, pattern, color, and who is ordering the C.O.M. fabric (Haworth, dealer or the Customer).
- vi. **Approval Drawings:** An authorized signature by a duly authorized representative is required for shop drawings when applicable.
- vii. A deposit may be required for custom materials.

c. Order Confirmation

All orders will be acknowledged.

B. Pricing Policies

1. Terms of Payment

Terms of payment and credit limits will be established based on financial information. Standard payment terms on open credit are net thirty (30) days from invoice date. Advance payments or other payment security may be required by Haworth. The account balance must be at or below the credit limit and current at all times (no past-due balances). Haworth reserves the right to delay or cancel any shipment to a Customer whose Haworth account balance is over the credit limit and/or past due. For walls and floors a deposit will be required.

2. Terms of Credit

Customer hereby authorizes Haworth to obtain such credit reports, financial information or other information as Haworth may request, including, without limitation, credit information from any financial institutions or others having a business relationship with the Customer. Customer hereby authorizes any credit references to answer Haworth's inquiries and provide such credit information and documentation as Haworth may request.

The Customer hereby releases and holds Haworth harmless for any inconvenience whatsoever, caused by any temporary or permanent withdrawal or restriction of credit privileges hereunder, or the enforcement of any of the provisions contained in this paragraph.

3. Past-Due Charges

Past-due balances will be increased by a maximum of 1.5% per month, or 18% annually, without forfeit of Haworth's right to immediate payment.

4. Applicable Prices

Prices and discounts are subject to change without notice or approval. In the event of an adjustment to pricing, National Sales Agreement (NSA) Customers will be notified in advance according to the terms of the NSA.

Applicable prices are those in effect at the time of the RECEIPT of an order; Haworth reserves the right to use the published pricing effective at the time of shipment, if the requested shipping date is more than 120 days after the order receipt date.

North American Terms of Sale

The price of any product sold to Customer by Haworth will be based upon the price for the products as follows:

Destination	Price List ("Catalog")
U.S.A.	U.S.A.
Canada	Canadian
Mexico	U.S.A.

5. Taxes

a. U.S.A.: Haworth prices do not include any sales, use or similar taxes. The Customer is responsible to remit directly to Haworth all such taxes when invoiced.

b. Canada: Prices listed in the Canadian catalogs include applicable customs duty. Prices do not include the Federal Goods and Services Tax or any provincial or other sales taxes. Any federal, provincial or other taxes or assessments based upon the sale or shipment of products or services sold applicable to the Customer at present or later imposed by federal, provincial or municipal agencies, shall be added and paid by the Customer.

c. Mexico: Prices listed in the U.S.A. catalogs do not include customs duty, value added or any other tax with respect to the sale, use, ownership, or value of any product or service provided by Haworth. Customer is responsible for all such taxes.

NOTE: For all countries a valid sales tax exemption certificate must be approved by and on file with Haworth prior to product shipment. Otherwise, sales tax will be due and payable to Haworth when such tax is invoiced to Customer.

6. Services

If, as a result of Customer request, the Haworth dealer or Haworth subsidiary provides planning/design services, storage, project management, special handling, set-up, installation and/or other services, the Customer will be charged at the local Haworth dealer/subsidiary's prevailing rates.

7. Termination by Haworth

Haworth may immediately terminate an order upon written notice in the event bankruptcy or insolvency proceedings are instituted by or against the Customer, or the Customer is adjudicated as bankrupt, becomes insolvent, makes an assignment for the benefit of creditors, or proposes or makes any arrangements for the liquidation of its debts, or a receiver or receiver and manager is appointed with respect to all or any part of the assets of the Customer.

C. Shipping and Delivery

Haworth will have the right to determine the method of shipment and routing of product.

This section does not apply to Haworth's TecCrete or TecFlor products. TecCrete and TecFlor are sold freight collect.

If, for any reason, a delivery has to be made to an intermediate location (i.e. a location other than the "Ship To" location noted on the order or ultimate end user location), all handling and re-delivery costs incurred would be at the Customer's expense.

1. U.S.A. - Contiguous

All deliveries will be F.O.B. (U.C.C./2-319) Haworth's manufacturing facilities or distribution centers. Freight charges will be prepaid by Haworth on all orders to locations within the continental United States. Customer bears all risk of loss or damage to the goods when they are placed on Haworth's means of transport.

2. U.S.A. - Non-contiguous (Alaska, Hawaii and Puerto Rico)

All deliveries will be CIF (U.C.C./2-320) (Cost of Goods, Insurance and Freight). Haworth's catalog prices include ocean freight and insurance to the port of the final destination. Haworth has the right to determine the carrier, method of shipment and routing. Haworth will contract with the insurer and provide minimal insurance coverage (CIF @ 110%) made payable to the Customer. Customer is responsible to obtain greater insurance if so desired.

Customer bears all risk of loss or damage to the goods when the goods are effectively at the disposal of the Customer on board the vessel at the named port of destination. Proof of delivery is a clean on board bill of lading. Customer will be responsible for all on-carriage from the receiving port to the final destination.

3. Canada

All deliveries will be F.O.B. Destination (U.C.C./2-319). Haworth's catalog prices include delivery to Customer's named place, not unloaded from any arriving means of transport. Customer bears all risk of loss or damage to the goods when they are delivered to the Customer's named facility not unloaded. Haworth will assume responsibility to file all freight claims with the carrier for any loss/damage which may occur while product is in transit, and will promptly repair or replace any damaged or lost product. Haworth requires the Customer to report all freight damage and/or loss to both the carrier and to Haworth.

NOTE: Under all shipping terms (U.S.A. and Canada), any additional expense resulting from Customer's request for expedited transportation, special services, packaging, handling, routing, and/or shipping method will be billed to Customer.

4. Mexico

All deliveries will be DAF (Delivered at Frontier) (ICC Incoterms 2000). Haworth's catalog prices include freight charges for normal surface transportation to a United States point of exportation within the 48 contiguous states. Haworth has the right to determine the carrier, method of shipment and routing.

Customer bears all risk of loss or damage to the goods when the goods are delivered to the named United States point of exportation. Haworth will provide customs clearance facilitation and arrangement of local delivery through an Authorized Dealer in Mexico, on a separately negotiated basis. Otherwise the Customer will be responsible for all customs clearance formalities and on-carriage from the United States point of exportation to the final destination in Mexico.

5. Ship Dates and Delay

If Haworth cannot ship products as scheduled due to causes beyond its reasonable control (such as casualty, labor disputes, or accident; inability to obtain necessary labor, material or transportation; or changes requested by the Customer), the ship date will be extended to compensate for the delay as determined by Haworth.

6. Delivery Shortages and Damage

Product shortages and damage must be noted on delivery receipts at the time of delivery and reported to the carrier for correction.

Claims against Haworth for shortages, errors, or damage must be made within three (3) days of the date of delivery or the Customer waives the right to make such a claim. Signed Bill of Ladings or Delivery Receipt must be sent in with claims.

7. Storage

Haworth may transfer product to storage at the Customer's risk and expense if the Customer is unable or unwilling to take delivery of product as originally scheduled. Upon such transfer to storage, the Customer assumes risk of loss. Haworth will invoice the Customer for storage fees and the Customer will make payments in accordance with Haworth's standard payment terms.

D. General Terms

1. Governing Law

For products purchased for delivery in the U.S. pursuant hereto, this Agreement shall be governed by and construed according to the laws of the State of Michigan. Where Products are purchased for delivery in Canada pursuant hereto, this Agreement shall be governed by and construed according to the laws of the Province of Alberta. In either case, the parties attorn to the exclusive jurisdiction of the courts of Michigan and Alberta, respectively for the purpose of hearing any disputes arising under this Agreement or with respect to any Products sold pursuant hereto, and agree that the provisions of the United Nations Convention on Contracts for the International Sale of Goods and any other provision or law which would have the effect of applying the laws of any jurisdiction other than Michigan or Alberta, as the case may be, shall be excluded.

North American Terms of Sale

2. Force Majeure

In the event that the performance of Customer or Haworth or its participating dealer assignee(s) would be prevented, restricted, interfered with or rendered commercially impracticable by reason of Force Majeure, then upon the giving of notice to the other parties, the party affected by the Force Majeure shall be excused from performing hereunder until the Force Majeure no longer prevents, restricts, interferes with, or renders such performance commercially impracticable.

"Force Majeure" shall mean: fire, explosion, breakdown of plant, epidemic, hailstorm, snow/ice storms en route, hurricane, tornado, cyclone, flood or power failure; war, revolution, civil or military disturbances, acts of public enemies, acts of terrorism, blockade or embargo; any law, order, proclamation, regulation, ordinance, demand or requirement of any applicable governmental authority or any subdivision, authority, or representative of any such government; labor difficulties, including without limitation, strikes, slowdowns, picketing or boycotts; or difficulties beyond Haworth's reasonable control in obtaining necessary raw materials, labor, fuels and electric power, components or facilities, and any other circumstances beyond the control of the party affected.

3. Delays by Customer

Where Haworth has not received adequate site dimensions, Product specifications, shipping information, installation particulars or other information required by Haworth to permit the efficient manufacture of any Products, or where site conditions are not in accordance with the Installation Requirements set forth, or are not otherwise suitable to permit effective and efficient installation, the manufacture and/or delivery of Products may be delayed, and such event shall constitute a delay by the Customer. When manufacture, delivery or installation is delayed by the Customer or at the Customer's request: (i) Haworth may, at its option, present the invoice for the full price of the Products to the Customer as then due and payable; (ii) the Customer shall pay to Haworth all reasonable storage, handling and other reasonable incidental expenses incurred by Haworth in connection with such delay; and (iii) the Customer shall bear all risk of loss or damage to the Products being held by Haworth for the Customer.

4. Use and Installation of Products

Haworth recommends that its products be installed by certified, qualified and approved installers according to Haworth's written installation procedures. The Customer agrees to use Haworth products properly; not to remove or alter safety devices, warnings, or operation instructions placed on products by Haworth, and to instruct employees as to the proper care and use of the products according to printed instructions.

5. Warranty

Haworth's standard North American Lifetime Warranty will apply as appropriate. All product line warranty specifics are available in each catalog or upon request.

E. Services

Service requests for design, installation, relocation, storage, etc. are handled by the local Haworth dealer on a separately negotiated basis. Contact the local Haworth dealer, affiliate or area sales office for more details.

Scope of Work - Design

Customer acknowledges that the Products to be manufactured or procured by Haworth in connection with the order are or may be custom manufactured for the Customer and that Haworth may be required to perform extensive work in relation to the design and specification of such Products. Where Customer requests that Haworth create as-built drawings or make more than two material revisions to any particular Product design or specification, Customer agrees that Haworth shall be entitled to invoice Customer with respect to such additional work on the basis of Haworth's then prevailing rates for related design and specification services.

Installation Requirements

Where installation services are to be provided by Haworth, its Authorized Dealer or subcontractor, a document will be provided setting forth the scope of installation work to be performed (the "Scope of Work") and the price to be charged therefore. Unless otherwise specified in the scope of work, Haworth's installation services are limited to products sold by Haworth with the exception of lighting, under floor electrical and data.

General Conditions

(a) Sufficient time shall be allocated by the Customer following delivery of Products and prior to Customer's occupation of the premises to allow the installation of all Products during conventional working hours, Monday through Friday, 7:30 a.m. to 4:30 p.m. Where sufficient time is not allocated and Haworth is required or requested to perform installation work outside of such times, overtime charges shall be charged at Haworth's then prevailing rates. (b) Haworth shall be given free and exclusive access to: (i) a loading dock within 150' of the freight elevator or hoist, which loading dock shall be of sufficient size to enable full-size tractor-trailer deliveries to the premises (where required by Haworth); (ii) a freight elevator or hoist of sufficient size and capacity to allow the efficient movement of the Products; (iii) an unobstructed and safe pathway to the area where Products are to be stored or staged; (iv) a secure storage / staging area; (v) convenient trash facilities; (vi) adequate lighting;

(vii) a work site that complies with applicable health and safety legislation. Where such areas and facilities are not available, Haworth shall be entitled to bill Customer for all amounts incurred by Haworth for double-handling, product movement, lifting, hoisting, trash removal and any other resulting charges. (c) The installation site shall be free and clear of existing furniture, debris, or other obstructions (including construction in progress) and shall otherwise be in the reasonable opinion of Haworth ready for installation of the Products. Any building where Products are to be installed shall be fully closed in, dry and protected from the natural elements, with temperatures between 40°F and 90°F (4°C and 32°C) and relative humidity not to exceed 70% at all times including receipt of products, during and after installation and shall be adequately heated and/or air-conditioned. Where unusual site conditions exist which impede or prevent the normal installation of any Products, applicable extra charges shall apply at prevailing rates. (d) Haworth's installation pricing is based upon the installation occurring as one continuous delivery and installation project. Phased installation pricing shall be provided by Haworth on a case by case basis. (e) Electrical hardwiring, plumbing and mechanical work is not included and shall be the responsibility of the Customer. (f) Except as may be otherwise specifically indicated, installation pricing does not apply to projects where union labor is required. Where Haworth has provided installation pricing on the basis that non-union labor be utilized, and where Haworth is required to use union labor or it otherwise becomes impractical to use non-union labor, or where Haworth is required by law to use prevailing wages, Haworth shall be entitled to charge the Customer for any cost differential between the anticipated cost of non-union labor and the actual cost of utilizing union or prevailing wage labor. (g) Haworth shall not be responsible for obtaining permits.

Project / Site Conditions

Lateral load bracing is not included in the scope of Haworth's work and shall not be performed by Haworth. In areas where Nexus™ or TecCrete flooring Products are to be installed by Haworth overhead construction must be completed prior to the commencement of such work to avoid damage to the panels and finishes. The existing subfloor must be smooth, mopped clean, free of moisture, dust, dirt and debris. Once installed, the access floor must be maintained in the same manner. The subfloor must have a maximum vertical elevation deviation of 0.375" (10mm) over a horizontal span of 10'-0" (3m), and without discontinuities in floor slope. For greater certainty, the scope of Haworth's installation work in such areas shall not be deemed to include any work required to level such subfloor, remove protrusions, remove pre-existing floor coverings or adhesives, or any other work which

North American Terms of Sale

is required to remedy any conditions which may impede the efficient installation of Nexus™ flooring. Except as may be otherwise specifically indicated in the order, installation pricing for Nexus™ flooring Products and the Scope of Work in relation thereto shall not include any work required to remove and replace floor panels following their initial installation to provide tradespersons or others with access to the underpanel cable management cavity. In areas where movable walls are to be installed, all flooring (including carpeting) and ceiling components (including dropped ceiling grid components) shall be fully complete and ready for the installation of the movable wall products. Further, the existing floor (or other surface on which the movable wall panels are to be installed) shall have a maximum vertical deviation of 1.25" (30mm) and the dropped ceiling grid shall have a maximum vertical deviation of 0.375" (10mm) from the specifications to which such movable wall panels were designed and manufactured (collectively the "Permitted Tolerances"), and shall otherwise comply with any site condition assumptions made known to Haworth prior to the manufacture of such Products (the "Site Assumptions"). Where the Permitted Tolerances or Site Assumptions are not strictly adhered to or met, additional charges may be incurred in connection with site remediation and/or the modification or remanufacture of affected movable wall products, together with all resulting shipping and labor charges at Haworth's then prevailing rates for such Products and services.

Installation Change Orders

Where Customer requests work to be performed or materials to be provided which are not contemplated in the Scope of Work, or Customer otherwise requests Products or services not contemplated in the order (collectively "Extras"), prior to providing such Extras Haworth reserves the right to require the Customer to provide and sign a written Purchase Order or Change Order acceptable to Haworth describing the Extras and the amounts to be charged therefore, and the Customer agrees to pay such charges.

Entire Agreement

The order and this Agreement (including applicable Schedules) constitute the sole agreement between the parties and supercede any prior understanding or written or oral agreements between the parties (excluding National Sales Agreements). No waiver of any of the provisions of these Standard Terms and Conditions shall be binding on Haworth unless expressly agreed in writing.

Revision Date: April 5, 2008

Index

Products are listed alphabetically in this index by alpha-numeric prefix/suffix codes.

Product Code	Product Description	Page
DAF-4	4-Port Angled Faceplate	22
DCP-5	Horizontal Plenum Cable — Cat 5e	14
DCP-6	Horizontal Plenum Cable — Cat 6T	14
DCV-5	Horizontal PVC Cable — Cat 5e	14
DCV-6	Horizontal PVC Cable — Cat 6T	14
DEPS-5	Patch Panel	12
DEPS-6	Patch Panel	12
DER-7-C	Equipment Rack	10
DER-7-F	Equipment Rack	10
DFF-3	3-Port Modular Furniture Faceplate	22
DHLA	Consolidation Point Label	23
DHR-K	RACE Termination Block and Mounting Hardware	18
DID-6	ID Tags with Icons #1-6	23
DIEB-5	Pre-Terminated External Consolidation Point with Patch Panel for Cat 5e for Enhanced PREMISE, PLACES, UniGroup	17
DIEB-6	Pre-Terminated External Consolidation Point with Patch Panel for Cat 6 for Enhanced PREMISE, PLACES, UniGroup	17
DIEB-B-K	External Consolidation Point Enclosure — Pre-Terminated Zone	18
DIPP-6-5	UMS Patch Panel	16
DJ-600-5	K610 Jack — Cat 5eT	21
DJ-KM8-6	KM8 Jack RJ45 — Cat 6T	20
DJM-600-M	K610 Jack — RJ11 USOC	21
DLT-1	Locking Tool	24
DLTS-25	Locking Screws	24
DMF-4	4-Port Flush Mount Faceplate	22
DMF-6	6-Port Flush Mount Faceplate	22
DMI-B	Blank Modular Insert	23
DMSU-1	Universal Mounting Bracket	10
DPC-5	TrueNet Patch Cord — Cat 5eT	13
DPCA	Outlet Tap RJ45 568A	15
DPCB	Outlet Tap RJ45 568B	15
DPCB-12	12-Port Zone Consolidation Box	17
DPCB-R	Plenum Box	19
DPHK-F	Fire Rated Foam	19
DPHK-P	19" Patch Panel Mounting Brackets	19
DPHK-R	Mounting Rods for Ultim8 & UMS Blocks	19
DPPG-24	24-Port Plug n Play Patch Panel	12
DPPU	Outlet Tap Un-Terminated	16
DRWM-1	Ring Wire Manager	11
DT-1	ADC Insertion Tool	24
DUB-8	Termination Block	11
DXT-6	TrueNet Patch Cord — Cat 6T	13

ADC® and TrueNet® Warranty

The products offered as Haworth Voice and Data solutions are manufactured by ADC. ADC is also the provider of the product warranty. Within this document there are references to the term TrueNet which is an enhanced warranty for certain products. The following gives a brief history of ADC and their TrueNet warranty.

Zero Bit-Error Warranty

ADC's TrueNet® structured cabling system is a highly reliable, end-to-end system designed to meet the unique network infrastructure needs of enterprises. Featuring proven cable, connectivity, and cable management solutions for Fiber, CopperTen™ Augmented Category 6, and Category 6/5e from the data center to the desktop, TrueNet is installed in high performance networks worldwide.

Backed by an industry leading warranty that not only addresses physical component performance, but also data throughput, the TrueNet structured cabling system delivers performance you can trust.

ADC's TrueNet Zero Bit-Error Warranty covers all aspects of the structured cabling network. A 20-year all-inclusive standards compliance warranty addresses all parts, labor, and technical support. TrueNet CopperTen™ Augmented Category 6, Category 6/5e and Fiber solutions carry an additional five-year throughput warranty that guarantees zero bit-error performance for the entire TrueNet structured cabling channel.

World-Class Manufacturing and Testing

World-Class Manufacturing and Testing ADC is committed to consistently delivering the highest possible quality in all that we do. A registered TL9000 and ISO9000:2000 manufacturer, ADC is certified in 21 categories: the largest number of registrations of any ISO certified company. Additionally, ADC facilities are approved to self certify products for compliance with UL Safety Standards.

ADC leverages its best-in-class manufacturing facilities and processes to ensure all cable and connectivity solutions are tuned to eliminate impedance mismatches. ADC's TrueNet solutions are tested to impedance matching standards five times more rigorous than current industry standards. As a result, TrueNet optimizes network speed by eliminating data re-transmissions.

Passive Testing

- PSELFEXT
- PSNEXT
- PSACR
- Channel Impedance
- Delay Skew
- Differential Impedance
- Insertion Loss Deviation
- Link Impedance
- Noise
- Return Loss

Active Testing

- Network Load / Live Testing
- Jitter
- Rise Time / Fall Time
- Minimum Voltage / Amplitude
- Interference
- CRC Errors
- Alignment Fragments
- Interframe Gap
- Oversized / Undersized Packets

True Performance Assurance

If a TrueNet Certified System or any components fail to meet the warranty, ADC will have the components repaired or replaced, or will refund to the end user the purchase price of defective components. The TrueNet Zero Bit-Error Warranty is application independent and covers all networks including Ethernet, ATM, and Token Ring.

HAWORTH®

For more information call 800.344.2600 or 616.393.3000.

Amsterdam	Guatemala City	New Delhi
Bangalore	Geneva	New York
Barcelona	Holland, MI	Paris
Beijing	Hong Kong	Pune
Bologna	Kuala Lumpur	Shanghai
Brussels	Lisbon	Singapore
Budapest	London	Stuttgart
Calgary	Los Angeles	Sydney
Chicago	Madrid	Tokyo
Dallas	Melbourne	Warsaw
Dubai	Milan	Washington DC
Frankfurt	Mexico City	Zurich
	Mumbai	

Haworth is a registered trademark of Haworth, Inc.
©Haworth, Inc. 2008 04.08

haworth.com | haworth-europe.com | haworth-asia.com