



**ATTIC ACCESS DOOR
SELF LOCKING & SELF CLOSING BY GENERAL CONTRACTOR**

THE INFORMATION CONTAINED HEREIN IS SOLELY OWNED BY RESIDENTIAL ELEVATORS, INC. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT WRITTEN PERMISSION FROM RESIDENTIAL ELEVATORS, INC. IS STRICTLY PROHIBITED.

DRAWN:	CHECKED:	DATE:	REVISION
G.P.	M.C.	10/26/07	NEW DRAWING
G.P.	F.P.	03/22/10	CHANGE DOGHOUSE WIDTH TO 36"
G.P.		6/04/10	ADD LLT DESIGNATION

PART NAME:	DRAWING NUMBER
ATTIC ACCESS DOOR DOGHOUSE APPLICATION	HOR AD 02 D1

IF ACCESS DOOR IS IN CEILING OF THE ELEVATOR SHAFT, THEN CONTROLLER, VVVF DRIVE, UPS, ELECTRICAL BOXES, GFI, PHONE LINE & LIGHT FIXTURE & SWITCH TO BE LOCATED IN ATTIC.

FOR ATTIC EQUIPMENT ACCESS, A CATWALK IS REQUIRED IN ATTIC FROM THE ATTIC ACCESS DOOR TO TO THE CONTROLLER LOCATION.