REVISIONS NOTE: LETTER: **DESCRIPTION:** DATE: BY: MOST RAIL SHEAVE CONFIGURATIONS WILL REQUIRE A CUT DUT DR ACCESS HOLE THROUGH THE RAIL SUPPORT, REFER TO DRAWING #401212 FOR PROPER SIZE, LOCATION, AND HAND OF SHEAVE. CENTERLINE OF RAIL RAIL SUPPORT MEMBERS OF LAMINATED VENEER LUMBER 3" MINIMUM THICKNESS. RAIL SUPPORT **ENTIRE HEIGHT** OF HOISTWAY 10 1/2" C/L RAIL FASTENERS FINISHED HOISTWAY A A SURFACE **-14"**-SECTION A-A NOTE: 1. THIS DRAWING DEPICTS SAMPLE CONSTRUCTION DNLY. IT IS THE RESPONSIBILITY OF THE INSTALLER/CONTRACTOR OR THE ENGINEER TO DESIGN AND SPECIFY STRUCTURAL SUPPORTS. 2. ALL CONSTRUCTION TO BE IN COMPLIANCE WITH LOCAL CODES. 1726 North Ballard Road WAUPACA Appleton, WI 54911 ELEVATOR CO., INC. Phone: 800-238-8739 ACTUAL PIT Residential Elevators * Wheelchair-Compatible Elevators RESIDENTIAL AND COMMERCIAL DUMBWAITERS CUSTOMER: CONTRACTOR: 6" MINIMAL PIT SAMPLE CONSTR. AT RAIL TITLE: 12" MIN. W/BUFFER W/ LAMINATED VENEER LUMBER WINDING DRUM ELEVATOR QUOTE NUMBER: DRAWN BY: SCALE: DWG. NO. C-001871 APPD: DATE: