








PRICES EFFECTIVE
JANUARY 2011


STYLIX FLYER



rhythm

price list

rhythm PRODUCT INFORMATION APPLICATIONS: STACKING MULTI-USE	POLYPROPYLENE SHELL	POLYPROPYLENE SHELL	POLYPROPYLENE SHELL	POLYPROPYLENE SHELL		GENERAL INFORMATION
DIMENSIONS / OVERVIEW	FOUR LEG	FOUR WHEELS	SLED	BAR STOOL		
GENERAL DIMENSIONS A. SEAT HEIGHT B. SEAT DEPTH C. BACK HEIGHT D. SEAT WIDTH & OVERALL WIDTH (ARMLESS) E. MAXIMUM OVERALL HEIGHT F. MAXIMUM OVERALL DEPTH	A. 17" B. 17" C. 17" D. 20" E. 31" F. 23" 	A. 17.5" B. 17" C. 17" D. 20" E. 31" F. 23" 	A. 17" B. 17" C. 17" D. 20" E. 31" F. 23" 	A. 29" B. 17" C. 17" D. 20" E. 42.5" F. 23" 		DESIGN SAVA CVEK AWARDS GOLD AWARD, NEOCON CONSTRUCTION SHELLS ARE INJECTION-MOLDED, RECYCLABLE POLYPROPYLENE. FRAMES ARE 7/16" SOLID STEEL ROD WITH EITHER A BRIGHT CHROME OR POWDER-COAT FINISH. UPHOLSTERED CUSHIONS INCORPORATE CFC-FREE POLYURETHANE FOAM. ARMS ARMS ARE INJECTION-MOLDED POLYCARBONATE WITH A HIGH-GLOSS FINISH.
ARM CHOICE A. OVERALL WIDTH B. DISTANCE BETWEEN ARMS C. ARM HEIGHT	A. 24" B. 20" C. 9.5" 	A. 24" B. 20" C. 9.5" 	A. 24" B. 20" C. 9.5" 			GLIDES STANDARD GLIDES ARE INJECTION-MOLDED POLYCARBONATE. OPTIONAL SOFT WHITE POLYETHYLENE GLIDES ARE AVAILABLE AT NO UPCHARGE AND ARE RECOMMENDED TO REDUCE SCUFFING OF SOFTER FLOORING SURFACES SUCH AS LINOLEUM. GANGING BRACKET OPTION HEAVY-GAUGE STEEL CLIPS ARE WELDED TO THE FRAME. FACTORY-INSTALLED ONLY. CUSTOM MATCHED POLYPROPYLENE SHELL COLORS THERE WILL BE AN ADDITIONAL CHARGE OF \$31 LIST PER CHAIR FOR CUSTOM COLORS. COLORS TO BE MATCHED REQUIRE A 3" X 3" SWATCH. MINIMUM ORDER IS 500 CHAIRS. ADDITIONAL LEAD TIME REQUIRED. PLEASE SUBSTITUTE CC FOR THE SHELL COLOR. USE DESIGNED FOR INDOOR USE ONLY. TESTING MANUFACTURED TO COMPLY WITH ANSI/BIFMA X5.1 GENERAL OFFICE CHAIR TESTS. ENVIRONMENT GREENGUARD CERTIFIED.
UPHOLSTERY CHOICES - LUMBAR CUSHION - SEAT CUSHION - LUMBAR AND SEAT CUSHION	- LUMBAR CUSHION - SEAT CUSHION - LUMBAR AND SEAT CUSHION	- LUMBAR CUSHION - SEAT CUSHION - LUMBAR AND SEAT CUSHION	- LUMBAR CUSHION - SEAT CUSHION - LUMBAR AND SEAT CUSHION	- LUMBAR CUSHION - SEAT CUSHION - LUMBAR AND SEAT CUSHION		

rhythm			DESCRIPTION	C.O.M.	POLYPROPYLENE ONLY	FABRIC UPHOLSTERY GRADES										
SERIES	FRAME	STYLE				YDG.	A	B	C	D	E	F	G	H	I	J
			ARMLESS POLYPROPYLENE STACK CHAIR RH 1 1	• 5 CHAIRS STACK ON THE FLOOR • 10 CHAIRS STACK ON THE DOLLY	-	216										
			ARMLESS POLYPROPYLENE STACK CHAIR RH 1 2	UPHOLSTERED LUMBAR CUSHION • 5 CHAIRS STACK ON THE FLOOR • 10 CHAIRS STACK ON THE DOLLY	0.35		275	287	298	309	321	333	345	359	374	389
			ARMLESS POLYPROPYLENE STACK CHAIR RH 1 3	UPHOLSTERED SEAT CUSHION • 5 CHAIRS STACK ON THE FLOOR • 10 CHAIRS STACK ON THE DOLLY	0.50		302	319	335	351	367	385	402	422	443	466
			ARMLESS POLYPROPYLENE STACK CHAIR RH 1 4	UPHOLSTERED SEAT AND LUMBAR CUSHIONS • 5 CHAIRS STACK ON THE FLOOR • 10 CHAIRS STACK ON THE DOLLY	0.75		349	374	397	422	447	472	498	529	559	593

TO ORDER FOLLOW STEPS 1-6

1

SERIES

2

FRAME AND STYLE

3

POLYPROPYLENE SHELLS

4

OPTIONS

5

FINISH CHOICES

6

COVER

RH

RH RHYTHM

11

FOUR LEG STACKING-ARMLESS POLYPROPYLENE SHELL

12

FOUR LEG STACKING-ARMLESS POLYPROPYLENE SHELL WITH UPHOLSTERED LUMBAR CUSHION

13

FOUR LEG STACKING-ARMLESS POLYPROPYLENE SHELL WITH UPHOLSTERED SEAT CUSHION

14

FOUR LEG STACKING-ARMLESS POLYPROPYLENE SHELL WITH UPHOLSTERED SEAT AND LUMBAR CUSHION

OPAQUE COLORS

20

BLACK MAGIC

21

SILVERADO

23

SAND DUNE

29

MOCHA

30

BERMUDA

31

TERRA COTTA

32

IVORY

TRANSLUCENT COLORS

44

KIWI

45

TANGERINE TWIST

46

ICICLE

PREMIUM TRANSLUCENT COLOR

43

DUSK

ADD

+26

PG

PLASTIC GLIDES

ACCESSORIES

RH4

TD

RHYTHM TRANSPORT DOLLY +470

FOR FOUR LEG CHAIR

FINISH ADVISORY FOR STACKING

STYLEX RECOMMENDS CHROME FRAMES

FOR ANY RHYTHM APPLICATION REQUIR-

ING DOLLIES. WE WILL NOT WARRANT

POWDER COATED RHYTHM FRAMES USED

ON DOLLIES AGAINST DAMAGE TO THE

FINISH. IN ADDITION, APPROPRIATE CARE

MUST BE EXERCISED WHEN STACKING

POWDER COATED CHAIRS ON THE FLOOR.

STANDARD POWDER PAINT

TB

TEXTURED BLACK

TG

TEXTURED GRAY

TK

TEXTURED KHAKI

TP

TEXTURED PEWTER

SM

SILVER MATTE

GB

GLOSSY BLACK

GW

GLOSSY WHITE

WW

WARM WHITE

DOUBLE COAT POWDER PAINT*

MS

METALLIC SILVER

+26

MD

METALLIC DUSK

+26

MF

METALLIC FIELDSTONE

+26

MB

METALLIC BRONZE

+26

*

INCLUDES A PROTECTIVE

CLEAR COAT

CH

BRIGHT CHROME

+41

CONTACT CUSTOMER

SERVICE FOR LEAD-TIMES

REFER TO STYLEX SWATCH

CARDS AND SEPARATELY

PUBLISHED IN-GRADED

FABRIC PROGRAM TO

DETERMINE GRADES.

SEE GENERAL INFORMA-

TION SECTION FOR CAL

133 INFORMATION.

rhythm			DESCRIPTION	C.O.M.	POLYPROPYLENE ONLY	FABRIC UPHOLSTERY GRADES									
SERIES	FRAME	STYLE				A	B	C	D	E	F	G	H	I	J
	POLYPROPYLENE STACK CHAIR WITH ARMS RH 2 1		• 5 CHAIRS STACK ON THE FLOOR • 10 CHAIRS STACK ON THE DOLLY	-	305										
	 POLYPROPYLENE STACK CHAIR WITH ARMS RH 2 2		UPHOLSTERED LUMBAR CUSHION • 5 CHAIRS STACK ON THE FLOOR • 10 CHAIRS STACK ON THE DOLLY	0.35		362	374	385	396	408	420	432	446	461	476
	 POLYPROPYLENE STACK CHAIR WITH ARMS RH 2 3		UPHOLSTERED SEAT CUSHION • 5 CHAIRS STACK ON THE FLOOR • 10 CHAIRS STACK ON THE DOLLY	0.50		390	407	423	439	455	473	490	510	531	554
	 POLYPROPYLENE STACK CHAIR WITH ARMS RH 2 4		UPHOLSTERED SEAT AND LUMBAR CUSHIONS • 5 CHAIRS STACK ON THE FLOOR • 10 CHAIRS STACK ON THE DOLLY	0.75		436	461	484	509	534	559	585	616	646	680

TO ORDER FOLLOW STEPS 1-7

1SERIES

RH

RH RHYTHM

2FRAME AND STYLE

21

FOUR LEG STACKING-ARMS
POLYPROPYLENE SHELL

22

FOUR LEG STACKING-ARMS
POLYPROPYLENE SHELL WITH
UPHOLSTERED LUMBAR CUSHION

23

FOUR LEG STACKING-ARMS
POLYPROPYLENE SHELL WITH
UPHOLSTERED SEAT CUSHION

24

FOUR LEG STACKING-ARMS
POLYPROPYLENE SHELL WITH
UPHOLSTERED SEAT AND
LUMBAR CUSHION

3POLYPROPYLENE SHELLS

OPAQUE COLORS

20 BLACK MAGIC
21 SILVERADO
23 SAND DUNE
29 MOCHA
30 BERMUDA
31 TERRA COTTA
32 IVORY

TRANSLUCENT COLORS

44 KIWI
45 TANGERINE TWIST
46 ICICLE

PREMIUM TRANSLUCENT COLOR

43 DUSK ADD +26

4ARMS

POLYCARBONATE OPAQUE COLORS

20 BLACK MAGIC
21 SILVERADO
23 SAND DUNE
29 MOCHA
30 BERMUDA
31 TERRA COTTA
32 IVORY

POLYCARBONATE TRANSLUCENT
COLORS

43 DUSK
44 KIWI
45 TANGERINE TWIST
46 ICICLE

5OPTIONS


PG

PLASTIC GLIDES

ACCESSORIES

RH4
TD

RHYTHM TRANSPORT DOLLY +470
FOR FOUR LEG CHAIR



FINISH ADVISORY FOR STACKING

STYLEX RECOMMENDS CHROME FRAMES
FOR ANY RHYTHM APPLICATION REQUIR-
ING DOLLIES. WE WILL NOT WARRANT
POWDER COATED RHYTHM FRAMES USED
ON DOLLIES AGAINST DAMAGE TO THE
FINISH. IN ADDITION, APPROPRIATE CARE
MUST BE EXERCISED WHEN STACKING
POWDER COATED CHAIRS ON THE FLOOR.

6FINISH CHOICES

STANDARD POWDER PAINT

TB TEXTURED BLACK
TG TEXTURED GRAY
TK TEXTURED KHAKI
TP TEXTURED PEWTER
SM SILVER MATTE
GB GLOSSY BLACK
GW GLOSSY WHITE
WW WARM WHITE

DOUBLE COAT POWDER PAINT*

MS METALLIC SILVER +26
MD METALLIC DUSK +26
MF METALLIC FIELDSTONE +26
MB METALLIC BRONZE +26
* INCLUDES A PROTECTIVE
CLEAR COAT


CH

BRIGHT CHROME +41
CONTACT CUSTOMER
SERVICE FOR LEAD-TIMES

7COVER

REFER TO STYLEX SWATCH
CARDS AND SEPARATELY
PUBLISHED IN-GRADED
FABRIC PROGRAM TO
DETERMINE GRADES.

SEE GENERAL INFORMA-
TION SECTION FOR CAL
133 INFORMATION.

rhythm			DESCRIPTION	C.O.M.	POLYPROPYLENE ONLY	FABRIC UPHOLSTERY GRADES									
SERIES	FRAME	STYLE				YDG.	A	B	C	D	E	F	G	H	I
 ARMLESS POLYPROPYLENE STACK CHAIR WITH CASTERS RH 3 1			• UP TO 6 CHAIRS STACK ON THE FLOOR -		248										
 ARMLESS POLYPROPYLENE STACK CHAIR WITH CASTERS RH 3 2			UPHOLSTERED LUMBAR CUSHION 0.35 • UP TO 5 CHAIRS STACK ON THE FLOOR			306	318	329	341	352	364	376	390	405	420
 ARMLESS POLYPROPYLENE STACK CHAIR WITH CASTERS RH 3 3			UPHOLSTERED SEAT CUSHION 0.50 • UP TO 5 CHAIRS STACK ON THE FLOOR			333	350	366	382	398	416	433	453	474	497
 ARMLESS POLYPROPYLENE STACK CHAIR WITH CASTERS RH 3 4			UPHOLSTERED SEAT & LUMBAR CUSHIONS 0.75 • UP TO 5 CHAIRS STACK ON THE FLOOR			380	405	428	453	478	503	529	560	590	624

TO ORDER FOLLOW STEPS 1-6

1	SERIES	2	FRAME AND STYLE	3	POLYPROPYLENE SHELLS	4	OPTIONS	5	FINISH CHOICES	6	COVER
	RH RH RHYTHM		31 ARMLESS STACKING WITH CASTERS POLYPROPYLENE SHELL		OPAQUE COLORS 20 BLACK MAGIC 21 SILVERADO 23 SAND DUNE 29 MOCHA 30 BERMUDA 31 TERRA COTTA 32 IVORY TRANSLUCENT COLORS 44 KIWI 45 TANGERINE TWIST 46 ICICLE PREMIUM TRANSLUCENT COLOR 43 DUSK ADD +26		R RUBBER TIRED CASTERS FOR HARD FLOORING SURFACES +23 C BLACK AND CHROME CASTERS +23 CR BLACK AND CHROME RUBBER TIRED CASTERS FOR HARD FLOORING SURFACES +35		STANDARD POWDER PAINT TB TEXTURED BLACK TG TEXTURED GRAY TK TEXTURED KHAKI TP TEXTURED PEWTER SM SILVER MATTE GB GLOSSY BLACK GW GLOSSY WHITE WW WARM WHITE DOUBLE COAT POWDER PAINT* MS METALLIC SILVER +26 MD METALLIC DUSK +26 MF METALLIC FIELDSTONE +26 MB METALLIC BRONZE +26 * INCLUDES A PROTECTIVE CLEAR COAT CH BRIGHT CHROME +41 CONTACT CUSTOMER SERVICE FOR LEAD-TIMES		REFER TO STYLEX SWATCH CARDS AND SEPARATELY PUBLISHED IN-GRADED FABRIC PROGRAM TO DETERMINE GRADES. SEE GENERAL INFORMA- TION SECTION FOR CAL 133 INFORMATION.

rhythm STACKING / MULTI USE FOUR WHEELS WITH ARMS			DESCRIPTION	C.O.M.	POLYPROPYLENE ONLY	FABRIC UPHOLSTERY GRADES										
SERIES	FRAME	STYLE		YDG.			A	B	C	D	E	F	G	H	I	J
	POLYPROPYLENE STACK CHAIR WITH ARMS AND CASTERS RH 4 1		• UP TO 6 CHAIRS STACK ON THE FLOOR -		335											
	POLYPROPYLENE STACK CHAIR WITH ARMS AND CASTERS RH 4 2		UPHOLSTERED LUMBAR CUSHION 0.35 • UP TO 5 CHAIRS STACK ON THE FLOOR			395	407	418	430	441	453	465	479	494	509	
	POLYPROPYLENE STACK CHAIR WITH ARMS AND CASTERS RH 4 3		UPHOLSTERED SEAT CUSHION 0.50 • UP TO 5 CHAIRS STACK ON THE FLOOR			420	437	453	469	485	503	520	540	561	584	
	POLYPROPYLENE STACK CHAIR WITH ARMS AND CASTERS RH 4 4		UPHOLSTERED SEAT & LUMBAR CUSHIONS 0.75 • UP TO 5 CHAIRS STACK ON THE FLOOR			468	493	516	541	566	591	617	648	678	712	

TO ORDER FOLLOW STEPS 1-7

1

SERIES

2

FRAME AND STYLE

3

POLYPROPYLENE SHELLS

4

ARMS

5

OPTIONS

6

FINISH CHOICES

7

COVER

RH

RH RHYTHM

41

ARM CHAIR WITH CASTERS
POLYPROPYLENE SHELL

42

ARM CHAIR WITH CASTERS
POLYPROPYLENE SHELL WITH
UPHOLSTERED LUMBAR
CUSHION

43

ARM CHAIR WITH CASTERS
POLYPROPYLENE SHELL WITH
UPHOLSTERED SEAT CUSHION

44

ARM CHAIR WITH CASTERS
POLYPROPYLENE SHELL WITH
UPHOLSTERED SEAT AND
LUMBAR CUSHION

OPAQUE COLORS

20 BLACK MAGIC

21 SILVERADO

23 SAND DUNE

29 MOCHA

30 BERMUDA

31 TERRA COTTA

32 IVORY

TRANSLUCENT COLORS

44 KIWI

45 TANGERINE TWIST

46 ICICLE

PREMIUM TRANSLUCENT COLOR

43 DUSK ADD +26

POLYCARBONATE OPAQUE COLORS

20 BLACK MAGIC

21 SILVERADO

23 SAND DUNE

29 MOCHA

30 BERMUDA

31 TERRA COTTA

32 IVORY

POLYCARBONATE TRANSLUCENT
COLORS

43 DUSK

44 KIWI

45 TANGERINE TWIST

46 ICICLE

R

RUBBER TIRED CASTERS
FOR HARD FLOORING SURFACES

+23

C

BLACK AND CHROME CASTERS

+23

CR

BLACK AND CHROME RUBBER
TIRED CASTERS
FOR HARD FLOORING SURFACES

+35

STANDARD POWDER PAINT

TB TEXTURED BLACK

TG TEXTURED GRAY

TK TEXTURED KHAKI

TP TEXTURED PEWTER

SM SILVER MATTE

GB GLOSSY BLACK

GW GLOSSY WHITE

WW WARM WHITE

DOUBLE COAT POWDER PAINT*

MS METALLIC SILVER +26

MD METALLIC DUSK +26

MF METALLIC FIELDSTONE +26

MB METALLIC BRONZE +26


* INCLUDES A PROTECTIVE
CLEAR COAT

CH BRIGHT CHROME +41

CONTACT CUSTOMER
SERVICE FOR LEAD-TIMES

REFER TO STYLEX SWATCH
CARDS AND SEPARATELY
PUBLISHED IN-GRADED
FABRIC PROGRAM TO
DETERMINE GRADES.

SEE GENERAL INFORMA-
TION SECTION FOR CAL
133 INFORMATION.

rhythm HIGH DENSITY STACKING SLED ARMLESS			DESCRIPTION	C.O.M.	POLYPROPYLENE ONLY	FABRIC UPHOLSTERY GRADES									
SERIES	FRAME	STYLE				A	B	C	D	E	F	G	H	I	J
	ARMLESS STACK CHAIR RH 5 1		• 45 CHAIRS STACK ON THE DOLLY UP TO 79" HIGH	-	202										
	ARMLESS STACK CHAIR RH 5 2		UPHOLSTERED LUMBAR CUSHION • 32 CHAIRS STACK ON THE DOLLY UP TO 79" HIGH	0.35		261	272	284	295	306	319	330	345	359	375
	ARMLESS STACK CHAIR RH 5 3		UPHOLSTERED SEAT CUSHION • 32 CHAIRS STACK ON THE DOLLY UP TO 79" HIGH	0.50		287	303	320	335	352	369	386	407	427	450
	ARMLESS STACK CHAIR RH 5 4		UPHOLSTERED SEAT AND LUMBAR CUSHIONS • 32 CHAIRS STACK ON THE DOLLY UP TO 79" HIGH	0.75		334	359	383	408	433	457	483	514	544	579

TO ORDER FOLLOW STEPS 1-7

1SERIES

RH

RH RHYTHM

2FRAME AND STYLE

51

SLED ARMLESS STACKING
POLYPROPYLENE SHELL

52

SLED ARMLESS STACKING
POLYPROPYLENE SHELL WITH
UPHOLSTERED LUMBAR CUSHION

53

SLED ARMLESS STACKING
POLYPROPYLENE SHELL WITH
UPHOLSTERED SEAT CUSHION

54

SLED ARMLESS STACKING
POLYPROPYLENE SHELL WITH
UPHOLSTERED SEAT AND
LUMBAR CUSHION

3POLYPROPYLENE SHELLS

OPAQUE COLORS

20 BLACK MAGIC

21 SILVERADO

23 SAND DUNE

29 MOCHA

30 BERMUDA

31 TERRA COTTA

32 IVORY

TRANSLUCENT COLORS

44 KIWI

45 TANGERINE TWIST

46 ICICLE

PREMIUM TRANSLUCENT COLOR

43 DUSK ADD +26

4GLIDES

49

CLEAR POLYCARBONATE GLIDES
ARE NOW STANDARD ON
RHYTHM.

PE

POLYETHYLENE SOFT WHITE GLIDES
RECOMMENDED TO HELP REDUCE
SCUFFING OF SOFTER FLOORING
SURFACES SUCH AS LINOLEUM.

5OPTION


G

STEEL GANGING CLIPS +13
• ARMLESS CHROME FRAMES ONLY

ACCESSORIES

RHTD

RHYTHM TRANSPORT DOLLY +470



FINISH ADVISORY FOR STACKING
STYLEX RECOMMENDS CHROME FRAMES FOR
ANY RHYTHM APPLICATION REQUIRING DOL-
LIES. WE WILL NOT WARRANT POWDER COATED
RHYTHM FRAMES USED ON DOLLIES AGAINST
DAMAGE TO THE FINISH. IN ADDITION, APPRO-
PRIATE CARE MUST BE
EXERCISED WHEN STACKING POWDER COATED
CHAIRS ON THE FLOOR.

6FINISH CHOICES

STANDARD POWDER PAINT

TB TEXTURED BLACK

TG TEXTURED GRAY

TK TEXTURED KHAKI

TP TEXTURED PEWTER

SM SILVER MATTE

GB GLOSSY BLACK

GW GLOSSY WHITE

WW WARM WHITE

DOUBLE COAT POWDER PAINT*

MS METALLIC SILVER +26

MD METALLIC DUSK +26

MF METALLIC FIELDSTONE +26

MB METALLIC BRONZE +26


* INCLUDES A PROTECTIVE
CLEAR COAT

CH

BRIGHT CHROME +00
CONTACT CUSTOMER
SERVICE FOR LEAD-TIMES

7COVER

REFER TO STYLEX SWATCH
CARDS AND SEPARATELY
PUBLISHED IN-GRADED
FABRIC PROGRAM TO
DETERMINE GRADES.
SEE GENERAL INFORMA-
TION SECTION FOR CAL
133 INFORMATION.

rhythm			DESCRIPTION	C.O.M.	POLYPROPYLENE ONLY	FABRIC UPHOLSTERY GRADES									
SERIES	FRAME	STYLE				A	B	C	D	E	F	G	H	I	J
	POLYPROPYLENE STACK CHAIR WITH ARMS RH 6 1		• 33 CHAIRS STACK ON THE DOLLY UP TO 79" HIGH	-	270										
	STACK CHAIR WITH ARMS RH 6 2		UPHOLSTERED LUMBAR CUSHION • 28 CHAIRS STACK ON THE DOLLY UP TO 79" HIGH	0.35		330	342	353	364	376	388	400	414	428	444
	STACK CHAIR WITH ARMS RH 6 3		UPHOLSTERED SEAT CUSHION • 28 CHAIRS STACK ON THE DOLLY UP TO 79" HIGH	0.50		356	373	389	405	421	439	455	476	497	520
	STACK CHAIR WITH ARMS RH 6 4		UPHOLSTERED SEAT AND LUMBAR CUSHIONS • 28 CHAIRS STACK ON THE DOLLY UP TO 79" HIGH	0.75		404	428	452	477	502	527	553	584	614	648

TO ORDER FOLLOW STEPS 1-7

1SERIES

2FRAME AND STYLE

3POLYPROPYLENE SHELLS

4GLIDES

5ARMS

6FINISH CHOICES

7COVER

RH

RH RHYTHM

61

ARM STACKING
POLYPROPYLENE SHELL

62

ARM STACKING
POLYPROPYLENE SHELL WITH
UPHOLSTERED LUMBAR
CUSHION

63

ARM STACKING
POLYPROPYLENE SHELL WITH
UPHOLSTERED SEAT CUSHION

64

ARM STACKING
POLYPROPYLENE SHELL WITH
UPHOLSTERED SEAT AND
LUMBAR CUSHION

OPAQUE COLORS

20 BLACK MAGIC

21 SILVERADO

23 SAND DUNE

29 MOCHA

30 BERMUDA

31 TERRA COTTA

32 IVORY

TRANSLUCENT COLORS

44 KIWI

45 TANGERINE TWIST

46 ICICLE

PREMIUM TRANSLUCENT COLOR

43 DUSK ADD +26

49

CLEAR POLYCARBONATE GLIDES
ARE NOW STANDARD ON
RHYTHM.

PE

POLYETHYLENE SOFT WHITE GLIDES
RECOMMENDED TO HELP REDUCE
SCUFFING OF SOFTER FLOORING
SURFACES SUCH AS LINOLEUM.

POLYCARBONATE OPAQUE COLORS

20 BLACK MAGIC

21 SILVERADO

23 SAND DUNE

29 MOCHA

30 BERMUDA

31 TERRA COTTA

32 IVORY

POLYCARBONATE TRANSLUCENT
COLORS

43 DUSK

44 KIWI

45 TANGERINE TWIST

46 ICICLE

STANDARD POWDER PAINT

TB TEXTURED BLACK

TG TEXTURED GRAY

TK TEXTURED KHAKI

TP TEXTURED PEWTER

SM SILVER MATTE

GB GLOSSY BLACK

GW GLOSSY WHITE

WW WARM WHITE

DOUBLE COAT POWDER PAINT*

MS METALLIC SILVER +26

MD METALLIC DUSK +26

MF METALLIC FIELDSTONE +26

MB METALLIC BRONZE +26


* INCLUDES A PROTECTIVE
CLEAR COAT

CH BRIGHT CHROME +00

RHTD




ACCESSORIES

RHYTHM TRANSPORT
DOLLY +470



FINISH ADVISORY FOR STACKING
STYLEX RECOMMENDS CHROME FRAMES
FOR ANY RHYTHM APPLICATION REQUIR-
ING DOLLIES. WE WILL NOT WARRANT
POWDER COATED RHYTHM FRAMES USED
ON DOLLIES AGAINST DAMAGE TO THE
FINISH. IN ADDITION, APPROPRIATE CARE
MUST BE EXERCISED WHEN STACKING
POWDER COATED CHAIRS ON THE FLOOR.

8

rhythm BAR STOOL SLED ARMLESS			DESCRIPTION	C.O.M.	POLYPROPYLENE ONLY	C.O.M.	FABRIC UPHOLSTERY GRADES										
SERIES	FRAME	STYLE						YDG.	A	B	C	D	E	F	G	H	I
	ARMLESS POLYPROPYLENE BAR STOOL RH 7 1		-	455													
	ARMLESS POLYPROPYLENE BAR STOOL RH 7 2	UPHOLSTERED LUMBAR CUSHION	0.35		514	526	537	549	560	572	584	598	613	628			
	ARMLESS POLYPROPYLENE BAR STOOL RH 7 3	UPHOLSTERED SEAT CUSHION	0.50		539	556	572	588	604	622	639	659	680	703			
	ARMLESS POLYPROPYLENE BAR STOOL RH 7 4	UPHOLSTERED SEAT AND LUMBAR CUSHIONS	0.75		587	612	635	660	685	710	736	767	797	831			

TO ORDER FOLLOW STEPS 1-6

1	SERIES	2	FRAME AND STYLE	3	POLYPROPYLENE SHELLS	4	GLIDES	5	FINISH CHOICES	6	COVER
	RH RH RHYTHM	71 ARMLESS BAR STOOL POLYPROPYLENE SHELL	72 ARMLESS BAR STOOL POLYPROPYLENE SHELL AND UPHOLSTERED LUMBAR CUSHION	73 ARMLESS BAR STOOL POLYPROPYLENE SHELL AND UPHOLSTERED SEAT CUSHION	74 ARMLESS BAR STOOL POLYPROPYLENE SHELL, UPHOLSTERED SEAT AND LUMBAR CUSHION	49 CLEAR POLYCARBONATE GLIDES ARE NOW STANDARD ON RHYTHM.	PE POLYETHYLENE SOFT WHITE GLIDES RECOMMENDED TO HELP REDUCE SCUFFING OF SOFTER FLOORING SURFACES SUCH AS LINOLEUM.	71 STANDARD POWDER PAINT TB TEXTURED BLACK TG TEXTURED GRAY TK TEXTURED KHAKI TP TEXTURED PEWTER SM SILVER MATTE GB GLOSSY BLACK GW GLOSSY WHITE WW WARM WHITE 73 DOUBLE COAT POWDER PAINT* MS METALLIC SILVER +26 MD METALLIC DUSK +26 MF METALLIC FIELDSTONE +26 MB METALLIC BRONZE +26 * INCLUDES A PROTECTIVE CLEAR COAT CH BRIGHT CHROME +00 CONTACT CUSTOMER SERVICE FOR LEAD-TIMES	71 REFER TO STYLEX SWATCH CARDS AND SEPARATELY PUBLISHED IN-GRADED FABRIC PROGRAM TO DETERMINE GRADES. SEE GENERAL INFORMA- TION SECTION FOR CAL 133 INFORMATION.		