orice lis

PRICES EFFECTIVE JANUARY 2011 mg lounge



mg lounge	CHAIR WIDTH			LOUNGE CHAIR 24" WIDTH ARM OPTIONS	Z O I L
PRODUCT INFORMATION	LOUNGE AND 28 % AND 2			2 2 2 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	¥ 0
APPLICATIONS:	O O O O			00 V	Z Z
LOUNGE CHAIRS	, 4				α ω Ζ
					Z 0
DIMENSIONS / OVERVIEW	FOUR LEG			FOUR LEG ARM	
GENERAL DIMENSIONS A. AVERAGE SEAT HEIGHT	A. 17.5"		GENERAL DIMENSIONS A. AVERAGE SEAT HEIGHT	A. 17.5"	MARK GOETZ
B. SEAT DEPTH C. OVERALL HEIGHT	B. 19" C. 31"		B. SEAT DEPTH C. OVERALL HEIGHT	B. 19" C. 31"	CONSTRUCTION SEATS AND BACKS INCORPORATE
D. OVERALL DEPTH	D. 30″		D. OVERALL DEPTH	D. 30"	COMPOUND CURVED PLYWOOD UNDER HIGH-DENSITY, CFC-FREE
24" WIDE ARMLESS CHAIR E. OVERALL WIDTH	E. 24"		ARM CHAIR E. OVERALL WIDTH	E. 28"	POLYURETHANE FOAM. FRAMES ARE 13-GAUGE, HIGH-STRENGTH STEEL
F. SEAT & BACK WIDTH	F. 24"		F. SEAT & BACK WIDTH	F. 24"	TUBE. EXPOSED JOINTS ARE TIG WELDED.
	C			Ė	GLIDES
					GLIDES ARE PLASTIC.
	←—— D ————			→ D →	GANGING CHAIRS CAN BE GANGED
	·			'	WITH FIELD-INSTALLED BRACKETS. IF DESIRED, BRACKETS CAN
28" WIDE ARMLESS CHAIR E. OVERALL WIDTH	E. 28"		SINGLE ARM CHAIR RIGHT HAND E. OVERALL WIDTH	E. 26"	LATER BE REMOVED. FINISHES
F. SEAT & BACK WIDTH	F. 28"		F. SEAT & BACK WIDTH	F. 24"	THREE STYLEX PAINT FINISHES (TEXTURED BLACK, GLOSSY BLACK,
				h	AND METALLIC SILVER) ARE AVAIL- ABLE ALONG WITH CHROME.
	<u></u>			F	USE
					DESIGNED FOR INDOOR USE ONLY.
					MANUFACTURED TO COMPLY WITH
					ANSI/BIFMA X5.1 GENERAL OFFICE CHAIR TESTS.
	U U U			U U U	ENVIRONMENT GREENGUARD CERTIFIED.
			SINGLE ARM CHAIR LEFT HAND		_
			E. OVERALL WIDTH	E. 26"	
			F. SEAT & BACK WIDTH	F. 24"	
				←	
		'	•	1	1

mg lounge PRODUCT INFORMATION APPLICATIONS: BENCHES	BENCH 30° DEPTH	B B E D E D I H H H H H H H H H H H H H H H H H H	GENERAL INFORMATION
DIMENSIONS / OVERVIEW	FOUR LEG BENCH 30" DEEP	FOUR LEG BENCH 24" DEEP	
GENERAL DIMENSIONS A. OVERALL HEIGHT 24" WIDTH B. OVERALL DEPTH C. OVERALL WIDTH	A. 17.5" B. 30" C. 24" C D C D C D D D D D D D D D D D D D D		DESIGN MARK GOETZ CONSTRUCTION SEATS AND BACKS INCORPORATE COMPOUND CURVED PLYWOOD UNDER HIGH-DENSITY, CFC-FREE POLYURETHANE FOAM. FRAMES ARE 13-GAUGE, HIGH-STRENGTH STEEL TUBE. EXPOSED JOINTS ARE TIG WELDED. GLIDES GLIDES ARE PLASTIC.
28" WIDTH B. OVERALL DEPTH C. OVERALL WIDTH 48" WIDTH B. OVERALL DEPTH	B. 30" C. 28" B. 30" B. 30"	B. 24"	GANGING CHAIRS CAN BE GANGED WITH FIELD-INSTALLED BRACKETS. IF DESIRED, BRACKETS CAN LATER BE REMOVED. FINISHES THREE STYLEX PAINT FINISHES (TEXTURED BLACK, GLOSSY BLACK, AND METALLIC SILVER) ARE AVAIL- ABLE ALONG WITH CHROME. USE DESIGNED FOR INDOOR USE ONLY. TESTING MANUFACTURED TO COMPLY WITH ANSI/BIFMA X5.1 GENERAL OFFICE CHAIR TESTS. ENVIRONMENT
C. OVERALL WIDTH	C. 48"	C. 48"	GREENGUARD CERTIFIED.

ESCRIPTION	24"W X 30"D 28"W X 30"D 28"W X 30"D 24"W X 30"D UPHOLSTERED UPHOLSTERED UPHOLSTERED BENCH CHAIR	DESCRIPTION	26"W X 30"D 26"W X 30"D UPHOLSTERED RIGHT ARM LEFT ARM CHAIR CHAIR
DEL NUMBER	MG43024UB MG41028 MG41028 MG43024UB	MODEL NUMBER	MG42R24 MG42L24
ONT VIEW	24" — 28" — 28" — 24" — 1	FRONT VIEW	26" — 26" — 24" — 1
	17.5"		17.5"
PVIEW		TOP VIEW	
	104"		52"
SCRIPTION	28"W X 30"D 48"W X 30"D	DESCRIPTION	26"W X 30"D 24"W X 30"D 26"W X 30"D
	UPHOLSTERED TABLET ARM CHAIR	222	UPHOLSTERED UPHOLSTERED UPHOLSTERED RIGHT ARM ARMLESS LEFT ARM CHAIR CHAIR
DEL NUMBER LET	MG41028 MG130TA ← 28" ← 48" ← 48"	MODEL NUMBER	MG42R24 MG41024 MG42L24 ←———————————————————————————————————
ONT VIEW		FRONT VIEW	
	23.5"		31"
	_ U UU U <u>' ' '</u>	TOP VIEW	U UU UU U <u>++</u>

4

mg lounge FOUR LEG LOUNGE CHAIRS	DESCRIPTION	FABRIC UPHOLSTERY GRADES	LEATHER UPHOLSTERY GRADES
SERIES FRAME STYLE WIDTH/CUSHION	FRAME FINISH CHOICES YDG. SQ.FT.	X	w x y
FOUR LEG 24" ARMLESS CHAIR MG 4 10 24	CHROME OR POWDER COAT 3.0 40	1,369 1,449 1,526 1,603 1,682 1,765 1,846 1,946 2,042 2,152 2	2,060 2,202 2,542
FOUR LEG 28" ARMLESS CHAIR MG 4 10 28	CHROME OR POWDER COAT 3.5 44	1,425 1,525 1,621 1,717 1,816 1,919 2,021 2,146 2,267 2,403 2	2,189 2,347 2,724
FOUR LEG ARM CHAIR MG 4 20 24	CHROME OR POWDER COAT 3.0 40	1,481 1,561 1,637 1,715 1,794 1,876 1,958 2,058 2,154 2,264 2	2,171 2,314 2,654
FOUR LEG RIGHT HAND ARM CHAIR MG 4 2R 24	CHROME OR POWDER COAT 3.0 40	1,425 1,505 1,581 1,659 1,738 1,821 1,902 2,002 2,098 2,208 2	2,116 2,258 2,598
FOUR LEG LEFT HAND ARM CHAIR MG 4 2L 24	CHROME OR POWDER COAT 3.0 40	1,425 1,505 1,581 1,659 1,738 1,821 1,902 2,002 2,098 2,208 2	2,116 2,258 2,598
TO ORDER 1 SERIES/FRAME/STYLE	2 OPTIONS	3 FRAME FINISH CHOICES	4 COVER
FOLLOW STEPS 1 - 4 TO CONSTRUCT A MODEL NUMBER. SEE INTRODUCTORY PRODUCT SPECIFICATION PAGES FOR ADDITIONAL INFORMATION. MG 41024 FOUR LEG 24" ARMLESS CHAIR MG 42024 FOUR LEG ARM CHAIR MG 42R24 FOUR LEG RIGHT HAND ARM CHAIR MG 42L24 FOUR LEG LEFT HAND ARM CHAIR SEE TABLET ARM PAGES FOR DETAILS.	ONE GANGING BRACKET SECURES TWO UNITS. FIELD-IN- STALLABLE. UNITS WITH ARMS ON BOTH SIDES MAY NOT BE GANGED. UNITS WITH AN ARM ON ONE SIDE MAY BE GANGED ON THE SIDE WITHOUT AN ARM. WHEN GANGING A GROUP OF CHAIRS, CALCULATE THE NUM- BER OF CHAIRS TO ORDER WITH BRACKETS BY TOTALING THE NUMBER OF CHAIRS GANGED TOGETHER AND SUBTRACTING ONE.	ONTRASTING FABRIC +104 HARGED FOR EACH CONTRASTING ABRIC COMBINATION SPECIFIED. ST PRICE IS BASED ON THE HIGHER RADE SPECIFIED. C.O.M. REQUIRE- ENTS SHOWN BELOW. MS METALLIC SILVER INCLUDES A PROTECTIVE CLEAR COAT CH BRIGHT CHROME ONTRASTING FABRIC C.O.M EQUIREMENTS PER CHAIR ODEL "A" SURFACE "B" SURFACE 641024 1.75 .75 EN1029 2.5 .75	REFER TO STYLEX SWATCH CARDS AND SEPARATELY PUBLISHED IN-GRADED FABRIC PROGRAM TO DETERMINE GRADES. SEE GENERAL INFORMATION SECTION FOR CAL 133 INFORMATION.

MG41028

MG42024

MG42R24

1.75

1.75

MG42L24 1.75

.75

.75

mg loung		DESCRIPTION	FABRIC UPHOLSTERY GRADES	LEATHER UPHOLSTERY GRADES
SEI	RIES FRAME DEPTH WIDTH STYLE	FRAME FINISH CHOICES YDG. SQ.FT.	X	y X Y
M G	G 4 30 24 UB	CHROME OR POWDER COAT 2.0 14	866 913 957 1,003 1,048 1,097 1,145 1,2	203 1,259 1,323 1,142 1,149 1,265
MG	G 4 30 28 UB	CHROME OR POWDER COAT 2.0 16	894 944 993 1,040 1,090 1,142 1,192 1,2	254 1,315 1,384 1,165 1,221 1,293
MG	G 4 30 48 UB	CHROME OR POWDER COAT 2.0 24	1,146 1,212 1,276 1,340 1,407 1,475 1,543 1,6	626 1,707 1,798 1,565 1,652 1,858
MG	G 4 24 48 UB	CHROME OR POWDER COAT 2.0 20	950 997 1,041 1,087 1,132 1,181 1,229 1,3	287 1,342 1,407 1,295 1,366 1,537
TO ORDER	1 SERIES/FRAME/STYLE	2 OPTIONS	3 FRAME FINISH C	SHOICES 4 COVER
FOLLOW STEPS 1 - 4 TO CONSTRUCT A MODEL NUMBER. SEE INTRODUCTORY PRODUCT SPECIFICATION PAGES FOR ADDITIONAL INFORMATION.	MG 43024UB 30" X 24" FOUR LEG UPHOLSTERED E MG 43028UB 30" X 28" FOUR LEG UPHOLSTERED E MG 43048UB 30" X 48" FOUR LEG UPHOLSTERED E MG 42448UB 24" X 48" FOUR LEG UPHOLSTERED E SEE TABLET ARM PAGES FOR DETAILS	ONE GANGING BRACKET SECURES TWO UNITS. FIELD-IN- STALLABLE. UNITS WITH ARMS ON BOTH SIDES MAY NOT BE GANGED. UNITS WITH AN ARM ON ONE SIDE MAY BE GANGED ON THE SIDE WITHOUT AN ARM. WHEN GANGING A GROUP OF CHAIRS, CALCULATE THE NUM- BER OF CHAIRS TO ORDER WITH	CF CONTRASTING FABRIC +104 CHARGED FOR EACH CONTRASTING FABRIC COMBINATION SPECIFIED. LIST PRICE IS BASED ON THE HIGHER GRADE SPECIFIED. C.O.M. REQUIRE- MENTS SHOWN BELOW. MS METALLIC SILVER * INCLUDES A PROTECT CLEAR COAT CH BRIGHT CHROME ** CONTRASTING FABRIC C.O.M REQUIREMENTS PER CHAIR ** MODEL **A" SURFACE **B" SURFACE M643024UB 0.8 0.6	CARDS AND SEPARATELY PUBLISHED IN-GRADED FABRIC PROGRAM TO DETERMINE GRADES. SEE GENERAL INFORMA- TION SECTION FOR CAL

MG43028UB 1.0 MG43048UB 1.5

MG42424UB 0.8

MG42448UB 0.8

0.6

0.6

0.6

FOUR LEG WOOD TABLE BENCHES
IN-LINE WOOD CONNECTING TABLE

VENEERS

SERIES FRAME	DEPTH W	IDTH STYLE	FRAME FINISH CHOICES	STANDARD VENEERS
FOUR LEG WOOD TA MG 4	ABLE BENCHES 30 14		CHROME OR POWDER COAT	1,087
MG 4	30 24	I ТВ	CHROME OR POWDER COAT	1,449
MG 4	30 48	в ТВ	CHROME OR POWDER COAT	2,070
IN-LINE WOOD CON	INECTING TAE		INCLUDES BRACKETS TO CONNECT BETWEEN TWO UPHOLSTERED UNITS	828

FOLLOW STEPS 1 - 4 TO CONSTRUCT A MODEL NUMBER.

SEE INTRODUCTORY PRODUCT SPECIFICATION PAGES FOR ADDITIONAL INFORMATION. G 43014TB

1 SERIES/FRAME/STYLE

30" X 14" FOUR LEG TABLE BENCH

43024TB

30" X 24" FOUR LEG TABLE BENCH

43048TB

30" X 48" FOUR LEG TABLE BENCH

1G 03008TB

30" X 8" IN-LINE CONNECTING TABLE

SEE TABLET ARM PAGES FOR DETAILS.

STANDARD VENEER CHOICES

PZ30 ALPI RIFT CUT OAK MK33 TONED ALPI QUARTER CUT WENGE

SPECIAL ORDER

2 FINISH

ALL OTHER PAZ AND WELCOME FINISHES
CAN BE SPECIAL ORDERED. PLEASE
CONTACT STYLEX CUSTOMER SERVICE FOR
PRICING AND LEAD-TIMES.

CUSTOM STAIN MATCH
PER ORDER PER COLOR
10 UNIT MINIMUM

+235

GANGING BRACKET

3 OPTIONS

ONE GANGING BRACKET
SECURES TWO UNITS. FIELD-INSTALLABLE. UNITS WITH ARMS
ON BOTH SIDES MAY NOT BE
GANGED. UNITS WITH AN ARM
ON ONE SIDE MAY BE GANGED
ON THE SIDE WITHOUT AN ARM.

+31

WHEN GANGING A GROUP OF CHAIRS, CALCULATE THE NUMBER OF CHAIRS TO ORDER WITH BRACKETS BY TOTALING THE NUMBER OF CHAIRS GANGED TOGETHER AND SUBTRACTING ONE.

STANDARD POWDER PAINT

4 FRAME FINISH CHOICES


TB TEXTURED BLACK

GB GLOSSY BLACK

DOUBLE COAT POWDER PAINT*

MS METALLIC SILVER
* INCLUDES A PROTECTIVE
CLEAR COAT

CH BRIGHT CHROME



SERIES FRAME STYLE FRAME	FRAME FINISH CHOICES	STANDARD LAMINATE	STANDARD VENEERS
UNIVERSAL TABLET ARM MG 1 30 UTA	CHROME OR POWDER COAT	388	492
SHARED TABLET ARM FOR 8" IN-LINE TABLE MG 0 30 STA	CHROME OR POWDER COAT MUST BE ORDERED WITH IN-LINE CONNECTING TABLE	362	466

