orice lis

PRICES EFFECTIVE JANUARY 2011 insight decora



insight decord upholstered back swivel PRODUCT INFORMATION APPLICATIONS: EXECUTIVE / CONFERENCE	MEDIUM BACK	MEDIUM SEAT HIGH BACK	SLED BASE	DRAFTING	DRAFTING	GENERAL INFORMATION
DIMENSIONS / OVERVIEW	SIZE 6 UPHOLSTERED BACK	SIZE 8 UPHOLSTERED BACK	GUEST	INTERMEDIATE HEIGHT	FULL HEIGHT	
GENERAL DIMENSIONS A. SEAT HEIGHT* B. SEAT DEPTH C. BACK HEIGHT D. SEAT WIDTH & OVERALL WIDTH (ARMLESS) E. MAXIMUM OVERALL HEIGHT* * MEASUREMENTS GIVEN ARE ACCURATE FOR MOST CONTROLS. SPECIFIC MODELS MAY VARY SLIGHTLY.	A. 17"- 21" B. 18" C. 20" D. 20.5" E. 35.5"- 39"	A. 17"- 21" B. 18" C. 23.5" D. 20.5" E. 39"- 42.5"	A. 17" B. 18" C. 18" D. 20.5" E. 33.5"	A. 20.5"-28.5" B. 18" C. 18" D. 20.5" E. 46.5"	A. 23.5"-33.5" B. 18" C. 18" D. 20.5" E. 51.5" D	DESIGN STYLEX BACK CONSTRUCTION BACKS CONSIST OF AN UPHOL- STERED COVER PULLED OVER AN ELASTOMERIC SUB-SURFACE EN- CASING A 5/8" STEEL ROD FRAME. ON THE FRONT SIDE, BETWEEN THE SUB-SURFACE AND THE UPHOL- STERY IS 1/2" OF RESILIENT FOAM. SEAT CONSTRUCTION SEATS INCORPORATE COMPOUND CURVE PLYWOOD COVERED WITH CUSHIONS OF CFC-FREE POLYURE- THANE.
T-SHAPE ADJUSTABLE ARM OPTION A. OVERALL WIDTH B. DISTANCE BETWEEN ARMS C. ARM HEIGHT	A. 26" B. 19" C. 6.5"-9.5" A A A A A A A A A A A A A A A A A A A	A. 26" B. 19" C. 6.5".9.5"		A. 26" B. 19" C. 6.5"-9.5"	A. 26" B. 19" C. 6.5"-9.5"	ARMS HEIGHT-ADJUSTABLE AND FIXED HEIGHT T-ARMS HAVE PADS MADE FROM SELF-SKINNED URETHANE OVER A STEEL FRAME. FIXED HEIGHT CANTILEVER ARMS MAY BE BLACK POLYURETHANE, UPHOLSTERED, OR CAST ALUMINUM. ALUMINUM ARMS MAY BE POLISHED OR PAINTED WITH OR WITHOUT CAPS. CAPS MAY BE UPHOLSTERED OR BLACK PLASTIC.
T-SHAPE FIXED ARM OPTION A. OVERALL WIDTH B. DISTANCE BETWEEN ARMS C. ARM HEIGHT	A. 25.5" B. 19" C. 8.5"	A. 25.5" B. 19" C. 8.5"	A. 25.5" B. 19" C. 8.5"	A. 25.5" B. 19" C. 8.5"	A. 25.5" B. 19" C. 8.5"	BASES THE STANDARD FIVE PRONG BASE IS BLACK GLASS-FILLED NYLON. AN OPTIONAL CAST ALUMINUM BASE IS AVAILABLE EITHER WITH HIGHLY POLISHED FINISH OR A CHOICE OF POWDER COAT FINISHES. CASTERS OPTIONAL RUBBER-TIRED CASTERS MUST BE USED ON HARD FLOORS SUCH AS WOOD, LINOLEUM OR CON- CRETE. PLEASE BE SURE TO SPECIFY RUBBER-TIRED CASTERS FOR THESE
CANTILEVERED FIXED ARM OPTION A. OVERALL WIDTH B. DISTANCE BETWEEN ARMS C. ARM HEIGHT	A. 25" B. 21" C. 8.5"	A. 25" B. 21" C. 8.5"	A. 25" B. 21" C. 8.5"	A. 25" B. 21" C. 8.5"	A. 25" B. 21" C. 8.5"	APPLICATIONS. TESTING MANUFACTURED TO COMPLY WITH ANSI/BIFMA X5.1 GENERAL OFFICE CHAIR TESTS. ENVIRONMENT GREENGUARD CERTIFIED.
FIXED ARM OPTION A. OVERALL WIDTH B. DISTANCE BETWEEN ARMS C. ARM HEIGHT	A. 24" B. 20" C. 8.5"	A. 24" B. 20" C. 8.5"	A. 24" B. 20" C. 8.5"	A. 24" B. 20" C. 8.5"	A. 24" B. 20" C. 8.5"	

insight de upholstered swivel		DESCRIPTION			FABRIC UPHOLSTERY GRADES										THER UPHOLSTERY GRADES		
GENERAL ENVIRONME SERIES STYLE		s	¥ 0.0 YDG.	1.00.00 SQ.FT.	ν. Θ. Σ.	В	C .0 .1.	D	E	F	G	н	ı	J	W LEA	x	Y
MEDIUM BACK IN 3 IN 3	6 10 00 6 10 59	ARMLESS ADJUSTABLE HEIGHT, BLACK, URETHANE CAP	1.6	28	792 937	845 989	896 1,041	947 1,092	1,001	1,055	1,110 1,254	1,176 1,321	1,241	1,313	1,221	1,309	1,521
IN 3	6 10 69 6 10 79	ADJUSTABLE HEIGHT, CHROME, URETHANE CAP FIXED HEIGHT, BLACK, URETHANE CAP	1.6 1.6	28 28	947 926	1,000 979	1,052 1,031	1,102 1,082	1,156 1,135	1,210 1,189	1,265 1,244	1,331 1,310	1,396 1,376	1,469 1,448	1,3 <i>77</i> 1,356	1,465 1,444	1,677 1,656
IN 3 IN 3 IN 3 IN 3	6 10 51 6 10 54/6 6 10 55/6 6 10 56/6 6 10 57	C-ARM, PAINTED OR POLISHED, PLASTIC CAP	1.6 1.6 1.6 1.6	28 28 28 28 35	937 1,051 1,076 1,102	989 1,103 1,129 1,155	1,041 1,155 1,181 1,207 1,284	1,092 1,206 1,232 1,258	1,146 1,260 1,285 1,311	1,200 1,313 1,339 1,365	1,254 1,368 1,394 1,420	1,321 1,435 1,460 1,486	1,386 1,500 1,526 1,551	1,458 1,572 1,598 1,624	1,366 1,480 1,506 1,532 1,722	1,454 1,568 1,594 1,620 1,839	1,666 1,780 1,806 1,832 2,120
IN 3 IN 3	6 10 21 6 10 31	FIXED ARM WITH URETHANE CAP FIXED CHROME ARM WITH URETHANE CAP	1.6 1.6	28 28	916 937	969 989	1,021 1,041	1,071 1,092	1,125 1,146	1,179 1,200	1,234 1,254	1,300 1,321	1,365 1,386	1,438 1,458	1,346 1,366	1,433 1,454	1,646 1,666
HIGH BACK IN 3	8 10 00	ARMLESS	1.8	30	818	878	935	993	1,053	1,114	1,176	1,250	1,323	1,404	1,283	1,382	1,609
IN 3 IN 3 IN 3	8 10 59 8 10 69 8 10 79	ADJUSTABLE HEIGHT, BLACK, URETHANE CAP ADJUSTABLE HEIGHT, CHROME, URETHANE CAP FIXED HEIGHT, BLACK, URETHANE CAP	1.8 1.8 1.8	30 30 30	963 973 952	1,023 1,033 1,012	1,080 1,090 1,069	1,137 1,148 1,127	1,197 1,208 1,187	1,259 1,269 1,248	1,321 1,331 1,310	1,395 1,406 1,385	1,468 1,478 1,457	1,549 1,560 1,539	1,428 1,439 1,418	1,527 1,537 1,516	1,754 1,765 1,744
IN 3 IN 3 IN 3 IN 3	8 10 51 8 10 54/6 8 10 55/6 8 10 56/6 8 10 57	C-ARM, PAINTED OR POLISHED, PLASTIC CAP	1.8 1.8 1.8 1.8	30 30 30 30 37	963 1,076 1,071 1,128	1,023 1,136 1,131 1,188	1,080 1,193 1,188 1,245 1,324	1,137 1,251 1,246 1,303	1,197 1,311 1,306 1,363	1,259 1,372 1,367 1,424	1,321 1,435 1,429 1,486	1,395 1,509 1,504 1,561	1,468 1,581 1,576 1,633	1,549 1,663 1,658 1,715	1,428 1,542 1,537 1,594 1,784	1,527 1,640 1,635 1,692 1,912	1,754 1,868 1,863 1,920 2,208
A B B B B B B B B B B B B B B B B B B B	8 10 21 8 10 31	FIXED ARM WITH URETHANE CAP FIXED CHROME ARM WITH URETHANE CAP	1.8 1.8	30 30	942 963	1,002 1,023	1,059 1,080	1,11 <i>7</i> 1,13 <i>7</i>	1,177 1,197	1,238 1,259	1,300 1,321	1,374 1,395	1,447 1,468	1,529 1,549	1,408	1,506 1,527	1,734 1,754
TO ORDER FOLLOW STEPS 1-6 1 SERIES/STYLE/SIZE	2 CONTROLS/FUNCTIO	N 3 ARM CHOICES						4 OPTIC	ONS			5	FINISH CHO	ICES		6 COVE	R
	CENTER PIVOT TILT ADJUSTMENTS: PNEUM SEAT HEIGHT, TILT TEN TILT LOCK OUT	ARMLESS	65	FIXED H POLISHE WITH PL FIXED H POLISHE WITH PL FIXED H POLISHE WITH UF FIXED H UPHOLS NOTE: CO	EIGHT C-AR D ALUMINUM EIGHT C-AR ED ALUMINUM ASTIC CAP EIGHT C-AR ED ALUMINUM ASTIC CAPS EIGHT C-AR D ALUMINUM EIGHT C-AR ED ALUMINUM PHOLSTERED EIGHT C-AR ED ALUMINUM D HOLSTERED EIGHT C-AR ED ALUMINUM ERED ARM CA	M M M M M M M M M M M M M M M M M M M		R RUBBE G1 GLIDE CT CONT B22 PAINT ALUM CU COOR UPHO *COOI THESE WITH STERY, DARD ON SE CONTA	ER TIRED CA SUBSTITUTI RASTING TH ED CAST INUM BASE HED CAST INUM BASE DINATED LSTERY* RDINATED UPP CHAIRS MAY CHAIRS MAY CHAIRS MAY CHAIRS MAY CORDINATE AS OPPOSED MATCHING UP ATS AND BAC CCT CUSTOME ETAILS.	+114 +114 +26 HOLSTERY BE ORDERED D UPHOL- TO STAN- PHOLSTERY, KS. PLEASE		S S TB T TG T TK T TP T SM S GB GW W W W W M A A A A A A A A A A A A A A	TANDARD PO' EXTURED BLA EXTURED GR EXTURED KH EXTURED PEN EXTURED FOR EXTURED TO THE EXT	WDER PAINT ACK AY* AKI* WTER* E* E* LECTION WILL E ALUMINUM E S PER THE MOD POWDER PAIN VER SK LDSTONE DNZE ROTECTIVE LECTION WILL E ALUMINUM E E ALUMINUM E E ALUMINUM E FOR THE MOD AS CAN BE OR- PAINTED BASE (** O'DESIGNATION ENT FOR PAIN AS CAN BE OR- PAINTED BASE (** O'DESIGNATION ENT FOR PAIN	BASE EL T* BE BASE EL	SEE SV STANE OPTIC SEE GI TION DETAI IN-GR PROG SEE GI TION S	WATCH CARDS FOR DARD UPHOLSTERY ONS. ENERAL INFORMA- SECTION FOR ILS ON COM AND RADED FABRIC

insight de upholstered swivel		DESCRIPTION			FABRIC UPHOLSTERY GRADES										HER UPHOLSTERY GRADES		
CONFERENCE - LIGHT			. X O O O	7.00.0 5 Q.FT.	C. O. Ж.	В	C.O.L.	D	E	F	G	н	1	J	M LEATH	x	Y
MEDIUM BACK IN 3	6 16 00	ARMLESS ADJUSTABLE HEIGHT, BLACK, URETHANE CAP	1.6	28	864	917	969 1,114	1,019	1,073	1,127 1,272	1,182 1,327	1,248	1,313 1,458	1,386	1,294	1,382 1,527	1,594
IN 3	6 16 69 6 16 79	ADJUSTABLE HEIGHT, CHROME, URETHANE CAP FIXED HEIGHT, BLACK, URETHANE CAP	1.6 1.6	28 28	1,019	1,072 1,052	1,124 1,103	1,175 1,154	1,229	1,282 1,262	1,33 <i>7</i> 1,31 <i>7</i>	1,403 1,383	1,469 1,448	1,541 1,520	1,449	1,537 1,516	1,749 1,728
IN 3 IN 3 IN 3 IN 3 IN 3 IN 3	6 16 51 6 16 54/64 6 16 55/65 6 16 56/66 6 16 57	FIXED HEIGHT C-ARM, BLACK URETHANE C-ARM, PAINTED OR POLISHED ALUMINUM C-ARM, PAINTED OR POLISHED, PLASTIC CAP C-ARM, PAINTED OR POLISHED, UPHOLSTERED CAP FIXED HEIGHT C-ARM, FULLY UPHOLSTERED	1.6 1.6 1.6	28 28 28 28 35	1,009 1,123 1,149 1,175	1,062 1,176 1,202 1,228	1,114 1,228 1,253 1,279 1,357	1,164 1,278 1,304 1,330	1,218 1,332 1,358 1,384	1,272 1,386 1,412 1,438	1,327 1,441 1,467 1,492	1,393 1,507 1,533 1,559	1,458 1,572 1,598 1,624	1,531 1,645 1,670 1,696	1,439 1,553 1,578 1,604 1,795	1,527 1,640 1,666 1,692 1,912	1,739 1,853 1,879 1,904 2,192
IN 3 IN 3	6 16 21 6 16 31	FIXED ARM WITH URETHANE CAP FIXED CHROME ARM WITH URETHANE CAP	1.6 1.6	28 28	988 1,009	1,041 1,062	1,093 1,114	1,144 1,164	1,197 1,218	1,251 1,272	1,306 1,327	1,372 1,393	1,438 1,458	1,510 1,531	1,418	1,506 1,527	1,718 1,739
HIGH BACK IN 3	8 16 00	ARMLESS	1.8	30	890	950	1,007	1,065	1,125	1,186	1,248	1,323	1,395	1,477	1,356	1,454	1,682
IN 3 IN 3 A A A A A A A A A A A A A A A A A A A	8 16 59 8 16 69 8 16 79	ADJUSTABLE HEIGHT, BLACK, URETHANE CAP ADJUSTABLE HEIGHT, CHROME, URETHANE CAP FIXED HEIGHT, BLACK, URETHANE CAP	1.8 1.8 1.8	30 30 30	1,035 1,045 1,025	1,095 1,105 1,085	1,152 1,162 1,142	1,210 1,220 1,200	1,270 1,280 1,260	1,331 1,341 1,321	1,393 1,403 1,383	1,468 1,478 1,457	1,540 1,550 1,530	1,622 1,632 1,611	1,501 1,511 1,490	1,599 1,609 1,589	1,827 1,837 1,816
IN 3 IN 3 IN 3 IN 3 IN 3 IN 3	8 16 51 8 16 54/64 8 16 55/65 8 16 56/66 8 16 57	FIXED HEIGHT C-ARM, BLACK URETHANE C-ARM, PAINTED OR POLISHED ALUMINUM C-ARM, PAINTED OR POLISHED, PLASTIC CAP C-ARM, PAINTED OR POLISHED, UPHOLSTERED CAP FIXED HEIGHT C-ARM, FULLY UPHOLSTERED	1.8 1.8 1.8	30 30 30 30 37	1,035 1,149 1,175 1,201	1,095 1,209 1,235 1,261	1,152 1,266 1,292 1,318 1,396	1,210 1,324 1,350 1,376	1,270 1,384 1,410 1,436	1,331 1,445 1,471 1,497	1,393 1,507 1,533 1,559	1,468 1,581 1,607 1,633	1,540 1,654 1,680 1,706	1,622 1,736 1,762 1,787	1,501 1,615 1,640 1,666 1,857	1,599 1,713 1,739 1,765 1,984	1,827 1,941 1,967 1,992 2,280
IN 3	8 16 21 8 16 31	FIXED ARM WITH URETHANE CAP FIXED CHROME ARM WITH URETHANE CAP	1.8 1.8	30 30	1,014 1,035	1,074 1,095	1,131 1,152	1,189 1,210	1,249 1,270	1,310 1,331	1,372 1,393	1,447 1,468	1,519 1,540	1,601 1,622	1,480 1,501	1,578 1,599	1,806 1,827
TO ORDER FOLLOW STEPS 1-6 1 SERIES/STYLE/SIZE	2 CONTROLS/FUNCTION	3 ARM CHOICES						4 OPTION	IS			5 FIN	ISH CHOICE	S		6 COVE	R
	2 CONTROLS/FUNCTION 16 16 MID PIVOT TILT ADJUSTMENTS: PNEUMA SEAT HEIGHT, TILT TENS TILT LOCK	TIC ARMLESS	65 M,	FIXED IN PAINTE WITH POLISH WITH POLISH WITH POLISH WITH LONG THE COLOR OF THE PAINTE WITH LONG THE W	HEIGHT C-AR D ALUMINU HEIGHT C-AR IED ALUMINU LASTIC CAP HEIGHT C-AR IED ALUMINU LASTIC CAP HEIGHT C-AR IED ALUMINU IPHOLSTEREI HEIGHT C-A	M RM UM RM RM M RM CM M CAP RM D CAP RM D CAP RM AUST BE LLY FOR		R RUBBER GLIDE S GLIDE S CONTRA ALUMIN ALUMIN COORD UPHOLS *COORD THESE CONTRA THESE ON SEAT, AA ON SEAT	TIRED CAST UBSTITUTIO ASTING THRI D CAST IUM BASE ED CAST IUM BASE INATED TERY* INATED UPHO HAIRS MAY BE ORD INATED IS S OPPOSED TO ATCHING UPHS S AND BACKS T CUSTOMERS	N +00 EAD +00 +114 +114 +26 DISTERY CORDERED JPHOL- OSTAN- OLISTERY, LPHEASE		STAN TB TEXT TG TEXT TK TEXT TP TEXT SM SILVE GB GLOS GW GLOS WW WAR * THE F APPLI AND CODE DOUB MS META MB META MB META * INCLU CLEA THE F APPLI AND CODE POLIS DERE VICE ONE	DARD POWDI URED BLACK URED GRAY* URED FEMTE ER MATTE* SSY BLACK* SSY WHITE* SINISH SELECT ALLIC SILVER ALLIC SILVER ALLIC FIELDS ALLIC FIELDS ALLIC BRONZ UDES A PROTI R COAT FINISH SELECT INISH SELECT UPER ARMS PEI ESS. SHED ARMS PEI ESS. SHED ARMS PEI ESS. SHED ARMS CO D WITH A PAI VERSA BY DE COMPONENT HE AND THE CO	ER PAINT * TION WILL BE LUMINUM BASI R THE MODEL VODER PAINT* TONE LE ECTIVE TION WILL BE LUMINUM BASI R THE MODEL AN BE OR NTED BASE OR STED BASE OR STED BASE OR FOR PAINTED FOR PAINTED		SEE S' STANI OPTIC SEE G TION DETAI IN-GI PROG SEE G TION	WATCH CARDS FOR DARD UPHOLSTERY DNS. ENERAL INFORMASECTION FOR LS ON COM AND RADED FABRIC

insight de upholstered swivel						FABRIC UPHOLSTERY GRADES										LEATHER UPHOLSTERY GRADES		
				C.O.M.	C. O. L.	C.O.M.		C.O.L.										
SERIES STYLI	E SIZE CON	NTROL ARMS		YDG.	SQ.FT.	A	В	c	D	E	F	G	Н	I	J	w	x	Y
MEDIUM BACK IN 3	6 27	00	ARMLESS	1.6	28	937	989	1,041	1,092	1,146	1,200	1,254	1,321	1,386	1,458	1,366	1,454	1,666
IN 3 IN 3 666661N 3	6 27 6 27 6 27	69	ADJUSTABLE HEIGHT, BLACK, URETHANE CAP ADJUSTABLE HEIGHT, CHROME, URETHANE CAP FIXED HEIGHT, BLACK, URETHANE CAP	1.6 1.6 1.6	28 28 28	1,082 1,092 1,071	1,134 1,145 1,124	1,186 1,196 1,176	1,237 1,247 1,226	1,291 1,301 1,280	1,344 1,355 1,334	1,399 1,410 1,389	1,466 1,476 1,455	1,531 1,541 1,520	1,603 1,614 1,593	1,511 1,521 1,501	1,599 1,609 1,589	1,811 1,822 1,801
IN 3 IN 3 IN 3 IN 3 IN 3	6 27 6 27 6 27 6 27 6 27	54/64 55/65 56/66	FIXED HEIGHT C-ARM, BLACK URETHANE C-ARM, PAINTED OR POLISHED ALUMINUM C-ARM, PAINTED OR POLISHED, PLASTIC CAP C-ARM, PAINTED OR POLISHED, UPHOLSTERED CAP FIXED HEIGHT C-ARM, FULLY UPHOLSTERED	1.6 1.6 1.6 1.6	28 28 28 28 28 35	1,082 1,195 1,221 1,247	1,134 1,248 1,274 1,300	1,186 1,300 1,326 1,352 1,429	1,237 1,351 1,377 1,402	1,291 1,404 1,430 1,456	1,344 1,458 1,484 1,510	1,399 1,513 1,539 1,565	1,466 1,579 1,605 1,631	1,531 1,645 1,670 1,696	1,603 1,717 1,743 1,769	1,511 1,625 1,651 1,677 1,867	1,599 1,713 1,739 1,765 1,984	1,811 1,925 1,951 1,977 2,265
IN 3 IN 3	6 27 6 27		FIXED ARM WITH URETHANE CAP FIXED CHROME ARM WITH URETHANE CAP	1.6 1.6	28 28	1,061	1,114 1,134	1,165 1,186	1,216 1,237	1,270 1,291	1,324 1,344	1,379 1,399	1,445 1,466	1,510 1,531	1,583 1,603	1,490 1,511	1,578 1,599	1,791 1,811
HIGH BACK	8 27	00	ARMLESS	1.8	30	963	1,023	1,080	1,137	1,197	1,259	1,321	1,395	1,468	1,549	1,428	1,527	1,754
IN 3 IN 3 IN 3	8 27 8 27 8 27	69	ADJUSTABLE HEIGHT, BLACK, URETHANE CAP ADJUSTABLE HEIGHT, CHROME, URETHANE CAP FIXED HEIGHT, BLACK, URETHANE CAP	1.8 1.8 1.8	30 30 30	1,107 1,118 1,097	1,167 1,178 1,157	1,224 1,235 1,214	1,282 1,293 1,272	1,342 1,353 1,332	1,403 1,414 1,393	1,466 1,476 1,455	1,540 1,550 1,530	1,613 1,623 1,602	1,694 1,705 1,684	1,573 1,584 1,563	1,672 1,682 1,661	1,899 1,910 1,889
IN 3 IN 3 IN 3 IN 3 IN 3 IN 3	8 27 8 27 8 27 8 27 8 27	54/64 55/65 56/66 57	FIXED HEIGHT C-ARM, BLACK URETHANE C-ARM, PAINTED OR POLISHED ALUMINUM C-ARM, PAINTED OR POLISHED, PLASTIC CAP C-ARM, PAINTED OR POLISHED, UPHOLSTERED CAP FIXED HEIGHT C-ARM, FULLY UPHOLSTERED FIXED ARM WITH URETHANE CAP	1.8 1.8 1.8 1.8	30 30 30 30 30 37	1,107 1,221 1,247 1,273	1,167 1,281 1,307 1,333	1,224 1,338 1,364 1,390 1,469	1,282 1,396 1,422 1,448	1,342 1,456 1,482 1,508	1,403 1,517 1,543 1,569	1,466 1,579 1,605 1,631	1,540 1,654 1,680 1,706	1,613 1,726 1,752 1,778	1,694 1,808 1,834 1,860	1,573 1,687 1,713 1,739 1,929	1,672 1,785 1,811 1,837 2,057	1,899 2,013 2,039 2,065 2,353
TO ORDER FOLLOW STEPS 1-6	8 27	31	FIXED CHROME ARM WITH URETHANE CAP	1.8	30	1,107	1,167	1,224	1,282	1,342	1,403	1,466	1,540	1,613	1,694	1,573	1,672	1,899
1 SERIES/STYLE/SIZE	2 CONTR	OLS/FUNCTION	3 ARM CHOICES						4 OPTI	ONS			5	FINISH CH	DICES		6 COVE	R
UPHOLSTERED MEDIUM BACK SEAT: MEDIUM 20.5" W X 18.5"D BACK: MEDIUM 20"H X 20.5"W UPHOLSTERED HIGH BACK SEAT: MEDIUM 20.5" W X 18.5"D BACK: HIGH 24"H X 20.5"W	ADJUST SEAT H TILT TE	OT SYNCHRO TILT IMENTS: PNEUMAT EIGHT, BACK ANG NSION ONAL SEAT SLIDE		65 M,	PAINTE FIXED H POLISH WITH P FIXED H POLISH WITH P FIXED H PAINTE WITH U FIXED H UPHOL NOTE: C IN-GRAIA APPROV	HEIGHT C-A D ALUMINU HEIGHT C-A IED ALUMINU LASTIC CAF HEIGHT C-A IED ALUMINU LASTIC CAF HEIGHT C-A D ALUMINU LASTIC CAF HEIGHT C-A D ALUMINU IPHOLSTERE HEIGHT C-A STERED OMS, COLS A DED FABRICS ED SPECIFICA TERED ARM CO	RM, UM RM, UM RM, UM S RM, UM S RM, UM D CAP RM, UM D CAP RM, UM LLY FOR		R RUBB GL GLIDE CT CONT B22 PAINT ALUM CU COOF UPHO *COO THESE WITH STERY, DARD ON SE CONT.	TED CAST INUM BASE THED CAST INUM BASE RDINATED LSTERY* RDINATED UP	HREAD +00 +114 +114 +26 HOLSTERY BE ORDERED D UPHOL- D TO STAN- PHOLSTERY, KS. PLEASE		TB TT TG TT TK TT TP TT SM S GB CG W W N N N N M M M M M M M M M M M M M M	EXTURED BLEET URED KET TO THE FINISH SEAPPLIED TO THE METALLIC SIME METALLIC BROWNER APPLIED TO THE METALLIC BROWNER APPLIED TO THE FINISH SEAPPLIED TO THE METALLIC BROWNER APPLIED TO THE FINISH SEAPPLIED TO THE FINISH SEAPPLE TO THE FINISH SEAPPLE TO THE FINISH SEAPPLIED TO THE FINISH SEAPPLE TO THE FINISH	RAY* HAKI* WTER* E* CK* TE* ELECTION WILL HE ALUMINUM S PER THE MO POWDER PAIL LVER USK ELDSTONE ONZE	BASE DEL NT* BE BASE DEL - G G G	STAND OPTIC SEE GE TION DETAI IN-GR PROG SEE GE TION S	NERAL INFORMA- SECTION FOR .S ON COM AND ADED FABRIC

	ight olste					DESCRIPTION			FABRIC UPHOLSTERY GRADES										LEATHER UPHOLSTERY GRADES		
GUEST	SEATIN						C.O.M.	C.O.L.	C.O.M.		C.O.L.										
	SERI	ES STYLI	SIZE	CONTROL	ARMS		YDG.	SQ.FT.	A	В	C	D	E	F	G	Н	ı	J	W	х	Y
	MEDI	UM BACK	5	00	00	ARMLESS	1.6	28	812	865	917	968	1,022	1,075	1,130	1,196	1,262	1,334	1,242	1,330	1,542
	IN	3	5	00	79	FIXED HEIGHT, BLACK, URETHANE CAP	1.6	28	947	1,000	1,052	1,102	1,156	1,210	1,265	1,331	1,396	1,469	1,377	1,465	1,677
	IN IN IN IN	3 3 3 3	5 5 5 5	0 0 0 0 0 0 0 0	51 54/64 55/65 56/66 57	FIXED HEIGHT C-ARM, BLACK URETHANE C-ARM, PAINTED OR POLISHED ALUMINUM C-ARM, PAINTED OR POLISHED, PLASTIC CAP C-ARM, PAINTED OR POLISHED, UPHOLSTERED CAP FIXED HEIGHT C-ARM, FULLY UPHOLSTERED	1.6 1.6 1.6 1.6	28 28 28 28 28 35	957 1,071 1,097 1,123	1,010 1,124 1,150 1,176	1,062 1,176 1,202 1,228 1,261	1,113 1,226 1,252 1,278	1,166 1,280 1,306 1,332	1,220 1,334 1,360 1,386	1,275 1,389 1,415 1,441	1,341 1,455 1,481 1,507	1,407 1,520 1,546 1,572	1,479 1,593 1,619 1,645	1,387 1,501 1,527 1,553 1,743	1,475 1,589 1,615 1,640 1,860	1,687 1,801 1,827 1,853 2,140
	IZ IZ	3 3	5 5	00	21 31	FIXED ARM WITH URETHANE CAP FIXED CHROME ARM WITH URETHANE CAP	1.6 1.6	28 28	937 957	989 1,010	1,041 1,062	1,092 1,113	1,146 1,166	1,200 1,220	1,254 1,275	1,321 1,341	1,386 1,407	1,458 1,479	1,366	1,454 1,475	1,666 1,687

3 OPTIONS 2 ARM CHOICES 4 FINISH CHOICES 5 COVER 1 SERIES/STYLE/SIZE FIXED HEIGHT C-ARM CT CONTRASTING THREAD +00 PA POLISHED ALUMINUM ARMS/CHROME BASE +52 UPHOLSTERED MEDIUM BACK ARMLESS POLISHED ALUMINUM SEE SWATCH CARDS FOR STANDARD UPHOLSTERY SEAT: MEDIUM 20.5"W X 18.5"D OPTIONS. CU COORDINATED STANDARD POWDER PAINT BACK: MEDIUM FIXED HEIGHT ARMS FIXED HEIGHT C-ARM, UPHOLSTERY* SEE GENERAL INFORMA-18"H X 20.5"W WITH URETHANE PAINTED ALUMINUM TB TEXTURED BLACK +00 TION SECTION FOR *COORDINATED UPHOLSTERY
THESE CHAIRS MAY BE ORDERED
WITH COORDINATED UPHOLSTERY, AS OPPOSED TO STANDARD MATCHING UPHOLSTERY,
ON SEATS AND BACKS. PLEASE
CONTACT CUSTOMER SERVICE
FOR DETAILS. ARM CAPS WITH PLASTIC CAP TG TEXTURED GRAY +00 DETAILS ON COM AND TK TEXTURED KHAKI +00 IN-GRADED FABRIC FIXED HEIGHT CHROME FIXED HEIGHT C-ARM, TP TEXTURED PEWTER +00 PROGRAM. POLISHED ALUMINUM ARMS WITH URETHANE SM SILVER MATTE +00 SEE GENERAL INFORMA-ARM CAPS WITH PLASTIC CAPS GB GLOSSY BLACK +00 TION SECTION FOR CAL GW GLOSSY WHITE +00 133 INFORMATION. FIXED HEIGHT T-ARMS FIXED HEIGHT C-ARM, WW WARM WHITE +00 BLACK, URETHANE CAP PAINTED ALUMINUM WITH UPHOLSTERED CAP DOUBLE COAT POWDER PAINT* MS METALLIC SILVER +26 FIXED HEIGHT C-ARM, FIXED HEIGHT C-ARM, MD METALLIC DUSK BLACK URETHANE POLISHED ALUMINUM +26 WITH UPHOLSTERED CAP MF METALLIC FIELDSTONE +26 MB METALLIC BRONZE +26 FIXED HEIGHT C-ARM, FIXED HEIGHT C-ARM, * INCLUDES A PROTECTIVE PAINTED ALUMINUM UPHOLSTERED THE FINISH SELECTION WILL BE APPLIED TO THE ALUMINUM BASE AND/OR ARMS PER THE MODEL CODES.
POLISHED ARMS CAN BE ORDERED WITH A PAINTED BASE OR VICE VERSA BY DESIGNATING ONE COMPONENT FOR PAINTED FINISH AND THE OTHER AS POLISHED. NOTE: COMS, COLS AND IN-GRADED FABRICS MUST BE APPROVED SPECIFICALLY FOR UPHOLSTERED ARM CAPS.

TO ORDER FOLLOW STEPS 1-5

insight decora upholstered back swivel	DESCRIPTION			FABRIC UPHOLSTERY GRADES										LEATHER UPHOLSTERY GRADES		
G E N E R A L E N V I R O N M E N T D R A F T I N G		C. O. O. O. O. D. I.		C. O. M.		C.O.L.								H H		
SERIES STYLE SIZE CONTROL CYLINDER ARM		YDG. SC	Q.FT.	A	В	C	D	E	F	G	Н	1	J	w	х	Y
IN 3 5 61 M 55/6 IN 3 5 61 M 56/6 IN 3 5 61 M 21 IN 3 5 61 M 31 FULL DRAFTING HEIGHT IN 3 5 61 H 00 IN 3 5 61 H 69 IN 3 5 61 H 69 IN 3 5 61 H 79 IN 3 5 61 H 51 IN 3 5 61 H 51	C-ARM, PAINTED OR POLISHED, UPHOLSTERED CAP FIXED HEIGHT C-ARM, FULLY UPHOLSTERED FIXED ARM WITH URETHANE CAP FIXED CHROME ARM WITH URETHANE CAP ARMLESS ADJUSTABLE HEIGHT, BLACK, URETHANE CAP ADJUSTABLE HEIGHT, CHROME, URETHANE CAP FIXED HEIGHT, BLACK, URETHANE CAP FIXED HEIGHT C-ARM, BLACK URETHANE C-ARM, PAINTED OR POLISHED ALUMINUM C-ARM, PAINTED OR POLISHED, PLASTIC CAP	1.6 28 1.6 28 1.6 28 1.6 28 1.6 28 1.6 28 1.6 28 1.6 28 1.6 28 1.6 28 1.6 28 1.6 28 1.6 35	3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3	861 1,006 1,016 996 1,006 1,120 1,146 1,172 985 1,006 863 1,008 1,018 998 1,008 1,122 1,148 1,174	914 1,059 1,069 1,048 1,059 1,173 1,199 1,224 1,038 1,059 916 1,061 1,071 1,051 1,061 1,175 1,201 1,226	966 1,111 1,121 1,100 1,111 1,224 1,250 1,276 1,354 1,090 1,111 968 1,113 1,123 1,102 1,113 1,226 1,252 1,278 1,356	1,016 1,161 1,172 1,151 1,161 1,275 1,301 1,327 1,141 1,161 1,018 1,163 1,174 1,153 1,163 1,277 1,303 1,227	1,070 1,215 1,225 1,205 1,215 1,329 1,355 1,381 1,194 1,215 1,072 1,217 1,228 1,207 1,217 1,331 1,357 1,383	1,124 1,269 1,279 1,259 1,269 1,383 1,409 1,435 1,248 1,269 1,126 1,271 1,281 1,261 1,271 1,385 1,411 1,437	1,179 1,324 1,334 1,313 1,324 1,438 1,463 1,489 1,303 1,324 1,181 1,326 1,336 1,315 1,326 1,440 1,466 1,491	1,245 1,390 1,400 1,380 1,390 1,504 1,530 1,556 1,369 1,390 1,247 1,392 1,402 1,382 1,392 1,506 1,532 1,558	1,310 1,455 1,466 1,445 1,455 1,569 1,595 1,621 1,435 1,455 1,457 1,468 1,447 1,457 1,571 1,597 1,623	1,383 1,528 1,538 1,517 1,528 1,642 1,667 1,693 1,507 1,528 1,385 1,530 1,540 1,519 1,530 1,644 1,669 1,695	1,291 1,436 1,446 1,425 1,436 1,549 1,575 1,601 1,792 1,415 1,436 1,293 1,438 1,448 1,427 1,438 1,551 1,577 1,603 1,794	1,379 1,524 1,534 1,513 1,524 1,637 1,663 1,689 1,909 1,503 1,524 1,381 1,526 1,536 1,515 1,526 1,639 1,665 1,691 1,911	1,591 1,736 1,746 1,725 1,736 1,850 1,875 1,901 2,189 1,715 1,736 1,593 1,738 1,748 1,727 1,738 1,852 1,877 1,903 2,191
IN 3 5 61 H 21	FIXED ARM WITH URETHANE CAP	1.6 28 1.6 28	3	98 <i>7</i> 1,008	1,040 1,061	1,092	1,143 1,163	1,196 1,21 <i>7</i>	1,250 1,271	1,305 1,326	1,371 1,392	1,437 1,457	1,509 1,530	1,417	1,505 1,526	1,717
TO ORDER FOLLOW STEPS 1-7 1 SERIES/STYLE/SIZE 2 CONTROLS/FUNCTION	CYLINDER 4 ARM CHOICES							5 OPT	IONS			6 FINIS	H CHOICES		7 COVI	: R
UPHOLSTERED MEDIUM BACK SEAT: MEDIUM 20.5"W X 18.5"D BACK: MEDIUM 18"H X 20.5"W SEAT HEIGHT BASIC SWIVEL ADJUSTMENTS: PNEUMATIC SEAT HEIGHT	TO STATE OF THE PROPERTY OF TH	HEIGHT ARMS URETHANE CAPS HEIGHT CHROMI WITH URETHANE	RM, P 65	FPV FPV FPV FV	IXED HEIGH AINTED ALU IXED HEIGH OLISHED ALU IXED HEIGH AINTED ALU /ITH PLASTI IXED HEIGH OLISHED ALU /ITH PLASTI IXED HEIGH OLISHED ALU /ITH UPHOL IXED HEIGH OLISHED ALU /ITH UPHOL IXED HEIGH PHOLSTERE IOTE: COMS, (0)-GRADED FA PPROVED SPE	T C-ARM, UMINUM T C-ARM, IMINUM C CAP T C-ARM, UMINUM C CAPS T C-ARM, IMINUM STERED CAI T C-ARM, UMINUM STERED CAI T C-ARM, UMINUM STERED CAI T C-ARM, UMINUM STERED CAI T C-ARM, COLS AND BRICS MUST B CIFICALLY FO	E	GL GLIE CT CON B22 PAIN ALU B23 POL ALU CU COC UPH *COC THES WITH STER DAR: ON: ON:	BER TIRED CODE SUBSTITU ITRASTING ITRASTING INTED CAST MINUM BAS ISHED CAST MINUM BAS ORDINATED OLSTERY* ORDINATED OLSTERY* ORDINATED OLSTERY* ORDINATED OLSTERY AS OPPOSE OMATCHING SEATS AND BA TACT CUSTON DETAILS.	TION +0 THREAD +0 +11 E +11 E PHOLSTERY Y BE ORDERE ED UPHOL- D TO STAN- UCKS. PLEASE	D D D D D D D D D D D D D D D D D D D	TB TEXTUR TG TEXTUR TK TEXTUR TP TEXTUR SM SILVER GB GLOSS GW GLOSS WW WARM * THE FIN BE APPI BASE A MODEL MS METALI MD METALI MB METALI * INCLUD CLEAR G THE FIN BE APPI BASE A MODEL POLISH DERED OR VIC ING ON	EED GRAY* EED KHAKI* EED PEWTER* MATTE* Y BLACK* Y WHITE* IISH SELECTION IED TO THE AL ND/OR ARMS P CODES. COAT POWDE LIC SILVER LIC DUSK LIC FIELDSTON LIC BRONZE ES A PROTECTI	N WILL UMINUM ER THE R PAINT* NE VE UMINUM ER THE BE OR- D BASE SIGNAT- T FOR	STAN OPTIV SEE G TION DETA IN-G PROG	ENERAL INFORMA- SECTION FOR ILS ON COM AND RADED FABRIC