

GLASS SLIDING DOOR SYSTEM


KSUG





- Sliding door system for single glass door.
  - Wall surface mount type.
  - No pre-drilled holes on glass needed for installation.
  - Can be installed over existing door frame.
  - Snap-on type fascia for clean appearance.
- \*Not for resin panels.

Item No.	Max. Door Weight(kg)	Glass Thickness(mm)
KSUG-2974/60	60 (132 lbs) / Door	8
KSUG-2984/90	90 (198 lbs) / Door	10

KSUG-2974/60




$$V_1 = h + X + 32$$





$$V = L + 2x + 30$$

KSUG-2984/90





$$V_1 = h + X + 42$$




$$V = L + 2x + 30$$

Installation







Mount bracket on corner and align to the edge of glass.  
Tightening Torque (clamp screw): 15N·m (132 lbs-in)











Install stopper B on floor and insert stopper A to B.

Part Details (for one door)

\*Parts marked “-” in Item No. column are included in parts kit.

No.	Item No.	Part Name		Quantity	Description
①	-	Glass Bracket for KSUG-60		2 pcs	<ul style="list-style-type: none"><li>● <b>Material</b> Aluminum (Body) Polyamide (Roller)</li><li>● <b>Finish / Color</b> Anodized (Body) White (Roller)</li></ul>
		Glass Bracket for KSUG-90		2 pcs	<ul style="list-style-type: none"><li>● <b>Material</b> Aluminum (Body) Polyamide (Roller)</li><li>● <b>Finish / Color</b> Anodized (Body) White (Roller)</li></ul>
②	-	Upper Stopper for KSUG-60		1 pair (Left/Right)	<ul style="list-style-type: none"><li>● <b>Material</b> Aluminum, Steel, Synthetic Rubber</li><li>● <b>Finish / Color</b> Anodized / Black</li></ul> <p>Handed (Left handed is shown)</p>
		Upper Stopper for KSUG-90		1 pair (Left/Right)	<ul style="list-style-type: none"><li>● <b>Material</b> Aluminum, Steel, Synthetic Rubber</li><li>● <b>Finish / Color</b> Anodized, Black</li></ul> <p>Handed (Left handed is shown)</p>

\*Parts marked "-" in Item No. column are included in parts kit.

No.	Item No.	Part Name		Quantity	Description
③	-	Bottom Guide for KSUG-60 and 90		1 pc	<ul style="list-style-type: none"> <li>● <b>Material</b> Aluminum, Polyacetal</li> <li>● <b>Finish / Color</b> Anodized, White</li> </ul>
④	-	Lower Stopper A for KSUG-60 and 90		2 pcs	<ul style="list-style-type: none"> <li>● <b>Material</b> Aluminum, Synthetic Rubber</li> <li>● <b>Finish / Color</b> Anodized, Black</li> </ul>
⑤	-	Lower Stopper B for KSUG-60 and 90		2 pcs	<ul style="list-style-type: none"> <li>● <b>Material</b> Aluminum</li> <li>● <b>Finish / Color</b> Anodized</li> </ul>
⑥	-	Rail End Cover for KSUG-60 and 90		1 pair (Left/Right)	<ul style="list-style-type: none"> <li>● <b>Material</b> Aluminum</li> <li>● <b>Finish / Color</b> Anodized</li> </ul> <p>*Screws included</p>
⑦	-	Pull for KSUG-60 and 90		2 pcs	<ul style="list-style-type: none"> <li>● <b>Material</b> Polycarbonate</li> <li>● <b>Finish / Color</b> Plain</li> </ul>
⑧	-	Upper Rail for KSUG-60		1 set	<ul style="list-style-type: none"> <li>● <b>Material</b> Aluminum</li> <li>● <b>Finish / Color</b> Anodized</li> <li>● <b>Length</b> 2000mm (78-47/64")</li> </ul> <p>*Fascia included</p>
		Upper Rail for KSUG-90		1 set	<ul style="list-style-type: none"> <li>● <b>Material</b> Aluminum</li> <li>● <b>Finish / Color</b> Anodized</li> <li>● <b>Length</b> 2000mm (78-47/64")</li> </ul> <p>*Fascia included</p>
⑨	-	Sealing Brush		1 set	<ul style="list-style-type: none"> <li>● <b>Material</b> Aluminum / Polypropylene</li> <li>● <b>Finish / Color</b> Anodized / Grey</li> <li>● <b>Length (per set)</b> 2500mm (98-5/8")×2pcs 1500mm (59-5/8")×1pc</li> </ul>
⑩	KSUG-3960	Glass Edge Pad for KSUG-60 and 90		Optional	<ul style="list-style-type: none"> <li>● <b>Material</b> Polyvinyl Chloride (PVC)</li> <li>● <b>Finish / Color</b> Plain</li> <li>● <b>Length</b> 3000mm (118-7/64")</li> </ul>