

TABLES
Personal Workstations
Performance
Vela
Study Carrels
Entourage
Interplay
Tier Tables
Auxiliary Prod
Wave
Vela
ODIS
Elements
Conference
Personal Workstation
Brattice
Interplay
TIM
PLT

7% PRICE INCREASE
Effective June 1, 2011



DELIVERED PRICING 01 January 2009


TRAINING TABLES



Questions?

1.800.876.2120

- Black = Fixed Bases
- Red = Folding Bases
- 🔲 = Overlapping Folding Bases
- Blue = Tilt Bases

Base Style	Table Description	Model #	Product Wt	Laminate PVC	Laminate 3mm Wood	Laminate Soft PVC	Laminate Urethane/PVC (user side only)
	18 x 48 Fix w/FixMod	BTT1 1848REFX XM	65	822	1227	1412	
	18 x 48 Fix w/RemMod	BTT1 1848REFX RM	65	846	1252	1436	
	18 x 48 Fold 🔄 w/RemMod	BTT1 1848REFO RM	67	1078	1484	1668	
	18 x 48 Tilt w/RemMod	BTT1 1848RETL RM	77	1036	1442	1626	
	18 x 48 Fix w/FixLightweightFormMod	BTT1 1848REFX XL	65	846	1023	1436	
	18 x 48 Fix w/RemLightweightFormMod	BTT1 1848REFX RL	65	846	1023	1436	
	18 x 48 Fold 🔄 w/RemLightweightFormMod	BTT1 1848REFO RL	67	1078	1255	1668	
	18 x 48 Tilt w/RemLightweightFormMod	BTT1 1848RETL RL	77	1036	1213	1626	
	18 x 48 Fix w/FixFormMod	BTT1 1848REFX XF	65	992	1169	1583	
	18 x 60 Fix w/FixMod	BTT1 1860REFX XM	76	873	1279	1606	
	18 x 60 Fix w/RemMod	BTT1 1860REFX RM	76	898	1304	1630	
	18 x 60 Fold w/RemMod	BTT1 1860REFD RM	78	1131	1537	1863	
	18 x 60 Fold w/FoldMod	BTT1 1860REFD FM	78	1177	1583	1909	
	18 x 60 Tilt w/RemMod	BTT1 1860RETL RM	88	1088	1494	1820	
	18 x 60 Fix w/FixLightweightFormMod	BTT1 1860REFX XL	75	898	1100	1630	
	18 x 60 Fix w/RemLightweightFormMod	BTT1 1860REFX RL	75	898	1100	1630	
	18 x 60 Fold w/RemLightweightFormMod	BTT1 1860REFD RL	77	1131	1333	1863	
	18 x 60 Tilt w/RemLightweightFormMod	BTT1 1860RETL RL	87	1088	1290	1820	
	18 x 60 Fix w/FixFormMod	BTT1 1860REFX XF	88	1044	1247	1777	
	18 x 60 Fold w/FoldFormMod	BTT1 1860REFD FF	90	1277	1480	2010	
18 x 72 Fix w/FixMod	BTT1 1872REFX XM	87	948	1568	1802		
18 x 72 Fix w/RemMod	BTT1 1872REFX RM	87	972	1592	1826		
18 x 72 Fold w/RemMod	BTT1 1872REFD RM	89	1204	1824	2059		
18 x 72 Fold w/FoldMod	BTT1 1872REFD FM	89	1248	1868	2102		
18 x 72 Tilt w/RemMod	BTT1 1872RETL RM	99	1162	1782	2016		
18 x 72 Fix w/FixLightweightFormMod	BTT1 1872REFX XL	88	972	1217	1826		
18 x 72 Fix w/RemLightweightFormMod	BTT1 1872REFX RL	88	972	1217	1826		
18 x 72 Fold w/RemLightweightFormMod	BTT1 1872REFD RL	90	1204	1449	2059		
18 x 72 Tilt w/RemLightweightFormMod	BTT1 1872RETL RL	100	1162	1407	2016		
18 x 72 Fix w/FixFormMod	BTT1 1872REFX XF	102	1077	1322	1931		
18 x 72 Fold w/FoldFormMod	BTT1 1872REFD FF	104	1309	1554	2163		

Note: Training tables are often used with lightweight computer accessories. For heavy duty applications, such as large scale computer equipment, multiple monitor mounts, etc., Versteel suggests adding a third leg or stretcher. Contact customer service if you have specific application concerns or questions.

- Sample Product Number Construction:**
- 1 Choose your base model, including a top & edge style.
 - 2 Specify the base finish, laminate code and edge color.
 - 3 a. Indicate selected base options.
b. Indicate selected top options.
c. Indicate selected power and data options.
d. Indicate selected wire management options.



A **BTT1 1848REFX RM LP2R** is a Brattice T raining series 18" x 48" rectangle table with fixed T1 bases, removable modesty panel and a laminate 1 1/4" thick top with a PVC edge and radius corners.

The codes **CS / TF 3694-58 / LI** specify a Cypress base, Formica 3694-58 laminate and the PVC edge in Limestone.

BCD / TLL adds dual wheel casters and a lightweight laminate core.



Base Options	Code	Price
Assembled Folding Table	.BAF	\$ 41
Alternate Table Height 32" & Under	.BAH	\$ 53
Alternate Table Height 32" & Over	.BSP	call
Adjustable Height - Pneumatic (Fix/Tilt)	.BAT	\$ 687
Casters 🛞 - Dual Wheel	.BCD	\$ 93
Mix - Dual Wheel Casters & Glides	.BMD	\$ 88
Self-Leveling Glides 🛞	.BLG	\$ 25
Stretcher Rail (Fix/Tilt) Finish Same As Base	.BSR	\$ 133

Finish Options	Price
Chrome or Nickel	\$ 90
Powder Coat - Standard	n/c
Powder Coat - Premium	\$ 53

Top Options	Price
Table Link (all four sides)	.TLK \$ 138
Table Link (18" ends only)	.TLE \$ 72
Lightweight Laminate Core (to 96" length)	.TLL \$ 131
Special Laminate	.TSP call

Power and Data Options	Price
Power & Data Globe w/Data Jacks	.PPD \$ 223
Power Source Outlets	.PPS \$ 61

Wire Management Options	Price
Basket, Modesty Mount	.WBM \$ 51
Basket, Under Top Mount	.WBT \$ 51
Cable Hook Legway	.WCK \$ 64
Canvas Legway	.WCL \$ 53
Plastic Legway	.WRL \$ 42
1 Oval Brush Grommet - Location A	.WOA \$ 51
2 Oval Brush Grommets - Location E	.WOE \$ 102
1 Oval Brush Grommet - Provide Location Print	.WOG \$ 51
1 Round Grommet - Location A	.WRA \$ 40
2 Round Grommets - Location E	.WRE \$ 80
1 Round Grommet - Provide Location Print	.WRG \$ 40

Accessories	Price
CPU Holder (3" - 9" adjustment)	.ACPU3-9F \$ 130
CPU Holder (5" - 8" adjustment)	.ACPU5-8F \$ 85
CPU Holder (3" - 5" adjustment)	.ACPU3F \$ 85
Table Transport	.ATT3054 \$1040
Table Floor Mount Bracket Set	.AFB \$ 30



Questions?

1.800.876.2120

Black = Fixed Bases
Red = Folding Bases
Blue = Tilt Bases

Base Style	Table Description	Model #	Product Wt	Laminate PVC	Laminate 3mm Wood	Laminate Soft PVC	Laminate Urethane/PVC (user side only)
	18 x 84 Fix w/FixMod	BTT1 1884REFX XM	98	1080	1835	2037	
	18 x 84 Fix w/RemMod	BTT1 1884REFX RM	98	1101	1856	2059	
	18 x 84 Fold w/RemMod	BTT1 1884REFD RM	100	1335	2089	2289	
	18 x 84 Fold w/FoldMod	BTT1 1884REFD FM	100	1396	2151	2350	
	18 x 84 Tilt w/RemMod	BTT1 1884RETL RM	110	1292	2047	2249	
	18 x 90 Fix w/FixMod	BTT1 1890REFX XM	104	1149	1982	2370	
	18 x 90 Fix w/RemMod	BTT1 1890REFX RM	104	1170	2003	2391	
	18 x 90 Fold w/RemMod	BTT1 1890REFD RM	106	1405	2238	2626	
	18 x 90 Fold w/FoldMod	BTT1 1890REFD FM	106	1466	2299	2687	
	18 x 90 Tilt w/RemMod	BTT1 1890RETL RM	116	1361	2194	2582	
	18 x 96 Fix w/FixMod	BTT1 1896REFX XM	109	1149	1982	2370	
	18 x 96 Fix w/RemMod	BTT1 1896REFX RM	109	1170	2003	2391	
	18 x 96 Fold w/RemMod	BTT1 1896REFD RM	111	1405	2238	2626	
	18 x 96 Fold w/FoldMod	BTT1 1896REFD FM	111	1466	2299	2687	
	18 x 96 Tilt w/RemMod	BTT1 1896RETL RM	121	1361	2194	2582	

Note: Training tables are often used with lightweight computer accessories. For heavy duty applications, such as large scale computer equipment, multiple monitor mounts, etc., Versteel suggests adding a third leg or stretcher. Contact customer service if you have specific application concerns or questions.

- Sample Product Number Construction:**
- Choose your base model, including a top & edge style.
 - Specify the base finish, laminate code and edge color.
 - Indicate selected base options.
 - Indicate selected top options.
 - Indicate selected power and data options.
 - Indicate selected wire management options.



Base Options	Code	Price
Assembled Folding Table	.BAF	\$ 41
Alternate Table Height 32" & Under	.BAH	\$ 53
Alternate Table Height 32" & Over	.BSP	call
Adjustable Height - Pneumatic (Fix/Tilt)	.BAT	\$ 687
Self-Leveling Glides	.BLG	\$ 25
Stretcher Rail (Fix/Tilt) Finish Same As Base	.BSR	\$ 133

Finish Options	Price
Chrome or Nickel	\$ 90
Powder Coat - Standard	n/c
Powder Coat - Premium	\$ 53

Top Options	Price
Table Link (all four sides)	.TLK \$ 138
Table Link (18" ends only)	.TLE \$ 72
Lightweight Laminate Core (to 96" length)	.TLL \$ 131
Special Laminate	.TSP call

Power and Data Options	Price
Power & Data Globe w/Data Jacks	.PPD \$ 223
Power Source Outlets	.PPS \$ 61

Wire Management Options	Price
Basket, Modesty Mount	.WBM \$ 51
Basket, Under Top Mount	.WBT \$ 51
Cable Hook Legway	.WCK \$ 64
Canvas Legway	.WCL \$ 53
Plastic Legway	.WRL \$ 42
1 Oval Brush Grommet - Location A	.WOA \$ 51
2 Oval Brush Grommets - Location E	.WOE \$ 102
1 Oval Brush Grommet - Provide Location Print	.WOG \$ 51
1 Round Grommet - Location A	.WRA \$ 40
2 Round Grommets - Location E	.WRE \$ 80
1 Round Grommet - Provide Location Print	.WRG \$ 40

Accessories	Price
CPU Holder (3" - 9" adjustment)	.ACPU3-9F \$ 130
CPU Holder (5" - 8" adjustment)	.ACPU5-8F \$ 85
CPU Holder (3" - 5" adjustment)	.ACPU3F \$ 85
Table Transport	.ATT3054 \$1040
Table Floor Mount Bracket Set	.AFB \$ 30



A **BTT1 1896REFX XM LP2R** is a Brattice T raining series 18" x 96" rectangle table with fixed T1 bases, fixed modesty panel and a laminate 1 1/4" thick top with a PVC edge and radius corners.

The codes **CS / TF 3694-58 / LI** specify a Cypress base, Formica 3694-58 laminate and the PVC edge in Limestone.

TLL adds a lightweight laminate core.



Questions?

1.800.876.2120

- Black = Fixed Bases
- Red = Folding Bases
- 🔲 = Overlapping Folding Bases
- Blue = Tilt Bases

top > edge >	Laminate PVC	Laminate 3mm Wood	Laminate Soft PVC	Laminate Urethane/PVC (user side only)
	Flat 	Flat 	Bumper 	Ergo
edge ordering code (radius corner) > or edge ordering code (square corner) > top thickness >	LP2R or LP2S 1 1/4"	LW2R or LW2S 1 1/4"	LB2R 1 1/4"	LUPE2R or LUPE2S 1 1/4"
	Fluted 	Fluted 		
edge ordering code (radius corner) > or edge ordering code (square corner) > top thickness >	LPF2R or LPF2S 1 1/4"	LWF2R or LWF2S 1 1/4"		3mm PVC on all remaining sides
top thickness price >	1 1/4"	1 1/4"	1 1/4"	1 1/4"

Base Style	Table Description	Model #	Product Wt	1 1/4"	1 1/4"	1 1/4"	1 1/4"
	20 x 48 Fix w/FixMod	BTT1 2048REFX XM	68	855		1324	1542
	20 x 48 Fix w/RemMod	BTT1 2048REFX RM	68	880		1348	1567
	20 x 48 Fold w/RemMod	BTT1 2048REFO RM	70	1112		1580	1799
	20 x 48 Tilt w/RemMod	BTT1 2048RETL RM	80	1070		1538	1756
	20 x 48 Fix w/FixLightweightFormMod	BTT1 2048REFX XL	68	880		1119	1567
	20 x 48 Fix w/RemLightweightFormMod	BTT1 2048REFX RL	68	880		1119	1567
	20 x 48 Fold w/RemLightweightFormMod	BTT1 2048REFO RL	70	1112		1352	1799
	20 x 48 Tilt w/RemLightweightFormMod	BTT1 2048RETL RL	80	1070		1309	1756
	20 x 48 Fix w/FixFormMod	BTT1 2048REFX XF	68	1026		1266	1713
	20 x 60 Fix w/FixMod	BTT1 2060REFX XM	80	900		1368	1715
	20 x 60 Fix w/RemMod	BTT1 2060REFX RM	80	924		1393	1739
	20 x 60 Fold w/RemMod	BTT1 2060REFD RM	82	1156		1625	1972
	20 x 60 Tilt w/RemMod	BTT1 2060RETL RM	92	1113		1582	1928
	20 x 60 Fix w/FixLightweightFormMod	BTT1 2060REFX XL	79	924		1223	1739
	20 x 60 Fix w/RemLightweightFormMod	BTT1 2060REFX RL	79	924		1223	1739
	20 x 60 Fold w/RemLightweightFormMod	BTT1 2060REFD RL	81	1156		1455	1972
	20 x 60 Tilt w/RemLightweightFormMod	BTT1 2060RETL RL	91	1113		1412	1928
	20 x 60 Fix w/FixFormMod	BTT1 2060REFX XF	92	1071		1370	1886
	20 x 72 Fix w/FixMod	BTT1 2072REFX XM	92	1044		1744	1951
	20 x 72 Fix w/RemMod	BTT1 2072REFX RM	92	1068		1768	1976
20 x 72 Fold w/RemMod	BTT1 2072REFD RM	94	1301		2000	2208	
20 x 72 Tilt w/RemMod	BTT1 2072RETL RM	104	1257		1957	2165	
20 x 72 Fix w/FixLightweightFormMod	BTT1 2072REFX XL	93	1068		1393	1976	
20 x 72 Fix w/RemLightweightFormMod	BTT1 2072REFX RL	93	1068		1393	1976	
20 x 72 Fold w/RemLightweightFormMod	BTT1 2072REFD RL	95	1301		1625	2208	
20 x 72 Tilt w/RemLightweightFormMod	BTT1 2072RETL RL	105	1257		1582	2165	
20 x 72 Fix w/FixFormMod	BTT1 2072REFX XF	107	1173		1498	2081	
20 x 84 Fix w/FixMod	BTT1 2084REFX XM	104	1148		1964	2221	
20 x 84 Fix w/RemMod	BTT1 2084REFX RM	104	1169		1985	2242	
20 x 84 Fold w/RemMod	BTT1 2084REFD RM	106	1401		2218	2474	
20 x 84 Tilt w/RemMod	BTT1 2084RETL RM	116	1359		2175	2432	

Note: Training tables are often used with lightweight computer accessories. For heavy duty applications, such as large scale computer equipment, multiple monitor mounts, etc., Versteel suggests adding a third leg or stretcher. Contact customer service if you have specific application concerns or questions.

- Sample Product Number Construction:**
- 1 Choose your base model, including a top & edge style.
 - 2 Specify the base finish, laminate code and edge color.
 - 3 a. Indicate selected base options.
b. Indicate selected top options.
c. Indicate selected power and data options.
d. Indicate selected wire management options.



A **BTT1 2048REFX XM LP2R** is a Brattice T raining series 20" x 48" rectangle table with fixed T1 bases, fixed modesty panel and a laminate 1 1/4" thick top with a PVC edge and radius corners.

The codes **CS / TF 3694-58 / LI** specify a Cypress base, Formica 3694-58 laminate and the PVC edge in Limestone.

BCD / TLL adds dual wheel casters and a lightweight laminate core.

Base Options	Code	Price
Assembled Folding Table	.BAF	\$ 41
Alternate Table Height 32" & Under	.BAH	\$ 53
Alternate Table Height 32" & Over	.BSP	call
Adjustable Height - Pneumatic (Fix/Tilt)	.BAT	\$ 687
Casters ● - Dual Wheel (up to 72" only)	.BCD	\$ 93
Mix - Dual Wheel Casters & Glides (up to 72" only)	.BMD	\$ 88
Self-Leveling Glides ●	.BLG	\$ 25
Stretcher Rail (Fix/Tilt) Finish Same As Base	.BSR	\$ 133

Finish Options	Price
Chrome or Nickel	\$ 90
Powder Coat - Standard	n/c
Powder Coat - Premium	\$ 53

Top Options	Price
Table Link (all four sides)	.TLK \$ 138
Table Link (20" ends only)	.TLE \$ 72
Lightweight Laminate Core (to 96" length)	.TLL \$ 131
Special Laminate	.TSP call

Power and Data Options	Price
Power & Data Globe w/Data Jacks	.PPD \$ 223
Power Source Outlets	.PPS \$ 61


Wire Management Options	Price
Basket, Modesty Mount	.WBM \$ 51
Basket, Under Top Mount	.WBT \$ 51
Cable Hook Legway	.WCK \$ 64
Canvas Legway	.WCL \$ 53
Plastic Legway	.WRL \$ 42
1 Oval Brush Grommet - Location A	.WOA \$ 51
2 Oval Brush Grommets - Location E	.WOE \$ 102
1 Oval Brush Grommet - Provide Location Print	.WOG \$ 51
1 Round Grommet - Location A	.WRA \$ 40
2 Round Grommets - Location E	.WRE \$ 80
1 Round Grommet - Provide Location Print	.WRG \$ 40

Accessories	Price
CPU Holder (3" - 9" adjustment)	.ACPU3-9F \$ 130
CPU Holder (5" - 8" adjustment)	.ACPU5-8F \$ 85
CPU Holder (3" - 5" adjustment)	.ACPU3F \$ 85
Table Transport	.ATT3054 \$1040
Table Floor Mount Bracket Set	.AFB \$ 30



Questions?
1.800.876.2120

Black = Fixed Bases
Red = Folding Bases
Blue = Tilt Bases

Base Style	Table Description	Model #	Product Wt	Laminate PVC	Laminate 3mm Wood	Laminate Soft PVC	Laminate Urethane/PVC (user side only)
 T1	20 x 90 Fix w/FixMod	BTT1 2090REFX XM	110	1279	2158	2561	
	20 x 90 Fix w/RemMod	BTT1 2090REFX RM	110	1301	2179	2582	
	20 x 90 Fold w/RemMod	BTT1 2090REFD RM	112	1534	2413	2815	
	20 x 90 Tilt w/RemMod	BTT1 2090RETL RM	122	1490	2369	2772	
	20 x 96 Fix w/FixMod	BTT1 2096REFX XM	116	1279	2158	2561	
	20 x 96 Fix w/RemMod	BTT1 2096REFX RM	116	1301	2179	2582	
	20 x 96 Fold w/RemMod	BTT1 2096REFD RM	118	1534	2413	2815	
	20 x 96 Tilt w/RemMod	BTT1 2096RETL RM	128	1490	2369	2772	
							3mm PVC on all remaining sides

Note: Training tables are often used with lightweight computer accessories. For heavy duty applications, such as large scale computer equipment, multiple monitor mounts, etc., Versteel suggests adding a third leg or stretcher. Contact customer service if you have specific application concerns or questions.

- Sample Product Number Construction:**
- Choose your base model, including a top & edge style.
 - Specify the base finish, laminate code and edge color.
 - Indicate selected base options.
 - Indicate selected top options.
 - Indicate selected power and data options.
 - Indicate selected wire management options.



Base Options	Code	Price
Assembled Folding Table	.BAF	\$ 41
Alternate Table Height 32" & Under	.BAH	\$ 53
Alternate Table Height 32" & Over	.BSP	call
Adjustable Height - Pneumatic (Fix/Tilt)	.BAT	\$ 687
Self-Leveling Glides	.BLG	\$ 25
Stretcher Rail (Fix/Tilt) Finish Same As Base	.BSR	\$ 133

Finish Options	Price
Chrome or Nickel	\$ 90
Powder Coat - Standard	n/c
Powder Coat - Premium	\$ 53

Top Options	Price
Table Link (all four sides)	.TLK \$ 138
Table Link (20" ends only)	.TLE \$ 72
Lightweight Laminate Core (to 96" length)	.TLL \$ 131
Special Laminate	.TSP call

Power and Data Options	Price
Power & Data Globe w/Data Jacks	.PPD \$ 223
Power Source Outlets	.PPS \$ 61

Wire Management Options	Price
Basket, Modesty Mount	.WBM \$ 51
Basket, Under Top Mount	.WBT \$ 51
Cable Hook Legway	.WCK \$ 64
Canvas Legway	.WCL \$ 53
Plastic Legway	.WRL \$ 42
1 Oval Brush Grommet - Location A	.WOA \$ 51
2 Oval Brush Grommets - Location E	.WOE \$ 102
1 Oval Brush Grommet - Provide Location Print	.WOG \$ 51
1 Round Grommet - Location A	.WRA \$ 40
2 Round Grommets - Location E	.WRE \$ 80
1 Round Grommet - Provide Location Print	.WRG \$ 40

Accessories	Price
CPU Holder (3" - 9" adjustment)	.ACPU3-9F \$ 130
CPU Holder (5" - 8" adjustment)	.ACPU5-8F \$ 85
CPU Holder (3" - 5" adjustment)	.ACPU3F \$ 85
Table Transport	.ATT3054 \$1040
Table Floor Mount Bracket Set	.AFB \$ 30



A **BTT1 2096REFX XM LP2R** is a Brattice T raining series 20" x 96" rectangle table with fixed T1 bases, fixed modesty panel and a laminate 1 1/4" thick top with a PVC edge and radius corners.

The codes **CS / TF 3694-58 / LI** specify a Cypress base, Formica 3694-58 laminate and the PVC edge in Limestone.


TLL adds a lightweight laminate core.



Questions?

1.800.876.2120

- Black = Fixed Bases
- Red = Folding Bases
- 🔲 = Overlapping Folding Bases
- Blue = Tilt Bases

Base Style	Table Description	Model #	Product Wt	1 1/4"	1 1/4"	1 1/4"	1 1/4"
	24 x 48 Fix w/FixMod	BTT1 2448REFX XM	76	855		1324	1542
	24 x 48 Fix w/RemMod	BTT1 2448REFX RM	76	880		1348	1567
	24 x 48 Fold 🟩 w/RemMod	BTT1 2448REFO RM	80	1112		1580	1799
	24 x 48 Tilt w/FoldMod	BTT1 2448RETL FM	88	1115		1584	1802
	24 x 48 Tilt w/RemMod	BTT1 2448RETL RM	88	1070		1538	1756
	24 x 48 Fix w/FixLightweightFormMod	BTT1 2448REFX XL	76	880		1119	1567
	24 x 48 Fix w/RemLightweightFormMod	BTT1 2448REFX RL	76	880		1119	1567
	24 x 48 Fold 🟩 w/RemLightweightFormMod	BTT1 2448REFO RL	80	1112		1352	1799
	24 x 48 Tilt w/RemLightweightFormMod	BTT1 2448RETL RL	88	1070		1309	1756
	24 x 48 Fix w/FixFormMod	BTT1 2448REFX XF	76	1026		1266	1713
	24 x 48 Tilt w/FoldFormMod	BTT1 2448RETL FF	88	1216		1455	1903
	24 x 60 Fix w/FixMod	BTT1 2460REFX XM	89	900		1368	1715
	24 x 60 Fix w/RemMod	BTT1 2460REFX RM	89	924		1393	1739
	24 x 60 Fold w/RemMod	BTT1 2460REFD RM	93	1156		1625	1972
	24 x 60 Fold w/FoldMod	BTT1 2460REFD FM	93	1202		1671	2017
	24 x 60 Tilt w/FoldMod	BTT1 2460RETL FM	101	1159		1627	1974
	24 x 60 Tilt w/RemMod	BTT1 2460RETL RM	101	1113		1582	1928
	24 x 60 Fix w/FixLightweightFormMod	BTT1 2460REFX XL	88	924		1223	1739
	24 x 60 Fix w/RemLightweightFormMod	BTT1 2460REFX RL	88	924		1223	1739
	24 x 60 Fold w/RemLightweightFormMod	BTT1 2460REFD RL	92	1156		1455	1972
24 x 60 Tilt w/RemLightweightFormMod	BTT1 2460RETL RL	100	1113		1412	1928	
24 x 60 Fix w/FixFormMod	BTT1 2460REFX XF	101	1071		1370	1886	
24 x 60 Tilt w/FoldFormMod	BTT1 2460RETL FF	113	1259		1558	2074	
24 x 60 Fold w/FoldFormMod	BTT1 2460REFD FF	105	1303		1602	2118	

Note: Training tables are often used with lightweight computer accessories. For heavy duty applications, such as large scale computer equipment, multiple monitor mounts, etc., Versteel suggests adding a third leg or stretcher. Contact customer service if you have specific application concerns or questions.

- Sample Product Number Construction:**
- 1 Choose your base model, including a top & edge style.
 - 2 Specify the base finish, laminate code and edge color.
 - 3 a. Indicate selected base options.
b. Indicate selected top options.
c. Indicate selected power and data options.
d. Indicate selected wire management options.



Base Options	Code	Price
Assembled Folding Table	.BAF	\$ 41
Alternate Table Height 32" & Under	.BAH	\$ 53
Alternate Table Height 32" & Over	.BSP	call
Adjustable Height - Pneumatic (Fix/Tilt)	.BAT	\$ 687
Casters 🛞 - Dual Wheel	.BCD	\$ 93
Mix - Dual Wheel Casters & Glides	.BMD	\$ 88
Self-Leveling Glides 🛞	.BLG	\$ 25
Stretcher Rail (Fix/Tilt) Finish Same As Base	.BSR	\$ 133

Finish Options	Price
Chrome or Nickel	\$ 90
Powder Coat - Standard	n/c
Powder Coat - Premium	\$ 53

Top Options	Price
Table Link (all four sides)	.TLK \$ 138
Table Link (24" ends only)	.TLE \$ 72
Lightweight Laminate Core (to 96" length)	.TLL \$ 131
Special Laminate	.TSP call

Power and Data Options	Price
1 Henri - Location A (Jacks Not Included)	.PHA \$ 191
2 Henris - Location E (Jacks Not Included)	.PHE \$ 382
1 Henri (Jacks Not Included)	.PH1 \$ 191
2 Henris (Jacks Not Included)	.PH2 \$ 382
3 Henris (Jacks Not Included)	.PH3 \$ 573
Power & Data Globe w/Data Jacks	.PPD \$ 223
Power Source Outlets	.PPS \$ 61
Powerlink Package	.PPT \$ 689

Wire Management Options	Price
Basket, Modesty Mount	.WBM \$ 51
Basket, Under Top Mount	.WBT \$ 51
Cable Hook Legway	.WCK \$ 64
Canvas Legway	.WCL \$ 53
Plastic Legway	.WRL \$ 42
1 Oval Brush Grommet - Location A	.WOA \$ 51
2 Oval Brush Grommets - Location E	.WOE \$ 102
1 Oval Brush Grommet - Provide Location Print	.WOG \$ 51
1 Round Grommet - Location A	.WRA \$ 40
2 Round Grommets - Location E	.WRE \$ 80
1 Round Grommet - Provide Location Print	.WRG \$ 40

Accessories	Price
Voice & Data Jacks (1 each per Henri Unit)	.AHVDJ \$ 42
Data Jacks (2 per Henri Unit)	.AHDDJ \$ 48
Quick Connect (1 per Henri Unit)	
Includes 2 Voice, 2 Data Jacks	.AHQCVDJ \$ 106
Quick Connect (1 per Henri Unit)	
Includes 4 Data Jacks	.AHQCDDJ \$ 122
Keyboard Platform w/Mouse Surface	.AKP24M \$ 424
CPU Holder (3" - 9" adjustment)	.ACPU3-9F \$ 130
CPU Holder (5" - 8" adjustment)	.ACPU5-8F \$ 85
CPU Holder (3" - 5" adjustment)	.ACPU3F \$ 85
Table Transport	.ATT3054 \$1040
Table Floor Mount Bracket Set	.AFB \$ 30



A **BTT1 2460RETL RM LP2R** is a Brattice T raining series 24" x 60" rectangle table with fixed T1 bases, removable modesty panel and a laminate 1 1/4" thick top with a PVC edge and radius corners.

The codes **CS / TF 3694-58 / LI** specify a Cypress base, Formica 3694-58 laminate and the PVC edge in Limestone.


BCD / TLL adds dual wheel casters and a lightweight laminate core.



Questions?

1.800.876.2120

Black = Fixed Bases
Red = Folding Bases
Blue = Tilt Bases

Base Style	Table Description	Model #	Product Wt	1 1/4"	1 1/4"	1 1/4"	1 1/4"
	24 x 72 Fix w/FixMod	BTT1 2472REFX XM	103	1044		1744	1951
	24 x 72 Fix w/RemMod	BTT1 2472REFX RM	103	1068		1768	1976
	24 x 72 Fold w/RemMod	BTT1 2472REFD RM	107	1301		2000	2208
	24 x 72 Fold w/FoldMod	BTT1 2472REFD FM	107	1344		2044	2251
	24 x 72 Tilt w/FoldMod	BTT1 2472RETL FM	115	1301		2000	2208
	24 x 72 Tilt w/RemMod	BTT1 2472RETL RM	115	1257		1957	2165
	24 x 72 Fix w/FixLightweightFormMod	BTT1 2472REFX XL	103	1068		1393	1976
	24 x 72 Fix w/RemLightweightFormMod	BTT1 2472REFX RL	103	1068		1393	1976
	24 x 72 Fold w/RemLightweightFormMod	BTT1 2472REFD RL	107	1301		1625	2208
	24 x 72 Tilt w/RemLightweightFormMod	BTT1 2472RETL RL	115	1257		1582	2165
	24 x 72 Fix w/FixFormMod	BTT1 2472REFX XF	118	1173		1498	2081
	24 x 72 Tilt w/FoldFormMod	BTT1 2472RETL FF	130	1362		1686	2269
	24 x 72 Fold w/FoldFormMod	BTT1 2472REFD FF	122	1406		1730	2313
	24 x 84 Fix w/FixMod	BTT1 2484REFX XM	116	1148		1964	2221
	24 x 84 Fix w/RemMod	BTT1 2484REFX RM	116	1169		1985	2242
	24 x 84 Fold w/RemMod	BTT1 2484REFD RM	120	1401		2218	2474
	24 x 84 Fold w/FoldMod	BTT1 2484REFD FM	120	1463		2279	2536
	24 x 84 Tilt w/FoldMod	BTT1 2484RETL FM	128	1420		2237	2493
	24 x 84 Tilt w/RemMod	BTT1 2484RETL RM	128	1359		2175	2432
	24 x 90 Fix w/FixMod	BTT1 2490REFX XM	124	1279		2158	2561
24 x 90 Fix w/RemMod	BTT1 2490REFX RM	124	1301		2179	2582	
24 x 90 Fold w/RemMod	BTT1 2490REFD RM	128	1534		2413	2815	
24 x 90 Fold w/FoldMod	BTT1 2490REFD FM	128	1595		2474	2877	
24 x 90 Tilt w/FoldMod	BTT1 2490RETL FM	136	1552		2431	2833	
24 x 90 Tilt w/RemMod	BTT1 2490RETL RM	136	1490		2369	2772	
24 x 96 Fix w/FixMod	BTT1 2496REFX XM	130	1279		2158	2561	
24 x 96 Fix w/RemMod	BTT1 2496REFX RM	130	1301		2179	2582	
24 x 96 Fold w/RemMod	BTT1 2496REFD RM	134	1534		2413	2815	
24 x 96 Fold w/FoldMod	BTT1 2496REFD FM	134	1595		2474	2877	
24 x 96 Tilt w/FoldMod	BTT1 2496RETL FM	142	1552		2431	2833	
24 x 96 Tilt w/RemMod	BTT1 2496RETL RM	142	1490		2369	2772	

Note: Training tables are often used with lightweight computer accessories. For heavy duty applications, such as large scale computer equipment, multiple monitor mounts, etc., Versteel suggests adding a third leg or stretcher. Contact customer service if you have specific application concerns or questions.

- Sample Product Number Construction:**
- Choose your base model, including a top & edge style.
 - Specify the base finish, laminate code and edge color.
 - Indicate selected base options.
 - Indicate selected top options.
 - Indicate selected power and data options.
 - Indicate selected wire management options.



A **BTT1 2472REFX XM LP2R** is a Brattice T raining series 24" x 72" rectangle table with fixed T1 bases, fixed modesty panel and a laminate 1 1/4" thick top with a PVC edge and radius corners.

The codes **CS / TF 3694-58 / LI** specify a Cypress base, Formica 3694-58 laminate and the PVC edge in Limestone.

BCD/TLL/PHE/WRL adds dual wheel casters, a lightweight laminate core, 2 Henris installed in location E and a plastic legway wire manager.



Base Options	Code	Price
Assembled Folding Table	.BAF	\$ 41
Alternate Table Height 32" & Under	.BAH	\$ 53
Alternate Table Height 32" & Over	.BSP	call
Adjustable Height - Pneumatic (Fix/Tilt)	.BAT	\$ 687
Casters ● - Dual Wheel (72" only)	.BCD	\$ 93
Mix - Dual Wheel Casters & Glides (72" only)	.BMD	\$ 88
Self-Leveling Glides ●	.BLG	\$ 25
Stretcher Rail (Fix/Tilt) Finish Same As Base	.BSR	\$ 133

Finish Options	Price
Chrome or Nickel	\$ 90
Powder Coat - Standard	n/c
Powder Coat - Premium	\$ 53

Top Options	Price
Table Link (all four sides)	.TLK \$ 138
Table Link (24" ends only)	.TLE \$ 72
Lightweight Laminate Core (to 96" length)	.TLL \$ 131
Special Laminate	.TSP call

Power and Data Options	Price
1 Henri - Location A (Jacks Not Included)	.PHA \$ 191
2 Henris - Location E (Jacks Not Included)	.PHE \$ 382
1 Henri (Jacks Not Included)	.PH1 \$ 191
2 Henris (Jacks Not Included)	.PH2 \$ 382
3 Henris (Jacks Not Included)	.PH3 \$ 573
Power & Data Globe w/Data Jacks	.PPD \$ 223
Power Source Outlets	.PPS \$ 61
Powerlink Package	.PPT \$ 689

Wire Management Options	Price
Basket, Modesty Mount	.WBM \$ 51
Basket, Under Top Mount	.WBT \$ 51
Cable Hook Legway	.WCK \$ 64
Canvas Legway	.WCL \$ 53
Plastic Legway	.WRL \$ 42
1 Oval Brush Grommet - Location A	.WOA \$ 51
2 Oval Brush Grommets - Location E	.WOE \$ 102
1 Oval Brush Grommet - Provide Location Print	.WOG \$ 51
1 Round Grommet - Location A	.WRA \$ 40
2 Round Grommets - Location E	.WRE \$ 80
1 Round Grommet - Provide Location Print	.WRG \$ 40


Accessories	Price
Voice & Data Jacks (1 each per Henri Unit)	.AHVDJ \$ 42
Data Jacks (2 per Henri Unit)	.AHDDJ \$ 48
Quick Connect (1 per Henri Unit)	
Includes 2 Voice, 2 Data Jacks	.AHQCDVJ \$ 106
Quick Connect (1 per Henri Unit)	
Includes 4 Data Jacks	.AHQDDJ \$ 122
Keyboard Platform w/Mouse Surface	.AKP24M \$ 424
CPU Holder (3" - 9" adjustment)	.ACPU3-9F \$ 130
CPU Holder (5" - 8" adjustment)	.ACPU5-8F \$ 85
CPU Holder (3" - 5" adjustment)	.ACPU3F \$ 85
Table Transport	.AT3054 \$1040
Table Floor Mount Bracket Set	.AFB \$ 30



Questions?


1.800.876.2120

- Black = Fixed Bases
- Red = Folding Bases
- 🔲 = Overlapping Folding Bases
- Blue = Tilt Bases

Base Style	Table Description	Model #	Product Wt	Laminate PVC	Laminate 3mm Wood	Laminate Soft PVC	Laminate Urethane/PVC (user side only)
	T1 30 x 48 Fix w/FixMod	BTT1 3048REFX XM	87	930	1419	1677	
	30 x 48 Fix w/RemMod	BTT1 3048REFX RM	87	954	1444	1701	
	30 x 48 Fold 🟩 w/RemMod	BTT1 3048REFO RM	91	1186	1676	1933	
	30 x 48 Tilt w/FoldMod	BTT1 3048RETL FM	99	1189	1679	1937	
	30 x 48 Tilt w/RemMod	BTT1 3048RETL RM	99	1144	1633	1891	
	30 x 48 Fix w/FixLightweightFormMod	BTT1 3048REFX XL	87	954	1203	1701	
	30 x 48 Fix w/RemLightweightFormMod	BTT1 3048REFX RL	87	954	1203	1701	
	30 x 48 Fold 🟩 w/RemLightweightFormMod	BTT1 3048REFO RL	91	1186	1435	1933	
	30 x 48 Tilt w/RemLightweightFormMod	BTT1 3048RETL RL	99	1144	1393	1891	
	30 x 48 Fix w/FixFormMod	BTT1 3048REFX XF	87	1100	1349	1848	
	30 x 48 Tilt w/FoldFormMod	BTT1 3048RETL FF	99	1290	1539	2037	
	30 x 60 Fix w/FixMod	BTT1 3060REFX XM	102	972	1462	1860	
	30 x 60 Fix w/RemMod	BTT1 3060REFX RM	102	996	1486	1885	
	30 x 60 Fold 🟩 w/RemMod	BTT1 3060REFD RM	106	1230	1719	2118	
	30 x 60 Fold 🟩 w/FoldMod	BTT1 3060REFD FM	106	1275	1765	2163	
	30 x 60 Tilt w/FoldMod	BTT1 3060RETL FM	114	1233	1723	2121	
	30 x 60 Tilt w/RemMod	BTT1 3060RETL RM	114	1187	1677	2075	
	30 x 60 Fix w/FixLightweightFormMod	BTT1 3060REFX XL	102	996	1317	1885	
	30 x 60 Fix w/RemLightweightFormMod	BTT1 3060REFX RL	102	996	1317	1885	
	30 x 60 Fold 🟩 w/RemLightweightFormMod	BTT1 3060REFD RL	106	1230	1550	2118	
30 x 60 Tilt w/RemLightweightFormMod	BTT1 3060RETL RL	114	1187	1507	2075		
30 x 60 Fix w/FixFormMod	BTT1 3060REFX XF	114	1143	1463	2031		
30 x 60 Tilt w/FoldFormMod	BTT1 3060RETL FF	126	1333	1654	2222		
30 x 60 Fold 🟩 w/FoldFormMod	BTT1 3060REFD FF	118	1376	1696	2264		

Note: Training tables are often used with lightweight computer accessories. For heavy duty applications, such as large scale computer equipment, multiple monitor mounts, etc., Versteel suggests adding a third leg or stretcher. Contact customer service if you have specific application concerns or questions.

- Sample Product Number Construction:**
- 1 Choose your base model, including a top & edge style.
 - 2 Specify the base finish, laminate code and edge color.
 - 3 a. Indicate selected base options.
b. Indicate selected top options.
c. Indicate selected power and data options.
d. Indicate selected wire management options.



A **BTT1 3048REFX RM LP2R** is a Brattice T raining series 30" x 48" rectangle table with fixed T1 bases, removable modesty panel and a laminate 1 1/4" thick top with a PVC edge and radius corners.

The codes **CS / TF 3694-58 / LI** specify a Cypress base, Formica 3694-58 laminate and the PVC edge in Limestone.

BCD / TLL / PHA / WRL adds dual wheel casters, a lightweight laminate core, 1 Henri installed in location A and a plastic legway wire manager.



Base Options	Code	Price
Assembled Folding Table	.BAF	\$ 41
Alternate Table Height 32" & Under	.BAH	\$ 53
Alternate Table Height 32" & Over	.BSP	call
Adjustable Height - Pneumatic (Fix/Tilt)	.BAT	\$ 687
Casters 🛞 - Dual Wheel	.BCD	\$ 93
Mix - Dual Wheel Casters & Glides	.BMD	\$ 88
Self-Leveling Glides 🛞	.BLG	\$ 25
Stretcher Rail (Fix/Tilt) Finish Same As Base	.BSR	\$ 133

Finish Options	Price
Chrome or Nickel	\$ 90
Powder Coat - Standard	n/c
Powder Coat - Premium	\$ 53

Top Options	Price
Table Link (all four sides)	.TLK \$ 138
Table Link (30" ends only)	.TLE \$ 72
Lightweight Laminate Core (to 96" length)	.TLL \$ 131
Special Laminate	.TSP call

Power and Data Options	Price
1 Henri - Location A (Jacks Not Included)	.PHA \$ 191
2 Henris - Location E (Jacks Not Included)	.PHE \$ 382
1 Henri (Jacks Not Included)	.PH1 \$ 191
2 Henris (Jacks Not Included)	.PH2 \$ 382
3 Henris (Jacks Not Included)	.PH3 \$ 573
Power & Data Globe w/Data Jacks	.PPD \$ 223
Power Source Outlets	.PPS \$ 61
Powerlink Package	.PPT \$ 689

Wire Management Options	Price
Basket, Modesty Mount	.WBM \$ 51
Basket, Under Top Mount	.WBT \$ 51
Cable Hook Legway	.WCK \$ 64
Canvas Legway	.WCL \$ 53
Plastic Legway	.WRL \$ 42
1 Oval Brush Grommet - Location A	.WOA \$ 51
2 Oval Brush Grommets - Location E	.WOE \$ 102
1 Oval Brush Grommet - Provide Location Print	.WOG \$ 51
1 Round Grommet - Location A	.WRA \$ 40
2 Round Grommets - Location E	.WRE \$ 80
1 Round Grommet - Provide Location Print	.WRG \$ 40

Accessories	Price
Voice & Data Jacks (1 each per Henri Unit)	.AHVDJ \$ 42
Data Jacks (2 per Henri Unit)	.AHDDJ \$ 48
Quick Connect (1 per Henri Unit)	
Includes 2 Voice, 2 Data Jacks	.AHQCVDJ \$ 106
Quick Connect (1 per Henri Unit)	
Includes 4 Data Jacks	.AHQCDDJ \$ 122
Keyboard Platform w/Mouse Surface	.AKP24M \$ 424
CPU Holder (3" - 9" adjustment)	.ACPU3-9F \$ 130
CPU Holder (5" - 8" adjustment)	.ACPU5-8F \$ 85
CPU Holder (3" - 5" adjustment)	.ACPU3F \$ 85
Table Transport	.ATT3054 \$1040
Table Floor Mount Bracket Set	.AFB \$ 30



Questions?

1.800.876.2120

Black = Fixed Bases
Red = Folding Bases
Blue = Tilt Bases

Base Style	Table Description	Model #	Product Wt	1 1/4"	1 1/4"	1 1/4"	1 1/4"
T1	30 x 72 Fix w/FixMod	BTT1 3072REFX XM	119	1074		1826	2110
	30 x 72 Fix w/RemMod	BTT1 3072REFX RM	119	1098		1851	2135
	30 x 72 Fold w/RemMod	BTT1 3072REFD RM	123	1331		2084	2368
	30 x 72 Fold w/FoldMod	BTT1 3072REFD FM	123	1375		2127	2412
	30 x 72 Tilt w/FoldMod	BTT1 3072RETL FM	131	1332		2085	2369
	30 x 72 Tilt w/RemMod	BTT1 3072RETL RM	131	1289		2042	2326
	30 x 72 Fix w/FixLightweightFormMod	BTT1 3072REFX XL	119	1098		1476	2135
	30 x 72 Fix w/RemLightweightFormMod	BTT1 3072REFX RL	119	1098		1476	2135
	30 x 72 Fold w/RemLightweightFormMod	BTT1 3072REFD RL	123	1331		1709	2368
	30 x 72 Tilt w/RemLightweightFormMod	BTT1 3072RETL RL	131	1289		1666	2326
	30 x 72 Fix w/FixFormMod	BTT1 3072REFX XF	133	1203		1580	2240
	30 x 72 Tilt w/FoldFormMod	BTT1 3072RETL FF	145	1394		1771	2431
	30 x 72 Fold w/FoldFormMod	BTT1 3072REFD FF	137	1436		1814	2473
	30 x 84 Fix w/FixMod	BTT1 3084REFX XM	134	1191		2082	2379
	30 x 84 Fix w/RemMod	BTT1 3084REFX RM	134	1213		2103	2400
30 x 84 Fold w/RemMod	BTT1 3084REFD RM	138	1445		2335	2632	
30 x 84 Fold w/FoldMod	BTT1 3084REFD FM	138	1506		2397	2693	
30 x 84 Tilt w/FoldMod	BTT1 3084RETL FM	146	1464		2354	2651	
30 x 84 Tilt w/RemMod	BTT1 3084RETL RM	146	1402		2293	2590	
30 x 90 Fix w/FixMod	BTT1 3090REFX XM	143	1304		2283	2743	
30 x 90 Fix w/RemMod	BTT1 3090REFX RM	143	1325		2304	2764	
30 x 90 Fold w/RemMod	BTT1 3090REFD RM	147	1558		2538	2998	
30 x 90 Fold w/FoldMod	BTT1 3090REFD FM	147	1620		2599	3059	
30 x 90 Tilt w/FoldMod	BTT1 3090RETL FM	155	1577		2557	3017	
30 x 90 Tilt w/RemMod	BTT1 3090RETL RM	155	1516		2495	2955	
30 x 96 Fix w/FixMod	BTT1 3096REFX XM	151	1304		2283	2743	
30 x 96 Fix w/RemMod	BTT1 3096REFX RM	151	1325		2304	2764	
30 x 96 Fold w/RemMod	BTT1 3096REFD RM	155	1558		2538	2998	
30 x 96 Fold w/FoldMod	BTT1 3096REFD FM	155	1620		2599	3059	
30 x 96 Tilt w/FoldMod	BTT1 3096RETL FM	163	1577		2557	3017	
30 x 96 Tilt w/RemMod	BTT1 3096RETL RM	163	1516		2495	2955	

Note: Training tables are often used with lightweight computer accessories. For heavy duty applications, such as large scale computer equipment, multiple monitor mounts, etc., Versteel suggests adding a third leg or stretcher. Contact customer service if you have specific application concerns or questions.

- Sample Product Number Construction:
- Choose your base model, including a top & edge style.
 - Specify the base finish, laminate code and edge color.
 - a. Indicate selected base options.
b. Indicate selected top options.
c. Indicate selected power and data options.
d. Indicate selected wire management options.



Base Options	Code	Price
Assembled Folding Table	.BAF	\$ 41
Alternate Table Height 32" & Under	.BAH	\$ 53
Alternate Table Height 32" & Over	.BSP	call
Adjustable Height - Pneumatic (Fix/Tilt)	.BAT	\$ 687
Casters - Dual Wheel (72" only)	.BCD	\$ 93
Mix - Dual Wheel Casters & Glides (72" only)	.BMD	\$ 88
Self-Leveling Glides	.BLG	\$ 25
Stretcher Rail (Fix/Tilt) Finish Same As Base	.BSR	\$ 133

Finish Options	Price
Chrome or Nickel	\$ 90
Powder Coat - Standard	n/c
Powder Coat - Premium	\$ 53

Top Options	Price
Table Link (all four sides)	.TLK \$ 138
Table Link (30" ends only)	.TLE \$ 72
Lightweight Laminate Core (to 96" length)	.TLL \$ 131
Special Laminate	.TSP call

Power and Data Options	Price
1 Henri - Location A (Jacks Not Included)	.PHA \$ 191
2 Henris - Location E (Jacks Not Included)	.PHE \$ 382
1 Henri (Jacks Not Included)	.PH1 \$ 191
2 Henris (Jacks Not Included)	.PH2 \$ 382
3 Henris (Jacks Not Included)	.PH3 \$ 573
Power & Data Globe w/Data Jacks	.PPD \$ 223
Power Source Outlets	.PPS \$ 61
Powerlink Package	.PPT \$ 689

Wire Management Options	Price
Basket, Modesty Mount	.WBM \$ 51
Basket, Under Top Mount	.WBT \$ 51
Cable Hook Legway	.WCK \$ 64
Canvas Legway	.WCL \$ 53
Plastic Legway	.WRL \$ 42
1 Oval Brush Grommet - Location A	.WOA \$ 51
2 Oval Brush Grommets - Location E	.WOE \$ 102
1 Oval Brush Grommet - Provide Location Print	.WOG \$ 51
1 Round Grommet - Location A	.WRA \$ 40
2 Round Grommets - Location E	.WRE \$ 80
1 Round Grommet - Provide Location Print	.WRG \$ 40

Accessories	Price
Voice & Data Jacks (1 each per Henri Unit)	.AHVDJ \$ 42
Data Jacks (2 per Henri Unit)	.AHDDJ \$ 48
Quick Connect (1 per Henri Unit)	
Includes 2 Voice, 2 Data Jacks	.AHQCVDJ \$ 106
Quick Connect (1 per Henri Unit)	
Includes 4 Data Jacks	.AHQCDDJ \$ 122
Keyboard Platform w/Mouse Surface	.AKP24M \$ 424
CPU Holder (3" - 9" adjustment)	.ACPU3-9F \$ 130
CPU Holder (5" - 8" adjustment)	.ACPU5-8F \$ 85
CPU Holder (3" - 5" adjustment)	.ACPU3F \$ 85
Table Transport	.ATT3054 \$1040
Table Floor Mount Bracket Set	.AFB \$ 30



A **BTT1 3072REFX XF LP2R** is a Brattice T raining series 30" x 72" rectangle table with fixed T1 bases, fixed form modesty panel and a laminate 1 1/4" thick top with a PVC edge and radius corners.

The codes **CS / TF 3694-58 / LI** specify a Cypress base, Formica 3694-58 laminate and the PVC edge in Limestone.

BCD / TLL / PHE / WRL adds dual wheel casters, a lightweight laminate core, 2 Henris installed in location E and a plastic legway wire manager.



Questions?

1.800.876.2120

- Black = Fixed Bases
- Red = Folding Bases
- 🔲 = Overlapping Folding Bases
- Blue = Tilt Bases
- 🚚 = Quick Ship Program Product
- 🚚 = Quick Ship Program Product
- 🚚 = Quick Ship Program Product

Base Style	Table Description	Model #	Product Wt	Laminate PVC	Laminate 3mm Wood	Laminate Soft PVC	Laminate Urethane/PVC (user side only)
T1	18 x 48 Fix w/FixMod	PTT1 1848REFX XM	65	Flat	Flat	Bumper	Ergo
	18 x 48 Fix w/RemMod	PTT1 1848REFX RM	65	Flat	Flat	Bumper	Ergo
	18 x 48 Fold w/RemMod	PTT1 1848REFO RM	67	Flat	Flat	Bumper	Ergo
	18 x 48 Tilt w/RemMod	PTT1 1848RETL RM	77	Flat	Flat	Bumper	Ergo
	18 x 48 Fix w/FixLightweightFormMod	PTT1 1848REFX XL	65	Fluted	Fluted		
	18 x 48 Fix w/RemLightweightFormMod	PTT1 1848REFX RL	65	Fluted	Fluted		
	18 x 48 Fold w/RemLightweightFormMod	PTT1 1848REFO RL	67	Fluted	Fluted		
	18 x 48 Tilt w/RemLightweightFormMod	PTT1 1848RETL RL	77	Fluted	Fluted		
	18 x 48 Fix w/FixFormMod	PTT1 1848REFX XF	65	Fluted	Fluted		
	18 x 60 Fix w/FixMod	PTT1 1860REFX XM	76	Fluted	Fluted		
	18 x 60 Fix w/RemMod	PTT1 1860REFX RM	76	Fluted	Fluted		
	18 x 60 Fold w/RemMod	PTT1 1860REFD RM	78	Fluted	Fluted		
	18 x 60 Fold w/FoldMod	PTT1 1860REFD FM	78	Fluted	Fluted		
	18 x 60 Tilt w/RemMod	PTT1 1860RETL RM	88	Fluted	Fluted		
	18 x 60 Fix w/FixLightweightFormMod	PTT1 1860REFX XL	75	Fluted	Fluted		
	18 x 60 Fix w/RemLightweightFormMod	PTT1 1860REFX RL	75	Fluted	Fluted		
	18 x 60 Fold w/RemLightweightFormMod	PTT1 1860REFD RL	77	Fluted	Fluted		
	18 x 60 Tilt w/RemLightweightFormMod	PTT1 1860RETL RL	87	Fluted	Fluted		
	18 x 60 Fix w/FixFormMod	PTT1 1860REFX XF	88	Fluted	Fluted		
	18 x 60 Fold w/FoldFormMod	PTT1 1860REFD FF	90	Fluted	Fluted		
18 x 72 Fix w/FixMod	PTT1 1872REFX XM	87	Fluted	Fluted			
18 x 72 Fix w/RemMod	PTT1 1872REFX RM	87	Fluted	Fluted			
18 x 72 Fold w/RemMod	PTT1 1872REFD RM	89	Fluted	Fluted			
18 x 72 Fold w/FoldMod	PTT1 1872REFD FM	89	Fluted	Fluted			
18 x 72 Tilt w/RemMod	PTT1 1872RETL RM	99	Fluted	Fluted			
18 x 72 Fix w/FixLightweightFormMod	PTT1 1872REFX XL	88	Fluted	Fluted			
18 x 72 Fix w/RemLightweightFormMod	PTT1 1872REFX RL	88	Fluted	Fluted			
18 x 72 Fold w/RemLightweightFormMod	PTT1 1872REFD RL	90	Fluted	Fluted			
18 x 72 Tilt w/RemLightweightFormMod	PTT1 1872RETL RL	100	Fluted	Fluted			
18 x 72 Fix w/FixFormMod	PTT1 1872REFX XF	102	Fluted	Fluted			
18 x 72 Fold w/FoldFormMod	PTT1 1872REFD FF	104	Fluted	Fluted			

Note: Training tables are often used with lightweight computer accessories. For heavy duty applications, such as large scale computer equipment, multiple monitor mounts, etc., Versteel suggests adding a third leg or stretcher. Contact customer service if you have specific application concerns or questions.

- Sample Product Number Construction:**
- 1 Choose your base model, including a top & edge style.
 - 2 Specify the base finish, laminate code and edge color.
 - 3 a. Indicate selected base options.
b. Indicate selected top options.
c. Indicate selected power and data options.
d. Indicate selected wire management options.



Base Options

	Code	Price
Assembled Folding Table	.BAF	\$ 41
Alternate Table Height 32" & Under	.BAH	\$ 53
Alternate Table Height 32" & Over	.BSP	call
Adjustable Height - Pin (Fix/Tilt)	.BAP	\$ 122
Adjustable Height - Pneumatic (Fix/Tilt)	.BAT	\$ 687
Bullet End Caps	.BBE	\$ 69
Casters ● - Dual Wheel	.BCD	\$ 93
Mix - Dual Wheel Casters & Glides	.BMD	\$ 88
Self-Leveling Glides ●	.BLG	\$ 25
Stretcher Rail (Fix/Tilt) Finish Same As Base	.BSR	\$ 133

Finish Options

Chrome or Nickel	\$ 90
Powder Coat - Standard	n/c
Powder Coat - Premium	\$ 53

Top Options

Table Link (all four sides)	.TLK	\$ 138
Table Link (18" ends only)	.TLE	\$ 72
Lightweight Laminate Core (to 96" length)	.TLL	\$ 131
Special Laminate	.TSP	call

Power and Data Options


Power & Data Globe w/Data Jacks	.PPD	\$ 223
Power Source Outlets	.PPS	\$ 61

Wire Management Options

Basket, Modesty Mount	.WBM	\$ 51
Basket, Under Top Mount	.WBT	\$ 51
Cable Hook Legway	.WCK	\$ 64
Canvas Legway	.WCL	\$ 53
Plastic Legway	.WRL	\$ 42
1 Oval Brush Grommet - Location A	.WOA	\$ 51
2 Oval Brush Grommets - Location E	.WOE	\$ 102
1 Oval Brush Grommet - Provide Location Print	.WOG	\$ 51
1 Round Grommet - Location A	.WRA	\$ 40
2 Round Grommets - Location E	.WRE	\$ 80
1 Round Grommet - Provide Location Print	.WRG	\$ 40

Accessories

CPU Holder (3" - 9" adjustment)	.ACPU3-9F	\$ 130
CPU Holder (5" - 8" adjustment)	.ACPU5-8F	\$ 85
CPU Holder (3" - 5" adjustment)	.ACPU3F	\$ 85
Table Transport	.ATT3054	\$1040
Table Floor Mount Bracket Set	.AFB	\$ 30



A **PTT1 1860REFX XM LP2S** is a Performance T training series 18" x 60" rectangle table with fixed T1 bases, fixed modesty panel and a laminate 1 1/4" thick top with a PVC edge and square corners.

The codes **EB / TP WM115-N / SU** specify an Ebony base, Pionite WM115-N laminate and the PVC edge in Sugar Maple.


BCD / TLL / PPD / WRL adds dual wheel casters, a lightweight laminate core, power and data globe installed in specified location and a plastic legway wire manager.



Questions?

1.800.876.2120

- Black = Fixed Bases
- Red = Folding Bases
- 📏 = Overlapping Folding Bases
- Blue = Tilt Bases
- 🚚 = Quick Ship Program Product
- 🚚 = Quick Ship Program Product
- 🚚 = Quick Ship Program Product

Base Style	Table Description	Model #	Product Wt	1 1/4"	1 1/4"	1 1/4"	1 1/4"
	18 x 84 Fix w/FixMod	PTT1 1884REFX XM 🚚	98	1029		1784	1976
	18 x 84 Fix w/RemMod	PTT1 1884REFX RM 🚚	98	1050		1805	1997
	18 x 84 Fold w/RemMod	PTT1 1884REFD RM 🚚	100	1283		2037	2229
	18 x 84 Fold w/FoldMod	PTT1 1884REFD FM 🚚	100	1344		2099	2291
	18 x 84 Tilt w/RemMod	PTT1 1884RETL RM 🚚	110	1240		1995	2187
	18 x 90 Fix w/FixMod	PTT1 1890REFX XM 🚚	104	1098		1931	2309
	18 x 90 Fix w/RemMod	PTT1 1890REFX RM 🚚	104	1119		1953	2330
	18 x 90 Fold w/RemMod	PTT1 1890REFD RM 🚚	106	1352		2185	2562
	18 x 90 Fold w/FoldMod	PTT1 1890REFD FM 🚚	106	1413		2246	2624
	18 x 90 Tilt w/RemMod	PTT1 1890RETL RM 🚚	116	1310		2143	2521
	18 x 96 Fix w/FixMod	PTT1 1896REFX XM 🚚	109	1098		1931	2309
	18 x 96 Fix w/RemMod	PTT1 1896REFX RM 🚚	109	1119		1953	2330
	18 x 96 Fold w/RemMod	PTT1 1896REFD RM 🚚	111	1352		2185	2562
	18 x 96 Fold w/FoldMod	PTT1 1896REFD FM 🚚	111	1413		2246	2624
	18 x 96 Tilt w/RemMod	PTT1 1896RETL RM 🚚	121	1310		2143	2521

Note: Training tables are often used with lightweight computer accessories. For heavy duty applications, such as large scale computer equipment, multiple monitor mounts, etc., Versteel suggests adding a third leg or stretcher. Contact customer service if you have specific application concerns or questions.

- Sample Product Number Construction:**
- 1 Choose your base model, including a top & edge style.
 - 2 Specify the base finish, laminate code and edge color.
 - 3 a. Indicate selected base options.
b. Indicate selected top options.
c. Indicate selected power and data options.
d. Indicate selected wire management options.



Base Options	Code	Price
Assembled Folding Table	.BAF	\$ 41
Alternate Table Height 32" & Under	.BAH	\$ 53
Alternate Table Height 32" & Over	.BSP	call
Adjustable Height - Pin (Fix/Tilt)	.BAP	\$ 122
Adjustable Height - Pneumatic (Fix/Tilt)	.BAT	\$ 687
Bullet End Caps	.BBE	\$ 69
Self-Leveling Glides	.BLG	\$ 25
Stretcher Rail (Fix/Tilt) Finish Same As Base	.BSR	\$ 133


Finish Options	Price
Chrome or Nickel	\$ 90
Powder Coat - Standard	n/c
Powder Coat - Premium	\$ 53

Top Options	Price
Table Link (all four sides)	.TLK \$ 138
Table Link (18" ends only)	.TLE \$ 72
Lightweight Laminate Core (to 96" length)	.TLL \$ 131
Special Laminate	.TSP call

Power and Data Options	Price
Power & Data Globe w/Data Jacks	.PPD \$ 223
Power Source Outlets	.PPS \$ 61

Wire Management Options	Price
Basket, Modesty Mount	.WBM \$ 51
Basket, Under Top Mount	.WBT \$ 51
Cable Hook Legway	.WCK \$ 64
Canvas Legway	.WCL \$ 53
Plastic Legway	.WRL \$ 42
1 Oval Brush Grommet - Location A	.WOA \$ 51
2 Oval Brush Grommets - Location E	.WOE \$ 102
1 Oval Brush Grommet - Provide Location Print	.WOG \$ 51
1 Round Grommet - Location A	.WRA \$ 40
2 Round Grommets - Location E	.WRE \$ 80
1 Round Grommet - Provide Location Print	.WRG \$ 40

Accessories	Price
CPU Holder (3" - 9" adjustment)	.ACPU3-9F \$ 130
CPU Holder (5" - 8" adjustment)	.ACPU5-8F \$ 85
CPU Holder (3" - 5" adjustment)	.ACPU3F \$ 85
Table Transport	.ATT3054 \$1040
Table Floor Mount Bracket Set	.AFB \$ 30



A **PTT1 1884REFX XL LP2S** is a Performance T raining series 18" x 84" rectangle table with fixed T1 bases, fixed lightweight form modesty panel and a laminate 1 1/4" thick top with a PVC edge and square corners.

The codes **EB / TP WM115-N / SU** specify an Ebony base, Pionite WM115-N laminate and the PVC edge in Sugar Maple.

TLL adds a lightweight laminate core.



Questions?

1.800.876.2120

- Black = Fixed Bases
- Red = Folding Bases
- Blue = Overlapping Folding Bases
- Blue = Tilt Bases
- = Quick Ship Program Product
- = Quick Ship Program Product
- = Quick Ship Program Product

Base Style	Table Description	Model #	Product Wt	1 1/4"	1 1/4"	1 1/4"	1 1/4"
	20 x 48 Fix w/FixMod	PTT1 2048REFX XM	68	799		1268	1476
	20 x 48 Fix w/RemMod	PTT1 2048REFX RM	68	824		1292	1500
	20 x 48 Fold w/RemMod	PTT1 2048REFO RM	70	1057	1525	1733	
	20 x 48 Tilt w/RemMod	PTT1 2048RETL RM	80	1013	1482	1690	
	20 x 48 Fix w/FixLightweightFormMod	PTT1 2048REFX XL	68	824	1063	1500	
	20 x 48 Fix w/RemLightweightFormMod	PTT1 2048REFX RL	68	824	1063	1500	
	20 x 48 Fold w/RemLightweightFormMod	PTT1 2048REFO RL	70	1057	1296	1733	
	20 x 48 Tilt w/RemLightweightFormMod	PTT1 2048RETL RL	80	1013	1253	1690	
	20 x 48 Fix w/FixFormMod	PTT1 2048REFX XF	68	970	1209	1646	
	20 x 60 Fix w/FixMod	PTT1 2060REFX XM	80	843		1311	1647
	20 x 60 Fix w/RemMod	PTT1 2060REFX RM	80	867		1336	1672
	20 x 60 Fold w/RemMod	PTT1 2060REFD RM	82	1099	1568	1904	
	20 x 60 Tilt w/RemMod	PTT1 2060RETL RM	92	1058	1526	1862	
	20 x 60 Fix w/FixLightweightFormMod	PTT1 2060REFX XL	79	867	1166	1672	
	20 x 60 Fix w/RemLightweightFormMod	PTT1 2060REFX RL	79	867	1166	1672	
	20 x 60 Fold w/RemLightweightFormMod	PTT1 2060REFD RL	81	1099	1398	1904	
	20 x 60 Tilt w/RemLightweightFormMod	PTT1 2060RETL RL	91	1058	1357	1862	
	20 x 60 Fix w/FixFormMod	PTT1 2060REFX XF	92	1013	1312	1818	
	20 x 72 Fix w/FixMod	PTT1 2072REFX XM	92	987		1686	1884
	20 x 72 Fix w/RemMod	PTT1 2072REFX RM	92	1011		1711	1908
	20 x 72 Fold w/RemMod	PTT1 2072REFD RM	94	1243	1943	2140	
	20 x 72 Tilt w/RemMod	PTT1 2072RETL RM	104	1202	1902	2099	
	20 x 72 Fix w/FixLightweightFormMod	PTT1 2072REFX XL	93	1011	1336	1908	
	20 x 72 Fix w/RemLightweightFormMod	PTT1 2072REFX RL	93	1011	1336	1908	
20 x 72 Fold w/RemLightweightFormMod	PTT1 2072REFD RL	95	1243	1568	2140		
20 x 72 Tilt w/RemLightweightFormMod	PTT1 2072RETL RL	105	1202	1526	2099		
20 x 72 Fix w/FixFormMod	PTT1 2072REFX XF	107	1116	1441	2013		

Note: Training tables are often used with lightweight computer accessories. For heavy duty applications, such as large scale computer equipment, multiple monitor mounts, etc., Versteel suggests adding a third leg or stretcher. Contact customer service if you have specific application concerns or questions.

- Sample Product Number Construction:**
- 1 Choose your base model, including a top & edge style.
 - 2 Specify the base finish, laminate code and edge color.
 - 3 a. Indicate selected base options.
b. Indicate selected top options.
c. Indicate selected power and data options.
d. Indicate selected wire management options.



Base Options

	Code	Price
Assembled Folding Table	.BAF	\$ 41
Alternate Table Height 32" & Under	.BAH	\$ 53
Alternate Table Height 32" & Over	.BSP	call
Adjustable Height - Pin (Fix/Tilt)	.BAP	\$ 122
Adjustable Height - Pneumatic (Fix/Tilt)	.BAT	\$ 687
Casters	.BCD	\$ 93
Mix - Dual Wheel Casters & Glides	.BMD	\$ 88
Self-Leveling Glides	.BLG	\$ 25
Stretcher Rail (Fix/Tilt) Finish Same As Base	.BSR	\$ 133

Finish Options

Chrome or Nickel	\$ 90
Powder Coat - Standard	n/c
Powder Coat - Premium	\$ 53

Top Options

Table Link (all four sides)	.TLK	\$ 138
Table Link (20" ends only)	.TLE	\$ 72
Lightweight Laminate Core (to 96" length)	.TLL	\$ 131
Special Laminate	.TSP	call

Power and Data Options


Power & Data Globe w/Data Jacks	.PPD	\$ 223
Power Source Outlets	.PPS	\$ 61

Wire Management Options

Basket, Modesty Mount	.WBM	\$ 51
Basket, Under Top Mount	.WBT	\$ 51
Cable Hook Legway	.WCK	\$ 64
Canvas Legway	.WCL	\$ 53
Plastic Legway	.WRL	\$ 42
1 Oval Brush Grommet - Location A	.WOA	\$ 51
2 Oval Brush Grommets - Location E	.WOE	\$ 102
1 Oval Brush Grommet - Provide Location Print	.WOG	\$ 51
1 Round Grommet - Location A	.WRA	\$ 40
2 Round Grommets - Location E	.WRE	\$ 80
1 Round Grommet - Provide Location Print	.WRG	\$ 40

Accessories

CPU Holder (3" - 9" adjustment)	.ACPU3-9F	\$ 130
CPU Holder (5" - 8" adjustment)	.ACPU5-8F	\$ 85
CPU Holder (3" - 5" adjustment)	.ACPU3F	\$ 85
Table Transport	.ATT3054	\$1040
Table Floor Mount Bracket Set	.AFB	\$ 30



A **PTT1 2048REFX RM LP2S** is a Performance Training series 20" x 48" rectangle table with fixed T1 bases, removable modesty panel and a laminate 1 1/4" thick top with a PVC edge and square corners.

The codes **EB / TP WM115-N / SU** specify an Ebony base, Pionite WM115-N laminate and the PVC edge in Sugar Maple.

BCD / TLL / PPD / WRL adds dual wheel casters, a lightweight laminate core, power and data globe installed in specified location and a plastic legway wire manager.



Questions?

1.800.876.2120

- Black = Fixed Bases
- Red = Folding Bases
- Blue = Overlapping Folding Bases
- Blue = Tilt Bases
- = Quick Ship Program Product
- = Quick Ship Program Product
- = Quick Ship Program Product

Base Style	Table Description	Model #	Product Wt	1092	1908	2154
	20 x 84 Fix w/FixMod	PTT1 2084REFX XM	104	1092	1908	2154
	20 x 84 Fix w/RemMod	PTT1 2084REFX RM	104	1113	1929	2175
	20 x 84 Fold w/RemMod	PTT1 2084REFD RM	106	1345	2161	2407
	20 x 84 Tilt w/RemMod	PTT1 2084RETL RM	116	1303	2119	2365
	20 x 90 Fix w/FixMod	PTT1 2090REFX XM	110	1223	2102	2494
	20 x 90 Fix w/RemMod	PTT1 2090REFX RM	110	1244	2123	2515
	20 x 90 Fold w/RemMod	PTT1 2090REFD RM	112	1477	2355	2748
	20 x 90 Tilt w/RemMod	PTT1 2090RETL RM	122	1435	2314	2706
	20 x 96 Fix w/FixMod	PTT1 2096REFX XM	116	1223	2102	2494
	20 x 96 Fix w/RemMod	PTT1 2096REFX RM	116	1244	2123	2515
	20 x 96 Fold w/RemMod	PTT1 2096REFD RM	118	1477	2355	2748
	20 x 96 Tilt w/RemMod	PTT1 2096RETL RM	128	1435	2314	2706

Note: Training tables are often used with lightweight computer accessories. For heavy duty applications, such as large scale computer equipment, multiple monitor mounts, etc., Versteel suggests adding a third leg or stretcher. Contact customer service if you have specific application concerns or questions.

- Sample Product Number Construction:**
- 1 Choose your base model, including a top & edge style.
 - 2 Specify the base finish, laminate code and edge color.
 - 3 a. Indicate selected base options.
b. Indicate selected top options.
c. Indicate selected power and data options.
d. Indicate selected wire management options.



Base Options	Code	Price
Assembled Folding Table	.BAF	\$ 41
Alternate Table Height 32" & Under	.BAH	\$ 53
Alternate Table Height 32" & Over	.BSP	call
Adjustable Height - Pin (Fix/Tilt)	.BAP	\$ 122
Adjustable Height - Pneumatic (Fix/Tilt)	.BAT	\$ 687
Self-Leveling Glides	.BLG	\$ 25
Stretcher Rail (Fix/Tilt) Finish Same As Base	.BSR	\$ 133


Finish Options	Price
Chrome or Nickel	\$ 90
Powder Coat - Standard	n/c
Powder Coat - Premium	\$ 53

Top Options	Price
Table Link (all four sides)	.TLK \$ 138
Table Link (20" ends only)	.TLE \$ 72
Lightweight Laminate Core (to 96" length)	.TLL \$ 131
Special Laminate	.TSP call

Power and Data Options	Price
Power & Data Globe w/Data Jacks	.PPD \$ 223
Power Source Outlets	.PPS \$ 61

Wire Management Options	Price
Basket, Modesty Mount	.WBM \$ 51
Basket, Under Top Mount	.WBT \$ 51
Cable Hook Legway	.WCK \$ 64
Canvas Legway	.WCL \$ 53
Plastic Legway	.WRL \$ 42
1 Oval Brush Grommet - Location A	.WOA \$ 51
2 Oval Brush Grommets - Location E	.WOE \$ 102
1 Oval Brush Grommet - Provide Location Print	.WOG \$ 51
1 Round Grommet - Location A	.WRA \$ 40
2 Round Grommets - Location E	.WRE \$ 80
1 Round Grommet - Provide Location Print	.WRG \$ 40

Accessories	Price
CPU Holder (3" - 9" adjustment)	.ACPU3-9F \$ 130
CPU Holder (5" - 8" adjustment)	.ACPU5-8F \$ 85
CPU Holder (3" - 5" adjustment)	.ACPU3F \$ 85
Table Transport	.ATT3054 \$1040
Table Floor Mount Bracket Set	.AFB \$ 30



A **PTT1 2090REFD RM LP2S** is a Performance Training series 20" x 90" rectangle table with folding T1 bases, removable modesty panel and a laminate 1 1/4" thick top with a PVC edge and square corners.

The codes **EB / TP WM115-N / SU** specify an Ebony base, Pionite WM115-N laminate and the PVC edge in Sugar Maple.

TLL adds a lightweight laminate core.



Questions?


1.800.876.2120

- Black = Fixed Bases
- Red = Folding Bases
- Blue = Overlapping Folding Bases
- Blue = Tilt Bases
- = Quick Ship Program Product
- = Quick Ship Program Product
- = Quick Ship Program Product

Base Style	Table Description	Model #	Product Wt	Laminate PVC	Laminate 3mm Wood	Laminate Soft PVC	Laminate Urethane/PVC (user side only)
	24 x 48 Fix w/FixMod	PTT1 2448REFX XM	76	Flat	Flat	Bumper	Ergo
	24 x 48 Fix w/RemMod	PTT1 2448REFX RM	76	Flat	Flat	Bumper	Ergo
	24 x 48 Fold w/RemMod	PTT1 2448REFO RM	80	Flat	Flat	Bumper	Ergo
	24 x 48 Tilt w/FoldMod	PTT1 2448RETL FM	88	Fluted	Fluted		
	24 x 48 Tilt w/RemMod	PTT1 2448RETL RM	88	Fluted	Fluted		
	24 x 48 Fix w/FixLightweightFormMod	PTT1 2448REFX XL	76	Fluted	Fluted		
	24 x 48 Fix w/RemLightweightFormMod	PTT1 2448REFX RL	76	Fluted	Fluted		
	24 x 48 Fold w/RemLightweightFormMod	PTT1 2448REFO RL	80	Fluted	Fluted		
	24 x 48 Tilt w/RemLightweightFormMod	PTT1 2448RETL RL	88	Fluted	Fluted		
	24 x 48 Fix w/FixFormMod	PTT1 2448REFX XF	76	Fluted	Fluted		
	24 x 48 Tilt w/FoldFormMod	PTT1 2448RETL FF	88	Fluted	Fluted		
	24 x 60 Fix w/FixMod	PTT1 2460REFX XM	89	Flat	Flat	Bumper	Ergo
	24 x 60 Fix w/RemMod	PTT1 2460REFX RM	89	Flat	Flat	Bumper	Ergo
	24 x 60 Fold w/RemMod	PTT1 2460REFD RM	93	Flat	Flat	Bumper	Ergo
	24 x 60 Fold w/FoldMod	PTT1 2460REFD FM	93	Flat	Flat	Bumper	Ergo
	24 x 60 Tilt w/FoldMod	PTT1 2460RETL FM	101	Fluted	Fluted		
	24 x 60 Tilt w/RemMod	PTT1 2460RETL RM	101	Fluted	Fluted		
	24 x 60 Fix w/FixLightweightFormMod	PTT1 2460REFX XL	88	Fluted	Fluted		
	24 x 60 Fix w/RemLightweightFormMod	PTT1 2460REFX RL	88	Fluted	Fluted		
	24 x 60 Fold w/RemLightweightFormMod	PTT1 2460REFD RL	92	Fluted	Fluted		
24 x 60 Tilt w/RemLightweightFormMod	PTT1 2460RETL RL	100	Fluted	Fluted			
24 x 60 Fix w/FixFormMod	PTT1 2460REFX XF	101	Fluted	Fluted			
24 x 60 Tilt w/FoldFormMod	PTT1 2460RETL FF	113	Fluted	Fluted			
24 x 60 Fold w/FoldFormMod	PTT1 2460REFD FF	105	Fluted	Fluted			

Note: Training tables are often used with lightweight computer accessories. For heavy duty applications, such as large scale computer equipment, multiple monitor mounts, etc., Versteel suggests adding a third leg or stretcher. Contact customer service if you have specific application concerns or questions.

- Sample Product Number Construction:**
- 1 Choose your base model, including a top & edge style.
 - 2 Specify the base finish, laminate code and edge color.
 - 3 a. Indicate selected base options.
b. Indicate selected top options.
c. Indicate selected power and data options.
d. Indicate selected wire management options.



A **PTT1 2448REFX XM LP2S** is a Performance Training series 24" x 48" rectangle table with fixed T1 bases, fixed modesty panel and a laminate 1 1/4" thick top with a PVC edge and square corners.

The codes **EB / TP WM115-N / SU** specify an Ebony base, Pionite WM115-N laminate and the PVC edge in Sugar Maple.

BCD / TLL / PHA / WRL adds dual wheel casters, a lightweight laminate core, 1 Henri installed in location A and a plastic legway wire manager.



Base Options

Assembled Folding Table	.BAF	\$ 41
Alternate Table Height 32" & Under	.BAH	\$ 53
Alternate Table Height 32" & Over	.BSP	call
Adjustable Height - Pin (Fix/Tilt)	.BAP	\$ 122
Adjustable Height - Pneumatic (Fix/Tilt)	.BAT	\$ 687
Bullet End Caps	.BBE	\$ 69
Casters - Dual Wheel	.BCD	\$ 93
Mix - Dual Wheel Casters & Glides	.BMD	\$ 88
Self-Leveling Glides	.BLG	\$ 25
Stretcher Rail (Fix/Tilt) Finish Same As Base	.BSR	\$ 133

Finish Options

Chrome or Nickel		\$ 90
Powder Coat - Standard		n/c
Powder Coat - Premium		\$ 53

Top Options

Table Link (all four sides)	.TLK	\$ 138
Table Link (24" ends only)	.TLE	\$ 72
Lightweight Laminate Core (to 96" length)	.TLL	\$ 131
Special Laminate	.TSP	call

Power and Data Options

1 Henri - Location A (Jacks Not Included)	.PHA	\$ 191
2 Henris - Location E (Jacks Not Included)	.PHE	\$ 382
1 Henri (Jacks Not Included)	.PH1	\$ 191
2 Henris (Jacks Not Included)	.PH2	\$ 382
3 Henris (Jacks Not Included)	.PH3	\$ 573
Power & Data Globe w/Data Jacks	.PPD	\$ 223
Power Source Outlets	.PPS	\$ 61
Powerlink Package	.PPT	\$ 689

Wire Management Options

Basket, Modesty Mount	.WBM	\$ 51
Basket, Under Top Mount	.WBT	\$ 51
Cable Hook Legway	.WCK	\$ 64
Canvas Legway	.WCL	\$ 53
Plastic Legway	.WRL	\$ 42
1 Oval Brush Grommet - Location A	.WOA	\$ 51
2 Oval Brush Grommets - Location E	.WOE	\$ 102
1 Oval Brush Grommet - Provide Location Print	.WOG	\$ 51
1 Round Grommet - Location A	.WRA	\$ 40
2 Round Grommets - Location E	.WRE	\$ 80
1 Round Grommet - Provide Location Print	.WRG	\$ 40

Accessories

Voice & Data Jacks (1 each per Henri Unit)	.AHVDJ	\$ 42
Data Jacks (2 per Henri Unit)	.AHDDJ	\$ 48
Quick Connect (1 per Henri Unit)		
Includes 2 Voice, 2 Data Jacks	.AHQVDJ	\$ 106
Quick Connect (1 per Henri Unit)		
Includes 4 Data Jacks	.AHQDDJ	\$ 122
Keyboard Platform w/Mouse Surface	.AKP24M	\$ 484
CPU Holder (3"- 9" adjustment)	.ACPU3-9F	\$ 130
CPU Holder (5"- 8" adjustment)	.ACPU5-8F	\$ 85
CPU Holder (3"- 5" adjustment)	.ACPU3F	\$ 85
Table Transport	.ATT3054	\$1040
Table Floor Mount Bracket Set	.AFB	\$ 30



Questions?

1.800.876.2120

Black = Fixed Bases

Red = Folding Bases

Blue = Tilt Bases

= Quick Ship Program Product

= Quick Ship Program Product

= Quick Ship Program Product

Base Style	Table Description	Model #	Product Wt	Laminate PVC	Laminate 3mm Wood	Laminate Soft PVC	Laminate Urethane/PVC (user side only)
	24 x 72 Fix w/FixMod	PTT1 2472REFX XM	103	987		1686	1884
	24 x 72 Fix w/RemMod	PTT1 2472REFX RM	103	1011		1711	1908
	24 x 72 Fold w/RemMod	PTT1 2472REFD RM	107	1243		1943	2140
	24 x 72 Fold w/FoldMod	PTT1 2472REFD FM	107	1287		1986	2184
	24 x 72 Tilt w/FoldMod	PTT1 2472RETL FM	115	1246		1945	2142
	24 x 72 Tilt w/RemMod	PTT1 2472RETL RM	115	1202		1902	2099
	24 x 72 Fix w/FixLightweightFormMod	PTT1 2472REFX XL	103	1011		1336	1908
	24 x 72 Fix w/RemLightweightFormMod	PTT1 2472REFX RL	103	1011		1336	1908
	24 x 72 Fold w/RemLightweightFormMod	PTT1 2472REFD RL	107	1243		1568	2140
	24 x 72 Tilt w/RemLightweightFormMod	PTT1 2472RETL RL	115	1202		1526	2099
	24 x 72 Fix w/FixFormMod	PTT1 2472REFX XF	118	1116		1441	2013
	24 x 72 Tilt w/FoldFormMod	PTT1 2472RETL FF	130	1307		1631	2204
	24 x 72 Fold w/FoldFormMod	PTT1 2472REFD FF	122	1348		1673	2245
	24 x 84 Fix w/FixMod	PTT1 2484REFX XM	116	1092		1908	2154
	24 x 84 Fix w/RemMod	PTT1 2484REFX RM	116	1113		1929	2175
	24 x 84 Fold w/RemMod	PTT1 2484REFD RM	120	1345		2161	2407
	24 x 84 Fold w/FoldMod	PTT1 2484REFD FM	120	1407		2223	2469
	24 x 84 Tilt w/FoldMod	PTT1 2484RETL FM	128	1364		2180	2426
	24 x 84 Tilt w/RemMod	PTT1 2484RETL RM	128	1303		2119	2365
	24 x 90 Fix w/FixMod	PTT1 2490REFX XM	124	1223		2102	2494
24 x 90 Fix w/RemMod	PTT1 2490REFX RM	124	1244		2123	2515	
24 x 90 Fold w/RemMod	PTT1 2490REFD RM	128	1477		2355	2748	
24 x 90 Fold w/FoldMod	PTT1 2490REFD FM	128	1538		2417	2809	
24 x 90 Tilt w/FoldMod	PTT1 2490RETL FM	136	1497		2375	2768	
24 x 90 Tilt w/RemMod	PTT1 2490RETL RM	136	1435		2314	2706	
24 x 96 Fix w/FixMod	PTT1 2496REFX XM	130	1223		2102	2494	
24 x 96 Fix w/RemMod	PTT1 2496REFX RM	130	1244		2123	2515	
24 x 96 Fold w/RemMod	PTT1 2496REFD RM	134	1477		2355	2748	
24 x 96 Fold w/FoldMod	PTT1 2496REFD FM	134	1538		2417	2809	
24 x 96 Tilt w/FoldMod	PTT1 2496RETL FM	142	1497		2375	2768	
24 x 96 Tilt w/RemMod	PTT1 2496RETL RM	142	1435		2314	2706	

Note: Training tables are often used with lightweight computer accessories. For heavy duty applications, such as large scale computer equipment, multiple monitor mounts, etc., Versteel suggests adding a third leg or stretcher. Contact customer service if you have specific application concerns or questions.

- Sample Product Number Construction:**
- Choose your base model, including a top & edge style.
 - Specify the base finish, laminate code and edge color.
 - Indicate selected base options.
 - Indicate selected top options.
 - Indicate selected power and data options.
 - Indicate selected wire management options.



Base Options

Code	Price
.BAF	\$ 41
.BAH	\$ 53
.BSP	call
.BAP	\$ 122
.BAT	\$ 687
.BBE	\$ 69
.BCD	\$ 93
.BMD	\$ 88
.BLG	\$ 25
.BSR	\$ 133

Finish Options

Chrome or Nickel	\$ 90
Powder Coat - Standard	n/c
Powder Coat - Premium	\$ 53

Top Options

Table Link (all four sides)	.TLK	\$ 138
Table Link (24" ends only)	.TLE	\$ 72
Lightweight Laminate Core (to 96" length)	.TLL	\$ 131
Special Laminate	.TSP	call

Power and Data Options


1 Henri - Location A (Jacks Not Included)	.PHA	\$ 191
2 Henri - Location E (Jacks Not Included)	.PHE	\$ 382
1 Henri (Jacks Not Included)	.PH1	\$ 191
2 Henri (Jacks Not Included)	.PH2	\$ 382
3 Henri (Jacks Not Included)	.PH3	\$ 573
Power & Data Globe w/Data Jacks	.PPD	\$ 223
Power Source Outlets	.PPS	\$ 61
Powerlink Package	.PPT	\$ 689

Wire Management Options

Basket, Modesty Mount	.WBM	\$ 51
Basket, Under Top Mount	.WBT	\$ 51
Cable Hook Legway	.WCK	\$ 64
Canvas Legway	.WCL	\$ 53
Plastic Legway	.WRL	\$ 42
1 Oval Brush Grommet - Location A	.WOA	\$ 51
2 Oval Brush Grommets - Location E	.WOE	\$ 102
1 Oval Brush Grommet - Provide Location Print	.WOG	\$ 51
1 Round Grommet - Location A	.WRA	\$ 40
2 Round Grommets - Location E	.WRE	\$ 80
1 Round Grommet - Provide Location Print	.WRG	\$ 40

Accessories

Voice & Data Jacks (1 each per Henri Unit)	.AHVDJ	\$ 42
Data Jacks (2 per Henri Unit)	.AHDDJ	\$ 48
Quick Connect (1 per Henri Unit)		
Includes 2 Voice, 2 Data Jacks	.AHQCVDJ	\$ 106
Quick Connect (1 per Henri Unit)		
Includes 4 Data Jacks	.AHQCDDJ	\$ 122
Keyboard Platform w/Mouse Surface	.AKP24M	\$ 484
CPU Holder (3"- 9" adjustment)	.ACPU3-9F	\$ 130
CPU Holder (5"- 8" adjustment)	.ACPU5-8F	\$ 85
CPU Holder (3"- 5" adjustment)	.ACPU3F	\$ 85
Table Transport	.ATT3054	\$1040
Table Floor Mount Bracket Set	.AFB	\$ 30



A **PTT1 2472REFX RM LP2S** is a Performance Training series 24" x 72" rectangle table with fixed T1 bases, removable modesty panel and a laminate 1 1/4" thick top with a PVC edge and square corners.

The codes **EB / TP WM115-N / SU** specify an Ebony base, Pionite WM115-N laminate and the PVC edge in Sugar Maple.

BCD / TLL / PHE / WRL adds dual wheel casters, a lightweight laminate core, 2 Henri installed in location E and a plastic legway wire manager.



Questions?

1.800.876.2120

- Black = Fixed Bases
- Red = Folding Bases
- Blue = Overlapping Folding Bases
- Blue = Tilt Bases
- = Quick Ship Program Product
- = Quick Ship Program Product
- = Quick Ship Program Product

Base Style	Table Description	Model #	Product Wt	Laminate PVC	Laminate 3mm Wood	Laminate Soft PVC	Laminate Urethane/PVC (user side only)
	30 x 48 Fix w/FixMod	PTT1 3048REFX XM	87	Flat	Flat	Bumper	Ergo
	30 x 48 Fix w/RemMod	PTT1 3048REFX RM	87	Flat	Flat	Bumper	Ergo
	30 x 48 Fold w/RemMod	PTT1 3048REFO RM	91	Flat	Flat	Bumper	Ergo
	30 x 48 Tilt w/FoldMod	PTT1 3048RETL FM	99	Fluted	Fluted		
	30 x 48 Tilt w/RemMod	PTT1 3048RETL RM	99	Fluted	Fluted		
	30 x 48 Fix w/FixLightweightFormMod	PTT1 3048REFX XL	87	Fluted	Fluted		
	30 x 48 Fix w/RemLightweightFormMod	PTT1 3048REFX RL	87	Fluted	Fluted		
	30 x 48 Fold w/RemLightweightFormMod	PTT1 3048REFO RL	91	Fluted	Fluted		
	30 x 48 Tilt w/RemLightweightFormMod	PTT1 3048RETL RL	99	Fluted	Fluted		
	30 x 48 Fix w/FixFormMod	PTT1 3048REFX XF	87	Fluted	Fluted		
	30 x 48 Tilt w/FoldFormMod	PTT1 3048RETL FF	99	Fluted	Fluted		
	30 x 60 Fix w/FixMod	PTT1 3060REFX XM	102	Flat	Flat	Bumper	Ergo
	30 x 60 Fix w/RemMod	PTT1 3060REFX RM	102	Flat	Flat	Bumper	Ergo
	30 x 60 Fold w/RemMod	PTT1 3060REFD RM	106	Flat	Flat	Bumper	Ergo
	30 x 60 Fold w/FoldMod	PTT1 3060REFD FM	106	Flat	Flat	Bumper	Ergo
	30 x 60 Tilt w/FoldMod	PTT1 3060RETL FM	114	Fluted	Fluted		
	30 x 60 Tilt w/RemMod	PTT1 3060RETL RM	114	Fluted	Fluted		
	30 x 60 Fix w/FixLightweightFormMod	PTT1 3060REFX XL	102	Fluted	Fluted		
	30 x 60 Fix w/RemLightweightFormMod	PTT1 3060REFX RL	102	Fluted	Fluted		
	30 x 60 Fold w/RemLightweightFormMod	PTT1 3060REFD RL	106	Fluted	Fluted		
30 x 60 Tilt w/RemLightweightFormMod	PTT1 3060RETL RL	114	Fluted	Fluted			
30 x 60 Fix w/FixFormMod	PTT1 3060REFX XF	114	Fluted	Fluted			
30 x 60 Tilt w/FoldFormMod	PTT1 3060RETL FF	126	Fluted	Fluted			
30 x 60 Fold w/FoldFormMod	PTT1 3060REFD FF	118	Fluted	Fluted			

Note: Training tables are often used with lightweight computer accessories. For heavy duty applications, such as large scale computer equipment, multiple monitor mounts, etc., Versteel suggests adding a third leg or stretcher. Contact customer service if you have specific application concerns or questions.

- Sample Product Number Construction:**
- 1 Choose your base model, including a top & edge style.
 - 2 Specify the base finish, laminate code and edge color.
 - 3 a. Indicate selected base options.
b. Indicate selected top options.
c. Indicate selected power and data options.
d. Indicate selected wire management options.



Base Options

	Code	Price
Assembled Folding Table	.BAF	\$ 41
Alternate Table Height 32" & Under	.BAH	\$ 53
Alternate Table Height 32" & Over	.BSP	call
Adjustable Height - Pin (Fix/Tilt)	.BAP	\$ 122
Adjustable Height - Pneumatic (Fix/Tilt)	.BAT	\$ 687
Bullet End Caps	.BBE	\$ 69
Casters - Dual Wheel	.BCD	\$ 93
Mix - Dual Wheel Casters & Glides	.BMD	\$ 88
Self-Leveling Glides	.BLG	\$ 25
Stretcher Rail (Fix/Tilt) Finish Same As Base	.BSR	\$ 133

Finish Options

Chrome or Nickel	\$ 90
Powder Coat - Standard	n/c
Powder Coat - Premium	\$ 53

Top Options

Table Link (all four sides)	.TLK	\$ 138
Table Link (30" ends only)	.TLE	\$ 72
Lightweight Laminate Core (to 96" length)	.TLL	\$ 131
Special Laminate	.TSP	call

Power and Data Options


1 Henri - Location A (Jacks Not Included)	.PHA	\$ 191
2 Henri - Location E (Jacks Not Included)	.PHE	\$ 382
1 Henri (Jacks Not Included)	.PH1	\$ 191
2 Henri (Jacks Not Included)	.PH2	\$ 382
3 Henri (Jacks Not Included)	.PH3	\$ 573
Power & Data Globe w/Data Jacks	.PPD	\$ 223
Power Source Outlets	.PPS	\$ 61
Powerlink Package	.PPT	\$ 689

Wire Management Options

Basket, Modesty Mount	.WBM	\$ 51
Basket, Under Top Mount	.WBT	\$ 51
Cable Hook Legway	.WCK	\$ 64
Canvas Legway	.WCL	\$ 53
Plastic Legway	.WRL	\$ 42
1 Oval Brush Grommet - Location A	.WOA	\$ 51
2 Oval Brush Grommets - Location E	.WOE	\$ 102
1 Oval Brush Grommet - Provide Location Print	.WOG	\$ 51
1 Round Grommet - Location A	.WRA	\$ 40
2 Round Grommets - Location E	.WRE	\$ 80
1 Round Grommet - Provide Location Print	.WRG	\$ 40

Accessories

Voice & Data Jacks (1 each per Henri Unit)	.AHVDJ	\$ 42
Data Jacks (2 per Henri Unit)	.AHDDJ	\$ 48
Quick Connect (1 per Henri Unit)		
Includes 2 Voice, 2 Data Jacks	.AHQVDJ	\$ 106
Quick Connect (1 per Henri Unit)		
Includes 4 Data Jacks	.AHQDDJ	\$ 122
Keyboard Platform w/Mouse Surface	.AKP24M	\$ 484
CPU Holder (3"- 9" adjustment)	.ACPU3-9F	\$ 130
CPU Holder (5"- 8" adjustment)	.ACPU5-8F	\$ 85
CPU Holder (3"- 5" adjustment)	.ACPU3F	\$ 85
Table Transport	.ATT3054	\$1040
Table Floor Mount Bracket Set	.AFB	\$ 30



A **PTT1 3048RETL FM LP2S** is a Performance T training series 30" x 48" rectangle table with tilt T1 bases, folding modesty panel and a laminate 1 1/4" thick top with a PVC edge and square corners.

The codes **EB / TP WM115-N / SU** specify an Ebony base, Pionite WM115-N laminate and the PVC edge in Sugar Maple.

BCD / TLL adds dual wheel casters and a lightweight laminate core.



Questions?

1.800.876.2120

- Black = Fixed Bases
- Red = Folding Bases
- Blue = Tilt Bases
- = Quick Ship Program Product
- = Quick Ship Program Product
- = Quick Ship Program Product

Base Style	Table Description	Model #	Product Wt	Laminate PVC	Laminate 3mm Wood	Laminate Soft PVC	Laminate Urethane/PVC (user side only)
	30 x 72 Fix w/FixMod	PTT1 3072REFX XM	119	1011		1764	2037
	30 x 72 Fix w/RemMod	PTT1 3072REFX RM	119	1036		1788	2062
	30 x 72 Fold w/RemMod	PTT1 3072REFD RM	123	1269		2021	2295
	30 x 72 Fold w/FoldMod	PTT1 3072REFD FM	123	1312		2065	2338
	30 x 72 Tilt w/FoldMod	PTT1 3072RETL FM	131	1270		2022	2296
	30 x 72 Tilt w/RemMod	PTT1 3072RETL RM	131	1226		1979	2253
	30 x 72 Fix w/FixLightweightFormMod	PTT1 3072REFX XL	119	1036		1413	2062
	30 x 72 Fix w/RemLightweightFormMod	PTT1 3072REFX RL	119	1036		1413	2062
	30 x 72 Fold w/RemLightweightFormMod	PTT1 3072REFD RL	123	1269		1646	2295
	30 x 72 Tilt w/RemLightweightFormMod	PTT1 3072RETL RL	131	1226		1604	2253
	30 x 72 Fix w/FixFormMod	PTT1 3072REFX XF	133	1141		1518	2167
	30 x 72 Tilt w/FoldFormMod	PTT1 3072RETL FF	145	1331		1709	2357
	30 x 72 Fold w/FoldFormMod	PTT1 3072REFD FF	137	1374		1751	2400
	30 x 84 Fix w/FixMod	PTT1 3084REFX XM	134	1129		2019	2306
	30 x 84 Fix w/RemMod	PTT1 3084REFX RM	134	1150		2041	2327
	30 x 84 Fold w/RemMod	PTT1 3084REFD RM	138	1382		2273	2559
	30 x 84 Fold w/FoldMod	PTT1 3084REFD FM	138	1444		2334	2620
	30 x 84 Tilt w/FoldMod	PTT1 3084RETL FM	146	1402		2293	2579
	30 x 84 Tilt w/RemMod	PTT1 3084RETL RM	146	1341		2231	2518
	30 x 90 Fix w/FixMod	PTT1 3090REFX XM	143	1241		2221	2670
30 x 90 Fix w/RemMod	PTT1 3090REFX RM	143	1262		2242	2691	
30 x 90 Fold w/RemMod	PTT1 3090REFD RM	147	1496		2475	2925	
30 x 90 Fold w/FoldMod	PTT1 3090REFD FM	147	1557		2537	2986	
30 x 90 Tilt w/FoldMod	PTT1 3090RETL FM	155	1515		2494	2944	
30 x 90 Tilt w/RemMod	PTT1 3090RETL RM	155	1453		2433	2882	
30 x 96 Fix w/FixMod	PTT1 3096REFX XM	151	1241		2221	2670	
30 x 96 Fix w/RemMod	PTT1 3096REFX RM	151	1262		2242	2691	
30 x 96 Fold w/RemMod	PTT1 3096REFD RM	155	1496		2475	2925	
30 x 96 Fold w/FoldMod	PTT1 3096REFD FM	155	1557		2537	2986	
30 x 96 Tilt w/FoldMod	PTT1 3096RETL FM	163	1515		2494	2944	
30 x 96 Tilt w/RemMod	PTT1 3096RETL RM	163	1453		2433	2882	

Note: Training tables are often used with lightweight computer accessories. For heavy duty applications, such as large scale computer equipment, multiple monitor mounts, etc., Versteel suggests adding a third leg or stretcher. Contact customer service if you have specific application concerns or questions.

- Sample Product Number Construction:**
- 1 Choose your base model, including a top & edge style.
 - 2 Specify the base finish, laminate code and edge color.
 - 3 a. Indicate selected base options.
b. Indicate selected top options.
c. Indicate selected power and data options.
d. Indicate selected wire management options.



Base Options	Code	Price
Assembled Folding Table	.BAF	\$ 41
Alternate Table Height 32" & Under	.BAH	\$ 53
Alternate Table Height 32" & Over	.BSP	call
Adjustable Height - Pin (Fix/Tilt)	.BAP	\$ 122
Adjustable Height - Pneumatic (Fix/Tilt)	.BAT	\$ 687
Bullet End Caps	.BBE	\$ 69
Casters - Dual Wheel (72" only)	.BCD	\$ 93
Mix - Dual Wheel Casters & Glides (72" only)	.BMD	\$ 88
Self-Leveling Glides	.BLG	\$ 25
Stretcher Rail (Fix/Tilt) Finish Same As Base	.BSR	\$ 133


Finish Options	Price
Chrome or Nickel	\$ 90
Powder Coat - Standard	n/c
Powder Coat - Premium	\$ 53

Top Options	Price
Table Link (all four sides)	.TLK \$ 138
Table Link (30" ends only)	.TLE \$ 72
Lightweight Laminate Core (to 96" length)	.TLL \$ 131
Special Laminate	.TSP call

Power and Data Options	Price
1 Henri - Location A (Jacks Not Included)	.PHA \$ 191
2 Henris - Location E (Jacks Not Included)	.PHE \$ 382
1 Henri (Jacks Not Included)	.PH1 \$ 191
2 Henris (Jacks Not Included)	.PH2 \$ 382
3 Henris (Jacks Not Included)	.PH3 \$ 573
Power & Data Globe w/Data Jacks	.PPD \$ 223
Power Source Outlets	.PPS \$ 61
Powerlink Package	.PPT \$ 689

Wire Management Options	Price
Basket, Modesty Mount	.WBM \$ 51
Basket, Under Top Mount	.WBT \$ 51
Cable Hook Legway	.WCK \$ 64
Canvas Legway	.WCL \$ 53
Plastic Legway	.WRL \$ 42
1 Oval Brush Grommet - Location A	.WOA \$ 51
2 Oval Brush Grommets - Location E	.WOE \$ 102
1 Oval Brush Grommet - Provide Location Print	.WOG \$ 51
1 Round Grommet - Location A	.WRA \$ 40
2 Round Grommets - Location E	.WRE \$ 80
1 Round Grommet - Provide Location Print	.WRG \$ 40

Accessories	Price
Voice & Data Jacks (1 each per Henri Unit)	.AHVDJ \$ 42
Data Jacks (2 per Henri Unit)	.AHDDJ \$ 48
Quick Connect (1 per Henri Unit)	
Includes 2 Voice, 2 Data Jacks	.AHQCVDJ \$ 106
Quick Connect (1 per Henri Unit)	
Includes 4 Data Jacks	.AHQCDDJ \$ 122
Keyboard Platform w/Mouse Surface	.AKP24M \$ 484
CPU Holder (3"- 9" adjustment)	.ACPU3-9F \$ 130
CPU Holder (5"- 8" adjustment)	.ACPU5-8F \$ 85
CPU Holder (3"- 5" adjustment)	.ACPU3F \$ 85
Table Transport	.ATT3054 \$1040
Table Floor Mount Bracket Set	.AFB \$ 30



A **PTT1 3072REFX XM LP2S** is a Performance Training series 30" x 72" rectangle table with fixed T1 bases, fixed modesty panel and a laminate 1 1/4" thick top with a PVC edge and square corners.

The codes **EB/TP WM115-N /SU** specify an Ebony base, Pionite WM115-N laminate and the PVC edge in Sugar Maple.

BCD/TLL/PHE/WRL adds dual wheel casters, a lightweight laminate core, 2 Henris installed in location E and a plastic legway wire manager.



Questions?

1.800.876.2120

- Black = Fixed Bases
- Red = Folding Bases
- = Overlapping Folding Bases
- = Quick Ship Program Product
- = Quick Ship Program Product

Base Style	Table Description	Model #	Product Wt	Laminate PVC	Laminate 3mm Wood	Laminate Soft PVC	Laminate Urethane/PVC (user side only)
TC	18 x 48 Fix w/FixMod	PTTC 1848REFX XM	65	Flat 	Flat 	Bumper 	Ergo
	18 x 48 Fix w/RemMod	PTTC 1848REFX RM	65	Flat 	Flat 	Bumper 	Ergo
	18 x 48 Fold w/RemMod	PTTC 1848REFO RM	67	Flat 	Flat 	Bumper 	Ergo
	18 x 48 Fix w/FixLightweightFormMod	PTTC 1848REFX XL	65	Fluted 	Fluted 		
	18 x 48 Fix w/RemLightweightFormMod	PTTC 1848REFX RL	65	Fluted 	Fluted 		
	18 x 48 Fold w/RemLightweightFormMod	PTTC 1848REFO RL	67	Fluted 	Fluted 		
	18 x 48 Fix w/FixFormMod	PTTC 1848REFX XF	65	Fluted 	Fluted 		
	18 x 60 Fix w/FixMod	PTTC 1860REFX XM	76	Flat 	Flat 		
	18 x 60 Fix w/RemMod	PTTC 1860REFX RM	76	Flat 	Flat 		
	18 x 60 Fold w/RemMod	PTTC 1860REFD RM	78	Flat 	Flat 		
	18 x 60 Fold w/FoldMod	PTTC 1860REFD FM	78	Flat 	Flat 		
	18 x 60 Fix w/FixLightweightFormMod	PTTC 1860REFX XL	75	Fluted 	Fluted 		
	18 x 60 Fix w/RemLightweightFormMod	PTTC 1860REFX RL	75	Fluted 	Fluted 		
	18 x 60 Fold w/RemLightweightFormMod	PTTC 1860REFD RL	77	Fluted 	Fluted 		
	18 x 60 Fix w/FixFormMod	PTTC 1860REFX XF	88	Fluted 	Fluted 		
	18 x 60 Fold w/FoldFormMod	PTTC 1860REFD FF	90	Fluted 	Fluted 		
	18 x 72 Fix w/FixMod	PTTC 1872REFX XM	87	Flat 	Flat 		
	18 x 72 Fix w/RemMod	PTTC 1872REFX RM	87	Flat 	Flat 		
	18 x 72 Fold w/RemMod	PTTC 1872REFD RM	89	Flat 	Flat 		
	18 x 72 Fold w/FoldMod	PTTC 1872REFD FM	89	Flat 	Flat 		
	18 x 72 Fix w/FixLightweightFormMod	PTTC 1872REFX XL	88	Fluted 	Fluted 		
	18 x 72 Fix w/RemLightweightFormMod	PTTC 1872REFX RL	88	Fluted 	Fluted 		
	18 x 72 Fold w/RemLightweightFormMod	PTTC 1872REFD RL	90	Fluted 	Fluted 		
	18 x 72 Fix w/FixFormMod	PTTC 1872REFX XF	102	Fluted 	Fluted 		
	18 x 72 Fold w/FoldFormMod	PTTC 1872REFD FF	104	Fluted 	Fluted 		

Note: Training tables are often used with lightweight computer accessories. For heavy duty applications, such as large scale computer equipment, multiple monitor mounts, etc., Versteel suggests adding a third leg or stretcher. Contact customer service if you have specific application concerns or questions.

- Sample Product Number Construction:**
- 1 Choose your base model, including a top & edge style.
 - 2 Specify the base finish, laminate code and edge color.
 - 3 a. Indicate selected base options.
b. Indicate selected top options.
c. Indicate selected power and data options.
d. Indicate selected wire management options.



Base Options	Code	Price
Assembled Folding Table	.BAF	\$ 41
Alternate Table Height 32" & Under	.BAH	\$ 53
Alternate Table Height 32" & Over	.BSP	\$ call
Adjustable Height - Pin (Fix)	.BAP	\$ 122
Adjustable Height - Pneumatic (Fix)	.BAT	\$ 687
Bullet End Caps	.BBE	\$ 69
Casters - Dual Wheel	.BCD	\$ 93
Mix - Dual Wheel Casters & Glides	.BMD	\$ 88
Self-Leveling Glides	.BLG	\$ 25
Stretcher Rail (Fix) Finish Same As Base	.BSR	\$ 133


Finish Options	Price
Chrome or Nickel	\$ 90
Powder Coat - Standard	n/c
Powder Coat - Premium	\$ 53

Top Options	Price
Table Link (all four sides)	.TLK \$ 138
Table Link (18" ends only)	.TLE \$ 72
Lightweight Laminate Core (to 96" length)	.TLL \$ 131
Special Laminate	.TSP call

Power and Data Options	Price
Power & Data Globe w/Data Jacks	.PPD \$ 223
Power Source Outlets	.PPS \$ 61

Wire Management Options	Price
Basket, Modesty Mount	.WBM \$ 51
Basket, Under Top Mount	.WBT \$ 51
Cable Hook Legway	.WCK \$ 64
Canvas Legway	.WCL \$ 53
Plastic Legway	.WRL \$ 42
1 Oval Brush Grommet - Location A	.WOA \$ 51
1 Oval Brush Grommet - Provide Location Print	.WOG \$ 51
1 Round Grommet - Location A	.WRA \$ 40
1 Round Grommet - Provide Location Print	.WRG \$ 40

Accessories	Price
CPU Holder (3"- 9" adjustment)	.ACPU3-9F \$ 130
CPU Holder (5"- 8" adjustment)	.ACPU5-8F \$ 85
CPU Holder (3"- 5" adjustment)	.ACPU3F \$ 85
Table Transport	.ATT3054 \$1040
Table Floor Mount Bracket Set	.AFB \$ 30



A **PTTC 1860REFX XM LP2S** is a Performance Training series 18" x 60" rectangle table with fixed TC bases, fixed modesty panel and a laminate 1 1/4" thick top with a PVC edge and square corners.

The codes **EB / TP WM115-N / SU** specify an Ebony base, Pionite WM115-N laminate and the PVC edge in Sugar Maple.

BCD/TLL/PPD/WRL adds dual wheel casters, a lightweight laminate core, a power and data globe installed in specified location and a plastic legway wire manager.



Questions?

1.800.876.2120

Black = Fixed Bases

Red = Folding Bases

= Quick Ship Program Product

= Quick Ship Program Product

Base Style	Table Description	Model #	Product Wt	1 1/4"	1 1/4"	1 1/4"	1 1/4"
	18 x 84 Fix w/FixMod	PTTC 1884REFX XM	98	1029		1784	1976
	18 x 84 Fix w/RemMod	PTTC 1884REFX RM	98	1050		1805	1997
	18 x 84 Fold w/RemMod	PTTC 1884REFD RM	100	1283		2037	2229
	18 x 84 Fold w/FoldMod	PTTC 1884REFD FM	100	1344		2099	2291
	18 x 90 Fix w/FixMod	PTTC 1890REFX XM	104	1098		1931	2309
	18 x 90 Fix w/RemMod	PTTC 1890REFX RM	104	1119		1953	2330
	18 x 90 Fold w/RemMod	PTTC 1890REFD RM	106	1352		2185	2562
	18 x 90 Fold w/FoldMod	PTTC 1890REFD FM	106	1413		2246	2624
	18 x 96 Fix w/FixMod	PTTC 1896REFX XM	109	1098		1931	2309
	18 x 96 Fix w/RemMod	PTTC 1896REFX RM	109	1119		1953	2330
	18 x 96 Fold w/RemMod	PTTC 1896REFD RM	111	1352		2185	2562
	18 x 96 Fold w/FoldMod	PTTC 1896REFD FM	111	1413		2246	2624

Note: Training tables are often used with lightweight computer accessories. For heavy duty applications, such as large scale computer equipment, multiple monitor mounts, etc., Versteel suggests adding a third leg or stretcher. Contact customer service if you have specific application concerns or questions.

- Sample Product Number Construction:**
- Choose your base model, including a top & edge style.
 - Specify the base finish, laminate code and edge color.
 - Indicate selected base options.
 - Indicate selected top options.
 - Indicate selected power and data options.
 - Indicate selected wire management options.



Base Options	Code	Price
Assembled Folding Table	.BAF	\$ 41
Alternate Table Height 32" & Under	.BAH	\$ 53
Alternate Table Height 32" & Over	.BSP	\$ call
Adjustable Height - Pin (Fix)	.BAP	\$ 122
Adjustable Height - Pneumatic (Fix)	.BAT	\$ 687
Bullet End Caps	.BBE	\$ 69
Self-Leveling Glides	.BLG	\$ 25
Stretcher Rail (Fix) Finish Same As Base	.BSR	\$ 133


Finish Options	Price
Chrome or Nickel	\$ 90
Powder Coat - Standard	n/c
Powder Coat - Premium	\$ 53

Top Options	Price
Table Link (all four sides)	.TLK \$ 138
Table Link (18" ends only)	.TLE \$ 72
Lightweight Laminate Core (to 96" length)	.TLL \$ 131
Special Laminate	.TSP call

Power and Data Options	Price
Power & Data Globe w/Data Jacks	.PPD \$ 223
Power Source Outlets	.PPS \$ 61

Wire Management Options	Price
Basket, Modesty Mount	.WBM \$ 51
Basket, Under Top Mount	.WBT \$ 51
Cable Hook Legway	.WCK \$ 64
Canvas Legway	.WCL \$ 53
Plastic Legway	.WRL \$ 42
1 Oval Brush Grommet - Location A	.WOG \$ 51
1 Oval Brush Grommet - Provide Location Print	.WOG \$ 51
1 Round Grommet - Location A	.WRA \$ 40
1 Round Grommet - Provide Location Print	.WRG \$ 40

Accessories	Price
CPU Holder (3"- 9" adjustment)	.ACPU3-9F \$ 130
CPU Holder (5"- 8" adjustment)	.ACPU5-8F \$ 85
CPU Holder (3"- 5" adjustment)	.ACPU3F \$ 85
Table Transport	.ATT3054 \$1040
Table Floor Mount Bracket Set	.AFB \$ 30



A **PTTC 1884REFX XL LP2S** is a Performance Training series 18" x 84" rectangle table with fixed TC bases, fixed lightweight form modesty panel and a laminate 1 1/4" thick top with a PVC edge and square corners.

The codes **EB/TP WM115-N /SU** specify an Ebony base, Pionite WM115-N laminate and the PVC edge in Sugar Maple.

TLL adds a lightweight laminate core.



Questions?

1.800.876.2120

- Black = Fixed Bases
- Red = Folding Bases
- = Overlapping Folding Bases
- = Quick Ship Program Product
- = Quick Ship Program Product

Base Style	Table Description	Model #	Product Wt	Laminate PVC	Laminate 3mm Wood	Laminate Soft PVC	Laminate Urethane/PVC (user side only)
	20 x 48 Fix w/FixMod	PTTC 2048REFX XM	68	799		1268	1476
	20 x 48 Fix w/RemMod	PTTC 2048REFX RM	68	824		1292	1500
	20 x 48 Fold w/RemMod	PTTC 2048REFO RM	70	1057		1525	1733
	20 x 48 Fix w/FixLightweightFormMod	PTTC 2048REFX XL	68	824		1063	1500
	20 x 48 Fix w/RemLightweightFormMod	PTTC 2048REFX RL	68	824		1063	1500
	20 x 48 Fold w/RemLightweightFormMod	PTTC 2048REFO RL	70	1057		1296	1733
	20 x 48 Fix w/FixFormMod	PTTC 2048REFX XF	68	970		1209	1646
	20 x 60 Fix w/FixMod	PTTC 2060REFX XM	80	843		1311	1647
	20 x 60 Fix w/RemMod	PTTC 2060REFX RM	80	867		1336	1672
	20 x 60 Fold w/RemMod	PTTC 2060REFD RM	82	1099		1568	1904
	20 x 60 Fix w/FixLightweightFormMod	PTTC 2060REFX XL	79	867		1166	1672
	20 x 60 Fix w/RemLightweightFormMod	PTTC 2060REFX RL	79	867		1166	1672
	20 x 60 Fold w/RemLightweightFormMod	PTTC 2060REFD RL	81	1099		1398	1904
	20 x 60 Fix w/FixFormMod	PTTC 2060REFX XF	92	1013		1312	1818
	20 x 72 Fix w/FixMod	PTTC 2072REFX XM	92	987		1686	1884
	20 x 72 Fix w/RemMod	PTTC 2072REFX RM	92	1011		1711	1908
	20 x 72 Fold w/RemMod	PTTC 2072REFD RM	94	1243		1943	2140
	20 x 72 Fix w/FixLightweightFormMod	PTTC 2072REFX XL	93	1011		1336	1908
	20 x 72 Fix w/RemLightweightFormMod	PTTC 2072REFX RL	93	1011		1336	1908
	20 x 72 Fold w/RemLightweightFormMod	PTTC 2072REFD RL	95	1243		1568	2140
	20 x 72 Fix w/FixFormMod	PTTC 2072REFX XF	107	1116		1441	2013

Note: Training tables are often used with lightweight computer accessories. For heavy duty applications, such as large scale computer equipment, multiple monitor mounts, etc., Versteel suggests adding a third leg or stretcher. Contact customer service if you have specific application concerns or questions.

- Sample Product Number Construction:**
- 1 Choose your base model, including a top & edge style.
 - 2 Specify the base finish, laminate code and edge color.
 - 3 a. Indicate selected base options.
b. Indicate selected top options.
c. Indicate selected power and data options.
d. Indicate selected wire management options.



Base Options

	Code	Price
Assembled Folding Table	.BAF	\$ 41
Alternate Table Height 32" & Under	.BAH	\$ 53
Alternate Table Height 32" & Over	.BSP	call
Adjustable Height - Pin (Fix)	.BAP	\$ 122
Adjustable Height - Pneumatic (Fix)	.BAT	\$ 687
Casters	.BCD	\$ 93
Mix - Dual Wheel Casters & Glides	.BMD	\$ 88
Self-Leveling Glides	.BLG	\$ 25
Stretcher Rail (Fix) Finish Same As Base	.BSR	\$ 133

Finish Options

Chrome or Nickel	\$ 90
Powder Coat - Standard	n/c
Powder Coat - Premium	\$ 53

Top Options

Table Link (all four sides)	.TLK	\$ 138
Table Link (20" ends only)	.TLE	\$ 72
Lightweight Laminate Core (to 96" length)	.TLL	\$ 131
Special Laminate	.TSP	call

Power and Data Options


Power & Data Globe w/Data Jacks	.PPD	\$ 223
Power Source Outlets	.PPS	\$ 61

Wire Management Options

Basket, Modesty Mount	.WBM	\$ 51
Basket, Under Top Mount	.WBT	\$ 51
Cable Hook Legway	.WCK	\$ 64
Canvas Legway	.WCL	\$ 53
Plastic Legway	.WRL	\$ 42
1 Oval Brush Grommet - Location A	.WOA	\$ 51
1 Oval Brush Grommet - Provide Location Print	.WOG	\$ 51
1 Round Grommet - Location A	.WRA	\$ 40
1 Round Grommet - Provide Location Print	.WRG	\$ 40

Accessories

CPU Holder (3" - 9" adjustment)	.ACPU3-9F	\$ 130
CPU Holder (5" - 8" adjustment)	.ACPU5-8F	\$ 85
CPU Holder (3" - 5" adjustment)	.ACPU3F	\$ 85
Table Transport	.ATT3054	\$1040
Table Floor Mount Bracket Set	.AFB	\$30



A **PTTC 2048REFX RM LP2S** is a Performance Training series 20" x 48" rectangle table with fixed TC bases, removable modesty panel and a laminate 1 1/4" thick top with a PVC edge and square corners.

The codes **EB/TP WM115-N /SU** specify an Ebony base, Pionite WM115-N laminate and the PVC edge in Sugar Maple.

BCD/TLL adds dual wheel casters and a lightweight laminate core.



Questions?

1.800.876.2120

- Black = Fixed Bases
- Red = Folding Bases
- = Quick Ship Program Product
- = Quick Ship Program Product

Base Style	Table Description	Model #	Product Wt	Laminate PVC	Laminate 3mm Wood	Laminate Soft PVC	Laminate Urethane/PVC (user side only)	
	20 x 84 Fix w/FixMod	PTTC 2084REFX XM	104	1092	1908	2154		
	20 x 84 Fix w/RemMod	PTTC 2084REFX RM	104	1113	1929	2175		
	20 x 84 Fold w/RemMod	PTTC 2084REFD RM	106	1345	2161	2407		
	20 x 90 Fix w/FixMod	PTTC 2090REFX XM	110	1223	2102	2494		
	20 x 90 Fix w/RemMod	PTTC 2090REFX RM	110	1244	2123	2515		
	20 x 90 Fold w/RemMod	PTTC 2090REFD RM	112	1477	2355	2748		
	20 x 96 Fix w/FixMod	PTTC 2096REFX XM	116	1223	2102	2494		
	20 x 96 Fix w/RemMod	PTTC 2096REFX RM	116	1244	2123	2515		
	20 x 96 Fold w/RemMod	PTTC 2096REFD RM	118	1477	2355	2748		
								3mm PVC on all remaining sides

Note: Training tables are often used with lightweight computer accessories. For heavy duty applications, such as large scale computer equipment, multiple monitor mounts, etc., Versteel suggests adding a third leg or stretcher. Contact customer service if you have specific application concerns or questions.

- Sample Product Number Construction:**
- 1 Choose your base model, including a top & edge style.
 - 2 Specify the base finish, laminate code and edge color.
 - 3 a. Indicate selected base options.
b. Indicate selected top options.
c. Indicate selected power and data options.
d. Indicate selected wire management options.



Base Options	Code	Price
Assembled Folding Table	.BAF	\$ 41
Alternate Table Height 32" & Under	.BAH	\$ 53
Alternate Table Height 32" & Over	.BSP	call
Adjustable Height - Pin (Fix)	.BAP	\$ 122
Adjustable Height - Pneumatic (Fix)	.BAT	\$ 687
Self-Leveling Glides	.BLG	\$ 25
Stretcher Rail (Fix) Finish Same As Base	.BSR	\$ 133

Finish Options	Price
Chrome or Nickel	\$ 90
Powder Coat - Standard	n/c
Powder Coat - Premium	\$ 53

Top Options	Price
Table Link (all four sides)	.TLK \$ 138
Table Link (20" ends only)	.TLE \$ 72
Lightweight Laminate Core (to 96" length)	.TLL \$ 131
Special Laminate	.TSP call

Power and Data Options	Price
Power & Data Globe w/Data Jacks	.PPD \$ 223
Power Source Outlets	.PPS \$ 61

Wire Management Options	Price
Basket, Modesty Mount	.WBM \$ 51
Basket, Under Top Mount	.WBT \$ 51
Cable Hook Legway	.WCK \$ 64
Canvas Legway	.WCL \$ 53
Plastic Legway	.WRL \$ 42
1 Oval Brush Grommet - Location A	.WOA \$ 51
1 Oval Brush Grommet - Provide Location Print	.WOG \$ 51
1 Round Grommet - Location A	.WRA \$ 40
1 Round Grommet - Provide Location Print	.WRG \$ 40

Accessories	Price
CPU Holder (3" - 9" adjustment)	.ACPU3-9F \$ 130
CPU Holder (5" - 8" adjustment)	.ACPU5-8F \$ 85
CPU Holder (3" - 5" adjustment)	.ACPU3F \$ 85
Table Transport	.ATT3054 \$1040
Table Floor Mount Bracket Set	.AFB \$ 30



A **PTTC 2084REFX XM LP2S** is a Performance Training series 20" x 84" rectangle table with fixed TC bases, fixed modesty panel and a laminate 1 1/4" thick top with a PVC edge and square corners.

The codes **EB / TP WM115-N / SU** specify an Ebony base, Pionite WM115-N laminate and the PVC edge in Sugar Maple.

TLL / PPD / WRL adds a lightweight laminate core, a power and data globe installed in specified location and a plastic legway wire manager.



Questions?


1.800.876.2120

- Black = Fixed Bases
- Red = Folding Bases
- Blue = Overlapping Folding Bases
- Blue = Tilt Bases
- = Quick Ship Program Product
- = Quick Ship Program Product
- = Quick Ship Program Product

Base Style	Table Description	Model #	Product Wt	Laminate PVC	Laminate 3mm Wood	Laminate Soft PVC	Laminate Urethane/PVC (user side only)
TC	24 x 48 Fix w/FixMod	PTTC 2448REFX XM	76	Flat	Flat	Bumper	Ergo
	24 x 48 Fix w/RemMod	PTTC 2448REFX RM	76	Flat	Flat	Bumper	Ergo
	24 x 48 Fold w/RemMod	PTTC 2448REFO RM	80	Flat	Flat	Bumper	Ergo
	24 x 48 Tilt w/RemMod	PTTC 2448RETL RM	88	Flat	Flat	Bumper	Ergo
	24 x 48 Fix w/FixLightweightFormMod	PTTC 2448REFX XL	76	Fluted	Fluted		
	24 x 48 Fix w/RemLightweightFormMod	PTTC 2448REFX RL	76	Fluted	Fluted		
	24 x 48 Fold w/RemLightweightFormMod	PTTC 2448REFO RL	80	Fluted	Fluted		
	24 x 48 Tilt w/RemLightweightFormMod	PTTC 2448RETL RL	88	Fluted	Fluted		
	24 x 48 Fix w/FixFormMod	PTTC 2448REFX XF	76	Fluted	Fluted		
	24 x 60 Fix w/FixMod	PTTC 2460REFX XM	89	Fluted	Fluted		
	24 x 60 Fix w/RemMod	PTTC 2460REFX RM	89	Fluted	Fluted		
	24 x 60 Fold w/RemMod	PTTC 2460REFD RM	93	Fluted	Fluted		
	24 x 60 Fold w/FoldMod	PTTC 2460REFD FM	93	Fluted	Fluted		
	24 x 60 Tilt w/RemMod	PTTC 2460RETL RM	101	Fluted	Fluted		
	24 x 60 Fix w/FixLightweightFormMod	PTTC 2460REFX XL	88	Fluted	Fluted		
	24 x 60 Fix w/RemLightweightFormMod	PTTC 2460REFX RL	88	Fluted	Fluted		
	24 x 60 Fold w/RemLightweightFormMod	PTTC 2460REFD RL	92	Fluted	Fluted		
	24 x 60 Tilt w/RemLightweightFormMod	PTTC 2460RETL RL	100	Fluted	Fluted		
	24 x 60 Fix w/FixFormMod	PTTC 2460REFX XF	101	Fluted	Fluted		
	24 x 60 Fold w/FoldFormMod	PTTC 2460REFD FF	105	Fluted	Fluted		
	24 x 72 Fix w/FixMod	PTTC 2472REFX XM	103	Fluted	Fluted		
	24 x 72 Fix w/RemMod	PTTC 2472REFX RM	103	Fluted	Fluted		
	24 x 72 Fold w/RemMod	PTTC 2472REFD RM	107	Fluted	Fluted		
	24 x 72 Fold w/FoldMod	PTTC 2472REFD FM	107	Fluted	Fluted		
	24 x 72 Tilt w/RemMod	PTTC 2472RETL RM	115	Fluted	Fluted		
	24 x 72 Fix w/FixLightweightFormMod	PTTC 2472REFX XL	103	Fluted	Fluted		
	24 x 72 Fix w/RemLightweightFormMod	PTTC 2472REFX RL	103	Fluted	Fluted		
	24 x 72 Fold w/RemLightweightFormMod	PTTC 2472REFD RL	107	Fluted	Fluted		
	24 x 72 Tilt w/RemLightweightFormMod	PTTC 2472RETL RL	115	Fluted	Fluted		
	24 x 72 Fix w/FixFormMod	PTTC 2472REFX XF	118	Fluted	Fluted		
	24 x 72 Fold w/FoldFormMod	PTTC 2472REFD FF	122	Fluted	Fluted		

Note: Training tables are often used with lightweight computer accessories. For heavy duty applications, such as large scale computer equipment, multiple monitor mounts, etc., Versteel suggests adding a third leg or stretcher. Contact customer service if you have specific application concerns or questions.

- Sample Product Number Construction:
- 1 Choose your base model, including a top & edge style.
 - 2 Specify the base finish, laminate code and edge color.
 - 3 a. Indicate selected base options.
b. Indicate selected top options.
c. Indicate selected power and data options.
d. Indicate selected wire management options.



A **PTTC 2448REFX XL LP2S** is a Performance T raining series 24" x 48" rectangle table with fixed TC bases, fixed lightweight form modesty panel and a laminate 1 1/4" thick top with a PVC edge and square corners.

The codes **EB / TP WM115-N / SU** specify an Ebony base, Pionite WM115-N laminate and the PVC edge in Sugar Maple.

BCD / TLL / PHA / WRL adds dual wheel casters, a lightweight laminate core, 1 Henri installed in location A and a plastic legway wire manager.



Base Options	Code	Price
Assembled Folding Table	.BAF	\$ 41
Alternate Table Height 32" & Under	.BAH	\$ 53
Alternate Table Height 32" & Over	.BSP	call
Adjustable Height - Pin (Fix/Tilt)	.BAP	\$ 122
Adjustable Height - Pneumatic (Fix/Tilt)	.BAT	\$ 687
Bullet End Caps	.BBE	\$ 69
Casters - Dual Wheel	.BCD	\$ 93
Mix - Dual Wheel Casters & Glides	.BMD	\$ 88
Self-Leveling Glides	.BLG	\$ 25
Stretcher Rail (Fix/Tilt) Finish Same As Base	.BSR	\$ 133

Finish Options	Price
Chrome or Nickel	\$ 90
Powder Coat - Standard	n/c
Powder Coat - Premium	\$ 53

Top Options	Price
Table Link (all four sides)	.TLK \$ 138
Table Link (24" ends only)	.TLE \$ 72
Lightweight Laminate Core (to 96" length)	.TLL \$ 131
Special Laminate	.TSP call

Power and Data Options	Price
1 Henri - Location A (Jacks Not Included)	.PHA \$ 191
2 Henris - Location E (Jacks Not Included)	.PHE \$ 382
1 Henri (Jacks Not Included)	.PH1 \$ 191
2 Henris (Jacks Not Included)	.PH2 \$ 382
3 Henris (Jacks Not Included)	.PH3 \$ 573
Power & Data Globe w/Data Jacks	.PPD \$ 223
Power Source Outlets	.PPS \$ 61
Powerlink Package	.PPT \$ 689

Wire Management Options	Price
Basket, Modesty Mount	.WBM \$ 51
Basket, Under Top Mount	.WBT \$ 51
Cable Hook Legway	.WCK \$ 64
Canvas Legway	.WCL \$ 53
Plastic Legway	.WRL \$ 42
1 Oval Brush Grommet - Location A	.WOA \$ 51
2 Oval Brush Grommets - Location E	.WOE \$ 102
1 Oval Brush Grommet - Provide Location Print	.WOG \$ 51
1 Round Grommet - Location A	.WRA \$ 40
2 Round Grommets - Location E	.WRE \$ 80
1 Round Grommet - Provide Location Print	.WRG \$ 40

Accessories	Price
Voice & Data Jacks (1 each per Henri Unit)	.AHVDJ \$ 42
Data Jacks (2 per Henri Unit)	.AHDDJ \$ 48
Quick Connect (1 per Henri Unit)	
Includes 2 Voice, 2 Data Jacks	.AHQVDJ \$ 106
Quick Connect (1 per Henri Unit)	
Includes 4 Data Jacks	.AHQDDJ \$ 122
Keyboard Platform w/Mouse Surface	.AKP24M \$ 424
CPU Holder (3"- 9" adjustment)	.ACPU3-9F \$ 130
CPU Holder (5"- 8" adjustment)	.ACPU5-8F \$ 85
CPU Holder (3"- 5" adjustment)	.ACPU3F \$ 85
Table Transport	.ATT3054 \$1040
Table Floor Mount Bracket Set	.AFB \$ 30



Questions?

1.800.876.2120

- Black = Fixed Bases
- Red = Folding Bases
- Blue = Tilt Bases
- = Quick Ship Program Product
- = Quick Ship Program Product
- = Quick Ship Program Product

Base Style	Table Description	Model #	Product Wt	1 1/4"	1 1/4"	1 1/4"	1 1/4"
	24 x 84 Fix w/FixMod	PTTC 2484REFX XM	116	1092		1908	2154
	24 x 84 Fix w/RemMod	PTTC 2484REFX RM	116	1113		1929	2175
	24 x 84 Fold w/RemMod	PTTC 2484REFD RM	120	1345		2161	2407
	24 x 84 Fold w/FoldMod	PTTC 2484REFD FM	120	1407		2223	2469
	24 x 84 Tilt w/RemMod	PTTC 2484RETL RM	128	1303		2119	2365
	24 x 90 Fix w/FixMod	PTTC 2490REFX XM	124	1223		2102	2494
	24 x 90 Fix w/RemMod	PTTC 2490REFX RM	124	1244		2123	2515
	24 x 90 Fold w/RemMod	PTTC 2490REFD RM	128	1477		2355	2748
	24 x 90 Fold w/FoldMod	PTTC 2490REFD FM	128	1538		2417	2809
	24 x 90 Tilt w/RemMod	PTTC 2490RETL RM	136	1435		2314	2706
	24 x 96 Fix w/FixMod	PTTC 2496REFX XM	130	1223		2102	2494
	24 x 96 Fix w/RemMod	PTTC 2496REFX RM	130	1244		2123	2515
	24 x 96 Fold w/RemMod	PTTC 2496REFD RM	134	1477		2355	2748
	24 x 96 Fold w/FoldMod	PTTC 2496REFD FM	134	1538		2417	2809
	24 x 96 Tilt w/RemMod	PTTC 2496RETL RM	142	1435		2314	2706

Note: Training tables are often used with lightweight computer accessories. For heavy duty applications, such as large scale computer equipment, multiple monitor mounts, etc., Versteel suggests adding a third leg or stretcher. Contact customer service if you have specific application concerns or questions.

- Sample Product Number Construction:**
- 1 Choose your base model, including a top & edge style.
 - 2 Specify the base finish, laminate code and edge color.
 - 3 a. Indicate selected base options.
b. Indicate selected top options.
c. Indicate selected power and data options.
d. Indicate selected wire management options.



Base Options	Code	Price
Assembled Folding Table	.BAF	\$ 41
Alternate Table Height 32" & Under	.BAH	\$ 53
Alternate Table Height 32" & Over	.BSP	call
Adjustable Height - Pin (Fix/Tilt)	.BAP	\$ 122
Adjustable Height - Pneumatic (Fix/Tilt)	.BAT	\$ 687
Bullet End Caps	.BBE	\$ 69
Self-Leveling Glides	.BLG	\$ 25
Stretcher Rail (Fix/Tilt) Finish Same As Base	.BSR	\$ 133


Finish Options	Price
Chrome or Nickel	\$ 90
Powder Coat - Standard	n/c
Powder Coat - Premium	\$ 53

Top Options	Price
Table Link (all four sides)	.TLK \$ 138
Table Link (24" ends only)	.TLE \$ 72
Lightweight Laminate Core (to 96" length)	.TLL \$ 131
Special Laminate	.TSP call

Power and Data Options	Price
1 Henri - Location A (Jacks Not Included)	.PHA \$ 191
2 Henris - Location E (Jacks Not Included)	.PHE \$ 382
1 Henri (Jacks Not Included)	.PH1 \$ 191
2 Henris (Jacks Not Included)	.PH2 \$ 382
3 Henris (Jacks Not Included)	.PH3 \$ 573
Power & Data Globe w/Data Jacks	.PPD \$ 223
Power Source Outlets	.PPS \$ 61
Powerlink Package	.PPT \$ 689

Wire Management Options	Price
Basket, Modesty Mount	.WBM \$ 51
Basket, Under Top Mount	.WBT \$ 51
Cable Hook Legway	.WCK \$ 64
Canvas Legway	.WCL \$ 53
Plastic Legway	.WRL \$ 42
1 Oval Brush Grommet - Location A	.WOA \$ 51
2 Oval Brush Grommets - Location E	.WOG \$ 102
1 Oval Brush Grommet - Provide Location Print	.WOG \$ 51
1 Round Grommet - Location A	.WRA \$ 40
2 Round Grommets - Location E	.WRE \$ 80
1 Round Grommet - Provide Location Print	.WRG \$ 80

Accessories	Price
Voice & Data Jacks (1 each per Henri Unit)	.AHVDJ \$ 42
Data Jacks (2 per Henri Unit)	.AHDDJ \$ 48
Quick Connect (1 per Henri Unit)	
Includes 2 Voice, 2 Data Jacks	.AHQCVDJ \$ 106
Quick Connect (1 per Henri Unit)	
Includes 4 Data Jacks	.AHQCDDJ \$ 122
Keyboard Platform w/Mouse Surface	.AKP24M \$ 424
CPU Holder (3" - 9" adjustment)	.ACPU3-9F \$ 130
CPU Holder (5" - 8" adjustment)	.ACPU5-8F \$ 85
CPU Holder (3" - 5" adjustment)	.ACPU3F \$ 85
Table Transport	.ATT3054 \$1040
Table Floor Mount Bracket Set	.AFB \$ 30



A **PTTC 2490REFX XF LP2R** is a Performance Training series 24" x 90" rectangle table with fixed TC bases, fixed form modesty panel and a laminate 1 1/4" thick top with a PVC edge and radius corners.

The codes **EB/TP WM115-N /SU** specify an Ebony base, Pionite WM115-N laminate and the PVC edge in Sugar Maple.

TLL/PHE/WRL adds a lightweight laminate core, 2 Henris installed in location E and a plastic legway wire manager.



Questions?


1.800.876.2120

- Black = Fixed Bases
- Red = Folding Bases
- 🔲 = Overlapping Folding Bases
- Blue = Tilt Bases
- 🚚 = Quick Ship Program Product
- 🚚 = Quick Ship Program Product
- 🚚 = Quick Ship Program Product

Base Style	Table Description	Model #	Product Wt				
TC	30 x 48 Fix w/FixMod	PTTC 3048REFX XM	87	867		1357	1604
	30 x 48 Fix w/RemMod	PTTC 3048REFX RM	87	891		1381	1628
	30 x 48 Fold w/RemMod	PTTC 3048REFD RM	91	1125	1614		1861
	30 x 48 Tilt w/FoldMod	PTTC 3048RETL FM	99	1127	1617		1863
	30 x 48 Tilt w/RemMod	PTTC 3048RETL RM	99	1081	1571		1818
	30 x 48 Fix w/FixLightweightFormMod	PTTC 3048REFX XL	87	891	1141		1628
	30 x 48 Fix w/RemLightweightFormMod	PTTC 3048REFX RL	87	891	1141		1628
	30 x 48 Fold w/RemLightweightFormMod	PTTC 3048REFD RL	91	1125	1374		1861
	30 x 48 Tilt w/RemLightweightFormMod	PTTC 3048RETL RL	99	1081	1330		1818
	30 x 48 Fix w/FixFormMod	PTTC 3048REFX XF	87	1038	1287		1774
	30 x 48 Tilt w/FoldFormMod	PTTC 3048RETL FF	99	1227	1477		1964
	30 x 60 Fix w/FixMod	PTTC 3060REFX XM	102	911	1400		1788
	30 x 60 Fix w/RemMod	PTTC 3060REFX RM	102	935	1425		1813
	30 x 60 Fold w/RemMod	PTTC 3060REFD RM	106	1167	1657		2045
	30 x 60 Fold w/FoldMod	PTTC 3060REFD FM	106	1213	1702		2090
	30 x 60 Tilt w/FoldMod	PTTC 3060RETL FM	114	1169	1659		2047
	30 x 60 Tilt w/RemMod	PTTC 3060RETL RM	114	1124	1613		2001
	30 x 60 Fix w/FixLightweightFormMod	PTTC 3060REFX XL	102	935	1255		1813
	30 x 60 Fix w/RemLightweightFormMod	PTTC 3060REFX RL	102	935	1255		1813
30 x 60 Fold w/RemLightweightFormMod	PTTC 3060REFD RL	106	1167	1487		2045	
30 x 60 Tilt w/RemLightweightFormMod	PTTC 3060RETL RL	114	1124	1444		2001	
30 x 60 Fix w/FixFormMod	PTTC 3060REFX XF	114	1081	1401		1959	
30 x 60 Tilt w/FoldFormMod	PTTC 3060RETL FF	126	1270	1590		2148	
30 x 60 Fold w/FoldFormMod	PTTC 3060REFD FF	118	1313	1633		2191	

Note: Training tables are often used with lightweight computer accessories. For heavy duty applications, such as large scale computer equipment, multiple monitor mounts, etc., Versteel suggests adding a third leg or stretcher. Contact customer service if you have specific application concerns or questions.

- Sample Product Number Construction:**
- 1 Choose your base model, including a top & edge style.
 - 2 Specify the base finish, laminate code and edge color.
 - 3 a. Indicate selected base options.
b. Indicate selected top options.
c. Indicate selected power and data options.
d. Indicate selected wire management options.



A **PTTC 3048REFX XF LP2R** is a Performance Training series 30" x 48" rectangle table with fixed TC bases, fixed form modesty panel and a laminate 1 1/4" thick top with a PVC edge and radius corners.

The codes **EB / TP WM115-N / SU** specify an Ebony base, Pionite WM115-N laminate and the PVC edge in Sugar Maple.

PHA / WRL adds 1 Henri installed in location A and a plastic legway wire manager.



Base Options	Code	Price
Assembled Folding Table	.BAF	\$ 41
Alternate Table Height 32" & Under	.BAH	\$ 53
Alternate Table Height 32" & Over	.BSP	call
Adjustable Height - Pin (Fix/Tilt)	.BAP	\$ 122
Adjustable Height - Pneumatic (Fix/Tilt)	.BAT	\$ 687
Bullet End Caps	.BBE	\$ 69
Casters - Dual Wheel	.BCD	\$ 93
Mix - Dual Wheel Casters & Glides	.BMD	\$ 88
Self-Leveling Glides	.BLG	\$ 25
Stretcher Rail (Fix/Tilt) Finish Same As Base	.BSR	\$ 133

Finish Options	Price
Chrome or Nickel	\$ 90
Powder Coat - Standard	n/c
Powder Coat - Premium	\$ 53

Top Options	Price
Table Link (all four sides)	.TLK \$ 138
Table Link (30" ends only)	.TLE \$ 72
Lightweight Laminate Core (to 96" length)	.TLL \$ 131
Special Laminate	.TSP call

Power and Data Options	Price
1 Henri - Location A (Jacks Not Included)	.PHA \$ 191
2 Henri - Location E (Jacks Not Included)	.PHE \$ 382
1 Henri (Jacks Not Included)	.PH1 \$ 191
2 Henri (Jacks Not Included)	.PH2 \$ 382
3 Henri (Jacks Not Included)	.PH3 \$ 573
Power & Data Globe w/Data Jacks	.PPD \$ 223
Power Source Outlets	.PPS \$ 61
Powerlink Package	.PPT \$ 689

Wire Management Options	Price
Basket, Modesty Mount	.WBM \$ 51
Basket, Under Top Mount	.WBT \$ 51
Cable Hook Legway	.WCK \$ 64
Canvas Legway	.WCL \$ 53
Plastic Legway	.WRL \$ 42
1 Oval Brush Grommet - Location A	.WOA \$ 51
2 Oval Brush Grommets - Location E	.WOE \$ 102
1 Oval Brush Grommet - Provide Location Print	.WOG \$ 51
1 Round Grommet - Location A	.WRA \$ 40
2 Round Grommets - Location E	.WRE \$ 80
1 Round Grommet - Provide Location Print	.WRG \$ 40

Accessories	Price
Voice & Data Jacks (1 each per Henri Unit)	.AHVDJ \$ 42
Data Jacks (2 per Henri Unit)	.AHDDJ \$ 48
Quick Connect (1 per Henri Unit)	
Includes 2 Voice, 2 Data Jacks	.AHQVDJ \$ 106
Quick Connect (1 per Henri Unit)	
Includes 4 Data Jacks	.AHQDDJ \$ 122
Keyboard Platform w/Mouse Surface	.AKP24M \$ 424
CPU Holder (3"- 9" adjustment)	.ACPU3-9F \$ 130
CPU Holder (5"- 8" adjustment)	.ACPU5-8F \$ 85
CPU Holder (3"- 5" adjustment)	.ACPU3F \$ 85
Table Transport	.ATT3054 \$1040
Table Floor Mount Bracket Set	.AFB \$ 30



Questions?


1.800.876.2120

- Black = Fixed Bases
- Red = Folding Bases
- Blue = Tilt Bases
- = Quick Ship Program Product
- = Quick Ship Program Product
- = Quick Ship Program Product

Base Style	Table Description	Model #	Product Wt	Laminate PVC	Laminate 3mm Wood	Laminate Soft PVC	Laminate Urethane/PVC (user side only)
TC	30 x 72 Fix w/FixMod	PTTC 3072REFX XM	119	1011		1764	2037
	30 x 72 Fix w/RemMod	PTTC 3072REFX RM	119	1036		1788	2062
	30 x 72 Fold w/RemMod	PTTC 3072REFD RM	123	1269	2021	2295	
	30 x 72 Fold w/FoldMod	PTTC 3072REFD FM	123	1312	2065	2338	
	30 x 72 Tilt w/FoldMod	PTTC 3072RETL FM	131	1270	2022	2296	
	30 x 72 Tilt w/RemMod	PTTC 3072RETL RM	131	1226	1979	2253	
	30 x 72 Fix w/FixLightweightFormMod	PTTC 3072REFX XL	119	1036	1413	2062	
	30 x 72 Fix w/RemLightweightFormMod	PTTC 3072REFX RL	119	1036	1413	2062	
	30 x 72 Fold w/RemLightweightFormMod	PTTC 3072REFD RL	123	1269	1646	2295	
	30 x 72 Tilt w/RemLightweightFormMod	PTTC 3072RETL RL	131	1226	1604	2253	
	30 x 72 Fix w/FixFormMod	PTTC 3072REFX XF	133	1141	1518	2167	
	30 x 72 Tilt w/FoldFormMod	PTTC 3072RETL FF	145	1331	1709	2357	
	30 x 72 Fold w/FoldFormMod	PTTC 3072REFD FF	137	1374	1751	2400	
	30 x 84 Fix w/FixMod	PTTC 3084REFX XM	134	1129	2019	2306	
	30 x 84 Fix w/RemMod	PTTC 3084REFX RM	134	1150	2041	2327	
	30 x 84 Fold w/RemMod	PTTC 3084REFD RM	138	1382	2273	2559	
	30 x 84 Fold w/FoldMod	PTTC 3084REFD FM	138	1444	2334	2620	
	30 x 84 Tilt w/FoldMod	PTTC 3084RETL FM	146	1402	2293	2579	
	30 x 84 Tilt w/RemMod	PTTC 3084RETL RM	146	1341	2231	2518	
	30 x 90 Fix w/FixMod	PTTC 3090REFX XM	143	1241	2221	2670	
30 x 90 Fix w/RemMod	PTTC 3090REFX RM	143	1262	2242	2691		
30 x 90 Fold w/RemMod	PTTC 3090REFD RM	147	1496	2475	2925		
30 x 90 Fold w/FoldMod	PTTC 3090REFD FM	147	1557	2537	2986		
30 x 90 Tilt w/FoldMod	PTTC 3090RETL FM	155	1515	2494	2944		
30 x 90 Tilt w/RemMod	PTTC 3090RETL RM	155	1453	2433	2882		
30 x 96 Fix w/FixMod	PTTC 3096REFX XM	151	1241	2221	2670		
30 x 96 Fix w/RemMod	PTTC 3096REFX RM	151	1262	2242	2691		
30 x 96 Fold w/RemMod	PTTC 3096REFD RM	155	1496	2475	2925		
30 x 96 Fold w/FoldMod	PTTC 3096REFD FM	155	1557	2537	2986		
30 x 96 Tilt w/FoldMod	PTTC 3096RETL FM	163	1515	2494	2944		
30 x 96 Tilt w/RemMod	PTTC 3096RETL RM	163	1453	2433	2882		

Note: Training tables are often used with lightweight computer accessories. For heavy duty applications, such as large scale computer equipment, multiple monitor mounts, etc., Versteel suggests adding a third leg or stretcher. Contact customer service if you have specific application concerns or questions.

- Sample Product Number Construction:
- 1 Choose your base model, including a top & edge style.
 - 2 Specify the base finish, laminate code and edge color.
 - 3 a. Indicate selected base options.
b. Indicate selected top options.
c. Indicate selected power and data options.
d. Indicate selected wire management options.



A **PTTC 3072REFD RL LP2S** is a Performance Training series 30" x 72" rectangle table with folding TC bases, removable lightweight form modesty panel and a laminate 1 1/4" thick top with a PVC edge and square corners.

The codes **EB / TP WM115-N / SU** specify an Ebony base, Pionite WM115-N laminate and the PVC edge in Sugar Maple.

TLL / PHE / WRL adds a lightweight laminate core, 2 Henris installed in location E and a plastic legway wire manager.



Base Options

Code	Price
.BAF	\$ 41
.BAH	\$ 53
.BSP	call
.BAP	\$ 122
.BAT	\$ 687
.BBE	\$ 69
.BCD	\$ 93
.BMD	\$ 88
.BLG	\$ 25
.BSR	\$ 133

Finish Options

Chrome or Nickel	\$ 90
Powder Coat - Standard	n/c
Powder Coat - Premium	\$ 53

Top Options

Table Link (all four sides)	.TLK	\$ 138
Table Link (30" ends only)	.TLE	\$ 72
Lightweight Laminate Core (to 96" length)	.TLL	\$ 131
Special Laminate	.TSP	call

Power and Data Options

1 Henri - Location A (Jacks Not Included)	.PHA	\$ 191
2 Henris - Location E (Jacks Not Included)	.PHE	\$ 382
1 Henri (Jacks Not Included)	.PH1	\$ 191
2 Henris (Jacks Not Included)	.PH2	\$ 382
3 Henris (Jacks Not Included)	.PH3	\$ 573
Power & Data Globe w/Data Jacks	.PPD	\$ 223
Power Source Outlets	.PPS	\$ 61
Powerlink Package	.PPT	\$ 689

Wire Management Options

Basket, Modesty Mount	.WBM	\$ 51
Basket, Under Top Mount	.WBT	\$ 51
Cable Hook Legway	.WCK	\$ 64
Canvas Legway	.WCL	\$ 53
Plastic Legway	.WRL	\$ 42
1 Oval Brush Grommet - Location A	.WOA	\$ 51
2 Oval Brush Grommets - Location E	.WOE	\$ 102
1 Oval Brush Grommet - Provide Location Print	.WOG	\$ 51
1 Round Grommet - Location A	.WRA	\$ 40
2 Round Grommets - Location E	.WRE	\$ 80
1 Round Grommet - Provide Location Print	.WRG	\$ 40

Accessories

Voice & Data Jacks (1 each per Henri Unit)	.AHVDJ	\$ 42
Data Jacks (2 per Henri Unit)	.AHDDJ	\$ 48
Quick Connect (1 per Henri Unit)		
Includes 2 Voice, 2 Data Jacks	.AHQVDJ	\$ 106
Quick Connect (1 per Henri Unit)		
Includes 4 Data Jacks	.AHQDDJ	\$ 122
Keyboard Platform w/Mouse Surface	.AKP24M	\$ 424
CPU Holder (3"- 9" adjustment)	.ACPU3-9F	\$ 130
CPU Holder (5"- 8" adjustment)	.ACPU5-8F	\$ 85
CPU Holder (3"- 5" adjustment)	.ACPU3F	\$ 85
Table Transport	.ATT3054	\$1040
Table Floor Mount Bracket Set	.AFB	\$ 30



Questions?


1.800.876.2120

- Black = Fixed Bases
- Red = Folding Bases
- Blue = Overlapping Folding Bases
- Blue = Tilt Bases
- = Quick Ship Program Product
- = Quick Ship Program Product
- = Quick Ship Program Product

Base Style	Table Description	Model #	Product Wt	Laminate PVC	Laminate 3mm Wood	Laminate Soft PVC	Laminate Urethane/PVC (user side only)
	20 x 48 Fix w/FixMod	VTT1 2048REFX XM	65	853	1322	1527	
	20 x 48 Fix w/RemMod	VTT1 2048REFX RM	65	878	1346	1552	
	20 x 48 Fold w/RemMod	VTT1 2048REFO RM	69	1110	1578	1784	
	20 x 48 Tilt w/RemMod	VTT1 2048RETL RM	80	1066	1535	1741	
	20 x 48 Fix w/FixLightweightFormMod	VTT1 2048REFX XL	65	878	1117	1552	
	20 x 48 Fix w/RemLightweightFormMod	VTT1 2048REFX RL	65	878	1117	1552	
	20 x 48 Fold w/RemLightweightFormMod	VTT1 2048REFO RL	69	1110	1349	1784	
	20 x 48 Tilt w/RemLightweightFormMod	VTT1 2048RETL RL	80	1066	1306	1741	
	20 x 48 Fix w/FixFormMod	VTT1 2048REFX XF	75	1024	1264	1698	
	20 x 60 Fix w/FixMod	VTT1 2060REFX XM	77	897	1365	1699	
	20 x 60 Fix w/RemMod	VTT1 2060REFX RM	77	921	1390	1724	
	20 x 60 Fold w/RemMod	VTT1 2060REFD RM	82	1154	1623	1957	
	20 x 60 Tilt w/RemMod	VTT1 2060RETL RM	92	1111	1579	1913	
	20 x 60 Fix w/FixLightweightFormMod	VTT1 2060REFX XL	76	921	1220	1724	
	20 x 60 Fix w/RemLightweightFormMod	VTT1 2060REFX RL	76	921	1220	1724	
	20 x 60 Fold w/RemLightweightFormMod	VTT1 2060REFD RL	81	1154	1453	1957	
	20 x 60 Tilt w/RemLightweightFormMod	VTT1 2060RETL RL	91	1111	1410	1913	
	20 x 60 Fix w/FixFormMod	VTT1 2060REFX XF	89	1067	1366	1870	
	20 x 72 Fix w/FixMod	VTT1 2072REFX XM	89	1040	1739	1936	
	20 x 72 Fix w/RemMod	VTT1 2072REFX RM	89	1064	1764	1960	
	20 x 72 Fold w/RemMod	VTT1 2072REFD RM	94	1297	1997	2193	
	20 x 72 Tilt w/RemMod	VTT1 2072RETL RM	104	1255	1955	2151	
	20 x 72 Fix w/FixLightweightFormMod	VTT1 2072REFX XL	90	1064	1389	1960	
	20 x 72 Fix w/RemLightweightFormMod	VTT1 2072REFX RL	90	1064	1389	1960	
20 x 72 Fold w/RemLightweightFormMod	VTT1 2072REFD RL	95	1297	1622	2193		
20 x 72 Tilt w/RemLightweightFormMod	VTT1 2072RETL RL	105	1255	1579	2151		
20 x 72 Fix w/FixFormMod	VTT1 2072REFX XF	104	1169	1494	2065		

Note: Training tables are often used with lightweight computer accessories. For heavy duty applications, such as large scale computer equipment, multiple monitor mounts, etc., Versteel suggests adding a third leg or stretcher. Contact customer service if you have specific application concerns or questions.

- Sample Product Number Construction:**
- 1 Choose your base model, including a top & edge style.
 - 2 Specify the base finish, laminate code and edge color.
 - 3 a. Indicate selected base options.
b. Indicate selected top options.
c. Indicate selected power and data options.
d. Indicate selected wire management options.



A **VTT1 2048REFX XF LP2R** is a V ela Training series 20" x 48" rectangle table with fixed T1 bases, fixed form modesty panel and a laminate 1 1/4" thick top with a PVC edge and radius corners.

The codes **CU / TN RK 2001-T / AB** specify a Cappuccino base, Nevamar RK 2001-T laminate and the PVC edge in Alabaster.

BCV / adds Vela wheel casters.

Base Options	Code	Price
Assembled Folding Table	.BAF	\$ 41
Alternate Table Height 32" & Under	.BAH	\$ 53
Alternate Table Height 32" & Over	.BSP	call
Adjustable Height - Pneumatic (Fix/Tilt)	.BAT	\$ 687
Casters - Vela Wheel	.BCV	\$ 93
Mix - Vela Wheel Casters & Glides	.BMV	\$ 88
Self-Leveling Glides	.BLG	\$ 25
Stretcher Rail (Fix/Tilt) Finish Same As Base	.BSR	\$ 133

Finish Options		
Powder Coat - Standard		n/c
Powder Coat - Premium		\$ 53

Top Options		
Table Link (all four sides)	.TLK	\$ 138
Table Link (20" ends only)	.TLE	\$ 72
Lightweight Laminate Core (to 96" length)	.TLL	\$ 131
Special Laminate	.TSP	call

Power and Data Options		
Power & Data Globe w/Data Jacks	.PPD	\$ 223
Power Source Outlets	.PPS	\$ 61

Wire Management Options		
Basket, Modesty Mount	.WBM	\$ 51
Basket, Under Top Mount	.WBT	\$ 51
Wire Mesh Legway (pair)	.WML	\$ 112
1 Oval Brush Grommet - Location A	.WOA	\$ 51
2 Oval Brush Grommets - Location E	.WOE	\$ 102
1 Oval Brush Grommet - Provide Location Print	.WOG	\$ 51
1 Round Grommet - Location A	.WRA	\$ 40
2 Round Grommets - Location E	.WRE	\$ 80
1 Round Grommet - Provide Location Print	.WRG	\$ 40

Accessories		
CPU Holder (3" - 9" adjustment)	.ACPU3-9F	\$ 130
CPU Holder (5" - 8" adjustment)	.ACPU5-8F	\$ 85
CPU Holder (3" - 5" adjustment)	.ACPU3F	\$ 85
Table Transport	.ATT3054	\$1040
Table Floor Mount Bracket Set	.AFB	\$ 30



Questions?

1.800.876.2120

- Black = Fixed Bases
- Red = Folding Bases
- Blue = Tilt Bases
- = Quick Ship Program Product
- = Quick Ship Program Product
- = Quick Ship Program Product

Base Style	Table Description	Model #	Product Wt	Laminate PVC	Laminate 3mm Wood	Laminate Soft PVC	Laminate Urethane/PVC (user side only)
	20 x 84 Fix w/FixMod	VTT1 2084REFX XM	101	1146		1962	2206
	20 x 84 Fix w/RemMod	VTT1 2084REFX RM	101	1167		1983	2227
	20 x 84 Fold w/RemMod	VTT1 2084REFD RM	106	1399		2215	2459
	20 x 84 Tilt w/RemMod	VTT1 2084RETL RM	116	1357		2173	2417
	20 x 90 Fix w/FixMod	VTT1 2090REFX XM	107	1277		2156	2546
	20 x 90 Fix w/RemMod	VTT1 2090REFX RM	107	1299		2177	2567
	20 x 90 Fold w/RemMod	VTT1 2090REFD RM	112	1532		2410	2801
	20 x 90 Tilt w/RemMod	VTT1 2090RETL RM	122	1488		2367	2757
	20 x 96 Fix w/FixMod	VTT1 2096REFX XM	113	1277		2156	2546
	20 x 96 Fix w/RemMod	VTT1 2096REFX RM	113	1299		2177	2567
	20 x 96 Fold w/RemMod	VTT1 2096REFD RM	118	1532		2410	2801
	20 x 96 Tilt w/RemMod	VTT1 2096RETL RM	128	1488		2367	2757

Note: Training tables are often used with lightweight computer accessories. For heavy duty applications, such as large scale computer equipment, multiple monitor mounts, etc., Versteel suggests adding a third leg or stretcher. Contact customer service if you have specific application concerns or questions.

- Sample Product Number Construction:**
- 1 Choose your base model, including a top & edge style.
 - 2 Specify the base finish, laminate code and edge color.
 - 3 a. Indicate selected base options.
b. Indicate selected top options.
c. Indicate selected power and data options.
d. Indicate selected wire management options.



Base Options	Code	Price
Assembled Folding Table	.BAF	\$ 41
Alternate Table Height 32" & Under	.BAH	\$ 53
Alternate Table Height 32" & Over	.BSP	call
Adjustable Height - Pneumatic (Fix/Tilt)	.BAT	\$ 687
Self-Leveling Glides	.BLG	\$ 25
Stretcher Rail (Fix/Tilt) Finish Same As Base	.BSR	\$ 133


Finish Options		
Powder Coat - Standard		n/c
Powder Coat - Premium		\$ 53

Top Options		
Table Link (all four sides)	.TLK	\$ 138
Table Link (20" ends only)	.TLE	\$ 72
Lightweight Laminate Core (to 96" length)	.TLL	\$ 131
Special Laminate	.TSP	call

Power and Data Options		
Power & Data Globe w/Data Jacks	.PPD	\$ 223
Power Source Outlets	.PPS	\$ 61

Wire Management Options		
Basket, Modesty Mount	.WBM	\$ 51
Basket, Under Top Mount	.WBT	\$ 51
Wire Mesh Legway (pair)	.WML	\$ 112
1 Oval Brush Grommet - Location A	.WOA	\$ 51
2 Oval Brush Grommets - Location E	.WOE	\$ 102
1 Oval Brush Grommet - Provide Location Print	.WOG	\$ 51
1 Round Grommet - Location A	.WRA	\$ 40
2 Round Grommets - Location E	.WRE	\$ 80
1 Round Grommet - Provide Location Print	.WRG	\$ 40

Accessories		
CPU Holder (3" - 9" adjustment)	.ACPU3-9F	\$ 130
CPU Holder (5" - 8" adjustment)	.ACPU5-8F	\$ 85
CPU Holder (3" - 5" adjustment)	.ACPU3F	\$ 85
Table Transport	.ATT3054	\$1040
Table Floor Mount Bracket Set	.AFB	\$ 30



A **VTT1 2084REFX XM LP2R** is a Vela Training series 20" x 84" rectangle table with fixed T1 bases, fixed modesty panel and a laminate 1 1/4" thick top with a PVC edge and radius corners.

The codes **CU / TN RK 2001-T / AB** specify a Cappuccino base, Nevamar RK 2001-T laminate and the PVC edge in Alabaster.

TLL adds a lightweight laminate core.



Questions?

1.800.876.2120

- Black = Fixed Bases
- Red = Folding Bases
- Blue = Overlapping Folding Bases
- Blue = Tilt Bases
- = Quick Ship Program Product
- = Quick Ship Program Product
- = Quick Ship Program Product

Base Style	Table Description	Model #	Product Wt	Laminate PVC	Laminate 3mm Wood	Laminate Soft PVC	Laminate Urethane/PVC (user side only)
	24 x 48 Fix w/FixMod	VTT1 2448REFX XM	72	853		1322	1527
	24 x 48 Fix w/RemMod	VTT1 2448REFX RM	72	878		1346	1552
	24 x 48 Fold w/RemMod	VTT1 2448REFO RM	76	1110		1578	1784
	24 x 48 Tilt w/FoldMod	VTT1 2448RETL FM	87	1112		1580	1786
	24 x 48 Tilt w/RemMod	VTT1 2448RETL RM	87	1066		1535	1741
	24 x 48 Fix w/FixLightweightFormMod	VTT1 2448REFX XL	72	878		1117	1552
	24 x 48 Fix w/RemLightweightFormMod	VTT1 2448REFX RL	72	878		1117	1552
	24 x 48 Fold w/RemLightweightFormMod	VTT1 2448REFO RL	76	1110		1349	1784
	24 x 48 Tilt w/RemLightweightFormMod	VTT1 2448RETL RL	87	1066		1306	1741
	24 x 48 Fix w/FixFormMod	VTT1 2448REFX XF	82	1024		1264	1698
	24 x 48 Tilt w/FoldFormMod	VTT1 2448RETL FF	97	1213		1452	1887
	24 x 60 Fix w/FixMod	VTT1 2460REFX XM	85	897		1365	1699
	24 x 60 Fix w/RemMod	VTT1 2460REFX RM	85	921		1390	1724
	24 x 60 Fold w/RemMod	VTT1 2460REFD RM	90	1154		1623	1957
	24 x 60 Fold w/FoldMod	VTT1 2460REFD FM	90	1200		1668	2002
	24 x 60 Tilt w/FoldMod	VTT1 2460RETL FM	100	1156		1625	1959
	24 x 60 Tilt w/RemMod	VTT1 2460RETL RM	100	1111		1579	1913
	24 x 60 Fix w/FixLightweightFormMod	VTT1 2460REFX XL	84	921		1220	1724
	24 x 60 Fix w/RemLightweightFormMod	VTT1 2460REFX RL	84	921		1220	1724
	24 x 60 Fold w/RemLightweightFormMod	VTT1 2460REFD RL	89	1154		1453	1957
	24 x 60 Tilt w/RemLightweightFormMod	VTT1 2460RETL RL	99	1111		1410	1913
	24 x 60 Fix w/FixFormMod	VTT1 2460REFX XF	97	1067		1366	1870
	24 x 60 Tilt w/FoldFormMod	VTT1 2460RETL FF	112	1257		1556	2060
	24 x 60 Fold w/FoldFormMod	VTT1 2460REFD FF	102	1301		1600	2103

Note: Training tables are often used with lightweight computer accessories. For heavy duty applications, such as large scale computer equipment, multiple monitor mounts, etc., Versteel suggests adding a third leg or stretcher. Contact customer service if you have specific application concerns or questions.

- Sample Product Number Construction:**
- 1 Choose your base model, including a top & edge style.
 - 2 Specify the base finish, laminate code and edge color.
 - 3 a. Indicate selected base options.
b. Indicate selected top options.
c. Indicate selected power and data options.
d. Indicate selected wire management options.



Base Options	Code	Price
Assembled Folding Table	.BAF	\$ 41
Alternate Table Height 32" & Under	.BAH	\$ 53
Alternate Table Height 32" & Over	.BSP	call
Adjustable Height - Pneumatic (Fix/Tilt)	.BAT	\$ 687
Casters - Vela Wheel	.BCV	\$ 93
Mix - Vela Wheel Casters & Glides	.BMV	\$ 88
Self-Leveling Glides	.BLG	\$ 25
Stretcher Rail (Fix/Tilt) Finish Same As Base	.BSR	\$ 133

Finish Options	Price
Powder Coat - Standard	\$ n/c
Powder Coat - Premium	\$ 53

Top Options	Price
Table Link (all four sides)	.TLK \$ 138
Table Link (24" ends only)	.TLE \$ 72
Lightweight Laminate Core (to 96" length)	.TLL \$ 131
Special Laminate	.TSP call

Power and Data Options	Price
1 Henri - Location A (Jacks Not Included)	.PHA \$ 191
2 Henris - Location E (Jacks Not Included)	.PHE \$ 382
1 Henri (Jacks Not Included)	.PH1 \$ 191
2 Henris (Jacks Not Included)	.PH2 \$ 382
3 Henris (Jacks Not Included)	.PH3 \$ 573
Power & Data Globe w/Data Jacks	.PPD \$ 223
Power Source Outlets	.PPS \$ 61
Powerlink Package	.PPT \$ 689

Wire Management Options	Price
Basket, Modesty Mount	.WBM \$ 51
Basket, Under Top Mount	.WBT \$ 51
Wire Mesh Legway (pair)	.WML \$ 112
1 Oval Brush Grommet - Location A	.WOA \$ 51
2 Oval Brush Grommets - Location E	.WOE \$ 102
1 Oval Brush Grommet - Provide Location Print	.WOG \$ 51
1 Round Grommet - Location A	.WRA \$ 40
2 Round Grommets - Location E	.WRE \$ 80
1 Round Grommet - Provide Location Print	.WRG \$ 40

Accessories	Price
Voice & Data Jacks (1 each per Henri Unit)	.AHVDJ \$ 42
Data Jacks (2 per Henri Unit)	.AHDDJ \$ 48
Quick Connect (1 per Henri Unit)	
Includes 2 Voice, 2 Data Jacks	.AHQCVDJ \$ 106
Quick Connect (1 per Henri Unit)	
Includes 4 Data Jacks	.AHQCDDJ \$ 122
Keyboard Platform w/Mouse Surface	.AKP24M \$ 424
CPU Holder (3" - 9" adjustment)	.ACPU3-9F \$ 130
CPU Holder (5" - 8" adjustment)	.ACPU5-8F \$ 85
CPU Holder (3" - 5" adjustment)	.ACPU3F \$ 85
Table Transport	.ATT3054 \$1040
Table Floor Mount Bracket Set	.AFB \$ 30



A **VTT1 2448REFX XL LP2S** is a V ela Training series 24" x 48" rectangle table with fixed T1 bases, fixed lightweight form modesty panel and a laminate 1 1/4" thick top with a PVC edge and square corners.

The codes **CU / TN RK 2001-T / AB** specify a Cappuccino base, Nevamar RK 2001-T laminate and the PVC edge in Alabaster.

PHA / WML CU adds 1 Henri installed in location A and a pair of wire mesh legways in Cappuccino finish.



Questions?


1.800.876.2120

- Black = Fixed Bases
- Red = Folding Bases
- Blue = Tilt Bases
- = Quick Ship Program Product
- = Quick Ship Program Product
- = Quick Ship Program Product

Base Style	Table Description	Model #	Product Wt	Laminate PVC	Laminate 3mm Wood	Laminate Soft PVC	Laminate Urethane/PVC (user side only)
	24 x 72 Fix w/FixMod	VTT1 2472REFX XM	99	1040		1739	1936
	24 x 72 Fix w/RemMod	VTT1 2472REFX RM	99	1064		1764	1960
	24 x 72 Fold w/RemMod	VTT1 2472REFD RM	104	1297		1997	2193
	24 x 72 Fold w/FoldMod	VTT1 2472REFD FM	104	1341		2041	2237
	24 x 72 Tilt w/FoldMod	VTT1 2472RETL FM	114	1299		1998	2194
	24 x 72 Tilt w/RemMod	VTT1 2472RETL RM	114	1255		1955	2151
	24 x 72 Fix w/FixLightweightFormMod	VTT1 2472REFX XL	99	1064		1389	1960
	24 x 72 Fix w/RemLightweightFormMod	VTT1 2472REFX RL	99	1064		1389	1960
	24 x 72 Fold w/RemLightweightFormMod	VTT1 2472REFD RL	104	1297		1622	2193
	24 x 72 Tilt w/RemLightweightFormMod	VTT1 2472RETL RL	114	1255		1579	2151
	24 x 72 Fix w/FixFormMod	VTT1 2472REFX XF	114	1169		1494	2065
	24 x 72 Tilt w/FoldFormMod	VTT1 2472RETL FF	129	1360		1684	2256
	24 x 72 Fold w/FoldFormMod	VTT1 2472REFD FF	119	1402		1727	2298
	24 x 84 Fix w/FixMod	VTT1 2484REFX XM	112	1146		1962	2206
	24 x 84 Fix w/RemMod	VTT1 2484REFX RM	112	1167		1983	2227
	24 x 84 Fold w/RemMod	VTT1 2484REFD RM	117	1399		2215	2459
	24 x 84 Fold w/FoldMod	VTT1 2484REFD FM	117	1461		2277	2521
	24 x 84 Tilt w/FoldMod	VTT1 2484RETL FM	127	1418		2234	2478
	24 x 84 Tilt w/RemMod	VTT1 2484RETL RM	127	1357		2173	2417
	24 x 90 Fix w/FixMod	VTT1 2490REFX XM	120	1277		2156	2546
	24 x 90 Fix w/RemMod	VTT1 2490REFX RM	120	1299		2177	2567
	24 x 90 Fold w/RemMod	VTT1 2490REFD RM	125	1532		2410	2801
	24 x 90 Fold w/FoldMod	VTT1 2490REFD FM	125	1593		2472	2862
	24 x 90 Tilt w/FoldMod	VTT1 2490RETL FM	135	1550		2428	2819
24 x 90 Tilt w/RemMod	VTT1 2490RETL RM	135	1488		2367	2757	
24 x 96 Fix w/FixMod	VTT1 2496REFX XM	126	1277		2156	2546	
24 x 96 Fix w/RemMod	VTT1 2496REFX RM	126	1299		2177	2567	
24 x 96 Fold w/RemMod	VTT1 2496REFD RM	131	1532		2410	2801	
24 x 96 Fold w/FoldMod	VTT1 2496REFD FM	131	1593		2472	2862	
24 x 96 Tilt w/FoldMod	VTT1 2496RETL FM	141	1550		2428	2819	
24 x 96 Tilt w/RemMod	VTT1 2496RETL RM	141	1488		2367	2757	

Note: Training tables are often used with lightweight computer accessories. For heavy duty applications, such as large scale computer equipment, multiple monitor mounts, etc., Versteel suggests adding a third leg or stretcher. Contact customer service if you have specific application concerns or questions.

- Sample Product Number Construction:**
- 1 Choose your base model, including a top & edge style.
 - 2 Specify the base finish, laminate code and edge color.
 - 3 a. Indicate selected base options.
b. Indicate selected top options.
c. Indicate selected power and data options.
d. Indicate selected wire management options.



A **VTT1 2472REFX XM LP2R** is a Vela Training series 24" x 72" rectangle table with fixed T1 bases, fixed modesty panel and a laminate 1 1/4" thick top with a PVC edge and radius corners.

The codes **CU / TN RK 2001-T / AB** specify a Cappuccino base, Nevamar RK 2001-T laminate and the PVC edge in Alabaster.

BCV / TLL / PHE / WML CU adds V-ela wheel casters, a lightweight laminate core, 2 Henris installed in location E and a pair of wire mesh legways in Cappuccino finish.



Base Options	Code	Price
Assembled Folding Table	.BAF	\$ 41
Alternate Table Height 32" & Under	.BAH	\$ 53
Alternate Table Height 32" & Over	.BSP	call
Adjustable Height - Pneumatic (Fix/Tilt)	.BAT	\$ 687
Casters ● - Vela Wheel (72" only)	.BCV	\$ 93
Mix - Vela Wheel Casters & Glides (72" only)	.BMV	\$ 88
Self-Leveling Glides ●	.BLG	\$ 25
Stretcher Rail (Fix/Tilt) Finish Same As Base	.BSR	\$ 133

Finish Options		Price
Powder Coat - Standard		\$ n/c
Powder Coat - Premium		\$ 53

Top Options		Price
Table Link (all four sides)	.TLK	\$ 138
Table Link (24" ends only)	.TLE	\$ 72
Lightweight Laminate Core (to 96" length)	.TLL	\$ 131
Special Laminate	.TSP	call

Power and Data Options		Price
1 Henri - Location A (Jacks Not Included)	.PHA	\$ 191
2 Henris - Location E (Jacks Not Included)	.PHE	\$ 382
1 Henri (Jacks Not Included)	.PH1	\$ 191
2 Henris (Jacks Not Included)	.PH2	\$ 382
3 Henris (Jacks Not Included)	.PH3	\$ 573
Power & Data Globe w/Data Jacks	.PPD	\$ 223
Power Source Outlets	.PPS	\$ 61
Powerlink Package	.PPT	\$ 689

Wire Management Options		Price
Basket, Modesty Mount	.WBM	\$ 51
Basket, Under Top Mount	.WBT	\$ 51
Wire Mesh Legway (pair)	.WML	\$ 112
1 Oval Brush Grommet - Location A	.WOA	\$ 51
2 Oval Brush Grommets - Location E	.WOE	\$ 102
1 Oval Brush Grommet - Provide Location Print	.WOG	\$ 51
1 Round Grommet - Location A	.WRA	\$ 40
2 Round Grommets - Location E	.WRE	\$ 80
1 Round Grommet - Provide Location Print	.WRG	\$ 40

Accessories		Price
Voice & Data Jacks (1 each per Henri Unit)	.AHVDJ	\$ 42
Data Jacks (2 per Henri Unit)	.AHDDJ	\$ 48
Quick Connect (1 per Henri Unit)		
Includes 2 Voice, 2 Data Jacks	.AHQCVDJ	\$ 106
Quick Connect (1 per Henri Unit)		
Includes 4 Data Jacks	.AHQCDDJ	\$ 122
Keyboard Platform w/Mouse Surface	.AKP24M	\$ 424
CPU Holder (3" - 9" adjustment)	.ACPU3-9F	\$ 130
CPU Holder (5" - 8" adjustment)	.ACPU5-8F	\$ 85
CPU Holder (3" - 5" adjustment)	.ACPU3F	\$ 85
Table Transport	.ATT3054	\$1040
Table Floor Mount Bracket Set	.AFB	\$ 30



Questions?

1.800.876.2120

- Black = Fixed Bases
- Red = Folding Bases
- 🔲 = Overlapping Folding Bases
- Blue = Tilt Bases
- 🚚 = Quick Ship Program Product
- 🚚 = Quick Ship Program Product
- 🚚 = Quick Ship Program Product

Base Style	Table Description	Model #	Product Wt	1 1/4"	1 1/4"	1 1/4"	1 1/4"
T1	30 x 48 Fix w/FixMod	VTT1 3048REFX XM	86	919		1409	1656
	30 x 48 Fix w/RemMod	VTT1 3048REFX RM	86	943		1433	1680
	30 x 48 Fold w/RemMod	VTT1 3048REFO RM	85	1177		1666	1913
	30 x 48 Tilt w/FoldMod	VTT1 3048RETL FM	101	1180		1670	1916
	30 x 48 Tilt w/RemMod	VTT1 3048RETL RM	101	1134		1624	1871
	30 x 48 Fix w/FixLightweightFormMod	VTT1 3048REFX XL	85	943		1193	1680
	30 x 48 Fix w/RemLightweightFormMod	VTT1 3048REFX RL	85	943		1193	1680
	30 x 48 Fold w/RemLightweightFormMod	VTT1 3048REFO RL	85	1177		1426	1913
	30 x 48 Tilt w/RemLightweightFormMod	VTT1 3048RETL RL	100	1134		1383	1871
	30 x 48 Fix w/FixFormMod	VTT1 3048REFX XF	96	1090		1339	1826
	30 x 48 Tilt w/FoldFormMod	VTT1 3048RETL FF	111	1280		1530	2017
	30 x 60 Fix w/FixMod	VTT1 3060REFX XM	101	962		1452	1839
	30 x 60 Fix w/RemMod	VTT1 3060REFX RM	101	987		1477	1863
	30 x 60 Fold w/RemMod	VTT1 3060REFD RM	106	1219		1709	2096
	30 x 60 Fold w/FoldMod	VTT1 3060REFD FM	106	1265		1754	2141
	30 x 60 Tilt w/FoldMod	VTT1 3060RETL FM	116	1223		1713	2100
	30 x 60 Tilt w/RemMod	VTT1 3060RETL RM	116	1178		1667	2054
	30 x 60 Fix w/FixLightweightFormMod	VTT1 3060REFX XL	101	987		1307	1863
	30 x 60 Fix w/RemLightweightFormMod	VTT1 3060REFX RL	101	987		1307	1863
	30 x 60 Fold w/RemLightweightFormMod	VTT1 3060REFD RL	106	1219		1539	2096
30 x 60 Tilt w/RemLightweightFormMod	VTT1 3060RETL RL	116	1178		1498	2054	
30 x 60 Fix w/FixFormMod	VTT1 3060REFX XF	113	1133		1453	2010	
30 x 60 Tilt w/FoldFormMod	VTT1 3060RETL FF	128	1324		1644	2201	
30 x 60 Fold w/FoldFormMod	VTT1 3060REFD FF	118	1365		1685	2242	

Note: Training tables are often used with lightweight computer accessories. For heavy duty applications, such as large scale computer equipment, multiple monitor mounts, etc., Versteel suggests adding a third leg or stretcher. Contact customer service if you have specific application concerns or questions.

- Sample Product Number Construction:**
- 1 Choose your base model, including a top & edge style.
 - 2 Specify the base finish, laminate code and edge color.
 - 3 a. Indicate selected base options.
b. Indicate selected top options.
c. Indicate selected power and data options.
d. Indicate selected wire management options.



Base Options	Code	Price
Assembled Folding Table	.BAF	\$ 41
Alternate Table Height 32" & Under	.BAH	\$ 53
Alternate Table Height 32" & Over	.BSP	call
Adjustable Height - Pneumatic (Fix/Tilt)	.BAT	\$ 687
Casters • - Vela Wheel	.BCV	\$ 93
Mix - Vela Wheel Casters & Glides	.BMV	\$ 88
Self-Leveling Glides •	.BLG	\$ 25
Stretcher Rail (Fix/Tilt) Finish Same As Base	.BSR	\$ 133


Finish Options		
Powder Coat - Standard		n/c
Powder Coat - Premium		\$ 53

Top Options		
Table Link (all four sides)	.TLK	\$ 138
Table Link (30" ends only)	.TLE	\$ 72
Lightweight Laminate Core (to 96" length)	.TLL	\$ 131
Special Laminate	.TSP	call

Power and Data Options		
1 Henri - Location A (Jacks Not Included)	.PHA	\$ 191
2 Henris - Location E (Jacks Not Included)	.PHE	\$ 382
1 Henri (Jacks Not Included)	.PH1	\$ 191
2 Henris (Jacks Not Included)	.PH2	\$ 382
3 Henris (Jacks Not Included)	.PH3	\$ 573
Power & Data Globe w/Data Jacks	.PPD	\$ 223
Power Source Outlets	.PPS	\$ 61
Powerlink Package	.PPT	\$ 689

Wire Management Options		
Basket, Modesty Mount	.WBM	\$ 51
Basket, Under Top Mount	.WBT	\$ 51
Wire Mesh Legway (pair)	.WML	\$ 112
1 Oval Brush Grommet - Location A	.WOA	\$ 51
2 Oval Brush Grommets - Location E	.WOE	\$ 102
1 Oval Brush Grommet - Provide Location Print	.WOG	\$ 51
1 Round Grommet - Location A	.WRA	\$ 40
2 Round Grommets - Location E	.WRE	\$ 80
1 Round Grommet - Provide Location Print	.WRG	\$ 40

Accessories		
Voice & Data Jacks (1 each per Henri Unit)	.AHVDJ	\$ 42
Data Jacks (2 per Henri Unit)	.AHDDJ	\$ 48
Quick Connect (1 per Henri Unit)		
Includes 2 Voice, 2 Data Jacks	.AHQCVDJ	\$ 106
Quick Connect (1 per Henri Unit)		
Includes 4 Data Jacks	.AHQCDDJ	\$ 122
Keyboard Platform w/Mouse Surface	.AKP24M	\$ 424
CPU Holder (3" - 9" adjustment)	.ACPU3-9F	\$ 130
CPU Holder (5" - 8" adjustment)	.ACPU5-8F	\$ 85
CPU Holder (3" - 5" adjustment)	.ACPU3F	\$ 85
Table Transport	.ATT3054	\$1040
Table Floor Mount Bracket Set	.AFB	\$ 30



A **VTT1 3048REFX LP2S** is a Vela Training series 30" x 48" rectangle table with fixed T1 bases, fixed modesty panel and a laminate 1 1/4" thick top with a PVC edge and square corners.

The codes **CU / TN RK 2001-T / AB** specify a Cappuccino base, Nevamar RK 2001-T laminate and the PVC edge in Alabaster.

TLE / adds table link on 30" ends only.



Questions?

1.800.876.2120

- Black = Fixed Bases
- Red = Folding Bases
- Blue = Tilt Bases
- = Quick Ship Program Product
- = Quick Ship Program Product
- = Quick Ship Program Product

Base Style	Table Description	Model #	Product Wt	Laminate PVC	Laminate 3mm Wood	Laminate Soft PVC	Laminate Urethane/PVC (user side only)
	30 x 72 Fix w/FixMod	VTT1 3072REFX XM	118	1064		1817	2089
	30 x 72 Fix w/RemMod	VTT1 3072REFX RM	118	1089		1841	2114
	30 x 72 Fold w/RemMod	VTT1 3072REFD RM	123	1321		2073	2346
	30 x 72 Fold w/FoldMod	VTT1 3072REFD FM	123	1364		2117	2389
	30 x 72 Tilt w/FoldMod	VTT1 3072RETL FM	133	1322		2074	2347
	30 x 72 Tilt w/RemMod	VTT1 3072RETL RM	133	1278		2031	2303
	30 x 72 Fix w/FixLightweightFormMod	VTT1 3072REFX XL	118	1089		1466	2114
	30 x 72 Fix w/RemLightweightFormMod	VTT1 3072REFX RL	118	1089		1466	2114
	30 x 72 Fold w/RemLightweightFormMod	VTT1 3072REFD RL	123	1321		1698	2346
	30 x 72 Tilt w/RemLightweightFormMod	VTT1 3072RETL RL	133	1278		1656	2303
	30 x 72 Fix w/FixFormMod	VTT1 3072REFX XF	132	1194		1571	2219
	30 x 72 Tilt w/FoldFormMod	VTT1 3072RETL FF	147	1383		1761	2408
	30 x 72 Fold w/FoldFormMod	VTT1 3072REFD FF	137	1426		1803	2451
	30 x 84 Fix w/FixMod	VTT1 3084REFX XM	133	1182		2072	2357
	30 x 84 Fix w/RemMod	VTT1 3084REFX RM	133	1203		2094	2379
	30 x 84 Fold w/RemMod	VTT1 3084REFD RM	138	1435		2326	2611
	30 x 84 Fold w/FoldMod	VTT1 3084REFD FM	138	1497		2387	2672
	30 x 84 Tilt w/FoldMod	VTT1 3084RETL FM	148	1454		2345	2630
	30 x 84 Tilt w/RemMod	VTT1 3084RETL RM	148	1393		2283	2568
	30 x 90 Fix w/FixMod	VTT1 3090REFX XM	142	1295		2275	2722
30 x 90 Fix w/RemMod	VTT1 3090REFX RM	142	1317		2296	2743	
30 x 90 Fold w/RemMod	VTT1 3090REFD RM	147	1549		2528	2975	
30 x 90 Fold w/FoldMod	VTT1 3090REFD FM	147	1610		2590	3037	
30 x 90 Tilt w/FoldMod	VTT1 3090RETL FM	157	1567		2546	2993	
30 x 90 Tilt w/RemMod	VTT1 3090RETL RM	157	1505		2485	2932	
30 x 96 Fix w/FixMod	VTT1 3096REFX XM	150	1295		2275	2722	
30 x 96 Fix w/RemMod	VTT1 3096REFX RM	150	1317		2296	2743	
30 x 96 Fold w/RemMod	VTT1 3096REFD RM	155	1549		2528	2975	
30 x 96 Fold w/FoldMod	VTT1 3096REFD FM	155	1610		2590	3037	
30 x 96 Tilt w/FoldMod	VTT1 3096RETL FM	165	1567		2546	2993	
30 x 96 Tilt w/RemMod	VTT1 3096RETL RM	165	1505		2485	2932	

Note: Training tables are often used with lightweight computer accessories. For heavy duty applications, such as large scale computer equipment, multiple monitor mounts, etc., Versteel suggests adding a third leg or stretcher. Contact customer service if you have specific application concerns or questions.

- Sample Product Number Construction:**
- 1 Choose your base model, including a top & edge style.
 - 2 Specify the base finish, laminate code and edge color.
 - 3 a. Indicate selected base options.
b. Indicate selected top options.
c. Indicate selected power and data options.
d. Indicate selected wire management options.



Base Options	Code	Price
Assembled Folding Table	.BAF	\$ 41
Alternate Table Height 32" & Under	.BAH	\$ 53
Alternate Table Height 32" & Over	.BSP	call
Adjustable Height - Pneumatic (Fix/Tilt)	.BAT	\$ 687
Casters ● - Vela Wheel (72" only)	.BCV	\$ 93
Mix - Vela Wheel Casters & Glides (72" only)	.BMV	\$ 88
Self-Leveling Glides ●	.BLG	\$ 25
Stretcher Rail (Fix/Tilt) Finish Same As Base	.BSR	\$ 133


Finish Options		
Powder Coat - Standard		n/c
Powder Coat - Premium		\$ 53

Top Options		
Table Link (all four sides)	.TLK	\$ 138
Table Link (30" ends only)	.TLE	\$ 72
Lightweight Laminate Core (to 96" length)	.TLL	\$ 131
Special Laminate	.TSP	call

Power and Data Options		
1 Henri - Location A (Jacks Not Included)	.PHA	\$ 191
2 Henris - Location E (Jacks Not Included)	.PHE	\$ 382
1 Henri (Jacks Not Included)	.PH1	\$ 191
2 Henris (Jacks Not Included)	.PH2	\$ 382
3 Henris (Jacks Not Included)	.PH3	\$ 573
Power & Data Globe w/Data Jacks	.PPD	\$ 223
Power Source Outlets	.PPS	\$ 61
Powerlink Package	.PPT	\$ 689

Wire Management Options		
Basket, Modesty Mount	.WBM	\$ 51
Basket, Under Top Mount	.WBT	\$ 51
Wire Mesh Legway (pair)	.WML	\$ 112
1 Oval Brush Grommet - Location A	.WOA	\$ 51
2 Oval Brush Grommets - Location E	.WOE	\$ 102
1 Oval Brush Grommet - Provide Location Print	.WOG	\$ 51
1 Round Grommet - Location A	.WRA	\$ 40
2 Round Grommets - Location E	.WRE	\$ 80
1 Round Grommet - Provide Location Print	.WRG	\$ 40

Accessories		
Voice & Data Jacks (1 each per Henri Unit)	.AHVDJ	\$ 42
Data Jacks (2 per Henri Unit)	.AHDJ	\$ 48
Quick Connect (1 per Henri Unit)		
Includes 2 Voice, 2 Data Jacks	.AHQCVDJ	\$ 106
Quick Connect (1 per Henri Unit)		
Includes 4 Data Jacks	.AHQCDDJ	\$ 122
Keyboard Platform w/Mouse Surface	.AKP24M	\$ 424
CPU Holder (3" - 9" adjustment)	.ACPU3-9F	\$ 130
CPU Holder (5" - 8" adjustment)	.ACPU5-8F	\$ 85
CPU Holder (3" - 5" adjustment)	.ACPU3F	\$ 85
Table Transport	.ATT3054	\$1040
Table Floor Mount Bracket Set	.AFB	\$ 30



A **VTT1 3072REFD RL LP2R** is a V ela Training series 30" x 72" rectangle table with folding T1 bases, removable lightweight form modesty panel and a laminate 1 1/4" thick top with a PVC edge and radius corners.

The codes **CU / TN RK 2001-T / AB** specify a Cappuccino base, Nevamar RK 2001-T laminate and the PVC edge in Alabaster.

BCV / TLL / PHE / WML FS adds V ela wheel casters, a lightweight laminate core, 2 Henris installed in location E and a pair of wire mesh legways in Fossil finish.



Questions?


1.800.876.2120

- Black = Fixed Bases
- Red = Folding Bases
- ☒ = Overlapping Folding Bases
- ☒ = Quick Ship Program Product
- ☒ = Quick Ship Program Product

Base Style	Table Description	Model #	Product Wt	Laminate PVC	Laminate 3mm Wood	Laminate Soft PVC	Laminate Urethane/PVC (user side only)
TC	18 x 48 Fix w/FixMod	VTTC 1848REFX XM ☒☒	61	825	1231	1401	
	18 x 48 Fix w/RemMod	VTTC 1848REFX RM ☒☒	61	849	1255	1426	
	18 x 48 Fold ☒ w/RemMod	VTTC 1848REFO RM ☒☒	66	1081	1487	1658	
	18 x 48 Fix w/FixLightweightFormMod	VTTC 1848REFX XL	61	849	1026	1426	
	18 x 48 Fix w/RemLightweightFormMod	VTTC 1848REFX RL	61	849	1026	1426	
	18 x 48 Fold ☒ w/RemLightweightFormMod	VTTC 1848REFO RL	66	1081	1258	1658	
	18 x 48 Fix w/FixFormMod	VTTC 1848REFX XF	71	995	1172	1572	
	18 x 60 Fix w/FixMod	VTTC 1860REFX XM ☒☒	72	876	1282	1595	
	18 x 60 Fix w/RemMod	VTTC 1860REFX RM ☒☒	72	900	1306	1620	
	18 x 60 Fold w/RemMod	VTTC 1860REFD RM ☒☒	77	1133	1539	1853	
	18 x 60 Fold w/FoldMod	VTTC 1860REFD FM ☒☒	77	1179	1585	1898	
	18 x 60 Fix w/FixLightweightFormMod	VTTC 1860REFX XL	71	900	1102	1620	
	18 x 60 Fix w/RemLightweightFormMod	VTTC 1860REFX RL	71	900	1102	1620	
	18 x 60 Fold w/RemLightweightFormMod	VTTC 1860REFD RL	76	1133	1336	1853	
	18 x 60 Fix w/FixFormMod	VTTC 1860REFX XF	84	1046	1249	1766	
	18 x 60 Fold w/FoldFormMod	VTTC 1860REFD FF	89	1279	1482	1999	
	18 x 72 Fix w/FixMod	VTTC 1872REFX XM ☒☒	83	950	1570	1791	
	18 x 72 Fix w/RemMod	VTTC 1872REFX RM ☒☒	83	974	1594	1816	
	18 x 72 Fold w/RemMod	VTTC 1872REFD RM ☒☒	88	1207	1827	2049	
	18 x 72 Fold w/FoldMod	VTTC 1872REFD FM ☒☒	88	1251	1871	2092	
	18 x 72 Fix w/FixLightweightFormMod	VTTC 1872REFX XL	84	974	1219	1816	
	18 x 72 Fix w/RemLightweightFormMod	VTTC 1872REFX RL	84	974	1219	1816	
	18 x 72 Fold w/RemLightweightFormMod	VTTC 1872REFD RL	89	1207	1452	2049	
	18 x 72 Fix w/FixFormMod	VTTC 1872REFX XF	98	1079	1324	1921	
	18 x 72 Fold w/FoldFormMod	VTTC 1872REFD FF	103	1312	1557	2154	

Note: Training tables are often used with lightweight computer accessories. For heavy duty applications, such as large scale computer equipment, multiple monitor mounts, etc., Versteel suggests adding a third leg or stretcher. Contact customer service if you have specific application concerns or questions.

- Sample Product Number Construction:**
- 1 Choose your base model, including a top & edge style.
 - 2 Specify the base finish, laminate code and edge color.
 - 3 a. Indicate selected base options.
b. Indicate selected top options.
c. Indicate selected power and data options.
d. Indicate selected wire management options.



A **VTTC 1848REFX XM LP2S** is a Vela Training series 18" x 48" rectangle table with fixed TC bases, fixed modesty panel and a laminate 1 1/4" thick top with a PVC edge and square corners.

The codes **CU / TN RK 2001-T / AB** specify a Cappuccino base, Nevamar RK 2001-T laminate and the PVC edge in Alabaster.

BCV / adds Vela wheel casters.



Base Options	Code	Price
Assembled Folding Table	.BAF	\$ 41
Alternate Table Height 32" & Under	.BAH	\$ 53
Alternate Table Height 32" & Over	.BSP	call
Adjustable Height - Pneumatic (Fix)	.BAT	\$ 687
Casters ● - Vela Wheel	.BCV	\$ 93
Mix - Dual Wheel Casters & Glides	.BMV	\$ 88
Self-Leveling Glides ●	.BLG	\$ 25
Stretcher Rail (Fix) Finish Same As Base	.BSR	\$ 133

Finish Options		
Powder Coat - Standard		n/c
Powder Coat - Premium		\$ 53

Top Options		
Table Link (all four sides)	.TLK	\$ 138
Table Link (18" ends only)	.TLE	\$ 72
Lightweight Laminate Core (to 96" length)	.TLL	\$ 131
Special Laminate	.TSP	call

Power and Data Options		
Power & Data Globe w/Data Jacks	.PPD	\$ 223
Power Source Outlets	.PPS	\$ 61

Wire Management Options		
Basket, Modesty Mount	.WBM	\$ 51
Basket, Under Top Mount	.WBT	\$ 51
Wire Mesh Legway (pair)	.WML	\$ 112
1 Oval Brush Grommet - Location A	.WOA	\$ 51
1 Oval Brush Grommet - Provide Location Print	.WOG	\$ 51
1 Round Grommet - Location A	.WRA	\$ 40
1 Round Grommet - Provide Location Print	.WRG	\$ 40

Accessories		
CPU Holder (3" - 9" adjustment)	.ACPU3-9F	\$ 130
CPU Holder (5" - 8" adjustment)	.ACPU5-8F	\$ 85
CPU Holder (3" - 5" adjustment)	.ACPU3F	\$ 85
Table Transport	.ATT3054	\$1040
Table Floor Mount Bracket Set	.AFB	\$ 30



Questions?

1.800.876.2120

- Black = Fixed Bases
- Red = Folding Bases
- = Quick Ship Program Product
- = Quick Ship Program Product

top > edge >	Laminate PVC	Laminate 3mm Wood	Laminate Soft PVC	Laminate Urethane/PVC (user side only)
	Flat 	Flat 	Bumper 	Ergo
edge ordering code (radius corner) > or edge ordering code (square corner) > top thickness >	LP2R or LP2S 1 1/4"	LW2R or LW2S 1 1/4"	LB2R 1 1/4"	LUPE2R or LUPE2S 1 1/4"
	Fluted 	Fluted 		
edge ordering code (radius corner) > or edge ordering code (square corner) > top thickness >	LPF2R or LPF2S 1 1/4"	LWF2R or LWF2S 1 1/4"		3mm PVC on all remaining sides
top thickness price >	1 1/4"	1 1/4"	1 1/4"	1 1/4"

Base Style	Table Description	Model #	Product Wt			
	18 x 84 Fix w/FixMod	VTTC 1884REFX XM	94	1082	1837	2027
	18 x 84 Fix w/RemMod	VTTC 1884REFX RM	94	1103	1858	2048
	18 x 84 Fold w/RemMod	VTTC 1884REFD RM	99	1337	2091	2281
	18 x 84 Fold w/FoldMod	VTTC 1884REFD FM	99	1398	2153	2343
	18 x 90 Fix w/FixMod	VTTC 1890REFX XM	100	1152	1985	2361
	18 x 90 Fix w/RemMod	VTTC 1890REFX RM	100	1173	2007	2382
	18 x 90 Fold w/RemMod	VTTC 1890REFD RM	105	1407	2240	2615
	18 x 90 Fold w/FoldMod	VTTC 1890REFD FM	105	1468	2301	2677
	18 x 96 Fix w/FixMod	VTTC 1896REFX XM	105	1152	1985	2361
	18 x 96 Fix w/RemMod	VTTC 1896REFX RM	105	1173	2007	2382
	18 x 96 Fold w/RemMod	VTTC 1896REFD RM	110	1407	2240	2615
	18 x 96 Fold w/FoldMod	VTTC 1896REFD FM	110	1468	2301	2677

Note: Training tables are often used with lightweight computer accessories. For heavy duty applications, such as large scale computer equipment, multiple monitor mounts, etc., Versteel suggests adding a third leg or stretcher. Contact customer service if you have specific application concerns or questions.

- Sample Product Number Construction:**
- 1 Choose your base model, including a top & edge style.
 - 2 Specify the base finish, laminate code and edge color.
 - 3 a. Indicate selected base options.
b. Indicate selected top options.
c. Indicate selected power and data options.
d. Indicate selected wire management options.



Base Options	Code	Price
Assembled Folding Table	.BAF	\$ 41
Alternate Table Height 32" & Under	.BAH	\$ 53
Alternate Table Height 32" & Over	.BSP	call
Adjustable Height - Pneumatic (Fix)	.BAT	\$ 687
Self-Leveling Glides	.BLG	\$ 25
Stretcher Rail (Fix) Finish Same As Base	.BSR	\$ 133


Finish Options		
Powder Coat - Standard		n/c
Powder Coat - Premium		\$ 53

Top Options		
Table Link (all four sides)	.TLK	\$ 138
Table Link (18" ends only)	.TLE	\$ 72
Lightweight Laminate Core (to 96" length)	.TLL	\$ 131
Special Laminate	.TSP	call

Power and Data Options		
Power & Data Globe w/Data Jacks	.PPD	\$ 223
Power Source Outlets	.PPS	\$ 61

Wire Management Options		
Basket, Modesty Mount	.WBM	\$ 51
Basket, Under Top Mount	.WBT	\$ 51
Wire Mesh Legway (pair)	.WML	\$ 112
1 Oval Brush Grommet - Location A	.WOA	\$ 51
1 Oval Brush Grommet - Provide Location Print	.WOG	\$ 51
1 Round Grommet - Location A	.WRA	\$ 40
1 Round Grommet - Provide Location Print	.WRG	\$ 40

Accessories		
CPU Holder (3"- 9" adjustment)	.ACPU3-9F	\$ 130
CPU Holder (5"- 8" adjustment)	.ACPU5-8F	\$ 85
CPU Holder (3"- 5" adjustment)	.ACPU3F	\$ 85
Table Transport	.ATT3054	\$1040
Table Floor Mount Bracket Set	.AFB	\$ 30



A **VTTC 1890REFX XM LP2R** is a Vela Training series 18" x 90" rectangle table with fixed TC bases, fixed modesty panel and a laminate 1 1/4" thick top with a PVC edge and radius corners.

The codes **CU / TN RK 2001-T / AB** specify a Cappuccino base, Nevamar RK 2001-T laminate and the PVC edge in Alabaster.

BCV / TLL adds V ela wheel casters and a lightweight laminate core.



Questions?

1.800.876.2120

- Black = Fixed Bases
- Red = Folding Bases
- = Overlapping Folding Bases
- = Quick Ship Program Product
- = Quick Ship Program Product

Base Style	Table Description	Model #	Product Wt	Laminate PVC	Laminate 3mm Wood	Laminate Soft PVC	Laminate Urethane/PVC (user side only)
	20 x 48 Fix w/FixMod	VTTTC 2048REFX XM	65	853		1322	1527
	20 x 48 Fix w/RemMod	VTTTC 2048REFX RM	65	878		1346	1552
	20 x 48 Fold w/RemMod	VTTTC 2048REFO RM	69	1110	1578	1784	
	20 x 48 Fix w/FixLightweightFormMod	VTTTC 2048REFX XL	65	878		1117	1552
	20 x 48 Fix w/RemLightweightFormMod	VTTTC 2048REFX RL	65	878		1117	1552
	20 x 48 Fold w/RemLightweightFormMod	VTTTC 2048REFO RL	69	1110	1349	1784	
	20 x 48 Fix w/FixFormMod	VTTTC 2048REFX XF	75	1024	1264	1698	
	20 x 60 Fix w/FixMod	VTTTC 2060REFX XM	77	897		1365	1699
	20 x 60 Fix w/RemMod	VTTTC 2060REFX RM	77	921		1390	1724
	20 x 60 Fold w/RemMod	VTTTC 2060REFD RM	82	1154	1623	1957	
	20 x 60 Fix w/FixLightweightFormMod	VTTTC 2060REFX XL	76	921	1220	1724	
	20 x 60 Fix w/RemLightweightFormMod	VTTTC 2060REFX RL	76	921	1220	1724	
	20 x 60 Fold w/RemLightweightFormMod	VTTTC 2060REFD RL	81	1154	1453	1957	
	20 x 60 Fix w/FixFormMod	VTTTC 2060REFX XF	89	1067	1366	1870	
	20 x 72 Fix w/FixMod	VTTTC 2072REFX XM	89	1040		1739	1936
	20 x 72 Fix w/RemMod	VTTTC 2072REFX RM	89	1064		1764	1960
	20 x 72 Fold w/RemMod	VTTTC 2072REFD RM	94	1297	1997	2193	
	20 x 72 Fix w/FixLightweightFormMod	VTTTC 2072REFX XL	90	1064	1389	1960	
	20 x 72 Fix w/RemLightweightFormMod	VTTTC 2072REFX RL	90	1064	1389	1960	
	20 x 72 Fold w/RemLightweightFormMod	VTTTC 2072REFD RL	95	1297	1622	2193	
	20 x 72 Fix w/FixFormMod	VTTTC 2072REFX XF	104	1169	1494	2065	
	20 x 84 Fix w/FixMod	VTTTC 2084REFX XM	101	1146		1962	2206
	20 x 84 Fix w/RemMod	VTTTC 2084REFX RM	101	1167		1983	2227
	20 x 84 Fold w/RemMod	VTTTC 2084REFD RM	106	1399	2215	2459	
20 x 90 Fix w/FixMod	VTTTC 2090REFX XM	107	1277		2156	2546	
20 x 90 Fix w/RemMod	VTTTC 2090REFX RM	107	1299		2177	2567	
20 x 90 Fold w/RemMod	VTTTC 2090REFD RM	112	1532	2410	2801		
20 x 96 Fix w/FixMod	VTTTC 2096REFX XM	113	1277		2156	2546	
20 x 96 Fix w/RemMod	VTTTC 2096REFX RM	113	1299		2177	2567	
20 x 96 Fold w/RemMod	VTTTC 2096REFD RM	118	1532	2410	2801		

Note: Training tables are often used with lightweight computer accessories. For heavy duty applications, such as large scale computer equipment, multiple monitor mounts, etc., Versteel suggests adding a third leg or stretcher. Contact customer service if you have specific application concerns or questions.

- Sample Product Number Construction:**
- 1 Choose your base model, including a top & edge style.
 - 2 Specify the base finish, laminate or veneer code, and edge color.
 - 3 a. Indicate selected base options.
b. Indicate selected top options.
c. Indicate selected power and data options.
d. Indicate selected wire management options.



Base Options	Code	Price
Assembled Folding Table	.BAF	\$ 41
Alternate Table Height 32" & Under	.BAH	\$ 53
Alternate Table Height 32" & Over	.BSP	call
Adjustable Height - Pneumatic (Fix)	.BAT	\$ 687
Casters - Vela Wheel (up to 72" only)	.BCV	\$ 93
Mix - Vela Wheel Casters & Glides (up to 72" only)	.BMV	\$ 88
Self-Leveling Glides	.BLG	\$ 25
Stretcher Rail (Fix) Finish Same As Base	.BSR	\$ 133


Finish Options		
Powder Coat - Standard		n/c
Powder Coat - Premium		\$ 53

Top Options		
Table Link (all four sides)	.TLK	\$ 138
Table Link (20" ends only)	.TLE	\$ 72
Lightweight Laminate Core (to 96" length)	.TLL	\$ 131
Special Laminate	.TSP	call

Power and Data Options		
Power & Data Globe w/Data Jacks	.PPD	\$ 223
Power Source Outlets	.PPS	\$ 61

Wire Management Options		
Basket, Modesty Mount	.WBM	\$ 51
Basket, Under Top Mount	.WBT	\$ 51
Wire Mesh Legway (pair)	.WML	\$ 112
1 Oval Brush Grommet - Location A	.WOA	\$ 51
1 Oval Brush Grommet - Provide Location Print	.WOG	\$ 51
1 Round Grommet - Location A	.WRA	\$ 40
1 Round Grommet - Provide Location Print	.WRG	\$ 40

Accessories		
CPU Holder (3" - 9" adjustment)	.ACPU3-9F	\$ 130
CPU Holder (5" - 8" adjustment)	.ACPU5-8F	\$ 85
CPU Holder (3" - 5" adjustment)	.ACPU3F	\$ 85
Table Transport	.ATT3054	\$1040
Table Floor Mount Bracket Set	.AFB	\$ 30



A **VTTTC 2048REFX RL LP2R** is a V ela Training series 20" x 48" rectangle table with fixed TC bases, removable lightweight form modesty panel and a laminate 1 1/4" thick top with a PVC edge and radius corners.

The codes **CU / TN RK 2001-T / AB** specify a Cappuccino base, Nevamar RK 2001-T laminate and the PVC edge in Alabaster.

TLL / PPD / adds a lightweight laminate core and a power and data globe in specified location.



Questions?

1.800.876.2120

- Black = Fixed Bases
- Red = Folding Bases
- Blue = Overlapping Folding Bases
- Blue = Tilt Bases
- = Quick Ship Program Product
- = Quick Ship Program Product
- = Quick Ship Program Product

Base Style	Table Description	Model #	Product Wt	Laminate PVC	Laminate 3mm Wood	Laminate Soft PVC	Laminate Urethane/PVC (user side only)
	24 x 48 Fix w/FixMod	VTTC 2448REFX XM	72	853		1322	1527
	24 x 48 Fix w/RemMod	VTTC 2448REFX RM	72	878		1346	1552
	24 x 48 Fold w/RemMod	VTTC 2448REFO RM	76	1110		1578	1784
	24 x 48 Tilt w/RemMod	VTTC 2448RETL RM	87	1066		1535	1741
	24 x 48 Fix w/FixLightweightFormMod	VTTC 2448REFX XL	72	878		1117	1552
	24 x 48 Fix w/RemLightweightFormMod	VTTC 2448REFX RL	72	878		1117	1552
	24 x 48 Fold w/RemLightweightFormMod	VTTC 2448REFO RL	76	1110		1349	1784
	24 x 48 Tilt w/RemLightweightFormMod	VTTC 2448RETL RL	87	1066		1306	1741
	24 x 48 Fix w/FixFormMod	VTTC 2448REFX XF	82	1024		1264	1698
	24 x 60 Fix w/FixMod	VTTC 2460REFX XM	85	897		1365	1699
	24 x 60 Fix w/RemMod	VTTC 2460REFX RM	85	921		1390	1724
	24 x 60 Fold w/RemMod	VTTC 2460REFD RM	90	1154		1623	1957
	24 x 60 Fold w/FoldMod	VTTC 2460REFD FM	90	1200		1668	2002
	24 x 60 Tilt w/RemMod	VTTC 2460RETL RM	100	1111		1579	1913
	24 x 60 Fix w/FixLightweightFormMod	VTTC 2460REFX XL	84	921		1220	1724
	24 x 60 Fix w/RemLightweightFormMod	VTTC 2460REFX RL	84	921		1220	1724
	24 x 60 Fold w/RemLightweightFormMod	VTTC 2460REFD RL	89	1154		1453	1957
	24 x 60 Tilt w/RemLightweightFormMod	VTTC 2460RETL RL	99	1111		1410	1913
	24 x 60 Fix w/FixFormMod	VTTC 2460REFX XF	97	1067		1366	1870
	24 x 60 Fold w/FoldFormMod	VTTC 2460REFD FF	102	1301		1600	2071
	24 x 72 Fix w/FixMod	VTTC 2472REFX XM	99	1040		1739	1936
	24 x 72 Fix w/RemMod	VTTC 2472REFX RM	99	1064		1764	1960
	24 x 72 Fold w/RemMod	VTTC 2472REFD RM	104	1297		1997	2193
	24 x 72 Fold w/FoldMod	VTTC 2472REFD FM	104	1341		2041	2237
24 x 72 Tilt w/RemMod	VTTC 2472RETL RM	114	1255		1955	2151	
24 x 72 Fix w/FixLightweightFormMod	VTTC 2472REFX XL	99	1064		1389	1960	
24 x 72 Fix w/RemLightweightFormMod	VTTC 2472REFX RL	99	1064		1389	1960	
24 x 72 Fold w/RemLightweightFormMod	VTTC 2472REFD RL	104	1297		1622	2193	
24 x 72 Tilt w/RemLightweightFormMod	VTTC 2472RETL RL	114	1255		1579	2151	
24 x 72 Fix w/FixFormMod	VTTC 2472REFX XF	114	1169		1494	2065	
24 x 72 Fold w/FoldFormMod	VTTC 2472REFD FF	119	1402		1727	2298	

Note: Training tables are often used with lightweight computer accessories. For heavy duty applications, such as large scale computer equipment, multiple monitor mounts, etc., Versteel suggests adding a third leg or stretcher. Contact customer service if you have specific application concerns or questions.

- Sample Product Number Construction:**
- 1 Choose your base model, including a top & edge style.
 - 2 Specify the base finish, laminate code and edge color.
 - 3 a. Indicate selected base options.
b. Indicate selected top options.
c. Indicate selected power and data options.
d. Indicate selected wire management options.



A **VTTC 2448REFX RL LP2S** is a V ela Training series 24" x 48" rectangle table with fixed TC bases, removable lightweight form modesty panel and a laminate 1 1/4" thick top with a PVC edge and square corners.

The codes **CU / TN RK 2001-T / AB** specify a Cappuccino base, Nevamar RK 2001-T laminate and the PVC edge in Alabaster.

PHA / WML CU adds 1 Henri installed in location A and a pair of wire mesh legways in Cappuccino finish.

- Base Options**
- Assembled Folding TableBAF \$ 41
 - Alternate Table Height 32" & UnderBAH \$ 53
 - Alternate Table Height 32" & OverBSP call
 - Adjustable Height - Pneumatic (Fix/Tilt)BAT \$ 687
 - Casters • - Vela WheelBCV \$ 93
 - Mix - Vela Wheel Casters & GlidesBMV \$ 88
 - Self-Leveling Glides •BLG \$ 25
 - Stretcher Rail (Fix/Tilt) Finish Same As BaseBSR \$ 133

- Finish Options**
- Powder Coat - Standard n/c
 - Powder Coat - Premium \$ 53

- Top Options**
- Table Link (all four sides)TLK \$ 138
 - Table Link (24" ends only)TLE \$ 72
 - Lightweight Laminate Core (to 96" length)TLL \$ 131
 - Special LaminateTSP call

- Power and Data Options**
- 1 Henri - Location A (Jacks Not Included)PHA \$ 191
 - 2 Henris - Location E (Jacks Not Included)PHE \$ 382
 - 1 Henri (Jacks Not Included)PH1 \$ 191
 - 2 Henris (Jacks Not Included)PH2 \$ 382
 - 3 Henris (Jacks Not Included)PH3 \$ 573
 - Power & Data Globe w/Data JacksPPD \$ 223
 - Power Source OutletsPPS \$ 61
 - Powerlink PackagePPT \$ 689

- Wire Management Options**
- Basket, Modesty MountWBM \$ 51
 - Basket, Under Top MountWBT \$ 51
 - Wire Mesh Legway (pair)WML_ \$ 112
 - 1 Oval Brush Grommet - Location AWOA \$ 51
 - 2 Oval Brush Grommets - Location EWOE \$ 102
 - 1 Oval Brush Grommet - Provide Location PrintWOG \$ 51
 - 1 Round Grommet - Location AWRA \$ 40
 - 2 Round Grommets - Location EWRE \$ 80
 - 1 Round Grommet - Provide Location PrintWRG \$ 40

- Accessories**
- Voice & Data Jacks (1 each per Henri Unit)AHVDJ \$ 42
 - Data Jacks (2 per Henri Unit)AHDDJ \$ 48
 - Quick Connect (1 per Henri Unit)
 - Includes 2 Voice, 2 Data JacksAHQCVDJ \$ 106
 - Quick Connect (1 per Henri Unit)
 - Includes 4 Data JacksAHQCDJ \$ 122
 - Keyboard Platform w/Mouse SurfaceAKP24M \$ 424
 - CPU Holder (3" - 9" adjustment)ACPU3-9F \$ 130
 - CPU Holder (5" - 8" adjustment)ACPU5-8F \$ 85
 - CPU Holder (3" - 5" adjustment)ACPU3F \$ 85
 - Table TransportATT3054 \$1040
 - Table Floor Mount Bracket SetAFB \$ 30



Questions?

1.800.876.2120

- Black = Fixed Bases
- Red = Folding Bases
- Blue = Tilt Bases
- = Quick Ship Program Product
- = Quick Ship Program Product
- = Quick Ship Program Product

Base Style	Table Description	Model #	Product Wt	Laminate PVC	Laminate 3mm Wood	Laminate Soft PVC	Laminate Urethane/PVC (user side only)
	24 x 84 Fix w/FixMod	VTTC 2484REFX XM	112	1146		1962	2206
	24 x 84 Fix w/RemMod	VTTC 2484REFX RM	112	1167		1983	2227
	24 x 84 Fold w/RemMod	VTTC 2484REFD RM	117	1399		2215	2459
	24 x 84 Fold w/FoldMod	VTTC 2484REFD FM	117	1461		2277	2521
	24 x 84 Tilt w/RemMod	VTTC 2484RETL RM	127	1357		2173	2417
	24 x 90 Fix w/FixMod	VTTC 2490REFX XM	120	1277		2156	2546
	24 x 90 Fix w/RemMod	VTTC 2490REFX RM	120	1299		2177	2567
	24 x 90 Fold w/RemMod	VTTC 2490REFD RM	125	1532		2410	2801
	24 x 90 Fold w/FoldMod	VTTC 2490REFD FM	125	1593		2472	2862
	24 x 90 Tilt w/RemMod	VTTC 2490RETL RM	135	1488		2367	2757
	24 x 96 Fix w/FixMod	VTTC 2496REFX XM	126	1277		2156	2546
	24 x 96 Fix w/RemMod	VTTC 2496REFX RM	126	1299		2177	2567
	24 x 96 Fold w/RemMod	VTTC 2496REFD RM	131	1532		2410	2801
	24 x 96 Fold w/FoldMod	VTTC 2496REFD FM	131	1593		2472	2862
	24 x 96 Tilt w/RemMod	VTTC 2496RETL RM	141	1488		2367	2757

Note: Training tables are often used with lightweight computer accessories. For heavy duty applications, such as large scale computer equipment, multiple monitor mounts, etc., Versteel suggests adding a third leg or stretcher. Contact customer service if you have specific application concerns or questions.

- Sample Product Number Construction:**
- 1 Choose your base model, including a top & edge style.
 - 2 Specify the base finish, laminate code and edge color.
 - 3 a. Indicate selected base options.
b. Indicate selected top options.
c. Indicate selected power and data options.
d. Indicate selected wire management options.



Base Options	Code	Price
Assembled Folding Table	.BAF	\$ 41
Alternate Table Height 32" & Under	.BAH	\$ 53
Alternate Table Height 32" & Over	.BSP	call
Adjustable Height - Pneumatic (Fix/Tilt)	.BAT	\$ 687
Self-Leveling Glides	.BLG	\$ 25
Stretcher Rail (Fix/Tilt) Finish Same As Base	.BSR	\$ 133


Finish Options		
Powder Coat - Standard		n/c
Powder Coat - Premium		\$ 53

Top Options		
Table Link (all four sides)	.TLK	\$ 138
Table Link (24" ends only)	.TLE	\$ 72
Lightweight Laminate Core (to 96" length)	.TLL	\$ 131
Special Laminate	.TSP	call

Power and Data Options		
1 Henri - Location A (Jacks Not Included)	.PHA	\$ 191
2 Henris - Location E (Jacks Not Included)	.PHE	\$ 382
1 Henri (Jacks Not Included)	.PH1	\$ 191
2 Henris (Jacks Not Included)	.PH2	\$ 382
3 Henris (Jacks Not Included)	.PH3	\$ 573
Power & Data Globe w/Data Jacks	.PPD	\$ 223
Power Source Outlets	.PPS	\$ 61
Powerlink Package	.PPT	\$ 689

Wire Management Options		
Basket, Modesty Mount	.WBM	\$ 51
Basket, Under Top Mount	.WBT	\$ 51
Wire Mesh Legway (pair)	.WML	\$ 112
1 Oval Brush Grommet - Location A	.WOA	\$ 51
2 Oval Brush Grommets - Location E	.WOE	\$ 102
1 Oval Brush Grommet - Provide Location Print	.WOG	\$ 51
1 Round Grommet - Location A	.WRA	\$ 40
2 Round Grommets - Location E	.WRE	\$ 80
1 Round Grommet - Provide Location Print	.WRG	\$ 40

Accessories		
Voice & Data Jacks (1 each per Henri Unit)	.AHVDJ	\$ 42
Data Jacks (2 per Henri Unit)	.AHDDJ	\$ 48
Quick Connect (1 per Henri Unit)		
Includes 2 Voice, 2 Data Jacks	.AHQVDJ	\$ 106
Quick Connect (1 per Henri Unit)		
Includes 4 Data Jacks	.AHQDDJ	\$ 122
Keyboard Platform w/Mouse Surface	.AKP24M	\$ 424
CPU Holder (3"- 9" adjustment)	.ACPU3-9F	\$ 130
CPU Holder (5"- 8" adjustment)	.ACPU5-8F	\$ 85
CPU Holder (3"- 5" adjustment)	.ACPU3F	\$ 85
Table Transport	.ATT3054	\$1040
Table Floor Mount Bracket Set	.AFB	\$ 30



A **VTTC 2496REFD FM LP2S** is a Vela Training series 24" x 96" rectangle table with folding TC bases, folding modesty panel and a laminate 1 1/4" thick top with a PVC edge and square corners.

The codes **CU / TN RK 2001-T / AB** specify a Cappuccino base, Nevamar RK 2001-T laminate and the PVC edge in Alabaster.

PHE / WML FS adds 2 Henris installed in location E and a pair of wire mesh legways in Fossil finish.



Questions?

1.800.876.2120

- Black = Fixed Bases
- Red = Folding Bases
- Blue = Overlapping Folding Bases
- Blue = Tilt Bases
- = Quick Ship Program Product
- = Quick Ship Program Product
- = Quick Ship Program Product

Base Style	Table Description	Model #	Product Wt	Laminate PVC	Laminate 3mm Wood	Laminate Soft PVC	Laminate Urethane/PVC (user side only)
	30 x 48 Fix w/FixMod	VTTC 3048REFX XM	86	Flat LP2R or LP2S 1 1/4"	Flat LW2R or LW2S 1 1/4"	Bumper LB2R 1 1/4"	Ergo LUPE2R or LUPE2S 1 1/4"
	30 x 48 Fix w/RemMod	VTTC 3048REFX RM	86				
	30 x 48 Fold w/RemMod	VTTC 3048REFO RM	85				
	30 x 48 Tilt w/FoldMod	VTTC 3048RETL FM	101				
	30 x 48 Tilt w/RemMod	VTTC 3048RETL RM	101				
	30 x 48 Fix w/FixLightweightForm Mod	VTTC 3048REFX XL	85				
	30 x 48 Fix w/RemLightweightForm Mod	VTTC 3048REFX RL	85				
	30 x 48 Fold w/RemLightweightForm Mod	VTTC 3048REFO RL	85				
	30 x 48 Tilt w/RemLightweightForm Mod	VTTC 3048RETL RL	100				
	30 x 48 Fix w/FixFormMod	VTTC 3048REFX XF	96				
	30 x 48 Tilt w/FoldFormMod	VTTC 3048RETL FF	111				
	30 x 60 Fix w/FixMod	VTTC 3060REFX XM	101				
	30 x 60 Fix w/RemMod	VTTC 3060REFX RM	101				
	30 x 60 Fold w/RemMod	VTTC 3060REFD RM	106				
	30 x 60 Fold w/FoldMod	VTTC 3060REFD FM	106				
	30 x 60 Tilt w/FoldMod	VTTC 3060RETL FM	116				
	30 x 60 Tilt w/RemMod	VTTC 3060RETL RM	116				
	30 x 60 Fix w/FixLightweightForm Mod	VTTC 3060REFX XL	101				
	30 x 60 Fix w/RemLightweightForm Mod	VTTC 3060REFX RL	101				
	30 x 60 Fold w/RemLightweightForm Mod	VTTC 3060REFD RL	106				
30 x 60 Tilt w/RemLightweightForm Mod	VTTC 3060RETL RL	116					
30 x 60 Fix w/FixFormMod	VTTC 3060REFX XF	113					
30 x 60 Tilt w/FoldFormMod	VTTC 3060RETL FF	128					
30 x 60 Fold w/FoldFormMod	VTTC 3060REFD FF	118					

Note: Training tables are often used with lightweight computer accessories. For heavy duty applications, such as large scale computer equipment, multiple monitor mounts, etc., Versteel suggests adding a third leg or stretcher. Contact customer service if you have specific application concerns or questions.

- Sample Product Number Construction:**
- 1 Choose your base model, including a top & edge style.
 - 2 Specify the base finish, laminate code and edge color.
 - 3 a. Indicate selected base options.
b. Indicate selected top options.
c. Indicate selected power and data options.
d. Indicate selected wire management options.



Base Options	Code	Price
Assembled Folding Table	.BAF	\$ 41
Alternate Table Height 32" & Under	.BAH	\$ 53
Alternate Table Height 32" & Over	.BSP	call
Adjustable Height - Pneumatic (Fix/Tilt)	.BAT	\$ 687
Casters • - Vela Wheel	.BCV	\$ 93
Mix - Vela Wheel Casters & Glides	.BMV	\$ 88
Self-Leveling Glides •	.BLG	\$ 25
Stretcher Rail (Fix/Tilt) Finish Same As Base	.BSR	\$ 133


Finish Options		
Powder Coat - Standard		n/c
Powder Coat - Premium		\$ 53

Top Options		
Table Link (all four sides)	.TLK	\$ 138
Table Link (30" ends only)	.TLE	\$ 72
Lightweight Laminate Core (to 96" length)	.TLL	\$ 131
Special Laminate	.TSP	call

Power and Data Options		
1 Henri - Location A (Jacks Not Included)	.PHA	\$ 191
2 Henris - Location E (Jacks Not Included)	.PHE	\$ 382
1 Henri (Jacks Not Included)	.PH1	\$ 191
2 Henris (Jacks Not Included)	.PH2	\$ 382
3 Henris (Jacks Not Included)	.PH3	\$ 573
Power & Data Globe w/Data Jacks	.PPD	\$ 223
Power Source Outlets	.PPS	\$ 61
Powerlink Package	.PPT	\$ 689

Wire Management Options		
Basket, Modesty Mount	.WBM	\$ 51
Basket, Under Top Mount	.WBT	\$ 51
Wire Mesh Legway (pair)	.WML	\$ 112
1 Oval Brush Grommet - Location A	.WOA	\$ 51
2 Oval Brush Grommets - Location E	.WOE	\$ 102
1 Oval Brush Grommet - Provide Location Print	.WOG	\$ 51
1 Round Grommet - Location A	.WRA	\$ 40
2 Round Grommets - Location E	.WRE	\$ 80
1 Round Grommet - Provide Location Print	.WRG	\$ 40

Accessories		
Voice & Data Jacks (1 each per Henri Unit)	.AHVDJ	\$ 42
Data Jacks (2 per Henri Unit)	.AHDDJ	\$ 48
Quick Connect (1 per Henri Unit)		
Includes 2 Voice, 2 Data Jacks	.AHQCVDJ	\$ 106
Quick Connect (1 per Henri Unit)		
Includes 4 Data Jacks	.AHQCCDJ	\$ 122
Keyboard Platform w/Mouse Surface	.AKP24M	\$ 424
CPU Holder (3" - 9" adjustment)	.ACPU3-9F	\$ 130
CPU Holder (5" - 8" adjustment)	.ACPU5-8F	\$ 85
CPU Holder (3" - 5" adjustment)	.ACPU3F	\$ 85
Table Transport	.ATT3054	\$1040
Table Floor Mount Bracket Set	.AFB	\$ 30



A **VTTC 3048REFX RL LP2S** is a V ela Training series 30" x 48" rectangle table with fixed TC bases, removable lightweight form modesty panel and a laminate 1 1/4" thick top with a PVC edge and square corners.

The codes **CU / TN RK 2001-T / AB** specify a Cappuccino base, Nevamar RK 2001-T laminate and the PVC edge in Alabaster.

BCV / PHA / WML FS adds Vela casters, a Henri installed in location A and a pair of wire mesh legways in Fossil finish.



Questions?


1.800.876.2120

- Black = Fixed Bases
- Red = Folding Bases
- Blue = Tilt Bases
- = Quick Ship Program Product
- = Quick Ship Program Product
- = Quick Ship Program Product

Base Style	Table Description	Model #	Product Wt	Laminate PVC	Laminate 3mm Wood	Laminate Soft PVC	Laminate Urethane/PVC (user side only)
	30 x 72 Fix w/FixMod	VTTC 3072REFX XM	118	1064		1817	2089
	30 x 72 Fix w/RemMod	VTTC 3072REFX RM	118	1089		1841	2114
	30 x 72 Fold w/RemMod	VTTC 3072REFD RM	123	1321		2073	2346
	30 x 72 Fold w/FoldMod	VTTC 3072REFD FM	123	1364		2117	2389
	30 x 72 Tilt w/FoldMod	VTTC 3072RETL FM	133	1322		2074	2347
	30 x 72 Tilt w/RemMod	VTTC 3072RETL RM	133	1278		2031	2303
	30 x 72 Fix w/FixLightweightFormMod	VTTC 3072REFX XL	118	1089		1466	2114
	30 x 72 Fix w/RemLightweightFormMod	VTTC 3072REFX RL	118	1089		1466	2114
	30 x 72 Fold w/RemLightweightFormMod	VTTC 3072REFD RL	123	1321		1698	2346
	30 x 72 Tilt w/RemLightweightFormMod	VTTC 3072RETL RL	133	1278		1656	2303
	30 x 72 Fix w/FixFormMod	VTTC 3072REFX XF	132	1194		1571	2219
	30 x 72 Tilt w/FoldFormMod	VTTC 3072RETL FF	147	1383		1761	2408
	30 x 72 Fold w/FoldFormMod	VTTC 3072REFD FF	137	1426		1803	2451
	30 x 84 Fix w/FixMod	VTTC 3084REFX XM	133	1182		2072	2357
	30 x 84 Fix w/RemMod	VTTC 3084REFX RM	133	1203		2094	2379
	30 x 84 Fold w/RemMod	VTTC 3084REFD RM	138	1435		2326	2611
	30 x 84 Fold w/FoldMod	VTTC 3084REFD FM	138	1497		2387	2672
	30 x 84 Tilt w/FoldMod	VTTC 3084RETL FM	148	1454		2345	2630
	30 x 84 Tilt w/RemMod	VTTC 3084RETL RM	148	1393		2283	2568
	30 x 90 Fix w/FixMod	VTTC 3090REFX XM	142	1295		2275	2722
30 x 90 Fix w/RemMod	VTTC 3090REFX RM	142	1317		2296	2743	
30 x 90 Fold w/RemMod	VTTC 3090REFD RM	147	1549		2528	2975	
30 x 90 Fold w/FoldMod	VTTC 3090REFD FM	147	1610		2590	3037	
30 x 90 Tilt w/FoldMod	VTTC 3090RETL FM	157	1567		2546	2993	
30 x 90 Tilt w/RemMod	VTTC 3090RETL RM	157	1505		2485	2932	
30 x 96 Fix w/FixMod	VTTC 3096REFX XM	150	1295		2275	2722	
30 x 96 Fix w/RemMod	VTTC 3096REFX RM	150	1317		2296	2743	
30 x 96 Fold w/RemMod	VTTC 3096REFD RM	155	1549		2528	2975	
30 x 96 Fold w/FoldMod	VTTC 3096REFD FM	155	1610		2590	3037	
30 x 96 Tilt w/FoldMod	VTTC 3096RETL FM	165	1567		2546	2993	
30 x 96 Tilt w/RemMod	VTTC 3096RETL RM	165	1505		2485	2932	

Note: Training tables are often used with lightweight computer accessories. For heavy duty applications, such as large scale computer equipment, multiple monitor mounts, etc., Versteel suggests adding a third leg or stretcher. Contact customer service if you have specific application concerns or questions.

- Sample Product Number Construction:**
- 1 Choose your base model, including a top & edge style.
 - 2 Specify the base finish, laminate code and edge color.
 - 3 a. Indicate selected base options.
b. Indicate selected top options.
c. Indicate selected power and data options.
d. Indicate selected wire management options.



A **VTTC 3072REFD FM LP2R** is a Vela Training series 30" x 72" rectangle table with folding TC bases, folding modesty panel and a laminate 1 1/4" thick top with a PVC edge and radius corners.

The codes **CU / TN RK 2001-T / AB** specify a Cappuccino base, Nevamar RK 2001-T laminate and the PVC edge in Alabaster.

PHE / WML FS adds 2 Henris installed in location E and a pair of wire mesh legways in Fossil finish.



Base Options	Code	Price
Assembled Folding Table	.BAF	\$ 41
Alternate Table Height 32" & Under	.BAH	\$ 53
Alternate Table Height 32" & Over	.BSP	call
Adjustable Height - Pneumatic (Fix/Tilt)	.BAT	\$ 687
Casters ● - Vela Wheel (72" only)	.BCV	\$ 93
Mix - Vela Wheel Casters & Glides (72" only)	.BMV	\$ 88
Self-Leveling Glides ●	.BLG	\$ 25
Stretcher Rail (Fix/Tilt) Finish Same As Base	.BSR	\$ 133

Finish Options		
Powder Coat - Standard		n/c
Powder Coat - Premium		\$ 53

Top Options		
Table Link (all four sides)	.TLK	\$ 138
Table Link (30" ends only)	.TLE	\$ 72
Lightweight Laminate Core (to 96" length)	.TLL	\$ 131
Special Laminate	.TSP	call

Power and Data Options		
1 Henri - Location A (Jacks Not Included)	.PHA	\$ 191
2 Henris - Location E (Jacks Not Included)	.PHE	\$ 382
1 Henri (Jacks Not Included)	.PH1	\$ 191
2 Henris (Jacks Not Included)	.PH2	\$ 382
3 Henris (Jacks Not Included)	.PH3	\$ 573
Power & Data Globe w/Data Jacks	.PPD	\$ 223
Power Source Outlets	.PPS	\$ 61
Powerlink Package	.PPT	\$ 689

Wire Management Options		
Basket, Modesty Mount	.WBM	\$ 51
Basket, Under Top Mount	.WBT	\$ 51
Wire Mesh Legway (pair)	.WML	\$ 112
1 Oval Brush Grommet - Location A	.WOA	\$ 51
2 Oval Brush Grommets - Location E	.WOE	\$ 102
1 Oval Brush Grommet - Provide Location Print	.WOG	\$ 51
1 Round Grommet - Location A	.WRA	\$ 40
2 Round Grommets - Location E	.WRE	\$ 80
1 Round Grommet - Provide Location Print	.WRG	\$ 40

Accessories		
Voice & Data Jacks (1 each per Henri Unit)	.AHVDJ	\$ 42
Data Jacks (2 per Henri Unit)	.AHDJ	\$ 48
Quick Connect (1 per Henri Unit)		
Includes 2 Voice, 2 Data Jacks	.AHQCVJ	\$ 106
Quick Connect (1 per Henri Unit)		
Includes 4 Data Jacks	.AHQCDJ	\$ 122
Keyboard Platform w/Mouse Surface	.AKP24M	\$ 424
CPU Holder (3" - 9" adjustment)	.ACPU3-9F	\$ 130
CPU Holder (5" - 8" adjustment)	.ACPU5-8F	\$ 85
CPU Holder (3" - 5" adjustment)	.ACPU3F	\$ 85
Table Transport	.ATT3054	\$1040
Table Floor Mount Bracket Set	.AFB	\$ 30