



3form® [wovin®]



BLACKBOARD
WASHINGTON, DC

Tiles: Standard
Material: White Gloss Laminate
Frame: Standard
Firm: Hickok Cole
Photography: Adrian Wilson

wovin wall + wave wall

STUNNING FEATURES

Striking textured walls and
ceilings ideal for backlighting

DESIGN FREEDOM

Warm wood, cool metals,
powerful color without
boundaries

ACOUSTIC SOLUTION

Proven acoustic performance
with style and function

EASY-TO- INSTALL

Save time and money
Ships complete

ReadytoGo

Over 75 Easy-to-Specify
Packaged Solutions

3-form.com/readytogo

Wovin Wall designs create a powerful statement in a lobby or foyer. Tile finishes can be selected to compliment the colors and textures of the surrounding interior space.



ROYAL OAK HOTEL
SYDNEY, AUSTRALIA

Tiles: Standard
Material: Maple Straight Grain
Frame: Standard



TRELLINI INTERNATIONAL
SYDNEY, AUSTRALIA

Tiles: Standard
Material: White Gloss Laminate
Frame: Standard

HAN CAFÉ
MORLEY, WESTERN AUSTRALIA

Tiles: Standard
Material: Asian Cherry
Frame: Standard





BACKLIGHTING


Full backlighting packages including fixtures, diffusers and hardware are available. Please contact your Sales Representative for more information.

THE WIT HOTEL
CHICAGO, ILLINOIS

Tiles: Standard
Material: Anodized Aluminum
Natural
Frame: Standard
Firm: Johnson Studio
Photography: Ballogg

XANGO HEADQUARTERS
LEHI, UTAH

Tiles: Standard
Material: White Gloss Laminate
Frame: Standard
Firm: FFKR
Photography: Benjamin Lowry



EASY INSTALLATION

The Wovin Wall System consists of a lightweight mounting grid, which can be fixed to almost any wall or ceiling surface. The Wovin tiles are snapped into this grid in alternating directions to create the distinctive woven pattern.

Wovin Wall can be installed with or without a surrounding frame. There are two options available to finish the edges of the wall. Both frame styles come in clear anodized aluminum.

XANGO HEADQUATERS

Designers with FFKR Architects chose 3form Wovin Wall, a value solution relative to its dramatic impact. Specified in white gloss laminate, the wall added texture and depth to the signature white interior. With a dynamic color changing LED light installation, the feature changes color adding another layer of interest.

Installed in less than one day, Wovin Wall contributed to an overall cost-reduction for Xango. Additionally, the modular system allows for easy maintenance for the high traffic lobby.




PROVEN ACOUSTIC PERFORMANCE

Wovin Wall achieved outstanding ASTM C 423-079 results for acoustical properties. Textural tiles absorb harsh echoes and empty ringing sounds in lobby areas, corridors, cafeterias, restaurants, offices or auditoriums.

TECHNOLOGY

The Wovin Wall System achieved excellent acoustical results particularly in the medium frequencies (500–1000hz) where vocal noises can often be an issue in interior spaces. Complete test certificates are available upon request.



IBM EXECUTIVE CENTER
SAN JOSE, CALIFORNIA

Tiles: Standard
Material: American Walnut
Frame: Custom Curved Lightbox
Firm: HOK

ACQUOLINA BAR
BRISBANE, AUSTRALIA

Tiles: Standard
Material: Satin Brushed, Natural
Aluminum, Chili, Black Oak
Frame: Standard




ANDAZ HOTEL
LONDON, UNITED KINGDOM

Tiles: Standard
Material: White Gloss Laminate


WAVE WALL

Wave Wall, as its name suggests, is an undulating wave of elegantly long, beautiful tiles, available in either a continuous or alternating pattern. Tiles are positioned within grooved aluminium

extrusions which form a lightweight framework. Wave Wall, like Wovin Wall, is a modular system making it easy to transport, install and is available in most of the same finishes as Wovin Wall.



Alternating



Ready to Go

This Wave Wall feature is Ready to Go. See page 17 for more information.

PATTERN OPTIONS

ALTERNATING

Tiles are positioned in an alternating formation for a textured, billowing appearance.

CONTINUOUS

Tiles are positioned in a continuous formation for flowing motion.



Continuous

3FORM SHOWROOM
SALT LAKE CITY, UT

Tiles: Wave Wall - Alternating
Material: Ebony Straight Grain
with Edge Trim

3FORM SHOWROOM
SALT LAKE CITY, UT

Tiles: Wave Wall - Continuous
Material: Black Oak Straight Grain
with Edge Trim



KE-ZU (CAT'S EYE)
SYDNEY, AUSTRALIA

Tiles: Standard
Material: Gloss White Laminate
Inserts: Silver Polypropylene
Frame: Standard

CAT'S EYE

Cat's Eye is an elegantly simple and modern tile design creating a stunning effect in any space. The Cat's Eye tile creates an entirely different atmosphere, look and texture, depending on the combination of materials.

CUSTOMIZING CAT'S EYE

Cat's Eye is an elliptical shape cut away from the center of a Wovin Wall tile to reveal a second tile layer inserted behind. The Cat's Eye tile design is currently available in Designer White Gloss Laminate, Polyresin and Wood Veneer tiles with a selection of opaque and translucent Cat's Eye linings.

CUSTOM IMAGERY

Wovin Wall® is the perfect medium for photographs and company graphics. Printed tiles create unique interior statements. Reinforce branding with custom colors or display new product ranges for changing seasons.

CASCADE BLUE ORCHID
SALT LAKE CITY, UT

Tiles: Oval
Material: HighRes Transwhite Resin
Frame: Deluxe



3FORM HIGHRES

Resin meets high resolution.
Custom printing up to
300 dpi with precise panel
to panel registration.



3FORM SHOWROOM
SALT LAKE CITY, UT

Tiles: Standard
Material: 3form C3
Frame: Standard


WOVIN WALL AND CUSTOM COLORS

The union of 3form and Wovin Wall is a perfect integration of material and form. Choose from the over 10,000 C3 colors to create a stunning three dimensional Wovin Wall installation ideally suited to your interior palette. Made from Varia Ecoresin® with 40% post-industrial recycled content, 3form C3 can help you earn LEED® credits.

THE 3FORM C3 COLOR MATCHING SYSTEM


Refine The Hue

Select Up to Three Layers



Control Opacity

Select Two Colors | Add Opacity



C3 is an advanced color design system which creates a stunning array of jewel-like hues through a patent-pending layering system. 30+ C3 color interlayers can be combined up to three layers deep to create an incredible range of exciting and exact color specifications – over 10,000 color options! For Wovin Wall specifications, your custom C3 combination will have a back layer of semi-transparent white, Ghost. Ghost light transmission is ideal for back-lit Wovin Wall applications.


AVAILABLE MATERIALS

Wovin Wall and Wave Wall are available in a variety of materials from 3form C3™ and Varia Ecoresin® 1/16" gauge, to a curated collection of real wood laminates, polyresin, anodized aluminum, laminate and custom HighRes imagery.


TILE SHAPES

Wovin Wall is available in two tile shapes for different stylish and 3-dimensional effects.


Standard Tile



Oval Tile



WOOD VENEERS



American Walnut Crown




Asian Cherry*



Black Oak*




Cherry*



Ebony*




Maple*



Old English Mahogany*




Teak Sabbata



Wenge Crown



White Oak*



Zebra Wood*

*Straight Grain

SOLIDS

BRUSHED ANODIZED ALUMINUM



Copper




Gold



Light Bronze



Natural



Smoke


POLYRESIN/LAMINATE



String



Frappe



Whip



Chill



White Gloss Laminate

VARIA ECORESIN



Courier



Mari Seamless



Script



Spider



Tanaka


All Varia Ecoresin products will have a back layer of semi-transparent white, Ghost. Ghost's light transmission is ideal for back-lit Wovin Wall applications.

3form® Ready to Go

Easy-to-Specify Complete Assemblies

Create custom sliding doors, insert dramatic tables, add exquisite illuminated features — all with off-the-shelf specification and full service.

WALL FEATURE 11



WALL FEATURE 11 | **wovin wall**^{o1}

Easy to install, modular wall feature

- 9 tiles tall x 11 tiles wide
- Proven acoustical performance
- Extremely easy to install
- Standard frame and tile shape
- Easy to change out tiles as design dictates
- 2 week lead time
- Choose from a variety of 3form design options:
 - Aluminum, available in five finishes
 - Wood veneers, available in eleven premium finishes
 - C3, available in more than 10,000 colors
 - Polyresin, available in four neutral shades

FOOTPRINT: 105 5/16" W x 86 7/16" H

MATERIAL: Aluminum, Wood Veneer, C3, or Polyresin

** PRICE MAY VARY DEPENDING ON WOOD VENEER FINISH
¹ SUBJECT OF ONE OR MORE PATENTS PENDING.

ALUMINUM

SOLUTION COST	\$5,145.01
LIGHTING SOLUTION COST	\$1,584.86

WOOD VENEER¹

(CHERRY STRAIGHT GRAIN SHOWN)

SOLUTION COST **	\$3,865.39
LIGHTING SOLUTION COST	\$1,584.86

C3¹

SOLUTION COST	\$2,880.04
LIGHTING SOLUTION COST	\$1,584.86

POLYRESIN

SOLUTION COST	\$1,547.33
LIGHTING SOLUTION COST	\$1,584.86


One call takes care of your project. **800.726.0126**

Learn more about **ReadytoGo** at: 3-form.com/readytogo



WALL FEATURE 12

Wall Feature 12 shown with
ebony straight grain | wood veneer



WALL FEATURE 12 | **wave wall**^{®1}

Easy to install, contemporary, modular wall feature

- 7 tiles tall x 4 tiles wide
- Installs in alternating formation
- Extremely easy to install
- Easy to change out tiles as design dictates
- 2 week lead time
- Choose from 11 premium wood veneers

FOOTPRINT: 9' 10 1/4" W x 6' 3 1/4" H

MATERIAL: Wood Veneer

SOLUTION COST **

\$4,921.38

** PRICE MAY VARY DEPENDING ON WOOD VENEER FINISH

¹ SUBJECT OF ONE OR MORE PATENTS PENDING.

PRICES SUBJECT TO CHANGE PLEASE CONTACT YOUR SALES REPRESENTATIVE.



BLACKBOARD
WASHINGTON, DC

Tiles: Standard
Material: White Gloss Laminate
Frame: Standard
Firm: Hickok Cole

Customer Service

This dedicated and knowledgeable group is ready to answer common questions regarding pricing, available products, order status and more.

800.726.0126

customer.service@3-form.com

Technical Support

A team of experienced 3form installers and fabricators, Technical Support is your resource for instant answers on correctly specifying fabricated translucent pieces. Technical Support can also provide detailed CAD files for your drawings to ensure your vision is realized.

877.649.2670

technical.support@3-form.com

New York Showroom

520 8th Avenue, 20th Floor
New York, NY 10018

Phone: **212.627.0883** | Fax: **212.627.0898**

3form USA

2300 West 2300 South
Salt Lake City, Ut 84119

Phone: **801.649.2500** | Toll Free: **800.726.0126** | Fax: **801.649.2699**

Products used herein are trademarks or registered trademarks of 3form, Inc.

Products depicted may be protected under one or more of the following US Patents and International or US patents pending: 5,643,666; 5,894,048; 5,958,539; 5,998,028; 6,025,069; 7,008,700; 7,481,957; 7,504,159; D587,821

For a copy of this brochure, 3form material samples, or to contact a 3form representative in your area call: **800.726.0126** or visit **3-form.com**.



Committed People, Breakthrough Products, Better Planet.

Committed People

3form employees are a passionate, dedicated and knowledgeable group ready to assist you with simple design specification, as well as the most complex custom design solutions. Our cross-functional team of trained architects, material engineers, and structural experts, familiar with the unique properties of 3form materials, will realize and expand your innovative vision.

Breakthrough Products

From materials that break the mold, hardware solutions that simplify installations, to one-stop solutions that provide instant design possibilities, 3form has created a breadth and depth of offerings that make the connection from inspiration to installation seamless and uniquely yours.

Better Planet

Exceeding industry expectations, 3form has distinctively aggressive goals for minimizing the impact of not only our products, but our processes. Our Path to Zero goals are a commitment to continually reducing our overall environmental footprint toward the ultimate goal of total sustainability.



3-form.com | 800.726.0126