

30" Navitronic Single Oven
- No Cooktop



Undercounter Installation

		Toe Kick Height										
		3 1/2	3 3/4	4	4 1/4	4 1/2	4 3/4	5	5 1/4	5 1/2	5 3/4	6
Countertop Thickness	3/4	OK	OK	OK	OK	OK	OK	OK	OK	NA	NA	NA
	1	OK	OK	OK	OK	OK	OK	OK	OK	NA	NA	NA
	1 1/4	OK	OK	OK	OK	OK	OK	OK	OK	NA	NA	NA
	1 1/2	OK	OK	OK	OK	OK	OK	OK	OK	NA	NA	NA
	1 3/4	OK	OK	OK	OK	OK	OK	OK	OK	NA	NA	NA
	2	OK	OK	OK	OK	OK	OK	OK	OK	NA	NA	NA
	2 1/4	OK	OK	OK	OK	OK	OK	OK	OK	NA	NA	NA
	2 1/2	OK	OK	OK	OK	OK	OK	OK	OK	NA	NA	NA
	2 3/4	OK	OK	OK	OK	OK	OK	OK	OK	NA	NA	NA
	3	OK	OK	OK	OK	OK	OK	OK	OK	NA	NA	NA
	3 1/4	OK	OK	OK	OK	OK	OK	OK	OK	NA	NA	NA
	3 1/2	OK	OK	OK	OK	OK	OK	OK	OK	NA	NA	NA
	3 3/4	OK	OK	OK	OK	OK	OK	OK	OK	NA	NA	NA
	4	OK	OK	OK	OK	OK	OK	OK	OK	NA	NA	NA

Assumptions:

- Spacer (if applicable) must be placed above oven
- **34 1/2"** to underside of countertop
- **3/4"** Platform thickness under oven / over toekick

 = Typical

NOTE: All dimensions in inches

**30" Navitronic Single Oven
- KM360**



Undercounter Installation

		Toe Kick Height										
		3 1/2	3 3/4	4	4 1/4	4 1/2	4 3/4	5	5 1/4	5 1/2	5 3/4	6
Countertop Thickness	3/4	OK	OK	OK	OK	NA	NA	NA	NA	NA	NA	NA
	1	OK	OK	OK	OK	OK	NA	NA	NA	NA	NA	NA
	1 1/4	OK	OK	OK	OK	OK	OK	NA	NA	NA	NA	NA
	1 1/2	OK	OK	OK	OK	OK	OK	OK	NA	NA	NA	NA
	1 3/4	OK	OK	OK	OK	OK	OK	OK	OK	NA	NA	NA
	2	OK	OK	OK	OK	OK	OK	OK	OK	NA	NA	NA
	2 1/4	OK	OK	OK	OK	OK	OK	OK	OK	NA	NA	NA
	2 1/2	OK	OK	OK	OK	OK	OK	OK	OK	NA	NA	NA
	2 3/4	OK	OK	OK	OK	OK	OK	OK	OK	NA	NA	NA
	3	OK	OK	OK	OK	OK	OK	OK	OK	NA	NA	NA
	3 1/4	OK	OK	OK	OK	OK	OK	OK	OK	NA	NA	NA
	3 1/2	OK	OK	OK	OK	OK	OK	OK	OK	NA	NA	NA
	3 3/4	OK	OK	OK	OK	OK	OK	OK	OK	NA	NA	NA
	4	OK	OK	OK	OK	OK	OK	OK	OK	NA	NA	NA

Assumptions:

- Spacer (if applicable) must be placed above oven
- **34 1/2"** to underside of countertop
- **3/4"** Platform thickness under oven / over toekick
- **3/4"** elbow for gas connection

 = Typical

NOTE: All dimensions in inches

30" Navitronic Single Oven
- KM391



Undercounter Installation

		Toe Kick Height										
		3 1/2	3 3/4	4	4 1/4	4 1/2	4 3/4	5	5 1/4	5 1/2	5 3/4	6
Countertop Thickness	3/4	OK	OK	OK	OK	OK	NA	NA	NA	NA	NA	NA
	1	OK	OK	OK	OK	OK	OK	NA	NA	NA	NA	NA
	1 1/4	OK	OK	OK	OK	OK	OK	OK	NA	NA	NA	NA
	1 1/2	OK	OK	OK	OK	OK	OK	OK	OK	NA	NA	NA
	1 3/4	OK	OK	OK	OK	OK	OK	OK	OK	NA	NA	NA
	2	OK	OK	OK	OK	OK	OK	OK	OK	NA	NA	NA
	2 1/4	OK	OK	OK	OK	OK	OK	OK	OK	NA	NA	NA
	2 1/2	OK	OK	OK	OK	OK	OK	OK	OK	NA	NA	NA
	2 3/4	OK	OK	OK	OK	OK	OK	OK	OK	NA	NA	NA
	3	OK	OK	OK	OK	OK	OK	OK	OK	NA	NA	NA
	3 1/4	OK	OK	OK	OK	OK	OK	OK	OK	NA	NA	NA
	3 1/2	OK	OK	OK	OK	OK	OK	OK	OK	NA	NA	NA
	3 3/4	OK	OK	OK	OK	OK	OK	OK	OK	NA	NA	NA
	4	OK	OK	OK	OK	OK	OK	OK	OK	NA	NA	NA

Assumptions:

- Spacer (if applicable) must be placed above oven
- **34 1/2"** to underside of countertop
- **3/4"** Platform thickness under oven / over toekick
- **3/4"** elbow for gas connection

 = Typical

NOTE: All dimensions in inches

30" Navitronic Single Oven
- All KM34XX Models



Undercounter Installation

		Toe Kick Height										
		3 1/2	3 3/4	4	4 1/4	4 1/2	4 3/4	5	5 1/4	5 1/2	5 3/4	6
Countertop Thickness	3/4	OK	OK	OK	NA	NA	NA	NA	NA	NA	NA	NA
	1	OK	OK	OK	OK	NA	NA	NA	NA	NA	NA	NA
	1 1/4	OK	OK	OK	OK	OK	NA	NA	NA	NA	NA	NA
	1 1/2	OK	OK	OK	OK	OK	OK	NA	NA	NA	NA	NA
	1 3/4	OK	OK	OK	OK	OK	OK	OK	NA	NA	NA	NA
	2	OK	OK	OK	OK	OK	OK	OK	OK	NA	NA	NA
	2 1/4	OK	OK	OK	OK	OK	OK	OK	OK	NA	NA	NA
	2 1/2	OK	OK	OK	OK	OK	OK	OK	OK	NA	NA	NA
	2 3/4	OK	OK	OK	OK	OK	OK	OK	OK	NA	NA	NA
	3	OK	OK	OK	OK	OK	OK	OK	OK	NA	NA	NA
	3 1/4	OK	OK	OK	OK	OK	OK	OK	OK	NA	NA	NA
	3 1/2	OK	OK	OK	OK	OK	OK	OK	OK	NA	NA	NA
	3 3/4	OK	OK	OK	OK	OK	OK	OK	OK	NA	NA	NA
	4	OK	OK	OK	OK	OK	OK	OK	OK	NA	NA	NA

Assumptions:

- Spacer (if applicable) must be placed above oven
- **34 1/2"** to underside of countertop
- **3/4"** Platform thickness under oven / over toekick
- **3/4"** elbow for gas connection

 = Typical

NOTE: All dimensions in inches

30" Navitronic Single Oven
- KM421/KM424/KM427/KM452



Undercounter Installation

		Toe Kick Height										
		3 1/2	3 3/4	4	4 1/4	4 1/2	4 3/4	5	5 1/4	5 1/2	5 3/4	6
Countertop Thickness	3/4	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	1	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	1 1/4	OK	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	1 1/2	OK	OK	NA	NA	NA	NA	NA	NA	NA	NA	NA
	1 3/4	OK	OK	OK	NA	NA	NA	NA	NA	NA	NA	NA
	2	OK	OK	OK	OK	NA	NA	NA	NA	NA	NA	NA
	2 1/4	OK	OK	OK	OK	OK	NA	NA	NA	NA	NA	NA
	2 1/2	OK	OK	OK	OK	OK	OK	NA	NA	NA	NA	NA
	2 3/4	OK	OK	OK	OK	OK	OK	OK	NA	NA	NA	NA
	3	OK	OK	OK	OK	OK	OK	OK	OK	NA	NA	NA
	3 1/4	OK	OK	OK	OK	OK	OK	OK	OK	NA	NA	NA
	3 1/2	OK	OK	OK	OK	OK	OK	OK	OK	NA	NA	NA
	3 3/4	OK	OK	OK	OK	OK	OK	OK	OK	NA	NA	NA
	4	OK	OK	OK	OK	OK	OK	OK	OK	NA	NA	NA

Assumptions:

- Spacer (if applicable) must be placed above oven
- **34 1/2"** to underside of countertop
- **3/4"** Platform thickness under oven / over toekick

 = Typical

NOTE: All dimensions in inches

30" Navitronic Single Oven
- KM5676 / KM5656



Undercounter Installation

		Toe Kick Height										
		3 1/2	3 3/4	4	4 1/4	4 1/2	4 3/4	5	5 1/4	5 1/2	5 3/4	6
Countertop Thickness	3/4	OK	OK	OK	OK	NA	NA	NA	NA	NA	NA	NA
	1	OK	OK	OK	OK	OK	NA	NA	NA	NA	NA	NA
	1 1/4	OK	OK	OK	OK	OK	OK	NA	NA	NA	NA	NA
	1 1/2	OK	OK	OK	OK	OK	OK	OK	NA	NA	NA	NA
	1 3/4	OK	OK	OK	OK	OK	OK	OK	OK	NA	NA	NA
	2	OK	OK	OK	OK	OK	OK	OK	OK	NA	NA	NA
	2 1/4	OK	OK	OK	OK	OK	OK	OK	OK	NA	NA	NA
	2 1/2	OK	OK	OK	OK	OK	OK	OK	OK	NA	NA	NA
	2 3/4	OK	OK	OK	OK	OK	OK	OK	OK	NA	NA	NA
	3	OK	OK	OK	OK	OK	OK	OK	OK	NA	NA	NA
	3 1/4	OK	OK	OK	OK	OK	OK	OK	OK	NA	NA	NA
	3 1/2	OK	OK	OK	OK	OK	OK	OK	OK	NA	NA	NA
	3 3/4	OK	OK	OK	OK	OK	OK	OK	OK	NA	NA	NA
	4	OK	OK	OK	OK	OK	OK	OK	OK	NA	NA	NA

Assumptions:

- Spacer (if applicable) must be placed above oven
- **34 1/2"** to underside of countertop
- **3/4"** Platform thickness under oven / over toekick

 = Typical

NOTE: All dimensions in inches

30" Navitronic Single Oven
- KM5753 / KM5773



Undercounter Installation

		Toe Kick Height										
		3 1/2	3 3/4	4	4 1/4	4 1/2	4 3/4	5	5 1/4	5 1/2	5 3/4	6
Countertop Thickness	3/4	OK	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	1	OK	OK	NA	NA	NA	NA	NA	NA	NA	NA	NA
	1 1/4	OK	OK	OK	NA	NA	NA	NA	NA	NA	NA	NA
	1 1/2	OK	OK	OK	OK	NA	NA	NA	NA	NA	NA	NA
	1 3/4	OK	OK	OK	OK	OK	NA	NA	NA	NA	NA	NA
	2	OK	OK	OK	OK	OK	OK	NA	NA	NA	NA	NA
	2 1/4	OK	OK	OK	OK	OK	OK	OK	NA	NA	NA	NA
	2 1/2	OK	OK	OK	OK	OK	OK	OK	OK	NA	NA	NA
	2 3/4	OK	OK	OK	OK	OK	OK	OK	OK	NA	NA	NA
	3	OK	OK	OK	OK	OK	OK	OK	OK	NA	NA	NA
	3 1/4	OK	OK	OK	OK	OK	OK	OK	OK	NA	NA	NA
	3 1/2	OK	OK	OK	OK	OK	OK	OK	OK	NA	NA	NA
	3 3/4	OK	OK	OK	OK	OK	OK	OK	OK	NA	NA	NA
	4	OK	OK	OK	OK	OK	OK	OK	OK	NA	NA	NA

Assumptions:

- Spacer (if applicable) must be placed above oven
- **34 1/2"** to underside of countertop
- **3/4"** Platform thickness under oven / over toekick

 = Typical

NOTE: All dimensions in inches