


Product Dimensions

Washing Machines

W4802, W4842



IMPORTANT INFORMATION
Please note that these units are right hinged only and cannot be reversed

Location Codes
D - 5 foot flexible drain hose connects upper left rear.
E - 120 Volt - 15 Amp 5 foot 3 -wire molded plug power supply connects upper right rear (NEMA 5-15)
W - 5 foot separate flexible hot and cold water intake hoses connect upper left rear.
Notes
• All installations must be done in accordance with local codes
• Remove transport struts in rear of machine before installation.


Product Dimensions

Washing Machines


W4802, W4842



Rear View




SideView



Location Codes
<i>D - 5 foot flexible drain hose connects upper left rear.</i> <i>E - 120 Volt - 15 Amp 5 foot 3 -wire molded plug power supply connects upper right rear (NEMA 5-15)</i> <i>W - 5 foot separate flexible hot and cold water intake hoses connect upper left rear.</i>
Notes
• All installations must be done in accordance with local codes • Remove transport struts in rear of machine before installation.

Product Dimensions

Laundry Stand WTS430



Notes

- ***All installations must be done in accordance with local codes***
- ***Remove transport struts in rear of machine before installation.***

NOTE: Drawing is not to scale.
SPECIFICATION SHEETS 150410