

SYSTEM INFORMATION

OfficeBox Pedestal.

The body construction is based on a compound system consisting of a steel skeleton and body cladding. Both are joined by a separable connection.

The steel skeleton consists of two welded steel frames with integrated rows of holes to accept drawer runners. This system ensures that the load of the drawer runners is transmitted directly to the floor via the steel skeleton and the double castors. A direct, statically-optimum load transfer is thus achieved. The sides of the body cladding are not load bearing.

The body cladding can be either melamine-resin laminated LIGNOpal chipboard or steel sheet.

The drawers are based on a secure connection between drawer, runner and skeleton which allows the steel skeleton to be manufactured to the closest of tolerances with practically no play and wear.

The drawers are fitted with telescopic runners using hardened steel balls in ball races which allow the load to be optimally distributed resulting in quieter running. In this way, the pedestal achieves a 20-30% higher service life.

Further characteristic features: All pedestals are equipped with central locking and end stops. Mobile pedestals have 4 double castors (two of which can be locked), free-standing pedestals are fitted with 4 adjustable feet.

For further information see the Product-Typology.





OBox-Ne-kurz TY EN - 27.11.2009 - www.vs-furniture.com

PRODUCT INFORMATION

OfficeBox-Ne Short pedestal.

The construction (see system description) is based on a steel skeleton system with integrated rows of holes enabling the twist and wear free acceptance of drawers. The pedestal is fitted with central locking.

Ne-front of melamine-resin laminated LIGNOpal chipboard with glued-on (KU) plastic or (BU) beech edges. Bow handle of metal, plastic or beechwood.

3 body types with cladding of 1. melamine-resin laminated LIGNOpal chipboard, 2. solid metal, 3. perforated-metal. All steel parts are powder-coated.

Drawers in the 2 to 4 height units (HE) sizes with partial or over-extension. Drawers of 6 HE are usually fitted with over-extension.

Fittings: in the 1.5 HE size with plastic material tray or flat steel drawer and material tray. Size 6 HE usually has suspension frames for DIN A4 files.

Following materials are available: Front LIGNOpal = L1,4,6; Carcass LIGNOpal = L1,4,6; Carcass Steel = M2,3,10.

				-		- - -			
OfficeBox			40120	40121	40122	40123	40124	40125	
	Type 2	Solid metal	40220	40221	40222	40223	40224	40225	
	Type 3	Perforated metal	40320	40321	40322	40323	40324	40325	
		w·h·d	44,7·56,5·56			44,7·61,5·56			
		HE	9,5			10,5			
		HE	1,5·2·6	1,5·2·3·3	1,5·2·2·4	1,5·3·6	1,5-3-3-3	1,5-2-3-4	
		Storage set no.	1	2		1	2		





OBox-Ne-lang_TY_EN - 27.11.2009 - www.vs-furniture.com

PRODUCT INFORMATION

OfficeBox-Ne Long pedestal.

The construction (see system description) is based on a steel skeleton system with integrated rows of holes enabling the twist and wear free acceptance of drawers. The pedestal is fitted with central locking.

Ne-front of melamine-resin laminated LIGNOpal chipboard with glued-on (KU) plastic or (BU) beech edges. Bow handle of metal, plastic or beechwood.

3 body types with cladding of **1.** melamine-resin laminated LIGNOpal chipboard, **2.** solid metal or **3.** perforated-metal. All steel parts are powder-coated.

Top cover of free-standing pedestals with corners and edges matching VS table tops.

Drawers in the 2 to 4 height unit (HE) sizes with partial or over-extension. Drawers of 6 HE are usually fitted with over-extension.

Fittings: in the 1.5 HE size with plastic material tray or flat steel drawer and material tray. Size 6 HE usually has suspension frames for DIN A4 files.

Following materials are available: Front LIGNOpal = L1,4,6; Carcass LIGNOpal = L1,4,6; Carcass Steel = M2,3,10.

			=		- - -	-				- - -	
OfficeBox	Tyne 1	LIGNOpal	40130	40131	40132	40133	40134	40135	40136	40137	40138
		Solid metal	40230	40231	40232	40233	40234	40235	40130	40137	40130
	Type 3	Perforated metal	40330	40331	40332	40333	40334	40335			
		w·h·d	44,7·56,5·76			44,7·61,5·76			44,7·72(74)(76)·80		
		HE	9,5			10,5			13,5		
		HE	1,5·2·6	1,5-2-3-3	1,5-2-2-4	1,5·3·6	1,5·3·3·3	1,5·2·3·4	1,5-6-6	1,5-3-3-6	1,5-3-3-3
		Storage set no.	3	4		3	4		-	5	6