



S2000-A-Ax_TY_EN - 18.12.2008 - www.vs-furniture.com

PRODUCT INFORMATION

Serie 2000

Typ F. Functional (adaptable) partition for Axis 360°.

System consists of an add-on element (standing).

Construction is based on a four-sided frame of aluminium profile and a filling element. The sides have a vertical optical and functional groove as well as an integrated but removable U-shaped plastic strip for linking two privacy screens without using tools.

Filling element 1. Melamine-resin laminated LIGNOpal chipboard. 2. LIGNOpal chipboard laminated with a vitreous-enamelled metal sheet to which magnets adhere. 3. A soft flaxboard covered with fabric. 4. A melamine-resin laminated sound-absorbing panel with slits. 5. A translucent double-ribbed board.



Supporting element consists of adjustable feet.

Intended for attachment to the multifunctional rail of Axis 360° tables.

Please note: When hanging accessories into the functional groove, the maximum loading must be observed (see table).

Following materials and colours are available: Laminate: L4. Fabric: S15. White vitreous-enamelled steel.

Other models illustrated on this page: Serie 900, Serie 700, Xantos-Turn.

		 The gap between the screen (docking element) and the outside edge of the table must be at least 15 cm.				
Serie 2000 Typ F (a)	h = 116		05430	05431	05432	05433
	h = 154		05435	05436	05437	05438
	h = 191		05440	05441	05442	05443
	w		80	90	100	120
	maximum load		30			



S2000-A-Ne_TY_EN - 27.11.2009 - www.vs-furniture.com

PRODUCT INFORMATION

Serie 2000

Typ F. Functional (adaptable) partition for NetWork.

System consists of an add-on element (standing).

Construction is based on a four-sided frame of aluminium profile and a filling element. The sides have a vertical optical and functional groove as well as an integrated but removable U-shaped plastic strip for linking two privacy screens without using tools.

Filling element 1. Melamine-resin laminated LIGNOpal chipboard. 2. LIGNOpal chipboard laminated with a vitreous-enamelled metal sheet to which magnets adhere. 3. A soft flaxboard covered with fabric. 4. A melamine-resin laminated sound-absorbing panel with slits. 5. A translucent double-ribbed board.


Supporting element consists of adjustable feet.

Intended for attachment to the top frame of NetWork tables.

Please note: When hanging accessories into the functional groove, the maximum loading must be observed (see table).

Following materials are available: Frame = Alu (anodised); Runner/Foot = M11; Writing surface = E3; Pin surface = S15; Acoustic surface = L7; Visible surface = L1,4,6,C5.

Other models illustrated on this page: NetWork, Xantos-Turn.

						
Serie 2000 Typ F (a)	h = 118		05430	05431	05432	05433
	h = 155		05435	05436	05437	05438
	h = 193		05440	05441	05442	05443
	w		80	90	100	120
	maximum load		30			



S2000-A-S901_TY_EN - 27.11.2009 - www.vs-furniture.com

PRODUCT INFORMATION

Serie 2000

Typ F. Functional (adaptable) partition for Serie 901.

System consists of an add-on element (standing).

Construction is based on a four-sided frame of aluminium profile and a filling element. The sides have a vertical optical and functional groove as well as an integrated but removable U-shaped plastic strip for linking two privacy screens without using tools.

Filling element 1. Melamine-resin laminated LIGNOpal chipboard. 2. LIGNOpal chipboard laminated with a vitreous-enamelled metal sheet to which magnets adhere. 3. A soft flaxboard covered with fabric. 4. A melamine-resin laminated sound-absorbing panel with slits. 5. A translucent double-ribbed board.


Supporting element consists of adjustable feet.

Intended for attachment to the cross-member of Serie 901 tables.

Please note: When hanging accessories into the functional groove, the maximum loading must be observed (see table).

Following materials are available: Frame = Alu (anodised); Runner/Foot = M11; Writing surface = E3; Pin surface = S15; Acoustic surface = L7; Visible surface = L1,4,6,C5.

Other models illustrated on this page: Serie 901.

							
Serie 2000 Typ A	h = 118		05430	05431	05432	05433	
	h = 155		05435	05436	05437	05438	
	h = 193		05440	05441	05442	05443	
	w		80	90	100	120	
	maximum load		30				



S2000-Boden_TY_EN - 27.11.2009 - www.vs-furniture.com

PRODUCT INFORMATION




Serie 2000 Open shelf.

Construction consists of aluminium ends and a shelf of either aluminium or melamine-resin laminated LIGNOpal chipboard, alternatively a shaped grid element.

Intended for hanging into the groove of functional partitions. Connection in the function groove of functional screens, adaptable screens and screen panels. Can be freely positioned vertically. Depending on the feet runners/stabilisers of the screens or the fastening points of the adaptable screens and screen panels, the bases can be dropped in on one side or both sides.

Please note: Do not exceed the maximum load (see table) when integrating accessories.

Following materials are available: Frame = Alu (anodised); Runner/Foot = M11; Writing surface = E3; Pin surface = S15; Acoustic surface = L7; Visible surface = L1,4,6,C5.

												
Serie 2000			5600	5601	5602	5603	5610	5611	5612	5613	5605	5606
	w		80	90	100	120	80	90	100	120	80	90
	d					32,8					32,5	
	maximum load				10			15			3	



S2000-D_TY_EN - 01.12.2010 - www.vs-furniture.com

PRODUCT INFORMATION

Serie 2000

Typ D. Privacy screen.

System consists of a single element.

Construction is based on a four-sided frame of aluminium profile and a filling element. The sides have a vertical optical and functional groove as well as an integrated but removable U-shaped plastic strip for linking two privacy screens without using tools.

Filling element 1. Melamine-resin laminated LIGNOpal chipboard. 2. LIGNOpal chipboard laminated with a vitreous-enamelled metal sheet to which magnets adhere. 3. A soft flaxboard covered with fabric. 4. A melamine-resin laminated sound-absorbing panel with slits. 5. A translucent double-ribbed board.

Supporting element consists of two small T-shaped feet.

Please note: Accessories cannot be hung into the functional groove of the privacy screen.

Following materials are available: Frame = Alu (anodised); Runner/Foot = M11; Writing surface = E3; Pin surface = S15; Acoustic surface = L7; Visible surface = L1,4,6,C5.

Other models illustrated on this page: NetWork.

							
Serie 2000 Typ D	Total h = 116		5710	5711	5712	5713	
	Total h = 153		5715	5716	5717	5718	
	Total h = 191		5720	5721	5722	5723	
	w		80	90	100	120	
	maximum load		0				



S2000-F_TY_EN - 27.11.2009 - www.vs-furniture.com

PRODUCT INFORMATION

Serie 2000

Typ F. Functional partition.

System consists of basic, add-on and hanging elements.

Construction is based on a four-sided frame of aluminium profile and a filling element. The sides have a vertical optical and functional groove as well as an integrated but removable U-shaped plastic strip for linking two privacy screens without using tools. An adapter can be used for 90° and 180° joints.

Filling element 1. Melamine-resin laminated LIGNOpal chipboard. 2. LIGNOpal chipboard laminated with a vitreous-enamelled metal sheet to which magnets adhere. 3. A soft flaxboard covered with fabric. 4. A melamine-resin laminated sound-absorbing panel with slits. 5. A translucent double-ribbed board.

Supporting element consisting of combined, short and long stabilisers and adjustable feet.

Please note: When hanging accessories into the functional groove, the maximum loading must be observed (see table).

Following materials are available: Frame = Alu (anodised); Runner/Foot = M11; Writing surface = E3; Pin surface = S15; Acoustic surface = L7; Visible surface = L1,4,6,C5.

Other models illustrated on this page: Serie 901, PantoStack-SH

Serie 2000 Typ F	Total h = 118/124	05400	05401	05402	05403	05415	05416	05417	05418	05430	05431	05432	05433
	Total h = 155/161	05405	05406	05407	05408	05420	05421	05422	05423	05435	05436	05437	05438
	Total h = 193/199	05410	05411	05412	05413	05425	05426	05427	05428	05440	05441	05442	05443
	w	80	90	100	120	80	90	100	120	80	90	100	120
	maximum load	30				20				0			




S2000-F-Zub_TY_EN - 27.11.2009 - www.vs-furniture.com

PRODUCT INFORMATION

Serie 2000 Adapter for Typ F and Typ A.

System consists of a square aluminium profile with 4 integrated plastic U-shaped strips for linking four elements without tools. In this way, 0°, 90°, 180° and 270° joints can be realised.

Following materials are available: Frame = Alu (anodised); Runner/Foot = M11; Writing surface = E3; Pin surface = S15; Acoustic surface = L7; Visible surface = L1,4,6,C5.

			
Serie 2000 Typ F	Total h = 118/124		
	Total h = 155/161		
	Total h = 193/199		
	w		
			5660
			5661
			5662
			4



S2000-Multi_TY_EN - 27.11.2009 - www.vs-furniture.com


PRODUCT INFORMATION

Serie 2000 Multifunctional rail.

Construction consists of an aluminium profile to accept further organisational devices as well as cable clips for electrification. **Intended** for hanging into the groove of functional partitions, adaptable partitions and screens. Can be freely positioned in height.

Please note: When hanging accessories into the functional groove, the maximum loading must be observed (see table).

Following materials are available: Rail = Alu (anodised).

										
Serie 2000			5615	5616	5617	5618	5620	5621	5622	5623
	w		80	90	100	120	80	90	100	120
	maximum load			10				3		



S2000-MultiZub_TY_EN - 27.11.2009 - www.vs-furniture.com

PRODUCT INFORMATION

Serie 2000

Accessories for multifunctional rails.

Organisational accessories of aluminium or translucent plastic.

Intended for hanging into the groove of the multifunctional rail.

Please note: When hanging accessories into the multifunctional rail, the maximum loading must be observed (see table).

Following materials are available: Accessories = Alu (anodised).

									
Serie 2000		5650	5651	5652	5653	5656	5657	5658	21912
	w-h-d / ø	36-5,7-26,6	17-14-26,6	35-6-27	23-25-25	8,5-9,5-9	4,5	38-6-15	
	maximum load kg	3			5	1		1	
		Aluminium			Plastic				
		DIN A4 crossways		DIN A4 crossways					
		Storage tray	File stand	Storage tray	File box	Utensil box	Vase	Utensil tray	Telephone holder



S2000-P-23_TY_EN - 27.11.2009 - www.vs-furniture.com

PRODUCT INFORMATION

Serie 2000

Typ P. Folding screen (2/3 parts).

System consists of 2 or 3 flexibly-jointed, mobile, free-standing screen.

Construction is based on a four-sided frame of aluminium profile and a filling element. Add-on elements are connected by a flexible joint and can be easily folded together.

Filling elements: 1. Melamine-resin laminated LIGNOpal chipboard. 2. LIGNOpal chipboard laminated with a vitreous-enamelled metal sheet to which magnets adhere. 3. A soft flax-board covered with a fabric. 4. A melamine-resin laminated sound-absorbing panel with slits. 5. A translucent double-ribbed board.

Supporting element consists of short struts each with 2 castors and a supporting castor. Optionally with a safety sliding bracket.

Following materials are available: Frame = Alu (anodised); Runner/Foot = M11; Writing surface = E3; Pin surface = S15;

Acoustic surface = L7; Visible surface = L1,4,6,C5.

											
Serie 2000 Typ P	Total h = 124		5530	5531	5532	5533	5545	5546	5547	5548	
	Total h = 161		5535	5536	5537	5538	5550	5551	5552	5553	
	w each (total)		80 (170)	90 (190)	100 (210)	120 (250)	80 (260)	90 (290)	100 (320)	120 (380)	
	maximum load		0								
	No. of elements		2				3				



S2000-P-45_TY_EN - 27.11.2009 - www.vs-furniture.com

PRODUCT INFORMATION

Serie 2000

Typ P. Folding screen (4/5 parts).

System consists of 4 or 5 flexibly-jointed, mobile, free-standing screen.

Construction is based on a four-sided frame of aluminium profile and a filling element. Add-on elements are connected by a flexible joint and can be easily folded together.




Filling elements: 1. Melamine-resin laminated LIGNOpal chipboard. 2. LIGNOpal chipboard laminated with a vitreous-enamelled metal sheet to which magnets adhere. 3. A soft flax-board covered with a fabric. 4. A melamine-resin laminated sound-absorbing panel with slits. 5. A translucent double-ribbed board.

Supporting element consists of short struts each with 2 castors and a supporting castor. Optionally with a safety sliding bracket.

Following materials are available: Frame = Alu (anodised); Runner/Foot = M11; Writing surface = E3; Pin surface = S15;

Acoustic surface = L7; Visible surface = L1,4,6,C5.

Further Models illustrated on this page: PantoFour-LuPo.

										
Serie 2000 Typ P	Total h = 124		5560	5561	5562	5563	5575	5576	5577	5578
	Total h = 161		5565	5566	5567	5568	5580	5581	5582	5583
	w each (total)		80 (350)	90 (390)	100 (430)	120 (510)	80 (440)	90 (490)	100 (540)	120 (640)
	maximum load		0							
No. of elements		4				5				



S2000-P-Einz_TY_EN - 27.11.2009 - www.vs-furniture.com

PRODUCT INFORMATION

Serie 2000 Typ P. Folding screen.

System consists of a basic screen and one or more (max. 4) add-on elements to create a flexibly-jointed, mobile, free-standing screen.

Construction is based on a four-sided frame of aluminium profile and a filling element. Add-on elements are connected by a flexible joint and can be easily folded together.





Filling elements: 1. Melamine-resin laminated LIGNOpal chipboard. 2. LIGNOpal chipboard laminated with a vitreous-enamelled metal sheet to which magnets adhere. 3. A soft flax-board covered with a fabric. 4. A melamine-resin laminated sound-absorbing panel with slits. 5. A translucent double-ribbed board.

Supporting element consists of short struts each with 2 castors and a supporting castor. Optionally with a safety sliding bracket.

Please note: Add-on elements or folding screens can be combined with other furniture systems such as the Serie 600.

Following materials are available: Frame = Alu (anodised); Runner/Foot = M11; Writing surface = E3; Pin surface = S15; Acoustic surface = L7; Visible surface = L1,4,6,C5.

Further Models illustrated on this page: Serie 600.

										
Serie 2000	Total h = 124		5500	5501	5502	5503	5515	5516	5517	5518
Typ P	Total h = 161		5505	5506	5507	5508	5520	5521	5522	5523
Single parts	w each (total)		80	90	100	120	80(90)	90(100)	100(110)	120(130)
	maximum load						0			