



Sanitas Wallcoverings are manufactured by:
RJF International Corporation
3875 Embassy Parkway
Fairlawn, Ohio 44333

Sanitas Wallcoverings
FACT SHEET
Pattern Name: Tsuba©

QUIK SPEC	U.S. UNITS:	METRIC UNITS:
Total Weight:	21 oz. PLY	651 g. PLM
	14 oz. PSY	474.4 g. PSM
Roll Width:	53/54 in.	134/139 cm.
Gauge (average):	0.020 in.	0.51 mm.
Fabric:	Non-Woven	
Tensile (minimum):	50 x 55 lb _f	222 x 245 N
Tear (minimum):	25 x 25	
Federal Spec:	CCC-W-408A, Type II	
CFFA Spec:	CFFA-W-101D, Type II	
Fire Testing:	NFPA 101 [®] Life Safety Code [®] NFPA 255 (UL723, CAN S102M) Tunnel Test ¹ - Class A Rating NFPA 286 Corner Burn Test ² Meets requirements for Flame Spread, Smoke Developed and Flashover U.L. Listed and Labeled	
Repeat: Horizontal	N/A	N/A.
Vertical	5.5 in.	14.0 cm
Nominal Pattern Match:	54 in.	137 cm.
Hanging Instructions:	Reverse Hang	
Special Instructions:	Split horizontal elements at each seam	
1. When tested on GRC board with A-848-B adhesive		
2. When tested on 5/8" type X gypsum board with A-848-B adhesive		

COLORLINE

15 Colorways

Pattern Description: Inspired by the Japanese tsuba, a 14th century sword handguard. 'Low-beam' metallic, aged metal appearance.

2T21-20 Shinai	2T21-85 Pendragon	2T21-53 Samarai	2T21-96 Excalibur
2T21-07 Diato	2T21-14 Lancelot	2T21-98 Bardiche	2T21-70 Musketeer
2T21-31 Katana	2T21-59 Claymore	2T21-83 Highlander	2T21-54 Sting
	2T21-82 Scimitar*	2T21-65 Wakizashi	2T21-49 Dragon Slayer

Notes:

- "Pattern Width" is the trim width on the specification and represents the width of the wallcovering that will be received by the customer.
- "Gauge" is the product thickness measured after the first pattern colorway is produced.
- "Tensile" and "Tear" results are the minimums required by CCC-W-408A federal specifications.
- "Nominal Pattern Width" is the expected width yield from one drop on the wall.

*These decorative metallic effect wallcoverings should only be cleaned with mild ingredients such as soap, detergent and water. Stronger, more alkaline household cleaners (ex. Lestoil®) have the potential to damage the surface of the wallcovering as does excessive scrubbing.