

Sanitas Wallcoverings are manufactured by: RJF International Corporation 3875 Embassy Parkway Fairlawn, Ohio 44333

Sanitas Wallcoverings FACT SHEET

Pattern Name: Cumbria©

QUIK SPEC	U.S. UNITS:	METRIC UNITS:				
Total Weight:	21 oz. PLY	651 g. PLM				
	14 oz. PSY	475 g. PSM				
Roll Width:	53/55 in.	134/140 cm.				
Gauge (average):	0.019 in.	0.48 mm.				
Fabric:	Osnaburg					
Tensile (minimum):	50 x 55 lb _f	222 x 245 N				
Tear (minimum):	25 x 25					
Federal Spec:	CCC-W-408A, Type II					
CFFA Spec:	CFFA-W-101D, Type II					
Fire Testing:	NFPA 101®	NFPA 101 [®] Life Safety Code [®]				
-	NFPA 255 (UL723, CAN S102M) Tunnel Test ¹ - Class A Rating					
	NFPA 286 Corner Burn Test ²					
	Meets requirements for Flame Spread, Smoke Developed					
	and Flashover					
	U.L. Listed and Labeled					
Repeat: Horizontal	N.A.	N.A.				
Vertical	N.A.	N.A.				
Nominal Pattern Width:	52 in.	132 cm.				
Hanging Instructions:	Random Reverse					
Special Instructions:						
1. When tested on GRC board with A-848-B adhesive						
2. When tested on 5/8" type X gypsum board with A-848-B adhesive						

COLORLINE (PATTERN NUMBER/NAME OF COLORS)

25 Colorways

Pattern Description: Reminiscent of small print fabrics – inspired by mosaic decorative art and rich with the history of English stonework.

**** ******* 7 **8						
Sackett	7C21-08	Terceira	7C21-85	Bamburgh	7C21-88	
Promise of Odin	7C21-22	Warwick	7C21-40	Inishmor	7C21-92	
King's Bath	7C21-83	Tattershall Keep	7C21-80	Su Naraxi	7C21-81	
Lady Clifford	7C21-89	Ashlar	7C21-23	Lennox	7C21-71	
Carriage Roads	7C21-13	Ambergris	7C21-98	Ravenna	7C21-72	
Avebury	7C21-36	Castle Rising	7C21-18	Meritoria	7C21-86	
Amber Routes	7C21-45	Hadleigh	7C21-31	Saxon	7C21-57	
Romana	7C21-49	Carisbrooke	7C21-76	Appolinaire	7C21-63	
				Greenwich	7C21-10	

Notes:

- "Pattern Width" is the trim width on the specification and represents the width of the wallcovering that will be received by the customer.
- "Gauge" is the product thickness measured after the first pattern colorway is produced.
- "Tensile" and "Tear" results are the minimums required by CCC-W-408A federal specifications.
- "Nominal Pattern Width" is the expected width yield from one drop on the wall.