


SPECIFY SEAL COLOR	
Black	(J1D001)
Beige	(J1D002)
Gray	(J1D003)
Off White	(J1D004)
Bright White	(J1D005)

Aluminum Finish-Mill

Joint Width		Movement ±		Load			
US	mm	US	mm	US Ton	KN		
1"	25	1/4"	6	1/4"	6	2.8	25

105-A01-025 SYSTEM




SPECIFY SEAL COLOR	
Black (J1D006)	
Beige (J1D007)	
Gray (J1D008)	
Off White (J1D009)	
Bright White (J1D010)	

Aluminum Finish-Mill

		Movement ±		Load		
Joint Width	Horizontal	Vertical	US	mm	US Ton	KN
US 38	mm 38	US 10	mm 10	US 2.7	KN 24	
1-1/2"	38	3/8"	10	3/8"	10	2.7

105-A01-038 SYSTEM




SPECIFY SEAL COLOR	
Black (J1D011)	
Beige (J1D012)	
Gray (J1D013)	
Off White (J1D014)	
Bright White (J1D015)	

Aluminum Finish-Mill

		Movement ±		Load			
Joint Width	Horizontal	Vertical	US	mm	US Ton	KN	
US	mm	US	mm	US	mm	US Ton	KN
2"	51	1/2"	13	1/2"	13	1.7	15

105-A01-050 SYSTEM



SPECIFY SEAL COLOR	
Black (J1D021)	
Beige (J1D022)	
Gray (J1D023)	
Off White (J1D024)	
Bright White (J1D025)	

Aluminum Finish-Mill

Joint Width	Movement ±		Load
	Horizontal	Vertical	
US mm	US mm	US mm	US Ton
3"	76	3/4"	19
		3/4"	19
			1.7
			15

105-A01-075 SYSTEM

DATE: May, 2002

SCALE: 1/2

REV: (B) 6/28/04

APPLICATION-
SURFACE MOUNT FLOOR/FLOOR CONDITION
FOR 1/8" SHEET VINYL FLOORING