





SPECIFY SEAL COLOR	
Black	(J1D001)
Beige	(J1D002)
Gray	(J1D003)
Off White	(J1D004)
Bright White	(J1D005)

Aluminum Finish-Mill

Joint Width		Movement ±		Load	
Horizontal		Vertical			
US	mm	US	mm	US Ton	kN
2"	51	1/2"	13	2.8	25

223-A01-050 SYSTEM




Note:
To determine blockout depth, deduct thickness of floor finish from frame height.

SPECIFY SEAL COLOR	
Black	(J1D011)
Beige	(J1D012)
Gray	(J1D013)
Off White	(J1D014)
Bright White	(J1D015)

Aluminum Finish-Mill

Joint Width		Movement ±		Load	
US	mm	Horizontal	Vertical	US Ton	KN
4"	102	1"	1"	1.7	15

223-A01-100 SYSTEM



Note:
To determine knockout depth, deduct thickness of floor finish from frame height.

SPECIFY SEAL COLOR	
Black	(J1D011)
Beige	(J1D012)
Gray	(J1D013)
Off White	(J1D014)
Bright White	(J1D015)

Aluminum Finish-Mill

$2\frac{3}{4}$ "
[70mm]
Min. Knockout
per Side

6"
[152mm]

223-A01-150 SYSTEM

Joint Width	Movement ±		Load	
	Horizontal	Vertical	US Ton	kN
US	mm	mm	US Ton	kN
6"	152	1"	25	HP