


Hex Head Concrete Screw (7 per Frame)  
Where Accessible or Fasten Frame  
With Epoxy Adhesive  
(by Others)



Continuous Santoprene Seal  
Continuous Aluminum Flush Frame (J6A005)  
(Set in Sealant by Others)

615-A07-050

SPECIFY SEAL COLOR	
Black (J6D201)	
Beige (J6D202)	
Gray (J6D203)	
Off White (J6D204)	
Bright White (J6D205)	

Joint Width	Movement ±			
	Horizontal		Vertical	
US mm	US mm	US mm	US mm	mm
2"	51	1"	25	1"
			25	25

APPLICATION-

EXTERIOR WALL/WALL, CEILING/CEILING  
FLUSH WALL AND CEILING SYSTEMS

**INPro**  
**JOINTMASTER**  
ARCHITECTURAL JOINT SYSTEMS


DATE: 3/14/05

SCALE: 1/2

REV:

**INPro CORPORATION**  
Interior and Exterior Architectural Products  
580 W18766 Apollo Drive  
Muskego, WI 53150 USA

Hex Head Concrete Screw (7 per Frame)  
Where Accessible or Fasten Frame  
With Epoxy Adhesive  
(by Others)



Continuous Integral Backseal  
(J6L010)

Continuous Aluminum Flush Frame (J6A005)  
(Set in Sealant by Others)


Continuous Santoprene Seal

615-A07-075

SPECIFY SEAL COLOR	
Black (J6D301)	
Beige (J6D302)	
Gray (J6D303)	
Off White (J6D304)	
Bright White (J6D305)	

Joint Width	Movement ±	
	Horizontal	Vertical
US mm	US mm	US mm
3" 76	1-1/2" 38	1-1/2" 38


Hex Head Concrete Screw (7 per Frame)  
Where Accessible or Fasten Frame  
With Epoxy Adhesive  
(by Others)



SPECIFY SEAL COLOR	
Black (J6D401)	
Beige (J6D402)	
Gray (J6D403)	
Off White (J6D404)	
Bright White (J6D405)	

Joint Width	Movement ±	
	Horizontal	Vertical
US mm	US mm	US mm
4" 102	2" 51	2" 51

615-A07-100



Continuous Integral Backseal  
(J6L010)

[152mm]

6"

2 3/8"  
[60mm]

Continuous Santoprene Seal

Hex Head Concrete Screw (7 per Frame)  
Where Accessible or Fasten Frame  
With Epoxy Adhesive  
(by Others)

Continuous Aluminum Flush Frame  
(J6A005)  
(Set in Sealant by Others)

615-A07-150

SPECIFY SEAL COLOR	
Black (J6D601)	
Beige (J6D602)	
Gray (J6D603)	
Off White (J6D604)	
Bright White (J6D605)	

Joint Width	Movement ±	
	Horizontal	Vertical
US	mm	mm
6"	152	3"
	76	76