

## LIDO

Sleek minimalist luminaire atop an inverted tapered pole allows LIDO's subtle lines to blend with a wide variety of architectural styles. Luminaire is precision machined from billet aluminum, then satin anodized. Domed lens is temperature-resistant borosilicate glass. Inverted tapered steel pole with flush handhole is hot-dip galvanized prior to being finished in finely textured paint. Pole is secured to ground mounting assembly with stainless steel socket head cap screws. All hardware is stainless steel. Standard color; matte silver grey metallic. Special colors available.



Wet Location

Model	Pole	Lamp
LD230	7.5' IT	70 MH / 35 MH / 75 Halogen
LD320	10.4' IT	70 MH / 35 MH / 75 Halogen

## Additional information:

### Drawings

Downloads

[LD230.swf](#)

[LD320.swf](#)

### Catalogue page

Downloads

[Hessamerica\\_LIDO\\_pl.pdf](#)

### Photometric reports

Downloads

[LD230/LD\\_320\\_|\\_PAR30\\_Halogen.ies](#)

[LD230/LD320\\_|\\_70w\\_MH-T6.ies](#)

### Specification sheets

Downloads

[LIDO 230 Halogen Pole Mounted Luminaire](#)

[LIDO 230 HID Pole Mounted Luminaire](#)

[LIDO 320 Halogen Pole Mounted Luminaire](#)

[LIDO 320 HID Pole Mounted Luminaire](#)

### Product brief

#### Corresponding products



[Wall Mounted Luminaires](#)

[LIDO](#)

