

NOVARA 4500 ML

Cast aluminum and stainless steel create a synthesis of form and function in the NOVARA. The angular heavy cast aluminum housing is punctuated by distinctive cooling fins. Doorframe and mounting knobs are constructed of polished high-grade stainless steel. Single or twin configurations are fitted with clear tempered glass lens. Electrical conductor is housed in attractive braided stainless steel line. Straight round steel pole with flush handhole and mounting bracket are hot-dip galvanized prior to being finished in finely textured paint. All hardware is stainless steel. Standard color; matte silver grey metallic. Special colors available.



Wet Location

| Model | Pole / Style | Lamp |
|-----------|--------------|------------------------------|
| NV450ML-P | 10' / 12' RS | 70 MH / 42 CFL / 200 Halogen |

Additional information:

Drawings

Downloads

[NV450ML-P.swf](#)

Catalogue page

Downloads

[Hessamerica_NOVARA_ML_pl.pdf](#)

Photometric reports

Downloads

[NV450ML.ies](#)

[NV450ML_|_42w_CFL.ies](#)

Specification sheets

Downloads

[NOVARA 4500 ML CFL Pole Mounted Luminaire](#)

[NOVARA 4500 ML Halogen Pole Mounted Luminaire](#)

[NOVARA 4500 ML HID Pole Mounted Luminaire](#)

Product brief

References

Corresponding products



Illuminating Bollards
[NOVARA](#)



Pendant Luminaires
[NOVARA L](#)



Pendant Luminaires
NOVARA ML



Pole Mounted Luminaires
NOVARA ML



Pole Mounted Luminaires
NOVARA Q



Pole Mounted Luminaires
NOVARA S



Pole Mounted Luminaires
NOVARA SAL



Pole Mounted Luminaires
NOVARA SL



Pole Mounted Luminaires
NOVARA SXL



Wall Mounted Luminaires
NOVARA



Wall Mounted Luminaires
NOVARA ML



Wall Mounted Luminaires
NOVARA Q



Wall Mounted Luminaires
NOVARA S



Wall Mounted Luminaires
NOVARA SL

