

## NOVARA 2600

Cast aluminum and stainless steel create a synthesis of form and function in the NOVARA. The angular heavy cast aluminum housing is punctuated by distinctive cooling fins. Doorframe and mounting knobs are constructed of polished high-grade stainless steel. The adjustable head may be fitted with a clear, etched, or optional prismatic lens. Electrical conductor is housed in attractive braided stainless steel line. Steel wall bracket is hot-dip galvanized prior to being finished in finely textured paint. All hardware is stainless steel. Standard color; matte silver grey metallic. Special colors available.



Wet Location; Damp Location

Model	Mounting	Lamp
NV260-W	Wall	70 MH / 42 CFL / 200 Halogen

## Additional information:

### Drawings

Downloads

[NV260\\_wall.swf](#)

### Catalogue page

Downloads

[Hessamerica\\_NOVARA\\_2600.pdf](#)

### Photometric reports

Downloads

[NV260\\_B/P\\_|\\_18w\\_CFL.ies](#)

[NV260\\_B/P\\_|\\_Quartz\\_200.ies](#)

### Specification sheets

Downloads

[NOVARA 2600 CFL Wall Mounted Luminaire](#)

[NOVARA 2600 Halogen Wall Mounted Luminaire](#)

### Product brief

### References

### Corresponding products



[Illuminating Bollards](#)  
[NOVARA](#)



[Pendant Luminaires](#)  
[NOVARA L](#)



Pendant Luminaires  
NOVARA ML



Pole Mounted Luminaires  
NOVARA ML



Pole Mounted Luminaires  
NOVARA Q



Pole Mounted Luminaires  
NOVARA S



Pole Mounted Luminaires  
NOVARA SAL



Pole Mounted Luminaires  
NOVARA SL



Pole Mounted Luminaires  
NOVARA SXL



Wall Mounted Luminaires  
NOVARA



Wall Mounted Luminaires  
NOVARA ML



Wall Mounted Luminaires  
NOVARA Q



Wall Mounted Luminaires  
NOVARA S



Wall Mounted Luminaires  
NOVARA SL

