

## LEDIA LF OD

The LEDIA LF series for recessed inground use transforms night environments into colorful settings - walkways and public spaces develop atmosphere and interiors inherit structure. Luminaire is available in four sizes. Specially coated tempered glass tiles diffuse light uniformly across the surface. Functional anti-slip squares applied to the surface also create interest by adding a unique three-dimensional effect to the tiles. The lens is bonded to the stainless steel luminaire housing providing a sealed enclosure. LEDIA mounts into a recessed stainless steel sub-frame, which serves as a cable vault for making power connections. Remote 120vAC/10vDC power supply unit is required. LED colors; red, blue, green, amber,white. Contact factory for in-wall applications.



Listed 1838, Low Voltage Landscape Lighting Systems

Model	Dimensions	Qty LEDs	Wattage
LEDIA-LF-OD-04	3.7" x 3.7"	16 LEDs	2
LEDIA-LF-OD-08	7.7" x 7.7"	48 LEDs	6
LEDIA-LF-OD-12	11.6" x 11.6"	64 LEDs	8
LEDIA-LF-OD-16	15.6" x 15.6"	96 LEDs	12

## Additional information:

### Drawings

Downloads

[LF-OD-04.swf](#)  
[LF-OD-08.swf](#)  
[LF-OD-12.swf](#)  
[LF-OD-16.swf](#)

### Catalogue page

Downloads

[Hessamerica\\_LEDIA\\_LF.pdf](#)

### Photometric reports

Downloads

[LEDIA\\_LF\\_100\\_>\\_LED.ies](#)  
[LEDIA\\_LF\\_200\\_>\\_LED.ies](#)  
[LEDIA\\_LF\\_300\\_>\\_LED.ies](#)  
[LEDIA\\_LF\\_400\\_>\\_LED.ies](#)

### Specification sheets

Downloads

[LEDIA LF OD 04 LED Illuminating Tile](#)  
[LEDIA LF OD 08 LED Illuminating Tile](#)  
[LEDIA LF OD 12 LED Illuminating Tile](#)  
[LEDIA LF OD 16 LED Illuminating Tile](#)

### Product brief

### References

