



**SPICA o, 8**



Tree Grate


Drive-over, wheel load capacity up to 1,700 pounds. Square shaped outer form with square inner opening. Two grooved, anti-slip surface grate segments. Grid size is 1.2 inches square. Tamper-proof attachment of grating to the tree grate frame. Two inch inlay depth. Galvanized steel with natural finish.

Options:  
Black dip coated.  
Model No. SG148

For tree grate frame details, refer to Page 64.  
For installation details, refer to Page 65.

Design: Jean-Michel Willmotte






# SPICA 0,8

Tree Grates

# Tree Grate System

## Construction

### Assembled Tree Grate Frame




#### Concrete Foundation

Concrete pour foundation supports tree grate frame. Frame is secured to the foundation by embedded, threaded studs.

#### Tree Grate Frame

Two-part construction bolted to concrete foundation.



Adjustable Cross Braces

Tree Guard

Accent Lighting Fixtures

Tree Grate

Tree Grate Frame

Concrete Foundation

# SPICA 0,8 / ALKOR

Technical:  
Tree Grate Construction

## Tree Grate

Grid size is 1.2 inches square. Two segments mount onto the tree grate frame, where they are bolted into place. Grooves on both the supporting and distributing bars ensure anti-slip protection. Available with openings and flanges for the mounting of sub-grade accent lighting fixtures.

## Tree Guard

Provides trees with protection and serves as a decorative design element. Two-part construction bolts together and attaches with fasteners to the tree grate frame. Hardware kit provided. Problem-free leveling compensation for grades up to 3%.

## Wood Cross Braces

Adjust to tree trunk diameters as trees grow.