



dewey tables

16

clean, modernist design that's all about supporting learning

DESIGN

by Joey Ruiter

STANDARDS

Meets or exceeds applicable ANSI/BIFMA durability and safety standards and is SCS Indoor Advantage Gold™ and BIFMA level™1 certified.

CONSTRUCTION

STANDARD TABLE TOPS: 1 1/8" thick high pressure laminate, particle board core, edged and backed with moisture-resistant coverings to form a completely sealed outside surface. 60" and 72" tables have steel support channel to promote level worksurface.

EDGES: 2mm ABS edgeband (PVC-free); optional urethane edge on all sides.

LEG OPTIONS: C-legs available fixed, folding, pin-height and crank-height adjustable. T-leg fixed, pin-height or folding. X-base available at seated and cafe heights.

FOLDING MECHANISM: nylon injection-molded body with metal parts, positive lock up or down, simple single lever operation.

FLIP-TOP MECHANISM: 7" gauge steel plate allows table top to stand upright, locking arm to prevent top from falling; swing bolt and threaded knob secure table top in work position. The 20" and 24" deep tables nest approximately 9.5" deep, while the 27" deep tables nest 10.7" deep.

CASTERS: locking 60mm dual wheel. Components: charcoal outer, cool grey inner.

GLIDES: adjust 3/4" for uneven floors

MODESTY PANEL:

ALUMINUM FRAME: available option on the following c-leg tables only: fixed, pin-height adjustable, crank height adjustable, flip-top. All others must order worksurface mounted option (see Dewey power and accessories section).

WORKSURFACE MOUNTED: available option on the following c-leg tables only: fixed, pin-height adjustable, crank height adjustable, flip-top. All others must order worksurface mounted option (see Dewey power and accessories section).

GROMMETS: available as an option on tables wider than 36". Two black grommets, installed at rear-left and right.

FLIP-UP POWER: available as an option and installed in the rear-center of the worksurface.

Power unit flips up to reveal two power receptacles and two data ports. Includes a 72" cord and a 15 amp plug.

VERTICAL WIRE MANAGEMENT TROUGH: available as an option. 18" extruded plastic trough routes power and data vertically from floor or wall along table leg. Adhesive tape firmly secures trough to side of leg.


HORIZONTAL WIRE MANAGEMENT TROUGH: available as an option. Extruded plastic trough carries power and data underneath worksurface. Ships in two sections to accommodate grommets and integrated power. Trough is fastened with adhesive tape, and allows screws to be inserted every 12" for additional strength.

SHIPPING

tables are shipped knocked down. Table tops are pre-drilled for easy assembly to legs. Legs shipped assembled.



EDGE PROFILES




2MM EDGEBAND



URETHANE EDGE

dewey table fixed t-leg



RECTANGULAR T-LEG				MODEL #	2MM EDGE	URETHANE EDGE
D 20"	L 36"	OH 29"	WT 40 lb	LNTR2036TB	\$634	\$741
D 20"	L 48"	OH 29"	WT 49 lb	LNTR2048TB	\$685	\$791
D 20"	L 60"	OH 29"	WT 58 lb	LNTR2060TB	\$785	\$891
D 20"	L 72"	OH 29"	WT 67 lb	LNTR2072TB	\$800	\$906
D 24"	L 36"	OH 29"	WT 46 lb	LNTR2436TB	\$660	\$766
D 24"	L 48"	OH 29"	WT 55 lb	LNTR2448TB	\$713	\$819
D 24"	L 60"	OH 29"	WT 64 lb	LNTR2460TB	\$817	\$923
D 24"	L 72"	OH 29"	WT 73 lb	LNTR2472TB	\$832	\$938
D 27"	L 36"	OH 29"	WT 52 lb	LNTR2736TB	\$686	\$792
D 27"	L 48"	OH 29"	WT 61 lb	LNTR2748TB	\$742	\$848
D 27"	L 60"	OH 29"	WT 70 lb	LNTR2760TB	\$801	\$907
D 27"	L 72"	OH 29"	WT 87 lb	LNTR2772TB	\$865	\$971

17

SPECIFICATIONS how to order, see page 162

EXAMPLE:

LNTR2060TB	\$891
P06 silver	+ \$00
LBT dover white	+ \$00
LD solid urethane edge	+ \$00
U05 otter	+ \$00
PW flip-up power	+ \$206
CS casters	+ \$31
total = \$1128	

1: SELECT DEWEY LEG STYLE AND TABLE MODEL

list prices are shown

2: SELECT LEG FINISH

for all models

P06	silver
P07	white
P08	oatmeal
P09	charcoal
P10	black

3: SELECT LAMINATE TOP FINISH

core group

LAS	black
LBT	dover white
LDM	pearl
LB4	folkstone
LDQ	platinum
LCB	earth
LDA	citadel
LDC	graphite

classic wood grain

LTS	fusion maple
LSV	monticello maple
LS2	huntington maple
LXW	wild cherry
LS4	versailles anigre
LTW	empire mahogany
LVK	montana walnut
LT6	hemlock

classic patterns

LXR	white nebula
LT7	grey nebula
LT0	graphite nebula
LRC	pewter mesh
LRP	grey mesh
LRQ	sheer mesh
LRT	steel mesh
LRZ	gilded mesh

evolving wood grain

LCG	millennium oak
LCC	smokey brown pear
LCR	oiled walnut
LCT	zebrano
LCX	chestnut woodline
LCY	dunewood

non-standard laminate

Specify mfg. name and code number, refer to finishes appendix for details; up-charge and extended lead times may apply.

4: SELECT EDGE PROFILE

edgeband or urethane edge

MM	2mm edgeband
LD	solid urethane

5: SELECT EDGE FINISH

2MM edgeband

E37	black
E30	white
E31	neutral white
E33	folkstone
E32	platinum
E39	earth
E36	citadel
E35	graphite
E38	brown
E34	satin silver
E41	fusion maple
E42	monticello maple
E43	huntington maple
E44	wild cherry
E45	versailles anigre
E40	empire mahogany
E47	montana walnut
E46	hemlock

solid urethane

U02	wolf
U04	dolphin
U05	otter
U06	black bear
U22	hippo
U25	koala
U26	kangaroo
U27	oyster
U32	beaver

6: SELECT OPTIONS


for all models, select as needed; add options prices to table model price

ML	aluminum frame modesty panel, matching laminate	see C-Leg pricing
MA	aluminum frame modesty panel, frosted acrylic in-fill	see C-Leg pricing
GM	grommets, black	+\$52
PW	flip-up power	+\$206
CS	casters	+\$31
Standard: charcoal outer, cool grey inner		

7: WIRE MANAGEMENT TROUGH

WM	horizontal wire management trough, black	+\$72
VM	vertical wire management trough	+\$26
select color		
T95	black	
T96	satin silver	


dewey table pin-height adjustable t-leg



RECTANGULAR T-LEG				MODEL #	2MM EDGE	URETHANE EDGE		
D	L	OH	WT					
D 20"	L 36"	OH 27-33"	WT 42 lb	LNTR2036TP	\$841	\$947		
D 20"	L 48"	OH 27-33"	WT 51 lb	LNTR2048TP	\$892	\$998		
D 20"	L 60"	OH 27-33"	WT 60 lb	LNTR2060TP	\$992	\$1,098		
D 20"	L 72"	OH 27-33"	WT 69 lb	LNTR2072TP	\$1,007	\$1,113		
D 24"	L 36"	OH 27-33"	WT 48 lb	LNTR2436TP	\$867	\$973		
D 24"	L 48"	OH 27-33"	WT 57 lb	LNTR2448TP	\$920	\$1,026		
D 24"	L 60"	OH 27-33"	WT 66 lb	LNTR2460TP	\$1,024	\$1,130		
D 24"	L 72"	OH 27-33"	WT 75 lb	LNTR2472TP	\$1,039	\$1,145		
D 27"	L 36"	OH 27-33"	WT 54 lb	LNTR2736TP	\$893	\$999		
D 27"	L 48"	OH 27-33"	WT 63 lb	LNTR2748TP	\$948	\$1,055		
D 27"	L 60"	OH 27-33"	WT 72 lb	LNTR2760TP	\$1,008	\$1,114		
D 27"	L 72"	OH 27-33"	WT 89 lb	LNTR2772TP	\$1,072	\$1,178		


18

dewey table fixed c-leg




RECTANGULAR C-LEG				MODEL #	2MM EDGE	URETHANE EDGE	ALUMINUM FRAME MODESTY PANEL	
D	L	OH	WT				LAMINATE	ACRYLIC
D 20"	L 36"	OH 29"	WT 40 lb	LNTR2036CB	\$666	\$772	+\$254	+\$329
D 20"	L 48"	OH 29"	WT 49 lb	LNTR2048CB	\$720	\$826	+\$306	+\$380
D 20"	L 60"	OH 29"	WT 58 lb	LNTR2060CB	\$824	\$930	+\$392	+\$483
D 20"	L 72"	OH 29"	WT 67 lb	LNTR2072CB	\$840	\$946	+\$440	+\$515
D 24"	L 36"	OH 29"	WT 46 lb	LNTR2436CB	\$694	\$800	+\$254	+\$329
D 24"	L 48"	OH 29"	WT 55 lb	LNTR2448CB	\$749	\$855	+\$306	+\$380
D 24"	L 60"	OH 29"	WT 64 lb	LNTR2460CB	\$858	\$964	+\$392	+\$483
D 24"	L 72"	OH 29"	WT 73 lb	LNTR2472CB	\$873	\$979	+\$440	+\$515
D 27"	L 36"	OH 29"	WT 52 lb	LNTR2736CB	\$721	\$828	+\$254	+\$329
D 27"	L 48"	OH 29"	WT 61 lb	LNTR2748CB	\$779	\$885	+\$306	+\$380
D 27"	L 60"	OH 29"	WT 70 lb	LNTR2760CB	\$841	\$947	+\$392	+\$483
D 27"	L 72"	OH 29"	WT 87 lb	LNTR2772CB	\$908	\$1,014	+\$440	+\$515

dewey table pin-height adjustable c-leg



RECTANGULAR C-LEG				MODEL #	2MM EDGE	URETHANE EDGE	ALUMINUM FRAME MODESTY PANEL	
D	L	OH	WT				LAMINATE	ACRYLIC
D 20"	L 36"	OH 27-33"	WT 42 lb	LNTR2036CP	\$884	\$990	+\$254	+\$329
D 20"	L 48"	OH 27-33"	WT 51 lb	LNTR2048CP	\$937	\$1,043	+\$306	+\$380
D 20"	L 60"	OH 27-33"	WT 60 lb	LNTR2060CP	\$1,042	\$1,148	+\$392	+\$483
D 20"	L 72"	OH 27-33"	WT 69 lb	LNTR2072CP	\$1,057	\$1,163	+\$440	+\$515
D 24"	L 36"	OH 27-33"	WT 48 lb	LNTR2436CP	\$910	\$1,016	+\$254	+\$329
D 24"	L 48"	OH 27-33"	WT 57 lb	LNTR2448CP	\$966	\$1,073	+\$306	+\$380
D 24"	L 60"	OH 27-33"	WT 66 lb	LNTR2460CP	\$1,076	\$1,182	+\$392	+\$483
D 24"	L 72"	OH 27-33"	WT 75 lb	LNTR2472CP	\$1,091	\$1,197	+\$440	+\$515
D 27"	L 36"	OH 27-33"	WT 54 lb	LNTR2736CP	\$938	\$1,044	+\$254	+\$329
D 27"	L 48"	OH 27-33"	WT 63 lb	LNTR2748CP	\$996	\$1,102	+\$306	+\$380
D 27"	L 60"	OH 27-33"	WT 72 lb	LNTR2760CP	\$1,059	\$1,165	+\$392	+\$483
D 27"	L 72"	OH 27-33"	WT 89 lb	LNTR2772CP	\$1,126	\$1,232	+\$440	+\$515


dewey table crank-height adjustable c-leg



RECTANGULAR C-LEG					MODEL #	2MM EDGE	URETHANE EDGE	ALUMINUM FRAME MODESTY PANEL	
								LAMINATE	ACRYLIC
D 20"	L 36"	OH 27"-37"	WT 42 lb	LNTR2036CH	\$1,076	\$1,182	+\$254	+\$329	
D 20"	L 48"	OH 27"-37"	WT 51 lb	LNTR2048CH	\$1,157	\$1,264	+\$306	+\$380	
D 20"	L 60"	OH 27"-37"	WT 60 lb	LNTR2060CH	\$1,318	\$1,424	+\$392	+\$483	
D 20"	L 72"	OH 27"-37"	WT 69 lb	LNTR2072CH	\$1,341	\$1,447	+\$440	+\$515	
D 24"	L 36"	OH 27"-37"	WT 48 lb	LNTR2436CH	\$1,117	\$1,223	+\$254	+\$329	
D 24"	L 48"	OH 27"-37"	WT 57 lb	LNTR2448CH	\$1,202	\$1,308	+\$306	+\$380	
D 24"	L 60"	OH 27"-37"	WT 66 lb	LNTR2460CH	\$1,369	\$1,475	+\$392	+\$483	
D 24"	L 72"	OH 27"-37"	WT 75 lb	LNTR2472CH	\$1,393	\$1,499	+\$440	+\$515	
D 27"	L 36"	OH 27"-37"	WT 54 lb	LNTR2736CH	\$1,160	\$1,266	+\$254	+\$329	
D 27"	L 48"	OH 27"-37"	WT 63 lb	LNTR2748CH	\$1,248	\$1,354	+\$306	+\$380	
D 27"	L 60"	OH 27"-37"	WT 72 lb	LNTR2760CH	\$1,343	\$1,449	+\$392	+\$483	
D 27"	L 72"	OH 27"-37"	WT 89 lb	LNTR2772CH	\$1,446	\$1,552	+\$440	+\$515	

19

Note: height range will increase 2" to an overall height of 29"-39" when casters are selected.




dewey 6-top

SEATED HEIGHT					MODEL #	2MM EDGE	URETHANE EDGE	MARKERBOARD SURFACE
A	B	C	OH	WT				
A 27"	B 42"	C 60"	OH 29"	WT 96 lb	LNTR6070CB	\$1,485	\$1,591	+\$266
CAFÉ HEIGHT					MODEL #	2MM EDGE	URETHANE EDGE	MARKERBOARD SURFACE
A	B	C	OH	WT				
A 27"	B 42"	C 60"	OH 42"	WT 99 lb	LNTR6070CC	\$1,581	\$1,687	+\$266

dewey table x-base




ROUND X-BASE				MODEL #	2MM EDGE	URETHANE EDGE
DIA	OH	WT				
DIA 27"	OH 29"	WT 42 lb	LNTRND27XB	\$778	\$884	
DIA 36"	OH 29"	WT 59 lb	LNTRND36XB	\$841	\$947	
DIA 42"	OH 29"	WT 71 lb	LNTRND42XB	\$955	\$1,061	
DIA 48"	OH 29"	WT 84 lb	LNTRND48XB	\$1,050	\$1,156	




SQUARE X-BASE				MODEL #	2MM EDGE	URETHANE EDGE
D	OH	WT				
D 27"	OH 29"	WT 47 lb	LNTSQ27XB	\$778	\$884	
D 36"	OH 29"	WT 68 lb	LNTSQ36XB	\$841	\$947	
D 42"	OH 29"	WT 83 lb	LNTSQ42XB	\$955	\$1,061	

dewey table café height x-base




ROUND X-BASE			MODEL #	2MM EDGE	URETHANE EDGE
DIA 27"	OH 42"	WT 44 lb	LNTRND27XC	\$809	\$916
DIA 36"	OH 42"	WT 62 lb	LNTRND36XC	\$873	\$979
DIA 42"	OH 42"	WT 75 lb	LNTRND42XC	\$987	\$1,125
DIA 48"	OH 42"	WT 87 lb	LNTRND48XC	\$1,050	\$1,188



SQUARE X-BASE					
D 27"	OH 42"	WT 51 lb	LNTSQ27XC	\$809	\$916
D 36"	OH 42"	WT 72 lb	LNTSQ36XC	\$873	\$979
D 42"	OH 42"	WT 87 lb	LNTSQ42XC	\$987	\$1,093


20

dewey table folding t-leg




RECTANGULAR T-LEG			MODEL #	2MM EDGE	URETHANE EDGE
D 20" L 36"	OH 29"	WT 40 lb	LNTR2036TD	\$953	\$1,059
D 20" L 48"	OH 29"	WT 49 lb	LNTR2048TD	\$1,003	\$1,109
D 20" L 60"	OH 29"	WT 58 lb	LNTR2060TD	\$1,103	\$1,209
D 20" L 72"	OH 29"	WT 67 lb	LNTR2072TD	\$1,119	\$1,225
D 24" L 36"	OH 29"	WT 46 lb	LNTR2436TD	\$979	\$1,085
D 24" L 48"	OH 29"	WT 55 lb	LNTR2448TD	\$1,031	\$1,137
D 24" L 60"	OH 29"	WT 64 lb	LNTR2460TD	\$1,135	\$1,241
D 24" L 72"	OH 29"	WT 73 lb	LNTR2472TD	\$1,151	\$1,257
D 27" L 36"	OH 29"	WT 52 lb	LNTR2736TD	\$1,004	\$1,110
D 27" L 48"	OH 29"	WT 61 lb	LNTR2748TD	\$1,060	\$1,166
D 27" L 60"	OH 29"	WT 70 lb	LNTR2760TD	\$1,120	\$1,226
D 27" L 72"	OH 29"	WT 87 lb	LNTR2772TD	\$1,182	\$1,289

dewey table folding c-leg



RECTANGULAR C-LEG			MODEL #	2MM EDGE	URETHANE EDGE
D 20" L 36"	OH 29"	WT 40 lb	LNTR2036CD	\$985	\$1,091
D 20" L 48"	OH 29"	WT 49 lb	LNTR2048CD	\$1,038	\$1,144
D 20" L 60"	OH 29"	WT 58 lb	LNTR2060CD	\$1,142	\$1,248
D 20" L 72"	OH 29"	WT 67 lb	LNTR2072CD	\$1,159	\$1,265
D 24" L 36"	OH 29"	WT 46 lb	LNTR2436CD	\$1,012	\$1,119
D 24" L 48"	OH 29"	WT 55 lb	LNTR2448CD	\$1,067	\$1,173
D 24" L 60"	OH 29"	WT 64 lb	LNTR2460CD	\$1,176	\$1,282
D 24" L 72"	OH 29"	WT 73 lb	LNTR2472CD	\$1,192	\$1,298
D 27" L 36"	OH 29"	WT 52 lb	LNTR2736CD	\$1,039	\$1,145
D 27" L 48"	OH 29"	WT 61 lb	LNTR2748CD	\$1,097	\$1,203
D 27" L 60"	OH 29"	WT 70 lb	LNTR2760CD	\$1,160	\$1,266
D 27" L 72"	OH 29"	WT 87 lb	LNTR2772CD	\$1,227	\$1,333


dewey table flip-top



RECTANGULAR T-LEG			MODEL #	2MM EDGE	URETHANE EDGE
D 20"	L 36"	OH 29"	WT 40 lb LNTR2036TF	\$953	\$1,059
D 20"	L 48"	OH 29"	WT 49 lb LNTR2048TF	\$1,003	\$1,109
D 20"	L 60"	OH 29"	WT 58 lb LNTR2060TF	\$1,103	\$1,209
D 20"	L 72"	OH 29"	WT 67 lb LNTR2072TF	\$1,119	\$1,225
D 24"	L 36"	OH 29"	WT 46 lb LNTR2436TF	\$979	\$1,085
D 24"	L 48"	OH 29"	WT 55 lb LNTR2448TF	\$1,031	\$1,137
D 24"	L 60"	OH 29"	WT 64 lb LNTR2460TF	\$1,135	\$1,241
D 24"	L 72"	OH 29"	WT 73 lb LNTR2472TF	\$1,151	\$1,257
D 27"	L 36"	OH 29"	WT 52 lb LNTR2736TF	\$1,004	\$1,110
D 27"	L 48"	OH 29"	WT 61 lb LNTR2748TF	\$1,060	\$1,166
D 27"	L 60"	OH 29"	WT 70 lb LNTR2760TF	\$1,120	\$1,226
D 27"	L 72"	OH 29"	WT 87 lb LNTR2772TF	\$1,182	\$1,289


21

dewey table flip-top




RECTANGULAR C-LEG			MODEL #	2MM EDGE	URETHANE EDGE
D 20"	L 36"	OH 29"	WT 40 lb LNTR2036CF	\$985	\$1,091
D 20"	L 48"	OH 29"	WT 49 lb LNTR2048CF	\$1,038	\$1,144
D 20"	L 60"	OH 29"	WT 58 lb LNTR2060CF	\$1,142	\$1,248
D 20"	L 72"	OH 29"	WT 67 lb LNTR2072CF	\$1,159	\$1,265
D 24"	L 36"	OH 29"	WT 46 lb LNTR2436CF	\$1,012	\$1,119
D 24"	L 48"	OH 29"	WT 55 lb LNTR2448CF	\$1,067	\$1,173
D 24"	L 60"	OH 29"	WT 64 lb LNTR2460CF	\$1,176	\$1,282
D 24"	L 72"	OH 29"	WT 73 lb LNTR2472CF	\$1,192	\$1,298
D 27"	L 36"	OH 29"	WT 52 lb LNTR2736CF	\$1,039	\$1,145
D 27"	L 48"	OH 29"	WT 61 lb LNTR2748CF	\$1,097	\$1,203
D 27"	L 60"	OH 29"	WT 70 lb LNTR2760CF	\$1,160	\$1,266
D 27"	L 72"	OH 29"	WT 87 lb LNTR2772CF	\$1,227	\$1,333

dewey table flip-top



27"	29"	42 lb	LNTRND27XF	\$1,096	\$1,202
36"	29"	59 lb	LNTRND36XF	\$1,160	\$1,266
42"	29"	71 lb	LNTRND42XF	\$1,273	\$1,379
48"	29"	84 lb	LNTRND48XF	\$1,369	\$1,475



27"	29"	47 lb	LNTRSQ27XF	\$1,096	\$1,202
36"	29"	68 lb	LNTRSQ36XF	\$1,160	\$1,266
42"	29"	83 lb	LNTRSQ42XF	\$1,273	\$1,379

dewey power & accessories



POWER/DATA TROUGH



ALUMINUM FRAME
MODESTY PANEL



WORKSURFACE MOUNTED
MODESTY PANEL

22

dewey tables are available with optional power technology and accessories that support the new learning style.

POWER DISTRIBUTION

Vertical Wire Management Trough: 18" extruded plastic trough routes power and data vertically from floor or wall along table leg. Adhesive tape firmly secures trough to side of leg.

Horizontal Wire Management Trough: extruded plastic trough carries power and data underneath worksurface. Ships in two sections to accommodate grommets and integrated power. Trough is fastened with adhesive tape, and allows screws to be inserted every 12" for additional strength.

Power/Data Trough: extruded aluminum trough mounts to underside of worksurface with 2 brackets providing integrated wire management with power and data access. Trough includes 4 power outlets, two per side, as well as data outlets with voice/data adapter kit.

- Exterior faceplate design by Joey Ruiter provides clean, modernist aesthetic.
- Optional metal enclosure panel fastens to trough, providing tamper proof solution.
- Simple power to power jumper connects tables to single power infeed
- Non-sequential plug and play functionality
- Available in one or two circuit power.
- Extends full length of table

Flip-Up Power: installed in rear-center of the worksurface. Power unit flips up to reveal two power receptacles and two blank spaces for data. Comes with 72" cord that can plug into power data trough trough or 15 amp outlet. Pricing and model number in tables section under Select Options.

Power Infeed and Circuit Options:

- **Hardwire to Wall:** for one and two circuit. Provides traditional access to the building power source at the wall or floor. Power entry must be installed by licensed electrician. UL listed.
- **Modular, Rotating Power Entry:** for one and two circuit. True plug and play power. Replaces wall-mounted electrical outlet with power component. Jumper delivers power to table by connecting to power entry. Power entry must be installed by licensed electrician. UL listed.
- **20-amp Infeed:** for one circuit ONLY. Allows power/data trough to be connected to 20-amp wall or floor mounted plug for true plug and play capability. UL recognized.

Note: one circuit recommended for up to 5 tables. Two circuit recommended for up to 10 tables. Flat bracket for ganging recommended.

ACCESSORIES

Aluminum Frame Modesty Panel: attached to table legs, the high pressure laminate or optional frosted acrylic in-fill is framed with extruded aluminum. 12" height with 3.5" gap between worksurface and modesty panel gap increases up to an additional 1.5" with flip, pin-height or crank-height adjustable mechanisms. Available on C-legs only. See page 18 , C-Leg pricing.

Worksurface Mounted Modesty Panel: laminate modesty panel with 2mm PVC free edgeband and steel mounting plates that fasten to under side of worksurface. Panel is 11" high and hangs ¾" below worksurface. Available for both C and T leg tables.

Cable keeper: small, durable, Velcro nylon strap for wire management. Metal eyelet allows cable keeper to be mounted on underside of the worksurface. Comes in packs of 12, standard in grey.

Floor-mounting kit: for use with glides on any product, allows permanent floor mounting without damage. Use for tiered floor environments or to keep furniture stationary. Includes 4 brackets and hardware to mount to concrete.

Flat Bracket for Ganging: attaches to under side of worksurface, to connect tables. Black only.

1: SELECT WORK SURFACE MOUNTED

modesty panel, select length

LNMODP3636"\$207

LNMODP4848"\$228

LNMODP6060"\$249

LNMODP7272"\$271

2: SELECT MODESTY PANEL

BRACKET FINISHES

for all modesty panels, select metal

P06silver

P07white

P08oatmeal

P09charcoal

P10black

3: SELECT MODESTY PANEL

LAMINATE TOP FINISHES

core group

LASblack

LBTdover white

LDMpearl

LB4folkstone

LDQplatinum

LCBearth

LDAcitadel

LDCgraphite

classic wood grain

LTSfusion maple

LSVmonticello maple

LS2huntington maple

LXWwild cherry

LS4versailles anigre

LTWempire mahogany

LVKmontana walnut

LT6hemlock

classic patterns

LXRwhite nebula

LT7grey nebula

LT0graphite nebula

LRCpewter mesh

LRPgrey mesh

LRQsheer mesh

LRTsteel mesh

LRZgilded mesh

evolving wood grain

LCGmillennium oak

LCCsmokey brown pear

LCRoiled walnut

LCTzebrano

LCXchestnut woodline

LCYdunewood

non-standard laminate

Specify mfg. name and code number, refer to finishes appendix for details; up-charge and extended lead times may apply.

4: SELECT MODESTY PANEL

EDGE FINISH

for vinyl edges, select color

E37black

E30white

E31neutral white

E33folkstone

E32platinum

E39earth

E36citadel

E35graphite

E38brown

E34satin silver

E41fusion maple

E42monticello maple

E43huntington maple

E44wild cherry

E45versailles anigre

E40empire mahogany

E47montana walnut

E46hemlock

5: SELECT WIRE MANAGEMENT TROUGH

MODEL (HORIZONTAL AND VERTICAL)

Horizontal Wire MGT

LNWMT3636" horizontal wire mgt\$74

LNWMT4848" horizontal wire mgt\$74

LNWMT6060" horizontal wire mgt\$74

LNWMT7272" horizontal wire mgt\$74

horizontal wire mgt comes in T95 black only

Vertical Wire MGT

LNWVMT18" vertical wire mgt\$27

vertical wire mgt comes in T95 black & T96 Satin Silver

6: SELECT WIRE MANAGEMENT

VERTICAL EXTRUSION COLOR

T95Black\$74

T96Satin Silver\$74

vertical is black or satin silver

7: SELECT POWER DATA TROUGH

MODEL (OPEN OR ENCLOSED)

for vinyl edges, select color

LNPWR1361 circuit system, 36"\$398

LNPWR1481 circuit system, 48"\$419

LNPWR1601 circuit system, 60"\$451

LNPWR1721 circuit system, 72"\$504

LNPWR2362 circuit system, 36"\$424

LNPWR2482 circuit system, 48"\$446

LNPWR2602 circuit system, 60"\$477

LNPWR2722 circuit system, 72"\$530

power data through enclosed

LNPWR136E1 circuit system, 36"\$499

LNPWR148E1 circuit system, 48"\$520

LNPWR160E1 circuit system, 60"\$552

LNPWR172E1 circuit system, 72"\$605

LNPWR236E2 circuit system, 36"\$525

LNPWR248E2 circuit system, 48"\$546

LNPWR260E2 circuit system, 60"\$578

LNPWR272E2 circuit system, 72"\$631

8: POWER DATA TROUGH

PAINT FINISHES

for all wire management, select metal

P06silver

P07white

P08oatmeal

P09charcoal

P10black

9: SELECT POWER CONNECTION

AND JUMPERS

Power Connection

LNPWRBHDW72" hardwire infeed one and two circuit\$133

LNPWR1BROTrotating power entry one and two circuit\$80

LNPWR1BREP72" 20-amp outlet power infeed, 1-circuit only\$212

Power Jumpers

LNPWRP2P18" jumper, connects 2 power/data troughs\$64

LNPWRJ4848" jumper\$80

LNPWRJ7272" jumper\$101

10: SELECT ACCESSORIES

LNACCPMBfloor-mounting kit, pkg of 4\$32


LNACCTGflat bracket for ganging\$21

LNACCCKcable keeper, pkg of 12\$32

dewey power & accessories


worksurface mounted modesty panel

LNMODP36	36"
LNMODP48	48"
LNMODP60	60"
LNMODP72	72"



horizontal wire management trough

LNWMT36	1 trough for 36" table
LNWMT48	2 troughs for 48" table
LNWMT60	2 troughs for 60" table
LNWMT72	2 troughs for 72" table



vertical wire management trough

LVNMT	18" vertical wire management
-------	------------------------------



accessories

LNACCPMB	floor-mounting kit, pkg of 4
----------	------------------------------



LNACCCK	cable keeper
---------	--------------



LNACCTG	flat bracket for ganging
---------	--------------------------




power data trough


See chart on page 23

power connection


LNPWRBHDW
72" hardwire infeed,
one and two circuit



LNPWR1BROT
rotating power entry,
one and two circuit




LNPWR1BREP
72" 20-amp outlet power infeed,
1-circuit only



power jumpers

LNPWRP2P	18" jumper, connects power/data troughs
LNPWRJ48	48" jumper
LNPWRJ72	72" jumper



dewey power & accessories

25



HELPPDESK



HELPPDESK WITH CABINETS

dewey helpdesk

approachable and mobile, a starting or ending point for learning

DESIGN

by Joey Ruiter

STANDARDS

Meets or exceeds applicable ANSI/BIFMA durability and safety standards and is SCS Indoor Advantage Gold™ and BIFMA level™1 certified.

CONSTRUCTION

WORKSURFACE: 1 1/8" thick, particle board core, edged and backed with moisture-resistant coverings to form a completely sealed outside surface. Standard high pressure laminate top with solid urethane molded edges on all sides.

LEG: aluminum extruded leg with cast aluminum foot. Standing or seated-height, with pin-height, crank height or electric-height adjustments, provide a wide range for built-in flexibility. Electric height adjustment is easy push button control, plugs into 15-amp outlet.

GROMMETS: two grommets are standard for cable management. Molded urethane matches edge color. Grommets are integrated within worksurface.

EDGES: molded solid urethane on all sides.

FLIP-UP POWER/DATA: standard with worksurface mounted flip-up power/data hub. Anodized silver aluminum finish. Includes two power outlets and 5 USB ports (1- USB B input, 4 USB A outputs) with 120" power cord with three-prong plug.

CASTERS: standard locking 60mm dual wheel. Components: P04 charcoal outer, P03 cool grey inner.

ALUMINUM FRAME SLIDING MODESTY PANEL: extruded aluminum frame with laminate or frosted acrylic in-fill material. Sliding modesty panel provides rear access to cabinets and ships standard with a lock.

OPTIONS

IPOD AND IPHONE DOCKING STATION: worksurface mounted power with ipod docking station. Includes two power outlets with ipod docking station that charges and syncs with the latest generation ipods without need for adaptors.

GLIDES: adjust 3/4" for uneven floors

CABINETS: optional locking small and/or large cabinets. 5/8" thermally fused melamine case with matching 0.5 mm ABS edgeband. Doors are 9/16" particle board core with high pressure laminate and 2mm ABS edgeband. Door front finishes match worksurface laminate finish. Edgeband matches the cabinet case color. Standard with grommets within case for wire management. Pulls are standard silver. Black available as an option.

SMALL CABINET: standard with one adjustable shelf. Black grommets installed on top and bottom of cabinet. Outside dimensions: 10"l x 18"d x 30"h, Inside dimensions: 8.625"l x 17.375" d x 28.750"h (standing height); Outside dimensions: 10"l x 18"d x 20.5"h, Inside dimensions: 8.625"l x 17.375"d x 19.2"h (seated height).

LARGE CABINET: standard with one adjustable shelf. Black grommets installed on top and bottom of cabinet. Outside dimensions: 20.375"l x 18" d x 30"h, Inside dimensions: 19.125"l x 17.375" d x 28.750"h. (standing); Outside dimensions: 20.375"l x 18"d x 20.5"h, Inside dimensions: 19.125"l x 17.375" d x 19.2"h (seated). 2 large cabinets cannot be configured on one helpdesk.

LARGE CABINET WITH TECH RACK: 19" wide technology racks accommodate 12 rack units (RU) on standing height and 6 rack units (RU) in seated height rack. Audio/ visual equipment. Backside of cabinet is open to provide access to racked technology. Outside dimensions: 20.375"l x 18" d x 30"h, Inside dimensions: 19.125"l x 17.375" d x 28.750"h (standing); Outside dimensions: 20.375"l x 18"d x 20.5"h, Inside dimensions: 19.125"l x 17.375"d x 19.2"h (seated).


VENTILATION FAN: optional with small and large cabinet, and cabinet with tech rack. Ideal for venting cabinets and enclosures. Self-contained and features a large, brushless fan for higher airflow, low noise and long life. When mounted, fan does not vibrate. Fan speed is adjustable. Ventilation fan cover available in white (WV) or black (BV).

LOCK: locks on cabinets are keyed alike.

SHIPPING

ships assembled on a skid with corner guards and shrink wrap. Cabinets will be individually wrapped and placed on skid between helpdesk legs.

EDGE PROFILE



URETHANE EDGE

SPECIFICATIONS how to order, see page 162

EXAMPLE:

LND3060		\$2,493
P06	silver	+ \$00
LBT	dover white	+ \$00
U05	otter	+ \$00
M01	cloud	+ \$00
SM	small cabinet	+ \$382
LV	large cabinet with vent/fan	+ \$700
VW	white fan cover	
PI	flip-up power + ipod dock	+ \$106
GL	glide option	+ \$00
		total = \$ 3,681

☐ **1: SELECT HELPDESK MODEL #**

prices shown are list

☐ **2: SELECT LEG FINISH**

for all models, select metal

P06	silver
P07	white
P08	oatmeal
P09	charcoal
P10	black

☐ **3: SELECT TOP/MODESTY PANEL/
CABINET FACE LAMINATE FINISH**

core group

LAS	black
LBT	dover white
LDM	pearl
LB4	folkstone
LQ	platinum
LCB	earth
LDA	citadel
LDC	graphite

classic wood grain

LTS	fusion maple
LSV	monticello maple
LS2	huntington maple
LXW	wild cherry
LS4	versailles anigre
LTW	empire mahogany
LVK	montana walnut
LT6	hemlock

classic patterns

LXR	white nebula
LT7	grey nebula
LTO	graphite nebula
LRC	pewter mesh
LRP	grey mesh
LRQ	sheer mesh
LRT	steel mesh
LRZ	gilded mesh

evolving wood grain

LCG	millennium oak
LCC	smokey brown pear
LCR	oiled walnut
LCT	zebrano
LCX	chestnut woodline
LCY	dunewood

non-standard laminate

Specify mfg. name and code number, refer to finishes appendix for details; up-charge and extended lead times may apply.

☐ **4: SELECT EDGE FINISH (URETHANE)**
for urethane edge, select color

U02	wolf
U04	dolphin
U05	otter
U06	black bear
U22	hippo
U25	koala
U26	kangaroo
U27	oyster
U32	beaver

☐ **5: SELECT THERMALLY FUSED
MELAMINE CABINET CASE FINISH**

for cabinet sides, select thermally fused melamine finish

M01	cloud
M03	graphite
M06	fusion maple
M07	monticello maple
M08	huntington maple
M09	wild cherry
M10	versailles anigre
M11	empire mahogany
M12	montana walnut
M13	black
M14	white nebula
M15	grey nebula
M16	graphite nebula
M17	ivory
M18	folkstone
M19	platinum
M20	earth
M21	hemlock

☐ **6: SELECT STORAGE OPTION -LEFT**

for all standing models, select as needed

NS	no storage	+\$0
SM	small cabinet	+\$382
SV	small cabinet with vent/fan	+\$594
LG	large cabinet	+\$488
LV	large cabinet with vent/fan	+\$700
RK	large cabinet with rack	+\$679
RV	large cabinet with rack, vent/fan	+\$891

for all seated models, select as needed

NS	no storage	+\$00
SM	small cabinet	+\$369
SV	small cabinet with vent/fan	+\$573
LG	large cabinet	+\$471
LV	large cabinet with vent/fan	+\$676
RK	large cabinet with rack	+\$655
RV	large cabinet with rack, vent/fan	+\$860

☐ **7: SELECT STORAGE OPTION -RIGHT**

for all standing models, select as needed

NS	no storage	+\$0
SM	small cabinet	+\$382
SV	small cabinet with vent/fan	+\$594
LG	large cabinet	+\$488
LV	large cabinet with vent/fan	+\$700
RK	large cabinet with rack	+\$679
RV	large cabinet with rack, vent/fan	+\$891

for all seated models, select as needed

NS	no storage	+\$0
SM	small cabinet	+\$369
SV	small cabinet with vent/fan	+\$573
LG	large cabinet	+\$471
LV	large cabinet with vent/fan	+\$676
RK	large cabinet with rack	+\$655
RV	large cabinet with rack, vent/fan	+\$860

2 large cabinets CANNOT be specified on a single unit.

☐ **8: SELECT FAN COVER COLOR**


BV	black fan cover
WV	white fan cover

☐ **9: SELECT OPTIONS**

for all models, select as needed; add options prices to helpdesk model price

MA	frosted acrylic modesty	\$106
PU	flip up power	N/C
PI	ipod/iphone docking station	\$106
GL	glide option	N/C
BP	black pulls on storage (silver is standard)	N/C

dewey helpdesk



HELPDESK - STANDING

MODEL

LIST


D 30"	L 60"	OH 36-42"	WT 115 lb	LND3060	\$2,493	with pin-height adjustment
D 30"	L 60"	OH 39-49"	WT 123 lb	LND3060EH	\$3,554	with electric-height adjustment
D 30"	L 60"	OH 37-47"	WT 121 lb	LND3060CH	\$3,236	with crank-height adjustment
D 30"	L 72"	OH 36-42"	WT 132 lb	LND3072	\$2,849	with pin-height adjustment
D 30"	L 72"	OH 39-49"	WT 140 lb	LND3072EH	\$3,909	with electric-height adjustment
D 30"	L 72"	OH 37-47"	WT 138 lb	LND3072CH	\$3,592	with crank-height adjustment

Note: height range will increase 2" overall when casters are selected.

HELPDESK - SEATED

D 30"	L 60"	OH 27-37"	WT 108 lb	LNSH3060CH	\$3,139	with crank-height adjustment
D 30"	L 72"	OH 27-37"	WT 125 lb	LNSH3072CH	\$3,484	with crank-height adjustment

Note: height range will increase 2" overall when casters are selected.



HELPDESK STORAGE CABINETS - STANDING

D 18"	L 10"	OH 30"	WT 40 lb	SM	\$382	small cabinet
D 18"	L 20"	OH 30"	WT 60 lb	LG	\$488	large cabinet
D 18"	L 20"	OH 30"	WT 63 lb	RK	\$679	large cabinet with tech rack
D 18"	L 10"	OH 30"	WT 43 lb	SV	\$594	small cabinet with vent fan
D 18"	L 20"	OH 30"	WT 63 lb	LV	\$700	large cabinet with vent fan
D 18"	L 20"	OH 30"	WT 63 lb	RV	\$891	large cabinet with tech rack and vent fan

HELPDESK STORAGE CABINETS - SEATED

D 18"	L 10"	OH 20.5"	WT 32 lb	SM	\$369	small cabinet
D 18"	L 20"	OH 20.5"	WT 52 lb	LG	\$471	large cabinet
D 18"	L 20"	OH 20.5"	WT 55 lb	RK	\$655	large cabinet with tech rack
D 18"	L 10"	OH 20.5"	WT 35 lb	SV	\$594	small cabinet with vent fan
D 18"	L 20"	OH 20.5"	WT 55 lb	LV	\$700	large cabinet with vent fan
D 18"	L 20"	OH 20.5"	WT 55 lb	RV	\$891	large cabinet with tech rack and vent fan



dewey lecterns

30

mobile, height adjustable, supports learning throughout the classroom

DESIGN

by Joey Ruiter

STANDARDS

Meets or exceeds applicable ANSI/BIFMA durability and safety standards and is SCS Indoor Advantage Gold™ and BIFMA level™1 certified.

CONSTRUCTION

WORKSURFACE: 1 1/8" thick, particle board core, edged and backed with moisture-resistant coverings to form a completely sealed outside surface. Standard high pressure laminate top with solid urethane molded edges on all sides.

GROMMETS: one grommet is standard for cable management. Molded urethane matches edge color. Grommet is integrated within worksurface.

EDGES: molded solid urethane edges on all sides.

LEG: aluminum extruded leg with cast aluminum foot. Continuous height adjustment with standard pneumatic cylinder, 30-42". Activation lever located under the worksurface.

CASTERS: standard locking 60mm dual wheel. Components: P04 charcoal outer, P03 cool grey inner.

GLIDES: adjust 3/4" for uneven floors. Using glides reduces overall height 1 1/2". Not available on buddy.

ALUMINUM FRAME MODESTY PANEL: extruded aluminum frame with standard laminate or optional frosted acrylic in-fill material.

LOCK: standard

OPTIONS


CABINETS: optional locking cabinet for storage and technology. Pulls are standard silver. Black is available as an option. Black grommets installed on top and bottom of cabinet. 5/8" thermally fused melamine case with matching 0.5mm ABS edgeband; Doors are 9/16" particle board core with high pressure laminate and 2mm ABS edgeband. Door front finishes match worksurface laminate finish. Edgeband matches the cabinet case color. Standard with two adjustable shelves and grommets within the case for wire management. Optional 19" wide equipment racks accommodate 12 rack units (RU) of audio/ visual equipment. Outside dimensions: 20.375"w x 16"d x 30"h. Inside dimensions: 19.125"w x 15.375"d x 28.85"h. Buddy not available with storage.

VENTILATION FAN: optional on lectern with storage. Ideal for venting cabinets and enclosures. Self-contained and features a large, brushless fan for higher airflow, low noise and durability. When mounted, fan does not vibrate. Fan speed is adjustable. Ventilation fan cover available in white (WV) or black (BV).


SHIPPING

buddy and lectern ship assembled. Lectern with storage ships cabinet assembled and individually packaged with corner guards and shrink wrap. Some simple assembly required.

EDGE PROFILE



dewey lecterns



BUDDY	MODEL #	LIST
D 20" L 27" OH 27"-41" WT 51 lb	LNLECT2027	\$1,432 no storage



LECTERN	MODEL #	LIST
D 27" L 30" OH 37"-44" WT 65 lb	LNLECT2730	\$1,602 no storage



LECTERN WITH STORAGE	MODEL #	LIST
D 27" L 30" OH 37"-44" WT 98 lb	LNLECT2730SL	\$2,079 left hinge
D 27" L 30" OH 37"-44" WT 98 lb	LNLECT2730SR	\$2,079 right hinge

Note: height range will increase 2" overall when casters are selected.

31

SPECIFICATIONS how to order, see page 162

EXAMPLE:

LNLECT 2730	\$1,602
P06 silver	+ \$00
LBT dover white	+ \$00
U05 otter	+ \$00
M01 cloud	+ \$00
GL glide option	+ \$00
total =	\$ 1,602



1: SELECT LECTERN MODEL

prices shown are list



2: SELECT LEG FINISH

for all models, select metal

P06	silver
P07	white
P08	oatmeal
P09	charcoal
P10	black



3: SELECT TOP/MODESTY PANEL/ CABINET FACE LAMINATE FINISH

core group

LAS	black
LBT	dover white
LDM	pearl
LB4	folkstone
LDQ	platinum
LCB	earth
LDA	citadel
LDC	graphite

classic wood grain

LTS	fusion maple
LSV	monticello maple
LS2	huntington maple
LXW	wild cherry
LS4	versailles anigre
LTW	empire mahogany
LVK	montana walnut
LT6	hemlock

classic patterns

LXR	white nebula
LT7	grey nebula
LT0	graphite nebula
LRC	pewter mesh
LRP	grey mesh
LRQ	sheer mesh
LRT	steel mesh
LRZ	gilded mesh

evolving wood grain

LCG	millennium oak
LCC	smokey brown pear
LCR	oiled walnut
LCT	zebrano
LCX	chestnut woodline
LCY	dunewood

non-standard laminate

Specify mfg. name and code number, refer to finishes appendix for details; up-charge and extended lead times may apply.



4: SELECT EDGE FINISH (URETHANE)

standard urethane edge

U02	wolf
U04	dolphin
U05	otter
U06	black bear
U22	hippo
U25	koala
U26	kangaroo
U27	oyster
U32	beaver



5: SELECT THERMALLY FUSED THERMALLY FUSED MELAMINE CABINET CASE FINISH

for cabinet sides, select thermally fused melamine finish

M01	cloud
M03	graphite
M06	fusion maple
M07	monticello maple
M08	huntington maple
M09	wild cherry
M10	versailles anigre
M11	empire mahogany
M12	montana walnut
M13	black
M14	white nebula
M15	grey nebula
M16	graphite nebula
M17	ivory
M18	folkstone
M19	platinum
M20	earth
M21	hemlock



6: SELECT OPTIONS

for all models, select as needed

GL	glide	N/C
MA	frosted acrylic modesty	+\$106
RK	rack mount rails for storage	+\$191
BP	black pulls on storage (silver is standard)	N/C
VL	vent/fan left	+\$212
VR	vent/fan right	+\$212



7: SELECT FAN COVER COLOR

BV	black fan cover
WV	white fan cover



MEDIA CABINET

dewey media cabinet

locking doors keep items stored, secure, and out of the way

32

DESIGN

by Joey Ruiter

STANDARDS

Meets or exceeds applicable ANSI/BIFMA durability and safety standards and is SCS Indoor Advantage Gold™ and BIFMA level™1 certified.

CONSTRUCTION

MEDIA CABINET: Pulls are standard silver. Black is available as an option. 5/8" thermally fused melamine case with matching 0.5 mm ABS edgeband; 9/16" high pressure laminate front with 2mm ABS edgeband. Front is 9/16" particle board core with high pressure laminate and 2mm ABS edgeband that matches cabinet case color. Black grommets installed on top and bottom of cabinet.

LEG: aluminum extruded leg with cast aluminum foot.

GLIDES: adjust 3/4" for uneven floors

UPPER CABINET: standard with two adjustable shelves and black grommets to route cables through cabinet, out to floor and provide ventilation.

LOWER DRAWER: lateral file accommodates horizontal filing.

LOCK: locks on cabinets are keyed alike – upper cabinet, lateral, and rear access panel.

OPTIONS


TECHNOLOGY RACKING: 19" wide and 36.75" high technology racks accommodate 21 rack units (RU) of audio/visual equipment. Option also includes hinged door. Hinged door on backside of cabinet provides access to racked technology. Inside dimensions: 19.125"w x 17.375"d x 39"h.

VENTILATION FAN: Ideal for venting cabinets and enclosures. Self-contained and features a large, brushless fan for higher airflow, low noise and long life. When mounted, fan does not vibrate. Fan speed is adjustable. Ventilation fan available in white (WV) or black (BV).

SHIPPING

ships assembled

dewey media cabinet



MEDIA CABINET				MODEL #	LIST	
D 18.75"	W 20"	OH 60"	WT 189 lb	LNCAB60L	\$1,379	left hinge
D 18.75"	W 20"	OH 60"	WT 189 lb	LNCAB60R	\$1,379	right hinge

33

SPECIFICATIONS how to order, see page 162		
EXAMPLE: LNCAB60L left swing \$1,379 P06 silver + \$00 LBT dover white + \$00 M01 cloud + \$00 RK rack mount rails + \$191 total = \$ 1,570		
<input type="checkbox"/> 1: SELECT MEDIA CABINET MODEL # prices shown are list	<p>classic patterns</p> LXR white nebula LT7 grey nebula LT0 graphite nebula LRC pewter mesh LRP grey mesh LRQ sheer mesh LRT steel mesh LRZ gilded mesh <p>evolving wood grain</p> LCG millennium oak LCC smokey brown pear LCR oiled walnut LCT zebrano LCX chestnut woodline LCY dunewood <p>non-standard laminate</p> Specify mfg. name and code number, refer to finishes appendix for details; up-charge and extended lead times may apply.	<input type="checkbox"/> 5: SELECT OPTIONS for all models, select as needed RK rack mount rails for storage +\$191 BP black pulls on storage N/C (silver is standard) VL vent/fan left +\$212 VR vent/fan right +\$212
<input type="checkbox"/> 2: SELECT LEG FINISH for all models, select metal P06 silver P07 white P08 oatmeal P09 charcoal P10 black	<input type="checkbox"/> 4: SELECT THERMALLY FUSED MELAMINE CABINET CASE FINISH for cabinet case, select thermally fused melamine finish M01 cloud M03 graphite M06 fusion maple M07 monticello maple M08 huntington maple M09 wild cherry M10 versailles anigre M11 empire mahogany M12 montana walnut M13 black M14 white nebula M15 grey nebula M16 graphite nebula M17 ivory M18 folkstone M19 platinum M20 earth M21 hemlock	<input type="checkbox"/> 7: SELECT FAN COVER COLOR BV black fan cover VV white fan cover
<input type="checkbox"/> 3: SELECT CABINET FACE LAMINATE FINISH core group LAS black LBT dover white LDM pearl LB4 folkstone LDQ platinum LCB earth LDA citadel LDC graphite <p>classic wood grain</p> LTS fusion maple LSV monticello maple LS2 huntington maple LXW wild cherry LS4 versailles anigre LTW empire mahogany LVK montana walnut LT6 hemlock		



FREE-STANDING BOOKSHELF



WALL-MOUNTED BOOKSHELF



ADD-ON BOOKSHELF

dewey bookshelf

free-standing or wall-mounted, for keeping items accessible yet out-of-the-way

34

DESIGN

by Joey Ruiter

STANDARDS

Meets or exceeds applicable ANSI/BIFMA durability and safety standards and is SCS Indoor Advantage Gold™ and BIFMA level™1 certified.

CONSTRUCTION

SHELF: unit has 3 C-shape shelves between extruded aluminum supports. Available as a freestanding or wallmounted unit. Shelf dimensions are 36" w x 12.5" h with 6 total display surfaces. Shelves are 1" thick . Shelf units mount in 6" increments providing 2 possible locations for each unit, allowing shelves to be mounted off-set from one another when used side-by-side to create visual interest. Standard thermally fused melamine construction or optional high pressure laminate.

WALL-MOUNTED BOOKSHELF: legs include adjustable glides and hardware for mounting to wall.

EDGES: 2mm ABS edgeband (PVC-free).

LEG: aluminum extruded leg with cast aluminum foot.

GLIDES: adjust ¾" for uneven floors

ADD-ON BOOKSHELF: is added to a bookshelf or another add-on unit. Contains additional shelves and one support leg.


OPTIONS

FLOOR-MOUNTING KIT: for use with glides on bench, allows permanent floor mounting without damage. Includes 4 brackets and hardware to mount to concrete. See Power and Accessories section for pricing.

SHIPPING

ships knocked down

dewey bookshelf



WALLMOUNTED SHELF

THERMALLY FUSED MELAMINE FINISH

MODEL

LIST

D 14"	W 40"	OH 81.25"	WT 135 lb	LNBOK36W	\$1,585	
D 14"	W 38"	OH 81.25"	WT 125 lb	LNBOK36WA	\$1,319	add-on shelf

LAMINATE FINISH

D 14"	W 40"	OH 81.25"	WT 135 lb	LNBOK36WH	\$2,009	
D 14"	W 38"	OH 81.25"	WT 125 lb	LNBOK36WAH	\$1,743	add-on shelf

FREESTANDING SHELF

THERMALLY FUSED MELAMINE FINISH

MODEL

LIST

D 18"	W 40"	OH 83.5"	WT 140 lb	LNBOK36F	\$1,585	
D 18"	W 38"	OH 83.5"	WT 126 lb	LNBOK36FA	\$1,319	add-on shelf

LAMINATE FINISH

D 18"	W 40"	OH 83.5"	WT 140 lb	LNBOK36FH	\$2,009	
D 18"	W 38"	OH 83.5"	WT 126 lb	LNBOK36FAH	\$1,743	add-on shelf

35

SPECIFICATIONS how to order, see page 162

EXAMPLE:

LNBOK36FH	freestanding	\$2,009
P06	silver	+ \$00
LBT	doover white	+ \$00
E31	neutral white	+ \$00
		total = \$ 2,009

1: SELECT BOOKSHELF MODEL

prices shown are list

laminate, select model

steps 2, 3, 4

thermally fused melamine, select model

steps 2, 5

2: SELECT LEG FINISH

for all models, select metal

P06	silver
P07	white
P08	oatmeal
P09	charcoal
P10	black

3A: SELECT CABINET FACE LAMINATE FINISH

core group

LAS	black
LBT	doover white
LDM	pearl
LB4	folkstone
LDQ	platinum
LCB	earth
LDA	citadel
LDC	graphite

classic wood grain

LTS	fusion maple
LSV	monticello maple
LS2	huntington maple
LXW	wild cherry
LS4	versailles anigre
LTW	empire mahogany
LVK	montana walnut
LT6	hemlock

classic patterns

LXR	white nebula
LT7	grey nebula
LT0	graphite nebula
LRC	pewter mesh
LRP	grey mesh
LRQ	sheer mesh
LRT	steel mesh
LRZ	gilded mesh

evolving wood grain

LCG	millennium oak
LCC	smokey brown pear
LCR	oiled walnut
LCT	zebrano
LCX	chestnut woodline
LCY	dunewood

standard laminate

all laminate products above

custom laminate

all laminate products above

3B: SELECT BOOKSHELF THERMALLY FUSED MELAMINE FINISH

select thermally fused melamine finish

M01	cloud
M03	graphite
M06	fusion maple
M07	monticello maple
M08	huntington maple
M09	wild cherry
M10	versailles anigre
M11	empire mahogany
M12	montana walnut
M13	black
M14	white nebula
M15	grey nebula
M16	graphite nebula
M17	ivory
M18	folkstone
M19	platinum
M20	earth
M21	hemlock

Note: Thermally fused melamine finish standard with thermally fused melamine edgeband.

4: SELECT SHELF EDGE FINISH (2MM)

for laminate construction select edgeband color

E37	black
E38	brown
E36	citadel
E39	earth
E40	empire mahogany
E33	folkstone
E41	fusion maple
E46	hemlock
E43	huntington maple
E47	montana walnut
E42	monticello maple
E31	neutral white
E32	platinum
E35	graphite
E45	versailles anigre
E30	white
E44	wild cherry
E34	satin silver



dewey bench

use alongside hallways or inside the classroom, creates a great place to meet and discuss

36

DESIGN

by Joey Ruiter

STANDARDS

Meets or exceeds applicable ANSI/BIFMA durability and safety standards and is SCS Indoor Advantage Gold™ and BIFMA level™1 certified.

CONSTRUCTION

BENCH: aluminum extruded support beam and leg with cast aluminum foot.

INLINE TABLES: optional inline tables provide hard surface for added functionality.

60" bench has 1 inline table and 96" bench has 2. Tables are laminate with 2mm edgeband.

EDGES: 2mm ABS edgeband (PVC-free).

GLIDES: adjust ¾" for uneven floors

FABRIC: standard in 5 colors of Momentum Textile Hue pattern. Fabric is treated with Nano-Tex® and DuraBlock™, providing a stain and water resistant barrier. The process fully permeates the textile, for longer lasting durability compared to a surface finish.

COM: .67 yd


OPTIONS

FLOOR-MOUNTING KIT: for use with glides on bench, allows permanent floor mounting without damage. Includes 4 brackets and hardware to mount to concrete. See Power and Accessories section for pricing.

SHIPPING

ships assembled

dewey bench



BENCH	MODEL #	LIST
D 18" L 48" OH 17" WT 35 lb LBNBH48	\$637	2 seater
D 18" L 60" OH 17" WT 41 lb LBNBH60T	\$716	2 seater, one 12" in-line table
D 18" L 72" OH 17" WT 48 lb LBNBH72	\$796	3 seater
D 18" L 96" OH 17" WT 66 lb LBNBH96	\$875	4 seater
D 18" L 96" OH 17" WT 85 lb LBNBH96T	\$955	3 seater, two 12" in-line table

37

SPECIFICATIONS how to order, see page 162

EXAMPLE:

LBNBH48	bench, 17" x 48", 2 seater	\$637
P06	silver	+ \$00
Hue	black	+ \$00
LDQ	platinum	+ \$00
		total = \$637

1: SELECT DEWEY BENCH MODEL

prices shown are list

2: SELECT LEG FINISH

for all models, select metal

P06	silver
P07	white
P08	oatmeal
P09	charcoal
P10	black

3: SELECT FABRIC COLOR

Pattern: Hue, standard with Nano-Text and Durablock

Momentum Hue	dandelion
Momentum Hue	shade
Momentum Hue	quarry
Momentum Hue	black

4: SELECT LAMINATE TOP FINISH

core group

LAS	black
LBT	dover white
LDM	pearl
LB4	folkstone
LDQ	platinum
LCB	earth
LDA	citadel
LDC	graphite

classic wood grain

LTS	fusion maple
LSV	monticello maple
LS2	huntington maple
LXW	wild cherry
LS4	versailles anigre
LTW	empire mahogany
LVK	montana walnut
LT6	hemlock

classic patterns

LXR	white nebula
LT7	grey nebula
LT0	graphite nebula
LRC	pewter mesh
LRP	grey mesh
LRQ	sheer mesh
LRT	steel mesh
LRZ	gilded mesh

evolving wood grain

LCG	millennium oak
LCC	smokey brown pear
LCR	oiled walnut
LCT	zebrano
LCX	chestnut woodline
LCY	dunewood

non-standard laminate

Specify mfg. name and code number, refer to finishes appendix for details; up-charge and extended lead times may apply.

5: SELECT EDGE FINISH

for edgeband, select color

E37	black
E38	brown
E36	citadel
E39	earth
E40	empire mahogany
E33	folkstone
E41	fusion maple
E46	hemlock
E43	huntington maple
E47	montana walnut
E42	monticello maple
E31	neutral white
E32	platinum
E35	graphite
E45	versailles anigre
E30	white
E44	wild cherry
E34	satin silver