

Sand Micro™ Customline®

PERFORMANCE SERIES MINERAL FIBER CEILINGS

CertainTeed
SAINT-GOBAIN

Specification Sheet

Features & Benefits:

- Special pulverized marble aggregate coating for rugged durability.
- Upscale look that offers durability and resists sagging.
- Clean 3-dimensional scoring for visual impact.
- Scoring gives the appearance of 2' x 2' panels without the need for 2' x 2' grid system or labor.
- Micro perforated for aesthetics and sound absorption.
- Lightly textured surface provides an attractive finish with excellent light reflectance and durability.
- No added formaldehyde.

See reverse for additional product specifications.

Applications:

- Hospitality
- Retail
- Offices
- Education
- Healthcare
- Restaurants

Attributes:

ITEM NUMBER	NOMINAL SIZE (Inches)	EDGE DETAIL	UL CLASSIFIED		LR	RECYCLED CONTENT %
			NRC	CAC		
SAFETONE® CLASS A						
SMCL-224	24 x 48 x 3/4	Reveal	0.50	35	0.88	36-45


ASTM E 1264 Classification: Type III, Form 2, Pattern C E K

Scoring Option:



224

Edge Details:



REVEAL EDGE
(Beveled) 1/16" Grid



BioShield™
BioShield™ treatment **included** for
added mold and mildew resistance.



Product Specification Details

Acoustical Ceilings

09 51 00

PART 2: PRODUCTS

2.1 GENERAL

Provide Acoustical Ceiling Material manufactured to meet requirements of this specification in accordance with ASTM E 1264.

2.2 MATERIALS

Acoustical Ceiling Units:

1. Type III
2. Form 2
3. Pattern C E K
4. Micro perforated and surface scored to simulate two 24" x 24" wet-felted lay-in panels
5. Size 3/4" thick x 24" x 48"
6. Edge Detail Reveal
7. Noise Reduction Coefficient (NRC) 0.50
8. Ceiling Attenuation Class (CAC) 35
9. Light Reflectance Coefficient (LR) 0.88
10. Recycled Content 36-45
11. Color White
12. Flame Spread Classification (ASTM E 84, CAN/ULC-S102M) Class A
13. Manufacturer, subject to compliance with requirements of this specification, CertainTeed Ceilings
14. Product Name Sand Micro™ Customline®

Distributed by:

Characteristics, properties or performance of materials or systems manufactured by CertainTeed herein described are derived from data obtained under controlled test conditions. CertainTeed makes no warranties, express or implied, as to their characteristics, properties or performance under any variations from such conditions in actual construction. CertainTeed assumes no responsibility for the effects of structural movement.

NOTICE: The information in this document is subject to change without notice. CertainTeed assumes no responsibility for any errors that may inadvertently appear in this document.

ASK ABOUT ALL OF OUR OTHER CERTAINTEED® PRODUCTS AND SYSTEMS:

ROOFING • SIDING • TRIM • WINDOWS • DECKING • RAILING • FENCE
INSULATION • GYPSUM • CEILINGS • FOUNDATIONS • PIPE

CertainTeed Corporation
P.O. Box 860
Valley Forge, PA 19482

Professional: 800-233-8990
Consumer: 800-782-8777

www.certainteed.com <http://blog.certainteed.com>

© 05/10 CertainTeed Corporation
Code No. CTC-2244

