

NUVO

Price and Specification Guide



Effective June 1, 2012

krug

TABLE OF CONTENTS

GENERAL INFORMATION

1	LEED Summary, Sustainability & Environmental
2	General Information
3	Krug Express
4	Wood Finishes
5	In-Stock Laminates
6	Product Overview
8	Cable Management
9	Sample Configurations
10	Rectangular Conference Tops
11	Arc End Conference Tops
12	Racetrack Conference Tops
13	Boat Shaped & Visio Conference Tops
14	Oval, Arced Square & Round Conference Tops
15	Bases
17	Base Requirements Chart
25	Console Planning
26	Console Size & Location
36	Consoles & Console Modules
37	Preconfigured Console Power / Data Modules
41	Custom Console Power/Data Module
42	Plate Mounted Port Options
44	Snap-in Port Options
46	Media Wall & Media Board


NUVO | SUSTAINABILITY & ENVIRONMENTAL / LEED CI CREDIT SUMMARY

LEED CI - Credit Summary

NUVO CONFERENCE



MATERIAL CONTENT:



PRE-CONSUMER

RECYCLED CONTENT = 82%

POST-CONSUMER

RECYCLE CONTENT = 2.5%

CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials, (MUST BE REQUESTED)	
	Composite Wood & Laminate Adhesives	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 6	Rapidly Renewable Materials (MUST BE REQUESTED)	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point

* This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

AIR EMISSIONS AND FSC® CERTIFICATION

AIR EMISSIONS

All products are air emissions certified. Please contact customer service for a copy of the certification and any upcharges.



FSC®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It signifies that the growth, harvesting and production of goods are entirely achieved through responsible forestry, which guarantees a healthy supply of forest resources for generations to come. Krug has the ability to provide many of its products as FSC®-certified. Nuvo Tables can be specified with certified veneers, particle board material and certified lumber. Please contact Krug Customer Service for pricing and lead-times.



In addition, architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the U.S. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

TERMS AND CONDITIONS

Net 30 days on approved credit. A late payment charge of 1% per month will be applied on overdue invoices. This charge will be pro-rated to the number of days past 30 days that the invoice is overdue. All applicable sales taxes are extra. Prices include shipping to territorial warehouse. Distribution of this price list does not in itself constitute an offer to sell. Orders can be received only from authorized Krug dealers. Acceptance of any order and terms of sale may be established at the discretion of Krug. Deposits are required on orders received from new accounts as well as on large or special orders. Krug reserves the right to discontinue designs, or to change designs, construction, prices, or materials without notice.

CUSTOMER SERVICE HOURS

Please note customer service hours are:

8:30 am to 5:00 pm est

1.888.578.KRUG

1.519.748.5177 fax

ORDER ACKNOWLEDGEMENTS

Each order will be acknowledged via email or fax. This acknowledgement is the final agreement between Krug and the customer, superseding all previous communications regarding the purchase order. Where there is a discrepancy on a purchase order between a product code and a description, Krug will make every effort to resolve the discrepancy, but will be ruled by the product code ordered. Please check all acknowledgements for accuracy, and advise Krug of any discrepancies with a purchase order.

CANCELLATION

A cancellation can be made only by expressed agreement with Krug.

A cancellation fee may be incurred for restocking.

DIMENSIONS

Dimensions are in inches and approximate, and subject to change without notice. Contact Customer Service if dimensions are critical.

STORAGE CHARGES

Krug reserves the right to assess a nominal storage charge if a customer does not accept shipment of an order within a week of the ship date.

CONTACT INFORMATION

Phone: 1.888.578.KRUG

Fax: 1.519.748.5177

Purchase Order Fax: 1.888.236.4783 or email: orders@krug.ca

Web: www.krug.ca

Email: solutions@krug.ca

INSTALLATION SUPPORT

For assistance please contact Technical Support at 1-888-578-5784 x216 or e-mail installationhelp@krug.ca and you will be directed to the appropriate installation support person.

PRICING

Krug endeavors to ensure that all prices in this price list reflect accurately our current prices. However, errors do occur and will be rectified through notices to the field. Krug reserves the right to acknowledge pricing that may be different from the price list.

WARRANTY

Krug warrants the construction and the finish of all our products to be free from defects in materials and workmanship for a period of 10 years from the date of purchase. This warranty does not apply to components not manufactured by Krug including textiles, which are subject to the specific warranties of those manufacturers, if any. Textile (fabric, leather, vinyl, or any other covering material) suppliers do not guarantee their products for durability and color fastness, and nor does Krug. Casters, mechanical and electrical components have a warranty of five years from the date of purchase. The Krug warranty does not apply to COM-specified materials, damage caused by a carrier other than Krug, exposure to environments with uncontrolled temperature and humidity (products must be transported, stored and used in climate-controlled conditions), or variation in wood finishes due to natural wood color variation. Krug cannot be held responsible for variations in fabric dye lots from order to order. All fabric is carefully inspected when it is received, but a degree of variation in color should be expected. Repair or replacement of any defect covered by the Krug warranty will be made at no charge to the purchaser during the warranty period.

This warranty policy does not apply to defects resulting from negligence, misuse, alteration, improper cleaning, stains or accidents. Krug's judgment will be final in all matters concerning the condition of the furniture, the cause or nature of the defect, and the necessity or manner of repair.

Although Krug ensures the highest quality workmanship in all of its products, Krug does not warrant against normal wear, fading, or damage that has occurred during the life of Krug leather upholstery. All leather pulls with use, especially in soft seating applications. Puddling and stretching is generated by repeated use and is a hallmark of genuine leather and not considered a defect.

Krug is not responsible for the damage or degradation of product that may occur due to extreme hot or cold temperatures after it has left Krug. Krug product should not be exposed to any extreme hot or cold temperatures during its life. All products should be stored in climate-controlled warehousing and should be transported on climate-controlled trailers and containers, in order to protect its integrity. Trailers and containers should not be used for storage of products. Products should remain in a climate-controlled environment until the time that transport commences, and should be moved into a climate-controlled environment as soon as transport is completed. Exposure to extreme heat or cold temperatures voids the Krug warranty.

This warranty applies to products sold in North America only, and is made by Krug only to the original purchasers acquiring our products through authorized Krug dealers, directly from Krug, or from others specifically authorized to sell our products.

EXPORT PACKAGING

Krug is pleased to provide the option for export packaging on all our products, to provide additional protection from damage. Export packaging is provided at an upcharge of 5% of the net selling price per item. Export Packaging is **STRONGLY RECOMMENDED** for:

(A) all shipments outside of the lower 48 states and Canada

(B) all shipments that will be held in storage for an extended period prior to installation. Important: Please note that Krug will not be responsible for damage claims on product shipped or stored in the above conditions but where export packaging has not been utilized.

Please contact Customer Service for specifications or any other assistance regarding export packaging.

FREIGHT TERMS AND CONDITIONS

1. All product is shipped FOB the Krug factory. Freight is either pre-paid to the destination (dealer's dock or territorial warehouse, where available) or not pre-paid, depending on established customer specific freight terms.

2. Docks at the selected delivery location must be equipped to handle a 53' trailer. If a dock is inadequate for delivery by Krug, Krug will re-deliver to another local location and any additional costs will be charged to the customer.

3. When a Krug territorial warehouse (where available) is selected as the default delivery location, Krug pays freight cost to the territorial warehouse only, and no further. The Customer is responsible for all charges from this point.

4. For all deliveries, it is understood that Krug or its agent is making a dock delivery only (equipped to handle a 53' trailer), and any further work of truck unloading, delivery beyond the dock, installation, and removal of packaging is not authorized or paid for by Krug.

5. Drop shipments to the installation site, and timed deliveries, are available on larger shipments (full truckloads or slightly less) at no additional charge. Drop shipments or timed deliveries for smaller shipments may not be available, or if available will require a surcharge. Deliveries on an after hours basis, or on weekends, or any other special requirements, may be subject to a surcharge. Location and contact information, and the requested time of delivery, is required at least one week prior to the acknowledged shipment date. If this information is not provided one week in advance, or if the location or time of the drop shipment is changed less than one week in advance, a surcharge may be applied, and/or the drop shipment may not be scheduled.

GENERAL INFORMATION

6. For all deliveries - whether to the Customer location or drop shipment - any circumstances that result in the delay of our carrier (including unsuitable receiving facilities, or facilities not open or available), service charges will be applied at the rate of \$75/hour. Where re-delivery is necessary because of these circumstances, the full cost of re-delivery will be charged.

CUSTOMER SATISFACTION

It is the primary goal of Krug and our staff to ensure the complete satisfaction of our customers with our products and performance.

If a problem arises with a Krug product after the expiration of the limited warranty period, Krug will exercise its best efforts to achieve the satisfaction of the customer in a manner that is fair to all concerned.

DAMAGED SHIPMENTS

All Krug product is well engineered, carefully inspected, and expertly loaded onto our trucks at our Distribution Center. If you receive any damaged freight, we ask that you do not refuse the shipment. Krug is not responsible for damage to goods that occurs in transit or storage. It is the purchaser and/or receiver's responsibility to examine the goods upon receipt and to notify Krug of any damages, overages or shortages. Any discrepancies should be noted on the Bill of Lading. The delivering carrier will not accept responsibility for shortages or damages if signed "clear". Notification of concealed damage claims must be made to Krug Distribution within 5 days of delivery, along with digital pictures if available. All product and packaging must be available for inspection. Krug liability ceases after 5 business days and Krug will not be responsible for concealed damages if shipments are left unopened.

Krug is not responsible for the condition of product that is stored or installed in an environment where temperature and humidity are not controlled.

TESTING

All Krug Conference products meet or exceed the testing requirements of ANSI/BIFMA X5.5-2008 or X5.9-2004.

FIELD PRODUCT REPORT AUTHORIZATION

Krug's written authorization, in the form of an FPR number, must be obtained prior to incurring charges of any kind if Krug is expected to pay these charges. This includes authorization for field repairs and replacements, installation and delivery charges. Krug reserves the right to have its representative inspect product related to any request for such authorizations, prior to that authorization being provided. Deductions from invoices paid for any charges to Krug, without prior written authorization in the form of an FPR, will not be accepted. Digital photographs may be required to complete the FPR process.

RETURNS

No merchandise may be returned without Krug's prior written consent. In the event of an authorized return, a Field Product Report (FPR) number will be issued, and a restocking charge will apply. Return transportation charges must be prepaid. Unauthorized returns will not be accepted and will be returned freight collect. All merchandise being returned must be properly packaged in its original or comparable replacement packaging to ensure protection of the product during handling and transportation. Returns on orders duplicated by the customer must be received in their original packaging to be accepted.

Product being returned where Krug has authorized its liability for replacement or repair will be thoroughly inspected on its return, and the results compared to the reason for the return stated on the FPR. Any discrepancies, such as additional damage, signs of usage, missing parts, etc., will result in an adjustment to the amount of credit issued.

CARE AND MAINTENANCE

Wood Finishes

Although Krug's extensive finishing process ensures a durable finish on all our products, there are several steps that can be taken to protect and prolong the life and beauty of the finish. Protect the top by placing felt pads on the bottom of any accessories and mechanical equipment. Rubber and oil will permanently mark surfaces. Use a desk pad to prevent possible damage and imprinting caused by writing instruments and sharp objects. Dust only with a clean, dry cloth, going with the grain. Clean any marks with a damp cloth, using a small quantity of mild soap or detergent.

Do not use any wax-based polish, spray or silicone. Eventually, a film will build up and discolor the top. Do not place your furniture in a position of permanent exposure to direct sunlight.

Plastic Laminates

Clean plastic laminates with mild soap and warm water. Do not use steel wool, hot water, or any abrasive cleaning product.

CUSTOM CAPABILITIES

Over 15% of our orders involve some type of custom work, and we invite our customers to make use of our extensive capabilities. These include:

- 1) Dimensional customization of standard size products
- 2) Custom wood finishes
- 3) For larger orders, completely custom-designed products, as well as non-standard wood species can be specified.

Custom orders may require additional production lead times. Contact Customer Service for more information.

NUVO CONFERENCE - KRUG EXPRESS



PROGRAM DETAILS

KrugExpress orders are ready to ship by the date acknowledged. Delivery and shipping schedules may result in actual shipping of orders at a later date. Statutory holidays and scheduled factory vacations may add to acknowledged lead times of *KrugExpress* orders. Unless otherwise specified on the order, the customer's standard method of shipping Krug products will be utilized.

Available factory capacity for *KrugExpress* is filled by orders received on a "first come, first serve" basis. If the normal *KrugExpress* lead time is not available for your order because available capacity has been filled, you will be immediately advised of the earliest available ready-to-ship date. Please consult your Customer Service representative in advance if you wish to confirm the specific lead time availability for a *KrugExpress* order.

Orders must be received by midnight of a given day for that day to be considered the official day the order is received. Order lead times are acknowledged from the date the order is received, but not including the date the order is received.

KrugExpress orders must be "clean" when received in order to be considered officially received on a given day, and lead times will be acknowledged from the date orders are determined to be "clean".

Changes to *KrugExpress* orders are not allowed under any circumstances. Orders for product on *KrugExpress* must clearly state: "*KrugExpress*".

NUVO CONFERENCE TABLES

Orders for Nuvo Conference Tables on the *KrugExpress* program may be subject to quantity maximums. Please contact Krug Customer Service for more information.

Quantity maximums are dependent upon available capacity, in order to ensure that we ship all orders on time.

Only actual tables are considered "units".

Only standard wood finishes are available for *KrugExpress* orders. Consoles can be specified in standard positions only.

Some conditions apply.

FINISH ON WOOD TOPS

Standard wood finishes available:

SPECIES	FINISH
OAK	Light Oak Grey Oak Espresso Oak
CHERRY	American Cherry Appalachian Cherry Light Cherry Sable Cherry
MAPLE	Clear Maple Wheat Maple
WALNUT	Natural Walnut Regular Walnut Dark Walnut
ANIGRE	Clear Anigre Medium Anigre
SYCAMORE	Clear Sycamore Light Sycamore

PALETTE FINISHES - BASES ONLY

Black
White
Sand
Soft Green
Steel Blue
Slate

Non-Standard Wood Species will also be available upon request, please contact Customer Service to obtain a quote.

VENEERS

Nuvo veneers are quarter cut, except for White Oak< which is rift cut - both quarter cut and rift cut veneers provide a straight grain appearance.

NATURAL CHARACTERISTICS OF WOOD

Wood is a natural product with inherent color variations that will never be fully mitigated by the finishing process. Please anticipate variation in colors within a single unit, from piece to piece, and from Krug wood finish samples. If a very close match is required, a sample must be provided with the order and an upcharge will apply. Exact color matches are not possible.

CUSTOM WOOD FINISHES

Add 10% list to your order for special finishes, minimum upcharge is \$500 list per finish per order. (For example, on all orders up to \$5000 list, an upcharge of \$500 will apply, on orders \$5000 and up add 10% list to your order.) For orders with special finishes, a sample that is a minimum 3" by 3" must be received with the order. Special finishes may add additional lead time to production schedules. Since wood is a natural product, some variations in grain, color and stain acceptance will occur. In our finishing processes, we try to minimize variations, but some variation between samples and finished goods should be anticipated.

ENDURAGUARD FINISH

Nuvo Conference Tables features the Krug Enduraguard finish, a proprietary catalyzed varnish formulation, that has repeatedly shown through independent laboratory testing to be the industry leader in durability and abrasion resistance. The Krug finish looks better longer than competitors and is uniquely suited to the demands of high traffic environments.

IN-STOCK LAMINATES

In-Stock Laminate

Krug's in-stock laminates are available on Nuvo Table tops in 4 solid laminate selections.

Solid Laminate

Name & Number	Supplier
Almond T445	Pionite
Black T203	Arborite
Shadows T201	Arborite
White D354-60	Wilsonart

Non-Stocked Laminates

For specific lead time and application questions, please contact Krug Customer Service for your requirement. Upcharges will be applicable for non-stocked laminates, depending on their cost. Non-stock laminates may require a minimum order quantity, please contact customer service.


The following plastic laminates are acceptable for application on Krug products as they feature a matte finish:

Nevamar	All plastic laminates with "T" in the suffix (i.e., MR2002T)
Wilsonart	All plastic laminates with "60" in the suffix (i.e., 4779-60)
Arborite	All plastic laminates with "CA" in the suffix (i.e., 1531-CA)
Pionite	All plastic laminates with "Suede" in the name (i.e., WW561 Suede)
Formica	All plastic laminates with "58" in the suffix (i.e., 756-58)


Arborite Laminates 1.800.996.0366
Wilsonart Laminates 1.800.433.3222
Pionite Laminates 1.800.746.6483
Formica Laminates 1.800.367.6422
Nevamar Laminates 1.800.638.4380

Additional plastic laminate codes may be acceptable for use on Krug furniture, however, they could be subject to an additional upcharge or extended lead time due to material complexity. High sheen plastic laminates are not acceptable for application on Krug furniture due to their inherent nature of scratching and marring during the production process.

Nuvo Conference products offers 8 table top shapes in 6 veneer species and 4 solid laminate selections. Veneered tops are 1 1/2" thick veneered fibreboard MDF core and backer material, with a 1/8" wood edge. Laminate tops are 1 1/2" thick veneered fibreboard MDF core and backer material, with a self edge. All conference tops are available with a standard knife edge profile.



Knife edge profile
for wood tops



Knife edge profile for
laminates tops

BASES

All bases are shipped separately and require assembly to support beams and selected top.

All Wood bases, with the exception of panel bases, offer large interior cavities for cable routing and allow for total concealment of wiring when floor monuments are located underneath. Bases are equipped with removable panels which make access to the interior quick and easy.

Refer to the base requirements chart on page 17-24 to select the appropriate bases and sizes for conference tables.

Formed Aluminum Bases are available in Gloss Aluminum finish.

Base plates are available in a choice of Wood or Gloss Aluminum finish.

CONSOLES

Consoles are available in 14", 27", 36", 42" and 50" lengths, and can be located within a top section or across a seam. Consoles located within a table section will be factory installed and consoles located across the seam will be shipped separately for field installation.

The console access cover allows wiring to pass through to the console module from all sides. The console access cover can be operated from either side of the table for easy access to the console module and opens to a 95° angle from the top of the table. Console access covers are available in Gloss Aluminum with Polished Chrome end bezels.

CONSOLE MODULES

Console modules are available in 18 preconfigured power/data options or can be customized using plate-mounted or snap-in data ports. The number of console modules per console is dependent on the console size; 1 unit in 14" lengths, 2 units in 27" and 36" lengths, and 3 units in 42" and 50" lengths. Console modules are available in three cord lengths (6', 16' and 25'). Side utility outlets are available on some console module models for connecting power within a table. Up to 10 duplex receptacles can be connected to one electrical circuit. Faceplates, duplex receptacles and data components are white.

SUPPORT BEAMS

Aluminum support beams provide strength and support to the conference tops. Support beams are field installed onto the bases allowing for top-on-last installation. Trough pans located between the support beams accommodate under-surface cable management and runs cables to interior base cavities to access floor monuments. Support beams are aluminum and the trough pans are powder coated steel.

SEATING CAPABILITIES

To establish seating capabilities, an outside chair dimension on 24" has been used for this price guide, plus an allowance of 5" between chairs, for a total of 29". This is an approximation only. When using another chair, particularly seating with a 5 prong caster base, be sure to adjust the approximate seating capacity accordingly. Since not all manufacturers use the same formula, when a seating capacity is in question, please contact Krug Customer Service to review the specific seating that is being used with Nuvo Conference Tables.

VENEER

Veneers available are Rift White Oak, Quarter Cut Maple, Quarter Cut Cherry, Quarter Cut Walnut, Anigre and Sycamore.

FINISH

A five step catalyzed varnish finish that when dry has a sheen value of 32°, is applied to all tables, bases and cases. A lower sheen topcoat, 20°, can also be specified, at standard pricing. All purchase orders must clearly note "lower sheen finish" in order to receive this optional selection.

All finished surfaces are well sanded before applying finishing materials. The procedure begins by applying a base color via an NGR stain. A wash coat follows to further enhance the color. Next is the glazing process, which provides the 3rd color step and fills the pores of the wood. A sealer coat is then applied, twice to the horizontal worksurfaces to enhance the finish. The product is then scuff sanded to prepare for the top coat. The top coat is a catalyzed varnish that when dry has a sheen value of 32°. Krug's catalyzed varnish has been tested to be one of the industry's most durable and long lasting. Custom finishes are available at an upcharge of 10% list per unit.

GLIDES

Wood bases feature adjustable glides 1 1/2" long and allow for a range of adjustment of 3/4". Metal bases have 1/2" glides.

NUVO | GUIDELINES AND PRICING METHODS

LAMINATE WORKSURFACES

Laminate is available on all Nuvo Conference Tops; refer to Krug's standard laminate program on page 5. Krug will order and procure laminates. Purchase orders with a plastic laminate option must include:

Manufacturer's Name | Laminate Name | Laminate Number

Krug reserves the right to decline a laminate that may not be suitable for the application. Krug assumes no responsibility for the durability, consistent color.


CUSTOM SIZING

Custom sizing and additional customization is available on Nuvo Conference Tables. For more information or to obtain quotations, please contact Customer Service.


NON-STANDARD TABLE OPTIONS

Additional table shape options are available for Nuvo Conference tops at the same price as the standard conference tops. To order these additional configurations, please replace the model number prefix (first 4 numbers) with the prefix reference number for the top shape that you would like to order.

For Example: All Arc ended conference tops are available with square corners. To order square corners, please replace 5166 with 5106 in the model number. e.g. 51666036 changes to 51066036.



Visio
Square Corners, Straight Ends
Model Number Prefix: 5108




Visio
Square Corners, Arc Ends
Model Number Prefix: 5158




Rectangular
Square Corners, Straight Ends
Model Number Prefix: 5101




Boat Shaped
Square Corners, Arc Ends
Model Number Prefix: 5154




Boat Shaped
Square Corners, Straight Ends
Model Number Prefix: 5104




Arc End
Square Corners
Model Number Prefix: 5106



Arc Square
Square Corners
Model Number Prefix: 5156



Square
Rounded Corners
Model Number Prefix: 5161



Square
Model Number Prefix: 5101

CONNEXUS™

Nuvo conference tables may be specified with Connexus™ modules in the standard console locations within a top section, please use standard Connexus™ pricing when specifying table power/data requirements. These prices are added to the price of the top and bases. Connexus™ modules are available in an Aluminum or Glass faceplate, in 2 sizes, Standard and Large.

GLASS SURFACES

Nuvo conference tops are available in white back-painted 10mm tempered glass. Glass tops will be available with consoles in most standard locations. Please contact customer service with specifications for a quote.

SOLID SURFACES

Solid Surface tops are available on conference tops. The solid surface standard top option is white, with additional colors available upon request. Solid surfaces are composed of minerals, acrylic resins that are non-porous and stain, scratch and dent resistant. Color is throughout the material, so surface scratches are not as visible. Please contact customer service with specifications for a quote.

MICROPHONE CUT OUTS

Microphone cut outs are available on Nuvo Conference. Please contact Customer Service with microphone specifications to obtain a quote.

TESTING

All products have been tested in accordance with ANSI/BIFMA X5.5-2008 Desk/Table Test Standard or X5.9 - 2004 Storage Units.



CONSOLES & CABLE MANAGEMENT


All Nuvo Conference tables feature cable management capabilities for routing cables between the floor monuments and power data consoles.

Support beams connect the bases and provide additional support for the conference top. Support beams allow for top-on-last construction allowing all connectivity solutions to be installed before the conference top is installed, preventing any damage to the wood top. Cable troughs located between the support beams offer generous space for cable management and are supplied with grommets to allow for cables to pass through to the base interior cavities.


Bases provide cut outs in their bottom allowing access to floor monument. With the exception of panel and formed aluminum bases, bases allow for total concealment of wiring when floor monuments are located underneath. Access doors are also provided on these bases to facilitate easy access to the interior. Formed Aluminum bases are available with an external cable management system and cables are run to the floor using a cable U channel or cable spine.

The Console modules are housed within the support beam and provide power and communications connectivity. Console modules utilize UL standard receptacle outlets. Console modules offers 18 preconfigured units with a wide selection of power, data and presentation system outlets, or alternatively can be purchased with just electrical ports with blank data ports. Console modules also can be designed and built specifically to meet your connectivity needs by using the Snap-in or Plate mounted port options. Console modules are available with three electrical cord lengths (6', 16', and 25'). Console modules with a side utility outlet will allow units to be linked together to a maximum of 10 duplex receptacles per circuit. The number of console modules is dependent on the console size; 1 unit in 14" lengths, 2 units in 27" and 36" lengths, and 3 units in 42" and 50" lengths.


Consoles are available in 14", 27", 36", 42" and 50" lengths, and can be located within a top section or across a seam. The console access cover allows wiring to pass through to the console module from all sides. Console access covers are operated from either side of the table for easy access to the console module and open to a 95° angle from the top of the table. Console access covers are available in a Gloss Aluminum finish with polished chrome end bezel.



SUPPORT BEAMS & CABLE TROUGH



CONSOLE MODULE



	Base Size	Base Floor Monument Cut Out Dimension
	16" x 16"	6.5" x 6.5"
	20" x 20"	9.5" X 9.5"
	24" x 24"	14.5" X 14.5"
	30" x 30"	20.5" X 20.5"

	21" x 12"	15" X 6"
	25" x 12"	19" X 6"
	31" x 12"	25" X 6"

	21" x 3"	4" X 1.5"
	25" x 3"	4" X 1.5"
	31" x 3"	4" X 1.5"


Note: Panel bases will not completely conceal floor monuments.

	21" x 8"	12" X 5"
	25" x 10"	12" X 6.5"
	31" x 12"	12" X 9.5"

	Base Size	Base Floor Monument Cut Out Dimension
	18" x 47"	10" X 11"
	18" x 71"	6" X 26"
	24" x 71"	11" X 38"
	24" x 95"	(2) 11" X 26"
	24" x 107"	(2) 11" X 28"

	18" x 27"	6" X 14"
	18" x 39"	6" X 22"
	18" x 63"	6" X 29"
	18" x 99"	(2) 6" X 34"
	18" x 123"	(2) 6" X 40"
	18" x 171"	(2) 6" X 55"
	24" x 63"	11" X 29"
	24" x 99"	(2) 11" X 34"
	24" x 123"	(2) 11" X 40"
	24" x 171"	(2) 11" X 55"
	24" x 219"	(3) 11" X 40"


Formed Aluminum Base



NOTE: Formed Aluminum bases do not feature an interior cavity. Formed Aluminum bases have external cable management systems allowing cables to run to the floor monument. See page 16 for model numbers and cable management options.


NUVO | SAMPLE CONFIGURATIONS

SAMPLE CONFIGURATIONS - EXAMPLE ONE



		Laminate, Oak Maple, Cherry	Anigre Sycamore Walnut
Description	Model Number		
(1) Visio Top	51681686642	9240	10164
(1) Formed Aluminum Base w/ U Channel	514124328CM1	590	590
(1) Formed Aluminum Base	514136328	590	590
(1) Formed Aluminum Base	514148328	685	685
(4) Console Access Ports within top section	AI14	175	175
	BM36	220	220
	CM36	220	220
	DI14	175	175
(4) Basic Data with Utility Outlet Receptacle	51PDCD01-06	370	370
		370	370
		370	370
		370	370
TOTAL LIST		\$13,375	\$14,299

SAMPLE CONFIGURATIONS - EXAMPLE TWO



Description	Model Number	Laminate, Oak Maple, Cherry	Anigre Sycamore Walnut
(1) Rectangular Top	516112048	3950	4345
(2) 20" Square Bases	5143202025	820	902
		820	902
(2) Console Access Port within top section	AM14	175	175
	BM14	175	175
(1) Console Access Port across a seam	51CONSOLE-X27 (ABX27)	195	195
(3) Basic Data with Utility Outlet Receptacle	51PDCD01-06	370	370
		370	370
		370	370
TOTAL LIST		\$7245	\$7804


HOW TO SPECIFY YOUR NUVO CONFERENCE TABLE

- 1) Specify table top shape, size, model number and wood species, see pages 10-14
- 2) Select base shape, size and model number using Base Requirements chart on pages 15-24
- 3) Specify console location (end sections, middle sections or across the seam) and size option, see pages 25-35
- 4) Cross seam console model number, where applicable, see page 36
Please note: Across seam consoles are field installed and have a separate model number.
- 5) Specify Console Power module options.
Preconfigured Console Modules, see pages 37-40
Custom Console Modules, see page 41
- 6) Add plate-mounted data or snap-in data options to custom module, see port options on pages 42 - 45

Purchase orders must include:

- Wood Species and Finish
- Base Plates - Gloss Aluminum or Wood

NUVO | RECTANGULAR CONFERENCE TOPS

DESCRIPTION	MODEL	Laminate Oak, Maple, Cherry	Anigre, Sycamore Walnut	L	W	Table Sections	Approximate Seating	Shipping Weight	Cubic Feet
Rectangular- Rounded Corners	51616036	1850	2035	60	36	1	4	95	5
	51616042	1950	2145	60	42	1	4	110	6
	51616048	2050	2255	60	48	1	4	125	6
	51617236	1980	2178	72	36	1	6	113	6
	51617242	2080	2288	72	42	1	6	131	7
	51617248	2180	2398	72	48	1	6	148	8
	51617836	2150	2365	78	36	1	6	122	6
	51617842	2270	2497	78	42	1	6	142	7
	51617848	2390	2629	78	48	1	6	161	8
	51618436	2300	2530	84	36	1	6	131	7
	51618442	2450	2695	84	42	1	6	152	8
	51618448	2600	2860	84	48	1	6	172	9
	51619636	2400	2640	96	36	1	8	150	8
	51619642	2800	3080	96	42	2	8	175	9
	51619648	3200	3520	96	48	2	8	198	10
	516110842	2900	3190	108	42	2	8	195	10
	516110848	3350	3685	108	48	2	8	222	11
	516110854	3850	4235	108	54	3	8	250	13
	516112042	3500	3850	120	42	2	8	216	11
	516112048*	3950	4345	120	48	2	10	247	12
	516112054	4400	4840	120	54	3	10	278	14
	516112060	4900	5390	120	60	3	10	307	15
	516114448	4500	4950	144	48	2	10	297	15
	516114454	5050	5555	144	54	3	12	333	17
	516114460	5650	6215	144	60	3	12	369	18
	516115654	5500	6050	156	54	3	12	362	18
	516115660	6200	6820	156	60	3	12	401	20
	516116848	5950	6545	168	48	3	12	347	17
	516116854	6700	7370	168	54	4	12	390	19
	516116860	7550	8305	168	60	4	12	431	21
	516119248	6950	7645	192	48	3	14	397	20
	516119254	7800	8580	192	54	4	14	445	22
	516119260	8750	9625	192	60	4	14	492	24
	516121654	8600	9460	216	54	5	16	501	24
	516121660	9650	10615	216	60	5	16	554	27
	516124060	10900	11990	240	60	5	18	617	30
	516126460	12350	13585	264	60	6	20	680	33
	516128860	13950	15345	288	60	6	22	740	36

NOTE: Support Beams are included in top price. An additional line item for the support beam will be included on the order acknowledgement at no charge.

ORDERING PROCEDURES

To order, please specify the following:

- 1) Table top shape, size, model number and wood species
- 2) Base model number
- 3) Console location and size option
- 4) Cross seam console model number, where applicable
- 5) Console module and data options

DIMENSION KEY

L - length

W - Width

Dimensions are in inches and approximate.

Contact Customer Service if dimensions are critical.

STANDARD FINISHES

For a complete list of standard wood finishes, please see page 4

BASE REQUIREMENTS

See pages 17-24 for base requirements


CONSOLE SIZE & LOCATIONS

See pages 25-35 for information on Console locations and size options

CONSOLE MODULE OPTIONS

See pages 36-45 for Console Module Options

NUVO | ARC END CONFERENCE TOPS

DESCRIPTION	MODEL	Laminate, Oak, Maple, Cherry	Anigre, Sycamore Walnut	L	W	Table Sections	Approximate Seating	Shipping Weight	Cubic Feet
Arc End Table - Rounded Corners	51666036	1925	2118	60	36	1	4	89	5
	51666042	2050	2255	60	42	1	4	103	5
	51666048	2175	2393	60	48	1	4	117	6
	51667236	2055	2261	72	36	1	6	107	5
	51667242	2180	2398	72	42	1	6	123	6
	51667248	2305	2536	72	48	1	6	140	7
	51667836	2225	2448	78	36	1	6	116	6
	51667842	2370	2607	78	42	1	6	134	7
	51667848	2515	2767	78	48	1	6	153	8
	51668436	2375	2613	84	36	1	6	125	7
	51668442	2550	2805	84	42	1	6	144	7
	51668448	2725	2998	84	48	1	6	164	9
	51669636	2475	2723	96	36	1	8	144	7
	51669642	2900	3190	96	42	2	8	167	9
	51669648*	3325	3658	96	48	2	8	190	10
	516610842	3000	3300	108	42	2	8	188	10
	516610848	3475	3823	108	48	2	8	214	11
	516610854	4000	4400	108	54	3	8	240	12
	516612042	3600	3960	120	42	2	8	211	11
	516612048	4075	4483	120	48	2	10	239	12
	516612054	4550	5005	120	54	3	8	268	14
	516612060	5075	5583	120	60	3	10	297	15
	516614448	4625	5088	144	48	2	10	289	15
	516614454	5200	5720	144	54	3	12	324	16
	516614460	5825	6408	144	60	3	12	359	18
	516615654	5650	6215	156	54	3	12	353	18
	516615660	6375	7013	156	60	3	12	390	20
	516616848	6075	6683	168	48	3	12	338	17
	516616854	6850	7535	168	54	4	12	380	19
	516616860	7725	8498	168	60	4	12	421	21
	516619248	7075	7783	192	48	3	14	388	20
	516619254	7950	8745	192	54	4	14	435	22
	516619260	8925	9818	192	60	4	14	482	24
	516621654	8750	9625	216	54	5	16	491	25
	516621660	9825	10808	216	60	5	16	544	27
	516624060	11075	12183	240	60	5	18	606	30
	516626460	12525	13778	264	60	6	20	668	33
	516628860	14125	15538	288	60	6	22	729	36

NOTE: Support Beams are included in top price. An additional line item for the support beam will be included on the order acknowledgement at no charge.

ORDERING PROCEDURES

To order, please specify the following:

- 1) Table top shape, size, model number and wood species
- 2) Base model number
- 3) Console location and size option
- 4) Cross seam console model number, where applicable
- 5) Console module options

DIMENSION KEY

L - Length

W - Width

Dimensions are in inches and approximate.

Contact Customer Service if dimensions are critical.

STANDARD FINISHES

For a complete list of standard wood finishes, please see page 4

BASE REQUIREMENTS

See pages 17-24 for base requirements


CONSOLE SIZE & LOCATIONS

See pages 25-35 for information on Console locations and size options

CONSOLE MODULE OPTIONS

See pages 36-45 for power / data options

NUVO | RACETRACK CONFERENCE TOPS

DESCRIPTION	MODEL	Laminate, Oak, Maple, Cherry	Anigre, Sycamore Walnut	L	W	Table Sections	Approximate Seating	Shipping Weight	Cubic Feet
Racetrack	51026036	1950	2145	60	36	1	4	83	5
	51026042	2050	2255	60	42	1	4	94	5
	51026048	2160	2376	60	48	1	4	104	6
	51027236	2080	2288	72	36	1	6	101	6
	51027242	2190	2409	72	42	1	6	115	6
	51027248	2290	2519	72	48	1	6	127	7
	51027836	2260	2486	78	36	1	6	110	6
	51027842	2390	2629	78	42	1	6	126	7
	51027848	2510	2761	78	48	1	6	140	8
	51028436	2420	2662	84	36	1	6	119	7
	51028442	2580	2838	84	42	1	6	136	7
	51028448	2730	3003	84	48	1	6	152	9
	51029636	2520	2772	96	36	1	8	138	7
	51029642	2940	3234	96	42	2	8	159	9
	51029648	3360	3696	96	48	2	8	178	10
	510210842	3050	3355	108	42	2	8	180	10
	510210848*	3520	3872	108	48	2	8	202	11
	510210854	4050	4455	108	54	3	8	226	12
	510212042	3680	4048	120	42	2	8	202	11
	510212048	4150	4565	120	48	2	10	227	12
	510212054	4620	5082	120	54	3	10	251	14
	510212060	5150	5665	120	60	3	10	275	15
	510214448	4730	5203	144	48	2	10	277	15
	510214454	5310	5841	144	54	3	12	307	16
	510214460	5940	6534	144	60	3	12	337	16
	510215654	5780	6353	156	54	3	12	336	18
	510215660	6510	7161	156	60	3	12	369	20
	510216848	6250	6875	168	48	3	12	326	17
	510216854	7040	7744	168	54	4	12	364	19
	510216860	7930	8723	168	60	4	12	399	21
	510219248	7300	8030	192	48	3	14	376	20
	510219254	8190	9009	192	54	4	14	418	22
	510219260	9190	10109	192	60	4	14	460	24
	510221654	9030	9933	216	54	5	16	475	25
	510221660	10140	11154	216	60	5	16	522	27
	510224060	11450	12595	240	60	5	18	584	30
	510226460	12970	14267	264	60	6	20	647	33
	510228860	14650	16115	288	60	6	22	707	36

NOTE: Support Beams are included in top price. An additional line item for the support beam will be included on the order acknowledgement at no charge.

ORDERING PROCEDURES

To order, please specify the following:

- 1) Table top shape, size, model number and wood species
- 2) Base model number
- 3) Console location and size option
- 4) Cross seam console model number, where applicable
- 5) Console module and data options

DIMENSION KEY

L - length

W - Width

Dimensions are in inches and approximate.

Contact Customer Service if dimensions are critical.

STANDARD FINISHES

For a complete list of standard wood finishes, please see page 4

BASE REQUIREMENTS

See pages 17-24 for base requirements


CONSOLE SIZE & LOCATIONS

See pages 25-35 for information on Console locations and size options


CONSOLE MODULE OPTIONS

See pages 36-45 for power / data options

NUVO | BOAT SHAPED & VISIO CONFERENCE TOPS

		Laminate, Oak, Maple, Cherry	Anigre, Sycamore Walnut	L	W	Table Sections	Approximate Seating	Shipping Weight	Cubic Feet	
	Boat-Shaped - Arc End	5164964842	3460	3806	96	48/42	2	8	181	10
	Rounded Corners	5164965442*	4058	4464	96	54/42	2	8	204	11
		51641204842	4270	4697	120	48/42	2	8	229	12
		51641205442	4760	5236	120	54/42	3	10	257	14
		51641444842	4860	5346	144	48/42	2	10	276	15
		51641445442	5460	6006	144	54/42	3	12	311	15
		51641685442	7240	7964	168	54/42	4	12	366	19
		51641925442	8430	9273	192	54/42	4	14	419	22
		51642166048	10430	11473	216	60/48	5	16	526	27
		51642406048	11780	12958	240	60/48	5	18	585	30
		51642646048	13340	14674	264	60/48	6	20	646	33
		51642886048	15070	16577	288	60/48	6	22	704	36

NOTE: Support Beams are included in top price. An additional line item for the support beam will be included on the order acknowledgement at no charge.

	Visio - Arc End	51681206042	6350	6985	120	60/42	3	8	268	15
	Rounded Corners	51681446042*	8690	9559	144	60/42	3	10	323	18
		51681686642	9240	10164	168	66/42	4	13	407	23
		51681926942	9960	10956	192	69/42	4	15	482	27
		51682167342	10850	11935	216	73/42	5	17	567	32
		51682407642	11630	12793	240	76/42	5	19	651	38

NOTE: Support Beams are included in top price. An additional line item for the support beam will be included on the order acknowledgement at no charge.

ORDERING PROCEDURES

To order, please specify the following:

- 1) Table top shape, size, model number and wood species
- 2) Base model number
- 3) Console location and size option
- 4) Cross seam console model number, where applicable
- 5) Console module options

DIMENSION KEY

L - Length

W - Width

Dimensions are in inches and approximate.

Contact Customer Service if dimensions are critical.

STANDARD FINISHES

For a complete list of standard wood finishes, please see page 4

BASE REQUIREMENTS

See pages 17-24 for base requirements


CONSOLE SIZE & LOCATIONS


See pages 25-35 for information on Console locations and size options


CONSOLE MODULE OPTIONS


See pages 36-45 for power / data options

NUVO | OVAL, ARCED SQUARE & ROUND CONFERENCE TOPS

DESCRIPTION	MODEL	Laminate, Oak, Maple, Cherry	Anigre, Sycamore Walnut	L	W	Table Sections	Approximate Seating	Shipping Weight	Cubic Feet
	51598448	2990	3289	84	48	1	6	136	9
	51599648	3820	4202	96	48	2	8	157	10
	51599654	4140	4554	96	54	2	8	176	11
	515912048*	4550	5005	120	48	2	8	196	12
	515912060	4930	5423	120	60	3	10	243	15
	515914454	5670	6237	144	54	3	10	264	16
	515914460	5950	6545	144	60	3	12	292	18
	515916860	6780	7458	168	60	4	12	341	21
NOTE: Support Beams are included in top price. An additional line item for the support beam will be included on the order acknowledgement at no charge.									

	51663636	1350	1485	36	36	1	4	59	3
	51664242	1490	1639	42	42	1	4	79	4
	51664848	1680	1848	48	48	1	4	101	5
	51665454	1900	2090	54	54	1	4	127	7
	51666060	2460	2706	60	60	1	4	155	8

	510536	1320	1452		36 Dia.	1	3	47	3
	510542	1460	1606		42 Dia.	1	3	63	4
	510548	1640	1804		48 Dia.	1	4	80	5
	510554	2120	2332		54 Dia.	1	5	100	7
	510560	2470	2717		60 Dia.	1	5	123	8

DESCRIPTION	MODEL	Oak, Maple Cherry Palette	Anigre Sycamore Walnut	W	D	H	Shipping Weight	Cubic Feet
	5142161628	720	792	16	16	28	136	7.25
	5142202028	790	869	20	20	28	160	12.5

ORDERING NOTE: Bases are available in Rift White Oak, Quarter Cut Maple, Quarter Cut Cherry, Quarter Cut Walnut, Anigre, Sycamore and Palette finishes. Laminate bases are not available. Base plates are available in Gloss Aluminum or Wood, please specify requirement on order.

BASE SIZES FOR ARCED SQUARE TABLES AND FOR ROUND TABLES

Top Size Arc Square	Top Size Round Tops	Quantity	W	D	H
36-36	36 Dia.	1	16	16	28
42-42	42 Dia.	1	16	16	28
48-48	48 Dia.	1	20	20	28
54-54	54 Dia.	1	20	20	28
60-60	60 Dia.	1	20	20	28

ORDERING PROCEDURES

To order, please specify the following:

- 1) Table top shape, size, model number and wood species
- 2) Base model number
- 3) Console location and size option
- 4) Cross seam console model number, where applicable
- 5) Console module options

DIMENSION KEY

L - Length
W - Width
D - Depth
H - Height

Dimensions are in inches and approximate.
Contact Customer Service if dimensions are critical.

STANDARD FINISHES

For a complete list of standard wood finishes, please see page 4

BASE REQUIREMENTS

See pages 17-24 for base requirements

CONSOLE SIZE & LOCATIONS


See pages 25-35 for information on Console locations and size options

CONSOLE MODULE OPTIONS

See pages 36-45 for power / data options


NUVO | BASES

DESCRIPTION	MODEL	Oak, Maple Cherry Palette	Anigre Sycamore Walnut	W	D	H	Shipping Weight	Cubic Feet
Panel Base	513921325	585	644	20.5	3	25	30	2
	513925325	635	699	24.5	3	25	33	2.25
	513931325	675	743	30.5	3	25	38	2.5




ORDERING NOTE: Base plates are available in Gloss Aluminum or Wood, please specify requirement on order.

Oval Base	514521825	660	726	21	8	25	28	3.5
	5145251025	710	781	25	10	25	33	5.75
	5145311225	770	847	31	12	25	38	7.75




ORDERING NOTE: Base plates are available in Gloss Aluminum or Wood, please specify requirement on order.

Square Base	5143161625	780	858	16	16	25	60	7.25
	5143202025	820	902	20	20	25	75	8.5
	5143242425	850	935	24	24	25	88	12
	5143303025	940	1034	30	30	25	95	14




ORDERING NOTE: Base plates are available in Gloss Aluminum or Wood, please specify requirement on order.


Rectangular Base	5144211225	690	759	21.5	12	25	55	7
	5144251225	780	858	25	12	25	61	8
	5144311225	870	957	31	12	25	69	9.5




ORDERING NOTE: Base plates are available in Gloss Aluminum or Wood, please specify requirement on order.

DESCRIPTION	MODEL	Oak, Maple Cherry Palette	Anigre Sycamore Walnut	W	D	H	Shipping Weight	Cubic Feet
	5146184725	1660	1826	18	47	25	118	19
	5146187125	2130	2343	18	71	25	175	28
	5146247125	2780	3058	24	71	25	270	41
	5146249525	3550	3905	24	95	25	308	46.5
	51462410725	4190	4609	24	107	25	346	52

ORDERING NOTE: Base plates are available in Gloss Aluminum or Wood, please specify requirement on order.

	Rectangular Island Base	5147182725	790	869	18	27	25	46	11.5
		5147183925	1070	1177	18	39	25	65	16
		5147186325	1440	1584	18	63	25	102	25
		5147189925	1990	2189	18	99	25	157	38
		5147182325	2460	2706	18	123	25	193	47
		51471817125	3320	3652	18	171	25	267	65
		5147246325	1710	1881	24	63	25	134	31.5
		5147249925	2050	2255	24	99	25	207	48.5
		51472412325	2900	3190	24	123	25	256	60
		51472417125	3830	4213	24	171	25	351	82.5
		51472421925	4320	4752	24	219	25	451	105


ORDERING NOTE: Base plates are available in Gloss Aluminum or Wood, please specify requirement on order. Rectangular island bases greater than 99" are constructed in two pieces requiring assembly in the field.

	Formed Aluminum Base	514124328	495		24	3	28	29	2.75
		514136328	590		36	3	28	31	3.75
		514148328	685		47	3	28	37	4.5


ORDERING NOTE: Formed Aluminum bases are available in Gloss Aluminum.

There are two cable management options available for Formed Aluminum bases – U Channel Cable Manager or Spine Cable Manager. To order either of these options, please add the cable manager suffix to the end of the model number and add the upcharge listed below. For Example: To add the U Channel Manager to the Formed Aluminum base, please added CM1 to the end of the base model number. e.g. 514124328 changes to 514124328CM1. To add the Spine Cable Manager to the table, please added CM2 to the end of the Formed Aluminum base model number. e.g. 514124328 changes to 514124328CM2.

Formed Metal Base
Cable Management



CM1




CM2


U Channel Cable Manager 5141CM1	95	25	3	1	4	0.2
Spine Cable Manager 5141CM2	125	26	3	2	6	0.3

NUVO | BASE REQUIREMENTS CHART


Panel Base
5139




Oval Base
5145



Square Base
5143




Rectangular Base
5144




Model#	Quantity	Size	Quantity	Size	Quantity	Size	Quantity	Size
BASE REQUIREMENTS FOR RECTANGULAR (5161) & ARC END (5166) TOPS								
60-36	2	21	2	21				
60-42	2	21	2	21				
60-48	2	21	2	21				
72-36	2	21	2	21				
72-42	2	21	2	21				
72-48	2	21	2	21				
78-36	2	21	2	21			2	21
78-42	2	21	2	21			2	21
78-48	2	21	2	21			2	21
84-36	2	21	2	21	2	16	2	21
84-42	2	21	2	21			2	21
84-48	2	21	2	21			2	21
96-36	2	21	2	21	2	16	2	21
96-42	2	21	2	21	2	16	2	21
96-48	2	21	2	21	2	20	2	21
108-42	2	21	2	21	2	16	2	21
108-48	2	21	2	21	2	20	2	21
108-54	2	25	2	25	2	24	2	25
120-42	2	21	2	21	2	16	2	21
120-48	2	21	2	21	2	20	2	21
120-54	2	25	2	25	2	24	2	25
120-60	2	25	2	25	2	24	2	25
144-48	3	21	3	21	2	20	3	21
144-54	3	25	3	25	2	24	3	25
144-60	3	25	3	25	2	24	3	25
156-54	3	25	3	25	2	24	3	25
156-60	3	25	3	25	2	24	3	25
168-48	3	21	3	21	3	20	3	21
168-54	3	25	3	25	3	24	3	25
168-60	3	25	3	25	3	24	3	25
192-48	3	21	3	21	3	20	3	21
192-54	3	25	3	25	3	24	3	25
192-60	3	25	3	25	3	24	3	25
216-54	4	25	4	25	3	24	4	25
216-60	4	25	4	25	3	24	4	25
240-60	4	25	4	25	3	24	4	25
264-60	4	25	4	25	3	24	4	25
288-60	5	25	5	25	4	24	5	25

NUVO | BASE REQUIREMENTS CHART


Formed Aluminum
Base 5141



Rectangular Island Base
5147




Oval Island Base
5146




Model#	Quantity	Size	Quantity	Size	Quantity	Size
BASE REQUIREMENTS FOR RECTANGULAR (5161) & ARC END (5166) TOPS						
60-36	2	24				
60-42	2	24				
60-48	2	36	1	18x27		
72-36	2	24				
72-42	2	24				
72-48	2	36	1	18x27		
78-36	2	24				
78-42	2	24				
78-48	2	36	1	18x39		
84-36	2	24				
84-42	2	24				
84-48	2	36	1	18x39		
96-36	2	24				
96-42	2	24				
96-48	2	36	1	18x39		
108-42	2	24				
108-48	2	36	1	18x63		
108-54	2	36	1	24x63		
120-42	2	24				
120-48	2	36	1	18x63		
120-54	2	36	1	24x63		
120-60	2	48	1	24x63		
144-48	3	36	1	18x99		
144-54	3	36	1	24x99		
144-60	3	48	1	24x99		
156-54	3	36	1	24x99		
156-60	3	48	1	24x99		
168-48	3	36	1	18x123		
168-54	3	36	1	24x123		
168-60	3	48	1	24x123		
192-48	3	36	1	18x123		
192-54	3	36	1	24x123		
192-60	3	48	1	24x123		
216-54	4	36	1	24x171		
216-60	4	48	1	24x171		
240-60	4	48	1	24x171		
264-60	4	48	1	24x219		
288-60	5	48	1	24x219		

NUVO | BASE REQUIREMENTS CHART


Panel Base
5139




Oval Base
5145



Square Base
5143




Rectangular Base
5144




Model#	Quantity	Size	Quantity	Size	Quantity	Size	Quantity	Size
BASE REQUIREMENTS FOR RACETRACK TOPS - (5102)								
60-36	2	21	2	21				
60-42	2	21	2	21				
60-48	2	21	2	21				
72-36	2	21	2	21				
72-42	2	21	2	21				
72-48	2	21	2	21				
78-36	2	21	2	21			2	21
78-42	2	21	2	21			2	21
78-48	2	21	2	21			2	21
84-36	2	21	2	21	2	16	2	21
84-42	2	21	2	21			2	21
84-48	2	21	2	21			2	21
96-36	2	21	2	21	2	16	2	21
96-42	2	21	2	21	2	16	2	21
96-48	2	21	2	21	2	20	2	21
108-42	2	21	2	21	2	16	2	21
108-48	2	21	2	21	2	20	2	21
108-54	2	21	2	21	2	20	2	21
120-42	2	21	2	21	2	16	2	21
120-48	2	21	2	21	2	20	2	21
120-54	2	21	2	21	2	20	2	21
120-60	2	25	2	25	2	24	2	25
144-48	3	21	3	21	2	20	3	21
144-54	3	21	3	21	2	20	3	21
144-60	3	25	3	25	2	24	3	25
156-54	3	21	3	21	2	20	3	21
156-60	3	25	3	25	2	24	3	25
168-48	3	21	3	21	3	20	3	21
168-54	3	21	3	21	3	20	3	21
168-60	3	25	3	25	3	24	3	25
192-48	3	21	3	21	3	20	3	21
192-54	3	21	3	21	3	20	3	21
192-60	3	25	3	25	3	24	3	25
216-54	4	21	4	21	3	20	4	21
216-60	4	25	4	25	3	24	4	25
240-60	4	25	4	25	3	24	4	25
264-60	4	25	4	25	3	24	4	25
288-60	5	25	5	25	4	24	5	25

NUVO | BASE REQUIREMENTS CHART


Formed Aluminum
Base 5141



Rectangular Island Base
5147



Oval Island Base
5146




Model#	Quantity	Size	Quantity	Size	Quantity	Size
BASE REQUIREMENTS FOR RACETRACK TOPS - (5102)						
60-36	2	24				
60-42	2	24				
60-48	2	36	1	18x27		
72-36	2	24				
72-42	2	24				
72-48	2	36	1	18x27		
78-36	2	24				
78-42	2	24				
78-48	2	36	1	18x39		
84-36	2	24				
84-42	2	24				
84-48	2	36	1	18x39		
96-36	2	24				
96-42	2	24				
96-48	2	36	1	18x39		
108-42	2	24				
108-48	2	36	1	18x63		
108-54	2	36	1	18x63		
120-42	2	24				
120-48	2	36	1	18x63		
120-54	2	36	1	18x63		
120-60	2	48	1	24x63		
144-48	3	36	1	18x99		
144-54	3	36	1	18x99		
144-60	3	48	1	24x99		
156-54	3	36	1	18x99		
156-60	3	48	1	24x99		
168-48	3	36	1	18x123		
168-54	3	36	1	18x123		
168-60	3	48	1	24x123		
192-48	3	36	1	18x123		
192-54	3	36	1	18x123		
192-60	3	48	1	24x123		
216-54	4	36	1	18x171		
216-60	4	48	1	24x171		
240-60	4	48	1	24x171		
264-60	4	48	1	24x219		
288-60	5	48	1	24x219		

NUVO | BASE REQUIREMENTS CHART


Model#	Panel Base 5139		Oval Base 5145		Square Base 5143		Rectangular Base 5144	
	Quantity	Size	Quantity	Size	Quantity	Size	Quantity	Size
BASE REQUIREMENTS FOR BOAT-SHAPED TOPS - (5164)								
96-48-42	2	21	2	21	2	20	2	21
96-54-42	2	21	2	21	2	20	2	21
120-48-42	2	21	2	21	2	20	2	21
120-54-42	2	21	2	21	2	20	2	21
144-48-42	3	21	3	21	2	20	3	21
144-54-42	2	21	2	21	2	20	2	21
	1	25	1	25			1	25
168-54-42	2	21	2	21	2	20	2	21
	1	25	1	25	1	24	1	25
192-54-42	2	21	2	21	2	20	2	21
	1	25	1	25	1	24	1	25
216-60-48	2	21	2	21	2	20	2	21
	2	25	2	25	1	24	2	25
240-60-48	2	21	2	21	2	20	2	21
	2	25	2	25	1	24	2	25
264-60-48	2	21	2	21	2	20	2	21
	2	25	2	25	1	24	2	25
288-60-48	4	21	4	21	2	20	4	21
	1	25	1	25	2	24	1	25
BASE REQUIREMENTS FOR VISIO TOPS - (5168)								
120-60-42	2	21	2	21	2	20	2	21
144-60-42	3	21	3	21	2	20	3	21
168-66-42	2	21	2	21	2	20	2	21
	1	31	1	31	1	30	1	31
192-69-42	2	21	2	21	2	20	2	21
	1	31	1	31	1	30	1	31
216-73-42	2	21	2	21	2	20	2	21
	2	31	2	31	1	30	2	31
240-76-42	2	21	2	21	2	20	2	21
	2	31	2	31	1	30	2	31

NUVO | BASE REQUIREMENTS CHART


Formed Aluminum
Base 5141



Rectangular Island Base
5147



Oval Island Base
5146




Model#	Quantity	Size	Quantity	Size	Quantity	Size
BASE REQUIREMENTS FOR BOAT-SHAPED TOPS - (5164)						
96-48-42	2	36				
96-54-48	2	36				
120-48-42	2	24				
120-54-42	2	36				
144-48-42	2	24				
	1	36				
144-54-42	3	36				
168-54-42	3	36				
192-54-42	3	36				
216-60-48	2	36				
	2	48				
240-60-48	2	36				
	2	48				
264-60-48	2	36				
	2	48				
288-60-48	4	36				
	1	48				
BASE REQUIREMENTS FOR VISIO TOPS - (5168)						
120-60-42	1	36				
	1	48				
144-60-42	1	24				
	1	36				
	1	48				
168-66-42	1	24				
	1	36				
	1	48				
192-69-42	1	24				
	1	36				
	1	48				
216-73-42	1	24				
	1	36				
	2	48				
240-76-42	1	24				
	1	36				
	2	48				


NUVO
 |
 BASE REQUIREMENTS CHART

NUVO | BASE REQUIREMENTS CHART


Formed Aluminum
Base 5141



Rectangular Island Base
5147



Oval Island Base
5146



Model#	Quantity	Size	Quantity	Size	Quantity	Size
BASE REQUIREMENTS FOR OVAL TOPS - (5159)						
84-48	2	24			1	18x47
96-48	2	24			1	18x47
96-54	2	36			1	18x47
120-48	2	24			1	18x71
120-60	2	36			1	24x71
144-54	1	36			1	24x95
	2	24				
144-60	1	48			1	24x95
	2	24				
168-60	1	48			1	24x107
	2	24				

NUVO | CONSOLE PLANNING

CONSOLE ORDERING CODE (WITHIN THE TABLE SECTION - 4 CHARACTER CODE)


1st character specifies top sections from left to right on table: A, B, C, D, E, F

2nd character specifies console location within top section: M, I, L, R

- M - Middle of top on one piece table
- M - Middle of top section on multi section table
- I - Inset 3" from seam on end sections
- L-Left side of a one piece top
- R - Right side of a one piece top

3rd and 4th characters specify console size: 14, 27, 36, 42, 50

Examples:



Y= Dimension from end of table to end of console


CONSOLE ORDERING CODE (ACROSS SEAM - 5 CHARACTER CODE)

1st and 2nd character specifies section from left to right on table: AB, BC, CD, DE, EF

3rd character specifies console location across the seam: X





4th and 5th characters specify console size: 27, 36, 42, 50

Examples:



Y= Dimension from end of table to end of console

NUVO | CONSOLE SIZE & LOCATION - RECTANGULAR, ARC END, RACETRACK

CONSOLE OPTIONS	Top Size	Console Options Top End Section	Y	Console Options Within Top Center Sections	Console Options Across Seam
TOP WIDTHS 48" OR LESS					
60" - 84" X 36", 42", 48" 96" X 36"	60	M14 M27	23 16.5		
	72	M14 M27	29 22.5		
	78	M14 M27 M36 M42	32 25.5 21 18		
Example	84	M14 M27 M36 M42	35 28.5 24 21		
	96	M14 M27 M36 M42 M50	41 34.5 30 27 23		
78" - 84" X 36", 42", 48" 96" X 36"	78	L14 / R14	18		
Example	84	L14 / R14	18		
	96	L14 / R14	18		
96" - 144" X 42", 48"	96	M14	18		
Example	108	M14	20		X27
	120	M14	23		X27
	144	M14 M27	29 22.5		X27 X36 X42
96" - 144" X 42", 48"	96		34.5 30 27 23		X27 X36 X42 X50
Example	108		40.5 36 33 29		X27 X36 X42 X50
	120		42 39 35		X36 X42 X50
	144		47		X50

CODE KEY:

M - Console location, middle section of top
 I - Console location, Inset 3" from seam on end sections
 X - Console location, across a seam of two top sections
 L - Console location, left side of a one piece top
 R - Console location, right side of a one piece top
 Y- Dimension from end of table to end of Console

Caution: Y greater than 30" makes access to Console Power/Data difficult from the end of the table

ORDERING NOTES: Tops may be specified with fewer consoles and configurations other than shown. Consoles can be different sizes within the same top. Dimension from end of cut-out to table end cannot be less than 18".






CONSOLE SIZE & LOCATIONS

See pages 25-35 for information on Console locations and size options

CONSOLE MODULE OPTIONS

See pages 36-45 for power / data options

NUVO | CONSOLE SIZE & LOCATION - RECTANGULAR, ARC END, RACETRACK

CONSOLE OPTIONS	Top Size	Console Options Top End Section	Y	Console Options Within Top Center Sections					Console Options Across Seam
96" - 144" X 42", 48"	96	I27	18						
	108	I27	24						
Example	120	I27 I36	30 21						
	144	I27 I36 I42 I50	42 33 27 19						
168" - 192" X 48"	168	M14 I27	21 26	M14 M14	M27 M27	M36 M36	M42 M42	M50 M50	
Example	192	M14 I27 I36	25 34 25	M14 M14 M14	M27 M27 M27	M36 M36 M36	M42 M42 M42	M50 M50 M50	
									
168" - 192" X 48"	168		42.5 38 35 31						X27 X36 X42 X50
Example	192		46 43 39						X36 X42 X50
									
TOP WIDTHS 54" OR GREATER									
108" - 156" X 54", 60"	108	I14	19	M14	M27				
	120	I14	23	M14	M27				
	144	M14 I14 I27	18 31 18	M14 M14 M14	M27 M27 M27	M36 M36 M36	M42 M42 M42		
Example	156	M14 I14 I27	19 35 22	M14 M14 M14	M27 M27 M27	M36 M36 M36	M42 M42 M42		
									
108" - 156" X 54", 60"	108		22.5						X27
	120		26.5						X27
	144		30 27						X36 X42
Example	156		34 31						X36 X42
									

CODE KEY:

M - Console location, middle section of top
 I - Console location, Inset 3" from seam on end sections
 X - Console location, across a seam of two top sections
 L - Console location, left side of a one piece top
 R - Console location, right side of a one piece top
 Y- Dimension from end of table to end of Console

Caution: Y greater than 30" makes access to Console Power/Data difficult from the end of the table

ORDERING NOTES: Tops may be specified with fewer consoles and configurations other than shown. Consoles can be different sizes within the same top. Dimension from end of cut-out to table end cannot be less than 18".






CONSOLE SIZE & LOCATIONS

See pages 25-35 for information on Console locations and size options

CONSOLE MODULE OPTIONS

See pages 36-45 for power / data options

NUVO | CONSOLE SIZE & LOCATION - RECTANGULAR, ARC END, RACETRACK

CONSOLE OPTIONS	Top Size	Console Options Top End Section	Y	Console Options Within Top Center Sections				Console Options Across Seam		
168"-192" X 54", 60"	168	I14	25	M14	M27	M36				
	192	M14	18	M14	M27	M36	M42			
		I14	31	M14	M27	M36	M42			
		I27	18	M14	M27	M36	M42			
Example										
<div><div>AM14</div><div>BM42</div><div>CM42</div><div>DM14</div></div> 										
168" - 192" X 54", 60"	168	I14	25					X27	X36	X42
	192	M14	18					X36	X42	
		I14	31					X36	X42	
		I27	18					X36	X42	
Example										
<div><div>AM14</div><div>BCX42</div><div>DM14</div></div> 										
168" - 192" x 54", 60"	168		28.5					X27		
	192		24					X36		
			34.5					X27		
			30					X36		
		27					X42			
Example										
<div><div>ABX42</div><div>BCX42</div><div>CDX42</div></div> 										
216"- 240" X 54", 60"	216"	I14	26	M14	M27	M36				
	240	M14	18	M14	M27	M36	M42			
		I14	31	M14	M27	M36	M42			
		I27	18	M14	M27	M36	M42			
Example										
<div><div>AM14</div><div>BM42</div><div>CM42</div><div>DM42</div><div>EM14</div></div> 										
216" - 240" X 54", 60"	216		29.5					X27		
	240		25					X36		
			34.5					X27		
			30					X36		
		27					X42			
Example										
<div><div>ABX42</div><div>BCX42</div><div>CDX42</div><div>DEX42</div></div> 										

CODE KEY:

M - Console location, middle section of top
 I - Console location, Inset 3" from seam on end sections
 X - Console location, across a seam of two top sections
 L - Console location, left side of a one piece top
 R - Console location, right side of a one piece top
 Y- Dimension from end of table to end of Console

Caution: Y greater than 30" makes access to Console Power/Data difficult from the end of the table

ORDERING NOTES: Tops may be specified with fewer consoles and configurations other than shown. Consoles can be different sizes within the same top. Dimension from end of cut-out to table end cannot be less than 18".






CONSOLE SIZE & LOCATIONS

See pages 25-35 for information on Console locations and size options

CONSOLE MODULE OPTIONS

See pages 36-45 for power / data options

NUVO | CONSOLE SIZE & LOCATION - RECTANGULAR, ARC END, RACETRACK

CONSOLE OPTIONS	Top Length	Console Options Top End Section	Y	Console Options Within Top Center Sections				Console Options Across Seam		
216" - 240" X 54", 60"	216		29.5	M14	M27	M36		X27		
			25	M14	M27	M36		X36		
			22	M14	M27	M36		X42		
Example	240		34.5	M14	M27	M36	M42	X27		
			30	M14	M27	M36	M42	X36		
			27	M14	M27	M36	M42	X42		
			23	M14	M27	M36	M42	X50		
										
264" - 288" X 60"	264	I14	27	M14	M27	M36				
	288	M14	18	M14	M27	M36	M42			
		I14	31	M14	M27	M36	M42			
		I27	18	M14	M27	M36	M42			
Example										
										
264" - 288" X 60"	264	I14	27					X36	X42	X50
	288	M14	18					X36	X42	X50
		I14	31					X36	X42	X50
		I27	18					X36	X42	X50
Example										
										
264" - 288" X 60"	264		30.5					X27		
			26					X36		
Example	288		34.5					X27		
			30					X36		
			27					X42		
										
264" - 288" X 60"	264		30.5					X27		
			26					X36		
			23					X42		
	288		34.5					X27		
			30					X36		
			27					X42		
			23					X50		
Example										
										

CODE KEY:

M - Console location, middle section of top
 I - Console location, Inset 3" from seam on end sections
 X - Console location, across a seam of two top sections
 L - Console location, left side of a one piece top
 R - Console location, right side of a one piece top
 Y- Dimension from end of table to end of Console

Caution: Y greater than 30" makes access to Console Power/Data difficult from the end of the table

ORDERING NOTES: Tops may be specified with fewer consoles and configurations other than shown. Consoles can be different sizes within the same top. Dimension from end of cut-out to table end cannot be less than 18".






CONSOLE SIZE & LOCATIONS

See pages 25-35 for information on Console locations and size options

CONSOLE MODULE OPTIONS

See pages 36-45 for power / data options

NUVO | CONSOLE SIZE & LOCATION - BOAT SHAPED

CONSOLE OPTIONS	Top Size	Console Options Top End Section	Y	Console Options Within Top Center Sections				Console Options Across Seam		
96" - 144" X 48"/42" 96" X 54"/42"	96	M14	18							
	120	M14	23					X27		
Example	144	M14 M27	29 22.5					X27	X36	X42
<div>AM14ABX42BM14</div> 										
96" - 144" X 48"/42" 96" X 54"/42"	96		34.5 30 27 23					X27	X36	X42 X50
Example	120		42 39 35					X36	X42	X50
	144		47					X50		
										
96" - 144" X 48"/42" 96" X 54"/42"	96	I27	18							
	120	I27 I36	30 21							
Example	144	I27 I36 I42 I50	42 33 27 19							
<div>AI42BI42</div> 										
120" - 144" x 54"/42"	120	I14	23	M14	M27					
Example	144	M14 I14 I27	18 31 18	M14 M14 M14	M27 M27 M27	M36 M36 M36	M42 M42 M42			
<div>AM14BM42CM14</div> 										
120" - 144" x 54"/42"	120		26.5					X27		
	144		30 27					X36	X42	
Example										
<div>ABX42BCX42</div> 										

CODE KEY:

M - Console location, middle section of top
 I - Console location, Inset 3" from seam on end sections
 X - Console location, across a seam of two top sections
 L - Console location, left side of a one piece top
 R - Console location, right side of a one piece top
 Y - Dimension from end of table to end of Console

Caution: Y greater than 30" makes access to Console Power/Data difficult from the end of the table

ORDERING NOTES: Tops may be specified with fewer consoles and configurations other than shown. Consoles can be different sizes within the same top. Dimension from end of cut-out to table end cannot be less than 18".








CONSOLE SIZE & LOCATIONS

See pages 25-35 for information on Console locations and size options







CONSOLE MODULE OPTIONS

See pages 36-45 for power / data options

NUVO | CONSOLE SIZE & LOCATION - BOAT SHAPED

OPTIONAL CODES	Top Size	Console Options Top End Section	Y	Console Options Within Top Center Sections				Console Options Across Seam		
168" - 192" X 54"/42"	168"	I14	25	M14	M27	M36				
Example	192"	M14	18	M14	M27	M36	M42			
		I14	31	M14	M27	M36	M42			
		I27	18	M14	M27	M36	M42			
<div>AM14 BM42 CM42 DM14</div> 										
168" - 192" X 54"/42"	168"	I14	25					X27	X36	X42
Example	192	M14	18					X36	X42	
		I14	31					X36	X42	
		I27	18					X36	X42	
<div>AM14 BCX42 DM14</div> 										
168" - 192" X 54"/42"	168		28.5 24					X27 X36		
Example	192		34.5 30 27					X27 X36 X42		
	<div>ABX42 BCX42 CDX42</div> 									
	216" - 240" X 60"/48"	216	I14	26	M14	M27	M36			
Example	240	M14	18	M14	M27	M36	M42			
		I14	31	M14	M27	M36	M42			
		I27	18	M14	M27	M36	M42			
<div>AM14 BM42 CM42 DM42 EM14</div> 										
216" - 240" X 60"/48"	216		29.5 24					X27 X36		
Example	240		34.5 30 27					X27 X36 X42		
	<div>ABX42 BCX42 CDX42 DEX42</div> 									
	216" - 240" X 60"/48"	216		29.5 25 22	M14 M14 M14	M27 M27 M27	M36 M36 M36		X27 X36 X42	
Example	240		34.5 30 27 23	M14 M14 M14 M14	M27 M27 M27 M27	M36 M36 M36 M36	M42 M42 M42 M42	X27 X36 X42 X50		
	<div>ABX42 CM42 DEX42</div> 									
	264" - 288" X 60"/48"	264	I14	27	M14	M36				
Example	288	M14	18	M14	M36	M42				
		I14	31	M14	M36	M42				
		I27	18	M14	M36	M42				
<div>AM14 BM42 CM42 DM42 EM42 FM14</div> 										

NUVO | CONSOLE SIZE & LOCATION - BOAT SHAPED & VISIO

OPTIONAL CODES	Top Size	Console Options Top End Section	Y	Console Options Within Top Center Sections				Console Options Across Seam		
264" - 288" X 60"/48"	264	I14	27					X36	X42	X50
	288	M14	18					X36	X42	X50
Example		I14	31					X36	X42	X50
		I27	18					X36	X42	X50
										
264" - 288" X 60"/48"	264		30.5					X27		
			26					X36		
Example	288		34.5					X27		
			30					X36		
			27					X42		
										
264" - 288" X 60"/48"	264		30.5					X27		
			26					X36		
			23					X42		
Example	288		34.5					X27		
			30					X36		
			27					X42		
			23					X50		
										
120" - 144" X 60"/42"	120	I14	23	M14	M27					
	144	M14	18	M14	M27	M36	M42			
Example		I27	18	M14	M27	M36	M42			
										
120" - 144" X 60/42	120		26.5					X27		
Example	144		30					X36		
			27					X42		
										
168" X 66/42"	168	I14	25	M14	M27	M36				
192" X 69/42"	192	M14	18	M14	M27	M36	M42			
		I27	18	M14	M27	M36	M42			
										

CODE KEY:

M - Console location, middle section of top
 I - Console location, Inset 3" from seam on end sections
 X - Console location, across a seam of two top sections
 L - Console location, left side of a one piece top
 R - Console location, right side of a one piece top
 Y- Dimension from end of table to end of Console

Caution: Y greater than 30" makes access to Console Power/Data difficult from the end of the table

ORDERING NOTES: Tops may be specified with fewer consoles and configurations other than shown. Consoles can be different sizes within the same top. Dimension from end of cut-out to table end cannot be less than 18".







CONSOLE SIZE & LOCATIONS

See pages 25-35 for information on Console locations and size options

CONSOLE MODULE OPTIONS

See pages 36-45 for power / data options

NUVO | CONSOLE SIZE & LOCATION - VISIO

OPTIONAL CODES	Top Size	Console Options Top End Section	Y	Console Options Within Top Center Sections				Console Options Across Seam			
168" X 66/42"	168	I14	25					X27	X36	X42	X50
192" X 69/42"	192	M14	18					X27	X36	X42	X50
AI14 BCX42 DI14		I27	18					X27	X36	X42	X50
											
216" X 73"/42"	216	I14	26	M14	M27	M36					
Example AI14 BM36 CM36 DM36 EI14											
											
216" X 73"/42"	216		25.5					X27			
			25					X36			
ABX36 BCX36 CDX36 DEX36											
											
216" X 73"/42"	216		30	M14	M27	M36		X27			
			25	M14	M27	M36		X36			
			22	M14	M27	M36		X42			
Example ABX36 CM36 DEX36											
											
240" X 76"/42"	240	M14	18	M14	M27	M36	M42				
		I14	31	M14	M27	M36	M42				
		I27	18	M14	M27	M36	M42				
Example AI14 BM42 CM42 DM42 EI14											
											
240" X 76"/42"	240		34.5					X27			
			30					X36			
			27					X42			
Example ABX42 BCX42 CDX42 DEX42											
											

CODE KEY:

M - Console location, middle section of top
 I - Console location, Inset 3" from seam on end sections
 X - Console location, across a seam of two top sections
 L - Console location, left side of a one piece top
 R - Console location, right side of a one piece top
 Y - Dimension from end of table to end of Console

Caution: Y greater than 30" makes access to Console Power/Data difficult from the end of the table

ORDERING NOTES: Tops may be specified with fewer consoles and configurations other than shown. Consoles can be different sizes within the same top. Dimension from end of cut-out to table end cannot be less than 18".







CONSOLE SIZE & LOCATIONS

See pages 25-35 for information on Console locations and size options

CONSOLE MODULE OPTIONS

See pages 36-45 for power / data options

NUVO | CONSOLE SIZE & LOCATION - OVAL

OPTIONAL CODES	Top Size	Console Options Top End Section	Y	Console Options Within Top Center Sections				Console Options Across Seam
84" x 48"	84	M14	35					
		M27	28.5					
Example		M36	24					
		M42	21					
								
84" x 48"	84	L14/R14	18					
Example								
								
96" - 120" X 48"	96	M14	18					
96" X 54"	120	M14	23					X27
								
96" - 120" X 48"	96		34.5					X27
96" X 54"			30					X36
Example			27					X42
			23					X50
								
96" - 120" X 48"	120		42					X36
			39					X42
			35					X50
96" - 120" X 48"	96	I27	18					
96" X 54"	120	I27	30					
		I36	21					
								
144" X 54"	144	M14	18	M14	M27	M36	M42	
		I14	31	M14	M27	M36	M42	
		I27	18	M14	M27	M36	M42	
Example								
								

CODE KEY:

M - Console location, middle section of top
 I - Console location, Inset 3" from seam on end sections
 X - Console location, across a seam of two top sections
 L - Console location, left side of a one piece top
 R - Console location, right side of a one piece top
 Y - Dimension from end of table to end of Console

Caution: Y greater than 30" makes access to Console Power/Data difficult from the end of the table

ORDERING NOTES: Tops may be specified with fewer consoles and configurations other than shown. Consoles can be different sizes within the same top. Dimension from end of cut-out to table end cannot be less than 18".







CONSOLE SIZE & LOCATIONS

See pages 25-35 for information on Console locations and size options

CONSOLE MODULE OPTIONS

See pages 36-45 for power / data options

NUVO | CONSOLE SIZE & LOCATION - OVAL, ROUND, ARCED SQUARE

OPTIONAL CODES	Top Size	Console Options Top End Section	Y	Console Options Within Top Center Sections				Console Options Across Seam
120" - 144" X 60"	120	I14	23	M14	M27			
Example	144	M14	18	M14	M27	M36	M42	
AM14 BM42 CM14		I14	31	M14	M27	M36	M42	
		I27	18	M14	M27	M36	M42	
120" - 144" X 60"	120		26.5					X27
144" X 54"	144		30					X36
			27					X42
Example								
ABX42 BCX42								
								
168" X 60"	168	I14	25	M14	M27	M36		
Example								
AI14 BM36 CM36 DI14								
								
168" X 60"	168		28.5					X27
			24					X36
Example								
ABX27 BCX27 CDX27								
								
36" - 60"	36	M14	11					
Examples	42	M14	14					
M14	48	M14	17					
	54	M14	20					
	60	M14	23					
M14								
								

CODE KEY:

- M - Console location, middle section of top
- I - Console location, Inset 3" from seam on end sections
- X - Console location, across a seam of two top sections
- L - Console location, left side of a one piece top
- R - Console location, right side of a one piece top
- Y- Dimension from end of table to end of Console

Caution: Y greater than 30" makes access to Console Power/Data difficult from the end of the table

ORDERING NOTES: Tops may be specified with fewer consoles and configurations other than shown. Consoles can be different sizes within the same top. Dimension from end of cut-out to table end cannot be less than 18".

CONSOLE SIZE & LOCATIONS


See pages 25-35 for information on Console locations and size options

CONSOLE MODULE OPTIONS

See pages 36-45 for power / data options

CONSOLE - WITHIN A TOP SECTION


Consoles located within a top section are factory installed. The model numbers are determined by the location within each section and the size. For example, when ordering a rectangular top 96" x 54" a console M14 can be specified in both the A and/or B section of the table. When ordering, simply add AM14 and BM14 to your purchase order and add the list price for each console to your order.

DESCRIPTION/MODEL	Model	Console size	Price	Weights	Cubes
	M14, I14, L14, R14	14	175	3	.25
	M27, I27	27	195	4	.25
	M36, I36	36	220	5	.25
	M42, I42	42	240	5.5	0.5
	M50, I50	50	265	6	0.5

Consoles are available in 5 standard lengths.

CONSOLE - ACROSS SEAMS

Consoles located across the seam are field installed and have separate model numbers that need to be included on your purchase order along with the desired console position. For example, when ordering a rectangular top 120" x 54" with a console across the seam, purchase orders need to specify the model number for the console (51CONSOLEX27) and the location ABX27.

DESCRIPTION/MODEL	Model	Console size	Price	Weights	Cubes
	51CONSOLE-X27	27	195	4	0.25
	51CONSOLE-X36	36	220	5	0.25
	51CONSOLE-X42	42	240	5.5	0.5
	51CONSOLE-X50	50	265	6	0.5

Consoles are available in 4 standard lengths.

NUVO | CONSOLE MODULES

Console modules provide an extensive range of power, data and audio-visual solutions for today's conferencing environments. Console modules are available in 18 preconfigured data and power options, or alternatively console modules with just electrical ports can be selected allowing units to be designed and built specifically to meet your connectivity needs by using the Snap-in or Plate mounted port options.

Consoles are available with 3 power options in both preconfigured & custom console modules.

Power Module A (PMA) consists of 2 duplex receptacles with 3 cord lengths 6', 16' & 25'.

Power Module B (PMB) consists of 1 duplex receptacle with 3 cord lengths 6', 16' & 25'.

Power Module C (PMC) consists of 2 duplex receptacles with a utility outlet & circuit breaker with 2 cord lengths 6' & 16'. The utility outlet in Module C allows another power module within the table to be plugged into it resulting in 1 cord going to the power source for both modules, as well as circuit protection for both modules. This also means shorter cord lengths can be specified resulting in a more cost effective power solution. Krug recommends the use of Module C's on the Console at the end of the table or location in the table nearest the power source.

Examples:

120" table with 2 consoles & the power source at right end.

Use a PMC06 in the 1st console from the right & the cord goes to power source.

Use a PMA06 in the 2nd console from the right & the cord goes to the utility outlet of the first console module.

168" table with 4 consoles & power source at right hand end.

Use a PMC06 in the 1st console from the right & the cord goes to power source.

Use a PMC06 in the 2nd console from the right & the cord goes to power source.

Use a PMA06 in the 3rd console from the right & the cord goes to utility the outlet in the 1st console module.

Use a PMA06 in the 4th console from the right & the cord goes to utility the outlet in the 2nd console module.

CODE KEY:

- M - Console location, middle section of top
- I - Console location, Inset 3" from seam on end sections
- X - Console location, across a seam of two top sections
- L - Console location, left side of a one piece top
- R - Console location, right side of a one piece top
- Y- Dimension from end of table to end of Console

Caution: Y greater than 30" makes access to Console Power/Data difficult from the end of the table

ORDERING NOTES: Tops may be specified with fewer consoles and configurations other than shown. Consoles can be different sizes within the same top. Dimension from end of cut-out to table end cannot be less than 18".

CONSOLE SIZE & LOCATIONS


See pages 25-35 for information on Console locations and size options

CONSOLE MODULE OPTIONS

See pages 36-45 for power / data options

NUVO | STANDARD CONSOLE CONFIGURATIONS

POWER MODULE A PRECONFIGURED




PORT OPTIONS

BASIC DATA

- ① (1) Duplex Receptacle
- ② (1) Duplex Receptacle
- ③ (2) RJ45 Port (Cat 6)
- ④ (2) Blank Ports (for future use)


MODEL #	CORD LENGTH	LIST PRICE
51PDAD01-06	6'	335
51PDAD01-16	16'	395
51PDAD01-25	25'	445



BASIC VOICE DATA

- ① (1) Duplex Receptacle
- ② (1) Duplex Receptacle
- ③ (1) RJ45 Port (Cat 6)
(1) RJ11 (Voice) Port
- ④ (2) Blank Ports (for future use)


51PDAD02-06	6'	320
51PDAD02-16	16'	380
51PDAD02-25	25'	430



EXPANDED DATA

- ① (1) Duplex Receptacle
- ② (1) Duplex Receptacle
- ③ (4) RJ45 Port (Cat 6)
- ④ (2) Blank Ports (for future use)


51PDAD03-06	6'	390
51PDAD03-16	16'	450
51PDAD03-25	25'	500



EXPANDED VOICE DATA

- ① (1) Duplex Receptacle
- ② (1) Duplex Receptacle
- ③ (4) RJ45 Port (Cat 6)
(2) RJ11 (Voice) Port
- ④ (2) Blank Ports (for future use)

51PDAD04-06	6'	415
51PDAD04-16	16'	475
51PDAD04-25	25'	525



BASIC MULTIMEDIA

- ① (1) Duplex Receptacle
- ② (1) Duplex Receptacle
- ③ (1) Stereo 3.5 Mini
(1) VGA Type 15 pin HD
- ④ (1) RJ45 Port (Cat 6)
(1) RJ11 (Voice) Port

51PDAD05-06	6'	420
51PDAD05-16	16'	480
51PDAD05-25	25'	530

NUVO | STANDARD CONSOLE CONFIGURATIONS


PORT OPTIONS

MODEL

CORD LENGTH

LIST PRICE


ENHANCED MULTIMEDIA



- ① (1) Duplex Receptacle
② (1) Duplex Receptacle
③ (1) DVI-I
(1) VGA
(1) RJ11 (Voice) Port
(1) RJ45 Port (Cat 6)
(1) Fibre Optic LC Duplex
(1) Stereo 3.5 mm Mini
(1) USB "A"
(1) HDMI

51PDAD06-06	6'	850
51PDAD06-16	16'	910
51PDAD06-25	25'	960

BASIC FIBRE OPTIC AND MULTIMEDIA




- ① (1) Duplex Receptacle
② (1) Duplex Receptacle
③ (1) HDMI
(1) Stereo 3.5 mm Mini
(2) USB "A"
(2) Blank Ports (for future use)
(2) Fibre Optic SC Simplex
(2) Fibre Optic LC Duplex
(1) RJ45 Port (Cat 6)
(1) RJ11 (Voice) Port

51PDAD07-06	6'	780
51PDAD07-16	16'	840
51PDAD07-25	25'	890

POWER MODULE B PRECONFIGURED


BASIC MULTIMEDIA



- ① (1) Duplex Receptacle
② (2) Blank Ports (for future use)
③ (1) Stereo 3.5 mm Mini
(1) VGA Type 15 pin HD
④ (1) RJ45 Port (Cat 6)
(1) RJ11 (Voice) Port

51PDBD05-06	6'	360
51PDBD05-16	16'	420
51PDBD05-25	25'	470


ENHANCED MULTIMEDIA



- ① (1) Duplex Receptacle
② (2) Blank Ports (for future use)
③ (1) DVI-I
(1) VGA
(1) RJ11 (Voice) Port
(1) RJ45 Port (Cat 6)
(1) USB "A"
(1) Stereo 3.5 mm Mini
(1) HDMI
(1) Fibre Optic LC Duplex

51PDBD06-06	6'	795
51PDBD06-16	16'	855
51PDBD06-25	25'	905

NUVO | STANDARD CONSOLE CONFIGURATIONS




PORT OPTIONS	MODEL #	CORD LENGTH	LIST PRICE
--------------	---------	-------------	------------

BASIC FIBRE OPTIC AND MULTIMEDIA


①	(1) Duplex Receptacle	51PDBD07-06	6'	730
②	(2) Blank Ports (for future use)	51PDBD07-16	16'	790
③	(1) HDMI (1) Stereo 3.5 mm Mini (2) USB "A" (2) Blank Ports (for future use)	51PDBD07-25	25'	840
④	(2) Fibre Optic SC Simplex (2) Fibre Optic LC Duplex (1) RJ45 Port (Cat 6) (1) RJ11 (Voice) Port			

POWER MODULE C PRECONFIGURED




BASIC DATA WITH UTILITY OUTLET RECEPTACLE

①	(1) Duplex Receptacle w/ 15 amp circuit breaker	51PDCD01-06	6'	370
②	(1) Duplex Receptacle with Utility Outlet	51PDCD01-16	16'	430
③	(2) RJ45 Port (Cat 6)			
④	(2) Blank Ports (for future use)			




BASIC VOICE DATA WITH UTILITY OUTLET RECEPTACLE

①	(1) Duplex Receptacle w/ 15 amp circuit breaker	51PDCD02-06	6'	360
②	(1) Duplex Receptacle with Utility Outlet	51PDCD02-16	16'	420
③	(1) RJ45 Port (Cat 6) (1) RJ11 (Voice) Port			
④	(2) Blank Ports (for future use)			



EXPANDED DATA WITH UTILITY OUTLET RECEPTACLE

①	(1) Duplex Receptacle w/ 15 amp circuit breaker	51PDCD03-06	6'	430
②	(1) Duplex Receptacle with Utility Outlet	51PDCD03-16	16'	490
③	(4) RJ45 Port (Cat 6)			
④	(2) Blank Ports (for future use)			




EXPANDED VOICE DATA WITH UTILITY OUTLET RECEPTACLE

①	(1) Duplex Receptacle w/ 15 amp circuit breaker	51PDCD04-06	6'	450
②	(1) Duplex Receptacle with Utility Outlet	51PDCD04-16	16'	510
③	(4) RJ45 Port (Cat 6) (2) RJ11 (Voice) Port			
④	(2) Blank Ports (for future use)			

NUVO | STANDARD CONSOLE CONFIGURATIONS


PORT OPTIONS	MODEL #	CORD LENGTH	LIST PRICE
--------------	---------	-------------	------------

BASIC MULTIMEDIA WITH UTILITY OUTLET RECEPTACLE




①	(1) Duplex Receptacle w/ 15 amp circuit breaker	51PDCD05-06 51PDCD05-16	6' 16'	455 515
②	(1) Duplex Receptacle with Utility Outlet			
③	(1) Stereo 3.5 mm Mini (1) VGA Type 15 pin HD			
④	(1) RJ11 (Voice) Port (1) RJ45 Port (Cat 6)			

ENHANCED MULTIMEDIA WITH UTILITY OUTLET RECEPTACLE




①	(1) Duplex Receptacle w/ 15 amp circuit breaker	51PDCD06-06 51PDCD06-16	6' 16'	830 890
②	(1) Duplex Receptacle with Utility Outlet			
③	(1) DVI-I (1) VGA			
④	(1) RJ11 (Voice) Port (1) RJ45 Port (Cat 6) (1) USB "A" (1) Stereo 3.5 mm Mini (1) HDMI (1) Fibre Optic LC Duplex			

BASIC FIBRE OPTIC AND MULTIMEDIA WITH UTILITY OUTLET RECEPTACLE



①	(1) Duplex Receptacle w/ 15 amp circuit breaker	51PDCD07-06 51PDCD07-16	6' 16'	820 880
②	(1) Duplex Receptacle with Utility Outlet			
③	(1) HDMI (1) Stereo 3.5 mm Mini			
④	(2) USB "A" (2) Blank Ports (for future use)			
	(2) Fibre Optic SC Simplex (2) Fibre Optic LC Duplex (1) RJ45 Port (Cat 6) (1) RJ11 (Voice) Port			

EXPANDED FIBRE OPTIC AND MULTIMEDIA WITH UTILITY OUTLET RECEPTACLE



①	(1) Duplex Receptacle w/ 15 amp circuit breaker	51PDCD08-06 51PDCD08-16	6' 16'	915 975
②	(1) Duplex Receptacle with Utility Outlet			
③	(1) HDMI (1) Stereo 3.5 mm Mini (2) USB "A" (1) RJ45 Port (Cat 6) (1) RJ11 (Voice) Port			
④	(2) Fibre Optic SC Simplex (4) Fibre Optic LC Duplex			

NUVO | CUSTOM CONSOLE MODULES

	PORT OPTIONS	MODEL #	CORD LENGTH	LIST PRICE
POWER MODULE A				
	① (1) Duplex Receptacle	51PMA06	6'	320
	② (1) Duplex Receptacle	51PMA16	16'	375
	③ (1) Open for data	51PMA25	25'	425
	④ (1) Open for data			
POWER MODULE B				
	① (1) Duplex Receptacle	51PMB06	6'	240
	② (1) Open for data	51PMB16	16'	295
	③ (1) Open for data	51PMB25	25'	350
	④ (1) Open for data			
POWER MODULE C WITH UTILITY OUTLET				
	① (1) Duplex Receptacle w/ 15 amp circuit breaker	51PMC06	6'	335
	② (1) Duplex Receptacle with Utility Outlet	51PMC16	16'	385
	③ (1) Open for data			
	④ (1) Open for data			
DATA MODULE D				
	① (1) Open for data	51PMD		85
	② (1) Open for data			
	③ (1) Open for data			
	④ (1) Open for data			








NOTE: Open positions will accept 1 Plate Mounted Data Option or up to 6 Snap-In Data Options. Please order a blank port when an odd number of snap-in ports are specified.

When specifying data within the power console module, please provide reference code and port position (1, 2, 3 or 4).








PLATE MOUNTED DATA OPTIONS
See pages 42-43 for Plate Mounted Data Options

SNAP-IN DATA OPTIONS
See pages 44-45 for Snap-In Data Options










NUVO | CONSOLE PORT OPTIONS

PLATE MOUNTED PORTS	Reference Code	Description	List Price
	P01	VGA & 3.5 STEREO MINI - Use for VGA (DB15) connections and for 3.5mm stereo connections. VGA connectors is a female-to-female pass through and the 3.5 Mini is a female-to-female pass through.	\$95
	P02	DVI-I DUAL (DIGITAL/ANALOG) & 3.5 STEREO MINI - Use for DVI Integrated - Digital and Analog connections and for 3.5mm stereo connection. The DVI connector is a Dual Link. DVI-I connector is a female-to-female pass through and the 3.5 Mini is a female input with screw terminal output (back side of Console interface).	\$140
	P03	DVI-D DUAL (DIGITAL) - Use for DVI-D Digital only connection. The connector is a Dual Link. Connector is a female-to-female pass through.	\$90
	P04	DVI-I DUAL (DIGITAL/ANALOG) & VGA - Use for DVI Integrated - Digital and Analog and for VGA (DB15) connections. The DVI connector is a Dual Link. Both connectors are female-to-female pass through.	\$180
	P05	DVI-I DUAL (DIGITAL/ANALOG) - Use for DVI Integrated -Digital and Analog connections. DVI connector is a Dual Link. Connector is a female-to-female pass through.	\$115
	P06	VGA-2 - Use for two VGA (DB15) connections. Both connectors are female-to-female pass through.	\$110
	P07	DISPLAYPORT - Use for DisplayPort connection. This connector is primarily used to connect a video source to a display device and also carries audio signals, Connector is a female input to a 3' corded output (back side of Console interface) with a male Display Port termination.	\$110











NUVO | CONSOLE PORT OPTIONS

PLATE MOUNTED PORTS	Reference Code	Description	List Price
	P08	MICROPHONE XLR STANDARD - Use for standard size XLR microphone connection. Connector is a female input with a 3 pin screw terminal output (back side of Console interface).	\$150
	P09	MICROPHONE STANDARD XLR -2 - Use for two standard size XLR microphone connections. Each connector is a female input with a 3 pin screw terminal output (back side of Console interface).	\$220
	P10	3 HOLE CABLE PASS THROUGH - Use for running loose cables from the under side of the table up into the Console interface cavity. Often used with running wires for PolyCom™ devices.	\$35
	P11	VGA-to-BNCx2 - Use for two VGA (DB15) connections that are input female pass through and are terminated on the output (back side of Console interface) with 5 BNC female pigtail connections, for each VGA connector.	\$360
	P12	INPUT VGA & 3.5 Stereo (POWERED) - VGA + Audio Line Driver designed for VGA (DB15) connections and for 3.5mm stereo connections. This unit provides a method of transmitting signals to a remote display and audio receiver or amplifier. VGA connector is a female input and comes with cabling for either VGA output, or 5 BNC output and the 3.5 Mini is a female input with screw terminal output (back side of Console interface). A 9 volt DC 500mA power supply is required to power this unit.	\$880
	P13	BLANK DECORA ADAPTER - Use for covering a full Decora sides blank opening.	\$25
	DVIR	DVI-REPEATER - Is a cable equalizer that automatically compensates for long DVI cable runs. This unit extends the usable cable distance up to 130 ft depending on the quality of the cable and the resolution of the video signal. Additionally, it is capable of extending dual link signals allowing for much greater resolutions and refresh rates. This unit comes with a power supply and is generally mounted underneath a table.	\$695

NUVO | CONSOLE PORT OPTIONS

SNAP IN PORTS	Reference Code	Description	List Price
ADAPTOR PLATES			
	M02	Adaptor Plate (2) - accepts two snap in data ports	\$25
	M04	Adaptor Plate (4) - accepts four snap in data ports	\$25
	M06	Adaptor Plate (6) - accepts six snap in data ports	\$25
ORDERING NOTES: Blank covers are required when port is not in use, please see page 45.			
	S01W S01B S01R	RJ-45 - Category 6 data connection. This connector is also downwards compatible with Category 5 cabling. Connector is a female input with a #110 punch-down terminal block output (back side of Console interface) for on-site hard wire connection. RJ45-CAT6 (White) RJ45-CAT6 (Blue) RJ45-CAT6 (Red)	\$30
	S02W S02B S02G S02R S02Y	RJ11 - Telephone type connection. Connector is a female input with a #110 punch-down terminal block output (back side of Console interface) for on-site hard wire connection. RJ11 (White) RJ11-B (Black) RJ11-G (Green) RJ11-R (Red) RJ11-Y (Yellow)	\$20
	S03	3.5 STEREO MINI - 3.5mm stereo connection. Connector is a female input with screw terminal output (back side of Console interface).	\$60
	S04	HDMI - High Definition Multimedia Interface connection. Connector carries both HD audio and video data. Connector is a female-to-female pass through.	\$115
	S05	RCA-LEFT - RCA left audio channel connection. Color coded with black. Connector is a female-to-female pass through.	\$25
	S06	RCA-RIGHT -RCA right audio channel connection. Color coded with red. Connector is a female-to-female pass through.	\$25
	S07	RCA- VIDEO - RCA video channel connection. Color coded with yellow. Connector is a female-to-female pass through.	\$25
	S08	USB-A - Full size USB "A" style connection. Connector is a female-to-female pass through.	\$40


NUVO | CONSOLE PORT OPTIONS

SNAP IN PORTS	Reference Code	Description	List Price
	S09	3 PIN MINI XLR - 3 Pin Mini XLR microphone connection. Connector is a female input to a 6' corded output (back side of Console interface) with a 3 Pin Mini XLR male termination.	\$490
	S10	S-VIDEO - S-Video connection. Connector is a female-to-female pass through.	\$45
	S11	PS/2 (6 PIN MINI DIN) - PS/2 (mouse, keyboard, other input devices) connections. Connector is a female-to-female pass through.	\$55
	S12	BNC - BNC style data connection for use with co-axial cable. Connector is a female-to-female pass through.	\$30
	S13	F-TYPE - F-Type (DSL, Cable) connections, generally for high speed Internet or video applications. Connector is a female-to-female threaded pass through.	\$25
	S14	FIBER OPTIC SC - Fibre Optic SC Simplex connection. Connector is a female-to-female pass through. Please note that two of these connectors are required to complete the data transmissions to and from the source and destination units.	\$30
	S15	FIBER OPTIC LC - Fibre Optic LC Duplex connection. Connector is a female-to-female pass through. One connector only is required to complete the data transmissions to and from source and destination units.	\$60
	S16	USB-MINI B - USB "Mini B" style connection. Connector is a female "Mini B" input and a male "A" output (back side of Console interface).	\$90
	S17	RJ12 (White) - RJ12 style PolyCom™ connection. Connector is a female input with a 6' corded output (back side) of Console interface) with a male RJ12 termination.	\$195
	S00	BLANK COVER - Blank covers are required when port is not in use.	\$10

NOTE: Up to 6 snap-in data ports can be ordered for open data positions. Snap-in adaptors can accept 2, 4 or 6 snap-in data ports. Please order a blank port when an odd number of snap-in ports are specified.


NUVO | MEDIA WALL & SERVER CART

DESCRIPTION/MODEL		Oak, Maple Cherry	Anigre Sycamore Walnut	W	D	H	Shipping Weight	Cubic Feet
Media Wall	51MW8483	2350	2585	84	-	83	115	16



NOTES: Media Wall features a T.V. mounting bracket and cable channel for cords to exit at the floor. Media wall can be mounted without a credenza or buffet if no equipment other than the TV is required.

Sliding Door Media Board	51VBS4848	2923	3215	48	-	48	120	16
--------------------------	-----------	------	------	----	---	----	-----	----



NOTE: Sliding Door Media Board includes white board, eraser and four dry erase makers. Sliding Doors slide open and closed independently of each other.

DIMENSION KEY


W - Width
D - Depth
H - Height

Dimensions are in inches and approximate.
Contact Customer Service if dimensions are critical.

STANDARD FINISHES

For a complete list of standard wood finishes, please see page 4

NOTES



The mark of responsible forestry

All products are air emissions certified and are available as FSC® certified

krug