

## PRODUCT DATA SHEET

### Rigel Light




**DESIGN BY :**  
Carlotta de Bevilacqua  
2002

**MATERIALS :**  
Chromed metal, glass, steel

**DESCRIPTION :**  
Metal structure; steel base plate; glass moulded with filgree diffuser, mirror finish. The lamp unit is a mirror when off, when it is turned on, it allows the coloured light of the RGB sources to pass through. An halogen source at the top produces indirect white light.

Lamps included. Regulation of functions: through touch capacitive keyboard or remote control. The luminaire is equippe with a presence detector. Available in the following versions: Rigel Light (standard), Rigel Light Air and Rigel Light Sound (on project request).

**Light emission**  
 Flood, indirect

IP 20       
Dimmer

### TECHNICAL DATA SHEET

#### FEATURES

Product name: Rigel Light  
Article Code: **0787010A**  
Colour: Chrome  
Material: Chromed metal, glass, steel  
Series: Design, A.L.S.O., Metamorfosi  
Environment: Indoor


#### OPTICS

Emission: Flood, indirect






#### DIMENSIONS

Width: (cm) 45  
Height: (cm) 195  
Cutout shape:

#### DIMENSIONS



#### LAMP

IP 20     


Dimmer

#### ELECTRICAL


Starter: Ferromagnetic Integrated  
Voltage: 220V-240V  
Remote control: Infrared

#### LAMPS INCLUDED

Category: HALO  
Number: 1  
Lbs: Qt-de12  
Watt: 230  
Socket: R7s  
Type: Hdg  
Colour Rendering: 1a  
Colour temperature (K): 3000  
Duration (h): 2000



Touch capacitive  
keyboard



indirect light

red

green

blue

rolling

white

presence sensor

on - off

## ACCESSORIES



TELECOMANDO/CENTRALINA  
PARETE TOUCH A299100