



Home

Black

Rust

Tan

Mix

Technical

Packaging

Merchandising

Contact Us



(imperial slate)

glazed ceramic tile

the fine art of ceramic tile

black

[Click Here for More Information](#)



12"x12" - 16"x16"



[Home](#)

[Black](#)

[Rust](#)

[Tan](#)

[Mix](#)

[Technical](#)

[Packaging](#)

[Merchandising](#)

[Contact Us](#)

black

12"x12"


black

glazed ceramic tile




Black

DECORATIVE OPTIONS



ULBH Mix
Mosaic - Square 2"x2"
12"x12"

TRIMS



UH59 Black
Bullnose
3"x12"



UE24 Black
12"x12"



UF4P Black
16"x16"

Home

Black

Rust

Tan

Mix

Technical

Packaging

Merchandising

Contact Us

rust

[Click Here for More Information](#)



12"x12" - 16"x16"

[Home](#)

[Black](#)

[Rust](#)

[Tan](#)

[Mix](#)

[Technical](#)

[Packaging](#)

[Merchandising](#)

[Contact Us](#)

rust

12"x12"


rust

glazed ceramic tile




Rust

DECORATIVE OPTIONS



ULBH Mix
Mosaic - Square 2"x2"
12"x12"

TRIMS



UH6A Rust
Bullnose
3"x12"



UE25 Rust
12"x12"



UF4Q Rust
16"x16"

Home

Black

Rust

Tan

Mix

Technical

Packaging

Merchandising

Contact Us

tan

[Click Here for More Information](#)



12"x12" - 16"x16"



[Home](#)

[Black](#)

[Rust](#)

[Tan](#)

[Mix](#)

[Technical](#)

[Packaging](#)

[Merchandising](#)

[Contact Us](#)

tan

12"x12"

tan

glazed ceramic tile




Tan

DECORATIVE OPTIONS



ULBG Tan
Mosaic - Square 2"x2"
12"x12"

TRIMS



UH6B Tan
Bullnose
3"x12"



UE26 Tan
12"x12"



UF4R Tan
16"x16"

Home

Black

Rust

Tan

Mix

Technical


Packaging

Merchandising

Contact Us

mix

[Click Here for More Information](#)



* Imperial Mix Color is a combination of the Imperial Black and Imperial Rust. Tile is randomly packaged and has extreme shade variation.

6"x6" *



[Home](#)

[Black](#)

[Rust](#)

[Tan](#)

[Mix](#)

[Technical](#)

[Packaging](#)

[Merchandising](#)

[Contact Us](#)


mix

6"x6"



Mix

DECORATIVE OPTIONS



ULBH Mix
Mosaic - Square 2"x2"
12"x12"



UE3P Mix*
6"x6"

* Mix Color is a combination of the Black and Rust. Tile is randomly packaged and has extreme shade variation.

Home

Black

Rust

Tan

Mix

Technical

Packaging


Merchandising


Contact Us

imperial slate testing/packaging

glazed ceramic tile

packaging

	Sizes	Pcs	Sq. Ft.	Weight (lbs.)	Thickness
Modular Tile	6"x 6"	40	9.70	35	0.335
Modular Tile	12"x 12"	15	14.53	51	0.335
Floor Tile	16"x 16"	8	13.78	54	0.354
Mosaic - Square 2"x2"	12"x 12"	10		39	Compatible
Bullnose	3"x 12"	20		21	Compatible

	Sizes	Ctn	Sq. Ft.	Weight (lbs.)
Modular Tile	6"x 6"	80	776.00	2800
Modular Tile	12"x 12"	48	697.44	2448
Floor Tile	16"x 16"	32	440.96	1728

technical

ASTM Test Results

Technical Characteristics	ASTM Standards	ASTM Test Results	ASTM Test Methods
Water Absorption	3% to 7%	2% to 5%	C373
Frost Resistance	As Reported	Resistant	C1026
Scratch Resistance	MOHS 1-10	7	MOHS Scale
Breaking Strength	≥ 250 lbf.	≥ 370 lbf.	C648
Facial Dimension	-3.0% < Nominal ≤ 2.0%	Within Standard	C499
Thickness	≤ 0.04 in (1.02 mm max)	Within Standard	C499
Wedging (squareness)	+/- 0.25% or +/- 0.8 mm**	Within Standard	C502
Warpage (flatness)	+/- 0.40% or +/- 1.8 mm**	Within Standard	C485
Abrasion Resistance	Class 0 - Class V	Class iv	C1027
DCOF-Dynamic Coefficient of Friction (Wet Areas Only) [†]	As Reported	Minimum 0.42	DCOF AcuTest SM *
SCOF-Static Coefficient of Friction (Dry)	As Reported	0.70 ≤ C.O.F. < 0.80	C1028
SCOF-Static Coefficient of Friction (Wet)	As Reported	0.60 ≤ C.O.F. < 0.70	C1028
Chemical Resistance	Class A - Class E	Class A	C650
Stain Resistance	Class A - Class E	Class A	C1378

[†]Dynamic Coefficient of Friction (DCOF) - Water, oil, grease or other fluids create slippery conditions. When installing floors in areas with exposure to these conditions, a minimum D.C.O.F. value of 0.42 is required. Additionally, extra caution is required with regards to product selection and proper maintenance. Visit www.tcnatile.com for complete information regarding the DCOF Acutest test method and values.

*DCOF AcuTest is the industry designation for the test procedure contained in ANSI A137.1 Section 9.6, which has been extensively researched, allows for in-situ field measurements, and is in use at tile manufacturing facilities. It was so named to distinguish it from other DCOF measurements using different instruments and/or protocols.

** Whichever is less

Home

Black

Rust

Tan

Mix

Technical

Packaging

Merchandising

Contact Us



imperial slate merchandising

glazed ceramic tile

Product Overview



Description: Imperial Slate Product Overview
Size: 8½" x 11"

Leaflet




Description: Z996 Imperial Slate Leaflet
Size: 3¼" x 8½"

Brochure




Description: Z997 Imperial Slate Brochure
Size: 8½" x 11"

Contractor Board



Description: Z218 Imperial Slate Contractor Board
Size: 10½" x 14"

Illustrated Sample Boards




Description: Z455 Imperial Slate
Illustrated Sample Board
Size: 25" x 25"

Specifier Kit



Description: Z266 Imperial Slate Specifier Kit
Bi-fold
Size: 10¼" x 12½"

Outside



Inside

Premier Retailer Display

Z593 Imperial Slate Graphic Panel
Z694 Imperial Slate Grouted Panel

Home

Black

Rust

Tan

Mix

Technical

Packaging

Merchandising

Contact Us



American Marazzi Tile, Inc.
Headquarters & Manufacturing Plant

Telephone
972.226.0110
Fax
972.226.5629

359 Clay Road East
Sunnyvale, Texas 75182

www.marazzitile.com
contact@marazzitile.com

[Home](#)

[Black](#)

[Rust](#)

[Tan](#)

[Mix](#)

[Technical](#)

[Packaging](#)

[Merchandising](#)

[Contact Us](#)

Color and other aesthetic features shown are as close as the limitation of the printing process will allow. We have tried to make this brochure as comprehensive and factual as possible. We reserve the right, however, to make changes at any time, without notice, in colors, materials, packaging, specifications and availability. Since some information may have been updated since time of printing, please check with American Marazzi Tile Customer Service for details.