January 3, 2011 Updated February 12, 2014 800-424-2432







Contents
Refer to KI Terms & Conditions document or visit ki.com.



| Urdering G.U.M., | C.O.L., and C.O.V. | BONDUEL, GREEN BAY, ONTARIO, and | | | |
|------------------|------------------------|----------------------------------|--|--|--|
| | TUPELO | 2 | | | |
| | HIGH POINT | 4 | | | |
| | Shipping Location | 6 | | | |
| Stack/Nesting | Daylight® | 10 | | | |
| | Dorsal® | 14 | | | |
| | Grazie® Chairs | 22 | | | |
| | Grazie® Cafe Stools | 36 | | | |
| | Maestro® Chairs | 40 | | | |
| | Matrix [®] | 44 | | | |
| | MI6® Nesting Chairs | 50 | | | |
| | Opt4™ | 56 | | | |
| | Opt4™ Cafe Stools | 58 | | | |
| | Opt4™ | 62 | | | |
| | Perry® | 66 | | | |
| | Piretti Stack Chairs | 72 | | | |
| | Rapture® Chairs | 80 | | | |
| | Rapture® Cafe Stools | 88 | | | |
| | Silhouette® | 92 | | | |
| | Silhouette® Cafe Stool | | | | |
| | Strive® Chairs | 102 | | | |
| | Strive® Cafe Stools | 132 | | | |
| | Strive® High Density S | | | | |
| | Strive® Nesting Chairs | | | | |
| | Torsion® on the Go® N | | | | |
| | Torsion® | 160 | | | |
| | Torsion Air™ | 174 | | | |
| | Torsion Air™ Nesting (| | | | |
| | Versa® Basic | 188 | | | |
| | Versa® Conference | 192 | | | |
| | Versa® Junior | 200 | | | |
| | Versa® Standard | 206 | | | |
| | Versa® Standard Cafe | | | | |
| | Versa® XL | 224 | | | |
| | Xylon® | 228 | | | |
| Guest Chairs | AerDyn [®] | 230 | | | |
| | Affina™ | 234 | | | |
| | Aston™ | 240 | | | |
| | Bantam™ | 244 | | | |
| | Quatro™ | 248 | | | |
| Index | | 250 | | | |


BONDUEL, GREEN BAY, ONTARIO, and TUPELO

How to Specify C.O.M. Upholstery Textile designs often have intricate patterns. Not all individuals will interpret fabric direction in the same manner.

As a standard procedure, KI cuts fabrics off the roll in a horizontal fashion as shown in Diagram A at the right. By cutting in this tashion, most waste is eliminated. Our requirements for yardage in this book are based on this type of cutting. When directional or patterned fabrics are used, they often require more yardage than solid colors.

By providing KI with a completely filled-out copy of the form on this page, we will be able to expedite your order. We find it particularly helpful with directional or patterned upholstery material. It is critical that copies of this form accompany test quantities as well as production quantities of C.O.M.

C.O.M. must be supplied in continuous vardage.



C.O.M., C.O.L. and C.O.V. Testing

KI will require for testing actual yardage to upholster one chair. The testing requirements depend on which chair you have selected on your order.

Test samples will be applied to the order and will be held for 6 months if needed. After 6 months, the sample can no longer be applied to your order. For all products to be tested, send test samples for approval to:

KI Attn: C.O.M. Specialist 1687 Westminster Drive, Gate 3 Green Bay WI 54302

To expedite the procedure, attach a copy of the "C.O.M. Information Form" on this page.

All C.O.M., C.O.L. and C.O.V. must be labeled with the purchase order number.

C.O.M., C.O.L. and C.O.V. Production

Customer's fabrics and leathers must be approved prior to acceptance for production. Upon test approval, a 1' square sample swatch of upholstery material must accompany the order. KI assumes no responsibility for wear, defects or performance of customer's own fabrics, vinyl or leather. C.O.M., C.O.L. and C.O.V. orders are available on a deferred delivery basis.

Orders for production of C.O.M., C.O.L. and C.O.V. upholstered products are not scheduled for processing until upholstery material is received. Upon receipt, KI will provide an acknowledgement and an estimated shipping date.

KI recommends that leather be ordered in yardage. Leather must be usable. The outer edges cannot be calculated as square feet or yardage.

The C.O.M., C.O.L. and C.O.V. yardage requirements accompanying products in the pricing section are for 10 chairs/seats or less, 54" wide nondirectional material. On larger orders, less material is required.

For exact production yardage requirements, call 1-800-424-2432, ext. 2707.

C.O.M., C.O.L. and C.O.V. Order ProcessingFor products shipped from Green Bay, WI facility, ship upholstery material to:

KI Attn: C.O.M. Storage 1687 Westminster Drive, Gate 3 Green Bay, WI 54302

For products shipped from Tupelo, MS facility ship material to:

KI Tupelo Attn: C.O.M. Storage 2112 South Green Street Tupelo, MS 38801 For products shipped from Bonduel, WI facility, ship material to:

KI Attn: C.O.M. Storage 204 West South Street Bonduel, WI 54107

For products shipped from Ontario, CA facility, ship material to:

Avail/Impress/Kismet/Medical & Laboratory Stools/Pilot Attn: C.O.M. Storage 1110 S. Mildred Ave. Ontario, CA 91761

Intricate Patterns

B, along with

materials for

testing, and

with the order.

In the event of specific requirements for positioning of intricate patterns or pattern repeats on seats and backrests, provide a sketch noting requirements, as in Diagram

Diagram B

left to

right & top to bottom on seat

Treated Materials

If C.O.M. requires processing such as Scotchgard® or acrylic backing, it often shrinks. To prevent delays in delivery or back ordering due to shrinkage, please have your processor remeasure after processing and assure adequate yardage shipment.

Split Orders

If a portion of the shipment which does not require C.O.M., C.O.L. or C.O.M. applications is to be processed and shipped early, KI will enter the order immediately at your request. These split shipments are subject to minimum order changes.

Contact the C.O.M. Specialist at 1-800-424-2432, ext. 2707, with questions or to verify a split order.

Excess Upholstery Material

KI will dispose of excess upholstery material at the time of shipment unless expressly requested to return it with the product shipment.

Cancelled or Changed Orders

Kl assumes no responsibility for extra C.O.M., C.O.L. or C.O.V. material due to a change of upholstery or cancellation of an order. It is the customer's responsibility to arrange for return of this material.

C.O.M., C.O.L and C.O.V. Information Form Please see information below and check the appropriate box. A copy of this form should accompany test requests and production orders. Please fill it out Submitted for testing. Test approved. Submitted for production. completely, and, if your order has been Purchase Order Number KI Acknowledgement Number acknowledged, provide the acknowledgement number. Purchasing Agent (Dealer or buying organization) In all instances, send this form to the C.O.M. Specialist. Attention B Selvage Side and Side Selvage Top and Bottom Address City Project Name Type of seating and number of units of each type

Ordering C.O.M., C.O.L., and C.O.V. BONDUEL, GREEN BAY, ONTARIO, and TUPELO



Customer's Own Material ■

Specifications Form August 2013

All fabrics, including COM, COL, KOM and in grades will be applied at the factory's discretion. If a pattern or stripe is to be applied in a certain direction, the customer MUST specify this in writing on the P.O. and attach a sample of the fabric with it running in the application direction to the P.O. Specifying fabric direction may increase the amount of COM or KOM yardage required. Check with KI Customer Service to see if an increase in yardage is necessary BEFORE specifying, ordering and sending COM and COL to the factory or having KOM quoted.

ALL C.O.M AND C.O.L SHIPMENTS

MUST BE PREPAID TO:

217 Feld Avenue High Point, NC 27263

COM and COL must be identified as follows:

- 1. Name and address
- 2. Your purchase order number
- 3. Our style number to which fabric is to be applied
- 4. Supplier name and fabric name, number, and color

COLLECT SHIPMENTS WILL BE REFUSED.

SHIPMENT SCHEDULE WILL BE GIVEN WHEN ALL FABRIC IS RECEIVED FOR ENTIRE ORDER

YARDAGE REQUIREMENTS LISTED IN PRICE LIST ARE BASED ON PLAIN GOODS 54" WIDE. Fabrics less than 54" wide, or those requiring matching (stripes, plaids, prints, large patterns) will require additional yardage based on the fabric used and the item ordered. FABRIC WITH NAP: IF USING MOHAIR, VELVET OR ANY FABRIC WITH A "NAP", INCREASE YARDAGE REQUIRE BY 11%. CONSULT MATRIX BELOW FOR ADDITIONAL YARDAGE NEEDED.

C.O.M. INCREASE MATRIX

This table is a general guide.

| FABRIC WIDTH | PLAIN FABRIC | UNDER 7" REPEAT | 8"-13" REPEAT | 14"-21" REPEAT | 22"-27" REPEAT | 28"-33" REPEAT | 34"-40" REPEAT | 41"-48" REPEAT |
|-----------------|-----------------|--------------------|------------------|-------------------|-------------------|-------------------|-------------------|-------------------|
| 54" | 0 | 20% | 25% | 30% | 40% | 50% | 60% | 70% |
| 51"-53" | 15% | 25% | 30% | 35% | 45% | 60% | 70% | 80% |
| 48"-50" | 20% | 30% | 35% | 40% | 50% | 65% | 75% | 85% |
| 45"-47" | 30% | 45% | 50% | 55% | 60% | 80% | 90% | 100% |
| 36"-44" | 50% | 65% | 70% | 75% | 80% | 100% | 110% | 120% |

FABRIC WITH DOUBLE REPEAT: IF USING A FABRIC WITH A DOUBLE REPEAT, PLEASE FOLLOW THIS FORMULA: TAKE THE TOTAL AMOUNT OF THE LARGER AND HALF OF THE SMALLER REPEAT; ADD TOGETHER TO FIND THE CORRECT OVERALL REPEAT. EXAMPLE: 10" VERTICAL WITH 14" HORIZONTAL WOULD BE 14+5=19.

IF FABRIC COMES IN ON MULTIPLE ROLLS, ONE ADDITIONAL YARD PER ROLL NEEDS TO BE ADDED TO THE YARDAGE REQUIREMENT.

SPECIAL NOTE: WE CAN ASSUME NO RESPONSIBILITY FOR THE DURABILITY OR TAILORING QUALITY OF CUSTOMER FURNISHED COVERINGS (C.O.M.) OR KOM. KOM: is fabric that KI will purchase for you at jobber's price (net) plus a nominal charge for handling, shipping, and managing.





Customer's Own Material ■

Specifications Form August 2013


ADDITIONAL NOTES:

- Orders cannot go into production without the information listed at right.
- Attach memo sample to this approval sheet.
- If your order has been placed, list PO#
- The cost of the COM sample will be paid by the client.
- Even after preliminary approval, KI reserves the right to reject COM/COL if necessary when the quality is not satisfactory for the product to be upholstered. KI assumes no responsibility for its overall appearance, flammability, durability, color fastness or any other quality after upholstered on a KI product.

ALL COM MUST BE APPROVED.

Photocopy this form and submit with COM fabric for approval:

(This fabric approval is for the purpose of advising how to apply your COM fabric, verify yardage required, and suitability.)




| YOUR COMPANY NAME | | |
|--|-------------------|--|
| PHONE | | |
| Material Supplier | | |
| Material Name | | |
| Material Color | | |
| | Horizontal Repeat | |
| Fiber Content | | |
| | | |
| COM TO BE USED ON THE FOLLOWING QTY PRODUCT NAME/NUMBER | G: | |
| | | |
| | | |



Shipping Location

C.O.M. SHIPPING LOCATION



| Universal Overheads | MN |
|--|------|
| Wireworks | |
| Unite | MN |
| | |
| Residence Hall Furniture | |
| RoomScape Furniture | MN |
| • | |
| Screens | |
| True/Volition | KP |
| Genesis | KP |
| | |
| Seating | |
| 100 Series Folding Chairs | . BW |
| 300 Series Folding Chairs | |
| 600 Series Stools | |
| 700 Series Folding Chairs | |
| 1000 Series | |
| Aerdyn Guest Seating | |
| Affina Collection | |
| Arissa Lounge | |
| Aston Guest Seating | |
| Altus Task Chairs | |
| Auditorium Folding Chairs | |
| Avail Task Chairs | |
| Bantam Guest Seating | |
| Briar Multiple & Healthcare Seating | HN |
| Cinturon Lounge & Professional Seating | |
| Cody Lounge Seating | |
| Dorsal Stack & Tandem Seating | |
| Engage Task Chairs & Stools | GB |
| Flex Multiple & Healthcare Seating | |
| Front Row Seats (Silk Screening) | |
| GateOne Public Seating | |
| Grand Salon Lounge Seating & Benches. | |
| Grazie Seating | |
| Hub Modular Lounge Seating | |
| Impress Task Chairs | |
| Impress Ultra Task Chairs | |
| lessa Lounge Seating | |

| | 1 |
|--------------------------------------|----|
| Kismet Task/Guest Chairs & Stools | OM |
| Kurv Benches | HN |
| aResta Day Beds | HN |
| Maestro Stack Chairs | GB |
| Matrix Stack Chairs | GB |
| Medical & Laboratory Stools | OM |
| Mesa Lounge & Task Seating | |
| MI6 Nesting Chairs | TM |
| MyWay Seating | |
| Veena Benches | |
| OnTask | OM |
| Opt4 | GB |
| Perry Stack Chairs | GB |
| Perth Multiple & Healthcare Seating | |
| Perth II Healthcare Seating | |
| Pilot Task Chairs | |
| Piretti 2000 Series Seating | GB |
| Piretti Stack Chairs | GB |
| Promenade Seating System | BW |
| Quatro Guest Seating | HN |
| Rapture Stack Chairs & Stools | GB |
| Relax Lounge Seating | HN |
| Rose Healthcare | BW |
| Sela Lounge Seating | HN |
| Silhouette Stack Chairs & Stools | BW |
| Soltice Multiple, Healthcare & Guest | HN |
| Soltice II Healthcare Seating | HN |
| Strive Multiple, Stack & Task | GB |
| Fea Cup Lounge Seating | HN |
| Three Multiple, Healthcare & Lounge | HN |
| Three II Healthcare Seating | HN |
| Torsion-on-the-Go! Nesting Chairs | GB |
| Forsion Air Stack and Task Seating | GB |
| Torsion Stack and Task Seating | GB |
| /ersa Stack Chairs & Stools | GB |
| | |

Logix.....BW

.1\

KI Manufacturing Sites - Customer's Own Material Shipment Manufacturing Site Addresses

Contact KI at 1-800-424-2432

KI Green Bay Attn: COM Storage 1687 Westminster Drive - Gate 3 Green Bay, WI 54302

KI-HN Attn: COM Storage 217 Feld Avenue High Point, NC 27263 KI Pembroke Attn: COM Storage 1000 Olympic Dr. Pembroke, Ontario K8A6X7

Site Furnishings

KI Manitowoc Attn: COM Storage 1400 S. 41st St. Manitowoc, WI 54220

<u>BW</u> KI Bonduel Attn: COM Storage 204 West South St. Bonduel, WI 54107

KI Crossroads Attn: Kira Banfill 280 North Road Clinton County Industrial Park McElhattan, PA 17748 Impress/Impress Ultra/Avail/ Kismet/Medical Stools/Pilot Attn: COM Storage 1110 S. Mildred Ave. Ontario, CA 91761

KI Tupelo 2112 South Green St. Tupelo, MS 38804

Ordering C.O.M., C.O.L., and C.O.V. Shipping Location



Stack/Nesting Daylight® General Information









Transport Dolly (MXD.BL)

| Features | | |
|--------------------|---|---------|
| Stackable | • | |
| Ganging | • | |
| Mesh seat and back | • | |
| General Dimensions | | |
| Seat width | 17-1/2" | |
| Seat depth | 18-3/4" | |
| Seat height | 18" | |
| Overall Dimensions | | |
| Width | 20-1/4" | 22-3/8" |
| Depth | 21" | 25-5/8" |
| Height | 32" | 14" |
| Height on dolly | 44 Chairs/80-1/2" H x 22-1/2" W x 37" D | |
| Height on floor | 12 Chairs/40-1/4" High | |

SPECIFICATIONS

Frame and front cross member are fabricated from 1/2" o.d. x 16-gauge tubular steel. Rear cross brace is fabricated from 5/16" diameter steel rod. All joints are welded.

Seat and Back

Seat and back consist of a polyester mesh adhered to an interior 13/32" diameter steel rod. The assembly is then over molded with polypropylene. Seat and back are attached to the frame with screws, which facilitates easy disassembly.

Glides are molded from a thermoplastic elastomer and have integral grey ganging clips.

Frame FinishBaked-on, electrostatically-applied epoxy powder coating or bright nickel chrome plating.

Transport Dolly

Powder-coat black steel frame. 5" casters-two fixed, two swivel.

INFORMATION

Designed by Toru Iseki and manufactured in the USA by Krueger International, Inc., under license from Aichi Co., Ltd.



Stack/Nesting
Daylight® General Information

INFORMATION

Warranty Refer to KI Terms & Conditions document or visit ki.com

Stack/Nesting Daylight®

| | | MODEL | NUMBER | 3 | | | |
|-------|--|----------------|-------------------------|------------------------------------|-------|-------------------------------|--|
| | MODEL | Basic Model | Steel Frame Color | Plastic Frame/ Mesh Color | TB133 | Approx. Packaged Weight | |
| | Daylight® Chair | DAY | | | | 11.0# | |
| | Mesh seat and mesh backStacking | | | | | | |
| | • Ganging | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| DAY | | | | | | | |
| 5/11 | Transport Dolly | MXD.BL | | | | 30.0# | |
| | Easy maneuverability with 5" casters; | | | | | | |
| | two fixed, two swivel Black powder-coated finish | | | | | | |
| Ø | Suon portion document | | | | | | |
| | | | | | | | |
| HRDPT | | | | | | | |
| | | A | 3 | Θ | 0 | | |
| | | | | | | | |

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
 Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- **B**Select steel frame color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- © Select plastic frame color for seat

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

OSelect TB133.

NFR - No TB133 fire retardant - Fire retardant

INFORMATION

California TB133 Fire Safety Code Standard Daylight® chair meets the Califor-nia TB133 Fire Safety Code. No upcharge and no added lead time.



Stack/Nesting Daylight®

Delivered Pricing

\$ 368

\$ 381

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b. Green Bay, Wisconsin 54302 factory. Freight class #125.

Stack/Nesting Dorsal® General Information



Armless Stacking Round Leg Chair (DRNA)



Stacking Tablet Arm Round Leg Chair (DRTL)



Round Leg Chair Transport Dolly (VTD.BL)

| Features | | | |
|--|--------------------------|--------------------------|-----|
| Stackable | • | • | |
| Ganging | • | | |
| Articulating backrest | • | • | |
| Available unupholstered | • | • | |
| Available with upholstered seat only | • | • | |
| Available with upholstered seat and back | • | • | |
| General Dimensions | | | |
| Seat width | 19" | 19" | |
| Seat depth | 17-1/2" | 17-1/2" | |
| Seat height | 18-1/4" | 18-1/4" | |
| Overall Dimensions | | | |
| Width | 22-3/4" | 25-1/2" | 24" |
| Depth | 21-3/4" | 28" | 21" |
| Height | 32" | 32" | 7" |
| Tablet width | | 12" | |
| Tablet depth | | 21" | |
| Stacking on dolly | | | |
| Quantity/dimensions | 8 Chairs/25" x 27" x 76" | 6 Chairs/30" x 27" x 65" | |
| Stacking on floor | | | |
| Quantity | 5 Chairs | | |

SPECIFICATIONS

Seat and Back

Unupholstered chairs have a textured thermoplastic shell. Body contact areas have textured pattern. Upholstered chairs have fabric covered, extra thick, soft foam backrest and seat cushions fastened to an inner shell. Automatic mechanism governs backrest movement.

Legs

3/4" o.d., seam-welded tubular.

Ganging Elements

Built-in couplers for ganging are optional. Monochromatic with frame color.

Tablet Arm Chair

Tablet arm chair stacks. Tablet arm of round tubular steel frame welded to leg and hinged at tablet. Tips up for entry and storage. Standard size tablet of resin core, with laminate writing surface and backing sheet. Round tablet edge with clear lacquer finish.

Powder-coated frame. Seating clearance is 12-1/2". Tablet is 20-5/8" long and 12" wide.

Bookrack

Chairs are nonstacking with bookrack attached. Welded wire frame, chrome finish. May be field installed.

Glides

Self-leveling nylon base glides are replaceable. Finish matches chair color.

Stacking

See the above chart for stacking capabilities on a transport dolly. Do not exceed these capacities.

INFORMATION

C.O.M. Testing and Production Requirements

Not all materials are suitable for upholstering this product. A 1 yard sample must be submitted and approved prior to acceptance

of an order. If the fabric is directional in pattern or weave, the direction must be indicated on the submitted sample, and additional yardage maybe requested.

Test samples must be sent to:

ΚI

Attn: C.O.M. Specialist 1441 Ontario Street Green Bay, WI 54311

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specifying the direction the fabric is to be applied. The posted standard lead time will apply to the Special Cost Request.

Design

Designed and developed by Emilio Ambasz and Giancarlo Piretti for OPENArk B.V. Manufactured in the USA by Krueger International, Inc. under license from OPENArk B.V.

Dorsal® is a registered trademark of OPENArk B.V. and is used under license by Krueger International, Inc.











Bookrack

INFORMATION

Warranty Refer to KI Terms & Conditions document or visit ki.com

Stack/Nesting

| | | | MODEL N | UMBER | | | | | | |
|-----------|---|-----------------------------------|----------------|----------------|----------------|-------|---------------|------------------------|-----------------|--|
| | MODEL | Features | Basic Model | Frame Color | Shell Color | TB133 | Uph. Color | Tablet Arm Color | Glide Option | |
| | Armless Stacking Round Leg Chair | Unupholstered | DRNA | | | | | | | |
| | Articulating backrest | Upholstered Seat | DRNA/SO | | | | | | | |
| | | Upholstered Seat/Back | DRNA/SB | | | | | | | |
| | | | | | | | | | | |
| \wedge | | | | | | | | | | |
| / / \ | | | | | | | | | | |
| ı | | | | | | | | | | |
| DR DRU | | | | | | | | | | |
| טחע | Stacking Round Leg Tablet Arm Chair | Unupholstered, Left Hand | DRTL | | | | | | | |
| | Articulating backrest | Upholstered Seat, Left Hand | DRTL/SO | | | | | | | |
| | Available in right- and left-hand models Plastic laminate tablet surface | Upholstered Seat/Back, Left Hand | DRTL/SB | | | | | | | |
| | Plastic laminate tablet surface | Unupholstered, Right Hand | DRTR | | | | | | | |
| | | Upholstered Seat, Right Hand | DRTR/S0 | | | | | | | |
| 1 / , / | | Upholstered Seat/Back, Right Hand | DRTR/SB | | | | | | | |
| 1 | | | | | | | | | | |
| DR | | | | | | | | | | |
| DRU | | | | | | | | | | |
| <u>o</u> | Round Leg Chair Transport Dolly • Easy maneuverability with caster wheels; | | VTD.BL | | | | | | | |
| | two 3" fixed, two 5" swivel | | | | | | | | | |
| | Seam-welded tubular steel frame | | | | | | | | | |
| | Black powder-coated finish | | | | | | | | | |
| HRDPT | | | | | | | | | | |
| | Bookrack | | | | | | | | | |
| AVORT | Welded wire frame Chromo frame | | | | | | | | | |
| | Chrome frame20-1/2" wide x 11" deep | | | | | | | | | |
| // \\ | SEE PRICING BELOW | | | | | | | | | |
| | | | | | | | | | | |
| | | | A | ß | • | 0 | (3 | • | 0 | |
| | | | | | | | | | | |

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- \bullet Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Refer to color addendum at ki.com or KI

OSelect TB133.

- No TB133 fire retardant NFR - Fire retardant

Select upholstery grade/color. Refer to color addendum at ki.com or KI

Select tablet arm color. Refer to color addendum at ki.com or KI

BSelect frame color.

Select shell color.

Fabrics & Finishes binder.

Fabrics & Finishes binder.

Fabrics & Finishes binder.

GSelect glide option.

UPHOLSTERY INFORMATION

- Plastic glides - Steel glides

C.O.M. Upholstery C.O.M. requirement for 10 chairs or less is 5/8 yard per upholstered seat chair and 1 yard per upholstered seat and back chair of 54" wide nondirectional fabric. For orders of 11 or more chairs and for complete information on ordering C.O.M., see "Ordering C.O.M., C.O.V. and C.O.L" section.



Stack/Nesting

| Approx. Packaged Weight | ered Pricing pholstered | Delivered Pricing Fabric Grade 1 & C.O.M. | Delivered Pricing Fabric Grade 2 | Delivered Pricing Fabric Grade 3 | Delivered Pricing Vinyl Group 2 | Delivered Pricing Pallas Fabric Group P1 | Delivered Pricing Pallas Fabric Group P2 | Delivered Pricing Pallas Fabric Group P3 | Delivered Pricing Pallas Fabric Group P4 |
|-------------------------------|----------------------------|--|---|---|--|---|---|---|---|
| 17.0# | \$ 209 | | | | | | | | |
| 17.0# | N/A | 324 | 345 | 353 | 353 | 375 | 407 | 435 | 458 |
| 19.0# | N/A | 383 | 440 | 447 | 447 | 443 | 479 | 509 | 542 |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| 23.0# | 443 | | | | | | | | |
| 24.0# | N/A | 562 | 588 | 594 | 594 | 615 | 649 | 671 | 698 |
| 25.0# | N/A | 622 | 679 | 684 | 684 | 681 | 718 | 750 | 782 |
| 23.0# | 443 | | | | | | | | |
| 24.0# | N/A | 562 | 588 | 594 | 594 | 615 | 649 | 671 | 698 |
| 25.0# | N/A | 622 | 679 | 684 | 684 | 681 | 718 | 750 | 782 |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| 19.0# | \$ 353 | | | | | | | | |
| | | | | | | | | | |

OPTIONS

California TB133 Fire Safety CodeFor California Technical Bulletin 133 compliant models, add the following upcharge: Model=No Upholstery Added Lead Time=1 week Added List Price= \$51 Model=Upholstered Added Lead Time=1 week Added List Price= \$86

Gangers

For ganging mechanism, add "/G" to end of model numbers. List price upcharge is \$12

Add "/BR" to end of model number. List price upcharge is \$33

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b. Green Bay, Wisconsin 54302 factory. Freight class #125.











Armless Four-Leg Chair

Four-Leg Cantilever Arm Chair

Four-Leg Flip-up Tablet Arm Chair

Four-Leg Flip-up Oversize Tablet Arm Chair

Four-Leg Flip-and-Store (G2) Tablet Arm Chair

| | (GLNAU) | Chair (GLCAP) | Arm Chair (GLTAURH) | lablet Arm Chair | (G2) lablet Arm Chair |
|--|---|---|------------------------|------------------|-----------------------|
| Features | | | | | |
| Stackable | • | • | | | |
| Poly, upholstered seat, or upholstered seat/back | • | • | • | • | • |
| Ergonomic articulation (Perfect Pivot) | • | • | • | • | • |
| General Dimensions | | | | | |
| Seat width | 18-1/2" | 18-1/2" | 18-1/2" | 18-1/2" | 18-1/2" |
| Seat depth | 18-5/16" | 18-5/16" | 18-5/16" | 18-5/16" | 18-5/16" |
| Seat height (upholstered add 1") | 17-3/4" | 17-3/4" | 17-3/4" | 17-3/4" | 17-3/4" |
| Tablet to chair back clearance | | | 14-1/2" | 14-1/2" | 14-1/2" |
| Overall Dimensions | | | | | |
| Width | 22-3/16" | 25-7/8" | 23-1/2" | 23-1/2" | 23-1/2" |
| Depth | 21-5/16" | 21-5/16" | 27-3/8" | 31" | 26-3/4" |
| Height | 32-5/8" | 32-5/8" | 32-5/8" | 32-5/8" | 32-5/8" |
| Arms to floor | | 26-1/4" | | | |
| Stacking on Dolly | | | | | |
| Overall width | 25" | 25-7/8" | | | |
| Overall depth | 36" | 36" | | | |
| Quantity/height | 12 Poly Chairs/60" High (6 Uph Chairs) | 12 Poly Chairs/60" High (6 Uph Chairs) | | | |
| Stacking on Floor | | | | | |
| Width | 22-3/16" | 25-7/8" | | | |
| Depth | 28" | 28" | | | |
| Quantity/height | 5 Chairs/43" High | 5 Chairs/43" High | | | |

SPECIFICATIONS

4-Leg Frame

Legs are 7/8" o.d. x 13-gauge tubular steel. A double ring of 7/16" diameter steel wire forms the cross member. The fixed backrest mechanism structure is formed of 1/2" diameter steel wire. All joints are welded.

Frames are 3/4" o.d. x 13-gauge tubular steel. A double ring of 7/16" diameter steel wire forms the cross member. The fixed backrest mechanism structure is formed of 1/2" diameter steel wire. All joints are welded.

Arms

Optional cantilever arms are available. When equipped with arms, the support structure is a continuation of the rear leg finished to match the frame color. The armrests are injection-molded, glass-reinforced nylon matching the frame finish (except for chrome, hammertone, and metallic finishes

which will match poly color. Diamond translucent poly will have light tone armests; Pewter translucent will have flannel armrests; Bronze translucent will have chocolate armrests). The steel frame tube is inserted into a socket molded into the armrest and secured with a screw.

Seat and Shroud

Injection molded polypropylene.

Backrest Articulation Mechanism

A pair of outer backrest supports formed from 1' diameter tubular steel are inserted into sockets molded into the backrest and secured with screws. The backrest assembly moves over molded thermoplastic slide bushings and is supported by steel coil springs. This mechanism allows the backrest to move through 15 degrees of movement, about an axis of rotation that is through the hips of the occupant.

Optional Upholstered Seat and Back

Urethane foam is attached to an injection-

molded polypropylene liner board, then upholstered using a draw-string process. Seat foam is molded nominal 1" thickness and back foam is nominal 1/2" thickness. The fasteners that attach the back pad are color-matched to the polypropylene.

Frame Finishes

Baked-on electrostatically-applied 30° gloss epoxy powder coating or bright nickelchrome plating.

Flip-up Tablet Arm

Tablet support loop is a continuation of the rear leg and may be ordered on the right or left side. A formed steel hinge is welded to the top of the support structure and secured with screws to the underside of the writing surface. Writing surface for standard tablet is 9-1/2" x 20-3/4" x 12-1/2" and oversize tablet is 15-1/2" x 22-1/2" x 14". Plywood core of 5/8" thick, 11-ply hardwood surfaced with .030" high-pressure laminate top and plain backer undersurface. Tablet flips up for easy access. Edges are lacquered and

sealed.

Flip-and-Store (G2) Tablet Arm

The pivot mechanism consists of two pivot cams, two steel hinge barrels, a pivot shaft, and a hinged steel support plate which fastens to the tablet board. Available in right - or left-hand models. The working surface is 13-3/4" x 18-1/8".

Glides

The bottom ends of the leg tubes are formed to be vertical where they meet the floor. The leg tubes are capped with polyproplyene end caps matching the leg color (except chrome, hammertone, and metallic finishes which use black caps). Optional glides for the sled base are co-extuded to provide a softer, non-skid surface to protect the floor, but do not glide. Sled base chairs are also available with black nylon (plastic), stainless steel, or non-marring (clear nylon) glides.

Casters

4-leg chairs may be ordered with casters















Armless Sled Base Chair (GSNAP)

Sled Base Cantilever Arm Chair (GSCAU)

Sled Base Flip-up Tablet Arm Chair (GSTAPRH)

Sled Base Flip-up Oversize Tablet Arm Chair

Sled Base Flip-and-Store (G2) Tablet Arm Chair

Transport Dolly (GCD.BL)

| | | | (000) | | | |
|--|---|---|----------|----------|----------|---------|
| Features | | | | | | |
| Stackable | • | • | | | | |
| Poly, upholstered seat, or upholstered seat/back | • | • | • | • | • | |
| Ergonomic articulation (Perfect Pivot) | • | • | • | • | • | |
| General Dimensions | | | | | | |
| Seat width | 18-1/2" | 18-1/2" | 18-1/2" | 18-1/2" | 18-1/2" | |
| Seat depth | 18-5/16" | 18-5/16" | 18-5/16" | 18-5/16" | 18-5/16" | |
| Seat height (upholstered add 1") | 17-3/4" | 17-3/4" | 17-3/4" | 17-3/4" | 17-3/4" | |
| Tablet to chair back clearance | | | 14-1/2" | 14-1/2" | 14-1/2" | |
| Overall Dimensions | | | | | | |
| Width | 22" | 25-7/8" | 23-1/2" | 23-1/2" | 23-1/2" | 25" |
| Depth | 21-1/4" | 21-1/4" | 27-3/8" | 31" | 26-3/4" | 29" |
| Height | 32-5/8" | 32-5/8" | 32-5/8" | 32-5/8" | 32-5/8" | 15-3/4" |
| Arms to floor | | 26-1/4" | | | | |
| Stacking on Dolly | | | | | | |
| Overall width | 25" | 25-7/8" | | | | |
| Overall depth | 36" | 36" | | | | |
| Quantity/height | 12 Poly Chairs/60" High (6 Uph Chairs) | 12 Poly Chairs/60" High (6 Uph Chairs) | | | | |
| Stacking on Floor | | | | | | |
| Width | 22-3/16" | 25-7/8" | | | | |
| Depth | 28" | 28" | | | | |
| Quantity/height | 5 Chairs/43" High | 5 Chairs/43" High | | | | |

instead of glides. Casters are double-wheel, high-impact thermoplastic available with hard or soft wheel surface, in black only.

Stacking Vinyl Upholstered Chairs

It is recommended that chairs to be stacked be covered in material other than vinyl as an impression in the seat may result. KI does not warrant the effects of stacking on stock or C.O.M. vinyl upholstery.

INFORMATION

C.O.M. Testing and Production Requirements

Not all materials are suitable for upholstering this product. A 1 yd. x 54" sample must be submitted and approved prior to acceptance of an order. If the fabric is directional in pattern or weave, the direction must be indicated on the submitted sample, and additional yardage may be requested.

ΚI

Attn: C.O.M. Specialist 1441 Ontario Street Green Bay, WI 54311

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specifying the direction the fabric is to be applied. The posted standard lead time will apply to the Special Cost Request.

Design

Designed by Giancarlo Piretti and manufactured in the USA by Krueger International, Inc. under license from Pro-Cord S.p.A

INFORMATION

Warranty

Refer to KI Terms & Conditions document or visit ki.com

Test samples must be sent to:





Armless Four-Leg Chair with Casters (GLNAUC)



Four-Leg Cantilever Arm Chair with Casters (GLCAUC)



Four-Leg Flip-up Tablet Arm Chair with Casters (GLTAPCRH)



Four-Leg Flip-up Oversize
Tablet Arm Chair with



Four-Leg Flip-and-Store (G2) Tablet Arm Chair with

| | (GLNAUC) | (GLCAUC) | (GLIAPCRH) | Casters | Casters |
|--|-------------------|-------------------|------------|----------|----------|
| Features | | | | | |
| Stackable | • | • | | | |
| Poly, upholstered seat, or upholstered seat/back | • | • | • | • | • |
| Ergonomic articulation (Perfect Pivot) | • | • | • | • | • |
| General Dimensions | | | | | |
| Seat width | 18-1/2" | 18-1/2" | 18-1/2" | 18-1/2" | 18-1/2" |
| Seat depth | 18-5/16" | 18-5/16" | 18-5/16" | 18-5/16" | 18-5/16" |
| Seat height (upholstered add 1") | 17-3/4" | 17-3/4" | 17-3/4" | 17-3/4" | 17-3/4" |
| Tablet to chair back clearance | | | 14-1/2" | 14-1/2" | 14-1/2" |
| Overall Dimensions | | | | | |
| Width | 23" | 25-7/8" | 24" | 24" | 24" |
| Depth | 21-5/16" | 21-5/16" | 27-3/8" | 31" | 26-3/4" |
| Height | 32-5/8" | 32-5/8" | 32-5/8" | 32-5/8" | 32-5/8" |
| Arms to floor | | 26-1/4" | | | |
| Stacking on Floor | | | | | |
| Width | 23" | 25-7/8" | | | |
| Depth | 28" | 28" | | | |
| Quantity/height | 5 Chairs/43" High | 5 Chairs/43" High | | | |

SPECIFICATIONS

4-Leg Frame

Legs are 7/8" o.d. x 13 -gauge tubular steel. A double ring of 7/16" diameter steel wire forms the cross member. The fixed backrest mechanism structure is formed of 1/2" diameter steel wire. All joints are welded.

Sled Frame

Frames are 3/4" o.d. x 13-gauge tubular steel. A double ring of 7/16" diameter steel wire forms the cross member. The fixed backrest mechanism structure is formed of 1/2" diameter steel wire. All joints are welded.

Arms

Optional cantilever arms are available. When equipped with arms, the support structure is a continuation of the rear leg finished to match the frame color. The armrests are injection-molded, glass-reinforced nylon matching the frame finish (except for chrome, hammertone, and metallic finishes

which will match poly color. Diamond translucent poly will have light tone armests; Pewter translucent will have flannel armrests; Bronze translucent will have chocolate armrests). The steel frame tube is inserted into a socket molded into the armrest and secured with a screw.

Seat and Shroud

Injection molded polypropylene.

Backrest Articulation Mechanism

A pair of outer backrest supports formed from 1' diameter tubular steel are inserted into sockets molded into the backrest and secured with screws. The backrest assembly moves over molded thermoplastic slide bushings and is supported by steel coil springs. This mechanism allows the backrest to move through 15 degrees of movement, about an axis of rotation that is through the hips of the occupant.

Optional Upholstered Seat and Back

Urethane foam is attached to an injection-

molded polypropylene liner board, then upholstered using a draw-string process. Seat foam is molded nominal 1* thickness and back foam is nominal 1/2" thickness. The fasteners that attach the back pad are color-matched to the polypropylene.

Frame Finishes

Baked-on electrostatically-applied 30° gloss epoxy powder coating or bright nickel-chrome plating.

Flip-up Tablet Arm

Tablet support loop is a continuation of the rear leg and may be ordered on the right or left side. A formed steel hinge is welded to the top of the support structure and secured with screws to the underside of the writing surface. Writing surface for standard tablet is 9-1/2" x 20-3/4" x 12-1/2" and oversize tablet is 15-1/2" x 22-1/2" x 14". Plywood core of 5/8" thick, 11-ply hardwood surfaced with .030" high-pressure laminate top and plain backer undersurface. Tablet flips up for easy access. Edges are lacquered and

sealed.

Flip-and-Store (G2) Tablet Arm

The pivot mechanism consists of two pivot cams, two steel hinge barrels, a pivot shaft, and a hinged steel support plate which fastens to the tablet board. Available in right or left-hand models. The working surface is 13-3/4" x 18-1/8".


Glides

The bottom ends of the leg tubes are formed to be vertical where they meet the floor. The leg tubes are capped with polyproplyene end caps matching the leg color (except chrome, hammertone, and metallic finishes which use black caps). Optional glides for the sled base are co-extuded to provide a softer, non-skid surface to protect the floor, but do not glide. Sled base chairs are also available with black nylon (plastic), stainless steel, or non-marring (clear nylon) glides.

Casters

4-leg chairs may be ordered with casters





instead of glides. Casters are double-wheel, high-impact thermoplastic available with hard or soft wheel surface, in black only.

Stacking Vinyl Upholstered Chairs

It is recommended that chairs to be stacked be covered in material other than vinyl as an impression in the seat may result. KI does not warrant the effects of stacking on stock or C.O.M. vinyl upholstery.

INFORMATION

C.O.M. Testing and Production Requirements

Not all materials are suitable for upholstering this product. A 1 yd. x 54" sample must be submitted and approved prior to acceptance of an order. If the fabric is directional in pattern or weave, the direction must be indicated on the submitted sample, and additional yardage may be requested.

Attn: C.O.M. Specialist 1441 Ontario Street Green Bay, WI 54311

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specifying the direction the fabric is to be applied. The posted standard lead time will apply to the Special Cost Request.

Design

Designed by Giancarlo Piretti and manufactured in the USA by Krueger International, Inc. under license from Pro-Cord S.p.A

INFORMATION

Warranty

Refer to KI Terms & Conditions document or visit ki.com

Test samples must be sent to:



Four-Leg Armless Cafe Stool -24" or 30" Seat Height (GLSNAP)

Four-Leg Cantilever Arm Cafe Stool - 24" or 30" Seat Height

| Features | | |
|--|--------------------------|--------------------------|
| Stackable | • | • |
| Poly, upholstered seat, or upholstered seat/back | • | • |
| Ergonomic articulation (Perfect Pivot) | • | • |
| General Dimensions | | |
| Seat width | 18-1/2" | 18-1/2" |
| Seat depth | 18-5/16" | 18-5/16" |
| Seat height (upholstered add 1") | 23-3/4" or 29-3/4" | 23-3/4" or 29-3/4" |
| Overall Dimensions | | |
| Width | 22-3/16" | 25-7/8" |
| Depth | 21-5/16" | 21-5/16" |
| Height | 38-5/8" or 44-5/8" | 38-5/8" or 44-5/8" |
| Arms to floor | | 32-1/4" or 38-1/4" |
| Stacking on Floor | | |
| Width | 22-3/16" | 25-7/8" |
| Depth | 28" | 28" |
| Quantity/height | 4 Chairs/48" or 54" High | 4 Chairs/48" or 54" High |

SPECIFICATIONS

4-Leg Frame

Legs are 7/8" o.d. x 13 -gauge tubular steel. A double ring of 7/16" diameter steel wire forms the cross member. The fixed backrest mechanism structure is formed of 1/2" diameter steel wire. A 3-sided foot ring is made of a pair of 7/16" diameter steel wires. All joints are welded.

Arms

Optional cantilever arms are available. When equipped with arms, the support structure is a continuation of the rear leg finished to match the frame color. The armrests are injection-molded, glass-reinforced nylon matching the frame finish (except for chrome, hammertone, and metallic finishes which will match poly color. Diamond translucent poly will have light tone armests; Pewter translucent will have flannel armrests; Bronze translucent will have chocolate armrests). The steel frame tube is inserted into a socket molded into the armrest and

secured with a screw.

Seat and Shroud

Injection molded polypropylene.

Backrest Articulation Mechanism

A pair of outer backrest supports formed from 1' diameter tubular steel are inserted into sockets molded into the backrest and secured with screws. The backrest assembly moves over molded thermoplastic slide bushings and is supported by steel coil springs. This mechanism allows the backrest to move through 15 degrees of movement, about an axis of rotation that is through the hips of the occupant.

Optional Upholstered Seat and Back

Urethane foam is attached to an injection-molded polypropylene liner board, then upholstered using a draw-string process. Seat foam is molded nominal 1" thickness and back foam is nominal 1/2" thickness. The fasteners that attach the back pad are color-matched to the polypropylene.

Frame Finishes

Baked-on electrostatically-applied 30° gloss epoxy powder coating or bright nickel-chrome plating.

Glides

The bottom ends of the leg tubes are formed to be vertical where they meet the floor. The leg tubes are capped with polyproplyene end caps matching the leg color (except chrome, hammertone, and metallic finishes which use black caps).

Stacking Vinyl Upholstered Chairs

It is recommended that stools to be stacked be covered in material other than vinyl as an impression in the seat may result. KI does not warrant the effects of stacking on stock or C.O.M. vinyl upholstery.

INFORMATION

C.O.M. Testing and Production Requirements

Not all materials are suitable for upholstering this product. A 1 yd. x 54" sample must be submitted and approved prior to acceptance of an order. If the fabric is directional in pattern or weave, the direction must be indicated on the submitted sample, and additional yardage may be requested.

Test samples must be sent to:

KI Attn: C.O.M. Specialist 1441 Ontario Street Green Bay, WI 54311

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will



need a Special Cost Request written specify-ing the direction the fabric is to be applied. The posted standard lead time will apply to the Special Cost Request.

DesignDesigned by Giancarlo Piretti and manufactured in the USA by Krueger International, Inc. under license from Pro-Cord S.p.A

INFORMATION

Warranty Refer to KI Terms & Conditions document or visit ki.com

| MODEL NUMBER | | | | | | | | | | |
|--------------|--|-------------------------|----------------|----------------|-------------------------|----------------|-----------------|-------|---------------------|--|
| | | | | | | | | | | |
| | MODEL | Features | Basic Model | Frame Color | Seat & Back Color | Caster Type | Glide Option | TB133 | Upholstery Color | |
| | Four-Leg Armless Chair | Polypropylene | GLNAP | | | | | | | |
| | Ergonomic articulation (Perfect Pivot)Stacking | Upholstered Seat | GLNAU | | | | | | | |
| | • Stacking | Upholstered Seat/Back | GLNAUB | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| u 1 | | | | | | | | | | |
| u | | | | | | | | | | |
| GLP | | | | | | | | | | |
| GLU | | | | | | | | | | |
| GLUB | | | | | | | | | | |
| | Four-Leg Armless Chair with Casters • Ergonomic articulation (Perfect Pivot) | Polypropylene, Casters | GLNAPC | | | | | | | |
| | Stacking. Caution should be excercised | Uph. Seat, Casters | GLNAUC | | | | | | | |
| | to prevent casters from marring compo- | Uph. Seat/Back, Casters | GLNAUBC | | | | | | | |
| | nents such as frames, fabric, etc., and | | | | | | | | | |
| / (J | to prevent casters from becoming "hung up" underneath the seat of the chair | | | | | | | | | |
| o ∥ a | Stacking on dollies is NOT recommend- | | | | | | | | | |
| | ed | | | | | | | | | |
| GLP | | | | | | | | | | |
| GLU | | | | | | | | | | |
| GLUB | | | | | | | | | | |
| | | | Δ | B | Θ | 0 | (3 | • | (| |

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- **B**Select frame color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select poly seat and back color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

• Select casters.

- Carpet casters - Hard floor casters

Select glide option.

P - Plastic glides - Steel glides

Select TB133.

NFR - No TB133 fire retardant - Fire retardant See Upholstery Information for TB133 upcharge.

GSelect upholstery grade/color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

UPHOLSTERY INFORMATION

C.O.M. Upholstery

C.O.M. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back and for complete information on ordering C.O.M. see "Ordering C.O.M., C.O.V. and C.O.L." section.

California TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, add the following upcharge: Model=Polypropylene Added List Price=\$10 Model=Upholstered Seat Added List Price=\$61 Model=Upholstered Seat and Back Added List Price=\$87



| Approx. Packaged Weight | Delivered Pricing Unupholstered | | Delivered Pricing Fabric Grade 1 & C.O.M. | Delivered Pricing Fabric Grade 2 | Delivered Pricing Fabric Grade 3 | Delivered Pricing C.O.V. | Delivered Pricing Vinyl Group 2 | Delivered Pricing Pallas Fabric Group P1 | Delivered Pricing Pallas Fabric Group P2 | Delivered Pricing Pallas Fabric Group P3 | Delivered Pricing Pallas Fabric Group P4 |
|-------------------------------|---------------------------------------|------|--|---|---|--------------------------------|--|---|---|---|---|
| 23.0# | \$ | 299 | | | | | | | | | |
| 26.0# | | N/A | 405 | 413 | 426 | 405 | 426 | 469 | 483 | 500 | 525 |
| 28.0# | | N/A | 430 | 438 | 452 | 430 | 452 | 495 | 509 | 526 | 550 |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| 24.0# | \$ | 318 | | | | | | | | | |
| 27.0# | _ | N/A | 424 | 432 | 446 | 424 | 446 | 488 | 503 | 520 | 544 |
| 28.0# | | N/A | 449 | 457 | 471 | 449 | 471 | 514 | 528 | 545 | 570 |
| 20.0# | | IV/A | 443 | 407 | 4/1 | 449 | 4/1 | 314 | 320 | 340 | 370 |
| | | | | | | | | | | | |

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b. Green Bay, Wisconsin 54302 factory. Freight class #125.

| MODEL NUMBER | | | | | | | | | | |
|--------------|---|-------------------------|---------|-------------|----------|--------|-----------|-------|------------|--|
| | | | MODEL N | UNIDER | | | | | | |
| | | | | | | | | | | |
| | | | | | Seat & | | | | | |
| | | | Basic | Frame | Back | Caster | Glide | | Upholstery | |
| | MODEL | Features | Model | Color | Color | Type | Option | TB133 | Color | |
| | Four-Leg Cantilever Armchair | Polypropylene | GLCAP | | | | | | | |
| | Ergonomic articulation (Perfect Pivot) Stacking | Upholstered Seat | GLCAU | | | | | | | |
| | Stacking | Upholstered Seat/Back | GLCAUB | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| / \ | | | | | | | | | | |
| U | | | | | | | | | | |
| GLP | | | | | | | | | | |
| GLU | | | | | | | | | | |
| GLUB | | | | | | | | | | |
| | Four-Leg Cantilever Armchair with | Polypropylene, Casters | GLCAPC | | | | | | | |
| | Casters | Uph. Seat, Casters | GLCAUC | | | | | | | |
| | Ergonomic articulation (Perfect Pivot) | Uph. Seat/Back, Casters | GLCAUBC | | | | | | | |
| | Stacking. Caution should be excercised to prevent casters from marring compo- | | | | | | | | | |
| | nents such as frames, fabric, etc., and | | | | | | | | | |
| 4 1 8 | to prevent casters from becoming "hung | | | | | | | | | |
| 8 | up" underneath the seat of the chair | | | | | | | | | |
| GLP | Stacking on dollies is NOT recommended | | | | | | | | | |
| GLU | ou . | | | | | | | | | |
| GLUB | | | | | | | | | | |
| | | | | | | | | | _ | |
| | | | A | (3) | G | 0 | (3 | • | œ | |

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- **B**Select frame color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select poly seat and back color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

• Select casters.

- Carpet casters - Hard floor casters

Select glide option.

P - Plastic glides - Steel glides

Select TB133.

NFR - No TB133 fire retardant - Fire retardant See Upholstery Information for TB133 upcharge.

GSelect upholstery grade/color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

UPHOLSTERY INFORMATION

C.O.M. Upholstery

C.O.M. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back and for complete information on ordering C.O.M. see "Ordering C.O.M., C.O.V. and C.O.L." section.

California TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, add the following upcharge: Model=Polypropylene Added List Price=\$10 Model=Upholstered Seat Added List Price=\$61 Model=Upholstered Seat and Back Added List Price=\$87



| Approx. Packaged Weight | Pri Un | livered cing upholstered | Delivered Pricing Fabric Grade 1 & C.O.M. | Delivered Pricing Fabric Grade 2 | Delivered Pricing Fabric Grade 3 | Delivered Pricing C.O.V. | Delivered Pricing Vinyl Group 2 | Delivered Pricing Pallas Fabric Group P1 | Delivered Pricing Pallas Fabric Group P2 | Delivered Pricing Pallas Fabric Group P3 | Delivered Pricing Pallas Fabric Group P4 |
|-------------------------------|-----------|--------------------------------|--|---|---|--------------------------------|--|---|---|---|---|
| 26.0# | \$ | 398 | | | | | | | | | |
| 29.0# | | N/A | 504 | 512 | 525 | 504 | 525 | 569 | 583 | 600 | 624 |
| 31.0# | | N/A | 529 | 537 | 551 | 529 | 551 | 593 | 607 | 624 | 649 |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| 27.0# | \$ | 417 | | | | | | | | | |
| 30.0# | | N/A | 523 | 531 | 544 | 523 | 544 | 587 | 601 | 618 | 643 |
| 31.0# | | N/A | 548 | 556 | 570 | 548 | 570 | 613 | 628 | 645 | 669 |
| | | | | | | | | | | | |
| | | | | | | | | | | | |

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b. Green Bay, Wisconsin 54302 factory. Freight class #125.

| | | | MODEL NUM | BER | | | | | |
|---------|--|--|----------------------|----------------|-------------------------|-----------------|------------------------|-------|------|
| | MODEL | Features | Basic Model | Frame Color | Seat & Back Color | Glide Option | Tablet Arm Color | TB133 | Uph. |
| | Four-Leg Flip-up Tablet Arm Chair | Polypropylene, Left Hand | GLTAPLH | | | | | | |
| | Ergonomic articulation (Perfect Pivot) | Polypropylene, Right Hand | GLTAPRH | | | | | | |
| | • NONSTACKING | Uph. Seat, Left Hand0 | GLTAULH | | | | | | |
| | | Uph. Seat, Right Hand | GLTAURH | | | | | | |
| | | Uph. Seat/Back, Left Hand | GLTAUBLH | | | | | | |
| / \ \ \ | | Uph. Seat/Back, Right Hand | GLTAUBRH | | | | | | |
| U | | | | | | | | | |
| LP | | | | | | | | | |
| LU | | | | | | | | | |
| LUB | | | | | | | | | |
| | Four-Leg Flip-up Oversize Tablet Arm | Polypropylene, Left Hand | GLOVTAPLH | | | | | | |
| | Chair Oversized tablet | Polypropylene, Right Hand | GLOVTAPRH | | | | | | |
| | Ergonomic articulation (Perfect Pivot) | Uph. Seat, Left Hand | GLOVTAULH | | | | | | |
| | NONSTACKING | Uph. Seat, Right Hand | GLOVTAURH | | | | | | |
| / \7 \ | | Uph. Seat/Back, Left Hand | GLOVTAUBLH | | | | | | |
| u l | | Uph. Seat/Back, Right Hand | GLOVTAUBRH | | | | | | |
| _ | | | | | | | | | |
| | | | | | | | | | |
| J | | | | | | | | | |
| UB | - I FI I I I I (00) - · · · · | Polypropylene, Left Hand | GLG2APLH | | | | | | |
| | Four-Leg Flip-and-Store (G2) Tablet Arm Chair | Polypropylene, Left Hand Polypropylene, Right Hand | GLG2APLH GLG2APRH | | | | | | |
| | Ergonomic articulation (Perfect Pivot) | Uph. Seat, Left Hand | GLG2APKH GLG2AULH | | | | | | |
| | NONSTACKING | Uph. Seat, Right Hand | GLG2AURH | | | | | | |
| | | Uph. Seat/Back, Left Hand | GLG2AURH | | | | | | |
| / \ " \ | | Uph. Seat/Back, Right Hand | GLG2AUBRH | | | | | | |
| П | | opin oour back, riigin rialiu | GEGEAGDITT | | | | | | |
| P | | | | | | | | | |
| -U | | | | | | | | | |
| | | | | | | | | | |
| GLUB | | | | | | | | | |
| GLUB | | | A | B | • | 0 | 3 | (j | Э |

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- **B**Select frame color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select poly seat and back color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select glide option.

- Plastic glides

- Steel glides

Select tablet arm color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select TB133.

upcharge.

NFR - No TB133 fire retardant - Fire retardant See Upholstery Information for TB133 **G**Select upholstery grade/color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

UPHOLSTERY INFORMATION

C.O.M. Upholstery

C.O.M. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back and for complete information on ordering C.O.M. see "Ordering C.O.M., C.O.V. and C.O.L." section.

California TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, add the following upcharge: Model=Polypropylene Added List Price=\$10 Model=Upholstered Seat Added List Price=\$61 Model=Upholstered Seat and Back Added List Price=\$87



| | | | Delivered | Delivered | Delivered | | Delivered | Delivered | Delivered | Delivered | Delivered |
|-------------------------------|-----|---------------------------------|---------------------------------------|------------------------------|------------------------------|--------------------------------|-----------------------------|--------------------------------------|--------------------------------------|--------------------------------------|--------------------------------------|
| Approx. Packaged Weight | Pri | livered icing upholstered | Pricing Fabric Grade 1 & C.O.M. | Pricing Fabric Grade 2 | Pricing Fabric Grade 3 | Delivered Pricing C.O.V. | Pricing Vinyl Group 2 | Pricing Pallas Fabric Group P1 | Pricing Pallas Fabric Group P2 | Pricing Pallas Fabric Group P3 | Pricing Pallas Fabric Group P4 |
| 29.0# | \$ | 488 | | | | | | | | | |
| 29.0# | | 488 | | | | | | | | | |
| 32.0# | | N/A | 594 | 602 | 615 | 594 | 615 | 658 | 672 | 689 | 714 |
| 32.0# | | N/A | 594 | 602 | 615 | 594 | 615 | 658 | 672 | 689 | 714 |
| 34.0# | | N/A | 619 | 627 | 641 | 619 | 641 | 683 | 698 | 714 | 739 |
| 34.0# | | N/A | 619 | 627 | 641 | 619 | 641 | 683 | 698 | 714 | 739 |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| 31.0# | \$ | 538 | | | | | | | | | |
| 31.0# | | 538 | | | | | | | | | |
| 34.0# | | N/A | 644 | 652 | 665 | 644 | 665 | 708 | 722 | 739 | 764 |
| 34.0# | | N/A | 644 | 652 | 665 | 644 | 665 | 708 | 722 | 739 | 764 |
| 35.0# | | N/A | 669 | 677 | 691 | 669 | 691 | 733 | 747 | 764 | 789 |
| 35.0# | | N/A | 669 | 677 | 691 | 669 | 691 | 733 | 747 | 764 | 789 |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| 30.0# | \$ | 516 | | | | | | | | | |
| 30.0# | | 516 | | | | | | | | | - 40 |
| 33.0# | | N/A | 622 | 630 | 643 | 622 | 643 | 686 | 700 | 717 | 742 |
| 33.0# | | N/A | 622 | 630 | 643 | 622 | 643 | 686 | 700 | 717 | 742 |
| 35.0# | | N/A | 647 | 655 | 669 | 647 | 669 | 711 | 725 | 742 | 767 |
| 35.0# | | N/A | 647 | 655 | 669 | 647 | 669 | 711 | 725 | 742 | 767 |
| | | | | | | | | | | | |
| | | | | | | | | | | | |

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b. Green Bay, Wisconsin 54302 factory. Freight class #125.

| | | | MODEL NUMB | FR | | | | | | |
|-------|---|-----------------------------------|----------------|----------------|-------------------------|----------------|------------------------|-------|---------------|--|
| | | | MODEL NOMB | LII | | | | T | | |
| | MODEL | Features | Basic Model | Frame Color | Seat & Back Color | Caster Type | Tablet Arm Color | TB133 | Uph. Color | |
| | Four-Leg Flip-up Tablet Arm Chair with | Poly, Left Hand, Casters | GLTAPCLH | | | | | | | |
| | Casters | Poly, Right Hand, Casters | GLTAPCRH | | | | | | | |
| | Ergonomic articulation (Perfect Pivot)NONSTACKING | Uph. Seat, Left Hand, Cast. | GLTAUCLH | | | | | | | |
| | NONSTACKING | Uph. Seat, Right Hand, Cast. | GLTAUCRH | | | | | | | |
| | | Uph. Seat/Back, Left Hand, Cast. | GLTAUBCLH | | | | | | | |
| 9 / 9 | | Uph. Seat/Back, Right Hand, Cast. | GLTAUBCRH | | | | | | | |
| ٥ | | | | | | | | | | |
| GLP | | | | | | | | | | |
| GLU | | | | | | | | | | |
| GLUB | | | | | | | | | | |
| _ | Four-Leg Flip-up Oversize Tablet Arm | Poly, Left Hand, Casters | GLOVTAPCLH | | | | | | | |
| | Chair with Casters | Poly, Right Hand, Casters | GLOVTAPCRH | | | | | | | |
| | Oversized tabletErgonomic articulation (Perfect Pivot) | Uph. Seat, Left Hand, Cast. | GLOVTAUCLH | | | | | | | |
| | NONSTACKING | Uph. Seat, Right Hand, Cast. | GLOVTAUCRH | | | | | | | |
| / 5 | | Uph. Seat/Back, Left Hand, Cast. | GLOVTAUBCLH | | | | | | | |
| a / P | | Uph. Seat/Back, Right Hand, Cast. | GLOVTAUBCRH | | | | | | | |
| Cu) | | | | | | | | | | |
| GLP | | | | | | | | | | |
| GLU | | | | | | | | | | |
| GLUB | | | | | | | | | | |
| | Four-Leg Flip-and-Store (G2) Tablet Arm | | GLG2APCLH | | | | | | | |
| | Chair with Casters | Poly, Right Hand, Casters | GLG2APCRH | | | | | | | |
| | Ergonomic articulation (Perfect Pivot)NONSTACKING | Uph. Seat, Left Hand, Cast. | GLG2AUCLH | | | | | | | |
| | | Uph. Seat, Right Hand, Cast. | GLG2AUCRH | | | | | | | |
| / [4 | | Uph. Seat/Back, Left Hand, Cast. | GLG2AUBCLH | | | | | | | |
| a / 2 | | Uph. Seat/Back, Right Hand, Cast. | GLG2AUBCRH | | | | | | | |
| w | | | | | | | | | | |
| GLP | | | | | | | | | | |
| GLU | | | | | | | | | | |
| GLUB | | | | | | | | | | |
| | | | A | 3 | Θ | 0 | 3 | • | G | |

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- \bullet Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- **B**Select frame color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select poly seat and back color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

• Select casters.

- Carpet casters - Hard floor casters

Select tablet arm color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select TB133.

NFR - No TB133 fire retardant - Fire retardant See Upholstery Information for TB133 upcharge.

GSelect upholstery grade/color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

UPHOLSTERY INFORMATION

C.O.M. Upholstery

C.O.M. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back and for complete information on ordering C.O.M. see "Ordering C.O.M., C.O.V. and C.O.L." section.

California TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, add the following upcharge: Model=Polypropylene Added List Price=\$10 Model=Upholstered Seat Added List Price=\$61 Model=Upholstered Seat and Back Added List Price=\$87



| Approx. Packaged Weight | Pri | livered cing upholstered | Delivered Pricing Fabric Grade 1 & C.O.M. | Delivered Pricing Fabric Grade 2 | Delivered Pricing Fabric Grade 3 | Delivered Pricing C.O.V. | Delivered Pricing Vinyl Group 2 | Delivered Pricing Pallas Fabric Group P1 | Delivered Pricing Pallas Fabric Group P2 | Delivered Pricing Pallas Fabric Group P3 | Delivered Pricing Pallas Fabric Group P4 |
|-------------------------------|-----|--------------------------------|--|---|---|--------------------------------|--|---|---|---|---|
| 30.0# | \$ | 507 | | | | | | | | | |
| 30.0# | | 507 | | | | | | | | | |
| 33.0# | | N/A | 613 | 621 | 634 | 613 | 634 | 677 | 692 | 708 | 733 |
| 33.0# | | N/A | 613 | 621 | 634 | 613 | 634 | 677 | 692 | 708 | 733 |
| 34.0# | | N/A | 638 | 646 | 660 | 638 | 660 | 703 | 717 | 734 | 758 |
| 34.0# | | N/A | 638 | 646 | 660 | 638 | 660 | 703 | 717 | 734 | 758 |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| 31.0# | \$ | 557 | | | | | | | | | |
| 31.0# | | 557 | | | | | | | | | |
| 34.0# | | N/A | 663 | 671 | 684 | 663 | 684 | 727 | 741 | 758 | 783 |
| 34.0# | | N/A | 663 | 671 | 684 | 663 | 684 | 727 | 741 | 758 | 783 |
| 36.0# | | N/A | 688 | 696 | 710 | 688 | 710 | 753 | 767 | 784 | 808 |
| 36.0# | | N/A | 688 | 696 | 710 | 688 | 710 | 753 | 767 | 784 | 808 |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| 31.0# | \$ | 535 | | | | | | | | | |
| 31.0# | | 535 | | | | | | | | | |
| 34.0# | | N/A | 641 | 649 | 662 | 641 | 662 | 705 | 719 | 736 | 761 |
| 34.0# | | N/A | 641 | 649 | 662 | 641 | 662 | 705 | 719 | 736 | 761 |
| 35.0# | | N/A | 666 | 674 | 688 | 666 | 688 | 731 | 741 | 762 | 786 |
| 35.0# | | N/A | 666 | 674 | 688 | 666 | 688 | 731 | 741 | 762 | 786 |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b. Green Bay, Wisconsin 54302 factory. Freight class #125.

| | | | MODEL | NUMBER | 1 | I | | | |
|------|---|-----------------------|----------------|----------------|-------------------------|-----------------|-----------|---------------------|-------------------------------|
| | MODEL | Features | Basic Model | Frame Color | Seat & Back Color | Glide Option | TB133 | Upholstery Color | Approx. Packaged Weight |
| • | Sled Base Armless Chair | Polypropylene | GSNAP | | | | | | 25.0# |
| | Ergonomic articulation (Perfect Pivot)Stacking | Upholstered Seat | GSNAU | | | | | | 28.0# |
| | Stacking | Upholstered Seat/Back | GSNAUB | | | | | | 30.0# |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| * | | | | | | | | | |
| GSP | | | | | | | | | |
| GSU | | | | | | | | | |
| GSUB | | | | | | | | | |
| | Sled Base Cantilever Armchair | Polypropylene | GSCAP | | | | | | 27.0# |
| | Ergonomic articulation (Perfect Pivot)Stacking | Upholstered Seat | GSCAU | | | | | | 30.0# |
| | Citationing | Upholstered Seat/Back | GSCAUB | | | | | | 32.0# |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| GSP | | | | | | | | | |
| GSU | | | | | | | | | |
| GSUB | | | | | | | | | |
| | | | A | B | • | O | (3 | • | |

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- \bullet Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- **B**Select frame color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select poly seat and back color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

DSelect glide option.

| NGL | - No glides |
|-----|-------------------------|
| GNM | - Non-marring glide |
| GNS | - Non-skid glide |
| GBL | - Black plastic glides |
| GSS | - Stainless steel glide |

Select TB133.

| NFR | - No TB133 fire retardant | |
|----------|------------------------------|--|
| FR | - Fire retardant | |
| See Upho | lstery Information for TB133 | |
| upcharge | | |

Select upholstery grade/color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

UPHOLSTERY INFORMATION

C.O.M. Upholstery C.O.M. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back and for complete information on ordering C.O.M. see "Ordering C.O.M., C.O.V. and C.O.L." section.

California TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, add the following upcharge: Model=Polypropylene Added List Price=\$10 Model=Upholstered Seat Added List Price=\$61 Model=Upholstered Seat and Back Added List Price=\$87



| | | | | 440 | 462 | 505 | 519 | 536 | 560 |
|----------------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|
| \$ 408 N/A N/A | 514 539 | 522 547 | 535 561 | 514 539 | 535 561 | 579 603 | 593 617 | 610 634 | 634 659 |

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b. Green Bay, Wisconsin 54302 factory. Freight class #125.

| | MODEL | | MODEL NUMI | BER | I | I | | | |
|-----------|--|----------------------------|----------------|------------------|-------------------------|-----------------|------------------------|-------|---------------|
| | MODEL | | | | | | | | |
| | MODEL | Features | Basic Model | Frame Color | Seat & Back Color | Glide Option | Tablet Arm Color | TB133 | Uph. Color |
| | Sled Base Flip-up Tablet Arm Chair | Polypropylene, Left Hand | GSTAPLH | | | | | | |
| (-) | Ergonomic articulation (Perfect Pivot)NONSTACKING | Polypropylene, Right Hand | GSTAPRH | | | | | | |
| | • NUNSTACKING | Uph. Seat, Left Hand | GSTAULH | | | | | | |
| | | Uph. Seat, Right Hand | GSTAURH | | | | | | |
| 180 | | Uph. Seat/Back, Left Hand | GSTAUBLH | | | | | | |
| | | Uph. Seat/Back, Right Hand | GSTAUBRH | | | | | | |
| • | | | | | | | | | |
| SSP | | | | | | | | | |
| SU SUB | | | | | | | | | |
| JUB | 0.15 50 0 1 71114 | Polypropylene, Left Hand | GSOVTAPLH | | | | | | |
| | Sled Base Flip-up Oversize Tablet Arm Chair | Polypropylene, Right Hand | GSOVTAPEH | | | | | | |
| | Oversized tablet | Uph. Seat, Left Hand | GSOVTALITI | | | | | | |
| | Ergonomic articulation (Perfect Pivot) | Uph. Seat, Right Hand | GSOVTAURH | | | | | | |
| | • NONSTACKING | Uph. Seat/Back, Left Hand | GSOVTAUBLH | | | | | | |
| | | Uph. Seat/Back, Right Hand | GSOVTAUBRH | | | | | | |
| | | - p | | | | | | | |
| | | | | | | | | | |
| I | | | | | | | | | |
| JB | | | | | | | | | |
| | Sled Base Flip-and-Store (G2) Tablet | Polypropylene, Left Hand | GSG2APLH | | | | | | |
| | Arm Chair | Polypropylene, Right Hand | GSG2APRH | | | | | | |
| | Ergonomic articulation (Perfect Pivot)NONSTACKING | Uph. Seat, Left Hand | GSG2AULH | | | | | | |
| | - NONOTACKING | Uph. Seat, Right Hand | GSG2AURH | | | | | | |
| 180 | | Uph. Seat/Back, Left Hand | GSG2AUBLH | | | | | | |
| | | Uph. Seat/Back, Right Hand | GSG2AUBRH | | | | | | |
| * | | | | | | | | | |
| iP | | | | | | | | | |
| SU | | | | | | | | | |
| SSUB | | | | | | | | | |
| | | | A | $oldsymbol{eta}$ | • | 0 | (3 | • | G |

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- **B**Select frame color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select poly seat and back color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select glide option.

NGL - No glides - Non-marring glide GNM GNS - Non-skid glide GBL - Black plastic glides GSS - Stainless steel glide

Select tablet arm color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select TB133.

- No TB133 fire retardant

- Fire retardant See Upholstery Information for TB133 upcharge.

GSelect upholstery grade/color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

UPHOLSTERY INFORMATION

C.O.M. Upholstery

C.O.M. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back and for complete information on ordering C.O.M. see "Ordering C.O.M., C.O.V. and C.O.L." section.

California TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, add the following upcharge: Model=Polypropylene Added List Price=\$10 Model=Upholstered Seat Added List Price=\$61 Model=Upholstered Seat and Back Added List Price=\$87



| Approx. Packaged Weight | Pri | livered cing upholstered | Delivered Pricing Fabric Grade 1 & C.O.M. | Delivered Pricing Fabric Grade 2 | Delivered Pricing Fabric Grade 3 | Delivered Pricing C.O.V. | Delivered Pricing Vinyl Group 2 | Delivered Pricing Pallas Fabric Group P1 | Delivered Pricing Pallas Fabric Group P2 | Delivered Pricing Pallas Fabric Group P3 | Delivered Pricing Pallas Fabric Group P4 |
|-------------------------------|-----|--------------------------------|--|---|---|--------------------------------|--|---|---|---|---|
| 31.0# | \$ | 498 | | | | | | | | | |
| 31.0# | | 498 | | | | | | | | | |
| 34.0# | | N/A | 604 | 612 | 625 | 604 | 625 | 668 | 682 | 699 | 724 |
| 34.0# | | N/A | 604 | 612 | 625 | 604 | 625 | 668 | 682 | 699 | 724 |
| 36.0# | | N/A | 629 | 637 | 651 | 629 | 651 | 693 | 708 | 724 | 749 |
| 36.0# | | N/A | 629 | 637 | 651 | 629 | 651 | 693 | 708 | 724 | 749 |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| 33.0# | \$ | 548 | | | | | | | | | |
| 33.0# | | 548 | | | | | | | | | |
| 36.0# | | N/A | 654 | 662 | 675 | 654 | 675 | 718 | 732 | 749 | 774 |
| 36.0# | | N/A | 654 | 662 | 675 | 654 | 675 | 718 | 732 | 749 | 774 |
| 37.0# | | N/A | 679 | 687 | 701 | 679 | 701 | 743 | 757 | 774 | 799 |
| 37.0# | | N/A | 679 | 687 | 701 | 679 | 701 | 743 | 757 | 774 | 799 |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| 32.0# | \$ | 526 | | | | | | | | | |
| 32.0# | | 526 | | | | | | | | | |
| 35.0# | | N/A | 632 | 640 | 653 | 632 | 653 | 696 | 710 | 727 | 752 |
| 35.0# | | N/A | 632 | 640 | 653 | 632 | 653 | 696 | 710 | 727 | 752 |
| 37.0# | | N/A | 657 | 665 | 679 | 657 | 679 | 721 | 735 | 752 | 777 |
| 37.0# | | N/A | 657 | 665 | 679 | 657 | 679 | 721 | 735 | 752 | 777 |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b. Green Bay, Wisconsin 54302 factory. Freight class #125.

| | | MODEL NUMBER | | | |
|-------|---|----------------|-------------------------------|--|--|
| | MODEL | Basic Model | Approx. Packaged Weight | | |
| | Transport Dolly Easy maneuverability with 5" casters: two fixed, two swivel Rugged weld tubular steel frame | GCD.BL | 32.0# | | |
| HRDPT | Black powder-coat finish | A | | | |



HOW TO ORDER

Indicate the following information on order

- form:

 1. Quantity of each item.

 2. Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.



Stack/Nesting Grazie® Chairs

Delivered Pricing

\$ 379

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

ShippingShipped assembled freight prepaid f.o.b.
Green Bay, Wisconsin 54302 factory.
Freight class #125.

Stack/Nesting Grazie® Cafe Stools

MODEL NUMBER Seat & Basic Frame Back Glide Upholstery Seat **Features** Model Color TB133 Color Height Color Option Four-Leg Armless Cafe Stool GLSNAP Polypropylene ПП · Ergonomic articulation (Perfect Pivot) **Upholstered Seat** GLSNAU Stacking Upholstered Seat/Back **GLSNAUB** Two seat heights GLSP GLSU GLSUB Four-Leg Cantilever Arm Cafe Stool GLSCAP Polypropylene • Ergonomic articulation (Perfect Pivot) GLSCAU **Upholstered Seat** $\Box\Box$ Stacking Upholstered Seat/Back GLSCAUB · Two seat heights GLSP GLSU **GLSUB** A **3** 0 0 **(3**) **(3**) **(**

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect seat height.

24 - 24" Seat Height 30 - 30" Seat Height

Select frame color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

• Select poly seat and back color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select glide option.

P - Plastic

- Plastic glides - Steel glides

Select TB133.

upcharge.

NFR - No TB133 fire retardant
FR - Fire retardant - Fire retardant See Upholstery Information for TB133 **G**Select upholstery grade/color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.



Stack/Nesting Grazie® Cafe Stools

| Approx. Packaged Weight | Delivered Pricing Unupholstered | Delivered Pricing Fabric Grade 1 & C.O.M. | Delivered Pricing Fabric Grade 2 | Delivered Pricing Fabric Grade 3 | Delivered Pricing C.O.V. | Delivered Pricing Vinyl Group 2 | Delivered Pricing Pallas Fabric Group P1 | Delivered Pricing Pallas Fabric Group P2 | Delivered Pricing Pallas Fabric Group P3 | Delivered Pricing Pallas Fabric Group P4 |
|-------------------------------|---------------------------------------|--|---|---|--------------------------------|--|---|---|---|---|
| 32.0# | \$ 409 | | | | | | | | | |
| 35.0# | N/A | 515 | 523 | 536 | 515 | 536 | 579 | 593 | 610 | 635 |
| 37.0# | N/A | 540 | 548 | 562 | 540 | 562 | 605 | 619 | 636 | 660 |
| | | | | | | | | | | |

| 35.0# | \$ 508 | | | | | | | | | |
|-------|-----------|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| 38.0# | N/A | 614 | 622 | 635 | 614 | 635 | 679 | 693 | 710 | 734 |
| 40.0# | N/A | 639 | 647 | 661 | 639 | 661 | 703 | 717 | 734 | 759 |

UPHOLSTERY INFORMATION

C.O.M. Upholstery C.O.M. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back and for complete information on ordering C.O.M. see "Ordering C.O.M., C.O.V. and C.O.L." section.

California TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, add the following upcharge: Model=Polypropylene Added List Price=\$10 Model=Upholstered Seat Added List Price=\$61 Model=Upholstered Seat and Back Added List Price=\$87

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b. Green Bay, Wisconsin 54302 factory. Freight class #125.

Stack/Nesting Maestro® General Information



Stacking Chair (MSP)



Stacking Chair with Fixed Seat/Back Cushion (MSUSB)



Tablet Arm Chair (MSP/MSTL.CH)



Transport Dolly

| Features | | | | |
|---|------------------------|------------------------|---------|---------|
| Stackable | • | • | | |
| Ganging | • | • | | |
| Polypropyene seat and back | • | • | • | |
| Upholstered seat and back fixed cushion | | • | | |
| General Dimensions | | | | |
| Seat width | 18" | 18" | 18" | |
| Seat depth | 17-1/2" | 17-1/2" | 17-1/2" | |
| Seat height | 17-1/2" | 18" | 17-1/2" | |
| Floor to back height | 31-1/2" | 31-1/2" | 31-1/2" | |
| Overall Dimensions | | | | |
| Width | 19-1/4" | 19-1/4" | 19-1/4" | 22-3/8" |
| Depth | 21-1/4" | 21-1/4" | 21-1/4" | 25-5/8" |
| Ganging on center | 20" | 20" | 20" | |
| Stacking on Dolly | | | | |
| Width | 23" | 23" | | |
| Depth | 42" | 42" | | |
| Quantity/height | 38 Chairs/80" High | 15 Chairs/80" High | | |
| Stacking on Floor | | | | |
| Width | 19-1/4" | 19-1/4" | | |
| Depth | 31" | 31" | | |
| Quantity/height | 10 Chairs/38-3/4" High | 10 Chairs/38-3/4" High | | |

SPECIFICATIONS

Seat and Backrest

Injection-molded polypropylene seat and back. Back features a contoured handle for easy lifting and stacking.

Chair Frame

7/16" solid steel rod in bright nickel-chrome or with electrostatically-applied epoxy.

Bright Chrome Finish

Surfaces are duplex nickel-chrome plated in a twenty-one step process.

Powder-Coated Finish

Electrostatically-applied epoxy, baked onto surface. Stacking powder-coated frames is not recommended.

Transport Dolly

Tubular and plate steel welded together. 5" casters: two fixed, two swivel. Powdercoated finish

Tablet Arm

7/16" solid steel rod frame, hinged tablet for easy access. Standard size has resin core; high pressure laminate surface. Round tablet edge with clear lacquer finish. Bright chrome frame only. Chairs are nonstacking when attached, not available for use with powder-coated frame chairs. Tablet flips up for easy access. Seating clearance is 14". Tablet is 20-1/2" long and 12" wide. Ganging with tablet is not recommended.

Seat and Back Pads

Fixed seat and back pads consist of a 3/16" thick plywood board with threaded inserts for attachment. The boards are covered in 1/2" foam padding and wrapped with fabric. The pads are attached to the seat and back with screws into the threaded fasteners.

INFORMATION

C.O.M. Testing and Production Requirements

Not all materials are suitable for upholstering this product. A 1 yd. x 54" sample must be submitted and approved prior to acceptance of an order. Upholstered chairs must be tested separately. If the fabric is directional in pattern or weave, the direction must be indicated on the submitted sample, and additional yardage may be requested. Customer's own vinyl and KI's 2V cannot be used on the MXU Matrix® model (upholstered seat/back, no cushion) but can be used on fixed cushion models.

Test samples must be sent to:

Attn: C.O.M. Specialist 1441 Ontario Street Green Bay, WI 54311

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specifying the direction the fabric is to be applied. The posted standard lead time will apply to the Special Cost Request.



Stack/Nesting Maestro® General Information

INFORMATION

Warranty Refer to KI Terms & Conditions document or visit ki.com

Stack/Nesting Maestro®

| | | | MODEL N | UMBER | | | | | | |
|-------|---|-------------------------|----------------|-----------------|----------------|---------------|-----------|---------------------|--------------|--|
| | | | | | | | | | | |
| | | | | | | Seat & | | | Tablet | |
| | MODEL | Features | Basic Model | Glide Option | Frame Color | Back Color | TB133 | Upholstery Color | Arm Color | |
| 6 | Stack Chair | Polypropylene | MSP | | | | | 00.0. | 00.0. | |
| (-) | Polypropylene seat and backrest | Fixed Seat Cushion | MSUS | | | | | | | |
| | Polypropylene seat and back with uphol- stered seat cushion | Fixed Seat/Back Cushion | MSUSB | | | | | | | |
| | · Polypropylene seat and back with uphol- | | | | | | | | | |
| | stered cushion on seat and back | | | | | | | | | |
| | Steel rod frame in chrome or colors 38 chairs on the dolly stack to 80" high | | | | | | | | | |
| MSP | or change on the doily ettern to be might | | | | | | | | | |
| MSUS | | | | | | | | | | |
| MSUSB | | | | | | | | | | |
| | Standard Flip-Up Tablet Arm • NONSTACKING | Left Hand | MSTL.CH | | | | | | | |
| | 12" wide X 20-1/2" deep | Right Hand | MSTR.CH | | | | | | | |
| 9 | Field installable CANNY on alternative former distributions | | | | | | | | | |
| ď, | For use ONLY on chrome framed chairs | | | | | | | | | |
| MST | | | | | | | | | | |
| | Transport Dolly for Poly Chairs | | CSD.BL | | | | | | | |
| | Accommodates up to 38 chairs at a height of 80" | | | | | | | | | |
| | Easy maneuverability with 5" casters; | | | | | | | | | |
| • | two fixed, two swivel | | | | | | | | | |
| HRDPT | Black powder-coated finish 38 plastic seat chairs stacked on the | | | | | | | | | |
| | dolly occupy a space: 23" wide, 42" deep, | | | | | | | | | |
| | 80" high | | | | | | | | | |
| | Transport Dolly for Upholstered Chairs | | MFSD.BL | | | | | | | |
| | Accommodates up to 15 chairs at a | | IVIFOU.DL | | | | | | | |
| | height of 80" | | | | | | | | | |
| • | Easy maneuverability with 5" casters; two fixed, two swivel | | | | | | | | | |
| HRDPT | Black powder-coated finish | | | | | | | | | |
| | 15 upholstered chairs stacked on the delly accuracy a chaese 32" wide 42" does | | | | | | | | | |
| | dolly occupy a space: 23" wide, 42" deep, 80" high | | | | | | | | | |
| | • | | | | | | | | | |
| | | | A | B | œ | 0 | (3 | (3 | œ | |
| | | | | | | | | | | |

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- \bullet Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- **B**Select glide option.

- No glides - Ganging polycarbonate glides; add \$5 - Ganging steel glides; add \$5 - Polycarbonate glides; add \$5 - PVC non-skid glides; add \$5 - Stainless steel glides; add \$5

- Select frame color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select seat and back color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

- Fire retardant

Select TB133. NFR - No TB133 fire retardant

FR

- Select upholstery grade/color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- **G**Select tablet arm color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

OPTIONS

California TB133 Fire Safety Code For California Technical Bulletin 133 compli-

ant models, add the following upcharge: Model=Polypropylene Added Lead Time=1 week Added List Price=\$22 Model=Uph. Seat Pad Only Added Lead Time=N/A Added List Price=\$64 Model=Uph. Seat/Back Pad Added Lead Time=N/A Added List Price=\$78



Stack/Nesting Maestro®

| Approx. Packaged Weight | Pric | ivered sing upholstered | Delivered Pricing Fabric Grade 1 & C.O.M. | Delivered Pricing Fabric Grade 2 | Delivered Pricing Fabric Grade 3 | Delivered Pricing C.O.V. | Delivered Pricing Vinyl Group 2 | Delivered Pricing Pallas Fabric Group P1 | Delivered Pricing Pallas Fabric Group P2 | Delivered Pricing Pallas Fabric Group P3 | Delivered Pricing Pallas Fabric Group P4 |
|-------------------------------|------|-------------------------------|--|---|---|--------------------------------|--|---|---|---|---|
| 16.0# | \$ | 143 | | | | | | | | | |
| 18.0# | | N/A | 212 | 225 | 233 | 212 | 233 | 242 | 260 | 273 | 291 |
| 20.0# | | N/A | 299 | 322 | 336 | 299 | 336 | 357 | 386 | 410 | 438 |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| 9.0# | \$ | 167 | | | | | | | | | |
| 9.0# | | 167 | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| 30.0# | \$ | 392 | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| 30.0# | φ | 392 | | | | | | | | | |
| ა∪.U# | ф | 392 | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |

UPHOLSTERY INFORMATION

C.O.M. Upholstery C.O.M. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. Requirement for orders of 11 or more with upholstered seat only is 1/2 yard per chair. For orders of 11 or more with upholstered seat and back and for complete information on ordering C.O.M. see "Ordering C.O.M., C.O.V. and C.O.L." section.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b. Green Bay, Wisconsin 54302 factory. Freight class #125.

Stack/Nesting Matrix® General Information



Armless Stacking Chair (MX)



Armless Stacking Chair with Fixed Seat/Back Cushion (MXFSB)



Stacking Armchair (MXA)

| Features | | | |
|---|---------------------------|---------------------------|---------------------------|
| Ganging | • | • | |
| Polypropyene seat and back | • | | • |
| Upholstered seat and back fixed cushion | | • | |
| Overall Dimensions | | | |
| Width | 18-7/8" (26" With Arm) | 18-7/8" (26" With Arm) | 18-7/8" (26" With Arm) |
| Depth | 21-3/4" | 21-3/4" | 21-3/4" |
| Height | 32-1/2" | 32-1/2" | 32-1/2" |
| Seat height | 18" | 18" | 18" |
| Stacking on Dolly | | | |
| Polypropylene seat | 45 Chairs/79" High | | 45 Chairs/79" High |
| Upholstered seat, no cushion | 22 Chairs/54" High | | 22 Chairs/54" High |
| Fixed seat | | 15 Chairs/60" High | |
| Fixed seat and back | | 16 Chairs/63-1/2" High | |
| Depth | 37-1/2" | 37-1/2" | 37-1/2" |
| Stacking on Floor | | | |
| Polypropylene seat | 15 Chairs/42" High | | 15 Chairs/42" High |



Tablet Arm

SPECIFICATIONS

Plastic Seats, Backrests and Armcaps Injection-molded polypropylene.

Upholstery

"Upholstered Seat/Back, No Cushion" chairs have fabric wrapped around the entire exposed seat surface and on both the front and rear of the chair back. "Fixed Seat and/or Back Cushions" have padded fabric only on the seat and on the front of the back. Both the seat and front of the back have plastic exposed around the cushions.

Chair Frame

7/16" solid steel rod, bright duplex nickel chrome. Optional with electrostatically-applied epoxy (not recommended on tablet arm models).

Tablet Arm

7/16" solid steel rod frame, hinged tablet for easy access. Standard size has resin core; high-pressure laminate surface. Round

tablet edge with clear lacquer finish.
Oversized has plywood core with clear lacquered edges. Black has black painted edges. Bright chrome frame only. Chairs are nonstacking when attached, not available for use with powder-coated frame chairs. Tablet flips up for easy access. Seating clearance is 14" for standard and oversized tablet arms. Standard tablet is 20-1/2" long and 12" wide. Oversized tablet is 20-1/2" long and 17" wide. Ganging with tablet is not recommended.

Tablet Arm on Upholstered Chair

It is recommended that the tablet arm not be removed after it is affixed to the chair.

Bright Chrome Finish

Surfaces are duplex nickel-chrome plated in a twenty-one step process.

Powder-Coated Finish

Electrostatically-applied epoxy, baked onto surface. Stacking and use of tablet arms on powder-coated frames not recommended.

INFORMATION

C.O.M. Testing and Production Requirements

Not all materials are suitable for upholstering this product. A 1 yd. x 54" sample must be submitted and approved prior to acceptance of an order. Upholstered chairs must be tested separately. If the fabric is directional in pattern or weave, the direction must be indicated on the submitted sample, and additional yardage may be requested. Customer's own vinyl and Kl's 2V cannot be used on the MXU Matrix® model (upholstered seat/back, no cushion) but can be used on fixed cushion models.

Test samples must be sent to:

KI Attn: C.O.M. Specialist 1441 Ontario Street Green Bay, WI 54311

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specifying the direction the fabric is to be applied. The posted standard lead time will apply to the Special Cost Request.





Transport Dolly (Poly or Upholstered Chairs - No Cushion) (MXD.BL)



Transport Dolly (Fixed Cushion Chairs) (MVP.BL)

| Overall Dimensions | | |
|--------------------|-----------|----------|
| Width | 22-3/8*** | 22-3/8"" |
| Depth | 25-5/8" | 25-5/8" |
| Height | | 14" |

INFORMATION

Warranty Refer to KI Terms & Conditions document or visit ki.com

Stack/Nesting Matrix®

| | | | MODEL NUMBER | R | | | | | | |
|-------|--|---------------------------|--------------|----------|-------|--------|-----------|-------------|--------|--|
| | | | | | | | | | | |
| | | | | | | Seat & | | | Tablet | |
| | | | Basic | Glide | Frame | Back | | Uph. | Arm | |
| | MODEL | Features | Model | Option | Color | Color | TB133 | Color | Color | |
| | Armless Stack Chair | Polypropylene | MX | | | | | | | |
| | Polypropylene seat and backrest Polypropylene seat and back with upbel | Fixed Seat Cushion | MXFS | | | | | | | |
| | Polypropylene seat and back with uphol- stered seat cushion | Fixed Seat/Back Cushion | MXFSB | | | | | | | |
| | Polypropylene seat and back with uphol- | Uph Seat/Back, No Cushion | MXU | | | | | | | |
| | stered cushions on seat and back | | | | | | | | | |
| | Upholstered seat and back with no cushion | | | | | | | | | |
| | Steel rod frame in chrome or colors | | | | | | | | | |
| | Wire stacking bumper frame is standard | | | | | | | | | |
| MX | on upholstered chair | | | | | | | | | |
| MXFS | | | | | | | | | | |
| MXFSB | | | | | | | | | | |
| MXU | | | | | | | | | | |
| | Standard Flip-Up Tablet Arm | Left Hand | MXTARM/STD/L | | | | | | | |
| | NONSTACKING | Right Hand | MXTARM/STD/R | | | | | | | |
| | 12" wide x 20-1/2" deepField installable | | | | | | | | | |
| | For use only on chrome framed chairs | | | | | | | | | |
| | | | | | | | | | | |
| MXT | | | | | | | | | | |
| | Oversize Flip-Up Tablet Arm | Left Hand | MXTARM/0VS/L | | | | | | | |
| | NONSTACKING | Right Hand | MXTARM/OVS/R | | | | | | | |
| | 17" wide x 20-1/2" deepField installable | | | | | | | | | |
| | For use only on chrome framed chairs | | | | | | | | | |
| | in the same of the | | | | | | | | | |
| MXT | | | | | | | | | | |
| | | | | • | | _ | A | A | | |
| | | | A | B | • | 0 | (3 | (3) | G | |
| | | | | | | | | | | |

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- \bullet Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect glide option.

- Ganging polycarbonate G glides; add \$5 ĞS - Ganging steel glides; add \$5

NG - No glides

Polycarbonate glides; add \$5
PVC non-skid glides; add \$5
Stainless steel glides; add \$5 NS

Select frame color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

- Select seat and back color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select TB133.

NFR - No TB133 fire retardant FR - Fire retardant

- Select upholstery grade/color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- **G**Select tablet arm color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

OPTIONS

California TB133 Fire Safety Code For California Technical Bulletin 133 compli-

ant models, add the following upcharge: Model=Polypropylene Added Lead Time=1 week Added List Price=\$23 Model=Upholstered Added Lead Time=1 week Added List Price=\$42



| Approx. Packaged Weight | Pri | livered cing upholstered | Delivered Pricing Fabric Grade 1 & C.O.M. | Delivered Pricing Fabric Grade 2 | Delivered Pricing Fabric Grade 3 | Delivered Pricing C.O.V. | Delivered Pricing Vinyl Group 2 | Delivered Pricing Pallas Fabric Group P1 | Delivered Pricing Pallas Fabric Group P2 | Delivered Pricing Pallas Fabric Group P3 | Delivered Pricing Pallas Fabric Group P4 |
|-------------------------------|-----|--------------------------------|--|---|---|--------------------------------|--|---|---|---|---|
| 17.0# | \$ | 206 | | | | | | | | | |
| 19.0# | | N/A | 276 | 289 | 294 | 276 | 294 | 306 | 322 | 336 | 353 |
| 21.0# | | N/A | 363 | 385 | 400 | 363 | 400 | 422 | 450 | 473 | 501 |
| 19.0# | | N/A | 399 | 429 | 450 | | | 493 | 539 | 576 | 617 |
| | | | | | | | | | | | |

| 7.0# | \$ 167 |
|------|-----------|
| 7.0# | 167 |

| 9.0# | \$ 217 |
|------|-----------|
| 9.0# | 217 |

UPHOLSTERY INFORMATION

C.O.M. Upholstery C.O.M. requirement for 10 chairs or less is 1 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more chairs and for complete information on ordering C.O.M. see "Ordering C.O.M., C.O.V. and C.O.L." section.

OPTIONS

Custom-Matched Polypropylene

Colors to be matched require a 3" x 3" swatch. Minimum order is 100 chairs. Additional lead time required.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b. Green Bay, Wisconsin 54302 factory. Freight class #125.

Stack/Nesting Matrix®

| | | | MODEL N | UMBER | | | | |
|------------|--|-----------------------------------|---------|-------------------------|---------------------|--------|-------------|------------|
| | | | | | | | | |
| | | | | | | Seat & | | |
| | | | Basic | Glide | Frame | Back | | Upholstery |
| | MODEL | Features | Model | Option | Color | Color | TB133 | Color |
| _ | Stacking Armchair | Polypropylene | MXA | | | | | |
| | Polypropylene seat, back, armcapPolypropylene seat and back with uphol- | Fixed Seat Cushion | MXFSPA | | | | | |
| | stered seat cushion | Fixed Seat/Back Cushion | MXFSBPA | | | | | |
| | Polypropylene seat, back, and armcap | Upholstered Seat/Back, No Cushion | MXUPA | | | | | |
| | with upholstered seat and back cushion • Steel rod frame in chrome or colors | | | | | | | |
| | • Steel rod frame in chrome of colors | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| MXA | | | | | | | | |
| MXFP | | | | | | | | |
| MXSBP | | | | | | | | |
| MXUPA | | | | | | | | |
| | Transport DollyEasy maneuverability with 5" casters; | | MVP.BL | | | | | |
| | two fixed, two swivel | | | | | | | |
| | Black powder-coated finish | | | | | | | |
| | For use with fixed cushion chairs | | | | | | | |
| | | | | | | | | |
| HRDPT | | | MAYO DI | | | | | |
| | Transport Dolly • Easy maneuverability with 5" casters; | | MXD.BL | | | | | |
| | two fixed, two swivel | | | | | | | |
| 0000 | Black powder-coated finish | | | | | | | |
| \sqrt{Q} | For use with poly/upholstered no cushion chairs | | | | | | | |
| HRDPT | ion challs | | | | | | | |
| חחטר ו | | | _ | | | | | |
| | | | A | $oldsymbol{\mathbf{B}}$ | $oldsymbol{\Theta}$ | O | (3) | • |
| | | | | | | | | |

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
 Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect glide option.

NG - No glides Polycarbonate glides; add \$5
PVC non-skid glides; add \$5
Stainless steel glides; add \$5 NS

Select frame color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

DSelect seat and back color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select TB133.

NFR - No TB133 fire retardant - Fire retardant

Select upholstery grade/color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

OPTIONS

California TB133 Fire Safety CodeFor California Technical Bulletin 133 compliant models, add the following upcharge: Model=Polypropylene Added Lead Time=1 week Added List Price=\$23 Model=Upholstered Added Lead Time=1 week Added List Price=\$42



Stack/Nesting Matrix®

| Approx. Delivered Packaged Pricing Weight Unupholst | Delivered Pricing Fabric Grade ered 1 & C.O.M. | Delivered Pricing Fabric Grade 2 | Delivered Pricing Fabric Grade 3 | Delivered Pricing C.O.V. | Delivered Pricing Vinyl Group 2 | Delivered Pricing Pallas Fabric Group P1 | Delivered Pricing Pallas Fabric Group P2 | Delivered Pricing Pallas Fabric Group P3 | Delivered Pricing Pallas Fabric Group P4 |
|---|---|---|---|--------------------------------|--|---|---|---|---|
| 20.0# \$ 281 | | | | | | | | | |
| 21.0# N/A | 349 | 363 | 371 | 349 | 371 | 379 | 396 | 411 | 428 |
| 22.0# N/A | 443 | 464 | 479 | 443 | 479 | 502 | 531 | 554 | 580 |
| 22.0# N/A | 472 | 504 | 523 | | | 568 | 611 | 652 | 691 |

19.0# \$ 413

30.0# 381

UPHOLSTERY INFORMATION

C.O.M. UpholsteryC.O.M. requirement for 10 chairs or less is
1 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more chairs and for complete information on ordering C.O.M. see "Ordering C.O.M., C.O.V. and C.O.L." section.

OPTIONS

Custom-Matched Polypropylene

Colors to be matched require a 3" x 3" swatch. Minimum order is 100 chairs. Additional lead time required.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b. Green Bay, Wisconsin 54302 factory. Freight class #125.

MI6® General Information



Armless Chair (MI6NAP)



Armchair (MI6WAUB)



Tablet Arm Chair (MI6TRUS)

| Features | | | |
|---------------------------|---------|---------|---------|
| Flip-up seats | • | • | • |
| Nesting | • | • | • |
| Casters | • | • | • |
| Poly | • | • | • |
| Upholstered | • | • | • |
| General Dimensions | | | |
| Seat width | 16-1/2" | 16-1/2" | 16-1/2" |
| Seat depth | 17" | 17° | 17" |
| Seat height - poly | 18-1/4" | 18-1/4" | 18-1/4" |
| Seat height - upholstered | 18-1/2" | 18-1/2" | 18-1/2" |
| Back width | 18-3/4" | 18-3/4" | 18-3/4" |
| Back height | 14-3/4" | 14-3/4" | 14-3/4" |
| Overall Dimensions | | | |
| Width | 23" | 23-1/2" | 24-1/2" |
| Depth | 23-1/2" | 23-1/2" | 29" |
| Height | 32-1/2" | 32-1/2" | 32-1/2" |
| Top of arm to floor | | 26-3/4" | |
| Top of tablet to floor | | | 28" |
| Between arms | | 19" | |
| Nesting depth | 6-1/2" | 6-1/2" | 6-1/2" |

SPECIFICATIONS

Seat and Backrest

The seat is contoured injection molded polypropylene reinforced with glass fibers, and reinforced by two injection-molded glass-filled nylon seat support members. The backrest is contoured injection molded polypropylene with an integral "handle." Both the seat and backrest have a textured finish, and optional upholstery pads. The upholstery pads are injection-molded polypropylene covered with urethane foam and fabric. The seat foam is 20mm thick, and the backrest foam is 15mm thick. The pads are attached to the seat and backrest with #10 color matched machine screws.

Frame

The structural frame is constructed primarily of 1", 13-gauge cold finished steel tubing with 6mm (1/4") steel plates supporting 12mm (1/2") seat pivot pins. Two 10mm (3/8") traverse wires join the four leg tubes for added strength. Polypropylene covers fit

over the plates.

Armrests

Optional armrests are comprised of nylon armcaps attached to steel tubes that are integral to the frame.

Tablet Arm

The tablet is available in left-or right-hand versions. The tablet folds up, allowing the chair to be nested. The tablet is made of 15mm 11-ply birch plywood with a high-pressure laminate face. The effective working surface of the tablet is 11" deep by 14" wide.

Frame Finish

Baked-on electrically applied epoxy powder-coating or bright nickel-chrome plating.

Casters

60mm diameter dual wheel made of highimpact plastic. Carpet casters match frame finish if frame is black or warm grey. Other frame finishes have black casters. Hard floor casters are always black.

INFORMATION

C.O.M. Testing and Production Requirements

KI reserves the right to reject unsuitable material. Orders will not be accepted without prior material approval. Send 1 yard of cutomer's own material for testing. A 1" square sample swatch for identification must accompany original orders.

Send C.O.M. marked with your name and P.O. number to:

ΚI

2112 South Green Street Tupelo, MS 38801

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specify-

ing the direction the fabric is to be applied. The posted standard lead time will apply to the Special Cost Request.

Design

Designed by Alessandro Piretti.



Stack/Nesting MI6® General Information

INFORMATION

Warranty Refer to KI Terms & Conditions document or visit ki.com

Stack/Nesting MI6® Nesting Chairs

| | | MODEL NUMBER | | | | | | | |
|-------------|--|--|----------------|------------------|----------------|------------------------|----------------|---------------------|--|
| | MODEL | Features | Basic Model | Frame Color | Shell Color | Tablet Arm Color | Caster Type | Upholstery Color | |
| | MI6® Armless Chair | Poly Seat/Poly Back | MI6NAP | | | | | | |
| | Flip-up seat for nestingPoly seat and back option | Uph Seat/Poly Back | MI6NAUS | | | | | | |
| h d | Casters | Uph Seat/Uph Back | MI6NAUB | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| One) Opp | | | | | | | | | |
| U# | | | | | | | | | |
| MI6 | | | | | | | | | |
| MI6U | MI6® Armchair | Dala Cast/Dala Basis | MI6WAP | | | | | | |
| | Flip-up seat for nesting | Poly Seat/Poly Back Uph Seat/Poly Back | MI6WAUS | | | | | | |
| | Poly seat and back option | Uph Seat/Uph Back | MI6WAUS | | | | | | |
| | • Casters | орп Зеаторп васк | IVIIOWAUD | | | | ш | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| 3 | | | | | | | | | |
| MI6 | | | | | | | | | |
| MI6U | | | | | | | | | |
| | MI6® Tablet Armchair | Poly Seat/Poly Back, Left Hand | MI6TLP | | | | | | |
| | Flip-up seat for nestingPoly seat and back option | Poly Seat/Poly Back, Right Hand | MI6TRP | | | | | | |
| | Casters | Uph Seat/Poly Back, Left Hand | MI6TLUS | | | | | | |
| | | Uph Seat/Poly Back, Right Hand | MI6TRUS | | | | | | |
| | | Uph Seat & Back, Left Hand | MI6TLUB | | | | | | |
| | | Uph Seat & Back, Right Hand | MI6TRUB | | | | | | |
|)) op | | | | | | | | | |
| MIC | | | | | | | | | |
| MI6 MI6U | | | | | | | | | |
| WIIOO | | | | | | | | | |
| | | | A | $oldsymbol{eta}$ | Θ | 0 | (3 | (3) | |

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
 Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- \bullet Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- **B**Select frame color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select shell color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select tablet arm color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select caster option.

C - Carpet o

- Carpet casters
- Hard floor casters
- Select upholstery grade/color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

UPHOLSTERY INFORMATION

C.O.M. Upholstery C.O.M. requirement for 10 chairs or less is 3/4 yard for upholstered seat and 1-1/4 $\,$ yards for upholstered seat and back per chair of 54" wide nondirectional fabric. For orders of 11 or more chairs and for complete information on ordering C.O.M., see "Ordering C.O.M., C.O.V. and C.O.L." section.



Stack/Nesting MI6® Nesting Chairs

| Approx. Packaged Weight | Pri | livered cing upholstered | Delivered Pricing Fabric Grade 1 & C.O.M. | Delivered Pricing Fabric Grade 2 | Delivered Pricing Fabric Grade 3 | Delivered Pricing C.O.V. | Delivered Pricing Vinyl Group 2 | Delivered Pricing Pallas Fabric Group P1 | Delivered Pricing Pallas Fabric Group P2 | Delivered Pricing Pallas Fabric Group P3 | Delivered Pricing Pallas Fabric Group P4 |
|-------------------------------|-----|--------------------------------|--|---|---|--------------------------------|--|---|---|---|---|
| 19.0# | \$ | 273 | | | | | | | | | |
| 21.0# | | N/A | 375 | 388 | 400 | 375 | 400 | 445 | 462 | 485 | 506 |
| 23.0# | | N/A | 425 | 443 | 459 | 425 | 459 | 539 | 569 | 603 | 641 |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| 22.0# | \$ | 309 | | | | | | | | | |
| 24.0# | | N/A | 411 | 425 | 436 | 411 | 436 | 482 | 498 | 519 | 542 |
| 25.0# | | N/A | 459 | 478 | 496 | 459 | 496 | 574 | 605 | 641 | 676 |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| 28.0# | \$ | 405 | | | | | | | | | |
| 28.0# | ф | 425 425 | | | | | | | | | |
| 30.0# | | 425 N/A | 527 | 539 | 551 | 527 | 551 | 596 | 614 | 633 | 656 |
| 30.0# | | N/A N/A | 527 527 | 539 | 551 | 52 <i>7</i> 527 | 551 | 596 | 614 | 633 | 656 |
| 30.0# | | N/A N/A | 52 <i>1</i> 574 | 539 594 | 611 | 52 <i>1</i> 574 | 611 | 689 | 721 | 756 | 791 |
| 31.0# | | N/A N/A | 574 | 594 | 611 | 574 | 611 | 689 | 721 | 756 | 791 |
| 31.0# | | N/A | 014 | 334 | 011 | 314 | 011 | 009 | 121 | 750 | 191 |
| | | | | | | | | | | | |
| | | | | | | | | | | | |

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b. Tupelo, Mississippi 38804 factory. Freight class #125.

Stack/Nesting Opt4™ General Information







Mesh Seat, Poly Back Chair (O4MSPB)



Poly Seat, Mesh Back Chair (O4PSMB)



Poly Seat, Poly Back Chair (04PSPB)



Transport Dolly (04D.BL)

| Features | | | | | |
|----------------------------|------------------------------|------------------------------|------------------------------|------------------------------|---------|
| Stackable | • | • | • | • | |
| Ganging | • | • | • | • | |
| Mesh or poly seat and back | • | • | • | • | |
| General Dimensions | | | | | |
| Seat width | 17-1/2" | 17-1/2" | 17-1/2" | 17-1/2" | |
| Seat depth | 17-3/4" | 17-3/4" | 17-3/4" | 17-3/4" | |
| Seat height | 17-3/4" | 17-3/4" | 17-3/4" | 17-3/4" | |
| Overall Dimensions | | | | | |
| Width | 19-3/4" | 19-3/4" | 19-3/4" | 19-3/4" | 22-3/8" |
| Depth | 21-13/16" | 21-13/16" | 21-13/16" | 21-13/16" | 25-5/8" |
| Height | 32-3/16" | 32-3/16" | 32-3/16" | 32-3/16" | 14" |
| Height on dolly | 38 Chairs/80"H x 24"W x 40"D | |
| Height on floor | 10 Chairs/40-1/4" High | 10 Chairs/40-1/4" High | 10 Chairs/40-1/4" High | 10 Chairs/40-1/4" High | |

SPECIFICATIONS

Frame

Frame and front cross member are fabricated from 1/2" o.d. x 16-gauge tubular steel. All joints are welded.

Seat and Back

Seats and backs are available in four combinations of mesh and/or polypropylene. Plastic frame and mesh are monochromatic. An integral handle is available in both polyback chairs.

Glides

Glides are molded from a thermoplastic elastomer and can come with or without integral ganging clips. Glides are stone grey.

Frame Finish

Baked-on, electrostatically-applied powder coating or bright nickel chrome plating.


Transport Dolly


Powder coated tubular steel frame. Two

swivel casters and two fixed casters.

Design

Designed by Taku Kumazawa and axona AICHI and manufactured in the USA by Krueger International, Inc.





Dimensions are the same for all mesh/poly combination chairs.

INFORMATION

WarrantyRefer to KI Terms & Conditions document or visit ki.com

Stack/Nesting Opt4™ General Information







Mesh Seat, Poly Back Stool (O4SMSPB)



Poly Seat, Mesh Back Stool (O4SPSMB)



Poly Seat, Poly Back Stool (O4SPSPB)



Transport Dolly (04SD.BL)

| Features | | | | | |
|----------------------------|------------------------------|------------------------------|------------------------------|------------------------------|---------|
| Stackable | • | • | • | • | |
| Ganging | • | • | • | • | |
| Mesh or poly seat and back | • | • | • | • | |
| General Dimensions | | | | | |
| Seat width | 17-1/2" | 17-1/2" | 17-1/2" | 17-1/2" | |
| Seat depth | 17-3/4" | 17-3/4" | 17-3/4" | 17-3/4" | |
| Seat height | 28-3/8" | 28-3/8" | 28-3/8" | 28-3/8" | |
| Overall Dimensions | | | | | |
| Width | 20-1/8" | 20-1/8" | 20-1/8" | 20-1/8" | 22-3/8" |
| Depth | 23" | 23" | 23" | 23" | 25-5/8" |
| Height | 42" | 42" | 42" | 42" | 14" |
| Height on dolly | 30 Chairs/80"H x 24"W x 52"D | |
| Height on floor | 8 Chairs/48-1/2" High | 8 Chairs/48-1/2" High | 8 Chairs/48-1/2" High | 8 Chairs/48-1/2" High | |

SPECIFICATIONS

Frame and front cross member are fabricated from 1/2" o.d. x 16-gauge tubular steel. All joints are welded.

Seat and Back

Seats and backs are available in four combinations of mesh and/or polypropylene. Plastic frame and mesh are monochromatic. An integral handle is available in both polyback chairs.

Glides are molded from a thermoplastic elastomer and can come with or without integral ganging clips. Glides are stone grey.

Frame Finish

Baked-on, electrostatically-applied powder coating or bright nickel chrome plating.


Transport Dolly


Powder coated tubular steel frame. Two

swivel casters and two fixed casters.

Designed by Taku Kumazawa and axona AICHI and manufactured in the USA by Krueger International, Inc.







Dimensions are the same for all mesh/poly combination chairs.

Stack/Nesting Opt4™

| | | | MODEL N | UMBER | | | | |
|------|---------------------------------|----------------------|----------------|----------------|-------|-------------------------|-----------------|-------------------------------|
| | MODEL | Features | Basic Model | Frame Color | TB133 | Seat & Back Color | Glide Option | Approx. Packaged Weight |
| | Opt4 Chair • Stacking • Ganging | Mesh Seat, Mesh Back | O4MSMB | | | | | 15.0# |
| OPT4 | Opt4 Chair • Stacking • Ganging | Mesh Seat, Poly Back | 04MSPB | | | | | 16.0# |
| OPT4 | | | | | | | | |
| | Opt4 Chair • Stacking • Ganging | Poly Seat, Mesh Back | 04PSMB | | | | | 16.0# |
| OPT4 | | | | | | | | |
| | Opt4 Chair • Stacking • Ganging | Poly Seat, Poly Back | 04PSPB | | | | | 17.0# |
| OPT4 | | | | | | | | |
| | | | A | B | Θ | O | 3 | |

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
 Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- **B**Select frame color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select TB133.

NFR - No TB133 fire retardant - Fire retardant

①Select poly and/or mesh seat and back color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select glide option.

G - Ganging glides

NG - Non-ganging glides

INFORMATION

California TB133 Fire Safety Code Standard Opt4™ chair meets the California TB133 Fire Safety Code. No upcharge and no added lead time.



| Delivered |
|--------------|
| Pricing |
| \$ 308 |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| \$ 261 |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| \$ 261 |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| \$ 204 |
| 3 204 |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b. Green Bay, Wisconsin 54302 factory. Freight class #125.

| | | | MODEL NU | JMBER | | | | |
|-------|--|----------------------|----------------|----------------|-------|-------------------------|-----------------|-------------------------------|
| | MODEL | Features | Basic Model | Frame Color | TB133 | Seat & Back Color | Glide Option | Approx. Packaged Weight |
| | Opt4 Stool | Mesh Seat, Mesh Back | 04SMSMB | | | | | 0.0# |
| | StackingGanging | | | | | | | |
| OPT4S | | | | | | | | |
| | Opt4 Stool • Stacking • Ganging | Mesh Seat, Poly Back | 04SMSPB | | | | | 0.0# |
| OPT4S | | | | | | | | |
| | | | A | B | • | 0 | • | |

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
 Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- **B**Select frame color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select TB133.

NFR - No TB133 fire retardant - Fire retardant

①Select poly and/or mesh seat and back color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select glide option.

- Ganging glides - Non-ganging glides

INFORMATION

California TB133 Fire Safety Code Standard Opt4™ chair meets the California TB133 Fire Safety Code. No upcharge and no added lead time.



Delivered Pricing

\$ 434

\$ 387

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b. Green Bay, Wisconsin 54302 factory. Freight class #125.

| | | | MODEL N | UMBER | | | | |
|---------|--|----------------------|----------------|---------------------|-------|-------------------------|-----------------|-------------------------------|
| | MODEL | Features | Basic Model | Frame Color | TB133 | Seat & Back Color | Glide Option | Approx. Packaged Weight |
| • | Opt4 Stool • Stacking | Poly Seat, Mesh Back | 04SPSMB | | | | | 0.0# |
| | StackingGanging | | | | | | | |
| | - danging | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| OPT4S | | | | | | | | |
| | Opt4 Stool • Stacking | Poly Seat, Poly Back | 04SPSPB | | | | | 0.0# |
| | Stacking Consider | | | | | | | |
| | • Ganging | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| OPT4S | | | | | | | | |
| 01 1 10 | | | | • | • | - | - | |
| | | | A | $oldsymbol{\Theta}$ | • | 0 | (3 | |

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
 Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

A Select basic model. **B**Select frame color.

HOW TO BUILD A MODEL NUMBER

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select TB133.

NFR - No TB133 fire retardant - Fire retardant

①Select poly and/or mesh seat and back color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select glide option.

- Ganging glides - Non-ganging glides

INFORMATION

California TB133 Fire Safety Code Standard Opt4™ chair meets the California TB133 Fire Safety Code. No upcharge and no added lead time.



Delivered Pricing

387

\$ 329

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b. Green Bay, Wisconsin 54302 factory. Freight class #125.

Stack/Nesting Opt4™

| | | MODEL NUMBER | | |
|-------|---|----------------|-------------------------|--|
| | MODEL | Basic Model | Approx. Packaged Weight | |
| | Transport Dolly for Chair | 04D.BL | 30.0# | |
| | Easy maneuverability with 5" casters; two fixed, two swivel | | | |
| | Black powder-coated finish | | | |
| Ø | | | | |
| | | | | |
| HRDPT | | | | |
| | Transport Dolly for Stool | 04SD.BL | 30.0# | |
| HRDPT | Easy maneuverability with 5" casters; two fixed, two swivel | | | |
| | Black powder-coated finish | | | |
| | | | | |
| | | | | |



HOW TO ORDER

Indicate the following information on order

- form:

 1. Quantity of each item.

 2. Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.



Delivered Pricing

\$ 381

\$ 403

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b. Green Bay, Wisconsin 54302 factory. Freight class #125.

Stack/Nesting Perry® General Information







Stacking Armchair (PRYPA)



Armless Chair Dolly (PRY.D.BL)

Armchair Dolly (PRY.DA.BL)

| Features | | | | |
|--|---------------------|---------------------|-----------|-----------|
| Ganging | • | | | |
| Articulated backrest | • | • | | |
| Polypropylene seat and back | • | • | | |
| Upholstered seat and back | • | • | | |
| Cushioned/upholstered seat and back | • | • | | |
| General Dimensions | | | | |
| Seat width | 18-1/4" | 18-1/4" | | |
| Seat depth | 17-1/2" | 17-1/2" | | |
| Seat height | 18" | 18" | | |
| Overall Dimensions | | | | |
| Width | 19-1/2" | 23-3/8" | 22-1/2" | 24" |
| Depth | 21-1/2" | 21-1/2" | 25-1/2" | 25-1/2" |
| Height | 32-1/2" | 32-1/2" | 22-1/2" | 19-1/2" |
| Top of arm to floor | | 27" | | |
| Stacking on Dolly | | | | |
| Depth | 36" | 36" | | |
| Maximum Stack Quantities and Height on Dolly | | | | |
| Polypropylene seat | 25 Chairs/79" High | 12 Chairs/67" High | 25 Chairs | 12 Chairs |
| Upholstered seat, no cushion | 25 Chairs/79" High | 12 Chairs/67" High | 25 Chairs | 12 Chairs |
| Cushioned/upholstered seat | 12 Chairs/60" High | 12 Chairs/70" High | 12 Chairs | 12 Chairs |
| Stacking on Floor | | | | |
| Width | 20" | 23-1/2" | | |
| Depth | 35" | 35" | | |
| Quantity/height | 8 Chairs / 44" High | 6 Chairs / 45" High | | |

SPECIFICATIONS

Plastic Chair Seats and Backrests

Injection-molded polypropylene. Seat is one piece screwed to frame. Backrest has two sections which form a snap-fit and are then screwed together. Chair seats have two die-formed 7-gauge straps welded to side frames.

Upholstery

Covers front of seat and backrest.
Cushioned and upholstered models have 1/2" foam padding on seat and backrest.
Upholstered models without cushions have upholstery fastened to shell. The back panel of the backrest is not upholstered.

Chair Frame

Armless version has 7/16" o.d. solid steel rod welded into a one-piece unit. Armchair version has 7/16" o.d. steel rod and 5/8" steel tubing welded into a one-piece unit. Seats have two die-formed 7-gauge straps welded to side frames. Bright duplex nickel-

chrome plated or painted finish.

Back Articulation

Articulation is achieved with a single-piece frame which flexes as the back pivots around its upper and lower crossbars.

The seat is hung from the lower back so that the user's weight perfectly counterbalances the tilting pressure of the upper back.

Polypropylene Arm

Injection-molded polypropylene. Two-piece arm is joined by screws to encapsulate the frame. Arm is integral to frame.

Stacking Bumpers

An integral part of the frame, the bumpers are welded to the lower front frame radius. Two scuff protectors will be glued to the rear crossbrace of the chair to prevent scuffing of seat wires when chairs are stacked.

Stacking

Stacking on dolly recommended.

Bright Chrome Finish

Surfaces are duplex nickel-chrome plated in a twenty-two step process.

Tablet Arm

7/16" solid steel rod frame, hinged for easy access. Resin core tablet; high pressure laminate surface. Round tablet edge with clear lacquer finish. Bright chrome frame. Chairs are nonstacking with tablet arm. Not for use with powder-coated frames. Field-installable. Seating clearance is 16-1/4". Tablet is 20-5/8" long and 12" wide. An oversized tablet arm is also available. Tablet is 20-1/2" long and 17" wide.

Powder-Coated Finish

Electrostatically-applied epoxy baked onto surface. Tubular and plate steel welded together. 5" casters: two swivel, two fixed. Black powder-coated finish.

Ganging

Wire loop ganging devide. 5/16" steel rod is

bent and welded to chair frame. Factoryinstalled only. Avilable only on armless stack chairs with chrome frames.

INFORMATION

C.O.M. Testing and ProductionRequirements

Not all materials are suitable for upholstering this product. A 1 yd. x 54" sample must be submitted and approved prior to acceptance of an order. Upholstered only and cushioned/upholstered chairs must be tested separately. If the fabric is directional in pattern or weave, the direction must be indicated on the submitted sample, and additional yardage may be requested. Customer's own vinyl cannot be used on this product.

Test samples must be sent to:



Stack/Nesting Perry® General Information



Tablet Arm



Ganging Device

Attn: C.O.M. Specialist 1441 Ontario Street Green Bay, WI 54311

Fabric Disclaimer
Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specify-ing the direction the fabric is to be applied. The posted standard lead time will apply to the Special Cost Request.

Design

Designed by Charles O. Perry.

INFORMATION

Warranty Refer to KI Terms & Conditions document or visit ki.com

| | | | MODEL NUMBER | | | | | | |
|-------|--|-----------------------|----------------|-----------------|----------------|-------------------------|----------|---------------------|-------------------------------|
| | MODEL | Features | Basic Model | Glide Option | Frame Color | Seat & Back Color | TB133 | Upholstery Color | Approx. Packaged Weight |
| | Armless Stack Chair | Polypropylene | PRYP | | | | | | 23.0# |
| | Articulating backrest movement is governed by weight of the user to provide | Upholstered | PRYU | | | | | | 24.0# |
| | proper support | Cushioned/Upholstered | PRYC | | | | | | 24.0# |
| | Polypropylene seat and back | | | | | | | | |
| | Upholstered models have fabric glued to seat and backrest | | | | | | | | |
| | Cushioned and upholstered models have | | | | | | | | |
| | foam pad and upholstery | | | | | | | | |
| PRYP | Back panel of backrest on upholstered models is polypropylene. It is not | | | | | | | | |
| PRYU | upholstered | | | | | | | | |
| PRYC | | | DD) (D4 | | | | | | 212" |
| | Stack Armchair • Articulating backrest movement is gov- | Polypropylene | PRYPA | | | | | | 24.0# |
| | erned by weight of the user to provide | Upholstered | PRYUA | | | | | | 25.0# |
| | proper support | Cushioned/Upholstered | PRYCA | | | | | | 25.0# |
| | Polypropylene seat and backUpholstered models have fabric glued to | | | | | | | | |
| | seat and backrest | | | | | | | | |
| | Cushioned and upholstered models have | | | | | | | | |
| | foam pad and upholsteryBack panel of backrest on upholstered | | | | | | | | |
| PRYPA | models is polypropylene. It is not | | | | | | | | |
| PRYUA | upholstered | | | | | | | | |
| PRYCA | Polypropylene armrests match seat and backrest | | | | | | | | |
| | A GLIDE MUST BE SELECTED | | | | | | | | |
| | | | | | | | | | |
| | | | A | B | O | O | 3 | (3 | J |

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect glide option.

- No glides NG - Polycarbonate glides; add \$5 NS - PVC non-skid glides; add \$5 - Stainless steel glides; add \$5 - Ganging, no glides (only on chrome frame); add \$52

- Ganging, polycarbonate glides (only on chrome frame); add \$57 - Ganging, PVC non-skid glides (only on chrome frame); add \$57

WS - Ganging, stainless steel glides (only on chrome frame); add \$57

Ganging option not available on the armchair.

Select frame color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

DSelect seat and back color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder. When specifying an upholstered chair, a backrest backpanel color must be specified.

Select TB133.

NFR - No TB133 fire retardant - Fire retardant

Select upholstery grade/color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

OPTIONS

California TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, add the following upcharge: Model=Polypropylene Added Lead Time=1 week Added List Price=\$27 Model=Upholstered and Cushioned/Upholstered Added Lead Time=1 week Added List Price=\$78



| Delivered Pricing Unupholstered | Delivered Pricing Fabric Grade 1 & C.O.M. | Delivered Pricing Fabric Grade 2 | Delivered Pricing Fabric Grade 3 | Delivered Pricing Pallas Fabric Group P1 | Delivered Pricing Pallas Fabric Group P2 | Delivered Pricing Pallas Fabric Group P3 | Delivered Pricing Pallas Fabric Group P4 |
|------------------------------------|--|---|---|---|---|---|---|
| \$ 248 | | | | | | | |
| N/A | 406 | 438 | 459 | 468 | 506 | 517 | 549 |
| N/A | 516 | 550 | 573 | 580 | 616 | 633 | 661 |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| \$ 332 | | | | | | | |
| N/A | 492 | 525 | 549 | 554 | 591 | 608 | 634 |
| N/A | 605 | 640 | 661 | 669 | 705 | 719 | 747 |
| | | | | | | | |
| | | | | | | | |

UPHOLSTERY INFORMATION

C.O.M. Upholstery C.O.M. requirement for 10 chairs or less is 1 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more chairs and for complete information on ordering C.O.M. see "Ordering C.O.M., C.O.V. and C.O.L." section.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b. Green Bay, Wisconsin 54302 factory. Freight class #125.

| | | | MODEL NUMBER | ₹ | | |
|------------|--|----------------|----------------|------------------------|-------------------------------|--|
| | MODEL | Features | Basic Model | Tablet Arm Color | Approx. Packaged Weight | |
| | Transport Dolly | Armless Chairs | PRY.D.BL | | 30.0# | |
| | 5" Casters: two fixed, two swivel Black enamel finish | Armchair | PRY.DA.BL | | 30.0# | |
| | • DIACK enamer milion | | | | | |
| | | | | | | |
| v | | | | | | |
| HRDPT | | | | | | |
| | Tablet Arm | Left Hand | PRYTARM/STD/L | | 6.0# | |
| | Chrome finishLaminate surface | Right Hand | PRYTARM/STD/R | | 6.0# | |
| \searrow | Only available on armless models | | | | | |
| Ų | 20-5/8" long x 12" wide | | | | | |
| PRYT | NONSTACKING Field installable | | | | | |
| | Field Histaliable | | | | | |
| | Oversized Tablet Arm | Left Hand | PRYTARM/OVS/L | | 8.0# | |
| | Chrome finishLaminate surface | Right Hand | PRYTARM/OVS/R | | 8.0# | |
| | Only available on armless models | | | | | |
| | 17" wide x 20-1/2" deep | | | | | |
| U | NONSTACKING | | | | | |
| PRYT | Field installable | | | | | |
| | | | A | B | | |
| | | | • | _ | | |

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
 Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect tablet arm color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.



Stack/Nesting Perry®

| D - II: | 4 |
|---------|------------|
| Dell | vered · |
| Pric | |
| \$ | 410 |
| | 410 |
| | |
| | |
| | |
| | |
| | |
| _ | 100 |
| | 169 |
| | 169 |
| | |
| | |
| | |
| | |
| | |
| \$ | 220 |
| | 220 |
| | 220 |
| | |
| | |
| | |

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b. Green Bay, Wisconsin 54302 factory. Freight class #125.

Piretti Stack Chairs General Information



Four-Leg Stacking Chair (PSLNAP)



Four-Leg Flex Arm Stacking Chair (PSLFAP)



Four-Leg Tablet Arm Chair (PSLTARP)

| Features | | | |
|------------------------------------|--------------------|------------------------|--------------------|
| Stackable | • | • | • |
| Ganging | • | | • |
| Upholstered seat and back | • | • | • |
| General Dimensions | | | |
| Seat width | 17-1/2" | 17-1/2" | 17-1/2" |
| Seat depth | 18-3/4" | 18-3/4" | 18-3/4" |
| Seat height | 17-1/4" | 17-1/4" | 17-1/4" |
| Back width | 18-1/2" | 18-1/2" | 18-1/2" |
| Back height | 11-1/4" | 11-1/4" | 11-1/4" |
| Overall Dimensions | | | |
| Width | 19-1/2" | 23-1/2" | 21-3/4" |
| Depth | 21-1/2" | 21-1/2" | 26-1/4" |
| Height | 31-1/4" | 31-1/4" | 31-1/4" |
| Top of arm to floor | | 25-1/2" | 25-1/2" |
| Ganging on center | 19-3/4" | | 19-3/4" |
| Stacking on Dolly | | | |
| Upholstered chairs quantity/height | 8 Chairs/61" High | 8 Chairs/61" High | 5 Chairs/65" High |
| Poly chairs quantity/height | 10 Chairs/64" High | 10 Chairs/64" High | 5 Chairs/63" High |
| Floor space | 22" x 35" | 22-1/2" x 35" | 23" x 35" |
| Stacking on Floor | | | |
| Quantity/floor space | 5 Chairs/20" x 27" | 5 Chairs/21-3/4" x 27" | 4 Chairs/23" x 27" |

SPECIFICATIONS

Ganging Device

Seat and Backrest

Seats and backrests are molded compoundcurved polypropylene with a textured finish. Backrest edges have an integral channel into which upholstery is secured. Upholstered chairs have partially exposed polypropylene surfaces. Upholstery covers 1/2" foam on the backrest and 3/4" on the seat.

Molded plastic seat liner covers the seat underside, anchors the ganging devices, and has integral bumpers for stacking chairs. Seat liner matches the seat and back color. The back tilf is 15°.

Lever Mechanism

Two hidden lever mechanisms which respond to user's weight, are located in the seat. Each has a double cam action. The rear cam is tied to the back structure and is set in motion when the occupant leans back. This, in turn, through a spring linkage, activates the front cam at a slightly different

ratio (1-1/2" to 1"). The mechanisms consist of stamped steel frame and levers, a steel spring and molded Delvin and nylon components. It is calibrated at the factory and needs no further adjustment.

Sled Base Glides

Four-Leg Chair Frame

The frame consists of two "U"-shaped leg sections, one front and one rear. These are 1" o.d., 14-gauge seam-welded tubular steel. Seat straps are welded to the legs. Lever mechanisms are bolted to the seat straps, and, in turn, are attached to the backrest by the backrest supports. When specifying a glide for the Piretti Four-Leg Stack Chair, the glide will be monochromatic with the frame.

Sled Base Frame

Frames are one continuous segment of 5/8" o.d., 16-gauge seam-welded tubular steel. Seat straps are welded to the legs. Lever mechanisms are bolted to the seat straps, and, in turn, are attached to the backrest by backrest supports. Carpet, nonmarring hard floor glides and stainless steel glides

are optional.

Bookrack

Chairs are nonstacking with bookrack attached. Welded wire frame; powder-coated finish. May be field-installed; requires attaching with eight screws.

Bookrack

Leg Finishes

Baked-on electrostatically-applied epoxy powder coating, or bright nickel-chrome plating.

Tablet Arm

Plywood core tablet with high-pressure laminate surface. Tablet edge is painted black. Tablet arm support matches frame color. Standard tablet is 19-1/2" long and 12-3/4" wide. Oversized tablet is 22-1/2" long and 15-3/4" wide.

Flex Arm

Fiberglass reinforced nylon; color permeates armrest. Hinge pin is welded to backrest support and bolted to underside of seat.

Arm attachments are not field-installable. Plastic armcap is field-installable. Flex arm is available in black only.

Four-Leg Carpet Glide

Sled Base Chair Steel Guide

Stainless steel. Fixed in position by mechanical fastener.

Transport Dolly

Tubular and plate steel welded together. 5"casters: two fixed, two swivel. Black powder-coated finish.

INFORMATION

C.O.M. Testing and Production Requirements

Not all materials are suitable for upholstering this product. A 3/4" yd. x 54" sample must be submitted and approved prior to acceptance of an order. If the fabric is directional in pattern or weave, the direction must be indicated on the submitted sample, and additional yardage may be requested.



Stack/Nesting Piretti Stack Chairs General Information



Sled Base Stacking Chair (PSSNAP)



Sled Base Flex Armchair (PSSFAP)



Sled Base Tablet Arm Chair (PSSTARP)



Transport Dolly (MVP.BL)

| | | | (I dolam) | |
|------------------------------------|--------------------|---------|----------------|---------|
| Features | | | | |
| Stackable | • | | | |
| Ganging | • | | • | |
| Upholstered seat and back | • | • | • | |
| General Dimensions | | | | |
| Seat width | 17-1/2" | 17-1/2" | 17-1/2" | |
| Seat depth | 18-3/4" | 18-3/4" | 18-3/4" | |
| Seat height | 17-1/4" | 17-1/4" | 17-1/4" | |
| Back width | 18-1/2" | 18-1/2" | 18-1/2" | |
| Back height | 11-1/4" | 11-1/4" | 11-1/4" | |
| Overall Dimensions | | | | |
| Width | 19-1/2" | 23-1/4" | 23-1/4" | 22-1/2" |
| Depth | 21-1/2" | 21-1/2" | 26-1/4" | 25-1/2" |
| Height | 31-1/4" | 31-1/4" | 31-1/4" | 12" |
| Top of arm to floor | | 25-1/2" | 25-1/2" | |
| Ganging on center | 19-3/4" | | 19-3/4" or 21" | |
| Stacking on Dolly | | | | |
| Upholstered chairs quantity/height | 8 Chairs/60" High | | | |
| Poly chairs quantity/height | 10 Chairs/65" High | | | |
| Floor space | 22" x 35" | | | |
| Stacking on Floor | | | | |
| Quantity/floor space | 5 Chairs/20" x 27" | | | |

Test samples must be sent to:

Attn: C.O.M. Specialist 1441 Ontario Street Green Bay, WI 54311

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specifying the direction the fabric is to be applied. The posted standard lead time will apply to the Special Cost Request.

DesignDesigned by Giancarlo Piretti and manufactured in the USA by Krueger International, Inc. under license from Pro-Cord S.p.A.

INFORMATION

Warranty Refer to KI Terms & Conditions document or visit ki.com

| | | | MODEL | IMPER | | | | | | |
|--------------|---|---------------------------|----------------------|----------------|-------------------------|------------------------|----------|---------------|-----------------|--|
| | | | MODEL NU | IMREK | | | | | | |
| | MODEL | Features | Basic Model | Frame Color | Seat & Back Color | Tablet Arm Color | TB133 | Uph. Color | Glide Option | |
| | Four-Leg Stack Chair | Polypropylene | PSLNAP | | | | | | | |
| | Backrest tilt tension varies automatically based on occupant weight and is governed by the seat lever mechanism Spring-loaded ganging device concealed | Upholstered | PSLNAU | | | | | | | |
| | under the seat • 19-3/4" on center ganging | | | | | | | | | |
| PSLP PSLU | | | | | | | | | | |
| | Four-Leg Flex Arm Stack Chair | Polypropylene | PSLFAP | | | | | | | |
| | Backrest tilt tension varies automati- cally based on occupant weight and is | Upholstered | PSLFAU | | | | | | | |
| | governed by the seat lever mechanism | | | | | | | | | |
| | GANGING NOT AVAILABLE | | | | | | | | | |
| / / / / | | | | | | | | | | |
| / / U | | | | | | | | | | |
| · | | | | | | | | | | |
| PSLP | | | | | | | | | | |
| PSLU | | | | | | | | | | |
| (| Four-Leg Stack Tablet Arm Chair • Backrest tilt tension varies automati- | Polypropylene, Left Hand | PSLTALP | | | | | | | |
| | cally based on occupant weight and is | Upholstered, Left Hand | PSLTALU | | | | | | | |
| | governed by the seat lever mechanism | Polypropylene, Right Hand | PSLTARP | | | | | | | |
| | Tablet arm surface in high-density plastic laminate flips up for easy entry | Upholstered, Right Hand | PSLTARU | | | | | | | |
| / / / / | Tablet arm is 12-3/4" wide by 19-1/2" | | | | | | | | | |
| 1 N n // | deep | | | | | | | | | |
| DOI D | 19-3/4" on center ganging | | | | | | | | | |
| PSLP | | | | | | | | | | |
| PSLU | | Delumenulana Laft II | DOLOTAL D | | | | | | | |
| (| Four-Leg Stack Oversize Tablet Arm Chair | Polypropylene, Left Hand | PSLOTALI | | | | | | | |
| | Backrest tilt tension varies automati- | Upholstered, Left Hand | PSLOTALU PSLOTARD | | | | | | | |
| | cally based on occupant weight and is | Polypropylene, Right Hand | PSLOTARI | | | | | | | |
| | governed by the seat lever mechanism | Upholstered, Right Hand | PSLOTARU | | | | | | | |
| / / / / | Tablet arm surface in high-density plastic laminate flips up for easy entry | | | | | | | | | |
| 1 N n | Tablet arm is 15-3/4" wide by 22-1/2" | | | | | | | | | |
| PSLP | deep | | | | | | | | | |
| PSLU | • 19-3/4" on center ganging | | | | | | | | | |
| I JLU | | | | | | | | | | |
| | | | A | B | Θ | O | 3 | (3 | G | |
| | | | | | | | | | | |

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
 Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- **B**Select frame color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Nylon armrest color, see color addendum note for color matching schemes.

- Select seat and back color.

 Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- DSelect tablet arm color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select TB133.

NFR - No TB133 fire retardant

- Fire retardant

Select upholstery grade/color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

GSelect glide option.

CRD - Nickel-plated steel glides

PGL - Plastic glides



| Approx. Packaged Weight | Deli | ivered Pricing upholstered | Delivered Pricing Fabric Grade 1 & C.O.M. | Delivered Pricing Fabric Grade 2 | Delivered Pricing Fabric Grade 3 | Delivered Pricing Vinyl Group 2 | Delivered Pricing Pallas Fabric Group P1 | Delivered Pricing Pallas Fabric Group P2 | Delivered Pricing Pallas Fabric Group P3 | Delivered Pricing Pallas Fabric Group P4 |
|-------------------------------|------|-------------------------------|--|---|---|--|---|---|---|---|
| 26.0# | \$ | 345 | 1 0 0.0.11 | | | | aroup i i | aroup i E | атоар т о | атоар т |
| 27.0# | | N/A | 582 | 634 | 645 | 645 | 601 | 628 | 658 | 682 |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| 28.0# | \$ | 519 | | | | | | | | |
| 29.0# | Ψ | N/A | 761 | 866 | 881 | 881 | 792 | 853 | 906 | 958 |
| 20.0# | | | | | | 33. | . 02 | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | _ | | | | | | | | | |
| 31.0# | \$ | 579 | 821 | 000 | 945 | 0.45 | 054 | 040 | 004 | 4047 |
| 33.0# 31.0# | | N/A 579 | ŏ21 | 922 | 945 | 945 | 854 | 916 | 964 | 1017 |
| 33.0# | | N/A | 821 | 922 | 945 | 945 | 854 | 916 | 964 | 1017 |
| 33.0π | | IV/A | 021 | JZZ | 343 | 343 | 004 | 310 | 304 | 1017 |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| 31.0# | \$ | 618 | | | | | | | | |
| 33.0# | | N/A | 859 | 959 | 981 | 981 | 893 | 953 | 1003 | 1056 |
| 31.0# | | 618 | | | | | | | | |
| 33.0# | | N/A | 859 | 959 | 981 | 981 | 893 | 953 | 1003 | 1056 |
| | | | | | | | | | | |

UPHOLSTERY INFORMATION

C.O.M. Upholstery C.O.M. requirement for 10 chairs or less is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more chairs and for complete information on ordering C.O.M. see "Ordering C.O.M., C.O.V. and C.O.L." section.

OPTIONS

California TB133 Fire Safety Code For California Technical Bulletin 133 compli-ant models, add the following upcharge: Model=Polypropylene Added Lead Time=1 week Added List Price=\$18 Model=Upholstered Added Lead Time=1 week Added List Price=\$114

Gangers

For ganging mechanism, add "/G" to end of model number. List price upcharge is \$8

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b. Green Bay, Wisconsin 54302 factory. Freight class #125.

| | | | MODEL NU | JMBER | | | | | | |
|--------|--|---|----------------------|----------------|-------------------------|------------------------|----------|---------------|-----------------|--|
| | MODEL | Features | Basic Model | Frame Color | Seat & Back Color | Tablet Arm Color | TB133 | Uph. Color | Glide Option | |
| | Sled Base Stack Chair | Polypropylene | PSSNAP | | | | | | | |
| | Backrest tilt tension varies automati- cally based on occupant weight and is | Upholstered | PSSNAU | | | | | | | |
| | governed by the seat lever mechanism | | | | | | | | | |
| | Spring-loaded ganging device concealed | | | | | | | | | |
| / \ | under the seat • 19-3/4" on center ganging | | | | | | | | | |
| | 19-5/4 officenter ganging | | | | | | | | | |
| | | | | | | | | | | |
| PSSP | | | | | | | | | | |
| PSSU | Olad Bass Flanckurs Obsin | Debugger | DOOLAD | | | | | | | |
| | Sled Base Flex Arm Chair Backrest tilt tension varies automati- | Polypropylene | PSSFAP PSSFAU | | | | | | | |
| | cally based on occupant weight and is | Upholstered | POOFAU | | | | | | | |
| | governed by the seat lever mechanism • NONSTACKING | | | | | | | | | |
| | NONSTACKING | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| PSSP | | | | | | | | | | |
| PSSU | | | | | | | | | | |
| , many | Sled Base Tablet Arm Chair | Polypropylene, Left Hand | PSSTALP | | | | | | | |
| | Backrest tilt tension varies automati- cally based on occupant weight and in | Upholstered, Left Hand | PSSTALU | | | | | | | |
| | cally based on occupant weight and is governed by the seat lever mechanism | Polypropylene, Right Hand | PSSTARP | | | | | | | |
| | Tablet arm surface in high-density plastic | Upholstered, Right Hand | PSSTARU | | | | | | | |
| | laminate flips up for easy entry | | | | | | | | | |
| | Tablet arm is 12-3/4"W by 19-1/2" DNONSTACKING | | | | | | | | | |
| ~ | | | | | | | | | | |
| PSSP | | | | | | | | | | |
| PSSU | Clad Base Oversine Tablet Surve Charle | Dehmanulans Left Head | DOCOTALD | | | | | | | |
| | Sled Base Oversize Tablet Arm Chair Backrest tilt tension varies automatically | Polypropylene, Left Hand Upholstered, Left Hand | PSSOTALP PSSOTALU | | | | | | | |
| UA | based on occupant weight | Delumenulana Diabt Hand | PSSOTARP | | | | | | | |
| | Tablet arm surface in high-density plastic laminate flips up for easy entry | Upholstered, Right Hand | PSSOTARU | | | | | | | |
| | Tablet arm is 15-3/4"W by 22-1/2"D | opholocolou, mynt hand | 1 000 IANU | | | | | | | |
| / \ | • NONSTACKING | | | | | | | | | |
| | | | | | | | | | | |
| PSSP | | | | | | | | | | |
| PSSU | | | | | | | | | | |
| | | | A | 3 | Θ | O | 3 | G | О | |
| | | | | | | | | | | |

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
 Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- **B**Select frame color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Nylon armrest color, see color addendum note for color matching schemes.

- Select seat and back color.

 Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- DSelect tablet arm color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select TB133.

NFR - No TB133 fire retardant - Fire retardant

Select upholstery grade/color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select glide option.

NGL - No glides GLD - Clear plastic

GNM - Mar-resistant white plastic

- Stainless steel; add \$17



| Approx. Packaged | Delivered Pricing | Delivered Pricing Fabric Grade | Delivered Pricing Fabric Grade | Delivered Pricing Fabric Grade | Delivered Pricing Vinyl Group | Delivered Pricing Pallas Fabric | Delivered Pricing Pallas Fabric | Delivered Pricing Pallas Fabric | Delivered Pricing Pallas Fabric |
|---------------------|-------------------------|--------------------------------------|--------------------------------------|--------------------------------------|-------------------------------------|---------------------------------------|---------------------------------------|---------------------------------------|---------------------------------------|
| Weight 26.0# | Unupholstered \$ 345 | 1 & C.O.M. | 2 | 3 | 2 | Group P1 | Group P2 | Group P3 | Group P4 |
| 27.0# | δ 343 N/A | 582 | 687 | 708 | 708 | 622 | 675 | 733 | 785 |
| 21.0# | IV/A | 302 | 007 | 700 | 700 | 022 | 0/3 | 733 | 705 |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| 28.0# | \$ 519 | | | | | | | | |
| 29.0# | N/A | 761 | 813 | 823 | 823 | 778 | 807 | 834 | 862 |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| 31.0# | \$ 579 | | | | | | | | |
| 33.0# | N/A | 821 | 922 | 945 | 945 | 854 | 916 | 964 | 1017 |
| 31.0# | 579 | 02. | 022 | 0.10 | 0.10 | 001 | 0.0 | 001 | |
| 33.0# | N/A | 821 | 922 | 945 | 945 | 854 | 916 | 964 | 1017 |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| 31.0# | \$ 618 | | | | | | | | |
| 33.0# | N/A | 859 | 959 | 981 | 981 | 893 | 953 | 1003 | 1056 |
| | | | | | | | | | |
| 31.0# | 618 | 050 | 050 | 004 | 004 | 000 | 050 | 4000 | 1050 |
| 31.0# 33.0# | 618 N/A | 859 | 959 | 981 | 981 | 893 | 953 | 1003 | 1056 |

UPHOLSTERY INFORMATION

C.O.M. Upholstery C.O.M. requirement for 10 chairs or less is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more chairs and for complete information on ordering C.O.M. see "Ordering C.O.M., C.O.V. and C.O.L." section.

OPTIONS

California TB133 Fire Safety CodeFor California Technical Bulletin 133 compli-

ant models, add the following upcharge: Model=Polypropylene Added Lead Time=1 week Added List Price=\$18 Model=Upholstered Added Lead Time=1 week Added List Price=\$114

Gangers

For ganging mechanism, add "/G" to end of model number. List price upcharge is \$8

For bookrack, add "/BR" to end of the model number. List price upcharge is \$55

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b. Green Bay, Wisconsin 54302 factory. Freight class #125.

| | | | | | _ |
|-------|--|----------------|-------------------------------|--|---|
| | | MODEL NUMBER | | | |
| | MODEL | Basic Model | Approx. Packaged Weight | | |
| | Bookrack | 87.7844 | 4.0# | | |
| HRDPT | Welded wire frameNONSTACKING | | | | |
| | • Field-installable - to order with chair, | | | | |
| | see note below | | | | |
| | Transport Dolly | MVP.BL | 19.0# | | |
| | 5" casters: two fixed, two swivel | | 1010# | | |
| | | | | | |
| v | | | | | |
| HRDPT | | | | | |
| HRDPT | Sled Base Chair Plastic Glides - White Mar-resistant, white plastic For field-installation | 53.8237.SET | 0.1# | | |
| | Sled Base Chair Plastic Glides - Clear | 53.8236.SET | 0.1# | | |
| HRDPT | Mar-resistant, clear plasticFor field-installation | | | | |
| | Sled Base Chair Steel Glides | 06.0448.SET | 0.1# | | |
| HRDPT | Stainless steelFor field-installation | | | | |
| | | | | | |



HOW TO ORDER

Indicate the following information on order

- form:

 1. Quantity of each item.

 2. Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.



| Delivered Pricing |
|-------------------|
| \$ 55 |
| |
| |
| |
| \$ 413 |
| |
| |
| \$ 2 |
| |
| |
| \$ 4 |
| |
| \$ 17 |
| |

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b. Green Bay, Wisconsin 54302 factory. Freight class #125.

Stack/Nesting

Rapture® General Information



Four-Leg Stacking Armchair (RAPWAUS)



Four-Leg Armless Stacking Chair (RAPNAP)



Four-Leg Wallsaver Armchair (RAPWAUSWS)



Four-Leg Armchair with Casters (RAPWAUSC)

| Features | | | | |
|---|---------|---------|---------|---------|
| Stackable | • | • | • | • |
| Field-replaceable seat and back pad | • | • | • | • |
| Poly, upholstered, or combination of both | • | • | • | • |
| Arms | • | | • | • |
| General Dimensions | | | | |
| Seat width | 16-1/2" | 16-1/2" | 16-1/2" | 16-1/2" |
| Seat depth | 17" | 17" | 17" | 17" |
| Seat height | 18" | 18" | 18" | 18" |
| Floor to back height | 32" | 32" | 32" | 32" |
| Overall Dimensions | | | | |
| Width | 23-1/2" | 20-1/2" | 23-1/2" | 23-1/2" |
| Depth | 23" | 22" | 24-1/2" | 23" |
| Height | 32" | 32" | 32" | 32" |
| Top of arm to floor | 26-1/2" | | | |
| Stacking on Dolly | | | | |
| Width | 23-1/2" | 22-1/2" | | |
| Depth | 36" | 36" | | |
| Maximum quantity | 10 | 10 | | |
| Stacking on Floor | | | | |
| Maximum quantity | 6 | 6 | 6 | |

SPECIFICATIONS

Frame

Legs are 1" o.d. x 16-gauge tubular steel. Cross members are 1" o.d. x 14-gauge tubular steel. Side members are 7/8" o.d. x 14-gauge tubular steel. On the stools, the footring is 16-gauge tubular steel. For both chairs and stools, all joints are welded. Wallsaver frame has an angled rear leg. Caster-based frame has a curved front leg.

Armrests

Injection molded nylon. Armrests are attached to the backrest without fasteners. Arms are assembled over the backrest attachment tubes of the frame when the backrest is installed. The backrest is then locked in place using a patented "turn and lock" feature.

Polypropylene Seat and Backrest

Injection-molded polypropylene

Upholstered Seat and Back

Molded urethane foam is attached to the seatboard, which is injection molded polypropylene. Slab urethane foam is attached to the back board, which is injection molded polypropylene. The boards are attached to the seat and back using four 10-24 x 3/8" truss head screws. Seat screws are not exposed. Backrest screws are exposed and are color matched to the polypropylene.

Glides

Chrome plated steel or plastic.

Casters

Carpet casters available in black finish only.

Frame Finishes

Baked-on electrostatically-applied epoxy powder coating, or bright nickel-chrome plating.

Tablet

Tablet measures 20-5/8 x 12" Transport Dolly Tubular steel frame, black powdercoated finish. Four 5" swivel wheels.

INFORMATION

C.O.M. Testing and ProductionRequirements

Not all materials are suitable for upholstering this product. A 1 yd. x 54" sample for any upholstery model must be submitted and approved prior to acceptance of an order. If the fabric is directional in pattern or weave, the direction must be indicated on the submitted sample, and additional yardage may be requested.

Test samples must be sent to:

ΚI

Attn: C.O.M. Specialist 1441 Ontario Street Green Bay, WI 54311

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required

to be applied differently than is swatched will need a Special Cost Request written specifying the direction the fabric is to be applied. The posted standard lead time will apply to the Special Cost Request.

Design

Designed by Giancarlo Piretti and manufactured in the USA by Krueger International, Inc. under license from Pro-Cord S.p.A.



Stack/Nesting Rapture® General Information



Cafe Stool with Arms (SRAPWAUB)



Armless Cafe Stool (SRAPNAP)

| Features | | |
|---|---------|---------|
| Stackable | | |
| Field-replaceable seat and back pad | • | • |
| Poly, upholstered, or combination of both | • | • |
| Arms | • | |
| General Dimensions | | |
| Seat width | 16-1/2" | 16-1/2" |
| Seat depth | 17" | 17" |
| Seat height | 30" | 30" |
| Floor to back height | 44" | 44" |
| Floor to top of arm height | 38-1/4" | |
| Overall Dimensions | | |
| Width | 23-1/2" | 20-1/2" |
| Depth | 23" | 22" |
| Height | 44" | 44" |
| | | |

INFORMATION

WarrantyRefer to KI Terms & Conditions document or visit ki.com

| MODEL MODEL Features Model Four-Leg Armless Chair Poly, upholstered, or combination of both Pield-replaceable seat & back pad Stackable Four-Leg Armchair Poly, upholstered, or combination of both Pield-replaceable seat & back pad Stackable Poly Seat/Back Uph Seat/Ba | | | | | | | | | | | |
|--|--------|---|----------------|----------|-------|------|---|-------|----|----------|--|
| ## MODEL Features | | | | MODEL NU | JMBER | | | | | | |
| RAPP RAPU Four-Leg Armchair - Poly, upholstered, or combination of both both - Stackable Four-Leg Armchair - Poly, upholstered, or combination of both - Stackable Four-Leg Armchair - Poly, upholstered, or combination of both - Stackable Poly Seat/Back Uph Seat/Back Uph Seat/Back Uph Seat/Back RAPNAUB - RAPNAUB - Poly, upholstered, or combination of both - Arm version - Field-replaceable seat & back pad - Stackable Poly Seat/Back Uph Seat/Back RAPWAUB - Poly, upholstered, or combination of both - Arm version - Field-replaceable seat & back pad - Stackable Poly Seat/Back Uph Seat/Back RAPWAUB - Dolly - Accommodates up to 10 chairs - Easy maneuverability with 5' casters: two fisted, two swivel | | | | | | | | | | | |
| Poly Seat/Back Uph Seat/Poly Back Uph Seat/Back RAPNAUB Four-Leg Armchair Poly Seat/Back Uph Seat/Poly Back Uph Seat/Back RAPNAUB Stackable Poly Seat/Back RAPNAUB Poly Seat/Back Uph Seat/Poly Back Uph Seat/Poly Back Uph Seat/Poly Back Uph Seat/Poly Back Uph Seat/Back RAPWAUB Poly Seat/Back RAPWA | | MODEL | Features | | | Back | | TB133 | | Packaged | |
| Poly, upholstered, or combination of both Field-replaceable seat & back pad Stackable Four-Leg Armchair Poly, upholstered, or combination of both Arm version Field-replaceable seat & back pad Stackable Poly Seat/Back RAPWAUS RAP | F | Four-Leg Armless Chair | Poly Seat/Back | RAPNAP | | | | | | | |
| Poly Seat/Back Poly, upholstered, or combination of both Arm version Field-replaceable seat & back pad Stackable Poly Seat/Back Uph Seat/Poly Back Uph Seat/Poly Back Uph Seat/Poly Back Uph Seat/Poly Back Uph Seat/Back Uph Seat/Poly Back Uph | | Poly, upholstered, or combination of | | | | | | | | | |
| * Stackable Four-Leg Armchair Poly, uphoistered, or combination of both Arm version Field-replaceable seat & back pad Stackable RAPP RAPU Dolly Accommodates up to 10 chairs Easy maneuverability with 5" casters: two fixed, two swivel two fixed, two fixed, two swivel two fixed, two fix | | | | RAPNAUB | | | | | | 23.0# | |
| Four-Leg Armchair Poly, upholstered, or combination of both Arm version Field-replaceable seat & back pad Stackable Poly Seat/Back Uph Seat/Poly Back Uph Seat/Back RAPWAUB RAPWAUB RAPWAUB RAPWAUB RAPP RAPU RAPD RAPD RAPD RAPD RAPD RAPD RAPD RAP | | | | | | | | | | | |
| Four-Leg Armchair Poly, upholstered, or combination of both Arm version Field-replaceable seat & back pad Stackable Poly Seat/Back Uph Seat/Poly Back Uph Seat/Back RAPWAUB RAPWAUB RAPWAUB RAPWAUB RAPP RAPU RAPD RAPD RAPD RAPD RAPD RAPD RAPD RAP | | | | | | | | | | | |
| Four-Leg Armchair Poly, upholstered, or combination of both Arm version Field-replaceable seat & back pad Stackable Poly Seat/Back Uph Seat/Poly Back Uph Seat/Back RAPWAUB RAPWAUB RAPWAUB RAPWAUB RAPP RAPU RAPD RAPD RAPD RAPD RAPD RAPD RAPD RAP | | | | | | | | | | | |
| Four-Leg Armchair Poly, upholstered, or combination of both Arm version Field-replaceable seat & back pad Stackable Poly Seat/Back Uph Seat/Poly Back Uph Seat/Back RAPWAUB RAPWAUB RAPWAUB RAPWAUB RAPP RAPU RAPD RAPD RAPD RAPD RAPD RAPD RAPD RAP | Ų | | | | | | | | | | |
| Four-Leg Armchair Poly, upholstered, or combination of both Arm version Field-replaceable seat & back pad Stackable Poly Seat/Back Uph Seat/Poly Back Uph Seat/Back RAPWAUB RAPWAUB Poly Seat/Back Uph Seat/Back RAPWAUB RAPWAUB Poly Seat/Back Uph Seat/Back RAPWAUB RAPWAUB Poly Seat/Back Uph Seat/Back RAPWAUB RAPWAUB Poly Seat/Back Uph Seat/Back RAPWAUB Poly Seat/Back Uph Seat/Back RAPWAUB Poly Seat/Back Uph Seat/Back RAPWAUB Poly Seat/Back RAPWAUB RAPWAUB Poly Seat/Back R | | | | | | | | | | | |
| Polly, upholstered, or combination of both Arm version Field-replaceable seat & back pad Stackable Polly Uph Seat/Poly Back Uph Seat/Back RAPWAUB RAPWAUB Back Uph Seat/Back RAPWAUB Back Uph Seat/ | | | | | | | | | | | |
| BAPP RAPU Dolly Accommodates up to 10 chairs Easy maneuverability with 5" casters: two fixed, two swivel Dolly Accommodates up to 10 chairs Easy maneuverability with 5" casters: two fixed, two swivel | | | • | | | | | | | | |
| Arm version Field-replaceable seat & back pad Stackable PAPP RAPU Dolly Accommodates up to 10 chairs Easy maneuverability with 5" casters: two fixed, two swivel RAPD-BL RAPD-BL 32.0# | | | | | | | | | | | |
| RAPP RAPU Dolly Accommodates up to 10 chairs Easy maneuverability with 5" casters: two fixed, two swivel RAPD.BL 32.0# | | Arm version | Uph Seat/Back | RAPWAUB | | | | | | 24.0# | |
| RAPP RAPU Dolly Accommodates up to 10 chairs Easy maneuverability with 5" casters: two fixed, two swivel RAPD.BL 32.0# | | Field-replaceable seat & back pad | | | | | | | | | |
| RAPU Dolly Accommodates up to 10 chairs Easy maneuverability with 5" casters: two fixed, two swivel | | Stackable | | | | | | | | | |
| RAPU Dolly Accommodates up to 10 chairs Easy maneuverability with 5" casters: two fixed, two swivel | " U | | | | | | | | | | |
| RAPU Dolly Accommodates up to 10 chairs Easy maneuverability with 5" casters: two fixed, two swivel | - | | | | | | | | | | |
| Dolly Accommodates up to 10 chairs Easy maneuverability with 5" casters: two fixed, two swivel | | | | | | | | | | | |
| Accommodates up to 10 chairs Easy maneuverability with 5" casters: two fixed, two swivel | | Dolly | | DADD BI | | | | | | 32.0# | |
| Easy maneuverability with 5" casters: two fixed, two swivel | | | | NAF D.DL | | | | | | 32.0# | |
| | | Easy maneuverability with 5" casters: | | | | | | | | | |
| Subst powdor obtatod fillion | | | | | | | | | | | |
| | V | Sidon powdor douted initial | | | | | | | | | |
| HRDPT | RDPT | | | | | | | | | | |
| A B G D 3 | | | | A | ß | Θ | 0 | • | () | | |

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- \bullet Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- **B**Select frame color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select seat and back color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

• Select glide option.

- Plastic glides - Steel glides

Select TB133.

NFR - No TB133 fire retardant

FR - Fire retardant

Select upholstery grade/color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

UPHOLSTERY INFORMATION

C.O.M. Upholstery

C.O.M. requirement 1/2 yard per upholstered seat and 3/4 yard per upholstered seat and back of 54" wide nondirectional fabric. For complete information on ordering C.O.M., see "Ordering C.O.M., C.O.V. and C.O.L." section.

OPTIONS

California TB133 Fire Safety Code For California Technical Bulletin 133 compli-

ant models, add the following upcharge: Model=Poly Seat/Back Added Lead Time=None Added List Price=\$30 Model=Uph Seat/Poly Back Added Lead Time=None Added List Price=\$87 Model=Uph Seat/Back Added Lead Time=None Added List Price=\$98



| \$ 259 N/A 314 319 320 314 320 364 381 398 410 N/A 356 381 383 356 383 430 454 478 499 \$ 277 N/A 329 338 339 329 339 383 400 413 430 N/A 374 401 403 374 403 453 472 496 518 | Delivered Pricing Unupholstered | Delivered Pricing Fabric Grade 1 & C.O.M. | Delivered Pricing Fabric Grade 2 | Delivered Pricing Fabric Grade 3 | Delivered Pricing C.O.V. | Delivered Pricing Vinyl Group 2 | Delivered Pricing Pallas Fabric Group P1 | Delivered Pricing Pallas Fabric Group P2 | Delivered Pricing Pallas Fabric Group P3 | Delivered Pricing Pallas Fabric Group P4 |
|--|------------------------------------|--|---|---|--------------------------------|--|---|---|---|---|
| N/A 356 381 383 356 383 430 454 478 499 \$ 277 N/A 329 338 339 329 339 383 400 413 430 | | | | | | | | | | |
| \$ 277 N/A 329 338 339 329 339 383 400 413 430 | N/A | 314 | 319 | 320 | 314 | 320 | 364 | 381 | 398 | 410 |
| N/A 329 338 339 329 339 383 400 413 430 | N/A | 356 | 381 | 383 | 356 | 383 | 430 | 454 | 478 | 499 |
| N/A 329 338 339 329 339 383 400 413 430 | | | | | | | | | | |
| N/A 329 338 339 329 339 383 400 413 430 | | | | | | | | | | |
| N/A 329 338 339 329 339 383 400 413 430 | | | | | | | | | | |
| N/A 329 338 339 329 339 383 400 413 430 | | | | | | | | | | |
| N/A 329 338 339 329 339 383 400 413 430 | | | | | | | | | | |
| N/A 329 338 339 329 339 383 400 413 430 | | | | | | | | | | |
| | | | | | | | | | | |
| N/A 374 401 403 374 403 453 472 496 518 | N/A | 329 | 338 | 339 | 329 | 339 | 383 | 400 | 413 | 430 |
| | N/A | 374 | 401 | 403 | 374 | 403 | 453 | 472 | 496 | 518 |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |

\$ 395

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b. Green Bay, Wisconsin 54302 factory. Freight class #125.

| | | MODEL NU | IMBER | | | | | | |
|--|----------------------------------|----------------|----------------|-------------------------|-----------------|-------------------|-----------|---------------------|-------------------------------|
| | Features | Basic Model | Frame Color | Seat & Back Color | Glide Option | Laminate Color | TB133 | Upholstery Color | Approx. Packaged Weight |
| | Right Tablet, Poly Seat/Back | RAPTARP | | | | | | | 21.0# |
| | Right Tablet, Uph Seat/Poly Back | RAPTARUS | | | | | | | 24.0# |
| | Right Tablet, Uph Seat/Back | RAPTARUB | | | | | | | 25.0# |
| | | | | | | | | | |
| APP APU | | | | | | | | | |
| our-Leg Tablet Arm Chair (Right land) | | | | | | | | | |
| Poly, upholstered, or combination of both | | | | | | | | | |
| Field-replaceable seat & back pad NONSTACKING | | | | | | | | | |
| (11111111111111111111111111111111111111 | Left Tablet, Poly Seat/Back | RAPTALP | | | | | | | 21.0# |
| | Left Tablet, Uph Seat/Poly Back | RAPTALUS | | | | | | | 24.0# |
| | Left Tablet, Uph Seat/Back | RAPTALUB | | | | | | | 25.0# |
| | | | | | | | | | |
| u | | | | | | | | | |
| APP | | | | | | | | | |
| APU | | | | | | | | | |
| our-Leg Tablet Arm Chair (Left Hand) | | | | | | | | | |
| | | A | B | • | 0 | 3 | (3 | G | • |

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
 Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- \bullet Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- **B**Select frame color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select seat and back color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

• Select glide option.

- Plastic glides - Steel glides

Select tablet arm laminate. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select TB133.

- No TB133 fire retardant

- Fire retardant

Select upholstery grade/color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

UPHOLSTERY INFORMATION

C.O.M. Upholstery C.O.M. requirement 1/2 yard per upholstered seat and 3/4 yard per upholstered seat and back of 54" wide nondirectional fabric. For complete information on ordering C.O.M., see "Ordering C.O.M., C.O.V. and C.O.L."



| | livered Pricing upholstered | Delivered Pricing Fabric Grade 1 & C.O.M. | Delivered Pricing Fabric Grade 2 | Delivered Pricing Fabric Grade 3 | Delivered Pricing C.O.V. | Delivered Pricing Vinyl Group 2 | Delivered Pricing Pallas Fabric Group P1 | Delivered Pricing Pallas Fabric Group P2 | Delivered Pricing Pallas Fabric Group P3 | Delivered Pricing Pallas Fabric Group P4 |
|----|--------------------------------|--|---|---|--------------------------------|--|---|---|---|---|
| \$ | 434 | | | | | | | | | |
| | N/A | 490 | 496 | 497 | 490 | 497 | 541 | 558 | 573 | 589 |
| | N/A | 531 | 556 | 558 | 531 | 558 | 605 | 628 | 655 | 674 |
| | | | | | | | | | | |

| \$ | 434 | | | | | | | | | |
|----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| | N/A | 490 | 496 | 497 | 490 | 497 | 541 | 558 | 573 | 589 |
| | N/A | 531 | 556 | 558 | 531 | 558 | 605 | 628 | 655 | 674 |

OPTIONS

California TB133 Fire Safety Code For California Technical Bulletin 133 compli-ant models, add the following upcharge: Model=Poly Seat/Back Added Lead Time=None Added List Price=\$30 Model=Uph Seat/Poly Back Added Lead Time=None Added List Price=\$87 Model=Uph Seat/Back Added Lead Time=None Added List Price=\$98

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b. Green Bay, Wisconsin 54302 factory. Freight class #125.

| | | | MODEL NUM | BER | | | | | | |
|---------------|--|--------------------|----------------|----------------|-------------------------|-----------------|----------|---------------------|-------------------------------|--|
| | MODEL | Features | Basic Model | Frame Color | Seat & Back Color | Glide Option | TB133 | Upholstery Color | Approx. Packaged Weight | |
| | Four-Leg Wallsaver Armless Chair | Poly Seat/Back | RAPNAPWS | | | | | | 19.0# | |
| f | Poly, upholstered, or combination of both | Uph Seat/Poly Back | RAPNAUSWS | | | | | | 22.0# | |
| | Field-replaceable seat & back pad | Uph Seat/Back | RAPNAUBWS | | | | | | 23.0# | |
| | Stackable | | | | | | | | | |
| | Wallsaver rear legs touch base of wall preventing chair back from contacting | | | | | | | | | |
| <i>U</i> " | wall surface | | | | | | | | | |
| Ų | man sarrass | | | | | | | | | |
| RAPP | | | | | | | | | | |
| RAPU | | | | | | | | | | |
| | Four-Leg Wallsaver Armchair | Poly Seat/Back | RAPWAPWS | | | | | | 21.0# | |
| | Poly, upholstered, or combination of both | Uph Seat/Poly Back | RAPWAUSWS | | | | | | 23.0# | |
| | Field-replaceable seat & back pad | Uph Seat/Back | RAPWAUBWS | | | | | | 24.0# | |
| | Stackable | | | | | | | | | |
| | Wallsaver rear legs touch base of wall | | | | | | | | | |
| U " | preventing chair back from contacting wall surface | | | | | | | | | |
| Ų | wan dariado | | | | | | | | | |
| RAPP | | | | | | | | | | |
| RAPU | | | | | | | | | | |
| | | | A | B | • | 0 | 3 | • | | |

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- \bullet Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- **B**Select frame color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select seat and back color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

• Select glide option.

- Plastic glides - Steel glides

Select TB133.

NFR - No TB133 fire retardant FR - Fire retardant

Select upholstery grade/color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

UPHOLSTERY INFORMATION

C.O.M. Upholstery

C.O.M. requirement 1/2 yard per upholstered seat and 3/4 yard per upholstered seat and back of 54" wide nondirectional fabric. For complete information on ordering C.O.M., see "Ordering C.O.M., C.O.V. and C.O.L." section.

OPTIONS

California TB133 Fire Safety Code For California Technical Bulletin 133 compli-

ant models, add the following upcharge: Model=Poly Seat/Back Added Lead Time=None Added List Price=\$30 Model=Uph Seat/Poly Back Added Lead Time=None Added List Price=\$87 Model=Uph Seat/Back Added Lead Time=None Added List Price=\$98



| | Delivered | Delivered | Delivered | | Delivered | Delivered | Delivered | Delivered | Delivered |
|------------------------------------|---------------------------------------|------------------------------|------------------------------|--------------------------------|-----------------------------|--------------------------------------|--------------------------------------|--------------------------------------|--------------------------------------|
| Delivered Pricing Unupholstered | Pricing Fabric Grade 1 & C.O.M. | Pricing Fabric Grade 2 | Pricing Fabric Grade 3 | Delivered Pricing C.O.V. | Pricing Vinyl Group 2 | Pricing Pallas Fabric Group P1 | Pricing Pallas Fabric Group P2 | Pricing Pallas Fabric Group P3 | Pricing Pallas Fabric Group P4 |
| \$ 290 | | | | | | | | | |
| N/A | 346 | 351 | 352 | 346 | 352 | 398 | 413 | 430 | 444 |
| N/A | 388 | 412 | 413 | 388 | 413 | 462 | 487 | 511 | 531 |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| \$ 309 | | | | | | | | | |
| N/A | 363 | 370 | 371 | 363 | 371 | 413 | 431 | 446 | 462 |
| N/A | 406 | 432 | 435 | 406 | 435 | 486 | 506 | 527 | 551 |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b. Green Bay, Wisconsin 54302 factory. Freight class #125.

Stack/Nesting

| | | MODEL NUI | MBER | | | | | |
|---------|---|--------------------|----------------|----------------|-------------------------|-------|---------------------|-------------------------------|
| | | | | | Cook C | | | Annual |
| | MODEL | Features | Basic Model | Frame Color | Seat & Back Color | TB133 | Upholstery Color | Approx. Packaged Weight |
| | Four-Leg Armless Chair with Casters | Poly Seat/Back | RAPNAPC | | | | | 19.0# |
| | Poly, upholstered, or combination of both | Uph Seat/Poly Back | RAPNAUSC | | | | | 22.0# |
| | Field-replaceable seat & back pad | Uph Seat/Back | RAPNAUBC | | | | | 23.0# |
| | Stacking. Caution should be exercised | | | | | | | |
| | to prevent casters from marring compo- nents such as frames, fabric, etc., and to prevent casters from becoming "hung | | | | | | | |
| 0#] 0# | up" underneath the seat of the chair | | | | | | | |
| Q) | below | | | | | | | |
| RAPP | Stackable on dollies is NOT recom- | | | | | | | |
| RAPU | mended | | | | | | | |
| | Four-Leg Armchair with Casters | Poly Seat/Back | RAPWAPC | | | | | 21.0# |
| | Poly, upholstered, or combination of | Uph Seat/Poly Back | RAPWAUSC | | | | | 23.0# |
| | both • Arm version | Uph Seat/Back | RAPWAUBC | | | | | 24.0# |
| | Field-replaceable seat & back pad | | | | | | | |
| | Stacking. Caution should be exercised | | | | | | | |
| | to prevent casters from marring compo- nents such as frames, fabric, etc., and | | | | | | | |
| OB 05 | to prevent casters from becoming "hung | | | | | | | |
| OB | up" underneath the seat of the chair | | | | | | | |
| RAPP | belowStackable on dollies is NOT recom- | | | | | | | |
| RAPU | Stackable on dollies is NOT recom- mended | | | | | | | |
| | | | A | B | • | 0 | • | |

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- \bullet Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- **B**Select frame color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select seat and back color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- OSelect TB133.

- No TB133 fire retardant NFR - Fire retardant

ESelect upholstery grade/color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

UPHOLSTERY INFORMATION

C.O.M. Upholstery

C.O.M. requirement 1/2 yard per upholstered seat and 3/4 yard per upholstered seat and back of 54" wide nondirectional fabric. For complete information on ordering C.O.M., see "Ordering C.O.M., C.O.V. and C.O.L." section.

OPTIONS

California TB133 Fire Safety Code For California Technical Bulletin 133 compli-

ant models, add the following upcharge: Model=Poly Seat/Back Added Lead Time=None Added List Price=\$30 Model=Uph Seat/Poly Back Added Lead Time=None Added List Price=\$87 Model=Uph Seat/Back Added Lead Time=None Added List Price=\$98



| Delivered Pricing Unupholstered \$ 356 | Delivered Pricing Fabric Grade 1 & C.O.M. | Delivered Pricing Fabric Grade 2 | Delivered Pricing Fabric Grade 3 | Delivered Pricing C.O.V. | Delivered Pricing Vinyl Group 2 | Delivered Pricing Pallas Fabric Group P1 | Delivered Pricing Pallas Fabric Group P2 | Delivered Pricing Pallas Fabric Group P3 | Delivered Pricing Pallas Fabric Group P4 |
|--|--|---|---|--------------------------------|--|---|---|---|---|
| N/A | 409 | 416 | 419 | 409 | 419 | 461 | 481 | 494 | 509 |
| N/A | 454 | 481 | 482 | 454 | 482 | 527 | 551 | 576 | 597 |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| \$ 374 | | | | | | | | | |
| N/A | 428 | 435 | 436 | 428 | 436 | 482 | 497 | 513 | 527 |
| N/A | 471 | 498 | 500 | 471 | 500 | 550 | 570 | 594 | 617 |
| | | | | | | | | | |
| | | | | | | | | | |

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b. Green Bay, Wisconsin 54302 factory. Freight class #125.

Stack/Nesting Rapture® Cafe Stools

MODEL NUMBER Seat & Approx. Frame Back Glide Upholstery Packaged Basic MODEL **Features** Model Color Weight Color Color Option TB133 Four-Leg Armless Cafe Stool SRAPNAP Poly Seat/Back ПП П 29.0# Poly, upholstered, or combination of Uph Seat/Poly Back SRAPNAPB 31.0# hoth SRAPNAUB Uph Seat/Back 33.0# · Field-replaceable seat & back pad SRAPP SRAPU Four-Leg Cafe Stool with Arms Poly Seat/Back SRAPWAP 31.0# · Poly, upholstered, or combination of Uph Seat/Poly Back SRAPWAPB 33.0# hoth Uph Seat/Back SRAPWAUB 35.0# Arm version Field-replaceable seat & back pad SRAPP SRAPU A 0 0 0 **3 3**

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect frame color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select seat and back color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select glide option.

- Plastic glides - Steel glides

Select TB133.

- No TB133 fire retardant NFR FR - Fire retardant

Select upholstery grade/color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder

UPHOLSTERY INFORMATION

C.O.M. Upholstery

C.O.M. requirement 1/2 yard per upholstered seat and 3/4 yard per upholstered seat and back of 54" wide nondirectional fabric. For complete information on ordering C.O.M., see "Ordering C.O.M., C.O.V. and C.O.L." section.

OPTIONS

California TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, add the following upcharge: Model=Poly Seat/Back Added Lead Time=None Added List Price=\$30 Model=Uph Seat/Poly Back Added Lead Time=None Added List Price=\$87 Model=Uph Seat/Back Added Lead Time=None Added List Price=\$98



Stack/Nesting Rapture® Cafe Stools

| Delivered Pricing Unupholstered \$ 567 N/A N/A | Delivered Pricing Fabric Grade 1 & C.O.M. 623 668 | Delivered Pricing Fabric Grade 2 629 698 | Delivered Pricing Fabric Grade 3 630 699 | Delivered Pricing C.O.V. 623 668 | Delivered Pricing Vinyl Group 2 630 699 | Delivered Pricing Pallas Fabric Group P1 675 744 | Delivered Pricing Pallas Fabric Group P2 696 768 | Delivered Pricing Pallas Fabric Group P3 710 794 | Delivered Pricing Pallas Fabric Group P4 724 816 |
|--|--|---|---|--|--|---|---|---|---|
| \$ 587 N/A N/A | 642 685 | 649 713 | 651 716 | 642 685 | 651 716 | 698 763 | 712 788 | 728 813 | 744 835 |

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b. Green Bay, Wisconsin 54302 factory. Freight class #125.

Stack/Nesting

Silhouette® General Information













Tubular Steel Armchair (SILUFA)

Armless Tubular Steel Chair (SILNA)

Cast Aluminum Frame Armchair (SIGUFA)

Armless Cast Aluminum Frame Chair

Transport Dolly (SILD)

| | | (SILNA) | (SIGUFA) | (SIGNA) | , , |
|---------------------------|--------------------|--------------------|--------------------|--------------------|-----|
| Features | | | | | |
| Stackable | • | • | • | • | |
| Upholstered seat and back | • | • | • | • | |
| Nylon seat and back | • | • | • | • | |
| Nylon arms | • | | | | |
| General Dimensions | | | | | |
| Seat width | 17-1/2" | 17-1/2" | 17-1/2" | 17-1/2" | |
| Seat depth | 16" | 16" | 16" | 16" | |
| Seat height | 17-3/4" | 17-3/4" | 17-3/4" | 17-3/4" | |
| Overall Dimensions | | | | | |
| Width | 24" | 18-1/4" | 24" | 18-1/4" | 35" |
| Depth | 20" | 20" | 20" | 20" | 33" |
| Height | 32-1/4" | 32-1/4" | 32-1/4" | 32-1/4" | 48" |
| Arms to floor | 27" | | 27" | | |
| Stacking on Dolly | | | | | |
| Overall width | 25" | 25" | 25" | 25" | |
| Overall depth | 39" | 39" | 39" | 39" | |
| Quantity/height | 12 Chairs/65" High | 12 Chairs/65" High | 12 Chairs/65" High | 12 Chairs/65" High | |
| Stacking on Floor | | | | | |
| Width | 24" | 20" | 24" | 20" | |
| Depth | 30" | 30" | 30" | 30" | |
| Quantity/height | 8 Chairs/51" High | 8 Chairs/51" High | 8 Chairs/51" High | 8 Chairs/51" High | |

SPECIFICATIONS

Chair Frame

Frame of 3/4" o.d. x 14-gauge tubular steel. Two leg frames are joined by means of "U"shaped metal plates. Legs and side tubes are welded. Optional cast aluminum frame.

Stool Foot Ring

Footrest is 16mm solid steel rod wrapped around leg tubes and MIG welded top and bottom. Does not apply to cast aluminum frame.

One-piece, textured nylon with fiberglass reinforcement. Back of shell is ribbed to allow back flex.

Nylon reinforced with fiberglass on tubular steel frame or cast aluminum on cast aluminum frame.

Tube Endcaps

Armless chair. Does not apply to cast aluminum frame.

Glides

Ball and socket joints to provide better leveling on any floor. Glides are available in black plastic or chromed steel. Ball and socket joint glides are not available on cast aluminum frame

Stacking Bumper

Plastic seat pan (black) for stacking support.

Frame Finishes

Baked-on, electrostatically-applied epoxy powder coating, bright nickel-chrome plating, or cast aluminum.

Transport Dolly

Tubular steel frame, black powder-coat finish. Four 5" swivel wheels. Stacks 12 high.

Upholstered Seat

Seat is constructed of injection-molded

polypropylene with 3/4" polyurethane foam cushion applied. Fastened to the shell with three screws through T-nuts embedded in inner structure.

Upholstered Backrest

Back is constructed of injection-molded polypropylene with 3/8" polyurethane foam cushion applied. Fastened to the shell with three screws through T-nuts embedded in inner structure.

INFORMATION

C.O.M. Testing and Production Requirements

Not all materials are suitable for upholstering this product. A 1 yd. x 54" sample must be submitted and approved prior to acceptance of an order. If the fabric is directional in pattern or weave, the direction must be indicated on the submitted sample, and additional yardage may be requested.

Test samples must be sent to:

Attn: C.O.M. Specialist 204 West South St Bonduel, WI 54107

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specifying the direction the fabric is to be applied. The posted standard lead time will apply to the Special Cost Request.



Stack/Nesting Silhouette® General Information



Tubular Steel Cafe Stool with Arms (SSILUFA)



Armless Tubular Steel Cafe Stool (SSILNA)

| Features | | |
|---------------------------|---------|---------|
| Stackable | | |
| Upholstered seat and back | • | • |
| Nylon seat and back | • | • |
| Nylon arms | • | |
| General Dimensions | | |
| Seat width | 17-1/2" | 17-1/2" |
| Seat depth | 16" | 16" |
| Seat height | 29" | 29" |
| Overall Dimensions | | |
| Width | 24" | 18-1/4" |
| Depth | 20" | 20" |
| Height | 43-1/2" | 43-1/2" |
| Arms to floor | 37" | |

INFORMATION

WarrantyRefer to KI Terms & Conditions document or visit ki.com

Stack/Nesting Silhouette®

| MODEL NUMBER | | | | | | | | | | |
|--------------|--|-------------|----------------|----------------|-------------------------|------------------|-----------------|-------|---------------------|-------------------------------|
| | | | MODEL | NUMBE | R | | 1 | | | |
| | MODEL | Features | Basic Model | Frame Color | Seat & Back Color | Armrest Color | Glide Option | TB133 | Upholstery Color | Approx. Packaged Weight |
| | Tubular Steel Frame Four-Leg Armless | Nylon | SILNA | | | | | | | 17.0# |
| | Chair | Upholstered | SILUNA | | | | | | | 19.0# |
| | | | | | | | | | | |
| SIL SILU | | | | | | | | | | |
| OILO . | Tubular Steel Frame Four-Leg Armchair | Nylon | SILFA | | | | | | | 19.0# |
| | 3 | Upholstered | SILUFA | | | | | | | 21.0# |
| SIL | | | | | | | | | | |
| SILU | Dolly | | SILD | | | | | | | 26.0# |
| m | For tubular steel or cast aluminum frame | | SILD | | | | | | | 20.0# |
| | | | | | | | | | | |
| مللم | | | | | | | | | | |
| 1777 | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| HRDPT | | | A | B | 0 | D | (3 | • | G | |

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
 Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- **B**Select frame color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select seat and back color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select armrest color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select glide option.

GCH - Chrom

- Chromed steel glides GBL - Black plastic glides

Select TB133.

- Fire retardant - No Fire Retardant NFR

Select upholstery grade/color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

UPHOLSTERY INFORMATION

C.O.M. Upholstery C.O.M. requirement is 3/4 yard per chair of 54" wide nondirectional fabric. For complete information on ordering C.O.M., see "Ordering C.O.M., C.O.V. and C.O.L. section."



Stack/Nesting Silhouette®

| Delivered Pricing Unupholstered | Delivered Pricing Fabric Grade 1 & C.O.M. | Delivered Pricing Fabric Grade 2 | Delivered Pricing Fabric Grade 3 | Delivered Pricing C.O.V. | Delivered Pricing Vinyl Group 2 | Delivered Pricing Pallas Fabric Group P1 | Delivered Pricing Pallas Fabric Group P2 | Delivered Pricing Pallas Fabric Group P3 | Delivered Pricing Pallas Fabric Group P4 |
|------------------------------------|--|---|---|--------------------------------|--|---|---|---|---|
| \$ 323 | 477 | 500 | 500 | 477 | 500 | F44 | 550 | 500 | 0.15 |
| N/A | 477 | 508 | 509 | 477 | 509 | 514 | 550 | 580 | 615 |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| \$ 369 | | | | | | | | | |
| N/A | 520 | 552 | 553 | 520 | 553 | 560 | 596 | 626 | 661 |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| Φ 504 | | | | | | | | | |
| \$ 504 | | | | | | | | | |
| | | | | | | | | | |

OPTIONS

California TB133 Fire Safety Code
The above seating products can be manufactured using the appropriate flame-retardant materials for compliance to California Technical Bulletin 133. Add "FR" to end of model number. Model=Upholstered Added Lead Time=1 week Added List Price=\$75 Model=Nylon Added Lead Time=1 week Added List Price=N/C

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b. Bonduel, Wisconsin 54107 factory. Freight class #125.

Stack/Nesting Silhouette®

| | MODEL NUMBER | | | | | | | | |
|------|---|-------------------------|--------------------|----------------|-------------------------|-------|---------------------|-------------------------------|--|
| | | | MODEL NO | JMBER | <u> </u> | I | | | |
| | MODEL | Features | Basic Model | Frame Color | Seat & Back Color | TB133 | Upholstery Color | Approx. Packaged Weight | |
| _ | Cast Aluminum Frame Four-Leg Armless | Polished | SIGNA | PA | | | | 25.0# | |
| | Chair in Nylon (Plastic) | Powder Coat | SIGNAPC | | | | | 25.0# | |
| SIG | | | | | | | | | |
| | Cast Aluminum Frame Four-Leg Armless Chair Upholstered | Polished Powder Coat | SIGUNA SIGUNAPC | PA □□ | | | | 25.0# 25.0# | |
| | | | | | | | | | |
| SIGU | | | | | | | | | |
| | Cast Aluminum Frame Four-Leg Armchair | Polished | SIGFA | PA | | | | 30.0# | |
| | in Nylon (Plastic) | Powder Coat | SIGFAPC | | | | | 30.0# | |
| SIG | | | | | | | | | |
| | Cast Aluminum Frame Four-Leg Armchair | Polished | SIGUFA | PA | | | | 30.0# | |
| | Upholstered | Powder Coat | SIGUFAPC | | | | | 30.0# | |
| SIGU | | | | | | | | | |
| | | | A | 3 | 0 | Ð | 9 | | |

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- \bullet Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- **B**Select frame color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select seat and back color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- OSelect TB133.

- Fire retardant - No Fire Retardant

Select upholstery grade/color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

UPHOLSTERY INFORMATION

C.O.M. Upholstery
C.O.M. requirement is 3/4 yard per chair of 54" wide nondirectional fabric. For complete information on ordering C.O.M., see "Ordering C.O.M., C.O.V. and C.O.L. section."

OPTIONS

California TB133 Fire Safety Code The above seating products can be manufac-

tured using the appropriate flame-retardant materials for compliance to California Technical Bulletin 133. Add "FR" to end of model number. Model=Upholstered Added Lead Time=1 week Added List Price=\$90 Model=Nylon Added Lead Time=1 week Added List Price=N/C





| Delivered Unuphols | Pricing stered | Delivere Pricing Fabric G 1 & C.O | Grade | Prici | vered ng ic Grade | Pric | vered ing ric Grade | | ivered cing).V. | , | Delivered Pricing /inyl Groo | Prici Palla | vered ng is Fabric ip P1 | Pri Pa | livered cing Ilas Fabr oup P2 | ic | Delive Pricin Pallas Group | g Fabric | Pri Pa | ivered cing las Fabric oup P4 |
|-----------------------|-------------------|--|-------|-------|-------------------------|------|---------------------------|-----|------------------------|---|------------------------------------|----------------|-----------------------------------|-----------|--|----|-------------------------------------|-------------|-----------|--|
| \$ 617 | | | | | | | | | | | | | | | | | | | | |
| 570 | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | |
| N/A | | \$ 75 | 6 | \$ | 786 | \$ | 787 | \$ | 756 | | 787 | \$ | 794 | \$ | 830 | | \$ 8 | 362 | \$ | 894 |
| N/A | | 70 | | | 733 | • | 734 | · · | 703 | | 734 | | 742 | • | 777 | | | 307 | | 840 |
| | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | |
| \$ 750 633 | | | | | | | | | | | | | | | | | | | | |
| 033 | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | |
| N/A | | \$ 89 | 4 | \$ | 924 | \$ | 925 | \$ | 894 | | 925 | \$ | 932 | \$ | 967 | | \$ 9 | 999 | \$ | 1033 |
| N/A | | 76 | 9 | | 800 | | 801 | | 769 | | 801 | | 809 | | 843 | | 3 | 374 | | 909 |
| | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | |

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b. Bonduel, Wisconsin 54107 factory. Freight class #175.

Stack/Nesting Silhouette® Cafe Stools

| | | | MODEL | NUMBER | | | | | | |
|-------------|---|----------------------|-------------------|----------------|-------------------------|------------------|-----------------|-------|---------------------|-------------------------------|
| | MODEL | Features | Basic Model | Frame Color | Seat & Back Color | Armrest Color | Glide Option | TB133 | Upholstery Color | Approx. Packaged Weight |
| | Armless Cafe Stool Stool does not stack Tubular steel frame | Nylon Upholstered | SSILNA SSILUNA | | | | | | | 30.0# 32.0# |
| | | | | | | | | | | |
| SIL SILU | | | | | | | | | | |
| \sim | Cafe Stool with Arms • Stool does not stack | Nylon | SSILFA | | | | | | | 32.0# |
| | Tubular steel frame | Upholstered | SSILUFA | | | | | | | 34.0# |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| - | | | | | | | | | | |
| SIL | | | | | | | | | | |
| SILU | | | | | | | | | | |
| | | | A | B | • | 0 | (3 | • | (| |

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- \bullet Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- **B**Select frame color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select seat and back color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select armrest color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Refer to the color addendum at ki.com or in KI Fabrics & Finishes binders.

Select glide option.

GCH - Chromed steel glides - Black plastic glides

Select TB133.

- Fire retardant - No Fire Retardant **G**Select upholstery grade/color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

UPHOLSTERY INFORMATION

C.O.M. Upholstery C.O.M. requirement is 3/4 yard per chair of 54" wide nondirectional fabric. For complete information on ordering C.O.M., see "Ordering C.O.M., C.O.V. and C.O.L. section."



| | Delivered Pricing | Delivered Pricing | Delivered Pricing | Delivered | Delivered Pricing | Delivered Pricing | Delivered Pricing | Delivered Pricing | Delivered Pricing |
|------------------------------------|----------------------|----------------------|----------------------|-------------------|----------------------|---------------------------|---------------------------|---------------------------|---------------------------|
| Delivered Pricing Unupholstered | | Fabric Grade 2 | Fabric Grade 3 | Pricing C.O.V. | Vinyl Group 2 | Pallas Fabric Group P1 | Pallas Fabric Group P2 | Pallas Fabric Group P3 | Pallas Fabric Group P4 |
| \$ 528 | | | | | | | | | |
| N/A | 681 | 713 | 714 | 681 | 714 | 719 | 756 | 785 | 820 |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| \$ 573 | | | | | | | | | |
| N/A | 726 | 758 | 759 | 726 | 759 | 766 | 800 | 832 | 867 |
| | | | | | | | | | |
| | | | | | | | | | |

OPTIONS

California TB133 Fire Safety Code
The above seating products can be manufactured using the appropriate flame-retardant materials for compliance to California Technical Bulletin 133. Add "FR" to end of model number. Model=Upholstered Added Lead Time=1 week Added List Price=\$75 Model=Nylon Added Lead Time=1 week Added List Price=N/C

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b. Bonduel, Wisconsin 54107 factory. Freight class #125.

Stack/Nesting Strive® General Information













| | Armless Four-Leg Chair (SLNAU) | Four-Leg Cantilever Arm Chair (SLCAP) | Four-Leg Loop Arm Chair (SLLAU) | Four-Leg Tablet Arm Chair (SLTAPRH) | Four-Leg Oversize Tablet Arm Chair (SLOVTAURH) | Four-Leg Cantilever Arm Cafe Stool - 23" or 29" Seat Height (SLSCAU) |
|--|--------------------------------------|---|---------------------------------------|---|--|---|
| Features | | | | | | |
| Stackable | • | • | • | | | |
| Poly, upholstered seat, or upholstered seat/back | • | • | • | • | • | • |
| Flex back | • | • | • | • | • | • |
| General Dimensions | | | | | | |
| Seat width | 18" | 18" | 18" | 18" | 18" | 18" |
| Seat depth | 18" | 18" | 18" | 18" | 18" | 18" |
| Seat height (upholstered add 1") | 17-1/2" | 17-1/2" | 17-1/2" | 17-1/2" | 17-1/2" | 23-1/2" / 29-1/2" |
| Tablet to chair back clearance | | | | 14" | 14" | |
| Overall Dimensions | | | | | | |
| Width | 20-3/4" | 25" | 25" | 24" | 24" | 25" |
| Depth | 21-3/4" | 21-3/4" | 21-3/4" | 27-3/4" | 31" | 23-1/2" / 25" |
| Height | 33" | 33" | 33" | 33" | 33" | 39-1/4" / 45-1/4" |
| Arms to floor | | 26-1/4" | 26-1/4" | 28-1/2" | 28-1/2" | 32-1/2" / 38-1/2" |
| Stacking on Dolly | | | | | | |
| Overall width | 24" | 25" | 25" | | | |
| Overall depth - poly | 40" | 40" | 40" | | | |
| Quantity/height - poly | 15 Chairs/61" High | 15 Chairs/62" High | 15 Chairs/63" High | | | |
| Overall depth - upholstered | 45" | 45" | 45" | | | |
| Quantity/height - upholstered | 8 Chairs/50" High | 8 Chairs/51" High | 8 Chairs/51" High | | | |
| Stacking on Floor | | | | | | |
| Width | 20-3/4" | 25" | 25" | | | |
| Depth | 27-1/2" | 27-1/2" | 27-1/2" | | | |
| Quantity/height | 4 Chairs/39" High | 4 Chairs/39" High | 4 Chairs/39" High | | | |

SPECIFICATIONS

Frame

Legs are 7/8" o.d. x 13-gauge tubular steel. Cross members are 1" o.d. x 14-gauge tubular steel and 7/16" diameter solid steel. All joints are welded. Frames are available in 4-leg or sled base configurations.

Arms

Optional cantilever arms or loop arms are available. When equipped with arms, the supporting structure is a continuation of the rear leg finished to match the frame color. The armcaps are injection molded nylon matching the frame finish (for chrome, hammertone, and starlight silver frames, armcaps will match poly color). The armcaps are attached to the steel structure by means of screws.

Seat and Shroud

Injection molded polypropylene.

Backrest

Injection molded polypropylene with integral steel cantilever springs. The combination of the slotted polypropylene back and the spring steel provides a supportive flexing back. Springs are nominal 4.5mm diameter chrome silicon valve spring wire.

Optional Upholstered Seat

Molded urethane foam is attached to an injection molded polypropylene seat board, then upholstered using a draw-string process. The assembled seat pad is attached to the seat by means of hidden fasteners.

Optional Upholstered Back

1/2" thick urethane foam is attached to an injection molded polypropylene back board, then upholstered using a draw-string process. The assembled back pad is attached to the back by means of fasteners which are exposed and are color matched to the polypropylene.

Frame Finishes

Baked-on electrostatically-applied 45° gloss epoxy powder coating or bright nickel-chrome plating.

Tablet Arm

Tablet support loop is a continuation of the rear leg and may be ordered on the right or left side. A formed steel hinge is welded to the top of the support structure and secured with screws to the underside of the writing surface. Writing surface for standard tablet is 9-1/2" x 20-3/4" x 12-1/2" and oversize tablet is 15-1/2" x 22-1/2" x 14" plywood core of 5/8" thick, 11-ply hardwood surfaced with .030" high-pressure laminate top and plain backer undersurface. Tablet flips up for easy access. Edges are lacquered and sealed.

Four-Leg Cafe Stools

Four-leg models on glides are available in 23-1/2" and 29-1/2" seat heights. Stoolheight units are equipped with a reinforcing foot ring made of 7/8" diameter 13-gauge

steel tubing.

Stacking Vinyl Upholstered Chairs

It is recommended that chairs to be stacked be covered in material other than vinyl as an impression in the seat may result. KI does not warrant the effects of stacking on stock or C.O.M. vinyl upholstery.

INFORMATION

C.O.M. Testing and Production Requirements

Not all materials are suitable for upholstering this product. A 1 yd. x 54" sample must be submitted and approved prior to acceptance of an order. If the fabric is directional in pattern or weave, the direction must be indicated on the submitted sample, and additional yardage may be requested.

Test samples must be sent to:









Four-Leg Cantilever Armless Stool - 23" or 29" Seat Height with Top Stitch (SLSNATSU)

| Armless Wallsaver Four-Leg Chair (SLNAU) | Four-Leg Wallsaver Cantilever Arm Chair (SLCAP) |
|--|---|
| | |
| • | • |
| | |

Four-Leg Wallsaver Loop Arm Chair (SLLAU)

| | (SLSNAISU) | | | |
|--|-------------------|-------------------|-------------------|-------------------|
| Features | | | | |
| Stackable | | • | • | • |
| Poly, upholstered seat, or upholstered seat/back | • | • | • | • |
| Flex back | • | • | • | • |
| General Dimensions | | | | |
| Seat width | 18" | 18" | 18" | 18" |
| Seat depth | 18" | 18" | 18" | 18" |
| Seat height (upholstered add 1") | 23-1/2" / 29-1/2" | 17-1/2" | 17-1/2" | 17-1/2" |
| Overall Dimensions | | | | |
| Width | 25" | 20-3/4" | 25" | 25" |
| Depth | 23-1/2" / 25" | 22-3/4" | 22-3/4" | 22-3/4" |
| Height | 39-1/4" / 45-1/4" | 33" | 33" | 33" |
| Arms to floor | 32-1/2" / 38-1/2" | | 26-1/4" | 26-1/4" |
| Stacking on Floor | | | | |
| Width | | 20-3/4" | 25" | 25" |
| Depth | | 28-1/2" | 28-1/2" | 28-1/2" |
| Quantity/height | | 4 Chairs/39" High | 4 Chairs/39" High | 4 Chairs/39" High |
| | | | | |

Attn: C.O.M. Specialist 1441 Ontario Street Green Bay, WI 54311

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specifying the direction the fabric is to be applied.
The posted standard lead time will apply to the Special Cost Request.

Design

Designed by Giancarlo Piretti and manufactured in the USA by Krueger International, Inc. under license from Pro-Cord S.p.A

INFORMATION

WarrantyRefer to KI Terms & Conditions document or visit ki.com

Stack/Nesting Strive® General Information













| Arm | ess | Four- | Leg |
|------|--------|-------|------|
| Chai | r with | ı Cas | ters |
| | CI M | VDC/ | |

Four-Leg Cantilever

Four-Leg Loop Arm

Armless Sled

Sled Base Cantilever

Sled Base Tablet

| | Chair with Casters (SLNAPC) | Arm Chair with Casters (SLCAUC) | Chair with Casters (SLLAUC) | Base Chair (SSNAP) | Arm Chair (SSCAU) | Arm Chair (SSTARP) |
|--|--------------------------------|------------------------------------|--------------------------------|-----------------------|----------------------|-----------------------|
| Features | | | | | | |
| Stackable | • | • | • | • | • | |
| Poly, upholstered seat, or upholstered seat/back | • | • | • | • | • | • |
| Flex back | • | • | • | • | • | • |
| General Dimensions | | | | | | |
| Seat width | 18" | 18" | 18" | 18" | 18" | 18" |
| Seat depth | 18" | 18" | 18" | 18" | 18" | 18" |
| Seat height (upholstered add 1") | 17-3/4" | 17-3/4" | 17-3/4" | 17-3/4" | 17-3/4" | 17-3/4" |
| Tablet to chair back clearance | | | | | | 14" |
| Overall Dimensions | | | | | | |
| Width | 21-1/4" | 25" | 25" | 20-3/4" | 25" | 24" |
| Depth | 22-1/2" | 22-1/2" | 22-1/2" | 21-3/4" | 21-3/4" | 27-3/4" |
| Height | 33-1/4" | 33-1/4" | 33-1/4" | 33-1/4" | 33-1/4" | 33-1/4" |
| Arms to floor | | 26-1/2" | 26-1/2" | | 26-1/2" | 28-1/2" |
| Stacking on Dolly | | | | | | |
| Width | | | | 24" | 25" | |
| Depth - poly | | | | 48" | 48" | |
| Quantity/height - poly | | | | 15 Chairs/64" High | 15 Chairs/64" High | |
| Depth - upholstered | | | | 48" | 48" | |
| Quantity/height - upholstered | | | | 8 Chairs/50" High | 8 Chairs/50" High | |
| Stacking on Floor | | | | | | |
| Width | 20-3/4" | 25" | 25" | 20-3/4" | 25" | |
| Depth | 27-1/2" | 27-1/2" | 27-1/2" | 27-1/2" | 27-1/2" | |
| Quantity/height | 4 Chairs/39" High | 4 Chairs/39" High | 4 Chairs/39" High | 4 Chairs/39" High | 4 Chairs/39" High | |

SPECIFICATIONS

Frame

Legs are 7/8" o.d. x 13-gauge tubular steel. Cross members are 1" o.d. x 14-gauge tubular steel and 7/16" diameter solid steel. All joints are welded. Frames are available in 4-leg or sled base configurations.

Arms

Optional cantilever arms or loop arms are available. When equipped with arms, the supporting structure is a continuation of the rear leg finished to match the frame color. The armcaps are injection molded nylon matching the frame finish (for chrome, hammertone, and starlight silver frames, armcaps will match poly color). The armcaps are attached to the steel structure by means of screws.

Seat and Shroud

Injection molded polypropylene.

Backrest

Injection molded polypropylene with integral steel cantilever springs. The combination of the slotted polypropylene back and the spring steel provides a supportive flexing back. Springs are nominal 4.5mm diameter chrome silicon valve spring wire.

Optional Upholstered Seat Molded urethane foam is attached to an injection molded polypropylene seat board, then upholstered using a draw-string process. The assembled seat pad is attached to the seat by means of hidden fasteners.

Optional Upholstered Back

1/2" thick urethane foam is attached to an injection molded polypropylene back board, then upholstered using a draw-string process. The assembled back pad is attached to the back by means of fasteners which are exposed and are color matched to the polypropylene.

Frame Finishes

Baked-on electrostatically-applied 45° gloss epoxy powder coating or bright nickelchrome plating.

Casters

Four-leg chairs may be ordered with carpet casters or hard floor casters instead of glides (does not apply to cafe stools). Casters are double-wheel, high-impact thermoplastic and are available in black only.

Tablet Arm

Tablet support loop is a continuation of the rear leg and may be ordered on the right or left side. A formed steel hinge is welded to the top of the support structure and secured with screws to the underside of the writing surface. Writing surface for standard tablet is 9-1/2" x 20-3/4" x 12-1/2" and oversize tablet is 15-1/2" x 22-1/2" x 14" plywood core of 5/8" thick, 11-ply hardwood surfaced with .030" high-pressure laminate top and plain backer undersurface. Tablet flips up for easy access. Edges are lacquered and

sealed.

Stacking Vinyl Upholstered Chairs

It is recommended that chairs to be stacked be covered in material other than vinvl as an impression in the seat may result. KI does not warrant the effects of stacking on stock or C.O.M. vinyl upholstery.

INFORMATION

C.O.M. Testing and Production Requirements

Not all materials are suitable for upholstering this product. A 1 yd. x 54" sample must be submitted and approved prior to acceptance of an order. If the fabric is directional in pattern or weave, the direction must be indicated on the submitted sample, and additional yardage may be requested.

Test samples must be sent to:



Stack/Nesting Strive® General Information



Transport Dolly (SCD.BL)

| Overall Dimensions | |
|--------------------|---------|
| Width | 24" |
| Depth | 29" |
| Height | 16-1/2" |

Attn: C.O.M. Specialist 1441 Ontario Street Green Bay, WI 54311

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specify-ing the direction the fabric is to be applied. The posted standard lead time will apply to the Special Cost Request.

Designed by Giancarlo Piretti and manufactured in the USA by Krueger International, Inc. under license from Pro-Cord S.p.A

| | | | MODEL N | UMBER | | | | | |
|------|--|---|----------------|----------------|-------------------------|----------------|-----------------|---------------------|-------------------------------|
| | MODEL | Features | Basic Model | Frame Color | Seat & Back Color | Caster Type | Glide Option | Upholstery Color | Approx. Packaged Weight |
| | Four-Leg Armless Chair | Polypropylene | SLNAP | | | | | | 20.0# |
| | Flex backStacking | Upholstered Seat | SLNAU | | | | | | 23.0# |
| | - Stacking | Upholstered Seat/Back | SLNAUB | | | | | | 23.0# |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| U | | | | | | | | | |
| SLP | | | | | | | | | |
| SLU | | | | | | | | | |
| SLUB | | - · · · · · · · · · · · · · · · · · · · | 0111100 | | | | | | 22.2 " |
| | Four-Leg Armless Chair with Casters • Flex back | Polypropylene, Casters | SLNAPC | | | | | | 26.0# |
| | Stacking. Caution should be excercised | Uph. Seat, Casters | SLNAUC | | | | | | 29.0# |
| | to prevent casters from marring compo- | Uph. Seat/Back, Casters | SLNAUBC | | | | | | 29.0# |
| | nents such as frames, fabric, etc., and to prevent casters from becoming "hung | | | | | | | | |
| | up" underneath the seat of the chair | | | | | | | | |
| 08 | Stacking on dollies is NOT recommend- | | | | | | | | |
| SLP | ed | | | | | | | | |
| SLU | | | | | | | | | |
| SLUB | | | | | | | | | |
| 0200 | | | A | B | • | 0 | (3 | • | |

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- **B**Select frame color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select seat and back color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

• Select casters.

- Carpet casters - Hard floor casters

Select glide option.

P - Plastic glides

- Steel glides

Select upholstery grade/color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

UPHOLSTERY INFORMATION

C.O.M. Upholstery

C.O.M. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back and for complete information on ordering C.O.M. see "Ordering C.O.M., C.O.V. and C.O.L." section.

OPTIONS

California TB133 Fire Safety Code
The above seating products can be manufactured using the appropriate flame-retardant materials for compliance to California Technical Bulletin 133. Add "FR" to end of model number. Model=Polypropylene Added List Price=\$10 Model=Upholstered Seat Added List Price=\$64 Model=Upholstered Seat and Back Added List Price=\$91



| \$ 215 N/A 273 299 311 273 311 346 365 384 401 | Delivered Pricin Unupholstered \$ 180 N/A N/A | Delivered Pricing ng Fabric Grade 1 & C.O.M. 238 287 | Delivered Pricing Fabric Grade 2 264 314 | Delivered Pricing Fabric Grade 3 276 325 | Delivered Pricing C.O.V. 238 287 | Delivered Pricing Vinyl Group 2 276 325 | Delivered Pricing Pallas Fabric Group P1 309 359 | Delivered Pricing Pallas Fabric Group P2 328 377 | Delivered Pricing Pallas Fabric Group P3 348 398 | Delivered Pricing Pallas Fabric Group P4 365 414 |
|---|---|---|---|---|--|--|---|---|---|---|
| IV/A 522 540 501 522 501 595 414 452 450 | | 273 322 | 299 348 | 311 361 | 273 322 | 311 361 | 346 395 | 365 414 | 384 432 | 401 450 |

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b. Green Bay, Wisconsin 54302 factory. Freight class #125.

| | | | MODEL NUI | MBER | | | | | | |
|-------|---|-------------------------|----------------|----------------|-------------------------|------------------------|----------------|-----------------|---------------------|--|
| | MODEL | Features | Basic Model | Frame Color | Seat & Back Color | Top Stitch Color | Caster Type | Glide Option | Upholstery Color | |
| | Four-Leg Armless Chair with Top Stitch | Upholstered Seat | SLNATSU | | | | | | | |
| | on Seat | Upholstered Seat/Back | SLNATSUB | | | | | | | |
| | Flex back | | | | | | | | | |
| | Stacking | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| ا ا | | | | | | | | | | |
| SLTS | | | | | | | | | | |
| SLBTS | | | | | | | | | | |
| 022.0 | Four-Leg Armless Chair with Casters with | Uph. Seat, Casters | SLNATSUC | | | | | | | |
| | Top Stitch on Seat | Uph. Seat/Back, Casters | SLNATSUBC | | | | | | | |
| | Flex back | op ocac zaon, oaotoro | 32.2.10000 | | | | | | | |
| | Stacking. Caution should be excercised | | | | | | | | | |
| | to prevent casters from marring compo- | | | | | | | | | |
| 4 4 | nents such as frames, fabric, etc., and to prevent casters from becoming "hung | | | | | | | | | |
| w h | up" underneath the seat of the chair | | | | | | | | | |
| 01.70 | Stacking on dollies is NOT recommend- | | | | | | | | | |
| SLTS | ed | | | | | | | | | |
| SLBTS | | | | | | | | | | |
| | | | A | B | Θ | O | (3 | (3) | G | |

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- **B**Select frame color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select poly seat and back color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

OSelect top stitch color.

BLTS - Black WHTS - White

Select casters.

- Carpet casters - Hard floor casters

Select glide option.

P - Plastic glides

S - Steel glides

GSelect upholstery grade/color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

UPHOLSTERY INFORMATION

C.O.M. Upholstery C.O.M. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back and for complete information on ordering C.O.M. see "Ordering C.O.M., C.O.V. and C.O.L." section.



Approx. Packaged Weight Pricing Pallas Fabric Group P1

23.0# \$ 348

23.0# 398

29.0# \$ 384 29.0# 432

OPTIONS

California TB133 Fire Safety Code

The above seating products can be manufactured using the appropriate flame-retardant materials for compliance to California Technical Bulletin 133. Add "FR" to end of model number.

Model=Polypropylene
Added List Price=\$10
Model=Upholstered Seat
Added List Price=\$64
Model=Upholstered Seat and Back
Added List Price=\$91

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b. Green Bay, Wisconsin 54302 factory. Freight class #125.

| | | | MODEL NUMBER | | | | | | |
|---------|---|-------------------------|----------------|----------------|-------------------------|----------------|-----------------|---------------------|-------------------------------|
| | MODEL | Features | Basic Model | Frame Color | Seat & Back Color | Caster Type | Glide Option | Upholstery Color | Approx. Packaged Weight |
| | Four-Leg Cantilever Armchair Flex back Stacking | Polypropylene | SLCAP | | | | | | 23.0# |
| | | Upholstered Seat | SLCAU | | | | | | 26.0# |
| | | Upholstered Seat/Back | SLCAUB | | | | | | 26.0# |
| | | | | | | | | | |
| | | | | | | | | | |
| U U U | | | | | | | | | |
| U " | | | | | | | | | |
| SLP | | | | | | | | | |
| SLU | | | | | | | | | |
| SLUB | | | | | | | | | |
| | Four-Leg Cantilever Armchair with | Polypropylene, Casters | SLCAPC | | | | | | 28.0# |
| | Flex back Stacking. Caution should be excercised to prevent casters from marring components such as frames, fabric, etc., and | Uph. Seat, Casters | SLCAUC | | | | | | 31.0# |
| | | Uph. Seat/Back, Casters | SLCAUBC | | | | | | 31.0# |
| | | | | | | | | | |
| | | | | | | | | | |
| Ma ∥ Ma | to prevent casters from becoming "hung | | | | | | | | |
| 08) | up" underneath the seat of the chairStacking on dollies is NOT recommend- | | | | | | | | |
| SLP | ed | | | | | | | | |
| SLU | | | | | | | | | |
| SLUB | | | | | | | | | |
| | | | A | B | Θ | 0 | 3 | (3 | |

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- \bullet Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect frame color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select poly seat and back color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select casters.

- Carpet casters - Hard floor casters

Select glide option.

Plastic glides - Steel glides

Select upholstery grade/color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

UPHOLSTERY INFORMATION

C.O.M. Upholstery

C.O.M. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back and for complete information on ordering C.O.M. see "Ordering C.O.M., C.O.V. and C.O.L." section.

OPTIONS

California TB133 Fire Safety Code
The above seating products can be manufactured using the appropriate flame-retardant materials for compliance to California Technical Bulletin 133. Add "FR" to end of model number. Model=Polypropylene Added List Price=\$10 Model=Upholstered Seat Added List Price=\$64 Model=Upholstered Seat and Back Added List Price=\$91



| Unuph | | Delivered Pricing Fabric Grade 1 & C.O.M. | Delivered Pricing Fabric Grade 2 | Delivered Pricing Fabric Grade 3 | Delivered Pricing C.O.V. | Delivered Pricing Vinyl Group 2 | Delivered Pricing Pallas Fabric Group P1 | Delivered Pricing Pallas Fabric Group P2 | Delivered Pricing Pallas Fabric Group P3 | Delivered Pricing Pallas Fabric Group P4 |
|-------|------|--|---|---|--------------------------------|--|---|---|---|---|
| | I/A | 292 | 319 | 329 | 292 | 329 | 364 | 383 | 402 | 419 |
| | I/A | 341 | 368 | 378 | 341 | 378 | 413 | 431 | 451 | 468 |
| | .,,, | 3.7 | 220 | 3.0 | 311 | 310 | .10 | .51 | .51 | .00 |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| \$ 2 | 169 | | | | | | | | | |
| N | I/A | 327 | 353 | 366 | 327 | 366 | 400 | 419 | 438 | 455 |
| N | I/A | 376 | 403 | 415 | 376 | 415 | 448 | 468 | 488 | 504 |
| | | | | | | | | | | |
| | | | | | | | | | | |

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b. Green Bay, Wisconsin 54302 factory. Freight class #125.

| | | | MODEL NU | MBER | | | | | | |
|-------|---|--------------------------|----------------|-------------------------|-------------------------|------------------------|----------------|-----------------|---------------------|--|
| | MODEL | Features | Basic Model | Frame Color | Seat & Back Color | Top Stitch Color | Caster Type | Glide Option | Upholstery Color | |
| | Four-Leg Cantilever Armchair with Top | Upholstered Seat | SLCATSU | | | | | | | |
| | Stitch on Seat | Upholstered Seat/Back | SLCATSUB | | | | | | | |
| | Flex back | , | | | | | | | | |
| | Stacking | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| SLTS | | | | | | | | | | |
| SLBTS | | | | | | | | | | |
| 02210 | Four-Leg Cantilever Armchair with Cast- | Uph. Seat, Casters | SLCATSUC | | | | | | | |
| | ers with Top Stitch on Seat | Uph. Seat/Back, Casters | SLCATSUBC | | | | | | | |
| | Flex back | opini oday baon, dadioro | 020/110020 | | | | | | | |
| | Stacking. Caution should be excercised | | | | | | | | | |
| | to prevent casters from marring compo- nents such as frames, fabric, etc., and | | | | | | | | | |
| , de | to prevent casters from becoming "hung | | | | | | | | | |
| M M | up" underneath the seat of the chair | | | | | | | | | |
| SLTS | Stacking on dollies is NOT recommend- | | | | | | | | | |
| | ed | | | | | | | | | |
| SLBTS | | | | | | | | | | |
| | | | A | $oldsymbol{\mathbf{B}}$ | $\mathbf{\Theta}$ | O | ⅎ | (3) | (| |
| | | | | | | | | | | |

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- \bullet Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- **B**Select frame color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select poly seat and back color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- OSelect top stitch color.

BLTS - Black WHTS - White

Select casters.

- Carpet casters - Hard floor casters

Select glide option.

P - Plastic glides

S - Steel glides

GSelect upholstery grade/color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

UPHOLSTERY INFORMATION



Approx. Packaged Weight Pricing Pallas Fabric Group P1

26.0# \$403
26.0# 452

31.0# \$ 437 31.0# 487

OPTIONS

California TB133 Fire Safety Code

The above seating products can be manufactured using the appropriate flame-retardant materials for compliance to California Technical Bulletin 133. Add "FR" to end of model number.

Model=Polypropylene
Added List Price=\$10
Model=Upholstered Seat
Added List Price=\$64
Model=Upholstered Seat and Back
Added List Price=\$91

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b. Green Bay, Wisconsin 54302 factory. Freight class #125.

Stack/Nesting

Strive® Chairs

MODEL NUMBER Seat & Frame Back Caster Glide Upholstery Basic MODEL **Features** Model Color Color Color Type Option Four-Leg Loop Arm Chair Polypropylene SLLAP ПП П Flex back Upholstered Seat SLLAU Stacking Upholstered Seat/Back SLLAUB SLP SLU SLUB Four-Leg Loop Arm Chair with Casters SLLAPC Polypropylene, Casters Flex back Upholstered Seat, Casters SLLAUC Stacking. Caution should be excercised Uph. Seat/Back, Casters SLLAUBC to prevent casters from marring components such as frames, fabric, etc., and to prevent casters from becoming "hung up" underneath the seat of the chair below Stacking on dollies is NOT recommend-SLP ed SLU SLUB **(A)** 0 Θ 0 **9 3**

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the □ indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- Select frame color.

 Refer to color addendum at ki.com or
 KI Fabrics & Finishes binder.
- Select poly seat and back color.

 Refer to color addendum at ki.com or
 KI Fabrics & Finishes binder.

• Select casters.

C - Carpet casters
S - Hard floor casters

Select glide option.

P - Plastic glides
S - Steel glides

Select upholstery grade/color.
Refer to color addendum at ki.com or
KI Fabrics & Finishes binder.

UPHOLSTERY INFORMATION

C.O.M. Upholstery

C.O.M. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back and for complete information on ordering C.O.M. see "Ordering C.O.M., C.O.V. and C.O.L." section.

OPTIONS

California TB133 Fire Safety Code

The above seating products can be manufactured using the appropriate flame-retardant materials for compliance to California Technical Bulletin 133. Add "FR" to end of model number.

Model=Polypropylene
Added List Price=\$10
Model=Upholstered Seat
Added List Price=\$64
Model=Upholstered Seat and Back
Added List Price=\$91



| Approx. Packaged Weight 25.0# | Delivered Pricing Unupholstered \$ 246 | Delivered Pricing Fabric Grade 1 & C.O.M. | Delivered Pricing Fabric Grade 2 | Delivered Pricing Fabric Grade 3 | Delivered Pricing C.O.V. | Delivered Pricing Vinyl Group 2 | Delivered Pricing Pallas Fabric Group P1 | Delivered Pricing Pallas Fabric Group P2 | Delivered Pricing Pallas Fabric Group P3 | Delivered Pricing Pallas Fabric Group P4 |
|--|---|--|---|---|--------------------------------|--|---|---|---|---|
| 27.0# | φ 240 N/A | 303 | 329 | 342 | 303 | 342 | 376 | 395 | 413 | 430 |
| | | | | | | | | | | |
| 27.0# | N/A | 352 | 378 | 390 | 352 | 390 | 425 | 444 | 462 | 479 |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| 00.0// | Φ 000 | | | | | | | | | |
| 30.0# | \$ 282 | | | | | | | | | |
| 32.0# | N/A | 339 | 366 | 378 | 339 | 378 | 411 | 430 | 451 | 466 |
| 32.0# | N/A | 388 | 415 | 427 | 388 | 427 | 460 | 479 | 499 | 515 |
| | | | | | | | | | | |
| | | | | | | | | | | |

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b. Green Bay, Wisconsin 54302 factory. Freight class #125.

| MODEL NUMBER | | | | | | | | | | |
|--------------|---|-------------------------|----------------|----------------|-------------------------|------------------------|----------------|-----------------|---------------------|--|
| | | | MODEL NO | MDEU | | | | | | |
| | MODEL | Features | Basic Model | Frame Color | Seat & Back Color | Top Stitch Color | Caster Type | Glide Option | Upholstery Color | |
| | Four-Leg Loop Arm Chair with Top Stitch | Upholstered Seat | SLLATSU | | | | | | | |
| | on Seat | Upholstered Seat/Back | SLLATSUB | | | | | | | |
| | Flex back Charling | | | | | | | | | |
| | Stacking | | | | | | | | | |
| | | | | | | | | | | |
| U U | | | | | | | | | | |
| ll n | | | | | | | | | | |
| SLTS | | | | | | | | | | |
| SLBTS | | | | | | | | | | |
| | Four-Leg Loop Arm Chair with Casters | Uph. Seat, Casters | SLLATSUC | | | | | | | |
| | with Top Stitch on Seat | Uph. Seat/Back, Casters | SLLATSUBC | | | | | | | |
| | Flex back Stacking Courties about he experiend | | | | | | | | | |
| | Stacking. Caution should be excercised to prevent casters from marring compo- | | | | | | | | | |
| | nents such as frames, fabric, etc., and | | | | | | | | | |
| o# o#] | to prevent casters from becoming "hung | | | | | | | | | |
| da da | up" underneath the seat of the chair below | | | | | | | | | |
| SLTS | Stacking on dollies is NOT recommend- | | | | | | | | | |
| SLBTS | ed | | | | | | | | | |
| | | | A | ß | • | 0 | 3 | (3 | Ө | |

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- \bullet Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- **B**Select frame color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select poly seat and back color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- OSelect top stitch color.

BLTS - Black WHTS - White

Select casters.

- Carpet casters - Hard floor casters

Select glide option.

P - Plastic glides

S - Steel glides

GSelect upholstery grade/color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

UPHOLSTERY INFORMATION



Delivered
Approx. Pricing
Packaged Pallas Fabric
Weight Group P1

27.0# \$ 414
27.0# 463

32.0# \$ 450 32.0# 498

OPTIONS

California TB133 Fire Safety Code

The above seating products can be manufactured using the appropriate flame-retardant materials for compliance to California Technical Bulletin 133. Add "FR" to end of model number.

Model=Polypropylene
Added List Price=\$10
Model=Upholstered Seat
Added List Price=\$64
Model=Upholstered Seat and Back
Added List Price=\$91

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b. Green Bay, Wisconsin 54302 factory. Freight class #125.

| | | | MODEL NUMBER | | | | | | | |
|--------|--|----------------------------|----------------|---------------------|-------------------------|-----------------|------------------------|---------------------|--|--|
| | | | | | | | | | | |
| | MODEL | Features | Basic Model | Frame Color | Seat & Back Color | Glide Option | Tablet Arm Color | Upholstery Color | | |
| | Four-Leg Tablet Arm Chair | Polypropylene, Left Hand | SLTAPLH | | | | | | | |
| | Flex backNONSTACKING | Polypropylene, Right Hand | SLTAPRH | | | | | | | |
| | NONSTACKING | Uph. Seat, Left Hand | SLTAULH | | | | | | | |
| | | Uph. Seat, Right Hand | SLTAURH | | | | | | | |
| | | Uph. Seat/Back, Left Hand | SLTAUBLH | | | | | | | |
| U U U | | Uph. Seat/Back, Right Hand | SLTAUBRH | | | | | | | |
| ų s | | | | | | | | | | |
| .P | | | | | | | | | | |
| .U | | | | | | | | | | |
| LUB | | | | | | | | | | |
| | Four-Leg Oversize Tablet Arm Chair Oversized tablet | Polypropylene, Left Hand | SLOVTAPLH | | | | | | | |
| | Flex back | Polypropylene, Right Hand | SLOVTAPRH | | | | | | | |
| | NONSTACKING | Uph. Seat, Left Hand | SLOVTAULH | | | | | | | |
| | | Uph. Seat, Right Hand | SLOVTAURH | | | | | | | |
| | | Uph. Seat/Back, Left Hand | SLOVTAUBLH | | | | | | | |
| " " | | Uph. Seat/Back, Right Hand | SLOVTAUBRH | | | | | | | |
| | | | | | | | | | | |
| P | | | | | | | | | | |
| U | | | | | | | | | | |
| SLUB | | | | | | | | | | |
| | | | A | $oldsymbol{\Theta}$ | • | 0 | (3 | • | | |

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect frame color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select poly seat and back color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select glide option.

- Plastic glides - Steel glides

- Select tablet arm color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select upholstery grade/color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

UPHOLSTERY INFORMATION

C.O.M. Upholstery

C.O.M. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back and for complete information on ordering C.O.M. see "Ordering C.O.M., C.O.V. and C.O.L." section.

OPTIONS

California TB133 Fire Safety Code
The above seating products can be manufactured using the appropriate flame-retardant materials for compliance to California Technical Bulletin 133. Add "FR" to end of model number. Model=Polypropylene Added List Price=\$10 Model=Upholstered Seat Added List Price=\$64 Model=Upholstered Seat and Back Added List Price=\$91



| Approx. Packaged Weight | Delivered Pricing Unupholstered | Delivered Pricing Fabric Grade 1 & C.O.M. | Delivered Pricing Fabric Grade 2 | Delivered Pricing Fabric Grade 3 | Delivered Pricing C.O.V. | Delivered Pricing Vinyl Group 2 | Delivered Pricing Pallas Fabric Group P1 | Delivered Pricing Pallas Fabric Group P2 | Delivered Pricing Pallas Fabric Group P3 | Delivered Pricing Pallas Fabric Group P4 |
|-------------------------------|---------------------------------------|--|---|---|--------------------------------|--|---|---|---|---|
| 33.0# | \$ 348 | | | | | | | | | |
| 33.0# | 348 | | | | | | | | | |
| 35.0# | N/A | 406 | 431 | 444 | 406 | 444 | 478 | 497 | 515 | 533 |
| 35.0# | N/A | 406 | 431 | 444 | 406 | 444 | 478 | 497 | 515 | 533 |
| 35.0# | N/A | 455 | 481 | 493 | 455 | 493 | 527 | 546 | 565 | 581 |
| 35.0# | N/A | 455 | 481 | 493 | 455 | 493 | 527 | 546 | 565 | 581 |
| | | | | | | | | | | |
| 33.0# | \$ 406 | | | | | | | | | |
| 33.0# | 406 | | | | | | | | | |
| 35.0# | N/A | 463 | 547 | 559 | 463 | 559 | 594 | 613 | 630 | 649 |
| 35.0# | N/A | 463 | 547 | 559 | 463 | 559 | 594 | 613 | 630 | 649 |
| 35.0# | N/A | 512 | 596 | 608 | 512 | 608 | 643 | 661 | 679 | 698 |
| 35.0# | N/A | 512 | 596 | 608 | 512 | 608 | 643 | 661 | 679 | 698 |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b. Green Bay, Wisconsin 54302 factory. Freight class #125.

| | | MODEL NUMBE | | | | | | | |
|--|--|----------------|----------------|-------------------------|------------------------|-----------------|------------------------|---------------------|-------------------------------|
| | Features | Basic Model | Frame Color | Seat & Back Color | Top Stitch Color | Glide Option | Tablet Arm Color | Upholstery Color | Approx. Packaged Weight |
| | Uph Seat, Left Hand | SLTATSULH | | | | | | | 35.0# |
| | Uph Seat, Right Hand | SLTATSURH | | | | | | | 35.0# |
| | Uph Seat/Back, Left Hand | SLTATSUBLH | | | | | | | 35.0# |
| | Uph Seat/Back, Right Hand | SLTATSUBRH | | | | | | | 35.0# |
| | | | | | | | | | |
| | | | | | | | | | |
| U U | | | | | | | | | |
| l u | | | | | | | | | |
| SLTS | | | | | | | | | |
| SLBTS | | | | | | | | | |
| Four-Leg Tablet Arm Chair with Top Stitch on Seat | | | | | | | | | |
| | | | | | | | | | |
| Flex backNONSTACKING | | | | | | | | | |
| | Uph Seat, Left Hand | SLOVTATSULH | | | | | | | 35.0# |
| | Uph Seat, Right Hand | SLOVTATSURH | | | | | | | 35.0# |
| | Uph Seat/Back, Left Hand | SLOVTATSUBLH | | | | | | | 35.0# |
| | Uph Seat/Back, Right Hand | SLOVTATSUBRH | | | | | | | 35.0# |
| | op., o.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,, | | | | | | | | 20.00 |
| [| | | | | | | | | |
| ll II | | | | | | | | | |
| SLTS | | | | | | | | | |
| SLBTS | | | | | | | | | |
| Four-Leg Oversize Tablet Arm Chair | | | | | | | | | |
| with Top Stitch on Seat | | | | | | | | | |
| Oversized tablet | | | | | | | | | |
| Flex backNONSTACKING | | | | | | | | | |
| - INDINGRIGHTON | | | | | | | | | |
| | | A | B | œ | 0 | (3 | (3) | G | |

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- \bullet Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- **B**Select frame color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select poly seat and back color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- OSelect top stitch color.

BLTS - Black WHTS - White

Select glide option.

P - Plastic glides - Steel glides

- Select tablet arm color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- GSelect upholstery grade/color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

UPHOLSTERY INFORMATION



Delivered Pricing Pallas Fabric Group P1

\$ 516

516

566

566

\$ 631

631

680

680

OPTIONS

California TB133 Fire Safety Code The above seating products can be manufac-

The above seating products can be manufactured using the appropriate flame-retardant materials for compliance to California Technical Bulletin 133. Add "FR" to end of model number.

Model=Polypropylene
Added List Price=\$10

Model=Upholstered Seat
Added List Price=\$64

Model=Upholstered Seat and Back
Added List Price=\$91

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b. Green Bay, Wisconsin 54302 factory. Freight class #125.

| | | | MODEL NU | MBER | | | | |
|--------------------|---|---|--|----------------|-------------------|--------------------------------|---------------------|---|
| | WODEL Four-Leg Wallsaver Armless Chair Flex back Stacking Wallsaver rear legs touch base of wall preventing chair back from contacting wall surface | Features Polypropylene Upholstered Seat Upholstered Seat/Back | Basic Model SLNAPWS SLNAUWS SLNAUBWS | Frame Color | Seat & Back Color | Glide Option S S S | Upholstery Color | Approx. Packaged Weight 20.0# 23.0# 23.0# |
| SLP SLU SLUB | | | | | | | | |
| | Four-Leg Wallsaver Cantilever Armchair Flex back Stacking Wallsaver rear legs touch base of wall preventing chair back from contacting wall surface | Polypropylene Upholstered Seat Upholstered Seat/Back | SLCAPWS SLCAUWS SLCAUBWS | | | S S S | | 23.0# 26.0# 26.0# |
| SLP SLU SLUB | | | | | | | | |
| | Four-Leg Wallsaver Loop Arm Chair Flex back Stacking Wallsaver rear legs touch base of wall preventing chair back from contacting wall surface | Polypropylene Upholstered Seat Upholstered Seat/Back | SLLAPWS SLLAUWS SLLAUBWS | | | S S S | | 25.0# 27.0# 27.0# |
| SLP SLU SLUB | | | | | | | | |
| OLUD | | | Δ | B | • | • | 3 | |

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- \bullet Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- **B**Select frame color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select seat and back color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select glide option. - Steel glides
- Select upholstery grade/color.
 Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

UPHOLSTERY INFORMATION

C.O.M. Upholstery

C.O.M. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back and for complete information on ordering C.O.M. see "Ordering C.O.M., C.O.V. and C.O.L." section.

OPTIONS

California TB133 Fire Safety Code The above seating products can be manufac-

tured using the appropriate flame-retardant materials for compliance to California Technical Bulletin 133. Add "FR" to end of model number. Model=Polypropylene Added List Price=\$10 Model=Upholstered Seat Added List Price=\$64 Model=Upholstered Seat and Back Added List Price=\$91



| Delivered Pricing | Delivered Pricing Fabric Grade 1 & C.O.M. | Delivered Pricing Fabric Grade 2 | Delivered Pricing Fabric Grade 3 | Delivered Pricing C.O.V. | Delivered Pricing Vinyl Group 2 | Delivered Pricing Pallas Fabric Group P1 | Delivered Pricing Pallas Fabric Group P2 | Delivered Pricing Pallas Fabric Group P3 | Delivered Pricing Pallas Fabric Group P4 |
|----------------------|--|---|---|--------------------------------|--|---|---|---|---|
| \$ 218 | | | | | | | | | |
| N/A | 276 | 302 | 316 | 276 | 316 | 348 | 368 | 387 | 404 |
| N/A | 325 | 351 | 364 | 325 | 364 | 398 | 416 | 436 | 453 |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| \$ 273 | | | | | | | | | |
| N/A | 330 | 357 | 369 | 330 | 369 | 403 | 422 | 441 | 458 |
| N/A | 379 | 406 | 417 | 379 | 417 | 452 | 470 | 490 | 507 |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| \$ 285 | | | | | | | | | |
| N/A | 343 | 369 | 380 | 343 | 380 | 414 | 434 | 453 | 468 |
| N/A | 391 | 417 | 429 | 391 | 429 | 463 | 483 | 501 | 517 |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b. Green Bay, Wisconsin 54302 factory. Freight class #125.

| | | | MODEL NUMBER | | | | | | | | | |
|-------|--|-----------------------|----------------|----------------|-------------------------|------------------------|-----------------|---------------------|--|--|--|--|
| | MODEL | Features | Basic Model | Frame Color | Seat & Back Color | Top Stitch Color | Glide Option | Upholstery Color | | | | |
| | Four-Leg Wallsaver Armless Chair with | Upholstered Seat | SLNATSUWS | | | | S | | | | | |
| | Top Stitch on Seat | Upholstered Seat/Back | SLNATSUBWS | | | | S | | | | | |
| | Flex backStacking | | | | | | | | | | | |
| | Wallsaver rear legs touch base of wall | | | | | | | | | | | |
| | preventing chair back from contacting wall surface | | | | | | | | | | | |
| | wali Sullace | | | | | | | | | | | |
| SLTS | | | | | | | | | | | | |
| SLBTS | | | | | | | | | | | | |
| | Four-Leg Wallsaver Cantilever Armchair | Upholstered Seat | SLCATSUWS | | | | | | | | | |
| | with Top Stitch on Seat | Upholstered Seat/Back | SLCATSUBWS | | | | S | | | | | |
| | Flex backStacking | | | | | | | | | | | |
| | Wallsaver rear legs touch base of wall | | | | | | | | | | | |
| | preventing chair back from contacting wall surface | | | | | | | | | | | |
| ا ا | | | | | | | | | | | | |
| SLTS | | | | | | | | | | | | |
| SLBTS | | | | | | | | | | | | |
| | Four-Leg Wallsaver Loop Arm Chair with | Upholstered Seat | SLLATSUWS | | | | - | | | | | |
| | Top Stitch on Seat • Flex back | Upholstered Seat/Back | SLLATSUBWS | | | | S | | | | | |
| | Stacking | | | | | | | | | | | |
| | Wallsaver rear legs touch base of wall preventing chair back from contacting | | | | | | | | | | | |
| | wall surface | | | | | | | | | | | |
| l l | | | | | | | | | | | | |
| SLTS | | | | | | | | | | | | |
| SLBTS | | | | | | | | | | | | |
| | | | A | B | • | 0 | (3 | (3 | | | | |

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- \bullet Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect frame color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select seat and back color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- OSelect top stitch color. BLTS - Black WHTS - White
- Select glide option.

 S Steel g - Steel glides
- Select upholstery grade/color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

UPHOLSTERY INFORMATION

C.O.M. Upholstery

C.O.M. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back and for complete information on ordering C.O.M. see "Ordering C.O.M., C.O.V. and C.O.L." section.

OPTIONS

California TB133 Fire Safety Code The above seating products can be manufac-

tured using the appropriate flame-retardant materials for compliance to California Technical Bulletin 133. Add "FR" to end of model number. Model=Polypropylene Added List Price=\$10 Model=Upholstered Seat Added List Price=\$64 Model=Upholstered Seat and Back Added List Price=\$91



| | Deliv | varad |
|-------------------------------|-------|--------------------------|
| Annrox | Prici | na |
| Packaged | Palla | ıs Fabric |
| Approx. Packaged Weight | Grou | ng is Fabric ip P1 |
| 23.0# | \$ | 386 |
| 23.0# | | 435 |
| 20.0# | | 100 |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| 26.0# | \$ | 441 |
| 26.0# | | 490 |
| 20.0# | | 490 |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| 07.0# | Φ. | 450 |
| | \$ | |
| 27.0# | | 501 |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b. Green Bay, Wisconsin 54302 factory. Freight class #125.

| | | | MODEL | NUMBEF | } | | | |
|------|--|-----------------------|----------------|----------------|-------------------------|-----------------|---------------------|-------------------------------|
| | MODEL | Features | Basic Model | Frame Color | Seat & Back Color | Glide Option | Upholstery Color | Approx. Packaged Weight |
| | Sled Base Armless Chair | Polypropylene | SSNAP | | | | | 22.0# |
| | Flex backStacking | Upholstered Seat | SSNAU | | | | | 25.0# |
| | - Stacking | Upholstered Seat/Back | SSNAUB | | | | | 25.0# |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| SSP | | | | | | | | |
| SSU | | | | | | | | |
| SSUB | | | | | | | | |
| | Sled Base Cantilever Arm Chair | Polypropylene | SSCAP | | | | | 24.0# |
| | Flex back Steeling | Upholstered Seat | SSCAU | | | | | 27.0# |
| | • Stacking | Upholstered Seat/Back | SSCAUB | | | | | 27.0# |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| SSP | | | | | | | | |
| SSU | | | | | | | | |
| SSUB | | | | | | | | |
| | | | A | 3 | • | 0 | • | |

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- \bullet Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- **B**Select frame color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select poly seat and back color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select glide option.

- No glides - Black plastic glides; add \$32 - Non-skid glides; add \$26 - Stainless steel glide; add \$27 GSS

Select upholstery grade/color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

UPHOLSTERY INFORMATION



| Delivered Pricing Unupholstered | Delivered Pricing Fabric Grade 1 & C.O.M. | Delivered Pricing Fabric Grade 2 | Delivered Pricing Fabric Grade 3 | Delivered Pricing C.O.V. | Delivered Pricing Vinyl Group 2 | Delivered Pricing Pallas Fabric Group P1 | Delivered Pricing Pallas Fabric Group P2 | Delivered Pricing Pallas Fabric Group P3 | Delivered Pricing Pallas Fabric Group P4 |
|------------------------------------|--|---|---|--------------------------------|--|---|---|---|---|
| \$ 205 N/A | 262 | 289 | 299 | 262 | 299 | 334 | 352 | 372 | 388 |
| | | | | | | | | | |
| N/A | 310 | 337 | 348 | 310 | 348 | 383 | 402 | 420 | 437 |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| \$ 259 | | | | | | | | | |
| N/A | 317 | 342 | 353 | 317 | 353 | 387 | 407 | 426 | 443 |
| N/A | 365 | 390 | 403 | 365 | 403 | 436 | 456 | 474 | 492 |
| | | | | | | | | | |

OPTIONS

California TB133 Fire Safety Code
The above seating products can be manufactured using the appropriate flame-retardant materials for compliance to California Technical Bulletin 133. Add "FR" to end of model number. Model=Polypropylene Added List Price=\$10 Model=Upholstered Seat Added List Price=\$64 Model=Upholstered Seat and Back Added List Price=\$91

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b. Green Bay, Wisconsin 54302 factory. Freight class #125.

| | | | MODEL NU | JMBER | | | | | |
|------|---|-----------------------|----------|---------------------|--------|--------------|-----------|------------|--|
| | | | | | | | | | |
| | | | | | Seat & | Тор | | | |
| | | | Basic | Frame | Back | Stitch | Glide | Upholstery | |
| | MODEL | Features | Model | Color | Color | Color | Option | Color | |
| | Sled Base Armless Chair with Top Stitch | Upholstered Seat | SSNATSU | | | | | | |
| | on Seat | Upholstered Seat/Back | SSNATSUB | | | | | | |
| | Flex back | | | | | | | | |
| | Stacking | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| SSTS | | | | | | | | | |
| SSBT | | | | | | | | | |
| | Sled Base Cantilever Arm Chair with Top | Upholstered Seat | SSCATSU | | | | | | |
| | Stitch on Seat | Upholstered Seat/Back | SSCATSUB | | | | | | |
| | Flex back | | | | | | | | |
| | Stacking | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| SSTS | | | | | | | | | |
| SSBT | | | | | | | | | |
| | | | • | • | • | • | • | A | |
| | | | A | $oldsymbol{\Theta}$ | 0 | \mathbf{O} | (3 | • | |

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- \bullet Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- **B**Select frame color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select seat and back color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select top stitch color.

 BLTS Black
 WHTS White

Select glide option.

NG - No glides - Black plastic glides; add \$32 GBL - Non-skid glides; add \$26 GSS - Stainless steel glide; add \$27

Select upholstery grade/color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

UPHOLSTERY INFORMATION



Delivered Approx. Pricing Pallas Fabric Group P1 Packaged Weight 25.0# 372 25.0# 420

27.0# \$ 425 27.0# 473

OPTIONS

California TB133 Fire Safety Code
The above seating products can be manufactured using the appropriate flame-retardant materials for compliance to California Technical Bulletin 133. Add "FR" to end of model number. Model=Polypropylene Added List Price=\$10 Model=Upholstered Seat Added List Price=\$64 Model=Upholstered Seat and Back Added List Price=\$91

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b. Green Bay, Wisconsin 54302 factory. Freight class #125.

| | | | MODEL NUM | BER | | | | |
|----------|---|----------------------------|----------------|---------------------|---------------|-----------------|--------------|---------------------|
| | | | | | Seat & | | Tablet | |
| | MODEL | Features | Basic Model | Frame Color | Back Color | Glide Option | Arm Color | Upholstery Color |
| | Sled Base Tablet Arm Chair | Polypropylene, Left Hand | SSTALP | | | | | |
| | Flex backNONSTACKING | Polypropylene, Right Hand | SSTARP | | | | | |
| | NONGTACKING | Uph. Seat, Left Hand | SSTALU | | | | | |
| | | Uph. Seat, Right Hand | SSTARU | | | | | |
| / / / / | | Upholstered Seat/Back | SSTALUB | | | | | |
| | | Upholstered Seat/Back | SSTARUB | | | | | |
| \ | | | | | | | | |
| SSP | | | | | | | | |
| SSU | | | | | | | | |
| SSUB | | 5 | 00015515111 | | | | | |
| | Sled Base Oversize Tablet Arm Chair Oversized tablet | Polypropylene, Left Hand | SSOVTAPLH | | | | | |
| | Flex back | Polypropylene, Right Hand | SSOVTAPRH | | | | | |
| | NONSTACKING | Uph. Seat, Left Hand | SSOVTAULH | | | | | |
| | | Uph. Seat, Right Hand | SSOVTAURH | | | | | |
| | | Uph. Seat/Back, Left Hand | SSOVTAUBLH | | | | | |
| | | Uph. Seat/Back, Right Hand | SSOVTAUBRH | | | | | |
| SSP | | | | | | | | |
| SSU | | | | | | | | |
| SSUB | | | | | | | | |
| 3300 | | | | | | | | _ |
| | | | A | $oldsymbol{\Theta}$ | Θ | 0 | (3 | (3 |

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- \bullet Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- **B**Select frame color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select poly seat and back color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select glide option.

NG - No glides - Black plastic glides; add \$32 - Non-skid glides; add \$26 NS GSS - Stainless steel glide; add \$27

- Select tablet arm color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select upholstery grade/color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

UPHOLSTERY INFORMATION



| | | | Delivered | Delivered | Delivered | | Delivered | Delivered | Delivered | Delivered | Delivered |
|----------|----|-------------|--------------|--------------|--------------|-----------|-------------|---------------|---------------|---------------|---------------|
| Approx. | | livered | Pricing | Pricing | Pricing | Delivered | Pricing | Pricing | Pricing | Pricing | Pricing |
| Packaged | | cing | Fabric Grade | Fabric Grade | Fabric Grade | Pricing | Vinyl Group | Pallas Fabric | Pallas Fabric | Pallas Fabric | Pallas Fabric |
| Weight | | upholstered | 1 & C.O.M. | 2 | 3 | C.O.V. | 2 | Group P1 | Group P2 | Group P3 | Group P4 |
| 31.0# | \$ | 388 | | | | | | | | | |
| 31.0# | | 388 | | | | | | | | | |
| 33.0# | | N/A | 446 | 472 | 486 | 446 | 486 | 517 | 539 | 555 | 573 |
| 33.0# | | N/A | 446 | 472 | 486 | 446 | 486 | 517 | 539 | 555 | 573 |
| 33.0# | | N/A | 495 | 521 | 534 | 495 | 534 | 567 | 588 | 604 | 622 |
| 33.0# | | N/A | 495 | 521 | 534 | 495 | 534 | 567 | 588 | 604 | 622 |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| 31.0# | \$ | 446 | | | | | | | | | |
| 31.0# | | 446 | | | | | | | | | |
| 33.0# | | N/A | 504 | 531 | 543 | 504 | 543 | 575 | 596 | 614 | 630 |
| 33.0# | | N/A | 504 | 531 | 543 | 504 | 543 | 575 | 596 | 614 | 630 |
| 33.0# | | N/A | 552 | 579 | 592 | 552 | 592 | 624 | 645 | 662 | 679 |
| 33.0# | | N/A | 552 | 579 | 592 | 552 | 592 | 624 | 645 | 662 | 679 |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |

OPTIONS

California TB133 Fire Safety Code
The above seating products can be manufactured using the appropriate flame-retardant materials for compliance to California Technical Bulletin 133. Add "FR" to end of model number. Model=Polypropylene Added List Price=\$10 Model=Upholstered Seat Added List Price=\$64 Model=Upholstered Seat and Back Added List Price=\$91

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b. Green Bay, Wisconsin 54302 factory. Freight class #125.

| | MODEL NUMBER | | | | | | | | | |
|--|---------------------------|----------------|----------------|-------------------------|------------------------|-----------------|------------------------|---------------------|-------------------------------|--|
| | | MODEL NOMBE | | | | | | | | |
| | Features | Basic Model | Frame Color | Seat & Back Color | Top Stitch Color | Glide Option | Tablet Arm Color | Upholstery Color | Approx. Packaged Weight | |
| | Uph Seat, Left Hand | SSTALTSU | | | | | | | 33.0# | |
| | Uph Seat, Right Hand | SSTARTSU | | | | | | | 33.0# | |
| | Uph Seat/Back, Left Hand | SSTALTSUB | | | | | | | 33.0# | |
| | Uph Seat/Back, Right Hand | SSTARTSUB | | | | | | | 33.0# | |
| | | | | | | | | | | |
| // // | | | | | | | | | | |
| | | | | | | | | | | |
| > | | | | | | | | | | |
| SSTS | | | | | | | | | | |
| SSBT | | | | | | | | | | |
| Sled Base Tablet Arm Chair with Top Stitch on Seat | | | | | | | | | | |
| Flex back | | | | | | | | | | |
| NONSTACKING | | | | | | | | | | |
| | Uph Seat, Left Hand | SSOVTATSULH | | | | | | | 33.0# | |
| | Uph Seat, Right Hand | SSOVTATSURH | | | | | | | 33.0# | |
| | Uph Seat/Back, Left Hand | SSOVTATSUBLH | | | | | | | 33.0# | |
| | Uph Seat/Back, Right Hand | SSOVTATSUBRH | | | | | | | 33.0# | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| V | | | | | | | | | | |
| STS | | | | | | | | | | |
| SBT | | | | | | | | | | |
| led Base Oversize Tablet Arm Chair ith Top Stitch on Seat | | | | | | | | | | |
| Oversized tablet | | | | | | | | | | |
| Flex back NONSTACKING | | | | | | | | | | |
| | | A | B | • | • | (3 | 3 | G | l | |

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- \bullet Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- **B**Select frame color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select poly seat and back color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- OSelect top stitch color.

BLTS - Black WHTS - White

Select glide option. NG

- No glides - Black plastic glides; add \$32 GBL - Non-skid glides; add \$26 GSS - Stainless steel glide; add \$27

Select tablet arm color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

GSelect upholstery grade/color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

UPHOLSTERY INFORMATION



Delivered Pricing Pallas Fabric Group P1

555

555

604

604

614 \$

614

662

662

OPTIONS

California TB133 Fire Safety Code
The above seating products can be manufactured using the appropriate flame-retardant materials for compliance to California Technical Bulletin 133. Add "FR" to end of model number. Model=Polypropylene Added List Price=\$10 Model=Upholstered Seat Added List Price=\$64 Model=Upholstered Seat and Back Added List Price=\$91

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b. Green Bay, Wisconsin 54302 factory. Freight class #125.

| | | MODEL NUMBER | | |
|-------|---|----------------|-------------------------------|--|
| | MODEL | Basic Model | Approx. Packaged Weight | |
| | Transport Dolly for 4-Leg and Sled Base | SCD.BL | 31.0# | |
| | Chairs | | | |
| | Easy maneuverability with 5" casters: two fixed, two swivel | | | |
| W | Rugged weld tubular steel frame | | | |
| HRDPT | Black powder-coated finish | | | |



HOW TO ORDER

Indicate the following information on order

- form:

 1. Quantity of each item.

 2. Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.



Delivered Pricing

\$ 396

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b. Green Bay, Wisconsin 54302 factory. Freight class #125.

| | | | MODEL | | | | | | |
|------------|---|-----------------------|----------------|----------------|----------------|-------------------------|-----------------|---------------------|-------------------------------|
| | | | MODEL N | UMBEK | 1 | | 1 | I | |
| | MODEL | Features | Basic Model | Seat Height | Frame Color | Seat & Back Color | Glide Option | Upholstery Color | Approx. Packaged Weight |
| | Four-Leg Armless Cafe Stool | Polypropylene | SLSNAP | | | | | | 31.0# |
| | Flex backNonstacking | Upholstered Seat | SLSNAU | | | | | | 33.0# |
| | Two seat heights | Upholstered Seat/Back | SLSNAUB | | | | | | 33.0# |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| " " | | | | | | | | | |
| · | | | | | | | | | |
| SLSP | | | | | | | | | |
| SLSU | | | | | | | | | |
| SLSUB | | | | | | | | | |
| | Four-Leg Cantilever Arm Cafe Stool • Flex back | Polypropylene | SLSCAP | | | | | | 33.0# |
| | Nonstacking | Upholstered Seat | SLSCAU | | | | | | 35.0# |
| | Two seat heights | Upholstered Seat/Back | SLSCAUB | | | | | | 35.0# |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| J II II II | | | | | | | | | |
| ll n | | | | | | | | | |
| SLSP | | | | | | | | | |
| SLSU | | | | | | | | | |
| SLSUB | | | | | | | | | |
| OLOUD | Four-Leg Loop Arm Cafe Stool | Polypropylene | SLSLAP | | | | | | 35.0# |
| | Flex back | Upholstered Seat | SLSLAU | | | | | | 37.0# |
| | Nonstacking The past heights | Upholstered Seat/Back | SLSLAUB | | | | | | 37.0# |
| | Two seat heights | opnoision ou out buon | 0202.102 | | | | | | G116# |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| " " | | | | | | | | | |
| ų - | | | | | | | | | |
| SLSP | | | | | | | | | |
| SLSU | | | | | | | | | |
| SLSUB | | | | | | | | | |
| | | | A | B | • | 0 | • | • | |
| | | | • | - | • | - | 9 | | |

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect seat height.

- 23" Seat Height 23 - 29" Seat Height

- Select frame color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select seat and back color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select glide option.

Plastic glides - Steel glides

Select upholstery grade/color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

UPHOLSTERY INFORMATION

C.O.M. Upholstery

C.O.M. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back and for complete information on ordering C.O.M. see "Ordering C.O.M., C.O.V. and C.O.L." section.

OPTIONS

California TB133 Fire Safety Code
The above seating products can be manufactured using the appropriate flame-retardant materials for compliance to California Technical Bulletin 133. Add "FR" to end of model number. Model=Polypropylene Added List Price=\$10 Model=Upholstered Seat Added List Price=\$64 Model=Upholstered Seat and Back Added List Price=\$91



| Deli ¹ Unu | vered Pricing pholstered | Delivered Pricing Fabric Grade 1 & C.O.M. | Delivered Pricing Fabric Grade 2 | Delivered Pricing Fabric Grade 3 | Delivered Pricing C.O.V. | Delivered Pricing Vinyl Group 2 | Delivered Pricing Pallas Fabric Group P1 | Delivered Pricing Pallas Fabric Group P2 | Delivered Pricing Pallas Fabric Group P3 | Delivered Pricing Pallas Fabric Group P4 |
|--------------------------|-----------------------------|--|---|---|--------------------------------|--|---|---|---|---|
| \$ | 269 | | | | | | | | | |
| | N/A | 327 | 353 | 366 | 327 | 366 | 400 | 419 | 438 | 455 |
| | N/A | 376 | 403 | 415 | 376 | 415 | 448 | 468 | 488 | 504 |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | 324 | | | | | | | | | |
| | N/A | 381 | 408 | 420 | 381 | 420 | 454 | 472 | 492 | 509 |
| | N/A | 430 | 457 | 469 | 430 | 469 | 502 | 521 | 541 | 558 |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| \$ | 336 | | | | | | _ | | | |
| | N/A | 393 | 420 | 431 | 393 | 431 | 465 | 486 | 504 | 519 |
| | N/A | 443 | 469 | 481 | 443 | 481 | 514 | 534 | 552 | 569 |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b. Green Bay, Wisconsin 54302 factory. Freight class #125.

| | | | MODEL NUI | MBER | | | | | |
|-------|---|-----------------------|-----------------------|----------------|----------------|-------------------------|------------------------|-----------------|---------------------|
| | MODEL | Features | Basic Model | Seat Height | Frame Color | Seat & Back Color | Top Stitch Color | Glide Option | Upholstery Color |
| | Four-Leg Armless Cafe Stool with Top | Upholstered Seat | SLSNATSU | | | | | | |
| | Stitch on Seat • Flex back | Upholstered Seat/Back | SLSNATSUB | | | | | | |
| | Nonstacking | | | | | | | | |
| | Two seat heights | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| ı j | | | | | | | | | |
| SLSTS | | | | | | | | | |
| SLSBT | | | | | | | | | |
| | Four-Leg Cantilever Arm Cafe Stool with | Upholstered Seat | SLSCATSU | | | | | | |
| | Top Stitch on Seat • Flex back | Upholstered Seat/Back | SLSCATSUB | | | | | | |
| | Nonstacking | | | | | | | | |
| | Two seat heights | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| ll I | | | | | | | | | |
| SLSTS | | | | | | | | | |
| SLSBT | | | | | | | | | |
| | Four-Leg Loop Arm Cafe Stool with Top Stitch on Seat | Upholstered Seat/Book | SLSLATSU SLSLATSUB | | | | | | |
| | Flex back | Upholstered Seat/Back | SLOLATOUB | | | | | | |
| | NonstackingTwo seat heights | | | | | | | | |
| | 2 Sout Honging | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| ll n | | | | | | | | | |
| SLSTS | | | | | | | | | |
| SLSBT | | | | | | | | | |
| | | | A | B | 0 | 0 | (3 | • | © |

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect seat height.

- 23" Seat Height - 29" Seat Height

Select frame color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

• Select poly seat and back color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select top stitch color.

BLTS - Black
WHTS - White

Select glide option.

P - Plastic glides

- Steel glides

GSelect upholstery grade/color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

UPHOLSTERY INFORMATION



| Δηηγον | Delivered | ed |
|-------------------------------|---------------------------------|-------|
| Approx. Packaged Weight | Pricing Pallas Fa Group P | abric |
| Weight | Group P | 21 |
| 33.0# | \$ 437 | |
| 33.0# | 487 | .7 |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| 35.0# | \$ 492 | 12 |
| 35.0# | 541 | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| 27.0# | Ф гол | 14 |
| | \$ 504 | |
| 37.0# | 552 | 2 |
| | | |
| | | |
| | | |
| | | |
| | | |

OPTIONS

California TB133 Fire Safety Code
The above seating products can be manufactured using the appropriate flame-retardant materials for compliance to California Technical Bulletin 133. Add "FR" to end of model number. Model=Polypropylene Added List Price=\$10 Model=Upholstered Seat Added List Price=\$64 Model=Upholstered Seat and Back Added List Price=\$91

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b. Green Bay, Wisconsin 54302 factory. Freight class #125.

Stack/Nesting

Strive® High Density Stack Chair General Information



Wire Rod High Density Stacking Chair (SWNA)



Wire Rod High Density Stacking Chair with Uph. Seat Pad (SWNAU)



Wire Rod High Density Stacking Chair with Tablet Arm (SWTAR)



Transport Dolly (CSD.BL)

| Features | | | | |
|--------------------------------|------------------------|--------------------|---------|---------|
| Stackable | | • | | |
| Poly or upholstered seat | • | • | • | |
| Flex back | • | • | • | |
| General Dimensions | | | | |
| Seat width | 17-3/4" | 17-3/4" | 17-3/4" | |
| Seat depth | 18-1/2" | 18-1/2" | 18-1/2" | |
| Seat height | 17-1/2" | 17-1/2" | 17-1/2" | |
| Tablet to chair back clearance | | | 15-1/4" | |
| Overall Dimensions | | | | |
| Width | 19-1/2" | 19-1/2" | 19-1/2" | 22-3/8" |
| Depth | 22-1/4" | 22-1/4" | 22-1/4" | 25-5/8" |
| Height | 32-1/2" | 32-1/2" | 32-1/2" | |
| Stacking on Dolly | | | | |
| Overall width | 22-1/2" | 23" | | |
| Overall depth | 45" | 39" | | |
| Quantity/height | 25 Chairs/66-1/2" High | 15 Chairs/65" High | | |
| Stacking on Floor | | | | |
| Width | 19-1/2" | 19-1/2" | | |
| Depth | 29-1/2" | 30" | | |
| Quantity/height | 6 Chairs/37-1/2" High | 5 Chairs/41" High | | |

SPECIFICATIONS

Seat

Injection molded polypropylene.

Backres

Injection molded polypropylene with integral steel cantilever springs. The combination of the slotted polypropylene back and the spring steel provides a supportive flexing back. Springs are nominal 4.5mm diameter chrome silicon valve spring wire. Top of back has an integral handle for ease of lifting and stacking.

Chair Frame

7/16" solid steel rod in bright nickel-chrome or with electrostatically-applied epoxy.

Bright Chrome Finish

Surfaces are duplex nickel-chrome plated in a twenty-one step process.

Powder-Coated Finish

Electrostatically-applied epoxy baked onto

surface.

Optional Upholstered Seat

Molded urethane foam is attached to an injection molded polypropylene seat board, then upholstered using a draw-string process. The assembled seat pad is attached to the seat by means of hidden fasteners.

Transport Dolly

Tubular and plate steel welded together. 5"casters: two fixed, two swivel. Powdercoated finish.

Tablet Arm

7/16" solid steel rod frame, hinged tablet for easy access. Tablet is plywood core; high pressure laminate surface. Round tablet edge with clear lacquer finish. Bright chrome frame only. Chairs are nonstacking when attached, not available for use with powder coated frame chairs. Tablet flips up for easy access. Ganging with tablet is not recommended.

INFORMATION

C.O.M. Testing and Production Requirements

Not all materials are suitable for upholstering this product. A 1 yd. x 54" sample must be submitted and approved prior to acceptance of an order. If the fabric is directional in pattern or weave, the direction must be indicated on the submitted sample, and additional yardage may be requested.

Test samples must be sent to:

ΚI

Attn: C.O.M. Specialist 1441 Ontario Street Green Bay, WI 54311

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specifying the direction the fabric is to be applied.

The posted standard lead time will apply to the Special Cost Request.

Desian

Designed by Giancarlo Piretti and manufactured in the USA by Krueger International, Inc. under license from Pro-Cord S.p.A





INFORMATION

WarrantyRefer to KI Terms & Conditions document or visit ki.com

MODEL NUMBER Seat & Tablet Approx. Frame Back Glide Arm Packaged Basic Upholstery MODEL **Features** Model Color Color Color Color Option Weight **Armless Chair** Polypropylene **SWNA** ПП 17.0# Flex back Upholstered Seat SWNAU 17.0# **SWSCP** SWSCU Standard Flip-Up Tablet Arm Left Hand SWTAL 7.0# NONSTACKING **SWTAR** 7.0# Righ Hand 12" wide x 20-1/2" deep · Field installable · For use only on chrome framed chairs SWTA CSD.BL **Transport Dolly** 30.0# · Accommodates up to 25 chairs (poly) and 15 chairs (upholstered) Easy maneuverability with 5" casters: two fixed, two swivel · Black powder-coated finish HRDPT 0 Θ 0 **3** 0 A

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- The absence of the □ indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect frame color.
 Refer to color addendum at ki.com or KI
 Fabrics & Finishes binder.
- Select seat and back color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select upholstery grade/color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select glide option.

NG - No glides
H - Polycarbonate glides; add \$5
G - Ganging polycarbonate
glides; add \$5
NS - PVC non-skid glides; add \$5
G - Ganging steel glides; add \$5

- Stainless steel glides; add \$5

Select tablet arm color.
Refer to color addendum at ki.com or
KI Fabrics & Finishes binder.

UPHOLSTERY INFORMATION

C.O.M. Upholstery



| Delivered Pricing Unupholstered | Delivered Pricing Fabric Grade 1 & C.O.M. | Delivered Pricing Fabric Grade 2 | Delivered Pricing Fabric Grade 3 | Delivered Pricing Vinyl Group 2 | Delivered Pricing Pallas Fabric Group P1 | Delivered Pricing Pallas Fabric Group P2 | Delivered Pricing Pallas Fabric Group P3 | Delivered Pricing Pallas Fabric Group P4 |
|------------------------------------|--|---|---|--|---|---|---|---|
| \$ 177 | | | | | | | | |
| N/A | 236 | 262 | 273 | 273 | 307 | 326 | 346 | 363 |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| \$ 173 | | | | | | | | |
| 173 | | | | | | | | |

\$ 392

OPTIONS

California TB133 Fire Safety Code

The above seating products can be manufactured using the appropriate flame-retardant materials for compliance to California Technical Bulletin 133. No additional lead time. Add "FR" to end of model number. Model=Polypropylene Added list price=\$10 Model=Upholstered Seat Added list price=\$64

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b. Green Bay, Wisconsin 54302 factory. Freight class #125.

| | | | MODEL N | ODEL NUMBER | | | | | |
|-------|--|------------------|----------------|----------------|-------------------------|------------------------|---------------------|-----------------|-------------------------------|
| | MODEL | Features | Basic Model | Frame Color | Seat & Back Color | Top Stitch Color | Upholstery Color | Glide Option | Approx. Packaged Weight |
| | Armless Chair with Top Stitch on Seat • Flex back | Upholstered Seat | SWNATSU | | | | | | 17.0# |
| | - HEX DACK | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| SWSTS | | | | | | | | | |
| | | | A | ß | • | 0 | (3 | (3) | |
| | | | | | • | | | | |

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- \bullet Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- **B**Select frame color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select seat and back color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select top stitch color.

 BLTS Black
 WHTS White

ESelect upholstery grade/color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select glide option.

- Ganging polycarbonate glides; add \$5 GS - Gan - Ganging steel glides; add \$5

- No glides

- Polycarbonate glides; add \$5 NS - PVC non-skid glides; add \$5 - Stainless steel glides; add \$5

UPHOLSTERY INFORMATION



Delivered Pricing Pallas Fabric Group P1

\$ 346

OPTIONS

California TB133 Fire Safety Code The above seating products can be manufac-

tured using the appropriate flame-retardant materials for compliance to California Technical Bulletin 133. No additional lead time. Add 'FR' to end of model number. Model=Polypropylene Added list price=\$10 Model=Upholstered Seat Added list price=\$64

SPECIAL SERVICES

Special Carton Marking

With specially marked information

)11

N/C

Shipping

Shipped assembled freight prepaid f.o.b. Green Bay, Wisconsin 54302 factory. Freight class #125.

Stack/Nesting

Strive® Nesting General Information







Armless Chair (SNNAP)



Tablet Arm Chair (SNTAURH)

Oversize Tablet Arm Chair

| Features | | | | |
|--|---------|---------|---------|---------|
| Poly or upholstered seat | • | • | • | • |
| Flex back | • | • | • | • |
| Flip-up seat | • | • | • | • |
| Integral handle | • | • | • | • |
| Nesting | • | • | • | • |
| General Dimensions | | | | |
| Seat width | 17" | 17" | 17" | 17" |
| Seat depth | 18" | 18" | 18" | 18" |
| Seat height (upholstered add 1") | 16-1/2" | 16-1/2" | 16-1/2" | 16-1/2" |
| Tablet to chair back clearance | | | 14" | 14" |
| Overall Dimensions | | | | |
| Width | 23" | 23" | 24" | 24" |
| Depth | 22-3/4" | 22-3/4" | 29" | 32" |
| Height | 33-3/4" | 33-3/4" | 33-3/4" | 33-3/4" |
| Top of arm to floor | 25-1/2" | | 28-1/4" | 28-1/4" |
| Nesting (two chairs) (upholstered add 1") | 28-1/2" | 28-1/2" | 34-3/4" | 37-3/4" |

Nesting - For each additional chair, add 5-3/4" (upholstered add 1")

SPECIFICATIONS

Seat and Backrest

Seat is two-piece construction of injection-molded polypropylene, reinforced with internal steel channels and assembled using hidden fasteners. The seat is available in a poly version or upholstered. For the upholstered version, molded urethane foam (1" depth) is applied to the seat board. Fabric is then upholstered over the foam using a drawstring process.

Backrest is injection-molded polypropylene with integral steel cantilever springs. The combination of the slotted polypropylene back and the spring steel provides a supportive flexing back. Springs are nominal 4.5mm diameter chrome silicon valve spring wire. Backrest is available poly only. Backrest has an integral molded "handle."

Seat flips up to allow chairs to nest for storage and transport.

Seat assembly and backrest are field replaceable.

Frame

The legs are 1" 13-gauge high-strength steel tubing. All frame joints are welded.

Frame Finishes

Baked-on electrostatically-applied 45° gloss epoxy powder coating or bright nickel chrome plating.

Casters

Double wheels (60mm) of high-impact thermoplastic. High-impact plastic frame. Casters are always black. Carpet or hard floor.

Arm

Optional fixed-position T-arms are available. Arm supports are a continuation of the frame crossmember tube with injection-molded polypropylene armcaps attached by screws.

Tablet Arm

An optional tablet arm is available on either the RH or LH side. When so equipped, the tablet arm support structure is a continuation of the frame crossmember tube. A formed steel hinge is welded to the top of the support structure and secured with screws to the underside of the writing surface. Writing surface for standard tablet is 9-1/2" x 20-3/4" x 12-1/2" and oversize tablet is 15-1/2 x 22-1/2 x 14" plywood core of 5/8" thick, 11-ply hardwood surfaced with .030" high-pressure laminate top and plain backer undersurface. Tablet arm flips up for easy access. Edges are lacquered and sealed.

INFORMATION

C.O.M Testing and Production Requirements

Not all materials are suitable for upholstering this product. A 3/4 yd. x 54" sample must be submitted and approved prior to acceptance of an order. If the fabric is directional in pattern or weave, the direction

must be indicated on the submitted sample, and additional yardage may be requested.

Test samples must be sent to:

ΚI

Attn: C.O.M. Specialist 1441 Ontario Street Green Bay, WI 54311

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specifying the direction the fabric is to be applied. The posted standard lead time will apply to the Special Cost Request.





| | | | | | | | | _ | |
|-----|--|----------------|----------------|---------------------------------|------|---------------------|-------------------------------|---------|---|
| | | MODEL | NUMBE | R | | | | | |
| | MODEL | Basic Model | Frame Color | Poly Seat & Back Color | Base | Upholstery Color | Approx. Packaged Weight | Pricing | |
| | Armless Chair with Poly Seat | SNNAP | | | | | 23.0# | \$ 383 | |
| SNP | Flex back Nests | | | | | | | | |
| ON | Armless Chair with Upholstered Seat | SNNAU | | | | | 23.0# | N/A | _ |
| | Flex back Nests | Olliwio | | | | | LU.UII | 1971 | |
| SNU | | | | | | | | | |
| | Armchair with Poly Seat Flex back Nests | SNCAP | | | | | 25.0# | \$ 435 | |
| SNP | Armchair with Upholstered Seat Flex back Nests | SNCAU | | | | | 25.0# | N/A | |
| SNU | | | | | | | | | |
| | | A | B | 0 | 0 | • | | | |

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- \bullet Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- **B**Select frame color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- ©Select poly seat and back color Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select base (caster) option. - Carpet casters - Hard floor casters
- Select upholstery grade/color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

UPHOLSTERY INFORMATION

C.O.M. Upholstery

C.O.M. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back and for complete information on ordering C.O.M. see "Ordering C.O.M., C.O.V. and C.O.L." section.

OPTIONS

California TB133 Fire Safety Code

The above seating products can be manufactured using the appropriate flame-retardant materials for compliance to California Technical Bulletin 133. No additional lead time.

Add "FR" to end of model number. Model=Polypropylene Added list price=\$10 Model=Upholstered Seat Added list price=\$64



| Delivered Pricing Fabric Grade 1 & C.O.M. | Delivered Pricing Fabric Grade 2 | Delivered Pricing Fabric Grade 3 | Delivered Pricing C.O.V. | Delivered Pricing Vinyl Group 2 | Delivered Pricing Pallas Fabric Group P1 | Delivered Pricing Pallas Fabric Group P2 | Delivered Pricing Pallas Fabric Group P3 | Delivered Pricing Pallas Fabric Group P4 |
|--|---|---|--------------------------------|--|---|---|---|---|
| | | | | | | | | |
| \$ 438 | \$ 463 | \$ 474 | \$ 438 | \$ 474 | \$ 507 | \$ 525 | \$ 545 | \$ 560 |
| φ 430 | ψ 403 | V 4/4 | ψ 400 | Ų 1/1 | φ 307 | φ υζυ | φ 040 | \$ 300 |
| | | | | | | | | |
| | | | | | | | | |
| * 404 | 0 545 | A 507 | 0 404 | Φ 507 | 0 FF0 | 0 577 | 0 507 | 0.010 |
| \$ 491 | \$ 515 | \$ 527 | \$ 491 | \$ 527 | \$ 559 | \$ 577 | \$ 597 | \$ 613 |
| | | | | | | | | |

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b. Green Bay, Wisconsin 54302 factory. Freight class #125.

| | | | MODELN | LUMBED | | | | | |
|--|---|------------------|----------------|----------------|---------------------------------|------------------------|-----------|---------------------|-------------------------------|
| | | | MODEL N | OMBEK | I | I | | | |
| | MODEL | Features | Basic Model | Frame Color | Poly Seat & Back Color | Top Stitch Color | Base | Upholstery Color | Approx. Packaged Weight |
| | Armless Chair with Upholstered Seat with | Upholstered Seat | SNNATSU | | | | | | 23.0# |
| | Top Stitch on Seat | | | | | | | | |
| | Flex backNests | | | | | | | | |
| The state of the s | 110010 | | | | | | | | |
| | | | | | | | | | |
| a | | | | | | | | | |
| U | | | | | | | | | |
| SNTS | | | | | | | | | |
| | Armchair with Upholstered Seat with Top | Upholstered Seat | SNCATSU | | | | | | 25.0# |
| | Stitch on Seat Flex back | | | | | | | | |
| | Nests | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| 3 3 | | | | | | | | | |
| SNTS | | | | | | | | | |
| ONIO | | | | | | | | | |
| | | | A | ß | 0 | \mathbf{O} | (3 | • | |

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect frame color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- ©Select poly seat and back color Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- DSelect top stitch color. BLTS - Black WHTS - White
- Select base (caster) option.

 C Carpet casters - Carpet casters
 - Hard floor casters
- Select upholstery grade/color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

UPHOLSTERY INFORMATION

C.O.M. Upholstery

C.O.M. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back and for complete information on ordering C.O.M. see "Ordering C.O.M., C.O.V. and C.O.L." section.

OPTIONS

California TB133 Fire Safety Code
The above seating products can be manufactured using the appropriate flame-retardant materials for compliance to California Technical Bulletin 133. No additional lead time. Add "FR" to end of model number. Model=Polypropylene Added list price=\$10 Model=Upholstered Seat Added list price=\$64



Delivered Pricing Pallas Fabric Group P1

\$ 545

\$ 597

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b. Green Bay, Wisconsin 54302 factory. Freight class #125.

| | | MODEL NUM | IDED | | | | | | | |
|--------------|---|----------------|----------------|---------------------------------|------|------------------------|---------------------|-------------------------------|----------------------|--|
| | | MIODEL NOW | IBEK | I | I | | | | | |
| | MODEL | Basic Model | Frame Color | Poly Seat & Back Color | Base | Tablet Arm Color | Upholstery Color | Approx. Packaged Weight | Delivered Pricing | |
| | Tablet Arm Chair with Poly Seat | SNTAPRH | | | | | | 28.0# | \$ 545 | |
| | Flex back Nests | SNTAPLH | | | | | | 28.0# | 545 | |
| SNP | | | | | | | | | | |
| | Tablet Arm Chair with Upholstered Seat | SNTAURH | | | | | | 28.0# | N/A | |
| | Flex back | SNTAULH | | | | | | 28.0# | N/A | |
| | • Nests | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| 00 | | | | | | | | | | |
| SNU | | | | | | | | | | |
| | Oversize Tablet Arm Chair with Poly Seat | SNOVTAPRH | | | | | | 28.0# | \$ 600 | |
| | Flex back | SNOVTAPLH | | | | | | 28.0# | 600 | |
| | Nests | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| 3 30 | | | | | | | | | | |
| SNP | | | | | | | | | | |
| | Oversize Tablet Arm Chair with Uphol- | SNOVTAURH | | | | | | 28.0# | N/A | |
| | stered Seat | SNOVTAULH | | | | | | 28.0# | N/A | |
| | Flex backNests | | | | | | | | | |
| | - 100313 | | | | | | | | | |
| | | | | | | | | | | |
| a) 3 | | | | | | | | | | |
| SNU | | | | | | | | | | |
| - | | A | B | Θ | 0 | 3 | 9 | | | |
| | | W | U | G | U | G | U | | | |

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- \bullet Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect frame color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- ©Select poly seat and back color Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select base (caster) option.

- Carpet casters - Hard floor casters

- Select tablet arm color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select upholstery grade/color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

UPHOLSTERY INFORMATION

C.O.M. Upholstery

C.O.M. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back and for complete information on ordering C.O.M. see "Ordering C.O.M., C.O.V. and C.O.L." section.

OPTIONS

California TB133 Fire Safety Code The above seating products can be manufac-

tured using the appropriate flame-retardant materials for compliance to California Technical Bulletin 133. No additional lead time. Add "FR" to end of model number. Model=Polypropylene Added list price=\$10 Model=Upholstered Seat Added list price=\$64



| | Delivered Pricing Fabric Grade 1 & C.O.M. | Delivered Pricing Fabric Grade 2 | cing Pricing | | Delivered Pricing Vinyl Group 2 | Delivered Pricing Pallas Fabric Group P1 | Delivered Pricing Pallas Fabric Group P2 | Delivered Pricing Pallas Fabric Group P3 | Delivered Pricing Pallas Fabric Group P4 |
|---|--|---|--------------|--------|--|---|---|---|---|
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| ; | \$ 600 | \$ 625 | \$ 635 | \$ 600 | \$ 635 | \$ 669 | \$ 686 | \$ 707 | \$ 722 |
| | 600 | 625 | 635 | 600 | 635 | 669 | 686 | 707 | 722 |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |

\$ 656 680 692 \$ 656 \$ 692 724 \$ 743 \$ 762 778 656 680 692 656 692 724 743 762 778

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b. Green Bay, Wisconsin 54302 factory. Freight class #125.

| | | | MODEL NUMBI | :R | | | | | |
|----------------|---------------------------------|----------------------|----------------|----------------|---------------------------------|------------------------|-----------|------------------------|---------------------|
| MODE | EL. | Features | Basic Model | Frame Color | Poly Seat & Back Color | Top Stitch Color | Base | Tablet Arm Color | Upholstery Color |
| | Arm Chair with Upholstered Seat | Uph Seat, Left Hand | SNTATSULH | | | | | | |
| | op Stitch on Seat | Uph Seat, Right Hand | SNTATSURH | | | | | | |
| • Flex • Nests | | | | | | | | | |
| Nests | .s | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| 3 | | | | | | | | | |
| SNTS | | | | | | | | | |
| Oversiz | ze Tablet Arm Chair with Uphol- | Uph Seat, Left Hand | SNOVTATSULH | | | | | | |
| | Seat with Top Stitch on Seat | Uph Seat, Right Hand | SNOVTATSURH | | | | | | |
| • Flex | book | | | | | | | | |
| • Nests | | | | | | | | | |
| | | | | | | | | | |
| a | | | | | | | | | |
| 21172 | | | | | | | | | |
| SNTS | | | | | | | | | |
| | | | A | 3 | $oldsymbol{\Theta}$ | O | (3 | • | G |

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- \bullet Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- **B**Select frame color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select poly seat and back color Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select top stitch color.

 BLTS Black
 WHTS White

- Select base (caster) option.

 C Carpet casters - Hard floor casters
- Select tablet arm color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- **G**Select upholstery grade/color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

UPHOLSTERY INFORMATION

C.O.M. Upholstery

C.O.M. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back and for complete information on ordering C.O.M. see "Ordering C.O.M., C.O.V. and C.O.L." section.



Delivered
Approx. Pricing
Packaged Pallas Fabric
Weight Group P1

28.0# \$ 707
28.0# 707

28.0# \$ 762 28.0# 762

OPTIONS

California TB133 Fire Safety Code The above seating products can be manufac-

tured using the appropriate flame-retardant materials for compliance to California Technical Bulletin 133. No additional lead time. Add "FR" to end of model number. Model=Polypropylene Added list price=\$10 Model=Upholstered Seat Added list price=\$64

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped **assembled freight prepaid f.o.b. Green Bay, Wisconsin 54302** factory. Freight class #125.

Stack/Nesting

Torsion® on the Go® General Information



Upholstered Back Armchair (TGWAUB)



Armless Upholstered Back Chair (TGNAUB)



Poly Back Armchair (TGWAPB)

| Features | | | |
|----------------------|---------|---------|---------|
| Back flex | • | • | • |
| Flip-up seat | • | • | • |
| Nesting | • | • | • |
| Casters | • | • | • |
| General Dimensions | | | |
| Seat width | 17-1/4" | 17-1/4" | 17-1/4" |
| Seat depth | 18-1/2" | 18-1/2" | 18-1/2" |
| Seat height | 18" | 18" | 18" |
| Back width | 18-1/4" | 18-14" | 18-1/4" |
| Back height | 14" | 14" | 14" |
| Overall Dimensions | | | |
| Width | 23-1/2" | 23-1/2" | 23-1/2" |
| Depth | 24-1/4" | 24-1/4" | 24-1/4" |
| Height | 32-1/4" | 32-1/4" | 32-1/4" |
| Top of arm to floor | 24-1/4" | | 24-1/4" |
| Nesting (two chairs) | 26" | 26" | 26" |
| | | | |

(Each additional chair - add 5-1/2")



Arm



Caster



Back Handle



Flip-up Seat

SPECIFICATIONS

Seat and Backrest

Seat is two-piece construction of molded plywood upholstery board with a molded compound curved nylon shroud with a textured finish. Seat is always upholstered. Foam (1-3/4") is applied to the molded plywood upholstery board. Fabric is then upholstered over the foam. Backrest is available in either a polypropylene or upholstered version. Backrest is molded compound curved polypropylene with a textured finish. Backrest has an integral, molded "handle."

Back upholstery liner is molded polypropylene with glued-on foam (1/2"). Fabric is upholstered over the foam. The liner is secured to the backrest by four #10 colormatched machine screws.

Seat flips up to allow chairs to nest for storage and transport.

Backrest Supports

Two welded steel backrest supports attach the backrest to the torsion mechanism.

Torsion® Mechanism

The back flex is achieved by the torsion mechanism. It consists of two flat torsion springs captured at both ends by steel bushings that are welded to the backrest supports. The torsion mechanism creates gradually increasing resistance over the full 12° of back flex.

Frame

The frame is made up of four legs welded to a steel mechanism tube. The legs are 1", 13-gauge steel tubing. Reinforcement plates are welded between front and back legs for added strength. Nylon covers fit over the plates.

Arms

Armrests are made of nylon and match the seat and back poly color. Armrests rotate with the back.

Leg Finishes

Baked-on electrostatically-applied epoxy powder coating or bright nickel-chrome plating.

Glide

The bell glide is always black plastic (nylon).

Casters

60mm diameter double wheels of highimpact thermoplastic. High-impact plastic frame. Carpet casters match the frame color when frame is black, warm grey or chrome. For all other frame colors, casters are black. Hard floor casters are always black.

Tablet/Tablet Arm

The tablet is available in a plywood core (5/8" thick, 11-ply hardwood surfaced with .030" high-pressure laminate top and plain backer undersurface) or a black molded polyethylene. It is connected to the mechanism and supported by a 12-gauge steel plate. It has an effective working surface

12" deep by 22" across. The tablet arm is not field addable. The tablet arm is available in right-hand and left-hand versions. The tablet mechanism consists of aluminum die cast housings and through bolted pivots with bushings on two axis. The mechanism allows for horizontal rotation for ingress/egress without stowing the tablet. The mechanism stows the tablet so that the chair will nest with other Torsion® on the Go!® chairs without tablet or arms.

INFORMATION

C.O.M. Testing and Production Requirements

Not all materials are suitable for upholstering this product. A 1 yd. x 54" sample must be submitted and approved prior to acceptance of an order. If the fabric is directional in pattern or weave, the direction must be indicated on the submitted sample, and additional yardage may be requested.



Stack/Nesting Torsion® on the Go® General Information



Armless Poly Back Chair (TGNAPB)



Poly Back Tablet Arm Chair (TGTARPB)

| Features | | |
|----------------------|---------|---------|
| Back flex | • | • |
| Flip-up seat | • | • |
| Nesting | • | • |
| Casters | • | • |
| General Dimensions | | |
| Seat width | 17-1/4" | 17-1/4" |
| Seat depth | 18-1/2" | 18-1/2" |
| Seat height | 18" | 18" |
| Back width | 18-14" | 18-1/4" |
| Back height | 14" | 14" |
| Overall Dimensions | | |
| Width | 23-1/2" | 27" |
| Depth | 24-1/4" | 31" |
| Height | 32-1/4" | 32-1/4" |
| Top of arm to floor | | 29" |
| Nesting (two chairs) | 26" | 26" |

Test samples must be sent to:

(Each additional chair - add 5-1/2")

Attn: C.O.M. Specialist 1441 Ontario Street Green Bay, WI 54311

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specify-ing the direction the fabric is to be applied. The posted standard lead time will apply to the Special Cost Request.

Design

Designed by Giancarlo Piretti and manufactured in the USA by Krueger International, Inc. under license from Pro-Cord S.p.A.

INFORMATION

WarrantyRefer to KI Terms & Conditions document or visit ki.com

| | | MODEL N | IUMBER | | | | | |
|-----|--|----------------|----------------|-------------------------|------|---------------------|-------------------------------|--|
| | MODEL | Basic Model | Frame Color | Seat & Back Color | Base | Upholstery Color | Approx. Packaged Weight | Delivered Pricing Fabric Grade 1 & C.O.M. |
| | Armless Chair with Poly Back Flex back Flip-up seat Nests Casters or glides | TGNAPB | | | | | 32.0# | \$ 598 |
| TGU | Armless Chair with Upholstered Back Flex back Flip-up seat Nests Casters or glides | TGNAUB | | | | | 33.0# | \$ 638 |
| TGU | | | | | | | | |
| | Armchair with Poly Back Flex back Flip-up seat Nests Casters or glides | TGWAPB | | | | | 33.0# | \$ 625 |
| TGU | | | | | | | | |
| | Armchair with Upholstered Back Flex back Flip-up seat Nests Casters or glides | TGWAUB | | | | | 35.0# | \$ 664 |
| TGU | | | | | | | | |
| | | A | 3 | Θ | 0 | (3 | | |

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- \bullet Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

Fabrics & Finishes binder.

- A Select basic model.
- **B**Select frame color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

The metal back support matches the frame

Select seat and back color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Armrest color will match seat/back poly

Select base option.

G - Glides

- Hard floor casters

- Carpet casters

Hard floor casters and glides are available only in black.

ESelect upholstery grade/color. Refer to color addendum at ki.com or KI

UPHOLSTERY INFORMATION

C.O.M. UpholsteryC.O.M. requirement for 10 chairs either poly or upholstered is 3/4 yard of 54" wide nondirectional fabric. For orders of 11 of more chairs and for complete information on ordering C.O.M., see "Ordering C.O.M., C.O.V. and C.O.L. section."



| Delivered Pricing Fabric Grade 2 | Delivered Pricing Fabric Grade 3 | Delivered Pricing Vinyl Group 2 | Delivered Pricing Pallas Fabric Group P1 | Delivered Pricing Pallas Fabric Group P2 | Delivered Pricing Pallas Fabric Group P3 | Delivered Pricing Pallas Fabric Group P4 |
|---|---|--|---|---|---|---|
| \$ 610 | \$ 625 | \$ 625 | \$ 630 | \$ 661 | \$ 685 | \$ 714 |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| \$ 652 | \$ 665 | \$ 665 | \$ 671 | \$ 701 | \$ 725 | \$ 755 |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| \$ 638 | \$ 651 | \$ 651 | \$ 658 | \$ 683 | \$ 712 | \$ 738 |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| \$ 678 | \$ 691 | \$ 691 | \$ 699 | \$ 725 | \$ 752 | \$ 779 |
| | | | | | | |
| | | | | | | |

OPTIONS

California TB133 Fire Safety Code
The above seating products can be manufactured using the appropriate flame-retardant materials for compliance to California Technical Bulletin 133. Add "FR" to end of model number. Model=Polypropylene Back Added Lead Time=1 week Added list price=\$46 Model=Upholstered Seat/Back Added Lead Time=1 week Added list price=\$70

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b. Green Bay, Wisconsin 54302 factory. Freight class #125.

| | | | MODEL N | UMBER | | | | | | |
|--|--|------------|----------------|---------------------|----------------|-------------------------|--|-------------|---------------------|-------------------------------|
| | MODEL | Features | Basic Model | Surface Type | Frame Color | Seat & Back Color | Surface Finish/ Plastic Color | Base | Upholstery Color | Approx. Packaged Weight |
| | Tablet Arm Chair with Poly Back | Left Hand | TGTALPB | | | | | | | 30.0# |
| | Flex backFlip-up seat | Right Hand | TGTARPB | | | | | | | 30.0# |
| | Nests | | | | | | | | | |
| | Casters or glides | | | | | | | | | |
| | The tablet is available in right-hand and left-hand versions | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| TGU | | | | | | | | | | |
| 100 | Tablet Arm Chair with Upholstered Back | Left Hand | TGTALUB | | | | | | | 31.0# |
| | Flex back | Right Hand | TGTARUB | | | | | | | 31.0# |
| | Flip-up seatNests | | | | | | | | | |
| | Casters or glides | | | | | | | | | |
| | The tablet is available in right-hand and left-hand versions | | | | | | | | | |
| | iore nana versions | | | | | | | | | |
| | | | | | | | | | | |
| , and the second | | | | | | | | | | |
| TGU | | | | | | _ | _ | | | |
| | | | A | $oldsymbol{\Theta}$ | Θ | O | • | (3) | (| |

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- \bullet Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- **B**Select worksurface type.

LW - Laminate worksurface; add \$52

PW - Plastic worksurface

- Select frame color. Refer to color addendum at ki.com or Kl Fabrics & Finishes binder.
- Select seat and back color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Armrest color will match seat/back poly color.
- Select surface finish. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select base option. - Glides (4 glides)

- Carpet casters - Hard floor casters

Hard floor casters and glides are available only in black.

GSelect upholstery grade/color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

UPHOLSTERY INFORMATION

C.O.M. UpholsteryC.O.M. requirement for 10 chairs either poly or upholstered is 3/4 yard of 54" wide nondirectional fabric. For orders of 11 of more chairs and for complete information on ordering C.O.M., see "Ordering C.O.M., C.O.V. and C.O.L." section.



| Prici Fabr | Delivered Pricing Fabric Grade 1 & C.O.M. | | vered ing ic Grade | Pricing ade Fabric Grade 3 | | Delivered Pricing Vinyl Group 2 | | Pric Pall | as Fabric | Pric Palla | ing Pric as Fabric Palla up P2 Grou | | ricing allas Fabric roup P3 | | vered ing as Fabric up P4 |
|---------------|--|----|--------------------------|----------------------------------|-----|--|-----|--------------|-----------|---------------|---|----|-----------------------------------|----|------------------------------------|
| \$ | 886 | \$ | 898 | \$ | 914 | \$ | 914 | \$ | 920 | \$ | 950 | \$ | 975 | \$ | 1003 |
| | 886 | | 898 | | 914 | | 914 | | 920 | | 950 | | 975 | | 1003 |
| | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | |
| \$ | 926 | \$ | 939 | \$ | 954 | \$ | 954 | \$ | 959 | \$ | 988 | \$ | 1013 | \$ | 1042 |
| | 926 | | 939 | | 954 | | 954 | | 959 | | 988 | | 1013 | | 1042 |
| | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | |

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b. Green Bay, Wisconsin 54302 factory. Freight class #125.

Stack/Nesting

Torsion® General Information



Cantilevered Sled Base Armchair (TCFAP)



Full Sled Base Chair (TSNAU)



Four-Leg Armchair (TLFAU)



Transport Dolly (TVD and TLD Dolly)

| Features | | | | |
|-----------------------|--------------------------------|--------------------------|--------------------------------|---------|
| Stackable | • | • | • | |
| General Dimensions | | | | |
| Seat width | 18" | 18" | 18" | |
| Seat depth | 18" | 18"" | 18" | |
| Seat height | 17-3/8" | 17-3/8" | 17-7/8" | |
| Back width | 17-7/8" | 17-7/8" | 17-7/8" | |
| Back height | 14-3/4" | 15-1/4" | 15-1/4" | |
| Overall Dimensions | | | | |
| Width | 19" No Arm/24" Arm | 21" No Arm | 20" No Arm/24" Arm | 22-1/2" |
| Depth | 23-1/4" | 22-3/4" | 23-1/4" | 25-1/2" |
| Height | 33" | 32-3/4" | 32-3/4" | 12" |
| Top of arm to floor | 25-5/8" | | 25-5/8" | |
| Stacking on Dolly | | | | |
| Quantity/height | | 6 Chairs/50" High No Arm | 5 Chairs/52" High No Arm & Arm | |
| Floor space (no arms) | | 21" x 29" | 24" x 32" | |
| Floor space (arms) | | | 25" x 32" | |
| Stacking on Floor | | | | |
| Quantity/height | 4 Chairs/43" High No Arm & Arm | 5 Chairs/44" High No Arm | 5 Chairs/47" High No Arm & Arm | |
| Floor space (no arms) | 20" x 27" | 21" x 28" | 20" x 30" | |
| Floor space (arms) | 24" x 27" | | 24" x 30" | |



Standard Flip-Up Tablet Arm



G2-Tablet Arm (Down) (only on TS and TL frames)



G2-Tablet Arm (Up) (only on TS and TL frames)



Cantilevered Arm

SPECIFICATIONS

Seat and Backrest

Seats and backrests are molded compound curved polypropylene with a textured finish. Seat is two-piece construction. Upholstered chairs have partially exposed polypropylene surfaces. Fabric is upholstered over 9/16" foam on the backrest and 5/16" foam on the seat.

Backrest Supports

Two die-cast aluminum backrest supports attach the backrest to the Torsion® mechanism. A steel tube is cast into each backrest support for added strength.

Torsion® Mechanism

The back flex is achieved by the Torsion® mechanism. It consists of two flat torsion springs captured at both ends by steel bushings which in turn engage with the backrest supports. The Torsion® mechanism creates gradually-increasing resistance over the full 12° of back flex.

Full Sled Base Frame (TS)

The sled base frame consists of two segments of 3/4", 16-gauge seam-welded tubular steel and two steel seat supports.

Cantilevered Sled Base Frame (TC)

The cantilevered sled frame consists of one continuous segment of 1", 14-gauge seam-welded tubular steel with reinforced bends.

Four-Leg Frame (TL)

The four-leg frame consists of two U-shaped sections, one front and one rear, welded together with two support brackets to form the four-leg chair. The sections are formed of 15/16", 15-gauge seam-welded tubular steel.

Cantilevered Arm (TC, TS, TL Chairs)

Fiberglass-reinforced nylon; color permeates armrest. Arms flex with the back. Not field-installable.

Leg Finishes

Baked-on, electrostatically-applied epoxy powder coating, or bright nickel-chrome plating

Standard Flip-Up Tablet Arm

Plywood core tablet with high-pressure laminate surface. The edge is black laminate, otherwise clear lacquer. Tablet arm support matches frame color. Tablet is 19-1/2" long and 12-3/4" wide.

Fold-Down, G2-Tablet Arm

Only available on TS and TL frames.
Tablet is constructed of plywood core with high-pressure laminate surface and a clear lacquered edge. Tablet arm support matches frame color (hinge is always black). The tablet is 18" long and 13-3/4" wide. 4" of clearance is needed behind chair to allow table to fold away. Nonstacking.

Transport Dolly

Tubular and plate steel welded together. 5" casters: two fixed, two swivel. Powder-

coated finish.

INFORMATION

C.O.M Testing and Production Requirements

Not all materials are suitable for upholstering this product. A 3/4 yd. x 54" sample must be submitted and approved prior to acceptance of an order. If the fabric is directional in pattern or weave, the direction must be indicated on the submitted sample, and additional yardage may be requested.

Test samples must be sent to:

KI Attn: C.O.M. Specialist 1441 Ontario Street Green Bay, WI 54311

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will



Stack/Nesting Torsion® General Information



Full Sled Base G2-Tablet Arm Chair (TSG2ARU)

Four-Leg Tablet Arm Chair 25-5/8"

| Features | | |
|---------------------|---------|-----------------------|
| Stackable | | |
| General Dimensions | | |
| Seat width | 18" | 18" |
| Seat depth | 18" | 18" |
| Seat height | 17-3/8" | 17-3/8" |
| Back width | 17-7/8" | 17-7/8" |
| Back height | 15-1/4" | 15-1/4" |
| Overall Dimensions | | |
| Width | 21" | 21" |
| Depth | 22-3/4" | 22-3/4" |
| Height | 32-3/4" | 32-3/4" |
| Top of arm to floor | 25-5/8" | 25-5/8" |
| Stacking on Floor | | |
| Quantity/height | | 4 Chairs/47-1/2" High |
| Floor space (arms) | | 28-1/2" x 35-1/2" |

need a Special Cost Request written specify-ing the direction the fabric is to be applied. The posted standard lead time will apply to the Special Cost Request.

DesignDesigned by Giancarlo Piretti and manufactured in the USA by Krueger International, Inc. under license from Pro-Cord S.p.A.

INFORMATION

WarrantyRefer to KI Terms & Conditions document or visit ki.com

| | | | MODEL | NUMBE | R | | | | |
|---------------|---|---------------|----------------|----------------|-------------------------|------------------|---------------------|-------------------------------|--|
| | MODEL | Features | Basic Model | Frame Color | Seat & Back Color | Armrest Color | Upholstery Color | Approx. Packaged Weight | |
| | Cantilevered Sled Base Chair • Flex back | Polypropylene | TCNAP | | | | | 24.0# | |
| | No arm | Upholstered | TCNAU | | | | | 25.0# | |
| | StackingGlide is an option | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| \mathcal{A} | | | | | | | | | |
| TCP | | | | | | | | | |
| TCU | | | | | | | | | |
| | Cantilevered Sled Base Armchair • Flex back | Polypropylene | TCFAP | | | | | 25.0# | |
| | Stacking | Upholstered | TCFAU | | | | | 26.0# | |
| | Glide is an option | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| TCP | | | | | | | | | |
| TCU | | | | | | | | | |
| | | | A | B | Θ | 0 | 3 | | |

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- \bullet Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect frame color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

The metal back support matches the frame color.

When Hammertone or chrome frames are specified, back support matches seat and back color.

The arm support and tablet arm support match the frame color.

- Select seat and back color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select armrest color.
- ESelect upholstery grade/color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

UPHOLSTERY INFORMATION

C.O.M. Upholstery

C.O.M. requirement for 10 chairs or less is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 of more chairs and for complete information on ordering C.O.M., see "Ordering C.O.M., C.O.V. and C.O.L." section.

OPTIONS

California TB133 Fire Safety Code The above seating products can be manufac-

tured using the appropriate flame-retardant materials for compliance to California Technical Bulletin 133. Add "FR" to end of model number. Model=Polypropylene Added Lead Time=1 week Added list price=\$67 Model=Upholstered Added Lead Time=1 week Added list price=\$75

For cantilevered sled base glides, add "/GBL" to end of model number. Glides are nylon (plastic). List price upcharge is \$32.



| Delivered Pricing Unupholstered | Delivered Pricing Fabric Grade 1 & C.O.M. | Delivered Pricing Fabric Grade 2 | Delivered Pricing Fabric Grade 3 | Delivered Pricing Vinyl Group 2 | Delivered Pricing Pallas Fabric Group P1 | Delivered Pricing Pallas Fabric Group P2 | Delivered Pricing Pallas Fabric Group P3 | Delivered Pricing Pallas Fabric Group P4 |
|------------------------------------|--|---|---|--|---|---|---|---|
| \$ 268 | | | | | | | | |
| N/A | 455 | 496 | 504 | 504 | 471 | 492 | 514 | 533 |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| \$ 408 | | | | | | | | |
| N/A | 595 | 633 | 643 | 643 | 607 | 630 | 651 | 672 |
| | | | | | | | | |
| | | | | | | | | |

INFORMATION

Note:
Torsion® in 2V Vinyl with FR requires a customer waiver since addition of the FR fire barrier to the upholstery detracts from the aesthetics of the chair.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b. Green Bay, Wisconsin 54302 factory. Freight class #125.

| | | | MODEL | . NUMBE | R | | | | |
|------------|---|---------------|----------------|----------------|-------------------------|------------------|-----------------|---------------------|-------------------------------|
| | MODEL | Features | Basic Model | Frame Color | Seat & Back Color | Armrest Color | Glide Option | Upholstery Color | Approx. Packaged Weight |
| | Four-Leg Chair | Polypropylene | TLNAP | | | | | | 22.0# |
| | Flex backNo arm | Upholstered | TLNAU | | | | | | 24.0# |
| | Stacking | | | | | | | | |
| | Glide is plastic and standard | | | | | | | | |
| | | | | | | | | | |
| 1 | | | | | | | | | |
| Į . | | | | | | | | | |
| TLP TLU | | | | | | | | | |
| ILU | Four-Leg Armchair | Polypropylene | TLFAP | | | | | | 23.0# |
| | Flex back | Upholstered | TLFAU | | | | | | 25.0# |
| | Stacking Clide is plactic and standard | о р полото и | | | | | | | |
| | Glide is plastic and standard | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| <u> </u> | | | | | | | | | |
| TLP | | | | | | | | | |
| TLU | | | | | | | | | |
| | | | A | B | • | 0 | 3 | (3) | |
| | | | | | | | | | |

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- \bullet Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- **B**Select frame color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

The metal back support matches the frame

When Hammertone or chrome frames are specified, back support matches seat and back color.

The arm support and tablet arm support match the frame color.

Select seat and back color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

- DSelect armrest color.
- Select glide option.

 P Plastic glides

- Stainless steel glides

Select upholstery grade/color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

UPHOLSTERY INFORMATION

C.O.M. Upholstery C.O.M. requirement for 10 chairs or less is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 of more chairs and for complete information on ordering C.O.M., see "Ordering C.O.M., C.O.V. and C.O.L." section.



| Delivered Pricing Unupholstered | Delivered Pricing Fabric Grade 1 & C.O.M. | Delivered Pricing Fabric Grade 2 | Delivered Pricing Fabric Grade 3 | Delivered Pricing Vinyl Group 2 | Delivered Pricing Pallas Fabric Group P1 | Delivered Pricing Pallas Fabric Group P2 | Delivered Pricing Pallas Fabric Group P3 | Delivered Pricing Pallas Fabric Group P4 |
|------------------------------------|--|---|---|--|---|---|---|---|
| \$ 268 | | | | | | | | |
| N/A | 455 | 496 | 504 | 504 | 471 | 492 | 514 | 533 |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| \$ 408 | | | | | | | | |
| N/A | 595 | 633 | 643 | 643 | 607 | 630 | 651 | 672 |
| , . 1 | 230 | 200 | 3 10 | 310 | 307 | 200 | 201 | 57E |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |

OPTIONS

California TB133 Fire Safety Code The above seating products can be manufac-

The above seating products can be maintact tured using the appropriate flame-retardant materials for compliance to California
Technical Bulletin 133. Add "FR" to end of model number.

Model=Polypropylene
Added Lead Time=1 week
Added list price=\$67
Model=Upholstered
Added Lead Time=1 week
Added list price=\$75

INFORMATION

Note:

Torsion in 2V Vinyl with FR requires a customer waiver since addition of the FR fire barrier to the upholstery detracts from the aesthetics of the chair.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b. Green Bay, Wisconsin 54302 factory. Freight class #125.

Stack/Nesting

MODEL NUMBER Seat & **Tablet** Frame Back Arm Glide Upholstery Basic MODEL **Features** Model Color Color Color Color Option Four-Leg Tablet Arm Chair Polypropylene, Left Hand TLTALP ПП П Flex back Polypropylene, Right Hand TLTARP $\Box\Box$ Stacking Upholstered, Left Hand TLTALU Glide is plastic and standard Upholstered, Right Hand TLTARU Flip-up tablet TLP TLU Four-Leg G2-Tablet Arm Chair Polypropylene, Left Hand TLG2ALP Flex back Polypropylene, Right Hand TLG2ARP NONSTACKING Upholstered, Left Hand TLG2ALU Glide is plastic and standard Upholstered, Right Hand TLG2ARU Fold-down tablet TLP TLU A 0 0 0 **3 3**

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

- A Select basic model.
- BSelect frame color.

Refer to color addendum at ki.com or KI

The metal back support matches the frame

When Hammertone or chrome frames are specified, back support matches seat and

- DSelect tablet arm color.
- Select glide option.

HOW TO BUILD A MODEL NUMBER

Fabrics & Finishes binder.

back color.

The arm support and tablet arm support

match the frame color.

Select seat and back color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

- Plastic glides

- Stainless steel glides

Select upholstery grade/color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

UPHOLSTERY INFORMATION

C.O.M. Upholstery

C.O.M. requirement for 10 chairs or less is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 of more chairs and for complete information on ordering C.O.M., see "Ordering C.O.M., C.O.V. and C.O.L." section.



| Approx. Packaged Weight | Delivered Prici Unupholstered | | Delivered Pricing Fabric Grade 2 | Delivered Pricing Fabric Grade 3 | Delivered Pricing Vinyl Group 2 | Delivered Pricing Pallas Fabric Group P1 | Delivered Pricing Pallas Fabric Group P2 | Delivered Pricing Pallas Fabric Group P3 | Delivered Pricing Pallas Fabric Group P4 |
|-------------------------------|----------------------------------|-----|---|---|--|---|---|---|---|
| 32.0# | \$ 454 | | | | | | | | |
| 32.0# | 454 | | | | | | | | |
| 34.0# | N/A | 642 | 680 | 687 | 687 | 656 | 676 | 697 | 717 |
| 34.0# | N/A | 642 | 680 | 687 | 687 | 656 | 676 | 697 | 717 |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| 32.0# | \$ 539 | | | | | | | | |

770

770

770

770

736

736

760

760

780

780

799

799

OPTIONS

California TB133 Fire Safety Code

539

N/A

N/A

725

725

762

762

32.0# 34.0#

34.0#

The above seating products can be manufactured using the appropriate flame-retardant materials for compliance to California Technical Bulletin 133. Add "FR" to end of model number.

Model=Polypropylene
Added Lead Time=1 week
Added list price=\$67
Model=Upholstered
Added Lead Time=1 week
Added list price=\$75

INFORMATION

Note:

Torsion® in 2V Vinyl with FR requires a customer waiver since addition of the FR fire barrier to the upholstery detracts from the aesthetics of the chair.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped **assembled freight prepaid f.o.b. Green Bay, Wisconsin 54302** factory. Freight class #125.

| | | | MODEL | . NUMBE | R | | | |
|------------|---|------------------------------|----------------|----------------|-------------------------|------------------|---------------------|-------------------------------|
| | MODEL | Features | Basic Model | Frame Color | Seat & Back Color | Armrest Color | Upholstery Color | Approx. Packaged Weight |
| | Full Sled Base Chair Flex back No arm Stacks Glide is an option | Polypropylene Upholstered | TSNAP TSNAU | | | | | 22.0# 24.0# |
| | | | | | | | | |
| TSP TSU | | | | | | | | |
| | Full Sled Base Armchair | Polypropylene | TSFAP | | | | | 23.0# |
| | Flex backNONSTACKING | Upholstered | TSFAU | | | | | 25.0# |
| | Glide is an option | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| ~ | | | | | | | | |
| TSP | | | | | | | | |
| TSU | | | | | | | | |
| | | | A | B | Θ | 0 | • | |

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- \bullet Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect frame color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

The metal back support matches the frame color.

When Hammertone or chrome frames are specified, back support matches seat and back color.

The arm support and tablet arm support match the frame color.

- Select seat and back color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select armrest color.
- ESelect upholstery grade/color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

UPHOLSTERY INFORMATION

C.O.M. Upholstery

C.O.M. requirement for 10 chairs or less is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 of more chairs and for complete information on ordering C.O.M., see "Ordering C.O.M., C.O.V. and C.O.L." section.

OPTIONS

California TB133 Fire Safety Code

The above seating products can be manufactured using the appropriate flame-retardant materials for compliance to California Technical Bulletin 133. Add "FR" to end of model number. Model=Polypropylene Added Lead Time=1 week Added list price=\$67 Model=Upholstered Added Lead Time=1 week Added list price=\$75

For glides, add one of the following to the end of the model number: GBL=Plastic Glide; No Charge GNM=Non-marring glide; No Charge GNS=Non-skid glide; \$27 List Upcharge GSS=Stainless Steel glide; \$27 List Upcharge



| Delivered Pricing Unupholstered | Delivered Pricing Fabric Grade 1 & C.O.M. | Delivered Pricing Fabric Grade 2 | Delivered Pricing Fabric Grade 3 | Delivered Pricing Vinyl Group 2 | Delivered Pricing Pallas Fabric Group P1 | Delivered Pricing Pallas Fabric Group P2 | Delivered Pricing Pallas Fabric Group P3 | Delivered Pricing Pallas Fabric Group P4 |
|------------------------------------|--|---|---|--|---|---|---|---|
| \$ 268 | | | | | | | | |
| N/A | 455 | 496 | 504 | 504 | 471 | 492 | 514 | 533 |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| \$ 408 | | | 2.42 | | | | | .=. |
| N/A | 595 | 633 | 643 | 643 | 607 | 630 | 651 | 672 |
| | | | | | | | | |

INFORMATION

Note:
Torsion® in 2V Vinyl with FR requires a customer waiver since addition of the FR fire barrier to the upholstery detracts from the aesthetics of the chair.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b. Green Bay, Wisconsin 54302 factory. Freight class #125.

| | MODEL N | UMBER | | | | | | |
|-----|---|---------------------------|----------------|----------------|-------------------------|------------------------|---------------------|-------------------------------|
| | MODEL | Features | Basic Model | Frame Color | Seat & Back Color | Tablet Arm Color | Upholstery Color | Approx. Packaged Weight |
| | Full Sled Base Tablet Arm Chair | Polypropylene, Left Hand | TSTALP | | | | | 32.0# |
| | Flex backNONSTACKING | Polypropylene, Right Hand | TSTARP | | | | | 32.0# |
| | Glide is an option | Upholstered, Left Hand | TSTALU | | | | | 34.0# |
| | Flip-up tablet | Upholstered, Right Hand | TSTARU | | | | | 34.0# |
| | Tablet arm is 19-1/2" long and 12-3/4" | | | | | | | |
| | wide | | | | | | | |
| TSP | | | | | | | | |
| TSU | | | | | | | | |
| | Full Sled Base G2-Tablet Arm Chair | Polypropylene, Left Hand | TSG2ALP | | | | | 32.0# |
| | Flex backNONSTACKING | Polypropylene, Right Hand | TSG2ARP | | | | | 32.0# |
| | Glide is an option | Upholstered, Left Hand | TSG2ALU | | | | | 34.0# |
| | Fold-down tablet | Upholstered, Right Hand | TSG2ARU | | | | | 34.0# |
| | Tablet arm is 18" long and 13-3/4" wide | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| * | | | | | | | | |
| TSP | | | | | | | | |
| TSU | | | | | | | | |
| | | | A | B | • | 0 | • | |

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect frame color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder. The metal back support, arm support, and tablet arm support matches the frame color.
 - When Hammertone or chrome frames are specified, back support matches seat and back color.
- Select seat and back color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- DSelect tablet arm color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- **B**Select upholstery grade/color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

UPHOLSTERY INFORMATION

C.O.M. Upholstery

C.O.M. requirement for 10 chairs or less is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 of more chairs and for complete information on ordering C.O.M., see "Ordering C.O.M., C.O.V. and C.O.L." section.

OPTIONS

California TB133 Fire Safety Code The above seating products can be manufac-

tured using the appropriate flame-retardant materials for compliance to California Technical Bulletin 133. Add "FR" to end of model number. Model=Polypropylene Added Lead Time=1 week Added list price=\$67 Model=Upholstered Added Lead Time=1 week Added list price=\$75

Glides

For glides, add one of the following to the end of the model number: GBL=Plastic Glide; No Charge GNM=Non-marring glide; No Charge GNS=Non-skid glide; \$27 List Upcharge GSS=Stainless Steel glide; \$27 List Upcharge



| | vered Pricing | Delivered Pricing Fabric Grade 1 & C.O.M. | Delivered Pricing Fabric Grade 2 | Delivered Pricing Fabric Grade 3 | Delivered Pricing Vinyl Group 2 | Delivered Pricing Pallas Fabric Group P1 | Delivered Pricing Pallas Fabric Group P2 | Delivered Pricing Pallas Fabric Group P3 | Delivered Pricing Pallas Fabric Group P4 |
|----|---------------|--|---|---|--|---|---|---|---|
| \$ | 454 | 1 0 0.0.111. | | | | агоартт | GIOUP I Z | aroup r o | атопр т т |
| | 454 | | | | | | | | |
| | N/A | 642 | 680 | 687 | 687 | 656 | 676 | 697 | 717 |
| | N/A | 642 | 680 | 687 | 687 | 656 | 676 | 697 | 717 |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| \$ | 539 | | | | | | | | |
| | 539 | | | | | | | | |
| | N/A | 725 | 762 | 770 | 770 | 736 | 760 | 780 | 799 |
| | N/A | 725 | 762 | 770 | 770 | 736 | 760 | 780 | 799 |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |

INFORMATION

Note:
Torsion® in 2V Vinyl with FR requires a customer waiver since addition of the FR fire barrier to the upholstery detracts from the aesthetics of the chair.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b. Green Bay, Wisconsin 54302 factory. Freight class #125.

| | | MODEL NUMBER | |
|----------------|--|---|-------------------------------|
| | MODEL | <attrib <br="" a="167">I="10" o="894296" p="888018" s="97" status="1"/></attrib> | Approx. Packaged Weight |
| | Transport Dolly for Sled Base Chairs • For full sled base chairs (TS) | TVD.BL | 30.0# |
| | 5" casters: two fixed, two swivel | | |
| D | Black only | | |
| 9 | ' | | |
| HRDPT | | <u> </u> ' | |
| | Transport Dolly for Four-Leg Chairs | TLD.BL | 31.0# |
| | For four-Leg chairs only (TL) 5" casters: two fixed, two swivel | | |
| | Black only | | |
| ~ " (0) | Didok S, | | |
| HRDPT | ' | | |
| | • | | |



HOW TO ORDER

Indicate the following information on order

- form:

 1. Quantity of each item.

 2. Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.



Delivered Pricing

\$ 399

\$ 399

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b. Green Bay, Wisconsin 54302 factory. Freight class #125.

Stack/Nesting

Torsion Air™ General Information





Four-Lea Armchair

Four-Lan Standard Tablet Arm Chair

| | Armless Four-Leg Chair (TALNA) | Four-Leg Armchair (TALWA) | Four-Leg Standard Tablet Arm Chair (TALTAR) |
|---------------------|--------------------------------|------------------------------|--|
| Features | | | |
| Back flex | • | • | • |
| Stackable | • | • | |
| General Dimensions | | | |
| Seat width | 17" | 17" | 17" |
| Seat depth | 18-1/2" | 18-1/2" | 18-1/2" |
| Seat height | 18" | 18" | 18" |
| Back width | 17" | 17" | 17" |
| Back height | 16" | 16" | 16" |
| Overall Dimensions | | | |
| Width | 21" | 23-1/2" | 23" |
| Depth | 23-3/4" | 23-3/4" | 29-3/4" |
| Height | 34" | 34" | 34" |
| Top of arm to floor | | 25-1/2" | 28" |
| Stacking on Dolly | | | |
| Quantity/height | 5 Chairs/55" High | 5 Chairs/55" High | |
| Floor space | 22-1/2" x 25-1/2" | 23-1/2" x 25-1/2" | |
| Stacking on Floor | | | |
| Quantity/height | 4 Chairs/45" High | 4 Chairs/45" High | |
| Floor space | 21" x 32" | 23-1/2" x 32" | |



Standard Flip-Up Tablet Arm

SPECIFICATIONS

Seat and Backrest

Seat is a two-piece construction with a molded polypropylene liner with a molded compound curved polypropylene shroud with a textured finish. Seat is always upholsted. Foam (1-1/2") is applied to the molded polypropylene liner. Fabric is then upholstered over the foam. Backrest frame is molded glass-reinforced nylon. Mesh fabric is 100% polyester. Seat and backrest are field-replaceable.

Back/Arm Supports

Two welded steel backrest supports attach the backrest to the torsion mechanism. If so equipped, optional armrest structure is integral to the backrest support. Armcaps are polypropylene and are field-replaceable.

Torsion Mechanism

The back flex is achieved by the torsion mechanism. It consists of two flat torsion springs captured at both ends by steel

bushings that are welded to the backrest supports. The torsion mechanism creates gradually increasing resistance over the full 12° of back flex.

Full Sled Base Frame (TAS)

The sled base frame consists of two segments of 3/4" 16-gauge seam welded tubular steel and two steel seat supports.

Four Leg Frame (TAL)

The four leg frame consists of two U-shaped sections, one front and one rear, welded together with two support brackets to form the four leg chair. The sections are formed of 15/16" 15-gauge seam welded tubular steel.

Leg Finishes

Baked-on, electrostatically-applied powdercoating, or bright nickel-chrome plating.

Standard Tablet Arms

5/8" 11-ply plywood tablet with high-pressure laminate surface and lacquered edge. Tablet arm support matches frame color.

Seating clearance is 13 1/2". Standard tablet measures 19 1/2" long and 12 3/4" wide.

Transport Dolly

Tubular and plate steel welded together. 5" casters; two fixed, two swivel. Powder coated finish. Two distinct dollies are available; one for full Sled Base, and one for Four Leg.

INFORMATION

C.O.M Testing and Production Requirements

Not all materials are suitable for upholstering this product. A 3/4 vd. x 54" sample must be submitted and approved prior to acceptance of an order. If the fabric is directional in pattern or weave, the direction must be indicated on the submitted sample, and additional yardage may be requested.

Test samples must be sent to:


Attn: C.O.M. Specialist 1441 Ontario Street Green Bay, WI 54311

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specifying the direction the fabric is to be applied. The posted standard lead time will apply to the Special Cost Request.



Stack/Nesting Torsion Air™ General Information











Armless Sled Base Chair (TASNA)

Sled Base Armchair (TASWA)

Sled Base Standard Tablet Arm Chair (TASTAR)

| (IASIAN) |
|----------|
| |
| • |
| |
| |
| 17" |
| 18-1/2" |
| 18" |
| 17" |
| 16" |
| |
| 23" |
| 29-3/4" |
| 34" |
| 28" |
| |
| |
| |
| |
| |
| |
| |

Stack/Nesting Torsion Air™

| | | MODEL | MODEL NUMBER | | | | | | | | | | |
|---|----------------------------|----------------|----------------|------------------------|-----------------|---------------------|---------------|--|--|--|--|--|--|
| MODEL | Features | Basic Model | Frame Color | Tablet Arm Color | Glide Option | Upholstery Color | Mesh Color | | | | | | |
| Four-Leg Armi | ess Chair | TALNA | | | | | | | | | | | |
| Back flex Mesh back | | | | | | | | | | | | | |
| • Stacking | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| / // | | | | | | | | | | | | | |
| u [] " [] | | | | | | | | | | | | | |
| TALC | | | | | | | | | | | | | |
| TALC Four-Leg Armc | hair | TALWA | | | | | | | | | | | |
| Back flex | inan | IALWA | | | | | | | | | | | |
| Mesh back Observious | | | | | | | | | | | | | |
| Stacking | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| - [] " | | | | | | | | | | | | | |
| TALC | | | | | | | | | | | | | |
| Four-Leg Table | | TALTAL | | | | | | | | | | | |
| Back flexMesh back | Standard Tablet, Right Han | d TALTAR | | | | | | | | | | | |
| Nonstacking | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| U W | | | | | | | | | | | | | |
| TALC | | | | | | | | | | | | | |
| INCO | | | | | | | | | | | | | |
| | | A | ₿ | • | 0 | (3 | • | | | | | | |

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- \bullet Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- **B**Select frame color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select tablet arm color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select glide option.

- Plastic glides

- Stainless steel glides

ESelect upholstery grade/color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select back mesh color.

BLMH - Black

GRMH - Grey

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

UPHOLSTERY INFORMATION

C.O.M. Upholstery C.O.M. requirement for 10 chairs or less is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 of more chairs and for complete information on ordering C.O.M., see "Ordering C.O.M., C.O.V. and C.O.L." section.



Stack/Nesting Torsion Air[™]

| Approx. Packaged Weight | Pric Fab | ivered sing ric Grade C.O.M. | Pric | vered ing ric Grade | Pric | vered ing ic Grade | Pric | vered ing /I Group | Pric Palla | vered ing as Fabric up P1 | Pric Palla | vered ing as Fabric up P2 | Pric Pall | vered ing as Fabric up P3 | Prio Pall | ivered sing as Fabric up P4 |
|-------------------------------|-------------|---------------------------------------|------|---------------------------|------|--------------------------|------|--------------------------|---------------|------------------------------------|---------------|------------------------------------|--------------|------------------------------------|--------------|--------------------------------------|
| 18.0# | \$ | 483 | \$ | 496 | \$ | 510 | \$ | 510 | \$ | 552 | \$ | 568 | \$ | 587 | \$ | 610 |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| 20.0# | \$ | 509 | \$ | 521 | \$ | 538 | \$ | 538 | \$ | 578 | \$ | 595 | \$ | 613 | \$ | 635 |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| 28.0# | \$ | 669 | \$ | 681 | \$ | 698 | \$ | 698 | \$ | 738 | \$ | 755 | \$ | 771 | \$ | 796 |
| 28.0# | | 669 | | 681 | | 698 | | 698 | | 738 | | 755 | | 771 | | 796 |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |

OPTIONS

California TB133 Fire Safety Code
The above seating products can be manufactured using the appropriate flame-retardant materials for compliance to California
Technical Bulletin 133. Add "FR" to end of model number. Added Lead Time=1 week Added list price=\$45

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b. Green Bay, Wisconsin 54302 factory. Freight class #125.

Stack/Nesting Torsion Air™

| | | | MODEL | NUMBEI | R | | | |
|-------|---|-----------------------------|----------------|---------------------|------------------------|---------------------|---------------|-----------------|
| | MODEL | Features | Basic Model | Frame Color | Tablet Arm Color | Upholstery Color | Mesh Color | Glide Option |
| | Armless Sled Base Chair | | TASNA | | | | | |
| | Back flexMesh back | | | | | | | |
| | Stacking | | | | | | | |
| | | | | | | | | |
| / / | | | | | | | | |
| | | | | | | | | |
| TASC | | | | | | | | |
| | Sled Base Armchair | | TASWA | | | | | |
| | Back flexMesh back | | | | | | | |
| | Stacking | | | | | | | |
| | | | | | | | | |
| / | | | | | | | | |
| | | | | | | | | |
| TASC | | | | | | | | |
| (| Sled Base Tablet Arm Chair Back flex | Standard Tablet, Left Hand | TASTAL | | | | | |
| | Mesh back | Standard Tablet, Right Hand | TASTAR | | | | | |
| | Nonstacking | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| TASC | | | | | | | | |
| | | | A | $oldsymbol{\Theta}$ | $oldsymbol{\Theta}$ | O | (3 | (3 |

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- \bullet Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- **B**Select frame color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select tablet arm color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select upholstery grade/color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select back mesh color.

 BLMH Black

 GRMH Grey Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select glide option.

- Plastic glides GBL - Non-marring glide

GNS - Non-skid glide

GSS - Stainless steel glide

UPHOLSTERY INFORMATION

C.O.M. Upholstery C.O.M. requirement for 10 chairs or less is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 of more chairs and for complete information on ordering C.O.M., see "Ordering C.O.M., C.O.V. and C.O.L." section.



Stack/Nesting Torsion Air[™]

| Approx. Packaged Weight | Prio Fab | ivered cing ric Grade C.O.M. | Pri | ivered cing oric Grade | Pric | vered ing ric Grade | Pric | vered ing /I Group | Prio Pall | ivered cing las Fabric up P1 | Prio Pal | ivered cing las Fabric up P2 | Prio Pall | ivered cing las Fabric up P3 | Prio Pal | ivered cing las Fabric oup P4 |
|-------------------------------|-------------|---------------------------------------|-----|------------------------------|------|---------------------------|------|--------------------------|--------------|---------------------------------------|-------------|---------------------------------------|--------------|---------------------------------------|-------------|--|
| 18.0# | \$ | 483 | \$ | 496 | \$ | 510 | \$ | 510 | \$ | 552 | \$ | 568 | \$ | 587 | \$ | 610 |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| 20.0# | \$ | 509 | \$ | 521 | \$ | 538 | \$ | 538 | \$ | 578 | \$ | 595 | \$ | 613 | \$ | 635 |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | === | | | | | | |
| 28.0# | \$ | 669 | \$ | 681 | \$ | 698 | \$ | 698 | \$ | 738 | \$ | 755 | \$ | 771 | \$ | 796 |
| 28.0# | | 669 | | 681 | | 698 | | 698 | | 738 | | 755 | | 771 | | 796 |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |

OPTIONS

California TB133 Fire Safety Code
The above seating products can be manufactured using the appropriate flame-retardant materials for compliance to California Technical Bulletin 133. Add "FR" to end of model number. Added Lead Time=1 week Added list price=\$45

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b. Green Bay, Wisconsin 54302 factory. Freight class #125.

Stack/Nesting Torsion Air™

| | | MODEL NUMBER | |
|------------|---|----------------|-------------------------------|
| | MODEL | Basic Model | Approx. Packaged Weight |
| | Transport Dolly for Sled Base Chairs • For full sled base chairs | TVD.BL | 30.0# |
| | For full sied base chairs 5" casters: two fixed, two swivel | | |
| 5 | Black only | ' | |
| (a) | ' | | |
| HRDPT | | <u></u> | |
| | Transport Dolly for Four-Leg Chairs | TLD.BL | 31.0# |
| | For four-Leg chairs only 5" casters: two fixed, two swivel | 1 | |
| | Black only | | |
|) *D | Diaon Sy | 1 | |
| HRDPT | | | |
| | • | | |



HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
 Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

UPHOLSTERY INFORMATION

C.O.M. Upholstery C.O.M. requirement for 10 chairs or less is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 of more chairs and for complete information on ordering C.O.M., see "Ordering C.O.M., C.O.V. and C.O.L." section.



Stack/Nesting Torsion Air**

Delivered Pricing

\$ 399

\$ 399

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b. Green Bay, Wisconsin 54302 factory. Freight class #125.

Specifications and prices are subject to change without prior notice.

Stack/Nesting

Torsion Air™ Nesting General Information









| | M ** | 6 17 | 60 " | 0 17 |
|--------------------------------|--------------------------|---------------------|---|---|
| | Armless Chair (TANNA) | Armchair (TANWA) | Piretti Tablet Arm Chair (TANTARPT) | Flip-up Tablet Arm Chair (TANTARFD) |
| Features | | | | |
| Back flex | • | • | • | • |
| Flip-up seat | • | • | • | • |
| Nesting | • | • | • | • |
| Casters | • | • | • | • |
| General Dimensions | | | | |
| Seat width | 17" | 17" | 17" | 17" |
| Seat depth | 18-1/2" | 18-1/2" | 18-1/2" | 18-1/2" |
| Seat height | 18" | 18" | 18" | 18" |
| Back width | 17" | 17" | 17" | 17" |
| Back height | 16" | 16" | 16" | 16" |
| Overall Dimensions | | | | |
| Width | 23-7/8" | 23-7/8" | 25" | 27" |
| Depth | 24-1/4" | 24-1/4" | 30-1/4" | 31" |
| Height | 33-1/2" | 33-1/2" | 33-1/2" | 33-1/2" |
| Top of arm to floor | | 24-7/8" | 28-1/2" | 28" |
| Depth of nesting (two chairs) | 28" | 28" | 34" | 35" |
| Depth of each additional chair | 7-1/2" | 7-1/2" | 7-1/2" | 7-1/2" |

SPECIFICATIONS

Seat and Backrest

Seat is two-piece construction of molded plywood upholstery board with a molded compound curved polypropylene shroud with a textured finish. Seat is always upholstered. Foam (1-3/4") is applied to the molded plywood upholstery board. Fabric is then upholstered over the foam. Backrest is available in either a poly or upholstered version. Backrest frame is molded glassreinforced nylon. Mesh fabric is 100% polyester. Backrest has an integral "handle."

Seat flips up to allow chairs to nest for storage and transport.

Seat and back are field replaceable.

Backrest Supports

Two welded steel backrest supports attach the backrest to the torsion mechanism.

Torsion Mechanism

The back flex is achieved by the torsion mechanism. It consists of two flat torsion springs captured at both ends by steel bushings that are welded to the backrest supports. The torsion mechanism creates gradually increasing resistance over the full 12° of back flex.

Piretti Tablet

Available on RH or LH side. The tablet support is 1-3/16"OD x 14-gauge round steel tubing. The support is welded to the chair frame. The tablet mechanism consists of two die cast aluminum housings and a stamped steel hinge assembly. The main housing is mounted inside the steel support tube and secured with a thread-forming screw. The mechanism has two through-bolted pivot axes with bushing that allow stowing. The mechanism permits 12 degrees of horizontal rotation for ingress/ egress without stowing the tablet. With the tablet stowed, the chair will nest with other Torsion Air chairs with or without tablets.

The tablet is made from blow-molded highdensity polyethylene and is only available in black. The tablet is connected to the mechanism and supported by a 12-gauge steel plate. The tablet has an effective working surface 12" deep by 16" across (overall dimensions are 12" deep by 22" across).

Flip-Up Tablet

Available on RH or LH side. The tablet arm support structure is 1-inch diameter, 13-gauge tubing, welded to the main chair frame. A formed steel hinge is welded to the top of the support structure and secured with screws to the underside of the writing surface. Writing surface is nominally 9-1/2" x 20-3/4" x 12-1/2" plywood core of 5/8" thick, 11-ply hardwood, surfaced with 0.030" high-pressure laminate top and plain backer undersurface. Edges are lacquered and sealed. When so equipped, and with the tablet flipped up, chairs will nest with other Torsion Air chairs with tablets, or without.

Frame

The frame is made up of four legs welded to a steel mechanism tube. The legs are 1"diameter, 13-gauge high-strength low alloy steel tubing.

Arms

Armcaps are made of polypropylene. Armrests rotate with the back. Armcaps are field replaceable.

Leg Finishes

Baked on electrostatically applied 45 sheen epoxy powder coating or bright nickel chrome plating.

Casters/Glides

Double wheels (60mm) of high-impact thermoplastic. High-impact plastic frame. Caster is always black. Bell glide (2" high) made of high-impact plastic also available, black only.





INFORMATION

C.O.M Testing and Production Requirements

Not all materials are suitable for upholstering this product. A 3/4 yd. x 54" sample must be submitted and approved prior to acceptance of an order. If the fabric is directional in pattern or weave, the direction must be indicated on the submitted sample, and additional yardage may be requested.

Test samples must be sent to:

KI Attn: C.O.M. Specialist 1441 Ontario Street Green Bay, WI 54311

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specifying the direction the fabric is to be applied.

The posted standard lead time will apply to the Special Cost Request.

| | | | MODEL NU | IMDED | | | | | |
|-------|---|-------------------------|----------------|----------------|------------------------|------|---------------------|---------------|------------------|
| | MODEL | Features | Basic Model | Frame Color | Tablet Arm Color | Base | Upholstery Color | Mesh Color | Approx. Packaged |
| | Armless Chair | reatures | TANNA | | COIOI | | | | Weight 24.0# |
| | Back flex | | IANNA | | | | | | 24.0# |
| | Mesh back | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| on on | | | | | | | | | |
| TANC | | | | | | | | | |
| | Armchair Back flex | | TANWA | | | | | | 25.0# |
| | Mesh back | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| of | | | | | | | | | |
| TANC | | | | | | | | | |
| 77.00 | Flip-up Tablet Arm Chair | Flip Tablet, Left Hand | TANTALFT | | | | | | 29.0# |
| | Back flexMesh back | Flip Tablet, Right Hand | TANTARFT | | | | | | 29.0# |
| | • IVIESTI DACK | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| up) | | | | | | | | | |
| TANC | | | | | | | | | |
| | | | A | B | G | 0 | 3 | G | |
| | | | | | | | | | |

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- \bullet Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- **B**Select frame color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select tablet arm color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select base option.

- Glides (4 glides)

- Carpet casters

S - Hard floor casters
Hard floor casters and glides are available only in black.

- Select upholstery grade/color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select back mesh color. BLMH - Black

GRMH - Grey

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

UPHOLSTERY INFORMATION

C.O.M. Upholstery C.O.M. requirement for 10 chairs or less is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 of more chairs and for complete information on ordering C.O.M., see "Ordering C.O.M., C.O.V. and C.O.L." section.



| Delivered Pricing Fabric Grade 1 & C.O.M. | Delivered Pricing Fabric Grade 2 | Delivered Pricing Fabric Grade 3 | Delivered Pricing Vinyl Group 2 | Delivered Pricing Pallas Fabric Group P1 | Delivered Pricing Pallas Fabric Group P2 | Delivered Pricing Pallas Fabric Group P3 | Delivered Pricing Pallas Fabric Group P4 |
|--|---|---|--|---|---|---|---|
| \$ 652 | \$ 664 | \$ 678 | \$ 678 | \$ 721 | \$ 736 | \$ 755 | \$ 779 |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| \$ 677 | \$ 695 | \$ 706 | \$ 706 | \$ 747 | \$ 763 | \$ 781 | \$ 806 |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| \$ 837 | \$ 850 | \$ 866 | \$ 866 | \$ 907 | \$ 923 | \$ 941 | \$ 964 |
| 837 | 850 | 866 | 866 | 907 | 923 | 941 | 964 |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |

OPTIONS

California TB133 Fire Safety Code
The above seating products can be manufactured using the appropriate flame-retardant materials for compliance to California Technical Bulletin 133. Add "FR" to end of model number. Added Lead Time=1 week Added list price=\$45

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b. Green Bay, Wisconsin 54302 factory. Freight class #125.

Specifications and prices are subject to change without prior notice.

| | | | MODEL NU | JMBER | | | | | |
|-------|-------------------------------------|----------------------------|----------------|----------------|------------------------|------|---------------------|---------------|--|
| | MODEL | Features | Basic Model | Frame Color | Tablet Arm Color | Base | Upholstery Color | Mesh Color | |
| (| Piretti Tablet Arm Chair Back flex | Piretti Tablet, Left Hand | TANTALPT | | LBK | | | | |
| | Mesh back | Piretti Tablet, Right Hand | TANTARPT | | LBK | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| op op | | | | | | | | | |
| TANC | | | | | | | | | |
| | | | Δ | B | • | 0 | 3 | (3) | |

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- \bullet Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- **B**Select frame color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select tablet arm color.

LBK - Black

Select base option.

G - Glides (4 glides) - Carpet casters - Hard floor casters

Hard floor casters and glides are available only in black.

- ESelect upholstery grade/color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select back mesh color.

BLMH - Black GRMH - Grey

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

UPHOLSTERY INFORMATION

C.O.M. Upholstery C.O.M. requirement for 10 chairs or less is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 of more chairs and for complete information on ordering C.O.M., see "Ordering C.O.M., C.O.V. and C.O.L." section.



| Approx. Packaged Weight | Delivered Pricing Fabric Grade 1 & C.O.M. | Delivered Pricing Fabric Grade 2 | Delivered Pricing Fabric Grade 3 | Delivered Pricing Vinyl Group 2 | Delivered Pricing Pallas Fabric Group P1 | Delivered Pricing Pallas Fabric Group P2 | Delivered Pricing Pallas Fabric Group P3 | Delivered Pricing Pallas Fabric Group P4 |
|-------------------------------|--|---|---|--|---|---|---|---|
| 34.0# | \$ 939 | \$ 953 | \$ 967 | \$ 967 | \$ 1009 | \$ 1025 | \$ 1042 | \$ 1067 |
| 34.0# | 939 | 953 | 967 | 967 | 1009 | 1025 | 1042 | 1067 |

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b. Green Bay, Wisconsin 54302 factory. Freight class #125.

Specifications and prices are subject to change without prior notice.

Stack/Nesting

Versa® Basic General Information



Armchair (VBWAL)



Armless Chair (VBNAL)



Transport Dolly (VBD.BL)

| Features | | | |
|---------------------|--------------------|--------------------|-------------------------|
| Stackable | • | • | |
| Plastic back shroud | • | • | |
| Steel tube arms | • | | |
| General Dimensions | | | |
| Seat width | 17-1/2" | 17-1/2" | |
| Seat depth | 17-1/2" | 17-1/2" | |
| Seat height | 17-1/2" | 17-1/2" | |
| Overall Dimensions | | | |
| Width | 21-5/8" | 19-3/8" | 22-3/8" |
| Depth | 21-1/4" | 21-1/4" | 24-7/8" No Arm/ 36" Arm |
| Height | 31" | 31" | |
| Arms to floor | 25-3/8" | | |
| Stacking on Dolly | | | |
| Quantity/height | 10 Chairs/52" High | 10 Chairs/52" High | |
| Stacking on Floor | | | |
| Quantity/height | 4 Chairs/40" High | 4 Chairs/40" High | |
| | | | |



Kick Back Leg

SPECIFICATIONS

Frame

Legs of 7/8" o.d. x 13-gauge tubular steel. "Kick back" rear legs increase structural integrity and add to stability. Side members of 7/8" o.d. x 13-gauge tubular steel. Crosstube members of 7/8" o.d. x 14-gauge tubular steel. All joints are robotically welded.

Tube End Caps (Armless Chair)

Molded plastic. The end cap will match the frame color.

Floor Glides

Chrome plated steel.

Upholstered Seat

Inner seat is 3/8" thick polypropylene.
Fastens to frame with four screws through
T-nuts embedded in seat. Polyfoam cushion
3/4"thick, glued to seat.

Upholstered Backrest

Two-piece construction. Inner back is 9-ply hard maple with 3/4" thick polyurethane foam. Outer back is a vacuum-formed polystyrene attached with six wood screws.

Stacking Vinyl Upholstered Chairs

It is recommended that chairs to be stacked be covered in material other than vinyl. KI does not warrant the effects of stacking on stock or C.O.M. vinyl upholstery.

Frame Finishes

Baked-on, electrostatically-applied epoxy powder coating, or bright nickel-chrome plating.

Transport Dolly

Tubular steel frame, black powder-coated finish. Four 5" swivel wheels.

Stacking Vinyl Upholstered Chairs

It is recommended that chairs to be stacked be covered in material other than vinyl. KI does not warrant the effects of stacking on stock or C.O.M. vinyl upholstery.

INFORMATION

C.O.M. Testing and Production Requirements

Not all materials are suitable for upholstering this product. A 1 yd. x 54" sample must be submitted and approved prior to acceptance of an order. If the fabric is directional in pattern or weave, the direction must be indicated on the submitted sample, and additional yardage may be requested.

Test samples must be sent to:

ΚI

Attn: C.O.M. Specialist 1441 Ontario Street Green Bay, WI 54311

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will

need a Special Cost Request written specifying the direction the fabric is to be applied. The posted standard lead time will apply to the Special Cost Request.



Stack/Nesting Versa® Basic General Information

INFORMATION

Warranty Refer to KI Terms & Conditions document or visit ki.com

Stack/Nesting Versa® Basic

| | | | MODEL | NUMBE | R | | | |
|-------|--|-------------|----------------|----------------|---------------------|-------------------------------|----------------------|--|
| | MODEL | Features | Basic Model | Frame Color | Upholstery Color | Approx. Packaged Weight | Delivered Pricing | |
| | Four-Leg Armchair Back and seat are foam cushioned and | Upholstered | VBWAL | | | 20.0# | N/A | |
| | upholstered | | | | | | | |
| | Plastic back shroud Round tubular steel frame | | | | | | | |
| | "Kick back" rear leg style enhances | | | | | | | |
| | | | | | | | | |
| l a | Continuous steel tubular armsStacking | | | | | | | |
| VBUP | | | | | | | | |
| | Four-Leg Armless Chair Back and seat are foam cushioned and | Upholstered | VBNAL | | | 18.0# | N/A | |
| | upholstered | | | | | | | |
| | Plastic back shroudRound tubular steel frame | | | | | | | |
| | "Kick back" rear leg style enhances | | | | | | | |
| | stability • Stacking | | | | | | | |
| l a | • Stacking | | | | | | | |
| VBUP | | | | | | | | |
| | Versa® Basic Transport Dolly | | VBD.BL | | | 19.0# | \$ 424 | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| HRDPT | | | | | | | | |
| | | | • | • | • | | | |
| | | | A | U | G | | | |

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
 Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- **B**Select frame color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select upholstery grade/color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

UPHOLSTERY INFORMATION

C.O.M. Upholstery C.O.M. requirement for 10 chairs or less is 1 yd. of 54" wide nondirectional fabric and vinyls. For orders of 11 of more chairs and for complete information on ordering C.O.M., see "Ordering C.O.M., C.O.V. and C.O.L." section.

OPTIONS

California TB133 Fire Safety Code
The above seating products can be manufactured using the appropriate flame-retardant materials for compliance to California Technical Bulletin 133. Add "FR" to end of model number. Model=Upholstered Added Lead Time=1 week Added list price=\$72



Stack/Nesting Versa® Basic

| Delivered Pricing Fabric Grade 1 & C.O.M. | Delivered Pricing Fabric Grade 2 | Delivered Pricing Fabric Grade 3 | Delivered Pricing C.O.V. | Delivered Pricing Pallas Fabric Group P1 | Delivered Pricing Pallas Fabric Group P2 | Delivered Pricing Pallas Fabric Group P3 | Delivered Pricing Pallas Fabric Group P4 |
|--|---|---|--------------------------------|---|---|---|---|
| \$ 325 | \$ 357 | \$ 358 | \$ 325 | \$ 368 | \$ 404 | \$ 434 | \$ 468 |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| \$ 299 | \$ 330 | \$ 335 | \$ 299 | \$ 341 | \$ 376 | \$ 409 | \$ 444 |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b. Green Bay, Wisconsin 54302 factory. Freight class #125.

Specifications and prices are subject to change without prior notice.

Stack/Nesting Versa® Conference General Information



Conference Armchair (VCWAL)



Armless Conference Chair (VCNAL)



Conference Armchair with Casters (VCWAC)

| tackable sanging eneral Dimensions eat width eat depth | • • 17-3/4" 19-1/2" | • 17-3/4" | 47 O.U.R. |
|--|------------------------------|-----------------------|-----------|
| eneral Dimensions leat width | 17-3/4" | 17-3/4" | 47.0(4) |
| eat width | | 17-3/4* | 17.0/48 |
| | | 17-3/4" | 17.0/4" |
| ant donth | 10.1/0" | | 17-3/4" |
| eat ueptii | 19-1/2 | 19-1/2" | 19-1/2" |
| eat height | 17-1/2" | 17-1/2" | 17-1/2" |
| verall Dimensions | | | |
| Vidth | 23-7/8" | 20-1/4" | 23-7/8" |
| lepth | 23-7/8" | 23-7/8" | 23-7/8" |
| leight | 32-3/4" | 32-3/4" | 32-3/4" |
| rms to floor | 25-5/8" | | 25-5/8" |
| anging on center | 24-3/8" | | |
| acking on Dolly | | | |
| verall width | 23-7/8" | 22-1/2" | |
| lverall depth | 37" | 37" | |
| luantity/height 8 | Chairs/56-3/4" High | 8 Chairs/54-1/2" High | |
| acking on Floor | | | |
| Vidth | 20-1/2" | 20-1/2" | |
| lepth | 29-1/2" | 29-1/2" | |
| luantity/height | 4 Chairs/41" High | 4 Chairs/41" High | |



Ganging



Kick Back Leg



SPECIFICATIONS

Frame

Legs of 1" o.d. x 16-gauge tubular steel. "Kick back" rear legs on four-leg model increases structural integrity and adds to stability. Side members of 1" o.d. x 14gauge tubular steel. Cross tube members of 1" o.d. x 14-gauge tubular steel. Legs are joined to side members by brazing; all other joints are robotically welded.

Armrests

Molded nylon.

Standard Tube End Caps

Molded plastic. The end cap will match the frame color. Chrome frames have black endcaps.

Four-Leg Chair Floor Glides Chrome plated steel or plastic

Sled Base Non-Skid Glides

Black PVC material. Fixed in position by a

screw. Field-installable.

Carpet casters available in black finish only.

Compound curved, 5-ply, 3/8" thick poplar hardwood. Fastens to frame with four screws through T-nuts embedded in wood seat. 1-1/2" polyfoam cushion glued to seatboard.

Backrest

Available in round back or square back style. Two-piece construction. Compound curved, molded 9-ply hardwood plywood. Fastens to frame with four screws through T-nuts in wood backrest. 1-1/2" polyfoam cushion glued to backrest. 1/4" thick padding. 3-ply, 3/16" thick poplar. Attached with 3 steel fasteners and 2 steel rivet fasteners.

Ganging Fixture

Only armchairs may be ganged. Welded steel rod. Armrest models have fixture

screwed to underside of arms (shipped k.d.).

Frame Finishes

Baked-on, electrostatically-applied epoxy powder coating, or bright nickel-chrome plated.

Transport Dolly

Tubular steel frame, black powder-coated finish. Four 5" swivel wheels. Eight chairs stack on the dolly.

Stacking Vinyl Upholstered Chairs

It is recommended that chairs to be stacked be covered in material other than vinyl. KI does not warrant the effects of stacking on stock or C.O.M. vinyl upholstery.

INFORMATION

C.O.M. Testing and Production Requirements

Not all materials are suitable for upholstering this product. A 1-1/2 yd. x 54" sample must be submitted and approved prior

to acceptance of an order. If the fabric is directional in pattern or weave, the direction must be indicated on the submitted sample, and additional yardage may be requested.

Test samples must be sent to:

Attn: C.O.M. Specialist 1441 Ontario Street Green Bay, WI 54311

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specifying the direction the fabric is to be applied. The posted standard lead time will apply to the Special Cost Request.



Stack/Nesting Versa® Conference General Information



Sled Base Armchair (VCWAS)



Armless Sled Base Chair (VCNAS)



Transport Dolly (MVP.BL)

| Features | | | |
|--------------------|---------|---------|---------|
| Stackable | | | |
| Ganging | • | | |
| General Dimensions | | | |
| Seat width | 17-3/4" | 17-3/4" | |
| Seat depth | 19-1/2" | 19-1/2" | |
| Seat height | 17-1/2" | 17-1/2" | |
| Overall Dimensions | | | |
| Width | 23-7/8" | 20-1/4" | 22-3/8" |
| Depth | 23-7/8" | 23-7/8" | 25-5/8" |
| Height | 32-3/4" | 32-3/4" | |
| Arms to floor | 25-5/8" | | |
| Ganging on center | 24-3/8" | | |

INFORMATION

WarrantyRefer to KI Terms & Conditions document or visit ki.com

Stack/Nesting

Versa® Conference

MODEL NUMBER Approx. Upholstery Glide Back Packaged Basic Frame MODEL **Features** Model Weight Color Color Option Style Four-Leg Armchair Upholstered, Casters VCWAC 26.0# Generously proportioned seat and back Upholstered, Ganging **VCWAG** 26.0# have thick foam cushioning and are Upholstered, Non-Ganging **VCWAL** ПП 26.0# upholstered Back is fully upholstered Brackets attaching back to frame are concealed Round tubular steel frame "Kick back" rear leg style enhances **VCUP** stability Molded nylon arms Ganger fastened to armrest and chrome finished Powder-coated or chrome-plated frames Stacking. Caution should be exercised to prevent casters from marring components such as frames, fabric, etc., and to prevent casters from becoming "hung up" underneath the seat of the chair below. Stacking on dollies is NOT recommended with casters **(** 0 0 0 **(3**

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of

 □ indicate that no other alternatives
 are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- Select frame color.

 Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

 End caps will match frame color, unless frame is chrome or hammertone (then black).
- Select upholstery grade/color.
 Refer to color addendum at ki.com or
 KI Fabrics & Finishes binder.

Select glide option.

P - Plastic glides
S - Steel glides (standard)

Select back style.

VRB - Round (original style)
VSB - Square (new style)

INFORMATION

Note:

There are 2 wood and upholstered back styles to choose from:
Round Back = VRB
Square Back = VSB

UPHOLSTERY INFORMATION

C.O.M. Upholstery

C.O.M. requirement for 10 chairs or less is 1-1/2 yards per chair of 54" wide nondirectional fabric. For orders of 11 of more chairs and for complete information on ordering C.O.M., see "Ordering C.O.M., C.O.V. and C.O.L." section.



Stack/Nesting Versa® Conference

| Delivered Pricing Fabric Grade 1 & C.O.M. | Delivered Pricing Fabric Grade 2 | Delivered Pricing Fabric Grade 3 | Delivered Pricing C.O.V. | Delivered Pricing Pallas Fabric Group P1 | Delivered Pricing Pallas Fabric Group P2 | Delivered Pricing Pallas Fabric Group P3 | Delivered Pricing Pallas Fabric Group P4 |
|--|---|---|--------------------------------|---|---|---|---|
| \$ 630 | \$ 667 | \$ 670 | \$ 630 | \$ 736 | \$ 813 | \$ 881 | \$ 949 |
| 576 | 613 | 618 | 576 | 685 | 759 | 826 | 895 |
| 568 | 602 | 607 | 568 | 673 | 750 | 817 | 886 |

OPTIONS

California TB133 Fire Safety Code
The above seating products can be manufactured using the appropriate flame-retardant materials for compliance to California Technical Bulletin 133. Add "FR" to end of model number. Model=Conference Added Lead Time=1 week Added list price=\$72

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b. Green Bay, Wisconsin 54302 factory. Freight class #125.

Specifications and prices are subject to change without prior notice.

Stack/Nesting Versa® Conference

| | | | MODEL | NIIMREI | R | | | |
|-----------|--|--------------------------|----------------|----------------|---------------------|-----------------|---------------|-------------------------------|
| | | | WODEL | NOMBLI | | | | |
| MO | ODEL | Features | Basic Model | Frame Color | Upholstery Color | Glide Option | Back Style | Approx. Packaged Weight |
| | ur-Leg Armless Chair | Upholstered, Casters | VCNAC | | | | | 23.0# |
| | Generously proportioned seat and back have thick foam cushioning and are | Upholstered, Non-Ganging | VCNAL | | | | | 23.0# |
| | nave thick foam cushioning and are upholstered | | | | | | | |
| | Back is fully upholstered | | | | | | | |
| • [| Brackets attaching back to frame are | | | | | | | |
| | concealed Round tubular steel frame | | | | | | | |
| | "Kick back" rear leg style enhances | | | | | | | |
| VCUP | stability | | | | | | | |
| | Powder-coated or chrome plated frames Stacking. Caution should be exercised | | | | | | | |
| | | | | | | | | |
| | to prevent casters from marring compo- nents such as frames, fabric, etc., and | | | | | | | |
| | to prevent casters from becoming "hung | | | | | | | |
| | up" underneath the seat of the chair below. | | | | | | | |
| | Stacking on dollies is NOT recommend- | | | | | | | |
| | ed with casters | | | | | | | |
| | | | | | | | | |
| | rsa® Transport Dolly | | MVP.BL | | | | | 19.0# |
| | Accomodates up to 8 conference stack- ing chairs | | | | | | | |
| | Easy maneuverability with 5" casters; | | | | | | | |
| t t | two fixed, two swivel | | | | | | | |
| | Rugged weld tubular steel frame | | | | | | | |
| HRDPT • E | Black powder-coated finish | | | | | | | |
| | | | A | B | • | 0 | 3 | |

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- \bullet Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- **B**Select frame color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder. End caps will match frame color, unless frame is chrome or hammertone (then black).
- Select upholstery grade/color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select glide option.

P - Plastic glides

S - Steel glides (standard)

Select back style.

VRB - Round (original style)
VSB - Square (new style)

INFORMATION

Note:

There are 2 wood and upholstered back styles to choose from: Round Back = VRB Square Back = VSB

UPHOLSTERY INFORMATION

C.O.M. Upholstery C.O.M. requirement for 10 chairs or less is 1-1/2 yards per chair of 54" wide nondirectional fabric. For orders of 11 of more chairs and for complete information on ordering C.O.M., see "Ordering C.O.M., C.O.V. and C.O.L." section.



Stack/Nesting Versa® Conference

| Delivered Pricing Unupholstered | Delivered Pricing Fabric Grade 1 & C.O.M. | Delivered Pricing Fabric Grade 2 | Delivered Pricing Fabric Grade 3 | Delivered Pricing C.O.V. | Delivered Pricing Pallas Fabric Group P1 | Delivered Pricing Pallas Fabric Group P2 | Delivered Pricing Pallas Fabric Group P3 | Delivered Pricing Pallas Fabric Group P4 |
|------------------------------------|--|---|---|--------------------------------|---|---|---|---|
| N/A | \$ 601 | \$ 641 | \$ 644 | \$ 601 | \$ 709 | \$ 787 | \$ 853 | \$ 923 |
| N/A | 538 | 576 | 579 | 538 | 646 | 724 | 789 | 859 |

413 \$

OPTIONS

California TB133 Fire Safety Code
The above seating products can be manufactured using the appropriate flame-retardant materials for compliance to California Technical Bulletin 133. Add "FR" to end of model number. Model=Conference Added Lead Time=1 week Added list price=\$72

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b. Green Bay, Wisconsin 54302 factory. Freight class #125.

Specifications and prices are subject to change without prior notice.

Stack/Nesting Versa® Conference

| | | | MODEL N | IUMBER | | | | |
|------------------------|--|--------------------------|----------------|----------------|---------------------|-----------------|---------------|-------------------------------|
| | MODEL | Features | Basic Model | Frame Color | Upholstery Color | Glide Option | Back Style | Approx. Packaged Weight |
| | Sled Base Armchair | Upholstered, Non-Ganging | VCWAS | | | | | 26.0# |
| | Generously proportioned seat and back boughting and are | Upholstered, Ganging | VCWASG | | | | | 27.0# |
| | have thick foam cushioning and are upholstered | | | | | | | |
| | Back is fully upholstered | | | | | | | |
| VRB VSB | Brackets attaching back to frame are concealed | | | | | | | |
| A NHB A A NPB A | Round tubular steel frame | | | | | | | |
| VCUP | Molded nylon armsGanger fastened to armrest and chrome | | | | | | | |
| VGUF | finished | | | | | | | |
| | NONSTACKING | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | Sled Base Armless Chair | Upholstered, Non-Ganging | VCNAS | | | | | 23.0# |
| | Generously proportioned seat and back have thick foam cushioning and are | | | | | | | |
| | upholstered | | | | | | | |
| | Back is fully upholsteredBrackets attaching back to frame are | | | | | | | |
| VRB VSB | concealed | | | | | | | |
| √ <u> -</u> √ .00 0 | Round tubular steel frame NONSTACKING | | | | | | | |
| VCUP | NONOTACINING | | | | | | | |
| | | | A | B | Θ | 0 | 3 | |

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- \bullet Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- **B**Select frame color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select upholstery grade/color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

OSelect glide option.

NGL - No glides - Sled base non-skid glides; add \$19

Select back style.

VRB - Round (original style) - Square (new style)

INFORMATION

Note:

There are 2 wood and upholstered back styles to choose from: Round Back = VRB Square Back = VSB

UPHOLSTERY INFORMATION

C.O.M. Upholstery C.O.M. requirement for 10 chairs or less is 1-1/2 yards per chair of 54" wide nondirectional fabric. For orders of 11 of more chairs and for complete information on ordering C.O.M., see "Ordering C.O.M., C.O.V. and C.O.L." section.



Stack/Nesting Versa® Conference

| Delivered Pricing Fabric Grade 1 & C.O.M. | Delivered Pricing Fabric Grade 2 | Delivered Pricing Fabric Grade 3 | Delivered Pricing C.O.V. | Delivered Pricing Pallas Fabric Group P1 | Delivered Pricing Pallas Fabric Group P2 | Delivered Pricing Pallas Fabric Group P3 | Delivered Pricing Pallas Fabric Group P4 |
|--|---|---|--------------------------------|---|---|---|---|
| \$ 736 | \$ 774 | \$ 781 | \$ 736 | \$ 846 | \$ 923 | \$ 985 | \$ 1056 |
| 750 | 788 | 791 | 750 | 858 | 930 | 997 | 1068 |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| \$ 709 | \$ 751 | \$ 755 | \$ 709 | \$ 822 | \$ 894 | \$ 959 | \$ 1028 |
| | | | | | | | |
| | | | | | | | |

OPTIONS

California TB133 Fire Safety Code The above seating products can be manufac-

tured using the appropriate flame-retardant materials for compliance to California
Technical Bulletin 133. Add "FR" to end of model number.
Model=Conference
Added Lead Time=1 week
Added list price=\$72

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b. Green Bay, Wisconsin 54302 factory. Freight class #125.

Specifications and prices are subject to change without prior notice.

Stack/Nesting Versa® Junior General Information



Versa® Junior Chair



Versa® Junior Chair



Versa® Junior Chair

| | (VJPNAL11) | (VJPNAL13) | (VJPNAL15) |
|----------------------------|------------|------------|------------|
| Features | | | |
| Poypropylene seat and back | • | • | • |
| Tubular steel frame | • | • | • |
| Powder-coated finish | • | • | • |
| Chrome finish available | • | • | • |
| General Dimensions | | | |
| Seat width | 12-7/8" | 12-7/8" | 12-7/8" |
| Seat depth | 13" | 13" | 17-1/8" |
| Seat height | 10-1/2" | 13" | 14-1/2" |
| Overall height | 21-1/2" | 24" | 29" |
| Recommended table height | 18-1/2" | 21" | 24" |

SPECIFICATIONS

Legs of 7/8" o.d. x 13-gauge tubular steel. Kick back wallsaver rear legs increase struc-tural integrity, add stability and protect walls from marring. The VJNAL11 and VJNAL13 models feature one-piece steel tubing with no protruding end posts at front of seat.

Standard Floor Glides

Chrome plated steel.

Polypropylene Seat and Backrest

Injection-molded polypropylene.

Frame Finish

Baked-on, electrostatically-applied epoxy powder coating, or bright nickel-chrome plated.

Transport DollyTubular steel frame. Black powder-coated finish. Four 5" swivel wheels.

Chair Size for Child's Age

Model 11 = 5-7 Years Model 13 = 8-10 Years Model 15 = 11-14 Years



Stack/Nesting Versa® Junior General Information



Transport Dolly for 11" & 13" Chairs (VJD.BL)



Transport Dolly for 15" Chairs (MVP.BL)

| General Dimensions | | |
|--------------------|----------|-----------|
| Width | 18-3/8" | 22-3/8" |
| Depth | 21-1/2" | 25-5/8" |
| Stacking quantity | 6 Chairs | 10 Chairs |

INFORMATION

WarrantyRefer to KI Terms & Conditions document or visit ki.com

Stack/Nesting Versa® Junior

| | | | MODEL N | UMBER | | | |
|-------------|---|---------------|----------|-------|---------------------|----------|--|
| | | | | | | | |
| | | | | | | | |
| | | | | | Seat & | Approx. | |
| | | | Basic | Frame | Back | Packaged | |
| | MODEL | Features | Model | Color | Color | Weight | |
| | Versa® Junior Chair | Polypropylene | VJPNAL11 | | | 11.0# | |
| | Back and seat are polypropylene | | VJPNAL13 | | | 11.0# | |
| | Round tubular steel frame"Kick back" rear leg adds stability and | | VJPNAL15 | | | 13.0# | |
| | protects walls from marring | | | | | | |
| | prototo wane from marring | | | | | | |
| • <u> </u> | | | | | | | |
| | | | | | | | |
| VJPY | | | | | | | |
| | Versa® Junior Transport Dolly | | MVP.BL | | | 19.0# | |
| | Easy maneuverability with 5" casters; two fixed, two swivel | | VJD.BL | | | 19.0# | |
| | Rugged weld tubular steel frame | | | | | | |
| | Black powder-coated finish | | | | | | |
| \emptyset | "VJD" for 11" and 13" chairs | | | | | | |
| HRDPT | "MVP" for 15" chair | | | | | | |
| חחטר ו | | | | | | | |
| | | | A | B | $oldsymbol{\Theta}$ | | |
| | | | - | - | - | | |

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
 Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- **B**Select frame color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select seat and back color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

OPTIONS

California TB133 Fire Safety Code
The above seating products can be manufactured using the appropriate flame-retardant materials for compliance to California Technical Bulletin 133. Add "FR" to end of model number. Model=Polypropylene Added Lead Time=1 week Added list price=\$28



Stack/Nesting Versa® Junior

| De Pr | elivered ricing | |
|----------|--------------------|--|
| \$ | 214 | |
| | 236 | |
| | 256 | |
| | | |
| | | |
| | | |
| | | |
| \$ | 413 | |
| | 420 | |
| | | |
| | | |

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b. Green Bay, Wisconsin 54302 factory. Freight class #125.

Specifications and prices are subject to change without prior notice.

Stack/Nesting

Versa® Standard General Information



Standard Four-Leg Armchair (96WAL)



Armless Four-Leg Chair (96NAL)



Standard Four-Leg **Tablet Arm Chair** (96TAR)



Standard Sled Base Armchair (96WAS)



Armless Standard **Sled Base Chair** (96NAS)

| | | | , , | | , , |
|---------------------|--------------------|--------------------|---------|---------|---------|
| Features | | | | | |
| Stackable | • | • | | | |
| Ganging | • | • | | • | • |
| General Dimensions | | | | | |
| Seat width | 17-1/2" | 17-1/2" | 17-1/2" | 17-1/2" | 17-1/2" |
| Seat depth | 17-1/2" | 17-1/2" | 17-1/2" | 17-1/2" | 17-1/2" |
| Seat height | 17-1/2" | 17-1/2" | 17-1/2" | 17-1/2" | 17-1/2" |
| Overall Dimensions | | | | | |
| Width | 22-5/8" | 19-3/8" | 21-3/4" | 22-5/8" | 19-3/8" |
| Depth | 20-3/4" | 20-3/4" | 27-1/4" | 20-3/4" | 20-3/4" |
| Height | 31" | 31" | 31" | 31" | 31" |
| Ganging on center | 23-1/2" | 23-1/2" | | 23-1/2" | 23-1/2" |
| Top of arm to floor | 25-3/8" | | | 25-3/8" | |
| Stacking on Dolly | | | | | |
| Overall width | 22-3/8" | 22-3/8" | | | |
| Overall depth | 36" | 36" | | | |
| Quantity/height | 10 Chairs/60" High | 10 Chairs/54" High | | | |
| Stacking on Floor | | | | | |
| Width | 22-5/8" | 19-3/8" | | | |
| Depth | 25-1/4" | 25-1/4" | | | |
| Quantity/height | 4 Chairs/40" High | 4 Chairs/40" High | | | |












(Round Back)









(Square Back)



(Square Back)



C06 Perforated Cutouts (Square Back)

SPECIFICATIONS

Standard Frame

Legs of 7/8" o.d. x 13-gauge tubular steel. "Kick back" rear legs on four-leg model increases structural integrity and adds to stability. Side members of 7/8" o.d. x 13gauge tubular steel. Cross tube members of 7/8" o.d. x 14-gauge tubular steel. Legs are joined to side members by brazing; all other joints are robotically welded.

Standard Tube End Caps

Molded plastic. The end cap will match the frame color. With chrome frames, the end cap will be black (upholstered and wood chairs) or will match the poly seat and black color.

Molded nylon or chrome-plated aluminum (for non-ganging models).

Four-Lea Floor Glides

Chrome plated steel or plastic.

Sled Base Non-Skid Glides

Black PVC material. Fixed in position by a screw. Field-installable.

Upholstered Seat

3/8" thick polypropylene. Fastens to frame with four screws through T-nuts embedded in seat. Polyfoam cushion 3/4" thick glued

Upholstered Backrest

Two-piece construction. Inner back is polypropylene with 3/4" thick polyurethane foam. Outer back is a polypropylene back insert with 1/4" thick polyurethane foam and three back clips (.018" thick cold-rolled annealed spring steel).

Polypropylene Seat and Backrest

Injection-molded polypropylene.

Ganging Fixture

Welded steel rod. Armrest models have separate fixture that can be installed with screws to underside of arms (shipped

k.d.). Armless models have fixture welded to frame.

Wood Seat and Backrest

Backs are constructed of 9-ply hard maple with "A Grade" flat cut faces. Seats are constructed of 3/8" hard maple. Wood seats and backs are available in maple with "A Grade" flat cut faces. Seats and backs are assembled with four ribbed carriage bolts and low profile screws with black oxideplated finish. Stacking version has 4 plastic bumpers that protect seat. Caution needs to be used when stacking.

Frame Finishes

Baked-on, electrostatically-applied epoxy powder coating, or bright nickel-chrome

Tablet Arm Chair

Tablet of resin core with laminate writing surface and backing sheet. Round tablet edge with clear lacquer finish. Available in left- or right-hand models. Nonstacking.

Seating clearance is 14". Tablet is 20-5/8" long and 12" wide.

Standard Transport Dolly

Tubular steel frame, black powder-coated finish. Four 5" swivel wheels.

Stacking Vinvl Upholstered Chairs

It is recommended that chairs to be stacked be covered in material other than vinyl. KI does not warrant the effects of stacking on stock or C.O.M. vinyl upholstery.

INFORMATION

C.O.M. Testing and Production Requirements

Not all materials are suitable for upholstering this product. A 1 yd. x 54" sample for standard models and full back models must be submitted and approved prior to acceptance of an order. If the fabric is directional in pattern or weave, the direction must be indicated on the submitted sample, and additional yardage may be requested.



Stack/Nesting Versa® Standard General Information







Poly Four-Leg Tablet Arm Chair (15TARP)



Armless Poly Sled Base Chair (15NASP)



Armless Round Wood Four-Leg Chair (15NALW)



Armless Square Wood Sled Base Chair (15NASW)

| Features | | | | | |
|---------------------|--------------------|---------|---------|-------------------|-----------|
| Stackable | • | | | • | |
| Ganging | • | | • | • | • |
| General Dimensions | | | | | |
| Seat width | 17" | 17" | 17" | 16-15/16" | 16-15/16" |
| Seat depth | 17-1/2" | 17-1/2" | 17-1/2" | 17-1/2" | 17-1/2" |
| Seat height | 16-1/8" | 16-1/8" | 16-1/8" | 16-1/8" | 16-1/8" |
| Overall Dimensions | | | | | |
| Width | 22-5/8" | 22-5/8" | 19-1/8" | 19-1/8" | 19-1/8" |
| Depth | 20-3/4" | 20-3/4" | 20-3/4" | 20-3/4" | 20-3/4" |
| Height | 31" | 31" | 31" | 31" | 31" |
| Ganging on center | 23-1/2" | | 23-1/2" | 23-1/2" | 23-1/2" |
| Top of arm to floor | 24-7/8" | | 24-7/8" | | |
| Stacking on Dolly | | | | | |
| Overall width | 22-3/8" | | | 22-3/8" | |
| Overall depth | 36" | | | 36" | |
| Quantity/height | 10 Chairs/60" High | | | 8 Chairs/60" High | |
| Stacking on Floor | | | | | |
| Width | 22-5/8" | | | 22-5/8" | |
| Depth | 25-1/4" | | | 25-1/4" | |
| Quantity/height | 4 Chairs/40" High | | | 4 Chairs/40" High | |
| | | | | | |

Test samples must be sent to: ΚI

Attn: C.O.M. Specialist 1441 Ontario Street Green Bay, WI 54311

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specifying the direction the fabric is to be applied. The posted standard lead time will apply to the Special Cost Request.

INFORMATION

WarrantyRefer to KI Terms & Conditions document or visit ki.com

Stack/Nesting

Versa® Standard General Information



Standard Four-Leg Wallsaver Armchair (96WALWS)



Upholstered Seat/Wood Back Four-Leg Armchair (15WALUW)



Armless Upholstered Seat/ Wood Back Sled Base Chair (15NASGUW)



Transport Dolly (MVP.BL)

| Features | | | | |
|---------------------|---------|--------------------|---------|---------|
| Stackable | • | • | | |
| Ganging | • | • | • | |
| General Dimensions | | | | |
| Seat width | 17-1/2" | 17-1/2" | 17-1/2" | |
| Seat depth | 17-1/2" | 17-1/2" | 17-1/2" | |
| Seat height | 17-1/2" | 17-1/2" | 17-1/2" | |
| Overall Dimensions | | | | |
| Width | 22-5/8" | 22-5/8" | 19-3/8" | 22-3/8" |
| Depth | 21-3/4" | 20-3/4" | 20-3/4" | 25-5/8" |
| Height | 31" | 31" | 31" | |
| Ganging on center | 23-1/2" | | | |
| Top of arm to floor | 25-3/8" | 25-3/8" | | |
| Stacking on Dolly | | | | |
| Overall width | | 22-3/8" | | |
| Overall depth | | 36" | | |
| Quantity/height | | 10 Chairs/60" High | | |
| Stacking on Floor | | | | |
| Width | 22-5/8" | 22-5/8" | | |
| Depth | 26-1/4" | 25-1/4" | | |
| | | | | |



Quantity/height







(Round Back)



(Round Back)

4 Chairs/40" High



4 Chairs/40" High

outs (Round Back)



(Square Back)







(Square Back)

C06 Perforated Cutouts (Square Back)

SPECIFICATIONS

Standard Frame

Legs of 7/8" o.d. x 13-gauge tubular steel. "Kick back" rear legs on four-leg model increases structural integrity and adds to stability. Side members of 7/8" o.d. x 13gauge tubular steel. Cross tube members of 7/8" o.d. x 14-gauge tubular steel. Legs are joined to side members by brazing; all other joints are robotically welded.

Stool

Legs of 7/8" o.d. x 13-gauge tubular steel. Side members of 7/8" o.d. x 13-gague tubular steel. Cross tube members of 7/8" o.d. x 14-gauge tubular steel. Legs are joined to side members by brazing; all other joints are hand welded. The footring is 7/8" outside diameter, 13-gauge.

Standard Tube End Caps

Molded plastic. The end cap will match the frame color. With chrome frames, the end cap will be black (upholstered and wood

chairs) or will match the poly seat and black

Armrests

Molded nylon or chrome-plated aluminum (for non-ganging models).

Four-Lea Floor Glides

Chrome plated steel or plastic.

Sled Base Non-Skid Glides

Black PVC material. Fixed in position by a screw. Field-installable.

Upholstered Seat

3/8" thick polypropylene. Fastens to frame with four screws through T-nuts embedded in seat. Polyfoam cushion 3/4" thick glued

Upholstered Backrest

Two-piece construction. Inner back is polypropylene with 3/4" thick polyurethane foam. Outer back is a polypropylene back insert with 1/4" thick polyurethane foam

and three back clips (.018" thick cold-rolled annealed spring steel).

Polypropylene Seat and Backrest

Injection-molded polypropylene.

Ganging Fixture

Welded steel rod. Armrest models have separate fixture that can be installed with screws to underside of arms (shipped k.d.). Armless models have fixture welded to frame

Wood Seat and Backrest

Backs are constructed of 9-ply hard maple with "A Grade" flat cut faces. Seats are constructed of 3/8" hard maple. Wood seats and backs are available in maple with "A Grade" flat cut faces. Seats and backs are assembled with four ribbed carriage bolts and low profile screws with black oxideplated finish. Stacking version has 4 plastic bumpers that protect seat. Caution needs to be used when stacking.

Frame Finishes

Baked-on, electrostatically-applied epoxy powder coating, or bright nickel-chrome nlated

Standard Transport Dolly

Tubular steel frame, black powder-coated finish. Four 5" swivel wheels.

Stacking Vinyl Upholstered Chairs

It is recommended that chairs to be stacked be covered in material other than vinyl. KI does not warrant the effects of stacking on stock or C.O.M. vinyl upholstery.

INFORMATION

C.O.M. Testing and Production Requirements

Not all materials are suitable for upholstering this product. A 1 yd. x 54" sample for standard models and full back models must be submitted and approved prior to acceptance of an order. If the fabric is directional



Stack/Nesting Versa® Standard General Information



Upholstered Cafe Stool with Arms (S96WAL)



Armless Poly Cafe Stool (S15WALP)

| Features | | |
|---------------------|---------|---------|
| Stackable | | |
| Ganging | | |
| General Dimensions | | |
| Seat width | 17-1/2" | 17-1/2" |
| Seat depth | 17-1/2" | 17-1/2" |
| Seat height | 29-1/2" | 29-1/2" |
| Overall Dimensions | | |
| Width | 22-5/8" | 19-3/8" |
| Depth | 22-3/8" | 22-3/8" |
| Height | 43" | 43" |
| Top of arm to floor | 37-3/8" | |

in pattern or weave, the direction must be indicated on the submitted sample, and additional yardage may be requested.

Test samples must be sent to: Attn: C.O.M. Specialist 1441 Ontario Street Green Bay, WI 54311

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specifying the direction the fabric is to be applied.
The posted standard lead time will apply to the Special Cost Request.

INFORMATION

Warranty Refer to KI Terms & Conditions document or visit ki.com

| | | MODEL NUN | IBER | | | | | | | |
|--|-------------------|----------------|----------------|-------------------------|--------------------------------|---------------------|-----------------|---------------|--------------------------|----------------------------|
| | Features | Basic Model | Frame Color | Seat & Back Color | Wood Seat and Back Color | Upholstery Color | Glide Option | Back Style | Wood Back Cut-outs | Wood Stacking Option |
| | Poly, Ganging | 15NAGP | | | | | | | | |
| | Wood, Ganging | 15NAGW | | | | | | | | |
| | Poly, Non-Ganging | 15NALP | | | | | | | | |
| | Wood, Non-Ganging | 15NALW | | | | | | | | |
| VRB VSB | Uph, Ganging | 96NAG | | | | | | | | |
| 0 0 | Uph, Non-Ganging | 96NAL | | | | | | | | |
| VRPY | | | | | | | | | | |
| VRWD | | | | | | | | | | |
| VRUP | | | | | | | | | | |
| Four-Leg Armless Chair | | | | | | | | | | |
| Back and seat are foam cushioned | | | | | | | | | | |
| and uph., polypropylene, or woodRound tubular steel frame | | | | | | | | | | |
| "Kick back" rear leg style enhances | | | | | | | | | | |
| stability | | | | | | | | | | |
| Ganger welded to frame and finished to match frame | | | | | | | | | | |
| • Stacking | | | | | | | | | | |
| | Poly, Ganging | 15NAGPWS | | | | | S | | | |
| | Wood, Ganging | 15NAGWWS | | | | | S | | | |
| | Poly, Non-Ganging | 15NALPWS | | | | | S | | | |
| | Wood, Non-Ganging | 15NALWWS | | | | | S | | | |
| VRB VSB | Uph, Ganging | 96NAGWS | | | | | S | | | |
| ų **** | Uph, Non-Ganging | 96NALWS | | | | | S | | | |
| VRPY | | | | | | | | | | |
| VRWD | | | | | | | | | | |
| VRUP | | | | | | | | | | |
| Four-Leg Wallsaver Armless Chair | | | | | | | | | | |
| Back and seat are foam cushioned | | | | | | | | | | |
| and uph., polypropylene, or woodRound tubular steel frame | | | | | | | | | | |
| Ganger welded to frame and finished | | | | | | | | | | |
| to match frame | | | | | | | | | | |
| StackingWallsaver rear legs touch base of wall | | | | | | | | | | |
| preventing chair back from contact- | | | | | | | | | | |
| ing wall | | | | | | | | | | |
| | | | | | • | • | | | Φ. | • |
| | | A | B | • | O | (3 | (3) | (| 0 | 0 |

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- \bullet Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect frame color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Arms will match frame color, unless frame is chrome or hammertone (then black).

- Select poly seat and back color.

 Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- DSelect wood seat and back color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select upholstery grade/color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select glide option.

- Plastic glides

- Steel glides (standard)

GSelect back style.

C04

VRB - Round (original style) VSB - Square (new style)

Select wood back cut-out.

- Square (round back C01 only)

Ellipse (round back only) C02 **CO3** - Starburst (round back only)

- Fan (square back only)

- Split (square back only) C05 C06 - Perforated (square back

only) - No cut-out (both styles)

Select wood stacking option.

- Nonstacking bumper SB

- Stacking bumper

INFORMATION

Note:

There are 2 wood and upholstered back styles to choose from: Round Back = VRB Square Back = VSB

Poly backs are round only.

The original ROUND wood back style (RB) has the following wood cut-out options only:

C01 = Square C02 = Ellipse

C03 = Standard

NC = No cut-out

The new SQUARE wood back style (SB) has the following wood cut-out options only: C04= Fan

C05 = Split

C06 = Perforated

NC = No cut-out



| Approx. Packaged Weight | Delivered Pricing Unupholstered | Delivered Pricing Fabric Grade 1 & C.O.M. | Delivered Pricing Fabric Grade 2 | Delivered Pricing Fabric Grade 3 | Delivered Pricing C.O.V. | Delivered Pricing Vinyl Group 2 | Delivered Pricing Pallas Fabric Group P1 | Delivered Pricing Pallas Fabric Group P2 | Delivered Pricing Pallas Fabric Group P3 | Delivered Pricing Pallas Fabric Group P4 |
|-------------------------------|---------------------------------------|--|---|---|--------------------------------|--|---|---|---|---|
| 17.0# | \$ 330 | | | | | | | | | |
| 18.0# | 585 | | | | | | | | | |
| 17.0# | 308 | | | | | | | | | |
| 18.0# | 565 | | | | | | | | | |
| 19.0# | N/A | 447 | 478 | 479 | 447 | 479 | 487 | 521 | 553 | 593 |
| 19.0# | N/A | 422 | 455 | 456 | 422 | 456 | 462 | 497 | 531 | 567 |
| | | | | | | | | | | |

| 17.0# | \$ 363 | | | | | | | | | |
|-------|-----------|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| 18.0# | 618 | | | | | | | | | |
| 17.0# | 341 | | | | | | | | | |
| 18.0# | 597 | | | | | | | | | |
| 19.0# | N/A | 481 | 513 | 514 | 481 | 514 | 519 | 558 | 588 | 626 |
| 19.0# | N/A | 457 | 490 | 491 | 457 | 491 | 497 | 532 | 566 | 600 |
| | | | | | | | | | | |

OPTIONS

California TB133 Fire Safety Code

The above seating products can be manufactured using the appropriate flame-retardant materials for compliance to California Technical Bulletin 133. Add "FR" to end of model number. Model=Upholstered Added Lead Time=1 week Added list price=\$53 Model=Polypropylene Added Lead Time=1 week Added list price=\$29

UPHOLSTERY INFORMATION

C.O.M. Upholstery C.O.M. requirement 1 yard per chair of 54" wide nondirectional fabric. For complete information on ordering C.O.M., see "Ordering C.O.M., C.O.V. and C.O.L." section.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b. Green Bay, Wisconsin 54302 factory. Freight class #125.

Specifications and prices are subject to change without prior notice.

| | | MODEL NUM | IBER | | | | | | | | |
|---|-------------------------------|--------------------|----------------|-------------------------|--------------------------------|---------------------|-----------------|---------------|--------------------------|----------------------------|---------------|
| | Features | Basic Model | Frame Color | Seat & Back Color | Wood Seat and Back Color | Upholstery Color | Glide Option | Back Style | Wood Back Cut-outs | Wood Stacking Option | Arm Option |
| | Poly, Ganging | 15WAGP | | | | | | | | | MPA |
| | Wood, Ganging | 15WAGW | | | | | | | | | MPA |
| | Poly, Non-Ganging | 15WALP | | | | | | | | | |
| | Wood, Non-Ganging | 15WALW | | | | | | | | | |
| VRB VSB VSB | Uph, Ganging Uph, Non-Ganging | 96WAG 96WAL | | | | | | | | | MPA |
| VRPY | opii, won-danging | JUVAL | | | | | | | | | |
| VRWD | | | | | | | | | | | |
| VRUP | | | | | | | | | | | |
| Four-Leg Armchair | | | | | | | | | | | |
| Back and seat are foam cushioned | | | | | | | | | | | |
| and uph., polypropylene, or wood | | | | | | | | | | | |
| Round tubular steel frame"Kick back" rear leg style enhances | | | | | | | | | | | |
| stability | | | | | | | | | | | |
| Molded nylon or chrome plated (non- ganging) arms | | | | | | | | | | | |
| Ganger fastened to nylon armrest | | | | | | | | | | | |
| Stacking | | | | | | | | | | | |
| | Poly, Ganging | 15WAGPWS | | | | | S | | | | MPA |
| | Wood, Ganging | 15WAGWWS | | | | | S | | | | MPA |
| | Poly, Non-Ganging | 15WALPWS | | | | | S | | | | |
| | Wood, Non-Ganging | 15WALWWS | | | | | S | | | | MDA |
| URB U USB U | Uph, Ganging Uph, Non-Ganging | 96WAGWS 96WALWS | | | | | S | | | | MPA |
| VRPY | opii, won-danging | SUVVALVVO | | | | | 3 | | | | |
| VRWD | | | | | | | | | | | |
| VRUP | | | | | | | | | | | |
| Four-Leg Wallsaver Armchair | | | | | | | | | | | |
| Back and seat are foam cushioned | | | | | | | | | | | |
| and uph., polypropylene, or woodRound tubular steel frame | | | | | | | | | | | |
| • Molded nylon or chrome plated (non- | | | | | | | | | | | |
| ganging) arms • Ganger fastened to nylon armrest | | | | | | | | | | | |
| Stacking | | | | | | | | | | | |
| · Wallsaver rear legs touch base of wall | | | | | | | | | | | |
| preventing chair back from contact- ing wall surface | | | | | | | | | | | |
| • | | A | B | О | • | • | • | G | 0 | 0 | • |
| | | w | บ | <u> </u> | <u> </u> | • | U | U | Ψ | U | 9 |

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect frame color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

- Select poly seat and back color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select wood seat and back color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- ESelect upholstery grade/color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select glide option.

- Plastic glides

- Steel glides (standard)

GSelect back style.

VRB - Round (original style) VSB - Square (new style)

Select wood back cut-out.

C01 - Square (round back only) C02 - Ellipse (round back only) **CO3** - Starburst (round back only

CO4 - Fan (square back only) C05 - Split (square back only) C06 - Perforated (square back only)

NC - No cut-out (both styles)

Select wood stacking option.

- Nonstacking bumper - Stacking bumper

Select arm option.

- Chrome plated CHA - Poly

INFORMATION

Note:

There are 2 wood and upholstered back styles to choose from: Round Back = VRB Square Back = VSB

Poly backs are round only.

The original ROUND wood back style (RB) has the following wood cut-out options only:

C01 = Square

C02 = Ellipse

C03 = Standard

NC = No cut-out

The new SQUARE wood back style (SB) has the following wood cut-out options only: C04= Fan

C05 = Split

C06 = Perforated

NC = No cut-out



| Approx. Packaged Weight | Delivered Pricing Unupholstered | Delivered Pricing Fabric Grade 1 & C.O.M. | Delivered Pricing Fabric Grade 2 | Delivered Pricing Fabric Grade 3 | Delivered Pricing C.O.V. | Delivered Pricing Vinyl Group 2 | Delivered Pricing Pallas Fabric Group P1 | Delivered Pricing Pallas Fabric Group P2 | Delivered Pricing Pallas Fabric Group P3 | Delivered Pricing Pallas Fabric Group P4 |
|-------------------------------|---------------------------------------|--|---|---|--------------------------------|--|---|---|---|---|
| 19.0# | \$ 341 | | | | | | | | | |
| 20.0# | 597 | | | | | | | | | |
| 18.0# | 330 | | | | | | | | | |
| 19.0# | 585 | | | | | | | | | |
| 21.0# | N/A | 457 | 490 | 491 | 457 | 491 | 497 | 533 | 566 | 600 |
| 20.0# | N/A | 447 | 478 | 479 | 447 | 479 | 487 | 521 | 553 | 593 |
| | | | | | | | | | | |

| 19.0# | \$ 374 | | | | | | | | | |
|-------|-----------|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| 20.0# | 630 | | | | | | | | | |
| 18.0# | 363 | | | | | | | | | |
| 19.0# | 618 | | | | | | | | | |
| 21.0# | N/A | 491 | 521 | 523 | 491 | 523 | 531 | 567 | 598 | 633 |
| 20.0# | N/A | 481 | 513 | 514 | 481 | 514 | 519 | 554 | 588 | 624 |
| | | | | | | | | | | |

OPTIONS

California TB133 Fire Safety Code

The above seating products can be manufactured using the appropriate flame-retardant materials for compliance to California Technical Bulletin 133. Add "FR" to end of model number. Model=Upholstered Added Lead Time=1 week Added list price=\$53 Model=Polypropylene Added Lead Time=1 week Added list price=\$29

UPHOLSTERY INFORMATION

C.O.M. Upholstery C.O.M. requirement 1 yard per chair of 54" wide nondirectional fabric. For complete information on ordering C.O.M., see "Ordering C.O.M., C.O.V. and C.O.L." section.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b. Green Bay, Wisconsin 54302 factory. Freight class #125.

Specifications and prices are subject to change without prior notice.

| | | MODEL 1 | NUMBER | | | | | | | | |
|--|------------------|----------------|----------------|-------------------------|--------------------------------|---------------------|-----------------|---------------|--------------------------|------------------------|-------------------------------|
| | | | | | | | | | | | |
| | Features | Basic Model | Frame Color | Seat & Back Color | Wood Seat and Back Color | Upholstery Color | Glide Option | Back Style | Wood Back Cut-outs | Tablet Arm Color | Approx. Packaged Weight |
| | Poly, Left Hand | 15TALP | | | | | | | | | 28.0# |
| | Wood, Left Hand | 15TALW | | | | | | | | | 28.0# |
| | Poly, Right Hand | 15TARP | | | | | | | | | 28.0# |
| | Wood, Right Hand | 15TARW | | | | | | | | | 28.0# |
| | Uph, Left Hand | 96TAL | | | | | | | | | 28.0# |
| U VRB U U VSB U | Uph, Right Hand | 96TAR | | | | | | | | | 28.0# |
| VRPY | | | | | | | | | | | |
| VRWD | | | | | | | | | | | |
| VRUP | | | | | | | | | | | |
| Four-Leg Tablet Arm Chair | | | | | | | | | | | |
| Back and seat are foam cushioned and uphoistered, polypropylene, or wood | | | | | | | | | | | |
| "Kick back" rear leg style enhances stablilty | | | | | | | | | | | |
| Tablet arm available in left - or right - hand models | | | | | | | | | | | |
| Laminate tablet arm surface | | | | | | | | | | | |
| Tablet flips up for easy access NONSTACKING | | | | | | | | | | | |
| 140140 Morring | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | A | B | 0 | 0 | 3 | • | Ө | 0 | 0 | |

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- **B**Select frame color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

End caps will match frame color, unless frame is chrome or hammertone (then black).

- Select poly seat and back color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- DSelect wood seat and back color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select upholstery grade/color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select glide option.

- Plastic glides - Steel glides (standard)
- GSelect back style.

only)

| VRB | - Round (original style) |
|-----|--------------------------|
| VSB | - Square (new style) |

Select wood back cut-out.

| C01 | - Square (round back only) |
|-----|---|
| C02 | Ellipse (round back only) |
| C03 | - Starburst (round back |

C04 - Fan (square back only) - Fan (square back only)
- Split (square back only) C05 C06 - Perforated (square back

only) - No cut-out (both styles)

Select tablet arm option. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

INFORMATION

Note:

There are 2 wood and upholstered back styles to choose from: Round Back = VRB Square Back = VSB

Poly backs are round only.

The original ROUND wood back style (RB) has the following wood cut-out options only:

C01 = Square

C02 = Ellipse

C03 = Standard

NC = No cut-out

The new SQUARE wood back style (SB) has the following wood cut-out options only: C04= Fan

C05 = Split

C06 = Perforated

NC = No cut-out



| Delivere Unupho | | Delivered Pricing Fabric Grade 1 & C.O.M. | Delivered Pricing Fabric Grade 2 | Delivered Pricing Fabric Grade 3 | Delivered Pricing C.O.V. | Delivered Pricing Vinyl Group 2 | Delivered Pricing Pallas Fabric Group P1 | Delivered Pricing Pallas Fabric Group P2 | Delivered Pricing Pallas Fabric Group P3 | Delivered Pricing Pallas Fabric Group P4 |
|--------------------|---|--|---|---|--------------------------------|--|---|---|---|---|
| \$ 50 | 2 | | | | | | | | | |
| 759 | 9 | | | | | | | | | |
| 503 | 2 | | | | | | | | | |
| 75 | 9 | | | | | | | | | |
| N/A | А | 621 | 651 | 655 | 621 | 655 | 660 | 696 | 728 | 760 |
| N/A | Ą | 621 | 651 | 655 | 621 | 655 | 660 | 696 | 728 | 760 |
| | | | | | | | | | | |

OPTIONS

California TB133 Fire Safety Code

The above seating products can be manufactured using the appropriate flame-retardant materials for compliance to California Technical Bulletin 133. Add "FR" to end of model number. Model=Upholstered Added Lead Time=1 week Added list price=\$53 Model=Polypropylene Added Lead Time=1 week Added list price=\$29

UPHOLSTERY INFORMATION

C.O.M. Upholstery C.O.M. requirement 1 yard per chair of 54" wide nondirectional fabric. For complete information on ordering C.O.M., see "Ordering C.O.M., C.O.V. and C.O.L." section.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b. Green Bay, Wisconsin 54302 factory. Freight class #125.

Specifications and prices are subject to change without prior notice.

| | | MODEL N | JMBER | | | | | | | |
|------------------------------------|-------------------|----------------|----------------|-------------------------|--------------------------------|---------------------|-----------------|---------------|--------------------------|-------------------------------|
| | Features | Basic Model | Frame Color | Seat & Back Color | Wood Seat and Back Color | Upholstery Color | Glide Option | Back Style | Wood Back Cut-outs | Approx. Packaged Weight |
| | Poly, Ganging | 15NASGP | | | | | | | | 22.0# |
| | Wood, Ganging | 15NASGW | | | | | | | | 23.0# |
| | Poly, Non-Ganging | 15NASP | | | | | | | | 21.0# |
| | Wood, Non-Ganging | 15NASW | | | | | | | | 22.0# |
| | Uph, Ganging | 96NASG | | | | | | | | 24.0# |
| VRB VSB | Uph, Non-Ganging | 96NAS | | | | | | | | 23.0# |
| RPY | | | | | | | | | | |
| RWD | | | | | | | | | | |
| RUP | | | | | | | | | | |
| d Base Armless Chair | | | | | | | | | | |
| Back and seat are foam cushioned | | | | | | | | | | |
| and upholstered, polypropylene, or | | | | | | | | | | |
| wood Round tubular steel frame | | | | | | | | | | |
| Ganging version available. Ganger | | | | | | | | | | |
| welded to frame and finished to | | | | | | | | | | |
| match frame NONSTACKING | | | | | | | | | | |
| NOTE IN CONTROL | | | | | | | | | | |
| | | A | B | $\mathbf{\Theta}$ | O | (3 | (3) | Θ | (1) | |
| | | | | | | | | | | |

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- \bullet Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- **B**Select frame color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

End caps will match frame color, unless frame is chrome or hammertone (then black).

- Select poly seat and back color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- DSelect wood seat and back color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- ESelect upholstery grade/color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select glide option.

NGL - No glides - Sled base non-skid NSG glides; add \$27

GSelect back style.

- Round (original style) - Square (new style)

Select wood back cut-out. - Square (round back only)

| UU2 | - Ellipse (round back only) |
|-------|---|
| C03 | Starburst (round back |
| only) | |
| CO4 | - Fan (square back only) |
| C05 | - Split (square back only) |
| C06 | Perforated (square back |
| only) | |
| NC | - No cut-out (both styles) |
| | |

INFORMATION

Note:

There are 2 wood and upholstered back styles to choose from: Round Back = VRB Square Back = VSB

Poly backs are round only.

The original ROUND wood back style (RB) has the following wood cut-out options only:

C01 = Square C02 = Ellipse

C03 = Standard

NC = No cut-out

The new SQUARE wood back style (SB) has the following wood cut-out options only: C04= Fan

C05 = Split

C06 = Perforated

NC = No cut-out



| | livered Pricing upholstered | Delivered Pricing Fabric Grade 1 & C.O.M. | Delivered Pricing Fabric Grade 2 | Delivered Pricing Fabric Grade 3 | Delivered Pricing C.O.V. | Delivered Pricing Vinyl Group 2 | Delivered Pricing Pallas Fabric Group P1 | Delivered Pricing Pallas Fabric Group P2 | Delivered Pricing Pallas Fabric Group P3 | Delivered Pricing Pallas Fabric Group P4 |
|----|--------------------------------|--|---|---|--------------------------------|--|---|---|---|---|
| \$ | 467 | | | | | | | | | |
| | 717 | | | | | | | | | |
| | 444 | | | | | | | | | |
| | 696 | | | | | | | | | |
| | N/A | 582 | 614 | 617 | 582 | 617 | 624 | 660 | 692 | 726 |
| | N/A | 562 | 595 | 596 | 562 | 596 | 600 | 635 | 668 | 704 |
| | | | | | | | | | | |

OPTIONS

California TB133 Fire Safety Code

The above seating products can be manufactured using the appropriate flame-retardant materials for compliance to California Technical Bulletin 133. Add "FR" to end of model number. Model=Upholstered Added Lead Time=1 week Added list price=\$53 Model=Polypropylene Added Lead Time=1 week Added list price=\$29

UPHOLSTERY INFORMATION

C.O.M. Upholstery C.O.M. requirement 1 yard per chair of 54" wide nondirectional fabric. For complete information on ordering C.O.M., see "Ordering C.O.M., C.O.V. and C.O.L." section.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b. Green Bay, Wisconsin 54302 factory. Freight class #125.

Specifications and prices are subject to change without prior notice.

| | | MODEL NUMBER | | | | | | | | | |
|--|-------------------|----------------|----------------|-------------------------|--------------------------------|---------------------|-----------------|---------------|--------------------------|---------------|-------------------------------|
| | Features | Basic Model | Frame Color | Seat & Back Color | Wood Seat and Back Color | Upholstery Color | Glide Option | Back Style | Wood Back Cut-outs | Arm Option | Approx. Packaged Weight |
| VRB VSB | Poly, Ganging | 15WASGP | | | | | | | | MPA | 25.0# |
| | Wood, Ganging | 15WASGW | | | | | | | | MPA | 26.0# |
| | Poly, Non-Ganging | 15WASP | | | | | | | | | 24.0# |
| | Wood, Non-Ganging | 15WASW | | | | | | | | | 25.0# |
| | Uph, Ganging | 96WASG | | | | | | | | MPA | 28.0# |
| | Uph, Non-Ganging | 96WAS | | | | | | | | | 27.0# |
| VRPY | | | | | | | | | | | |
| VRWD | | | | | | | | | | | |
| VRUP | | | | | | | | | | | |
| Sled Base Armchair | | | | | | | | | | | |
| Back and seat are foam cushioned and upholstered, polypropylene, or wood Round tubular steel frame Molded nylon or chrome plated (non- | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| ganging) arms | | | | | | | | | | | |
| Ganger fastened to nylon armrest | | | | | | | | | | | |
| NONSTACKING | | | | | | | | | | | |
| | | MVP.BL | | | | | | | | | 19.0# |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| • | | | | | | | | | | | |
| HRDPT | | | | | | | | | | | |
| Standard Versa Transport Dolly, Non- Wallsaver | | | | | | | | | | | |
| Accommodates up to 10 stacking chairs | | | | | | | | | | | |
| | | | | | | | | | | | |
| Easy maneuverability with 5" casters: | | | | | | | | | | | |
| two fixed, two swivelRugged weld tubular steel frame | | | | | | | | | | | |
| Black powder-coated finish | | | | | | | | | | | |
| • | | A | B | • | 0 | • | • | Ю | 0 | 0 | |
| | | | U | G | U | G | U | U | \mathbf{w} | U | |

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect frame color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

End caps will match frame color, unless frame is chrome or hammertone (then black).

- Select poly seat and back color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- DSelect wood seat and back color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select upholstery grade/color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select glide option.

NGL - No glides NSG - Sled base non-skid glides; add \$27

GSelect back style.

VRB - Round (original style) VSB - Square (new style)

Select wood back cut-out.

C01 - Square (round back only) C02 - Ellipse (round back only) C03 - Starburst (round back only

Fan (square back only) **CO4** Split (square back only) C05 C06 - Perforated (square back only)

- No cut-out (both styles) NC

Select arm option.

| CHA | - Chrome plated |
|-----|-----------------|
| MPA | - Poly |

INFORMATION

Note:

There are 2 wood and upholstered back styles to choose from: Round Back = VRB Square Back = VSB

Poly backs are round only.

The original ROUND wood back style (RB) has the following wood cutout options only: C01 = Square

C02 = Ellipse

C03 = Standard

NC = No cut-out

The new SQUARE wood back style (SB) has the following wood cutout options only: C04= Fan

C05 = Split

C06 = Perforated

NC = No cut-out



| | ivered Pricing upholstered | Delivered Pricing Fabric Grade 1 & C.O.M. | Delivered Pricing Fabric Grade 2 | Delivered Pricing Fabric Grade 3 | Delivered Pricing C.O.V. | Delivered Pricing Vinyl Group 2 | Delivered Pricing Pallas Fabric Group P1 | Delivered Pricing Pallas Fabric Group P2 | Delivered Pricing Pallas Fabric Group P3 | Delivered Pricing Pallas Fabric Group P4 |
|----|-------------------------------|--|---|---|--------------------------------|--|---|---|---|---|
| \$ | 478 | | | | | | | | | |
| | 726 | | | | | | | | | |
| | 467 | | | | | | | | | |
| | 717 | | | | | | | | | |
| | N/A | 596 | 627 | 628 | 596 | 628 | 633 | 669 | 701 | 735 |
| | N/A | 582 | 614 | 617 | 582 | 617 | 624 | 660 | 692 | 726 |
| | | | | | | | | | | |

\$ 413

OPTIONS

California TB133 Fire Safety Code

The above seating products can be manufactured using the appropriate flame-retardant materials for compliance to California Technical Bulletin 133. Add "FR" to end of model number. Model=Upholstered Added Lead Time=1 week Added list price=\$53 Model=Polypropylene Added Lead Time=1 week Added list price=\$29

UPHOLSTERY INFORMATION

C.O.M. Upholstery C.O.M. requirement 1 yard per chair of 54" wide nondirectional fabric. For complete information on ordering C.O.M., see "Ordering C.O.M., C.O.V. and C.O.L." section.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b. Green Bay, Wisconsin 54302 factory. Freight class #125.

Specifications and prices are subject to change without prior notice.

| | | | l | | | | | | | | |
|---------------|--|-------------|----------------|----------------|-----------------------|---------------------|-----------------|---------------|--------------------------|---------------|---|
| | | | MODEL NUMB | BER | | | | | | | |
| | MODEL | Features | Basic Model | Frame Color | Wood Back Color | Upholstery Color | Glide Option | Back Style | Wood Back Cut-outs | Arm Option | |
| | Four-Leg Armless Chair | Ganging | 15NAGUW | | | | | | | | |
| | Seat is foam cushioned and upholstered Back is wood | Non-Ganging | 15NALUW | | | | | | | | |
| | Round tubular steel frame | | | | | | | | | | |
| | "Kick back" rear leg style enhances stability | | | | | | | | | | |
| ll AKR n ll A | Ganger welded to frame and finished to | | | | | | | | | | |
| VRUW | match frame | | | | | | | | | | |
| ******* | | | | | | | | | | | |
| | Four-Leg Wallsaver Armless Chair | Ganging | 15NAGUWWS | | | | S | | | | |
| | Seat is foam cushioned and upholstered Back is wood | Non-Ganging | 15NALUWWS | | | | S | | | | |
| | Round tubular steel frame | | | | | | | | | | |
| | Ganger welded to frame and finished to match frame | | | | | | | | | | |
| U VRB U U V | Wallsaver rear legs touch base of wall | | | | | | | | | | |
| VRUW | preventing chair back from contacting | | | | | | | | | | |
| VIIOW | wall surface | | | | | | | | | | |
| | | | | | | | | | | | |
| | Four-Leg Armchair | Ganging | 15WAGUW | | | | | | | MPA | |
| | Seat is foam cushioned and upholstered Back is wood | Non-Ganging | 15WALUW | | | | | | | | |
| | Round tubular steel frame | | | | | | | | | | |
| | "Kick back" rear leg style enhances stability | | | | | | | | | | |
| U VRB U U V | * Molded nylon or chrome plated (non- | | | | | | | | | | |
| VRUW | ganging) arms | | | | | | | | | | |
| VITOVV | Ganger fastened to nylon armrest | | | | | | | | | | |
| | | | | | | | | | | | |
| | Four-Leg Wallsaver Armchair | Ganging | 15WAGUWWS | | | | S | | | MPA | |
| | Seat is foam cushioned and upholstered Back is wood | Non-Ganging | 15WALUWWS | | | | S | | | | |
| | Round tubular steel frame | | | | | | | | | | |
| | Molded nylon or chrome plated (non- ganging) arms | | | | | | | | | | |
| ∏ ∧kr n ∏ ∧ | Ganger fastened to nylon armrest | | | | | | | | | | |
| VRUW | Wallsaver rear legs touch base of wall | | | | | | | | | | |
| ******* | preventing chair back from contacting wall surface | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | A | 3 | 0 | Ð | (3 | 3 | О | 0 | ' |

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- **B**Select frame color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select wood back color. Refer to color addendum at ki.com or KI

Fabrics & Finishes binder.

• Select upholstery grade/color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select glide option.

P - Plastic glides

- Steel glides (standard)

Select back style.

VRB - Round (original style) - Square (new style)

GSelect wood back cut-out.

C01 - Square (round back only) C02 - Ellipse (round back only) C03 - Starburst (round back only) - Fan (square back only) C04 - Split (square back only) C05

C06 - Perforated (square back only)

NC - No cut-out (both styles)

Select arm option.

- Chrome plated CHA MPA - Poly

INFORMATION

Note:

There are 2 wood and upholstered back styles to choose from: Round Back = VRB Square Back = VSB

Poly backs are round only.

The original ROUND wood back style (RB) has the following wood cut-out options only:

C01 = Square

C02 = Ellipse

C03 = Standard

NC = No cut-out

The new SQUARE wood back style (SB) has the following wood cut-out options only: C04= Fan

C05 = Split

C06 = Perforated

NC = No cut-out



| Approx. Packaged Weight | Pri Fab | livered cing oric Grade & C.O.M. | Pri | ivered sing ric Grade | Pri | livered cing oric Grade | Pri | livered cing).V. | Pric | vered sing yl Group | Pri Pa | livered icing Ilas Fabric oup P1 | Pri Pa | livered cing llas Fabric oup P2 | F F | Delivered Pricing Pallas Fabric Froup P3 | Pri Pa | livered cing llas Fabric oup P4 |
|-------------------------------|------------|---|-----|-----------------------------|----------|-------------------------------|---------------------------------------|-------------------------|------|---------------------------|-----------|---|-----------|--|--------|---|-----------|--|
| 17.0# | \$ | 481 | \$ | 496 | \$ | 497 | \$ | | \$ | 497 | \$ | | \$ | | \$ | 533 | \$ | 555 |
| 15.0# | | 468 | | 485 | | 487 | | 468 | | 487 | | 490 | | 508 | | 521 | | 544 |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| 17.0# | \$ | 514 | \$ | 529 | \$ | 531 | \$ | 514 | \$ | 531 | \$ | 533 | \$ | 552 | \$ | 567 | \$ | 590 |
| 15.0# | <u> </u> | 501 | | 518 | <u> </u> | 519 | , , , , , , , , , , , , , , , , , , , | 501 | _ | 519 | · · | 523 | Ψ | 541 | Ť | 558 | <u> </u> | 577 |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| 18.0# | \$ | 501 | \$ | 518 | \$ | 519 | \$ | 501 | \$ | 519 | \$ | 523 | \$ | 541 | \$ | 555 | \$ | 577 |
| 16.0# | φ | 492 | φ | 508 | φ | 509 | φ | 492 | φ | 509 | φ | 513 | φ | 531 | φ | 544 | φ | 568 |
| 10.0# | | 402 | | 000 | | 000 | | 702 | | 000 | | 010 | | 001 | | 044 | | 000 |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | === | | | | | | | | | | |
| 18.0# | \$ | 536 | \$ | 552 | \$ | 553 | \$ | 536 | \$ | 553 | \$ | 558 | \$ | 574 | \$ | | \$ | 611 |
| 16.0# | | 527 | | 541 | | 543 | | 527 | | 543 | | 547 | | 566 | | 577 | | 601 |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |

OPTIONS

California TB133 Fire Safety Code The above seating products can be manufac-

tured using the appropriate flame-retardant materials for compliance to California Technical Bulletin 133. Add "FR" to end of model number. Added Lead Time=1 week Added List Price=\$48

UPHOLSTERY INFORMATION

C.O.M. Upholstery C.O.M. requirement 1 yard per chair of 54" wide nondirectional fabric. For complete information on ordering C.O.M., see "Ordering C.O.M., C.O.V. and C.O.L." section.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b. Green Bay, Wisconsin 54302 factory. Freight class #125.

Specifications and prices are subject to change without prior notice.

| | | | MODEL NUN | /IBER | | | | | | | |
|---------|--|------------------------------|---------------------------------------|----------------|-----------------------|---------------------|-----------------|---------------|--------------------|---------------|--|
| | MODEL Sled Base Armless Chair Seat is foam cushioned and upholstered Back is wood | Features Ganging Non-Ganging | Basic Model 15NASGUW 15NASUW | Frame Color | Wood Back Color | Upholstery Color | Glide Option | Back Style | Wood Back Cut-outs | Arm Option | |
| | Round tubular steel frame Ganger version available. Ganger welded to frame and finished to match frame NONSTACKING | | | | | | | | | | |
| VIIOVV | | | | | | | | | | | |
| | Sled Base Armchair Seat is foam cushioned and upholstered Back is wood Round tubular steel frame Molded nylon or chrome plated (non- | Ganging Non-Ganging | 15WASGUW 15WASUW | | | | | | | MPA | |
| VRB VSB | ganging) arms • Ganger fastened to nylon armrest • NONSTACKING | | | | | | | | | | |
| | Standard Versa® Transport Dolly, Non- | | MVP.BL | | | | | | | | |
| | Standard Versa® Transport Dolly, Non- Wallsaver • Accomodates up to 10 stacking chairs • Easy maneuverability with 5" casters; two fixed, two swivel | | | | | | | | | | |
| | Rugged weld tubular steel frame Black powder-coated finish | | | | | | | | | | |
| THE I | , | | A | • | • | 0 | 3 | • | · · · · | • | |

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- **B**Select frame color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select wood back color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select upholstery grade/color. Refer to color addendum at ki.com or KI

Fabrics & Finishes binder.

Select glide option.

NGL - No glide

- No glides - Sled base non-skid glides; NSG add \$27

Select back style.

VRB - Round (original style) - Square (new style)

GSelect wood back cut-out.

C01

- Square (round back only) - Ellipse (round back only) C02 C03 - Starburst (round back only) C04 - Fan (square back only)

CO5 - Split (square back only) C06 - Perforated (square back

only) - No cut-out (both styles)

Select arm option.

CHA - Chrome plated - Poly

INFORMATION

Note:

There are 2 wood and upholstered back styles to choose from: Round Back = VRB Square Back = VSB

Poly backs are round only.

The original ROUND wood back style (RB) has the following wood cut-out options only:

C01 = Square

C02 = Ellipse

C03 = Standard

NC = No cut-out

The new SQUARE wood back style (SB) has the following wood cut-out options only: C04= Fan

C05 = Split

C06 = Perforated

NC = No cut-out



| Approx. Packaged | Delivered Pricing | Pri | livered cing oric Grade | Pri | ivered cing oric Grade | Pri | livered cing oric Grade | | livered cing | Pi | elivered ricing nyl Group | F | Prici | vered ing as Fabric | Pri | livered icing llas Fabric | Pri | livered cing llas Fabric | Pri | ivered cing las Fabric |
|---------------------|----------------------|-----|-------------------------------|-----|------------------------------|-----|-------------------------------|-----|-----------------|----|---------------------------------|---|-------|---------------------------|-----|---------------------------------|-----|--------------------------------|-----|------------------------------|
| Weight | Unupholstered | 1.8 | k C.O.M. | 2 | | 3 | | C.C | | 2 | | (| Grou | ıp P1 | Gr | oup P2 | Gro | oup P3 | Gr | up P4 |
| 21.0# | N/A | \$ | 632 | \$ | 647 | \$ | 649 | \$ | 632 | \$ | 649 | 5 | \$ | 651 | \$ | 670 | \$ | 684 | \$ | 707 |
| 21.0# | N/A | | 619 | | 635 | | 636 | | 619 | | 636 | | | 640 | | 658 | | 673 | | 697 |
| | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | |
| 23.0# | N/A | \$ | 655 | \$ | 670 | \$ | 671 | \$ | 655 | \$ | 671 | 5 | \$ | 674 | \$ | 693 | \$ | 707 | \$ | 730 |
| 23.0# | N/A | | 644 | | 658 | | 660 | | 644 | | 660 | | | 664 | | 680 | | 697 | | 718 |
| | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | |
| 19.0# | \$ 413 | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | |

OPTIONS

California TB133 Fire Safety Code

The above seating products can be manufactured using the appropriate flame-retardant materials for compliance to California Technical Bulletin 133. Add "FR" to end of model number. Added Lead Time=1 week Added List Price=\$48

UPHOLSTERY INFORMATION

C.O.M. Upholstery C.O.M. requirement 1 yard per chair of 54" wide nondirectional fabric. For complete information on ordering C.O.M., see "Ordering C.O.M., C.O.V. and C.O.L." section.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b. Green Bay, Wisconsin 54302 factory. Freight class #125.

Specifications and prices are subject to change without prior notice.

Stack/Nesting Versa® Standard Cafe Stools

| | | MODEL NUI | MBER | | | | | | | | |
|---|---------------------|----------------|----------------|-------------------------|-----------------------|---------------------|-----------------|---------------|--------------------------|---------------|-------------------------------|
| | Features | Basic Model | Frame Color | Seat & Back Color | Wood Back Color | Upholstery Color | Glide Option | Back Style | Wood Back Cut-outs | Arm Option | Approx. Packaged Weight |
| | Polypropylene | S15NALP | | | | | | | | | 29.0# |
| | Upholstered | S96NAL | | | | | | | | | 29.0# |
| | Uph Seat, Wood Back | S15NALUW | | | | | | | | | 29.0# |
| VRB VSB | Wood | S15NALW | | | | | | | | | 29.0# |
| SVRPY | | | | | | | | | | | |
| SVRUP | | | | | | | | | | | |
| SVRUW | | | | | | | | | | | |
| SVRWD | | | | | | | | | | | |
| Four-Leg Armless Cafe Stool | | | | | | | | | | | |
| Back and seat are foam cushioned | | | | | | | | | | | |
| and upholstered, polypropylene, or wood | | | | | | | | | | | |
| Round tubular steel frame | | | | | | | | | | | |
| NONSTACKING | | | | | | | | | | | |
| | Polypropylene | S15WALP | | | | | | | | | 30.0# |
| | Upholstered | S96WAL | | | | | | | | | 30.0# |
| | Uph Seat, Wood Back | S15WALUW | | | | | | | | | 30.0# |
| | Wood | S15WALW | | | | | | | | | 30.0# |
| | | | | | | | | | | | |
| VRB VSB | | | | | | | | | | | |
| SVRPY | | | | | | | | | | | |
| SVRUP | | | | | | | | | | | |
| SVRUW | | | | | | | | | | | |
| SVRWD | | | | | | | | | | | |
| Four-Leg Cafe Stool with Arms | | | | | | | | | | | |
| Back and seat are foam cushioned | | | | | | | | | | | |
| and upholstered, polypropylene, or | | | | | | | | | | | |
| wood • Round tubular steel frame | | | | | | | | | | | |
| Molded nylon or chrome plated arms | | | | | | | | | | | |
| NONSTACKING | | | | | | | | | | | |
| | | A | B | Θ | 0 | (3 | (3 | О | 0 | 0 | - |

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- **B**Select frame color. Refer to color addendum at ki.com or KI
 - Fabrics & Finishes binder.
- Select seat and back color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- DSelect wood back color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- ESelect upholstery grade/color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select glide option.

- Plastic glides

- Steel glides (standard)

GSelect back style.

VRB - Round (original style) VSB - Square (new style)

Select wood back cut-out.

C01 - Square (round back only) C02 - Ellipse (round back only) **CO3** - Starburst (round back only)

CO4 - Fan (square back only) - Split (square back only) C05 C06 - Perforated (square back only)

NC - No cut-out (both styles)

Select arm option.

- Chrome plated CHA - Poly

INFORMATION

Note:

There are 2 wood and upholstered back styles to choose from: Round Back = VRB Square Back = VSB

Poly backs are round only.

The original ROUND wood back style (RB) has the following wood cut-out options only:

C01 = Square

CO2 = Ellipse CO3 = Standard

NC = No cut-out

The new SQUARE wood back style (SB) has the following wood cut-out options only: C04= Fan

C05 = Split

C06 = Perforated

NC = No cut-out



Stack/Nesting Versa® Standard Cafe Stools

| Delivered Pricing Unupholstered | Delivered Pricing Fabric Grade 1 & C.O.M. | Delivered Pricing Fabric Grade 2 | Delivered Pricing Fabric Grade 3 | Delivered Pricing C.O.V. | Delivered Pricing Vinyl Group 2 | Delivered Pricing Pallas Fabric Group P1 | Delivered Pricing Pallas Fabric Group P2 | Delivered Pricing Pallas Fabric Group P3 | Delivered Pricing Pallas Fabric Group P4 |
|------------------------------------|--|---|---|--------------------------------|--|---|---|---|---|
| \$ 613 | | | | | | | | | |
| N/A | 728 | 759 | 760 | 728 | 760 | 767 | 799 | 832 | 867 |
| N/A | 771 | 788 | 789 | 771 | 789 | 792 | 808 | 825 | 847 |
| 864 | | | | | | | | | |

| \$ 635 | | | | | | | | | |
|-----------|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| N/A | 751 | 783 | 784 | 751 | 784 | 789 | 825 | 855 | 893 |
| N/A | 795 | 810 | 812 | 795 | 812 | 816 | 832 | 847 | 869 |
| 886 | | | | | | | | | |

OPTIONS

California TB133 Fire Safety Code

The above seating products can be manufactured using the appropriate flame-retardant materials for compliance to California Technical Bulletin 133. Add "FR" to end of model number. Model=Upholstered Added Lead Time=1 week Added list price=\$51 Model=Polypropylene Added Lead Time=1 week Added list price=\$27

UPHOLSTERY INFORMATION

C.O.M. Upholstery C.O.M. requirement 1 yard per chair of 54" wide nondirectional fabric. For complete information on ordering C.O.M., see "Ordering C.O.M., C.O.V. and C.O.L." section.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b. Green Bay, Wisconsin 54302 factory. Freight class #125.

Specifications and prices are subject to change without prior notice.

Stack/Nesting

Versa® XL General Information



Four-Leg Armchair Ganging (VXLAG)



Four-Leg Armchair Non-ganging (VXLAN)

Armless Four-Leg Chair Non-ganging (VXLN)

| Features | | | |
|-----------------------|-------------------|-------------------|-------------------|
| Stackable | • | • | • |
| Ganging | • | | |
| Warranted to 500 lbs. | • | • | • |
| General Dimensions | | | |
| Seat width | 30" | 30" | 30" |
| Seat depth | 20" | 20" | 20" |
| Seat height | 20" | 20" | 20" |
| Overall Dimensions | | | |
| Width | 35-3/8" | 35-3/8" | 32" |
| Depth | 25-1/4" | 25-1/4" | 25-1/4" |
| Height | 37" | 37" | 37" |
| Ganging on center | 24-3/8" | | |
| Arms to floor | 26-1/4" | 26-1/4" | |
| Stacking on Floor | | | |
| Width | 35-3/4" | 35-3/4" | 32" |
| Depth | 32-1/2" | 32-1/2" | 32-1/2" |
| Quantity/height | 4 Chairs/49" High | 4 Chairs/49" High | 4 Chairs/49" High |
| | | | |





Ganging

Kick Back Leg

SPECIFICATIONS

Frame

Legs of 1" o.d. x 16-gauge high-strength tubular steel. "Kick back" rear legs increase structural integrity and adds to stability. Side members and cross tube members will be of 1" o.d. x 14-gauge tubular steel. An 11-gauge gusset will be located on the front legs to increase strength and rigidity. Legs are joined to side members by brazing; all other joints are manually welded.

Armrests

Molded nylon. Ganger will be fastened to the armrest and chrome finished. Only armchairs may be ganged. Armrests are monochromatic with frame. On chrome and hammertone frames, they will be black.

Tube End Caps (No-Arm Chair)

Molded plastic. The end cap will match the frame color. Chrome and hammertone frames have black end caps.

Floor Glides

Available in chrome-plated steel or monochromatic plastic. (Black plastic on chrome and hammertone frames.)

Upholstered Seat

Seat is a flat, 4-ply 1/2" thick, radiate pine plywood (AraucoPly or similar) fastened to the frame with four screws through T-nuts embedded in the seat. A 2-1/2" thick urethane foam cushion is glued to seatboard.

Upholstered Backrest

Two-piece construction. The front is constructed of a flat, 4-ply, 1/2" thick #3 gum veneer wood back fastened to frame with eight screws through T-nuts in wood backrest. A 2" urethane foam cushion applied to backrest. The back is constructed of 1/4" thick padding, 3-ply, 3/16" thick #3 gum veneer. Attached with eight steel fasteners and the backrest bracket.

Ganging Fixture

Only armchairs may be ganged. Welded

steel rod. Armrest models have fixture screwed to underside of arms (shipped k.d.).

Frame Finishes

30-sheen epoxy powder coating is electrostatically applied. The dry coating is then fused and cured in a baking oven to form a smooth, continuous film. Finish is chemical resistant, hard, touch and mar resistant. Bright chrome surfaces are duplex nickel chrome plated in a twenty-two step process.

INFORMATION

C.O.M. Testing and Production Requirements

Not all materials are suitable for upholstering this product. A 2 yd. x 54" sample must be submitted and approved prior to acceptance of an order. If the fabric is directional in pattern or weave, the direction must be indicated on the submitted sample, and additional yardage may be requested.

Test samples must be sent to:

ΚI

Attn: C.O.M. Specialist 1441 Ontario Street Green Bay, WI 54311

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specifying the direction the fabric is to be applied. The posted standard lead time will apply to the Special Cost Request.



Stack/Nesting Versa® XL General Information

INFORMATION

WarrantyRefer to KI Terms & Conditions document or visit ki.com

Stack/Nesting

| | | MODEL | . NUMBER | | | | | | |
|--|-------------------------|----------------|---------------------|----------------|---------------|-----------------|-------------------------------|---|--|
| MODEL | Features | Basic Model | Upholstery Color | Frame Color | Back Style | Glide Option | Approx. Packaged Weight | Delivered Pricing Fabric Gra 1 & C.O.N | |
| Four-Leg Armchair | Ganging | VXLAG | | | | | 42.0# | \$ 683 | |
| Generously proportione have thick foam cushio | | VXLAN | | | | | 42.0# | 667 | |
| upholstered | - | | | | | | | | |
| Back is fully upholstere Products attaching heal | | | | | | | | | |
| • Brackets attaching back | C to frame are | | | | | | | | |
| Round tubular steel frai VXLU "Kick back" rear lag styl | | | | | | | | | |
| VXLU • "Kick back" rear leg styl stability | e enhances | | | | | | | | |
| Molded nylon arms | | | | | | | | | |
| Ganger fastened to arm finished | rest and chrome | | | | | | | | |
| Powder-coated or chrol | me plated frames | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| Four-Leg Armless Chair Generously proportione | Non-Ganging Non-Ganging | VXLN | | | | | 39.0# | \$ 629 | |
| have thick foam cushio | | | | | | | | | |
| upholstered • Back is fully upholstere | d | | | | | | | | |
| Brackets attaching back | | | | | | | | | |
| VRB VSB concealed | | | | | | | | | |
| Round tubular steel frail VXLU "Kick back" rear leg styl | | | | | | | | | |
| stability | | | | | | | | | |
| Powder-coated or chron | me plated frames | | | | | | | | |
| | | | | | | | | | |
| | | A | $oldsymbol{\Theta}$ | • | 0 | (3 | | | |

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- \bullet Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect upholstery grade/color.
 Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select frame color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Armrests or end caps will match frame color, unless frame is chrome or hammertone (then black).

DSelect back style.

- Round (original style) - Square (new style)

Select glide option.

- Plastic glides - Steel glides (standard)

UPHOLSTERY INFORMATION

C.O.M. UpholsteryC.O.M. requirement for 10 chairs or less is 2 yards per chair of 54" wide nondirectional fabric. For orders of 11 or more chairs and for complete information on ordering C.O.M., see "Ordering C.O.M., C.O.V. and C.O.L." section.

OPTIONS

California TB133 Fire Safety Code
The above seating products can be manufactured using the appropriate flame-retardant materials for compliance to California Technical Bulletin 133. Add "FR" to end of model number. Model=XL Added Lead Time=1 week

Added List Price=\$133



\$ 660

\$ 672

\$ 629



\$ 959

| Pric | vered ing ric Grade | Pric | vered ing ric Grade | Deli Pric C.O. | vered ing | Pric | vered ing /I Group | Pric Pall | ing as Fabric | Prici Palla | ng is Fabric | Prici Palla | ng s Fabric | Pric Palla | vered ing as Fabric up P4 |
|------|---------------------------|------|---------------------------|----------------------|--------------|------|--------------------------|--------------|------------------|----------------|-----------------|----------------|----------------|---------------|------------------------------------|
| \$ | 714 | \$ | 726 | \$ | 683 | \$ | 726 | \$ | 874 | \$ | 925 | \$ | 975 | \$ | 1013 |
| | 698 | | 709 | | 667 | | 709 | | 854 | | 906 | | 957 | | 997 |
| | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | |

\$ 817

\$ 871

\$ 921

\$ 672

INFORMATION

Note:

There are 2 back styles to choose from: Round Back = VRB (original style) Square Back = VSB (new style)

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b. Green Bay, Wisconsin 54302 factory. Freight class #125.

Specifications and prices are subject to change without prior notice.

Stack/Nesting Xylon® General Information



Metal Frame Chair (PXM)

| Features | |
|--------------------|-------------------|
| Stackable | • |
| Articulating back | • |
| General Dimensions | |
| Seat width | 16-7/8" |
| Seat depth | 17-1/2" |
| Seat height | 18-5/8" |
| Back width | 16-1/4" |
| Back height | 15-1/2" |
| Overall Dimensions | |
| Width | 16-7/8" |
| Depth | 20-7/8" |
| Height | 33-1/8" |
| Stacking on Dolly | |
| Quantity/height | 8 Chairs/54" High |
| Floor space | 24" x 35" |
| Stacking on Floor | |
| Quantity/height | 8 Chairs/50" High |
| Floor space | 24" x 35" |

SPECIFICATIONS

Seat and Backrest

Plywood is made of beechwood and gum veneer. Backrest thickness is .4". Seat thickness is .5". Seat and backrest surfaces are finished with stain and/or two applications of clear coat for a very durable finish. Seat/back support is nickel-plated aluminum. The back tilt is 15° (3-3/4").

Spring Action Backrests

Metal plate fixed under the seat containing a spring mechanism which allows movement of the backrest.

Metal Frame Chair

Frames are 7/8" o.d., 16-gauge seamwelded tubular steel.

Metal Frame Finishes

Baked-on, electrostatically-applied epoxy powder coating, or bright nickel-chrome plating.

Metal Frame Glides

Polypropylene.

Transport Dolly

Round tubular steel frame. Four 3" swivel wheels. Back powder-coated finish. 4-3/4" high from floor, empty.

OPTIONS

Lacquered and Aniline Dyes

Contact KI for pricing.

INFORMATION

Design

Designed by Giancarlo Piretti and manufactured in the USA by Krueger International, Inc. under license from Pro-Cord S.p.A.



Stack/Nesting Xylon® General Information

INFORMATION

Warranty Refer to KI Terms & Conditions document or visit ki.com

Stack/Nesting

| | | | MODE | . NUMBE | R | | |
|--------|--|----------|-------|---------|----------------|--------|---------------------|
| | | | | | | | |
| | | | Basic | Frame | Seat & Back | Glide | Approx. Packaged |
| | MODEL | Features | Model | Color | Color | Option | Weight |
| | Four-Leg Metal Frame | Stacking | PXM | | | | 16.0# |
| (n | Spring mechanism allows movement of backrest | | | | | | |
| | Seat and backrest available in wood | | | | | | |
| / / / | stainsRound tubular steel frame | | | | | | |
| J U | - Hound tubular steel frame | | | | | | |
| PX | | | | | | | |
| | X-Frame Stack Chair Dolly | | FD.BL | | | | 12.0# |
| | Four 3" swivel wheelsBlack enamel finish only | | | | | | |
| | Black charles milon only | | | | | | |
| | | | | | | | |
| LIDDDT | | | | | | | |
| HRDPT | | | | | | | |
| | | | A | ₿ | O | 0 | |

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
 Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- **B**Select frame color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select seat/back color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select glide option.

PGL - Plastic glides

SGL - Steel glides Steel glides not available on wood legs.

OPTIONS

Lacquered and Aniline Dyes Contact KI for pricing.



Stack/Nesting Xylon®

Delivered Pricing

\$ 539

\$ 196

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b. Green Bay, Wisconsin 54302 factory. Freight class #125.

Specifications and prices are subject to change without prior notice.

AerDyn® General Information



AerDyn® (Contemporary)

| General Dimensions | | |
|------------------------|---------|--|
| Seat width | 19" | |
| Seat depth | 19" | |
| Seat height | 18-3/4" | |
| Arm height (mid point) | 27-3/4" | |
| Overall Dimensions | | |
| Width | 21-3/4" | |
| Depth | 20-3/4" | |
| Height | 30-1/2" | |

UPHOLSTERY INFORMATION

C.O.M. Fabric

For C.O.M. fabric sent to KI-High Point on multiple rolls, add an additional yard of fabric per roll to the yardage requirements. Multiple rolls have shorter pieces of fabric on them and do not allow nesting and stacking of the fabric to achieve the best yield as is done with one large roll. This results in yardage shortages and requests for additional fabric from the client, which can hold up the order. For each roll that is sent, one yard needs to be added and needs to be added to one of the rolls, not separately.

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specifying the direction the fabric is to be applied. The posted standard lead time will apply to the Special Cost Request.

FINISH INFORMATION

SPECIAL FINISH MATCHES

KI can match special finish requests at an upcharge of \$64 List per item, up to 12 or a maximum charge of \$771 List per order per color. Special finish requests must be sent to your KI customer service representative.

Upon receipt from KI, the finishing department will prepare a "strike-off" which will be sent to the customer for approval.

The approval form accompanying the strikeoff should be faxed to your KI customer service representative. Upon receipt of the signed approval form, KI will proceed with the order. Disapproved samples may be sent back to KI directly with an explanation of disapproval. A Special Finish Number (SFN) will be assigned to this finish sample for future reference or reorders



Guest Chairs
AerDyn® General Information

INFORMATION

WarrantyRefer to KI Terms & Conditions document or visit ki.com

AerDyn[©]

| | | | MODE | L NUMBER | | | | | |
|-----------------------------------|----------------------|--------|----------------|--|----------------|----------------|-----------|-------------------------------|--|
| MODEL | Features | СОМ | Basic Model | Non-Contrast or Fabric Contrast 1 | Wood Finish | Frame Color | TB133 | Approx. Packaged Weight | |
| Armchair • 1 – Seat (Fabric | Non-contrast | .75 yd | 1501 | | | | | 25.0# | |
| • 1 = Seat (Fabric Contrast 1) yd | 00maat 1) 0.0.m. = 1 | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| ADGS | | | | | | | | | |
| | | | A | B | • | 0 | (3 | | |

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- Select non-contrast or fabric contrast 1.

 Refer to color addendum at ki.com or
 KI Fabrics & Finishes binder.
- Select wood finish color.

 Refer to color addendum at ki.com or
 KI Fabrics & Finishes binder.
- Select frame color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select TB133.

NFR - No TB133 fire retardant
FR - Fire retardant

See pricing column for TB133 upcharge.

UPHOLSTERY INFORMATION

C.O.M. Requirements

C.O.M. yardage requirements listed above are based on plain goods 54" wide. If less than 54" wide or fabrics requiring matching (stripes, plaids, prints, large patterns), additional yardage will be needed. Consult C.O.M. matrix for additional yardage needed. For C.O.M. fabric sent to KI-High Point on mulitple rolls, add an additional yard of fabric per roll to the yardage requirements.

$\hbox{C.O.L. Requirements}$

Figure 18 sq. ft. of leather (C.O.L.) for each yard shown (i.e, $4.75 \times 18 = 85.5 \text{ sq. ft}$).

Contrasting Upholstery

When contrasting fabric is chosen, price at highest in-grade.

Californina TB133 Fire Safety Code

The above seating products can be manufactured using the appropriate flame-retardant materials and fabric selections for compliance to California Technical Bulletin 133. Add "FR" to end of the model number and add upcharge. Please contact KI customer service for fabric compliance. Not available with moisture barrier. Nano-Tex treatments can be used when TB133 is required.

Construction

Frame is constructed of solid hardwood panel stock which is steam bent, utilizing finger joints and doweled construction (cannot be done in Beech). Rear leg and seat frame are tubular steel. Silver powder coat is standard. Seat cushion of high-density polyurethane foam (stacks 4 high).



Guest Chairs AerDyn®

| Grade C.O.M. | Grade C | Grade D | Grade E & C.O.L. | Grade F | Grade G | Grade H | Grade I | Grade J | Grade K | Grade L Leather | Grade M Leather | TB133 add to list price |
|-----------------|------------|------------|------------------------|------------|------------|------------|------------|------------|------------|--------------------|--------------------|-------------------------------|
| \$ 945 | \$ 948 | \$ 957 | \$ 968 | \$ 975 | \$ 991 | \$ 1006 | \$ 1023 | \$ 1061 | \$ 1100 | \$ 1138 | \$ 1214 | \$ 84 |

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

ShippingShipped assembled freight prepaid f.o.b. **High Point, North Carolina 27263** factory.
Freight class #175.

Specifications and prices are subject to change without prior notice.

Affina™ General Information







| | Open Arm Guest Chair (1901) | Closed Arm Guest Chair (1911) | Armless Guest Chair (1901A) |
|------------------------|--------------------------------|----------------------------------|--------------------------------|
| General Dimensions | | | |
| Seat width | 20-1/2" | 20-1/2" | 20-1/2" |
| Seat depth | 19-1/2" | 19-1/2" | 19-1/2" |
| Seat height | 19" | 19" | 19" |
| Arm width | 2-1/4" | 2-1/4" | |
| Arm height (mid point) | 27" | 27" | |
| Overall Dimensions | | | |
| Width | 24" | 24" | 23-1/2" |
| Depth | 23-1/2" | 23-1/2" | 23-1/2" |
| Height | 31-1/2" | 31-1/2" | 31-1/2" |

UPHOLSTERY INFORMATION

C.O.M. Fabric

For C.O.M. fabric sent to KI-High Point on multiple rolls, add an additional yard of fabric per roll to the yardage requirements. Multiple rolls have shorter pieces of fabric on them and do not allow nesting and stacking of the fabric to achieve the best yield as is done with one large roll. This results in yardage shortages and requests for additional fabric from the client, which can hold up the order. For each roll that is sent, one yard needs to be added and needs to be added to one of the rolls, not separately.

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specifying the direction the fabric is to be applied. The posted standard lead time will apply to the Special Cost Request.

SPECIAL FINISH MATCHES

KI can match special finish requests at an upcharge of \$61 List per item, up to 12 or a maximum charge of \$738 List per order per color. Special finish requests must be sent to a KI customer service representative.

Upon receipt from KI, the finishing department will prepare a "strike-off" which will be sent to the customer for approval.

The approval form accompanying the strike-off should be faxed to your KI customer service representative. Upon receipt of the signed approval form, KI will proceed with the order. Disapproved samples may be sent back to KI directly with an explanation of disapproval. A Special Finish Number (SFN) will be assigned to this finish sample for future reference or reorders.



Guest Chair Affina™ General Information

Guest Chairs Affina™

| | | | MODEL N | JMBER | | | | | | | |
|---|--------------|---------|----------------|--|-------------------------|----------------|-----------------|------------|------------------|---------------------|-------------------------------|
| | Features | СОМ | Basic Model | Non-Contrast or Fabric Contrast 1 | Fabric Contrast 2 | Wood Finish | Glide Option | Arm Cap | Armrest Color | Moisture Barrier | Approx. Packaged Weight |
| | Non-contrast | 1.5 yds | 1901/NC | | | | | | | | 0.0# |
| | Contrast | | 1901/FC | | | | | | | | 0.0# |
| AFGS | | | | | | | | | | | |
| Open Arm Guest Chair | | | | | | | | | | | |
| • 1 = Back (Fabric Contrast 1) C.O.M. = | | | | | | | | | | | |
| .75 yd • 2 = Seat (Fabric Contrast 2) C.O.M. = | | | | | | | | | | | |
| 1 yd | | | | | | | | | | | |
| | Non-contrast | 2 yds | 1911/NC | | | | | | | | 0.0# |
| | Contrast | | 1911/FC | | | | | | | | 0.0# |
| | | | | | | | | | | | |
| AFGS | | | | | | | | | | | |
| Closed Arm Guest Chair | | | | | | | | | | | |
| • 1 = Back (Fabric Contrast 1) C.O.M. = | | | | | | | | | | | |
| 1.5 yd • 2 = Seat (Fabric Contrast 2) C.O.M. = | | | | | | | | | | | |
| 1 yd | | | | | | | | | | | |
| | Non-contrast | 1.5 yds | 1901A/NC | | | | | | | | 0.0# |
| | Contrast | | 1901A/FC | | | | | | | | 0.0# |
| 2 | | | | | | | | | | | |
| | | | | | | | | | | | |
| ≡ AFGS | | | | | | | | | | | |
| Armless Guest Chair | | | | | | | | | | | |
| • 1 = Back (Fabric Contrast 1) C.O.M. = | | | | | | | | | | | |
| .75 yd | | | | | | | | | | | |
| • 2 = Seat (Fabric Contrast 2) C.O.M. = 1 yd | | | | | | | | | | | |
| | | l | A | • | • | 0 | (3 | • | Э | • | J |

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- \bullet Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- **B**Select non-contrast or fabric contrast 1. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select fabric contrast 2. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select wood finish color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder. For Kensington Maple add upcharge.
- Select glide option.

| Joilout g | ido option. | |
|-----------|--|--|
| NG | - Nylon glides | |
| PG | Polycarbonate glides | |
| RG | - Rubber glides | |
| FG | - Felt glides | |

Select armcaps.

- Solid surface armcaps SAC (pair); add \$650 WAC - Wood armcaps

PAC - Polyurethane (pair); add \$166

Solid surface armcap color is always Corian™ glacier white.

GSelect polyurethane armcap color.

PCBK - Black PCWG - Warm Grey

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select moisture barrier.

- Moisture barrier

NMB - No moisture barrier

See pricing column for moisture barrier upcharge.



| | ade).M. | Gra C | ade | Gra D | ade | Εð | ade & O.L. | Gra F | ade | Gra G | ade | Gr H | ade | Gra I | de | Gra J | ade | Gı K | rade | ade Leather | rade I Leather | Mois Barri add t | er o list |
|----|-------------|----------|------|----------|------|----|------------------|----------|------|----------|------|---------|------|----------|------|----------|------|---------|------|----------------|-------------------|------------------------|--------------|
| \$ | 1156 | \$ | 1208 | \$ | 1222 | \$ | 1239 | \$ | 1250 | \$ | 1272 | \$ | 1294 | \$ | 1322 | \$ | 1378 | \$ | 1433 | \$ 1489 | \$ 1600 | \$ | 115 |
| | 1207 | | 1259 | | 1273 | | 1290 | | 1301 | | 1323 | | 1345 | | 1373 | | 1429 | | 1484 | 1540 | 1651 | | 115 |
| | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | |
| \$ | 1255 | \$ | 1325 | \$ | 1344 | \$ | 1366 | \$ | 1381 | \$ | 1410 | \$ | 1440 | \$ | 1477 | \$ | 1551 | \$ | 1625 | \$ 1699 | \$ 1847 | \$ | 115 |
| | 1306 | | 1376 | | 1395 | | 1417 | | 1432 | | 1461 | | 1491 | | 1528 | | 1602 | | 1676 | 1750 | 1898 | | 115 |
| | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | |
| \$ | 1091 | \$ | 1144 | \$ | 1158 | \$ | 1175 | \$ | 1186 | \$ | 1208 | \$ | 1230 | \$ | 1258 | \$ | 1314 | \$ | 1369 | \$ 1425 | \$ 1536 | \$ | 115 |
| | 1142 | | 1195 | | 1209 | | 1226 | | 1237 | | 1259 | | 1281 | | 1309 | | 1365 | | 1420 | 1476 | 1587 | | 115 |
| | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | |

KENSINGTON MAPLE UPCHARGE

Kensington Maple requires extended leadtimes.

Model 1901/NC \$45 1901/FC \$45 1911/NC \$45 1911/FC \$45 1901A/NC \$45 1901A/FC \$45

UPHOLSTERY INFORMATION

C.O.M. Requirements C.O.M. yardage requirements listed above are based on plain goods 54" wide. If less than 54" wide or fabrics requiring matching (stripes, plaids, prints, large patterns), additional yardage will be needed. Consult C.O.M. matrix for additional yardage needed. For C.O.M. fabric sent to KI-High Point on mulitple rolls, add an additional yard of fabric per roll to the yardage requirements.

C.O.L. Requirements

Figure 18 sq. ft. of leather (C.O.L.) for each yard shown (i.e, 4.75 x 18 = 85.5 sq. ft).

Contrasting Upholstery

When contrasting fabric is chosen, price at highest in-grade.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b. High Point, North Carolina 27263 factory. Freight class #175.

Specifications and prices are subject to change without prior notice.

Aston™ General Information



Aston™ (Traditional)

| General Dimensions | | |
|--------------------|---------|--|
| Seat width | 19" | |
| Seat depth | 19" | |
| Seat height | 18-1/2" | |
| Arm height | 24-1/2" | |
| Overall Dimensions | | |
| Width | 23-1/2" | |
| Depth | 26-3/4" | |
| Height | 34" | |

UPHOLSTERY INFORMATION

C.O.M. Fabric

For C.O.M. fabric sent to KI-High Point on multiple rolls, add an additional yard of fabric per roll to the yardage requirements. Multiple rolls have shorter pieces of fabric on them and do not allow nesting and stacking of the fabric to achieve the best yield as is done with one large roll. This results in yardage shortages and requests for additional fabric from the client, which can hold up the order. For each roll that is sent, one yard needs to be added and needs to be added to one of the rolls, not separately.

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specifying the direction the fabric is to be applied. The posted standard lead time will apply to the Special Cost Request.

FINISH INFORMATION

SPECIAL FINISH MATCHES

KI can match special finish requests at an upcharge of \$64 List per item, up to 12 or a maximum charge of \$771 List per order per color. Special finish requests must be sent to your KI customer service representative.

Upon receipt from KI, the finishing department will prepare a "strike-off" which will be sent to the customer for approval.

The approval form accompanying the strikeoff should be faxed to your KI customer service representative. Upon receipt of the signed approval form, KI will proceed with the order. Disapproved samples may be sent back to KI directly with an explanation of disapproval. A Special Finish Number (SFN) will be assigned to this finish sample for future reference or reorders



Guest Chairs Aston™ General Information

INFORMATION

WarrantyRefer to KI Terms & Conditions document or visit ki.com

| | | | | MODEL N | IUMBER | | | | |
|------|---|--------------|--------|----------------|--|-------------------------|----------------|-----------|-------------------------------|
| | MODEL | Features | СОМ | Basic Model | Non-Contrast or Fabric Contrast 1 | Fabric Contrast 2 | Wood Finish | TB133 | Approx. Packaged Weight |
| | Armchair | Non-contrast | 1.5 yd | 1701/NC | | | | | 58.0# |
| 1 | 1 = Back (Fabric Contrast 1) C.O.M. = 1.5 yd | Contrast | | 1701/FC | | | | | 58.0# |
| | • 2 = Seat (Fabric Contrast 2) C.O.M. = 1 | | | | | | | | |
| 2 | yd | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| W | | | | | | | | | |
| ASTN | | | | | | | | | |
| | | | | A | 3 | • | 0 | (3 | |

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect non-contrast or fabric contrast 1. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select non-contrast or fabric contrast 2. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- **D**Select wood finish color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select TB133.

- No TB133 fire retardant NFR

- Fire retardant See pricing column for TB133 upcharge.

KENSINGTON MAPLE UPCHARGE

Kensington Maple requires extended leadtimes.

Model

\$133 1701/NC 1701/FC \$133

UPHOLSTERY INFORMATION

C.O.M. Requirements

C.O.M. yardage requirements listed above are based on plain goods 54" wide. If less than 54" wide or fabrics requiring matching (stripes, plaids, prints, large patterns), additional yardage will be needed. Consult C.O.M. matrix for additional yardage needed. For C.O.M. fabric sent to KI-High Point on mulitple rolls, add an additional yard of fabric per roll to the yardage requirements.

C.O.L. Requirements

Figure 18 sq. ft. of leather (C.O.L.) for each yard shown (i.e, 4.75 x 18 = 85.5 sq. ft).

Contrasting Upholstery

When contrasting fabric is chosen, price at highest in-grade.

Californina TB133 Fire Safety Code

The above seating products can be manufactured using the appropriate flame-retardant materials and fabric selections for compli-



| Grade C.O.M. | Grade C | Grade D | Grade E & C.O.L. | Grade F | Grade G | Grade H | Grade I | Grade J | Grade K | Grade L Leather | Grade M Leather | TB133 add to list price |
|-----------------|------------|------------|------------------------|------------|------------|------------|------------|------------|------------|--------------------|--------------------|-------------------------------|
| \$ 1205 | \$ 1216 | \$ 1240 | \$ 1266 | \$ 1286 | \$ 1326 | \$ 1362 | \$ 1437 | \$ 1531 | \$ 1628 | \$ 1721 | \$ 1909 | \$ 148 |
| 1258 | 1270 | 1293 | 1322 | 1340 | 1378 | 1416 | 1492 | 1584 | 1680 | 1775 | 1962 | 148 |

ance to California Technical Bulletin 133. Add "FR" to end of the model number and add upcharge. Please contact KI customer service for fabric compliance. Not available with moisture barrier. Nano-Tex treatments can be used when TB133 is required.

Construction

Frame of kiln-dried hardwood. Cushioning of high-density polyurethane foam and Dacron fiber.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b. High Point, North Carolina 27263 factory. Freight class #175.

Specifications and prices are subject to change without prior notice.

Bantam™ General Information



Bantam™ (Traditional)

| General Dimensions | |
|------------------------|---------|
| Seat width | 19" |
| Seat depth | 18-1/2" |
| Seat height | 18-1/2" |
| Arm height (mid point) | 25" |
| Overall Dimensions | |
| Width | 22-3/4" |
| Depth | 24-1/2" |
| Height | 32" |

UPHOLSTERY INFORMATION

C.O.M. Fabric

For C.O.M. fabric sent to KI-High Point on multiple rolls, add an additional yard of fabric per roll to the yardage requirements. Multiple rolls have shorter pieces of fabric on them and do not allow nesting and stacking of the fabric to achieve the best yield as is done with one large roll. This results in yardage shortages and requests for additional fabric from the client, which can hold up the order. For each roll that is sent, one yard needs to be added and needs to be added to one of the rolls, not separately.

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specifying the direction the fabric is to be applied. The posted standard lead time will apply to the Special Cost Request.

FINISH INFORMATION

SPECIAL FINISH MATCHES

KI can match special finish requests at an upcharge of \$64 List per item, up to 12 or a maximum charge of \$771 List per order per color. Special finish requests must be sent to your KI customer service representative.

Upon receipt from KI, the finishing department will prepare a "strike-off" which will be sent to the customer for approval.

The approval form accompanying the strikeoff should be faxed to your KI customer service representative. Upon receipt of the signed approval form, KI will proceed with the order. Disapproved samples may be sent back to KI directly with an explanation of disapproval. A Special Finish Number (SFN) will be assigned to this finish sample for future reference or reorders



Guest Chairs Bantam™ General Information

INFORMATION

Warranty Refer to KI Terms & Conditions document or visit ki.com

Bantam¹

| | | | | MODEL N | IUMBER | | | | |
|------|--|--------------|--------|----------------|--|-------------------------|----------------|----------|-------------------------------|
| | MODEL | Features | СОМ | Basic Model | Non-Contrast or Fabric Contrast 1 | Fabric Contrast 2 | Wood Finish | TB133 | Approx. Packaged Weight |
| | Armchair | Non-contrast | 1.5 yd | 1301/NC | | | | | 50.0# |
| | • 1 = Back (Fabric Contrast 1) C.O.M. = 1 | Contrast | | 1301/FC | | | | | 50.0# |
| | yd • 2 = Seat (Fabric Contrast 2) C.O.M. = 1 | | | | | | | | |
| | yd | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| U | | | | | | | | | |
| BANT | | | | | | | | | |
| | | | | A | B | © | 0 | 3 | |

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of

 □ indicate that no other alternatives
 are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- Select non-contrast or fabric contrast 1.
 Refer to color addendum at ki.com or
 KI Fabrics & Finishes binder.
- © Select non-contrast or fabric contrast 2. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select wood finish color.

 Refer to color addendum at ki.com or
 KI Fabrics & Finishes binder.

Select TB133.

NFR - No TB133 fire retardant
FR - Fire retardant

See pricing column for TB133 upcharge.

KENSINGTON MAPLE UPCHARGE

Kensington Maple requires extended leadtimes.

Model 1301/NC

1301/NC \$35 1301/FC \$35

UPHOLSTERY INFORMATION

C.O.M. Requirements

C.O.M. yardage requirements listed above are based on plain goods 54" wide. If less than 54" wide or fabrics requiring matching (stripes, plaids, prints, large patterns), additional yardage will be needed. Consult C.O.M. matrix for additional yardage needed. For C.O.M. fabric sent to KI-High Point on mulitple rolls, add an additional yard of fabric per roll to the yardage requirements.

C.O.L. Requirements

Figure 18 sq. ft. of leather (C.O.L.) for each yard shown (i.e., $4.75 \times 18 = 85.5 \text{ sq. ft}$).

Contrasting Upholstery

When contrasting fabric is chosen, price at highest in-grade.

Californina TB133 Fire Safety Code

The above seating products can be manufactured using the appropriate flame-retardant materials and fabric selections for compli-



| Grade C.O.M. | Grade C | Grade D | Grade E & C.O.L. | Grade F | Grade G | Grade H | Grade I | Grade J | Grade K | Grade L Leather | Grade M Leather | TB133 add to list price |
|-----------------|------------|------------|------------------------|------------|------------|------------|------------|------------|------------|--------------------|--------------------|-------------------------------|
| \$ 948 | \$ 959 | \$ 978 | \$ 1005 | \$ 1022 | \$ 1055 | \$ 1089 | \$ 1155 | \$ 1248 | \$ 1355 | \$ 1465 | \$ 1681 | \$ 185 |
| 1002 | 1013 | 1032 | 1057 | 1077 | 1110 | 1141 | 1208 | 1301 | 1411 | 1517 | 1737 | 185 |

ance to California Technical Bulletin 133. Add "FR" to end of the model number and add upcharge. Please contact KI customer service for fabric compliance. Not available with moisture barrier. Nano-Tex treatments can be used when TB133 is required.

Construction

Frame of kiln-dried hardwood. Cushioning of high-density polyurethane foam and Dacron fiber.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b. High Point, North Carolina 27263 factory. Freight class #175.

Specifications and prices are subject to change without prior notice.

Quatro™ General Information



Quatro™ (Traditional)

| General Dimensions | | |
|--------------------|---------|--|
| Seat width | 19-1/2" | |
| Seat depth | 18-1/2" | |
| Seat height | 18-1/2" | |
| Arm height | 26" | |
| Overall Dimensions | | |
| Width | 26-1/2" | |
| Depth | 24-1/2" | |
| Height | 32" | |

SPECIFICATIONS

Complimentary Furniture

The following guest chairs offer complimentary furniture that creates continuity and a cohesive look throughout a facility. These complimentary pieces can be found in other sections of the KI price list.

IVEY - Ivey[™] Lounge Seating

POMFRET™ - Pomfret™ Lounge Seating

QUATRO™ - Mesa™ Lounge Seating, Mesa™ Professional Seating

SOLTICE® - Soltice® Lounge Seating, Soltice® Multiple Seating, Soltice® Healthcare Seating, LaResta® Day Bed

UPHOLSTERY INFORMATION

C.O.M. Fabric

For C.O.M. fabric sent to KI-High Point on multiple rolls, add an additional yard of fabric per roll to the yardage requirements. Multiple rolls have shorter pieces of fabric on them and do not allow nesting and stacking of the fabric to achieve the best yield as is done with one large roll. This results in yardage shortages and requests for additional fabric from the client, which can hold up the order. For each roll that is sent, one yard needs to be added and needs to be added to one of the rolls, not separately.

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specifying the direction the fabric is to be applied. The posted standard lead time will apply to the Special Cost Request.

FINISH INFORMATION

SPECIAL FINISH MATCHES

KI can match special finish requests at an upcharge of \$64 List per item, up to 12 or a maximum charge of \$771 List per order per color. Special finish requests must be sent to your KI customer service representative.

Upon receipt from KI, the finishing department will prepare a "strike-off" which will be sent to the customer for approval.

The approval form accompanying the strikeoff should be faxed to your KI customer service representative. Upon receipt of the signed approval form, KI will proceed with the order. Disapproved samples may be sent back to KI directly with an explanation of disapproval. A Special Finish Number (SFN) will be assigned to this finish sample for future reference or reorders



Guest Chairs
Quatro™ General Information

INFORMATION

Warranty Refer to KI Terms & Conditions document or visit ki.com

Quatro

MODEL NUMBER Non-Contrast Fabric Basic Fabric Wood Contrast Caster Button MODEL **Features** COM Model TB133 Contrast 1 Туре Option Finish Armchair Non-contrast 1.5 yd 601/NC • 1 = Top back panel and button (Fabric 601/FC Contrast Contrast 1) C.O.M. = .75 yd • 2 = Body (Fabric Contrast 2) C.O.M. = Button will be covered in contrasting upholstery (standard) Wood button available and finished to match legs QUAT A **3** Θ **(3**) • **(** 0

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- The absence of the □ indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- Select non-contrast or fabric contrast 1.
 Refer to color addendum at ki.com or KI
 Fabrics & Finishes binder.
- Select fabric contrast 2.
 Refer to color addendum at ki.com or KI
 Fabrics & Finishes binder.
- OSelect casters.

NCST - No casters (standard)
FCST - Locking casters-front only;
add \$64
RCST - Locking casters-rear only;
add \$64
FRCST - Locking casters-fixed front/

rear swivel; add \$129

Select button option.

NBT - No button

UB - Upholstered button (standard)

WBT - Wood button, finish to match legs

Select wood finish color.
Refer to color addendum at ki.com or
KI Fabrics & Finishes binder.

GSelect TB133.

NFR - No TB133 fire retardant FR - Fire retardant
See pricing column for TB133 upcharge.
No button option for TB133.

KENSINGTON MAPLE UPCHARGE

Kensington Maple requires extended leadtimes. Model

Model 601/NC \$42 601/FC \$42



| | | ade O.M. | Grade C | | ade Grade D | | Grade E & Grade (C.O.L. F | | Gr G | Grade Grade G H | | Grade Grade I J | | Grade K | | | ade .eather | Grade M Leather | | TB133 add to list price | | | | | |
|-------|----|-------------|------------|------|----------------|------|----------------------------------|----|---------|--------------------|------|--------------------|------|------------|------|------------|----------------|--------------------|----|-------------------------------|----|------|----|-----|---|
| 45.0# | \$ | 953 | \$ | 967 | \$ | 993 | \$ 1023 | \$ | 1046 | \$ | 1087 | \$ | 1130 | \$ | 1214 | \$ 1318 | \$ | 1423 | \$ | 1529 | \$ | 1739 | \$ | 166 | _ |
| 45.0# | | 1007 | | 1022 | | 1048 | 1078 | | 1102 | | 1141 | | 1185 | | 1269 | 1372 | | 1477 | | 1583 | | 1792 | | 166 | |

UPHOLSTERY INFORMATION

C.O.M. Requirements

C.O.M. yardage requirements listed above are based on plain goods 54" wide. If less than 54" wide or fabrics requiring matching (stripes, plaids, prints, large patterns), additional yardage will be needed. Consult C.O.M. matrix for additional yardage needed. For C.O.M. fabric sent to KI-High Point on mulitple rolls, add an additional yard of fabric per roll to the yardage requirements.

C.O.L. Requirements

Figure 18 sq. ft. of leather (C.O.L.) for each yard shown (i.e., $4.75 \times 18 = 85.5 \text{ sq. ft}$).

Contrasting Upholstery

When contrasting fabric is chosen, price at highest in-grade.

Californina TB133 Fire Safety Code

The above seating products can be manufactured using the appropriate flame-retardant materials and fabric selections for compli-

ance to California Technical Bulletin 133. Add "FR" to end of the model number and add upcharge. Please contact KI customer service for fabric compliance. Not available with moisture barrier. Nano-Tex treatments can be used when TB133 is required.

Construction

Frames of kiln-dried hardwood. Cushioning of high-density polyurethane foam and Dacron fiber.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b. High Point, North Carolina 27263 factory. Freight class #175.

Specifications and prices are subject to change without prior notice.

Index

| Model No. | Description | Page | Model No. | Description | Page |
|-----------------------|--|------------|-------------------|--|-------|
| 06.0448.SET | Piretti Stack Chairs: Sled Base Chair Steel Glides | 76 | 04D.BL | | 62 |
| | | | 04D.BL 04MSMB | Opt4™: Transport Dolly for Chair | 56 |
| 1301/NC 1501 | Bantam™: Armchair AerDyn®: Armchair | 240 232 | 04MSPB | Opt4 [™] : Opt4 Chair Opt4 [™] : Opt4 Chair | 56 |
| 1501 15NAGP | Versa® Standard: Four-Leg Armless Chair | 206 | 04NISEB 04PSMB | Opt4 : Opt4 Chair | 56 |
| 15NAGPWS | Versa® Standard: Four-Leg Wallsaver Armless Chair | 206 | 04PSPB | Opt4 : Opt4 Chair | 56 |
| 15NAGEWS | Versa® Standard: Four-Leg Armless Chair | 216 | O4SD.BL | Opt4 : Opt4 chair Opt4™: Transport Dolly for Stool | 62 |
| 15NAGUWWS | Versa® Standard: Four-Leg Wallsaver Armless Chair | 216 | 04SMSMB | Opt4 [™] Cafe Stools: Opt4 Stool | 58 |
| 15NASGP | Versa® Standard: Sled Base Armless Chair | 212 | 04SMSPB | Opt4™ Cafe Stools: Opt4 Stool | 58 |
| 15NASGIW | Versa® Standard: Sled Base Armless Chair | 218 | 04SPSMB | Opt4™ Cafe Stools: Opt4 Stool | 60 |
| 15TALP | Versa® Standard: Four-Leg Tablet Arm Chair | 210 | 04SPSPB | Opt4™ Cafe Stools: Opt4 Stool | 60 |
| 15WAGP | Versa® Standard: Four-Leg Armchair | 208 | PRY.D.BL | Perry®: Transport Dolly | 68 |
| 15WAGPWS | Versa® Standard: Four-Leg Wallsaver Armchair | 208 | PRYP | Perry®: Armless Stack Chair | 66 |
| 15WAGI WS | Versa® Standard: Four-Leg Armchair | 216 | PRYPA | Perry®: Stack Armchair | 66 |
| 15WAGUWWS | Versa® Standard: Four-Leg Wallsaver Armchair | 216 | PRYTARM/OVS | | 00 |
| 15WAGGWW3 | Versa® Standard: Sled Base Armchair | 214 | TITI IATUW/OVO | Perry®: Oversized Tablet Arm | 68 |
| 15WASGUW | Versa® Standard: Sled Base Armchair | 218 | PRYTARM/STD | · · | 00 |
| 1701/NC | Aston™: Armchair | 236 | TITI IATUM/OTD | Perry®: Tablet Arm | 68 |
| 1901/NC | Guest Chairs: Open Arm Guest Chair | 200 | PSLFAP | Piretti Stack Chairs: Four-Leg Flex Arm Stack Chair | 72 |
| 1901/NC 1901A/NC | Guest Chairs: Armless Guest Chair | | PSLNAP | Piretti Stack Chairs: Four-Leg Stack Chair | 72 |
| 1911/NC | Guest Chairs: Closed Arm Guest Chair | | PSLOTALP | Piretti Stack Chairs: Four-Leg Stack Oversize Tablet Arm Ch | |
| 53.8236.SET | Piretti Stack Chairs: Sled Base Chair Plastic Glides - Clear | 76 | PSLTALP | Piretti Stack Chairs: Four-Leg Stack Tablet Arm Chair | 72 |
| 53.8237.SET | Piretti Stack Chairs: Sled Base Chair Plastic Glides - White | 76 | PSSFAP | Piretti Stack Chairs: Sled Base Flex Arm Chair | 74 |
| 601/NC | Quatro™: Armchair | 244 | PSSNAP | Piretti Stack Chairs: Sled Base Stack Chair | 74 |
| 87.7844 | Piretti Stack Chairs: Bookrack | 76 | PSSOTALP | Piretti Stack Chairs: Sled Base Oversize Tablet Arm Chair | 74 |
| CSD.BL | Maestro® Chairs: Transport Dolly for Poly Chairs | 40 | PSSTALP | Piretti Stack Chairs: Sled Base Tablet Arm Chair | 74 |
| DAY | Daylight®: Daylight® Chair | 10 | PXM | Xylon®: Four-Leg Metal Frame | 228 |
| DRNA | Dorsal®: Armless Stacking Round Leg Chair | 14 | RAPD.BL | Rapture® Chairs: Dolly | 80 |
| DRTL | Dorsal®: Stacking Round Leg Tablet Arm Chair | 14 | RAPNAP | Rapture® Chairs: Four-Leg Armless Chair | 80 |
| FD.BL | Xylon®: X-Frame Stack Chair Dolly | 228 | RAPNAPC | Rapture® Chairs: Four-Leg Armless Chair with Casters | 86 |
| GCD.BL | Grazie® Chairs: Transport Dolly | 34 | RAPNAPWS | Rapture® Chairs: Four-Leg Wallsaver Armless Chair | 84 |
| GLCAP | Grazie® Chairs: Four-Leg Cantilever Armchair | 24 | RAPTALP | Rapture® Chairs: Four-Leg Tablet Arm Chair (Left Hand) | 82 |
| GLCAPC | Grazie® Chairs: Four-Leg Cantilever Armchair with Casters | 24 | RAPTARP | Rapture® Chairs: Four-Leg Tablet Arm Chair (Right Hand) | 82 |
| GLG2APCLH | Grazie® Chairs: Four-Leg Flip-and-Store (G2) Tablet | 4 | RAPWAP | Rapture® Chairs: Four-Leg Armchair | 80 |
| GLGZAI GLII | Arm Chair with Casters | 28 | RAPWAPC | Rapture® Chairs: Four-Leg Armchair with Casters | 86 |
| GLG2APLH | Grazie® Chairs: Four-Leg Flip-and-Store (G2) Tablet Arm Ch | | RAPWAPWS | Rapture® Chairs: Four-Leg Wallsaver Armchair | 84 |
| GLNAP | Grazie® Chairs: Four-Leg Armless Chair | 22 | S15NALP | Versa® Standard Cafe Stools: Four-Leg Armeless Cafe Stool | 220 |
| GLNAPC | Grazie® Chairs: Four-Leg Armless Chair with Casters | 22 | S15WALP | Versa® Standard Cafe Stools: Four-Leg Cafe Stool with Arm | |
| GLOVTAPCLH | Grazie® Chairs: Four-Leg Flip-up Oversize Tablet Arm | 22 | SCD.BL | Strive® Chairs: Transport Dolly for 4-Leg and Sled | 3 220 |
| GLOVIAI OLII | Chair with Casters | 28 | OOD.DL | Base Chairs | 130 |
| GLOVTAPLH | Grazie® Chairs: Four-Leg Flip-up Oversize Tablet Arm Chair | 26 | SIGFA | Silhouette®: Cast Aluminum Frame Four-Leg Armchair | 100 |
| GLSCAP | Grazie® Cafe Stools: Four-Leg Cantilever Arm Cafe Stool | 36 | SidiA | in Nylon (Plastic) | 94 |
| GLSNAP | Grazie® Cafe Stools: Four-Leg Armless Cafe Stool | 36 | SIGNA | Silhouette®: Cast Aluminum Frame Four-Leg Armless | 34 |
| GLTAPCLH | Grazie® Chairs: Four-Leg Flip-up Tablet Arm Chair with Cast | | SIGNA | Chair in Nylon (Plastic) | 94 |
| GLTAPLH | Grazie® Chairs: Four-Leg Flip-up Tablet Arm Chair | 26 | SIGUFA | Silhouette®: Cast Aluminum Frame Four-Leg Armchair | 34 |
| GSCAP | Grazie® Chairs: Sled Base Cantilever Armchair | 30 | SIGUIA | Upholstered | 94 |
| GSG2APLH | Grazie® Chairs: Sled Base Flip-and-Store (G2) Tablet Arm Ch | | SIGUNA | Silhouette®: Cast Aluminum Frame Four-Leg Armless | 34 |
| GSNAP | Grazie® Chairs: Sled Base Armless Chair | 30 | SIGUNA | Chair Upholstered | 94 |
| GSOVTAPLH | Grazie® Chairs: Sled Base Flip-up Oversize Tablet Arm Chair | | SILD | Silhouette®: Dolly | 92 |
| GSTAPLH | Grazie® Chairs: Sled Base Flip-up Tablet Arm Chair | 32 | SILFA | Silhouette®: Tubular Steel Frame Four-Leg Armchair | 92 |
| MFSD.BL | Maestro® Chairs: Transport Dolly for Upholstered Chairs | 40 | SILNA | Silhouette®: Tubular Steel Frame Four-Leg Armician Silhouette®: Tubular Steel Frame Four-Leg Armless Chair | 92 |
| MI6NAP | MI6® Nesting Chairs: MI6® Armless Chair | 50 | SLCAP | Strive® Chairs: Four-Leg Cantilever Armchair | 106 |
| MI6TLP | MI6® Nesting Chairs: MI6® Tablet Armchair | 50 | SLCAPC | Strive® Chairs: Four-Leg Cantilever Armchair with Casters | 106 |
| MI6WAP | MI6® Nesting Chairs: MI6® Armchair | 50 | SLCAPWS | Strive Chairs: Four-Leg Wallsaver Cantilever Armchair | 118 |
| MSP | Maestro® Chairs: Stack Chair | 40 | SLCATSU | Strive® Chairs: Four-Leg Cantilever Armchair with Top | 110 |
| MSTL.CH | Maestro® Chairs: Standard Flip-Up Tablet Arm | 40 | SLUATSU | Stitch on Seat | 108 |
| MVP.BL | | | SLCATSUC | Strive® Chairs: Four-Leg Cantilever Armchair with | 100 |
| MX | Matrix®: Transport Dolly Matrix®: Armless Stack Chair | 46 44 | JEUNISUU | Casters with Top Stitch on Seat | 108 |
| MXA | Matrix®: Stacking Armchair | 44 | SLCATSUWS | Strive® Chairs: Four-Leg Wallsaver Cantilever Armchair | 100 |
| MXD.BL | Daylight®: Transport Dolly | 10 | OLUMIOUWO | with Top Stitch on Seat | 120 |
| | . Matrix®: Oversize Flip-Up Tablet Arm | 44 | SLLAP | Strive® Chairs: Four-Leg Loop Arm Chair | 110 |
| | . Matrix*: Oversize riip-Op Tablet Arm . Matrix®: Standard Flip-Up Tablet Arm | 44 | SLLAPC | Strive® Chairs: Four-Leg Loop Arm Chair with Casters | 110 |
| IVIA IAI (IVI/O I D/L | . Matha . Otahuaru riip-op rabi6t Aliii | | OLLAI U | otive onans. Four-Leg Loop Arm onan with casters | 110 |



SSOVTAPLH

Strive® Chairs: Sled Base Oversize Tablet Arm Chair

Index

| Model No. | Description | Page | Model No. | Description | Page |
|--------------------|---|-----------|--------------------|--|------------|
| | | _ | | • | 1 age |
| SLLAPWS SLLATSU | Strive® Chairs: Four-Leg Wallsaver Loop Arm Chair Strive® Chairs: Four-Leg Loop Arm Chair with Top | 118 | SSOVTATSULH | Strive® Chairs: Sled Base Oversize Tablet Arm Chair with Top Stitch on Seat | 128 |
| OLLATOO | Stitch on Seat | 112 | SSTALP | Strive® Chairs: Sled Base Tablet Arm Chair | 126 |
| SLLATSUC | Strive® Chairs: Four-Leg Loop Arm Chair with Casters | | SSTALTSU | Strive® Chairs: Sled Base Tablet Arm Chair with Top | 0 |
| | with Top Stitch on Seat | 112 | | Stitch on Seat | 128 |
| SLLATSUWS | Strive® Chairs: Four-Leg Wallsaver Loop Arm Chair | | SWNA | Strive® High Density Stack Chair: Armless Chair | 138 |
| | with Top Stitch on Seat | 120 | SWNATSU | Strive® High Density Stack Chair: Armless Chair with | |
| SLNAP | Strive® Chairs: Four-Leg Armless Chair | 102 | | Top Stitch on Seat | 140 |
| SLNAPC | Strive [®] Chairs: Four-Leg Armless Chair with Casters | 102 | SWTAL | Strive® High Density Stack Chair: Standard Flip-Up | |
| SLNAPWS | Strive® Chairs: Four-Leg Wallsaver Armless Chair | 118 | | Tablet Arm | 138 |
| SLNATSU | Strive® Chairs: Four-Leg Armless Chair with Top Stitch | 404 | TALNA | Torsion Air™: Four-Leg Armless Chair | 174 |
| CLNATCHO | on Seat | 104 | TALTAL | Torsion Air™: Four Leg Tablet Arm Chair | 174 |
| SLNATSUC | Strive® Chairs: Four-Leg Armless Chair with Casters with Top Stitch on Seat | 104 | TALWA TANNA | Torsion Air™: Four-Leg Armchair Torsion Air™ Nesting Chairs: Armless Chair | 174 182 |
| SLNATSUWS | Strive® Chairs: Four-Leg Wallsaver Armless Chair with | 104 | TANTALFT | Torsion Air Nesting Chairs: Airmess Chair Torsion Air™ Nesting Chairs: Flip-up Tablet Arm Chair | 182 |
| SLIVATOUVO | Top Stitch on Seat | 120 | TANTALPT | Torsion Air™ Nesting Chairs: Piretti Tablet Arm Chair | 184 |
| SLOVTAPLH | Strive® Chairs: Four-Leg Oversize Tablet Arm Chair | 114 | TANWA | Torsion Air™ Nesting Chairs: Armchair | 182 |
| SLOVTATSULH | Strive® Chairs: Four-Leg Oversize Tablet Arm Chair | | TASNA | Torsion Air™: Armless Sled Base Chair | 176 |
| | with Top Stitch on Seat | 116 | TASTAL | Torsion Air™: Sled Base Tablet Arm Chair | 176 |
| SLSCAP | Strive® Cafe Stools: Four-Leg Cantilever Arm Cafe Stool | 132 | TASWA | Torsion Air™: Sled Base Armchair | 176 |
| SLSCATSU | Strive® Cafe Stools: Four-Leg Cantilever Arm Cafe | | TCFAP | Torsion®: Cantilevered Sled Base Armchair | 160 |
| | Stool with Top Stitch on Seat | 134 | TCNAP | Torsion®: Cantilevered Sled Base Chair | 160 |
| SLSLAP | Strive® Cafe Stools: Four-Leg Loop Arm Cafe Stool | 132 | TGNAPB | Torsion® on the Go® Nesting Chairs: Armless Chair | |
| SLSLATSU | Strive® Cafe Stools: Four-Leg Loop Arm Cafe Stool | 404 | TONALIB | with Poly Back | 154 |
| CLCNAD | with Top Stitch on Seat | 134 | TGNAUB | Torsion® on the Go® Nesting Chairs: Armless Chair | 151 |
| SLSNAP SLSNATSU | Strive® Cafe Stools: Four-Leg Armless Cafe Stool Strive® Cafe Stools: Four-Leg Armless Cafe Stool with | 132 | TGTALPB | with Upholstered Back Torsion® on the Go® Nesting Chairs: Tablet Arm Chair | 154 |
| SLSNATSU | Top Stitch on Seat | 134 | IGIALID | with Poly Back | 156 |
| SLTAPLH | Strive® Chairs: Four-Leg Tablet Arm Chair | 114 | TGTALUB | Torsion® on the Go® Nesting Chairs: Tablet Arm Chair | 100 |
| SLTATSULH | Strive® Chairs: Four-Leg Tablet Arm Chair with Top | | | with Upholstered Back | 156 |
| | Stitch on Seat | 116 | TGWAPB | Torsion® on the Go® Nesting Chairs: Armchair with Poly B | ack154 |
| SNCAP | Strive® Nesting Chairs: Armchair with Poly Seat | 144 | TGWAUB | Torsion® on the Go® Nesting Chairs: Armchair with | |
| SNCATSU | Strive® Nesting Chairs: Armchair with Upholstered | | | Upholstered Back | 154 |
| | Seat with Top Stitch on Seat | 146 | TLD.BL | Torsion®: Transport Dolly for Four-Leg Chairs | 170 |
| SNCAU | Strive® Nesting Chairs: Armchair with Upholstered Seat | 144 | TLFAP | Torsion®: Four-Leg Armchair | 162 |
| SNNAP | Strive® Nesting Chairs: Armless Chair with Poly Seat | 144 | TLG2ALP | Torsion®: Four-Leg G2-Tablet Arm Chair | 164 |
| SNNATSU | Strive® Nesting Chairs: Armless Chair with Uphol- | 1.10 | TLNAP | Torsion®: Four Log Tablet Arm Chair | 162 |
| SNNAU | stered Seat with Top Stitch on Seat Strive® Nesting Chairs: Armless Chair with Upholstered Seat | 146 | TLTALP TSFAP | Torsion®: Four-Leg Tablet Arm Chair Torsion®: Full Sled Base Armchair | 164 166 |
| SNOVTAPRH | Strive® Nesting Chairs: Oversize Tablet Arm Chair with | 144 | TSG2ALP | Torsion®: Full Sled Base G2-Tablet Arm Chair | 168 |
| ONOVIALITI | Poly Seat | 148 | TSNAP | Torsion®: Full Sled Base Chair | 166 |
| SNOVTATSULH | Strive® Nesting Chairs: Oversize Tablet Arm Chair with | 0 | TSTALP | Torsion®: Full Sled Base Tablet Arm Chair | 168 |
| | Upholstered Seat with Top Stitch on Seat | 150 | TVD.BL | Torsion®: Transport Dolly for Sled Base Chairs | 170 |
| SNOVTAURH | Strive® Nesting Chairs: Oversize Tablet Arm Chair with | | VBD.BL | Versa® Basic: Versa® Basic Transport Dolly | 188 |
| | Upholstered Seat | 148 | VBNAL | Versa® Basic: Four-Leg Armless Chair | 188 |
| SNTAPRH | Strive® Nesting Chairs: Tablet Arm Chair with Poly Seat | 148 | VBWAL | Versa® Basic: Four-Leg Armchair | 188 |
| SNTATSULH | Strive® Nesting Chairs: Tablet Arm Chair with Uphol- | | VCNAC | Versa® Conference: Four-Leg Armless Chair | 194 |
| ONTALIBLE | stered Seat with Top Stitch on Seat | 150 | VCNAS | Versa® Conference: Sled Base Armless Chair | 196 |
| SNTAURH | Strive® Nesting Chairs: Tablet Arm Chair with Uphol- | 1.10 | VCWAC | Versa® Conference: Four-Leg Armchair | 192 |
| SRAPNAP | Stered Seat | 148 88 | VCWAS VJPNAL11 | Versa® Conference: Sled Base Armchair Versa® Junior: Versa® Junior Chair | 196 200 |
| SRAPWAP | Rapture® Cafe Stools: Four-Leg Armless Cafe Stool Rapture® Cafe Stools: Four-Leg Cafe Stool with Arms | 88 | VJFNALTT VTD.BL | Dorsal®: Round Leg Chair Transport Dolly | 14 |
| SSCAP | Strive® Chairs: Sled Base Cantilever Arm Chair | 122 | VXLAG | Versa® XL: Four-Leg Armchair | 224 |
| SSCATSU | Strive® Chairs: Sled Base Cantilever Arm Chair with | | VXLN | Versa® XL: Four-Leg Armless Chair | 224 |
| | Top Stitch on Seat | 124 | | • | |
| SSILFA | Silhouette® Cafe Stools: Cafe Stool with Arms | 96 | | | |
| SSILNA | Silhouette® Cafe Stools: Armless Cafe Stool | 96 | | | |
| SSNAP | Strive® Chairs: Sled Base Armless Chair | 122 | | | |
| SSNATSU | Strive® Chairs: Sled Base Armless Chair with Top | | | | |
| SSU/LYDI H | Strive® Chairs: Slad Rasa Oversize Tablet Arm Chair | 124 | | | |
| SUMMAPLE | STEWNS I HAITE: SIGH RACO LIVORCIZO TANIAT ARM L'HAIR | 1 /h | | | |

126

KI 1330 Bellevue Street P.O. Box 8100 Green Bay, Wisconsin 54308-8100 I-800-424-2432 www.ki.com

KI and Furnishing Knowledge are registered trademarks of Krueger International, Inc.

© 2011 KI All Rights Reserved. Litho in USA. Code KI-11479R2/KI/VL/211

Printed using only water-based inks, including metallics. Please recycle.