

## tile specifications

style name	weave tile
style number	59434
construction	multi-level pattern cut/loop
fiber	antron® legacy nylon
dye method	100% yarn dyed
	english
	-----
pattern repeat	none
tufted weight	40.0
gauge	1/12
stitches per inch	9.0
finished pile thickness	0.146
total thickness	0.306
average density	9863
product size	24" x 24"
primary backing	synthetic
secondary backing	ecoworx® tile
protective treatments	duratech® soil resistant treatment
gsa approved product	yes




## testing

radiant panel	Class I
nbs smoke	less than 450
electrostatic propensity	less than 3.5 kv

## warranties

lifetime commercial limited

## installation method



ashlar



monolithic



quarter turn

## coordinating products

man made tile, yarn tile, yarn accent tile, man made stria tile, weave accent tile, man made, man made stria, weave, mosaic

## environmental certification

green label plus certification number	glp 9968
nsf140 platinum	
cradle to cradle silver certified	





Specifications are subject to nominal manufacturing variances.  
Material supply and/or manufacturing processes may necessitate changes without notice.

[shawcontractgroup.com](http://shawcontractgroup.com) | 1 800.257.7429

eco impacts

end of life

recyclability	100% recyclable
shaw closed looped recycling	0.0%
environmental guarantee	free pick up & recycling
To recycle call 800.509.SHAW	

materials

ingredients

face fiber	nylon 6,6
dye method	100% yarn dyed
backing	polyolefin composite
surface treatments	non c8 fluorocarbon chemistry
does not contain PVC, phthalates, or PBD/PBDE	

recycled content

total recycled content (by weight)	28.6 %
pre-consumer	23.4 %
post-consumer	5.2 %
bio-based/rapidly renewable content (by weight)	0.0 %
packaging	100% recyclable
country of origin (manufacturer)	USA

Meets or exceeds all local and national regulations in country of manufacture.  
Manufactured in an ISO9001 & ISO14001 certified facility or equivalent.  
Recycled content is calculated using system allocation, mass balance, and direct insertion.  
The actual recycled content in this product will likely vary. For more information email [info@shawgreenedge.com](mailto:info@shawgreenedge.com).

third party certifications

NSF 140	platinum certified
CRI green label plus	certified glp9968
USGBC LEED	contributes

social responsibility

Shaw and our people provide financial support, volunteer service and leadership for charitable and civic organizations in the communities where we work and live. Additionally, we strive to adhere to all applicable laws regarding labor, discrimination and harassment, wages and benefits, health and safety, diversity and equal opportunity.