

tile specifications

style name	weave accent tile
style number	59442
construction	multi-level pattern cut/loop
fiber	antron® legacy nylon
dye method	100% yarn dyed

	english	metric

pattern repeat	none	
tufted weight	40.0	1,356.23 g/m ²
gauge	1/12	47.24 per 10 cm
stitches per inch	9.0	35.43 per 10 cm
finished pile thickness	0.146	3.71 mm
total thickness	0.306	7.77 mm
average density	9863	18.36 kilotex
product size	24" x 24"	60.96 cm x 60.96 cm
primary backing	synthetic	
secondary backing	ecoworx® tile	
protective treatments	duratech® soil resistant treatment	
gsa approved product	yes	



testing

radiant panel	Class I
nbs smoke	less than 450
electrostatic propensity	less than 3.5 kv

warranties

lifetime commercial limited

installation method



coordinating products

man made tile, yarn tile, weave tile, yarn accent tile, man made stria tile, man made, man made stria, weave, mosaic

environmental certification

green label plus certification number	glp 9968
nsf140 platinum	
cradle to cradle silver certified	





Specifications are subject to nominal manufacturing variances.
Material supply and/or manufacturing processes may necessitate changes without notice.

shawcontractgroup.com | 1 800.257.7429

eco impacts

weave accent tile

end of life

recyclability	100% recyclable
shaw closed looped recycling	0.0%
environmental guarantee	free pick up & recycling
To recycle call 800.509.SHAW	

materials

ingredients

face fiber	nylon 6,6
dye method	100% yarn dyed
backing	polyolefin composite
surface treatments	non c8 fluorocarbon chemistry
does not contain PVC, phthalates, or PBD/PBDE	

recycled content

total recycled content (by weight)	28.6 %
pre-consumer	23.4 %
post-consumer	5.2 %
bio-based/rapidly renewable content (by weight)	0.0 %
packaging	100% recyclable
country of origin (manufacturer)	USA

Meets or exceeds all local and national regulations in country of manufacture.
Manufactured in an ISO9001 & ISO14001 certified facility or equivalent.
Recycled content is calculated using system allocation, mass balance, and direct insertion.
The actual recycled content in this product will likely vary. For more information email info@shawgreenedge.com.

third party certifications

NSF 140	platinum certified
CRI green label plus	certified glp9968
USGBC LEED	contributes

social responsibility

Shaw and our people provide financial support, volunteer service and leadership for charitable and civic organizations in the communities where we work and live. Additionally, we strive to adhere to all applicable laws regarding labor, discrimination and harassment, wages and benefits, health and safety, diversity and equal opportunity.