

tile specifications

style name	tailored tile
style number	59488
construction	textured loop
fiber	eco solution q® nylon
dye method	100% yarn dyed

	english	metric

pattern repeat	none	
tufted weight	32.0	1,084.98 g/m ²
gauge	5/64	50.39 per 10 cm
stitches per inch	12.0	47.24 per 10 cm
finished pile thickness	0.180	4.57 mm
total thickness	0.323	8.20 mm
average density	6400	11.92 kilotex
product size	24" x 24"	60.96 cm x 60.96 cm
primary backing	synthetic	
secondary backing	ecoworx® tile	
protective treatments	ssp® shaw soil protection	


testing

radiant panel	Class I
nbs smoke	less than 450
electrostatic propensity	less than 3.5 kv

warranties

lifetime commercial limited

installation method



coordinating products

paparazzi v2 tile, bloom tile, shadow tile, float tile, swirl tile, vivid bloom tile, vivid swirl tile, vivid shadow tile, vivid float tile, smpoom plush, smp float plush, smp swirl plush, smp shadow plush, shadow plush, swirl plush, float plush, bloom plush

environmental certification

green label plus certification number	glp 9968
nsf140 platinum	
cradle to cradle silver certified	



Specifications are subject to nominal manufacturing variances.
Material supply and/or manufacturing processes may necessitate changes without notice.

eco impacts

end of life

recyclability

100% recyclable

shaw closed looped recycling

0.0%

environmental guarantee

free pick up & recycling

To recycle call 800.509.SHAW

materials

ingredients

face fiber

nylon 6

dye method

100% yarn dyed

backing

polyolefin composite

surface treatments

non c8 fluorocarbon chemistry

does not contain PVC, phthalates, or PBD/PBDE

recycled content

total recycled content (by weight)

44.5 %

pre-consumer

31.3 %

post-consumer

13.2 %

bio-based/rapidly renewable content (by weight)

0.0 %

packaging

100% recyclable

country of origin (manufacturer)

USA

Meets or exceeds all local and national regulations in country of manufacture.

Manufactured in an ISO9001 & ISO14001 certified facility or equivalent.

Recycled content is calculated using system allocation, mass balance, and direct insertion.

The actual recycled content in this product will likely vary. For more information email

info@shawgreenedge.com.

third party certifications

MBDC cradle to cradle

silver certified

NSF 140

platinum certified

CRI green label plus

certified glp9968

USGBC LEED

contributes

Good Environmental Choice Australia

certified

Singapore green label

certified 039-003

social responsibility

Shaw and our people provide financial support, volunteer service and leadership for charitable and civic organizations in the communities where we work and live. Additionally, we strive to adhere to all applicable laws regarding labor, discrimination and harassment, wages and benefits, health and safety, diversity and equal opportunity.

Sustainability Through Innovation™ That's the Shaw Green Edge®