

SEATING
Guest, Task and Stools
Chela
Simon
Ollie
Stacking
Nesting
Simon
Zuri
Chela
Upholstery
Linked
VERSTEEL
PLS
Companion
Chela
Simon
Guest, Task and Stools



DELIVERED PRICING 15 July 2014

OLLIE SEATING (OL SERIES)

Versteel Seating COM Standard Yardage Requirements:

COM yardage requirements are calculated for chairs and stools based on a material width of 54" and a repeat of 2" or less. For material less than 54" wide, contact Versteel for yardage requirements. Use the chart below as a guide to calculate your COM yardage. For quantities greater than 200 chairs or stools, contact Versteel Customer Service for calculation of COM yardage by chair model.

Quantity of Chairs	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
Chela (with or without arms)															
Upholstered Seat & Back	1.5	2.5	2.5	3.5	3.5	4.5	4.5	5.5	6.0	6.5	7.5	7.5	8.5	8.5	9.5
Upholstered Seat Only	1.0	1.5	1.5	2.0	2.0	2.5	2.5	3.5	4.0	4.0	4.5	4.5	5.0	5.0	6.0
Upholstered Back Only	0.5	1.0	1.3	1.3	1.8	2.0	2.0	2.5	2.5	3.0	3.0	3.5	3.5	4.0	4.0
Companion and Kompis Radius & Flared Back (with or without arms) <i>Yardage includes upholstered armcaps if specified.</i>															
Upholstered Seat & Back	1.5	2.5	3.5	4.5	5.0	6.0	6.5	7.5	9.0	9.5	11.0	11.0	13.0	13.0	14.5
Upholstered Seat Armless	1.0	1.5	1.5	2.5	2.5	3.0	3.0	4.0	4.5	4.5	5.0	5.0	6.0	6.0	6.5
Upholstered Seat with Arms	1.0	1.5	2.0	2.5	2.5	3.5	4.0	4.5	5.0	5.5	6.0	6.0	7.5	7.5	8.0
Upholstered Back Only	1.0	2.0	2.0	2.5	3.5	4.0	4.5	5.0	5.5	6.0	6.5	7.0	7.5	8.0	8.5
Companion and Kompis X Radius & Flared Back <i>Yardage includes upholstered armcaps.</i>															
Upholstered Seat, Back & Armcaps	2.5	5.0	7.0	9.0	11.0	13.5	15.5	17.0	19.0	21.5	23.0	24.5	26.5	28.5	30.5
Ollie Round (fully upholstered)															
Lid & Bottom (same fabric)	1.3	3.0	3.8	5.0	6.0	6.3	7.0	8.3	8.5	10.0	10.5	12.0	13.0	14.0	14.5
Lid (Fabric 01)	0.8	1.3	1.5	2.5	3.0	3.0	3.5	4.5	5.0	5.0	5.0	6.0	6.5	7.0	7.0
Bottom (Fabric 02)	1.3	1.8	2.5	3.0	4.0	4.5	5.0	5.8	6.3	6.8	8.0	8.5	9.0	9.5	10.5
Ollie Square (fully upholstered)															
Lid & Bottom (same fabric)	2.0	3.5	4.8	6.0	7.0	8.3	9.5	10.0	11.3	13.0	13.8	15.0	16.3	17.5	18.8
Lid (Fabric 01)	0.8	1.3	1.5	2.5	3.0	3.0	3.5	4.5	5.0	5.0	5.0	6.0	6.5	7.0	7.0
Bottom (Fabric 02)	1.8	3.0	3.5	4.5	6.3	6.8	8.0	8.5	9.5	11.3	11.8	13.0	13.5	14.5	16.3
Quanta HD															
Upholstered Seat Only	1.0	1.5	1.5	2.0	2.5	2.5	3.5	3.5	4.0	4.0	4.5	4.5	5.0	5.5	5.5
Quanta															
Upholstered Seat Only	1.0	1.5	1.5	2.0	2.5	2.5	3.5	3.5	4.0	4.0	4.5	4.5	5.0	5.5	5.5
Upholstered Seat & Back	1.5	2.5	3.0	4.0	4.5	5.0	6.0	6.5	6.5	7.0	8.0	8.5	9.0	10.0	11.0
Gullwing-Upholstered Seat Only	1.5	2.5	4.0	5.0	6.0	7.0	8.5	9.5	11.0	12.0	14.5	15.5	17.0	18.0	19.5
Gullwing-Upholstered Seat & Back	2.0	3.5	4.5	6.0	7.0	8.5	9.5	11.0	12.0	13.0	14.5	15.5	17.0	18.0	20.0
Sate															
Upholstered Seat Only	1.0	1.5	1.5	2.0	2.5	2.5	3.5	3.5	4.0	4.0	4.5	4.5	5.0	5.5	5.5
SIMON (with or without arms)															
Upholstered Seat & Back	1.5	2.5	3.0	4.0	5.0	5.5	6.5	7.5	8.0	9.0	9.5	10.5	11.0	12.0	13.0
Upholstered Seat Only	1.0	1.5	1.5	2.5	3.0	3.0	3.5	4.5	5.0	5.0	5.0	6.0	6.5	7.0	7.0
Upholstered Back Only	1.0	2.0	2.0	2.5	3.5	4.0	4.5	5.0	5.5	6.0	6.5	7.0	7.5	8.0	8.5
Socius															
Patient Mid Back	2.5	4.0	5.5	7.0	8.0	10.0	11.5	13.0	15.0	16.5	17.5	18.5	19.5	21.5	23.5
Patient High Back	3.0	4.0	6.0	8.0	9.0	11.0	12.0	14.0	17.0	18.0	19.5	20.5	22.5	24.0	26.5
Bariatric Mid Back	5.0	8.0	10.0	13.0	15.0	18.0	20.0	23.0	25.0	28.0	—	—	—	—	—
Zuri															
Upholstered Seat & Back (One Piece)	2.0	3.0	4.0	5.0	6.0	7.0	8.0	9.5	10.5	11.5	—	—	—	—	—

Versteel Seating COM Yardage Repeat Pattern Additional Requirements:

2–14" repeat, add 15% to the standard yardage requirement.
15–27" repeat, add 30% to the standard yardage requirement.
28–36" repeat, add 35% to the standard yardage requirement.

Questions?


1.800.876.2120

16	17	18	19	20	25	30	35	40	50	60	70	80	90	100	110	120	130	140	150	175	200
9.5	10.5	11.5	11.5	12.5	16.0	18.0	21.0	24.0	29.0	35.0	40.5	45.0	50.5	55.0	60.5	66.5	71.0	76.0	81.5	96.5	110.0
6.0	6.5	7.0	7.0	7.5	9.5	11.0	13.0	14.5	15.5	17.5	19.0	22.0	24.0	27.0	29.5	32.0	35.0	37.0	41.0	47.0	54.0
4.5	4.5	5.0	5.0	5.3	7.0	8.3	10.0	12.0	13.0	15.5	17.5	19.0	21.0	23.5	26.5	29.0	31.0	33.0	35.0	40.0	45.0
14.5	16.0	17.5	17.5	19.0	24.0	27.0	32.0	36.5	44.0	57.0	64.0	73.0	76.0	79.5	93.0	101.0	110.5	120.0	127.5	147.5	167.0
6.5	7.5	8.0	8.0	8.5	10.6	12.5	14.5	16.5	20.0	24.0	28.0	32.0	36.0	39.0	42.0	46.0	48.6	52.5	58.0	66.5	76.0
8.0	8.5	8.5	10.0	10.0	12.5	14.5	17.0	20.0	25.5	30.5	35.0	40.0	45.0	48.0	53.0	58.0	63.0	68.0	73.0	87.0	97.0
9.0	9.5	10.0	10.5	11.5	14.0	16.5	19.0	21.0	26.0	31.5	37.0	41.0	45.0	50.0	56.0	62.0	68.0	73.0	77.0	88.5	100.0
32.5	34.5	36.0	38.0	40.0	50.0	60.0	70.0	80.0	95.0	115.0	132.0	140.0	166.0	185.0	203.0	220.0	238.0	255.0	273.0	317.0	364.0
15.0	16.0	17.5	18.0	19.0	23.0	29.0	33.0	39.0	46.0	54.0	63.0	72.0	82.0	92.0	98.0	106.0	117.0	123.0	133.0	156.0	178.0
8.0	8.0	9.5	9.5	9.5	10.5	12.5	14.0	16.0	20.5	23.0	26.0	30.0	32.0	35.0	39.0	43.0	45.0	48.0	50.0	59.0	70.0
11.3	11.8	12.3	13.0	14.0	16.8	20.0	23.0	26.3	31.8	38.0	43.5	49.0	55.0	61.3	67.0	72.3	79.0	85.0	91.5	105.5	121.0
20.0	21.3	22.5	23.8	25.0	31.5	37.5	43.8	50.0	62.5	71.3	84.0	93.5	105.0	116.8	128.5	140.0	151.0	163.5	172.0	198.0	230.0
8.0	8.0	9.5	9.5	9.5	10.5	12.5	14.0	16.0	20.5	23.0	26.0	30.0	32.0	35.0	39.0	43.0	45.0	48.0	50.0	59.0	70.0
16.8	18.0	18.5	19.5	20.0	25.0	29.5	34.5	39.5	48.0	56.8	65.0	73.5	83.5	91.8	100.0	108.5	118.5	128.5	138.5	158.5	182.0
6.0	6.5	6.5	7.0	7.5	8.5	10.5	12.5	14.5	17.0	20.5	24.0	27.0	30.0	34.0	37.0	41.0	45.0	48.5	52.0	59.0	68.0
6.0	6.5	6.5	7.0	7.5	8.5	10.5	12.5	14.5	17.0	20.5	24.0	27.0	30.0	34.0	37.0	41.0	45.0	48.5	52.0	59.0	68.0
11.5	12.0	13.0	13.5	15.0	18.0	21.0	24.5	28.0	35.5	42.0	48.5	56.5	63.0	70.5	77.0	86.5	93.0	100.0	106.0	122.0	141.0
20.5	21.6	23.0	24.0	26.5	32.5	38.5	44.0	51.5	66.0	78.0	91.0	105.0	117.0	132.0	144.0	160.0	172.0	184.0	197.0	224.0	263.0
21.5	23.0	24.0	25.0	26.5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
6.0	6.5	6.5	7.0	7.5	8.5	10.5	12.5	14.5	17.0	20.5	24.0	27.0	30.0	34.0	37.0	41.0	45.0	48.5	52.0	59.0	68.0
14.0	15.0	16.0	17.0	18.0	22.5	26.0	30.0	35.0	42.5	50.0	57.5	65.0	74.0	83.0	90.5	98.0	105.5	113.0	123.0	142.0	162.0
8.0	8.0	9.5	9.5	9.5	10.5	12.5	14.0	16.0	20.5	25.0	29.5	34.0	38.5	39.5	42.0	47.0	50.0	53.5	58.0	67.0	79.0
9.0	9.5	10.0	10.5	11.5	14.0	16.5	19.0	21.0	26.0	31.5	37.0	41.0	45.0	50.0	56.0	62.0	68.0	73.0	77.0	88.5	100.0
24.5	25.5	27.5	18.5	31.0	38.0	46.0	52.5	62.0	75.5	91.0	106.0	122.5	137.0	153.0	170.0	187.5	202.0	216.0	230.0	268.0	305.5
28.0	29.0	31.0	32.5	35.0	44.0	52.5	60.0	70.0	86.5	104.0	121.5	139.5	156.0	174.5	194.0	214.5	229.0	246.0	262.5	305.5	349.0
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Ollie Stool
Round
Stool Dimensions
Overall height: 16½"
Outer dimension: 15" diameter
Inner opening: 14¼" diameter, 12½" high
Actual stool weight: 25 lbs.
Suggested for use with 29" table height



Ollie Stool
Square
Stool Dimensions
Overall height: 16½"
Outer dimension: 15" square (w/1" radius corners)
Inner opening: 14¼" square, 12½" high
Actual stool weight: 25 lbs.
Suggested for use with 29" table height



- | Key | Description |
|-----|---|
| 1 | hinged upholstered seat/lid, molded 7-ply with ½" thick, 2 lb. density foam |
| 2 | upholstered base, 15" o.d. ¾" fiberboard tube |
| 3 | upholstered base, 15" square ¾" fiberboard tube |
| 4 | dual wheel caster, black nylon |
| 5 | lined storage interior with hinged seat/lid for access |

Note: Ollie can be ordered with one fabric specified for the lid and another fabric specified for the bottom. When doing so use the higher grade fabric pricing.

Base Options	Code	Price
Dual Hanging File Rods; black	BFR	\$ 63
(for Ollie Square Stool only)		
13½" of available filing space (not adjustable)		



Questions?
1.800.876.2120

				material > grade >	Fabric Grade 2 or COM	Fabric Grade 3	Fabric Grade 4	Fabric Grade 5	Fabric Grade 6
Style	Description	Model #	Product Wt						
Round  <i>OLRDC-01</i>	Round Base With Casters Hinged Seat/Lid - Upholstered Base - Upholstered	OLRDC-01	25	405	467	530	592	652	
	 Round Base With Glides Hinged Seat/Lid - Upholstered Base - Upholstered	OLRDG-01	25	405	467	530	592	652	
Square  <i>OLSQC-01</i>	Square Base With Casters Hinged Seat/Lid - Upholstered Base - Upholstered	OLSQC-01	25	405	467	530	592	652	
	 Square Base With Glides Hinged Seat/Lid - Upholstered Base - Upholstered	OLSQG-01	25	405	467	530	592	652	

Refer to page 10
for COM yardage
requirements

Refer to page 10
for COM yardage
requirements

Sample Product Number Construction:



An **OLRDC-01** is an Ollie series, round stool with casters and an upholstered seat/lid and base.

The code **FBA Mulberry** specifies Grade 4 Bali Mulberry upholstery.



800.876.2120

812.482.9318 Fax

www.versteel.com

2332 Cathy Lane Jasper, Indiana 47546 ©2014 Versteel

SPL 14

All prices are delivered list price effective with date printed on cover and supersedes all other published price lists. VERSTEEL reserves the right to change prices or specifications without prior notice. Orders are accepted subject to price prevailing at time of shipment.