

TABLES
Personal Workstations
ODIS
Performance
Elements
Conference
TOD
Vela
Study Carrels
Entourage
Personal Workstation
Brattice
Interplay
TIM
PLT
Interplay
Tier Tables
Auxiliary Product
Wave
Vela



DELIVERED PRICING 01 August 2014

UNO² TABLES (US SERIES)

UNO² TRAINING TABLES (US SERIES)



Questions?
1.800.876.2120

Black = Fixed Bases
Blue = Tilt Bases



	top >	Laminate PVC	Laminate 3mm Wood	Laminate 2mm Acrylic	Laminate Wood	Veneer 3mm Wood	
	edge >	Flat	Flat	Reverse Bevel	Square	Flat	
	edge ordering code (radius corner) > or edge ordering code (square corner) >	LP2R or LP2S	LP3R or LP3S	LW2R or LW2S	LMRA2R or LMRA2S	LWS2 LWS3	VW2R or VW2S
	top thickness >	1 1/4"	1 3/4"	1 1/4"	1 1/4"	1 3/4"	1 1/4"
		Fluted	Fluted		Fluted	Fluted	
	edge ordering code (radius corner) > or edge ordering code (square corner) >	LPF2R or LPF2S	LPF3R or LPF3S	LWF2R or LWF2S		LWF2 LWF3	VWF2R or VWF2S
	top thickness >	1 1/4"	1 3/4"	1 1/4"		1 1/4"	1 3/4"
	top thickness price >	1 1/4"	1 3/4"	1 1/4"		1 1/4"	1 3/4"



Base Style	Table Description	Model #	Product Wt	1 1/4"		1 3/4"		1 1/4"	1 3/4"	1 1/4"
	T1 18 x 48 Fix	UST1 1848REFX	49	695	759	889		1006	1023	1411
	18 x 48 Tilt	UST1 1848RETL	59	904	970	1100		1214	1231	1620
	18 x 60 Fix	UST1 1860REFX	70	752	797	975		1095	1110	1517
	18 x 60 Tilt	UST1 1860RETL	80	960	1006	1184		1304	1321	1728
	18 x 72 Fix	UST1 1872REFX	80	787	851	1056		1208	1225	1633
	18 x 72 Tilt	UST1 1872RETL	90	997	1059	1266		1417	1434	1842
	18 x 84 Fix	UST1 1884REFX	89	870	941	1244		1427	1445	1761
	18 x 84 Tilt	UST1 1884RETL	99	1080	1150	1453		1636	1654	1971
	TC 18 x 48 Fix	USTC 1848REFX	49	695	759	889		1006	1023	1411
	18 x 48 Tilt	USTC 1848RETL	59	904	970	1100		1214	1231	1620
	18 x 60 Fix	USTC 1860REFX	70	752	797	975		1095	1110	1517
	18 x 60 Tilt	USTC 1860RETL	80	960	1006	1184		1304	1321	1728
	18 x 72 Fix	USTC 1872REFX	80	787	851	1056		1208	1225	1633
	18 x 72 Tilt	USTC 1872RETL	90	997	1059	1266		1417	1434	1842
	18 x 84 Fix	USTC 1884REFX	89	870	941	1244		1427	1445	1761
	18 x 84 Tilt	USTC 1884RETL	99	1080	1150	1453		1636	1654	1971
	L1 18 x 48 Fix	USL1 1848REFX	49	695	759	889	n/a	1006	1023	1411
	18 x 60 Fix	USL1 1860REFX	70	752	797	975	n/a	1095	1110	1517
	18 x 72 Fix	USL1 1872REFX	80	787	851	1056	n/a	1208	1225	1633
	18 x 84 Fix	USL1 1884REFX	89	870	941	1244	n/a	1427	1445	1761
	18 x 90 Fix	USL1 1890REFX	99	922	952	1381	n/a	1555	1574	1918
	18 x 96 Fix	USL1 1896REFX	109	947	1008	1405	n/a	1650	1667	2052


Sample Product Number Construction:

- Choose your base model, including a top & edge style.
- Specify the base finish, laminate or veneer code, and edge color.
- Indicate selected base options.
 - Indicate selected top options.
 - Indicate selected power and data options.
 - Indicate selected wire management options.



Veneer Wood	
Square 	
VWS2 1 1/4"	VWS3 1 1/4"
Fluted 	
VWF2 1 1/4"	VWF3 1 1/4"
1 1/4"	1 1/4"
1523	1633
1733	1842
1641	1778
1851	1987
1770	1920
1980	2128
1912	2076
2123	2284
2084	2262
2292	2466
2238	2430
2447	2640
1523	1633
1733	1842
1641	1778
1851	1987
1770	1920
1980	2128
1912	2076
2123	2284
2084	2262
2292	2466
2238	2430
2447	2640
1523	1633
1641	1778
1770	1920
1912	2076
2084	2262
2238	2430

- Base Options**
- Alternate Table Height 32" & Under **BAH** \$ 59
 - Alternate Table Height 32" & Over **BSP** call
 - Stretcher Rail (Fix/Tilt) Finish Same as Base
 - Tables 36" H & Over Require a Stretcher Rail **BSR** \$ 147
 - Adjustable Height - Pneumatic (Fix/Tilt) **BAT** \$ 758
 - Casters  - Dual Wheel **BUC** \$ 103
 - Mix - Dual Wheel Casters & Glides **BMD** \$ 97
 - Self-Leveling Glides  **BLG** \$ 28
 - Slim-Tilt (T1 base only) **BST** \$ 90
- Finish Options**
- Chrome \$ 400
 - Nickel \$ 99
 - Powder Coat - Standard n/c
 - Powder Coat - Premium \$ 99
- Top Options**
- Table Link (all four sides) **TLK** \$ 153
 - Table Link (18" ends only) **TLE** \$ 80
 - Lightweight Laminate Core (to 96" length) **TLL** \$ 145
 - Special Laminate **TSP** call
- Power and Data Options**
- Power & Data Globe w/Data Jacks** **PPD** \$ 247
 - Power Source Outlets** **PPS** \$ 67
 - Powerlink Package** **PPT** \$ 760
- Wire Management Options**
- Basket, Modesty Mount **WBM** \$ 57
 - Basket, Under Top Mount **WBT** \$ 57
 - Wire Metal Legway (each) **WUL** \$ 37
 - 1 Oval Brush Grommet - Location A **WOA** \$ 57
 - 2 Oval Brush Grommets - Location E **WOE** \$ 114
 - 1 Oval Brush Grommet - Provide Location Print **WOG** \$ 57
 - 1 Round Grommet - Location A **WRA** \$ 45
 - 2 Round Grommets - Location E **WRE** \$ 89
 - 1 Round Grommet - Provide Location Print **WRG** \$ 45
- Accessories**
- Keyboard Platform w/Mouse Surface **AKP24M** \$ 468
 - CPU Holder (3"- 9" adjustment) **ACPU3-9F** \$ 144
 - CPU Holder (5"- 8" adjustment) **ACPU5-8F** \$ 94
 - CPU Holder (3"- 5" adjustment) **ACPU3F** \$ 94
 - Table Floor Mount Bracket Set **AFB** \$ 33



A **UST1 1848REFX LP2R** is a Uno² series 18" x 48" rectangle table with fixed T1 bases and a laminate 1 1/4" thick top with a PVC edge and radius corners.

The codes **GR/TN VS 6002-T/EB** specify a Graphite base, Nevamar VS 6002-T laminate and the PVC edge in Ebony.

BUC/TLL/PH2/WUL adds dual wheel casters, a lightweight laminate core, 2 Henris installed in specified location and a wire metal legway.



Questions?

1.800.876.2120

Black = Fixed Bases



Blue = Tilt Bases



top >	Laminate PVC	Laminate 3mm Wood	Laminate 2mm Acrylic	Laminate Wood	Veneer 3mm Wood	
edge >	Flat 	Flat 	Reverse Bevel 	Square 	Flat 	
edge ordering code (radius corner) > or edge ordering code (square corner) >	LP2R or LP2S	LP3R or LP3S	LW2R or LW2S	LMRA2R or LMRA2S	LWS2 LWS3	VW2R or VW2S
top thickness >	1 1/4"	1 3/4"	1 1/4"	1 1/4"	1 3/4"	1 1/4"
	Fluted 	Fluted 		Fluted 	Fluted 	
edge ordering code (radius corner) > or edge ordering code (square corner) >	LPF2R or LPF2S	LPF3R or LPF3S	LWF2R or LWF2S		LWF2 LWF3	VWF2R or VWF2S
top thickness price >	1 1/4"	1 3/4"	1 1/4"		1 1/4"	1 3/4"

Base Style	Table Description	Model #	Product Wt	1 1/4"		1 3/4"		1 1/4"		
 T1	T1 24 x 48 Fix	UST1 2448REFX	72	730	760	992		1144	1170	1478
	24 x 48 Tilt	UST1 2448RETL	82	939	970	1203		1353	1379	1687
	24 x 60 Fix	UST1 2460REFX	85	777	821	1108		1275	1295	1627
	24 x 60 Tilt	UST1 2460RETL	95	987	1030	1317		1486	1504	1837
	24 x 72 Fix	UST1 2472REFX	97	890	926	1249		1437	1455	1764
	24 x 72 Tilt	UST1 2472RETL	107	1100	1138	1460		1646	1665	1973
	24 x 84 Fix	UST1 2484REFX	109	942	955	1383		1627	1644	1933
	24 x 84 Tilt	UST1 2484RETL	119	1151	1164	1593		1837	1854	2143
 TC	TC 24 x 48 Fix	USTC 2448REFX	72	730	760	992		1144	1170	1478
	24 x 48 Tilt	USTC 2448RETL	82	939	970	1203		1353	1379	1687
	24 x 60 Fix	USTC 2460REFX	85	777	821	1108		1275	1295	1627
	24 x 60 Tilt	USTC 2460RETL	95	987	1030	1317		1486	1504	1837
	24 x 72 Fix	USTC 2472REFX	97	890	926	1249		1437	1455	1764
	24 x 72 Tilt	USTC 2472RETL	107	1100	1138	1460		1646	1665	1973
	24 x 84 Fix	USTC 2484REFX	109	942	955	1383		1627	1644	1933
	24 x 84 Tilt	USTC 2484RETL	119	1151	1164	1593		1837	1854	2143
 L1	L1 24 x 48 Fix	USL1 2448REFX	72	730	760	992		1144	1170	1478
	24 x 60 Fix	USL1 2460REFX	85	777	821	1108		1275	1295	1627
	24 x 72 Fix	USL1 2472REFX	97	890	926	1249		1437	1455	1764
	24 x 84 Fix	USL1 2484REFX	109	942	955	1383		1627	1644	1933
	24 x 90 Fix	USL1 2490REFX	121	1019	1029	1502		1773	1793	2106
	24 x 96 Fix	USL1 2496REFX	146	1088	1104	1596		1891	1912	2165

Sample Product Number Construction:

- Choose your base model, including a top & edge style.
- Specify the base finish, laminate or veneer code, and edge color.
- Indicate selected base options.
 - Indicate selected top options.
 - Indicate selected power and data options.
 - Indicate selected wire management options.

Veneer Wood	
Square	
	
VWS2	VWS3
1 1/4"	1 3/4"
Fluted	
	
VWF2	VWF3
1 1/4"	1 3/4"
1 1/4"	1 3/4"
1596	1715
1806	1925
1764	1896
1973	2105
1914	2076
2124	2285
2104	2281
2314	2490
2292	2486
2498	2689
2360	2562
2570	2772
1596	1715
1806	1925
1764	1896
1973	2105
1914	2076
2124	2285
2104	2281
2314	2490
2292	2486
2498	2689
2360	2562
2570	2772
1596	1715
1764	1896
1914	2076
2104	2281
2292	2486
2360	2562

Base Options	Code	Price
Alternate Table Height 32" & Under	BAH	\$ 59
Alternate Table Height 32" & Over	BSP	call
Stretcher Rail (Fix/Tilt) Finish Same as Base		
Tables 36" H & Over Require a Stretcher Rail	BSR	\$ 147
Casters  - Dual Wheel	BUC	\$ 103
Mix - Dual Wheel Casters & Glides	BMD	\$ 97
Self-Leveling Glides 	BLG	\$ 28
Slim-Tilt (T1 base only)	BST	\$ 90

Finish Options	
Chrome	\$ 400
Nickel	\$ 99
Powder Coat - Standard	n/c
Powder Coat - Premium	\$ 99

Top Options	
Table Link (all four sides)	TLK \$ 153
Table Link (24" ends only)	TLE \$ 80
Lightweight Laminate Core (to 96" length)	TLL \$ 145
Special Laminate	TSP call
Laptop Locker (each)	TLA \$ 850
(available on fixed tables only, see page 35 in All Tables Price List for additional information)	
Electronic Lock (per locker)	TLEL \$ 220
Power Unit (up to 10 lockers sequenced, includes 1 key) - required for electronic lock	TLPU \$ 350

Power and Data Options	
Henri (each, jacks not included)	PH1 \$ 211
Jack Options listed below	
Henri Now (each, jacks not included)	PHN1 \$ 193
Power Infeed Cord required, additional charge	
Jack Options Voice and Data only, listed below	
Power Access (each, jacks not included)	EPA \$ 388
Power Infeed Cord required when linked, additional charge	
Finish Options	
Powder Coat	included
Clear Anodized Aluminum (each)	+\$44
Stainless Steel (each)	+\$44
Black Anodized (each)	+\$44
Configurable Data Plate - Options listed below	


Power Infeed Cord (each)	HNPU \$ 193
Power & Data Globe w/Data Jacks	PPD \$ 247
Power Source Outlets	PPS \$ 67
Powerlink Package	PPT \$ 760

Configurable Data Plate Options			
Power Access/Power Bay (call for configuration options)			
CAT 6 Data	DA \$ 25	HDMI	HD \$ 56
CAT 3 Voice	VO \$ 8	DVI	DV \$ 44
VGA	VG \$ 16	USB	US \$ 24
Mini-Stereo	MS \$ 12	RCA	RC \$ 24

Henri/Henri Now Options	
Voice & Data Jacks (1 ea per Henri/Henri Now Unit)	AHVDJ \$ 47
Data Jacks (2 per Henri/Henri Now Unit)	AHDDJ \$ 53
Quick Connect (1 per Henri/Henri Now Unit)	
Voice/Data	AHQCVDJ \$ 117
Quick Connect (1 per Henri/Henri Now Unit)	
Data/Data	AHQCDDJ \$ 135

Wire Management Options	
Basket, Modesty Mount	WBM \$ 57
Basket, Under Top Mount	WBT \$ 57
Wire Metal Legway (each)	WUL \$ 37
1 Oval Brush Grommet - Location A	WOA \$ 57
2 Oval Brush Grommets - Location E	WOE \$ 114
1 Oval Brush Grommet - Provide Location Print	WOG \$ 57
1 Round Grommet - Location A	WRA \$ 45
2 Round Grommets - Location E	WRE \$ 89
1 Round Grommet - Provide Location Print	WRG \$ 45

Accessories	
Keyboard Platform w/Mouse Surface	AKP24M \$ 468
CPU Holder (3" - 9" adjustment)	ACPU3-9F \$ 144
CPU Holder (5" - 8" adjustment)	ACPU5-8F \$ 94
CPU Holder (3" - 5" adjustment)	ACPU3F \$ 94
Table Floor Mount Bracket Set	AFB \$ 33



A **UST1 2448REFX LP2R** is a Uno² series 24" x 48" rectangle table with fixed T1 bases and a laminate 1 1/4" thick top with a PVC edge and radius corners.

The codes **GR/TN VS 6002-T/EB** specify a Graphite base, Nevamar VS 6002-T laminate and the PVC edge in Ebony.

BUC/TLL/PH2/WUL adds dual wheel casters, a lightweight laminate core, 2 Henris installed in specified location and a wire metal legway.



Questions?

1.800.876.2120

Black = Fixed Bases

Blue = Tilt Bases



	top > edge >	Laminate PVC	Laminate 3mm Wood	Laminate 2mm Acrylic	Laminate Wood	Veneer 3mm Wood	
		Flat 	Flat 	Reverse Bevel 	Square 	Flat 	
edge ordering code (radius corner) > or edge ordering code (square corner) > top thickness >		LP2R or LP2S 1 1/4"	LP3R or LP3S 1 3/4"	LW2R or LW2S 1 1/4"	LMRA2R or LMRA2S 1 1/4"	LWS2 1 1/4" LWS3 1 3/4"	VW2R or VW2S 1 1/4"
		Fluted 	Fluted 		Fluted 	Fluted 	
edge ordering code (radius corner) > or edge ordering code (square corner) > top thickness >		LPF2R or LPF2S 1 1/4"	LPF3R or LPF3S 1 3/4"	LWF2R or LWF2S 1 1/4"		LWF2 1 1/4" LWF3 1 3/4"	VWF2R or VWF2S 1 1/4"
top thickness price >		1 1/4"	1 3/4"	1 1/4"		1 1/4" 1 3/4"	1 1/4"



Base Style	Table Description	Model #	Product Wt	1 1/4"		1 3/4"		1 1/4"		1 1/4"	1 3/4"	1 1/4"
<p>T1</p>	T1 30 x 42 Fix	UST1 3042REFX	76	741	789	964		1072	1097	1449		
	30 x 48 Fix	UST1 3048REFX	86	804	885	1080		1210	1238	1629		
	30 x 48 Tilt	UST1 3048RETL	96	1014	1094	1289		1419	1448	1838		
	30 x 60 Fix	UST1 3060REFX	100	853	888	1206		1390	1420	1794		
	30 x 60 Tilt	UST1 3060RETL	110	1062	1097	1416		1599	1629	2003		
	30 x 72 Fix	UST1 3072REFX	115	920	958	1334		1558	1600	1996		
	30 x 72 Tilt	UST1 3072RETL	125	1130	1169	1543		1767	1809	2205		
	30 x 84 Fix	UST1 3084REFX	129	984	1040	1506		1774	1829	2175		
	30 x 84 Tilt	UST1 3084RETL	139	1194	1251	1716		1984	2038	2384		
	30 x 90 Fix	UST1 3090REFX	144	1051	1144	1628		1934	1975	2369		
30 x 90 Tilt	UST1 3090RETL	154	1256	1338	1802		2143	2201	2574			
30 x 96 Fix	UST1 3096REFX	149	1108	1205	1728		2060	2115	2431			
30 x 96 Tilt	UST1 3096RETL	161	1317	1414	1939		2270	2324	2641			
30 x 120 Fix	UST1 30120REFX	196	1615	1712	2450		2924	2978	3180			
<p>TC</p>	TC 30 x 42 Fix	USTC 3042REFX	76	741	789	964		1072	1097	1449		
	30 x 48 Fix	USTC 3048REFX	86	804	885	1080		1210	1238	1629		
	30 x 48 Tilt	USTC 3048RETL	96	1014	1094	1289		1419	1448	1838		
	30 x 60 Fix	USTC 3060REFX	100	853	888	1206		1390	1420	1794		
	30 x 60 Tilt	USTC 3060RETL	110	1062	1097	1416		1599	1629	2003		
	30 x 72 Fix	USTC 3072REFX	115	920	958	1334		1558	1600	1996		
	30 x 72 Tilt	USTC 3072RETL	125	1130	1169	1543		1767	1809	2205		
	30 x 84 Fix	USTC 3084REFX	129	984	1040	1506		1774	1829	2175		
	30 x 84 Tilt	USTC 3084RETL	139	1194	1251	1716		1984	2038	2384		
	30 x 90 Fix	USTC 3090REFX	144	1051	1144	1628		1934	1975	2369		
30 x 90 Tilt	USTC 3090RETL	154	1256	1338	1802		2143	2201	2574			
30 x 96 Fix	USTC 3096REFX	149	1108	1205	1728		2060	2115	2431			
30 x 96 Tilt	USTC 3096RETL	161	1317	1414	1939		2270	2324	2641			
30 x 120 Fix	USTC 30120REFX	196	1615	1712	2450		2924	2978	3180			

Sample Product Number Construction:

- Choose your base model, including a top & edge style.
- Specify the base finish, laminate or veneer code, and edge color.
- Indicate selected base options.
 - Indicate selected top options.
 - Indicate selected power and data options.
 - Indicate selected wire management options.



Veneer Wood	
Square 	
VWS2 1 1/4"	VWS3 1 1/4"
Fluted 	
VWF2 1 1/4"	VWF3 1 1/4"
1 1/4"	1 1/4"
1566	1673
1765	1895
1974	2105
1948	2099
2157	2308
2172	2308
2383	2517
2372	2562
2581	2771
2585	2766
2787	2993
2657	2866
2866	3075
3466	3675
1566	1673
1765	1895
1974	2105
1948	2099
2157	2308
2172	2308
2383	2517
2372	2562
2581	2771
2585	2766
2787	2993
2657	2866
2866	3075
3466	3675

Base Options	Code	Price
Alternate Table Height 32" & Under	BAH	\$ 59
Alternate Table Height 32" & Over	BSP	call
Stretcher Rail (Fix/Tilt) Finish Same as Base Tables 36" H & Over Require a Stretcher Rail	BSR	\$ 147
Casters  - Dual Wheel	BUC	\$ 103
Mix - Dual Wheel Casters & Glides	BMD	\$ 97
Self-Leveling Glides 	BLG	\$ 28
Slim-Tilt (T1 base only)	BST	\$ 90

Finish Options	
Chrome	\$ 400
Nickel	\$ 99
Powder Coat - Standard	n/c
Powder Coat - Premium	\$ 99

Top Options	
Table Link (all four sides)	TLK \$ 153
Table Link (30" ends only)	TLE \$ 80
Lightweight Laminate Core (to 96" length)	TLL \$ 145
Special Laminate	TSP call
Laptop Locker (each)	TLA \$ 850
(available on fixed tables only, see page 35 in All Tables Price List for additional information)	
Electronic Lock (per locker)	TLEL \$ 220
Power Unit (up to 10 lockers sequenced, includes 1 key) - required for electronic lock	TLPU \$ 350

Power and Data Options	
Henri (each, jacks not included)	PH1 \$ 211
Jack Options listed below	
Henri Now (each, jacks not included)	PHN1 \$ 193
Power Infeed Cord required, additional charge	
Jack Options Voice and Data only, listed below	

Power Access (each, jacks not included)	EPA \$ 388
Power Infeed Cord required when linked, additional charge	
Finish Options	
Powder Coat	included
Clear Anodized Aluminum (each)	+ \$44
Stainless Steel (each)	+ \$44
Black Anodized (each)	+ \$44


Configurable Data Plate - Options listed below	
Power Infeed Cord (each)	HNPU \$ 193
Power & Data Globe w/Data Jacks	PPD \$ 247
Power Source Outlets	PPS \$ 67
Powerlink Package	PPT \$ 760

Configurable Data Plate Options			
Power Access/Power Bay (call for configuration options)			
CAT 6 Data	DA \$ 25	HDMI	HD \$ 56
CAT 3 Voice	VO \$ 8	DVI	DV \$ 44
VGA	VG \$ 16	USB	US \$ 24
Mini-Stereo	MS \$ 12	RCA	RC \$ 24

Henri/Henri Now Options	
Voice & Data Jacks (1 ea per Henri/Henri Now Unit)	AHVDJ \$ 47
Data Jacks (2 per Henri/Henri Now Unit)	AHDDJ \$ 53
Quick Connect (1 per Henri/Henri Now Unit)	
Voice/Data	AHQCVDJ \$ 117
Quick Connect (1 per Henri/Henri Now Unit)	
Data/Data	AHQCDDJ \$ 135

Wire Management Options	
Basket, Modesty Mount	WBM \$ 57
Basket, Under Top Mount	WBT \$ 57
Wire Metal Legway (each)	WUL \$ 37
1 Oval Brush Grommet - Location A	WOA \$ 57
2 Oval Brush Grommets - Location E	WOE \$ 114
1 Oval Brush Grommet - Provide Location Print	WOG \$ 57
1 Round Grommet - Location A	WRA \$ 45
2 Round Grommets - Location E	WRE \$ 89
1 Round Grommet - Provide Location Print	WRG \$ 45

Accessories	
Keyboard Platform w/Mouse Surface	AKP24M \$ 468
CPU Holder (3"- 9" adjustment)	ACPU3-9F \$ 144
CPU Holder (5"- 8" adjustment)	ACPU5-8F \$ 94
CPU Holder (3"- 5" adjustment)	ACPU3F \$ 94
Table Floor Mount Bracket Set	AFB \$ 33



A **UST1 3042REFX LP2R** is a Uno² series 30" x 42" rectangle table with fixed T1 bases and a laminate 1 1/4" thick top with a PVC edge and radius corners.

The codes **GR/TN VS 6002-T/EB** specify a Graphite base, Nevamar VS 6002-T laminate and the PVC edge in Ebony.











BUC/TLL/PH2/WUL adds dual wheel casters, a lightweight laminate core, 2 Henris installed in specified location and a wire metal legway.

Rectangle



Questions?
1.800.876.2120

Black = Fixed Bases



		top > edge >	Laminate PVC	Laminate 3mm Wood	Laminate 2mm Acrylic	Laminate Wood	Veneer 3mm Wood		
			Flat 	Flat 	Reverse Bevel 	Square 	Flat 		
		edge ordering code (radius corner) > or edge ordering code (square corner) > top thickness >	LP2R or LP2S 1 1/4"	LP3R or LP3S 1 3/4"	LW2R or LW2S 1 1/4"	LMRA2R or LMRA2S 1 1/4"	LWS2 1 1/4"	LWS3 1 3/4"	VW2R or VW2S 1 1/4"
			Fluted 	Fluted 		Fluted 	Fluted 		
		edge ordering code (radius corner) > or edge ordering code (square corner) > top thickness >	LPF2R or LPF2S 1 1/4"	LPF3R or LPF3S 1 3/4"	LWF2R or LWF2S 1 1/4"	LWF2 1 1/4"	LWF3 1 3/4"	VWF2R or VWF2S 1 1/4"	
		top thickness price >	1 1/4"	1 3/4"	1 1/4"	1 1/4"	1 3/4"	1 1/4"	
Base Style	Table Description	Model #	Product Wt						
 L1	30 x 42 Fix	USL1 3042REFX	76	741	789	964	1072	1097	1449
	30 x 48 Fix	USL1 3048REFX	86	804	885	1080	1210	1238	1629
	30 x 60 Fix	USL1 3060REFX	100	853	888	1206	1390	1420	1794
	30 x 72 Fix	USL1 3072REFX	115	920	958	1334	1558	1600	1996
	30 x 84 Fix	USL1 3084REFX	129	984	1040	1506	1774	1829	2175
	30 x 90 Fix	USL1 3090REFX	144	1051	1144	1628	1934	1975	2369
	30 x 96 Fix	USL1 3096REFX	149	1108	1205	1728	2060	2115	2431

Sample Product
Number Construction:

- 1 Choose your base model, including a top & edge style.
- 2 Specify the base finish, laminate or veneer code, and edge color.
- 3 a. Indicate selected base options.
b. Indicate selected top options.
c. Indicate selected power and data options.
d. Indicate selected wire management options.



Veneer Wood	
Square 	
VWS2 1 1/4"	VWS3 1 3/4"
Fluted 	
VWF2 1 1/4"	VWF3 1 3/4"
1566	1673
1765	1895
1948	2099
2172	2308
2372	2562
2585	2766
2657	2866

Base Options	Code	Price
Alternate Table Height 32" & Under	BAH	\$ 59
Alternate Table Height 32" & Over	BSP	call
Stretcher Rail (Fix/Tilt) Finish Same as Base Tables 36" H & Over Require a Stretcher Rail	BSR	\$ 147
Casters  - Dual Wheel	BUC	\$ 103
Mix - Dual Wheel Casters & Glides	BMD	\$ 97
Self-Leveling Glides 	BLG	\$ 28
Slim-Tilt	BST	\$ 90

Finish Options	Price
Chrome	\$ 400
Nickel	\$ 99
Powder Coat - Standard	n/c
Powder Coat - Premium	\$ 99

Top Options	Code	Price
Table Link (all four sides)	TLK	\$ 153
Table Link (30" ends only)	TLE	\$ 80
Lightweight Laminate Core (to 96" length)	TLL	\$ 145
Special Laminate	TSP	call
Laptop Locker (each)	TLA	\$ 850
(available on fixed tables only, see page 35 in All Tables Price List for additional information)		
Electronic Lock (per locker)	TLEL	\$ 220
Power Unit (up to 10 lockers sequenced, includes 1 key) - required for electronic lock	TLPU	\$ 350


Power and Data Options	Code	Price
Henri (each, jacks not included) Jack Options listed below	PH1	\$ 211
Henri Now (each, jacks not included) Power Infeed Cord required, additional charge Jack Options Voice and Data only, listed below	PHN1	\$ 193
Power Access (each, jacks not included) Power Infeed Cord required when linked, additional charge Finish Options	EPA	\$ 388
Powder Coat		included
Clear Anodized Aluminum (each)		+\$44
Stainless Steel (each)		+\$44
Black Anodized (each)		+\$44
Configurable Data Plate - Options listed below		
Power Infeed Cord (each)	HNPU	\$ 193
Power & Data Globe w/Data Jacks	PPD	\$ 247
Power Source Outlets	PPS	\$ 67
Powerlink Package	PPT	\$ 760

Configurable Data Plate Options	Code	Price	
Power Access/Power Bay (call for configuration options)			
CAT 6 Data	DA \$ 25	HDMI	HD \$ 56
CAT 3 Voice	VO \$ 8	DVI	DV \$ 44
VGA	VG \$ 16	USB	US \$ 24
Mini-Stereo	MS \$ 12	RCA	RC \$ 24

Henri/Henri Now Options	Code	Price
Voice & Data Jacks (1 ea per Henri/Henri Now Unit)	AHVDJ	\$ 47
Data Jacks (2 per Henri/Henri Now Unit)	AHDDJ	\$ 53
Quick Connect (1 per Henri/Henri Now Unit)		
Voice/Data	AHQCVDJ	\$ 117
Quick Connect (1 per Henri/Henri Now Unit)		
Data/Data	AHQCDJ	\$ 135

Wire Management Options	Code	Price
Basket, Modesty Mount	WBM	\$ 57
Basket, Under Top Mount	WBT	\$ 57
Wire Metal Legway (each)	WUL	\$ 37
1 Oval Brush Grommet - Location A	WOA	\$ 57
2 Oval Brush Grommets - Location E	WOE	\$ 114
1 Oval Brush Grommet - Provide Location Print	WOG	\$ 57
1 Round Grommet - Location A	WRA	\$ 45
2 Round Grommets - Location E	WRE	\$ 89
1 Round Grommet - Provide Location Print	WRG	\$ 45

Accessories	Code	Price
Keyboard Platform w/Mouse Surface	AKP24M	\$ 468
CPU Holder (3"- 9" adjustment)	ACPU3-9F	\$ 144
CPU Holder (5"- 8" adjustment)	ACPU5-8F	\$ 94
CPU Holder (3"- 5" adjustment)	ACPU3F	\$ 94
Table Floor Mount Bracket Set	AFB	\$ 33



A **USL1 3042REFX LP2R** is a Uno² series 30" x 42" rectangle table with fixed L1 bases and a laminate 1 1/4" thick top with a PVC edge and radius corners.

The codes **GR/TN VS 6002-T/EB** specify a Graphite base, Nevamar VS 6002-T laminate and the PVC edge in Ebony.

BUC/TLL/PH2/WUL adds dual wheel casters, a lightweight laminate core, 2 Henris installed in specified location and a wire metal legway.



Questions?

1.800.876.2120

Black = Fixed Bases

Blue = Tilt Bases



top > edge >	Laminate PVC	Laminate 3mm Wood	Laminate 2mm Acrylic	Laminate Wood	Veneer 3mm Wood	
	Flat 	Flat 	Reverse Bevel 	Square 	Flat 	
edge ordering code (radius corner) > or edge ordering code (square corner) > top thickness >	LP2R or LP2S 1 1/4"	LP3R or LP3S 1 3/4"	LW2R or LW2S 1 1/4"	LMRA2R or LMRA2S 1 1/4"	LWS2 1 1/4" LWS3 1 3/4"	VW2R or VW2S 1 1/4"
	Fluted 	Fluted 		Fluted 	Fluted 	
edge ordering code (radius corner) > or edge ordering code (square corner) > top thickness >	LPF2R or LPF2S 1 1/4"	LPF3R or LPF3S 1 3/4"	LWF2R or LWF2S 1 1/4"		LWF2 1 1/4" LWF3 1 3/4"	VWF2R or VWF2S 1 1/4"
top thickness price >	1 1/4"	1 3/4"	1 1/4"		1 1/4" 1 3/4"	1 1/4"



Base Style	Table Description	Model #	Product Wt	1 1/4"		1 1/4"		1 3/4"		
 T1	T1 36 x 48 Fix	UST1 3648REFX	86	855	932	1255		1382	1540	1978
	36 x 48 Tilt	UST1 3648RETL	96	1066	1141	1464		1591	1749	2187
	36 x 60 Fix	UST1 3660REFX	113	922	997	1348		1492	1652	2092
	36 x 60 Tilt	UST1 3660RETL	123	1131	1208	1558		1701	1861	2302
	36 x 72 Fix	UST1 3672REFX	130	960	1030	1445		1688	1715	2323
	36 x 72 Tilt	UST1 3672RETL	140	1170	1242	1654		1898	1925	2533
	36 x 84 Fix	UST1 3684REFX	147	1156	1193	1661		1917	1959	2526
	36 x 84 Tilt	UST1 3684RETL	157	1366	1402	1870		2126	2169	2735
	36 x 96 Fix	UST1 3696REFX	151	1274	1394	1869		2185	2223	2694
	36 x 96 Tilt	UST1 3696RETL	161	1483	1603	2079		2395	2432	2905
	36 x 120 Fix	UST1 36120REFX	188	1840	1961	2682		3162	3201	3550
 TC	TC 36 x 48 Fix	USTC 3648REFX	86	855	932	1255		1382	1540	1978
	36 x 48 Tilt	USTC 3648RETL	96	1066	1141	1464		1591	1749	2187
	36 x 60 Fix	USTC 3660REFX	113	922	997	1348		1492	1652	2092
	36 x 60 Tilt	USTC 3660RETL	123	1131	1208	1558		1701	1861	2302
	36 x 72 Fix	USTC 3672REFX	130	960	1030	1445		1688	1715	2323
	36 x 72 Tilt	USTC 3672RETL	140	1170	1242	1654		1898	1925	2533
	36 x 84 Fix	USTC 3684REFX	147	1156	1193	1661		1917	1959	2526
	36 x 84 Tilt	USTC 3684RETL	157	1366	1402	1870		2126	2169	2735
	36 x 96 Fix	USTC 3696REFX	151	1274	1394	1869		2185	2223	2694
	36 x 96 Tilt	USTC 3696RETL	161	1483	1603	2079		2395	2432	2905
	36 x 120 Fix	USTC 36120REFX	188	1840	1961	2682		3162	3201	3550

Sample Product Number Construction:

- Choose your base model, including a top & edge style.
- Specify the base finish, laminate or veneer code, and edge color.
- Indicate selected base options.
 - Indicate selected top options.
 - Indicate selected power and data options.
 - Indicate selected wire management options.



Veneer Wood	
Square 	
VWS2 1 1/4"	VWS3 1 3/4"
Fluted 	
VWF2 1 1/4"	VWF3 1 3/4"
1 1/4"	1 3/4"
2153	2241
2362	2452
2280	2368
2490	2578
2536	2630
2745	2839
2761	2872
2971	3082
2949	3072
3160	3281
3877	3999
2153	2241
2362	2452
2280	2368
2490	2578
2536	2630
2745	2839
2761	2872
2971	3082
2949	3072
3160	3281
3877	3999

Base Options	Code	Price
Alternate Table Height 32" & Under	BAH	\$ 59
Alternate Table Height 32" & Over	BSP	call
Stretcher Rail (Fix/Tilt) Finish Same as Base Tables 36" H & Over Require a Stretcher Rail	BSR	\$ 147
Casters  - Dual Wheel	BUC	\$ 103
Mix - Dual Wheel Casters & Glides	BMD	\$ 97
Self-Leveling Glides 	BLG	\$ 28
Slim-Tilt (T1 base only)	BST	\$ 90

Finish Options		
Chrome		\$ 400
Nickel		\$ 99
Powder Coat - Standard		n/c
Powder Coat - Premium		\$ 99

Top Options		
Table Link (all four sides)	TLK	\$ 153
Table Link (36" ends only)	TLE	\$ 80
Lightweight Laminate Core (to 96" length)	TLL	\$ 145
Special Laminate	TSP	call
Laptop Locker (each)	TLA	\$ 850
(available on fixed tables only, see page 35 in All Tables Price List for additional information)		
Electronic Lock (per locker)	TLEL	\$ 220
Power Unit (up to 10 lockers sequenced, includes 1 key) - required for electronic lock	TLPU	\$ 350

Power and Data Options		
Henri (each, jacks not included)	PH1	\$ 211
Jack Options listed below		
Henri Now (each, jacks not included)	PHN1	\$ 193
Power Infeed Cord required, additional charge		
Jack Options Voice and Data only, listed below		
Power Access (each, jacks not included)	EPA	\$ 388
Power Infeed Cord required when linked, additional charge		
Finish Options		
Powder Coat		included
Clear Anodized Aluminum (each)		+\$44
Stainless Steel (each)		+\$44
Black Anodized (each)		+\$44


Configurable Data Plate - Options listed below		
Power Infeed Cord (each)	HNPU	\$ 193
Power & Data Globe w/Data Jacks	PPD	\$ 247
Power Source Outlets	PPS	\$ 67
Powerlink Package	PPT	\$ 760

Configurable Data Plate Options					
Power Access/Power Bay (call for configuration options)					
CAT 6 Data	DA	\$ 25	HDMI	HD	\$ 56
CAT 3 Voice	VO	\$ 8	DVI	DV	\$ 44
VGA	VG	\$ 16	USB	US	\$ 24
Mini-Stereo	MS	\$ 12	RCA	RC	\$ 24

Henri/Henri Now Options	
Voice & Data Jacks (1 ea per Henri/Henri Now Unit)	AHVDJ \$ 47
Data Jacks (2 per Henri/Henri Now Unit)	AHDDJ \$ 53
Quick Connect (1 per Henri/Henri Now Unit)	
Voice/Data	AHQCVDJ \$ 117
Quick Connect (1 per Henri/Henri Now Unit)	
Data/Data	AHQCDDJ \$ 135

Wire Management Options	
Basket, Modesty Mount	WBM \$ 57
Basket, Under Top Mount	WBT \$ 57
Wire Metal Legway (each)	WUL \$ 37
1 Oval Brush Grommet - Location A	WOA \$ 57
2 Oval Brush Grommets - Location E	WOE \$ 114
1 Oval Brush Grommet - Provide Location Print	WOG \$ 57
1 Round Grommet - Location A	WRA \$ 45
2 Round Grommets - Location E	WRE \$ 89
1 Round Grommet - Provide Location Print	WRG \$ 45

Accessories	
Keyboard Platform w/Mouse Surface	AKP24M \$ 468
CPU Holder (3"- 9" adjustment)	ACPU3-9F \$ 144
CPU Holder (5"- 8" adjustment)	ACPU5-8F \$ 94
CPU Holder (3"- 5" adjustment)	ACPU3F \$ 94
Table Floor Mount Bracket Set	AFB \$ 33



A **UST1 3648REFX LP2R** is a Uno² series 36" x 48" rectangle table with fixed T1 bases and a laminate 1 1/4" thick top with a PVC edge and radius corners.

The codes **GR / TN VS 6002-T / EB** specify a Graphite base, Nevamar VS 6002-T laminate and the PVC edge in Ebony.

BUC/TLL/PH2/WUL adds dual wheel casters, a lightweight laminate core, 2 Henris installed in specified location and a wire metal legway.

Large Rectangle





Questions?
1.800.876.2120



Black = Fixed Bases

		top > edge >	Laminate PVC	Laminate 3mm Wood	Laminate 2mm Acrylic	Laminate Wood	Veneer 3mm Wood		
			Flat 	Flat 	Reverse Bevel 	Square 	Flat 		
		edge ordering code (radius corner) > or edge ordering code (square corner) > top thickness >	LP2R or LP2S 1 1/4"	LP3R or LP3S 1 3/4"	LW2R or LW2S 1 1/4"	LMRA2R or LMRA2S 1 1/4"	LWS2 1 1/4"	LWS3 1 3/4"	VW2R or VW2S 1 1/4"
			Fluted 	Fluted 		Fluted 	Fluted 		
		edge ordering code (radius corner) > or edge ordering code (square corner) > top thickness >	LPF2R or LPF2S 1 1/4"	LPF3R or LPF3S 1 3/4"	LWF2R or LWF2S 1 1/4"		LWF2 1 1/4"	LWF3 1 3/4"	VWF2R or VWF2S 1 1/4"
		top thickness price >	1 1/4"	1 3/4"	1 1/4"		1 1/4"	1 3/4"	1 1/4"
Base Style	Table Description	Model #	Product Wt						
<p>T2</p>	T2 42 x 72 Fix	UST2 4272REFX	176	1468	1599	2046	2406	2464	2867
	42 x 84 Fix	UST2 4284REFX	195	1565	1719	2321	2796	2881	3114
	42 x 96 Fix	UST2 4296REFX	214	1620	1782	2403	2915	3010	3337
	48 x 96 Fix	UST2 4896REFX	247	1666	1838	2505	3027	3124	3585
	48 x 120 Fix	UST2 48120REFX	310		2470			4116	
	48 x 144 Fix	UST2 48144REFX	354		2750			4545	
	48 x 192 Fix	UST2 48192REFX	458		4162			7269	
	60 x 120 Fix	UST2 60120REFX	387		2470			4116	
	60 x 144 Fix	UST2 60144REFX	449		2932			4872	
	60 x 192 Fix	UST2 60192REFX	593		4426			7581	

Sample Product
Number Construction:

- 1 Choose your base model, including a top & edge style.
- 2 Specify the base finish, laminate or veneer code, and edge color.
- 3
 - a. Indicate selected base options.
 - b. Indicate selected top options.
 - c. Indicate selected power and data options.
 - d. Indicate selected wire management options.

Veneer Wood	
Square 	
VWS2 1 1/4"	VWS3 1 3/4"
Fluted 	
VWF2 1 1/4"	VWF3 1 3/4"
3113	3219
3386	3501
3634	3763
3909	4038
	5161
	5827
	8246
	5161
	6175
	8232

Base Options	Code	Price
Stretcher Rail (Fix/Tilt) Finish Same as Base Tables 36" H & Over Require a Stretcher Rail	BSR	\$ 147
Casters  - Dual Wheel	BUC	\$ 103
Mix - Dual Wheel Casters & Glides	BMD	\$ 97
Self-Leveling Glides 	BLG	\$ 28

Finish Options		
Chrome		\$ 400
Nickel		\$ 99
Powder Coat - Standard		n/c
Powder Coat - Premium		\$ 99

Top Options		
Table Link (all four sides)	TLK	\$ 153
Table Link (42", 48", or 60" ends only)	TLE	\$ 80
Lightweight Laminate Core (to 96" length)	TLL	\$ 145
Special Laminate	TSP	call

Power and Data Options		
Henri (each, jacks not included)	PH1	\$ 211
Jack Options listed below		
Henri Now (each, jacks not included)	PHN1	\$ 193
Power Infeed Cord required, additional charge		
Jack Options Voice and Data only, listed below		

Power Access (each, jacks not included)	EPA	\$ 388
Power Infeed Cord required when linked, additional charge		

Finish Options		
Powder Coat		included
Clear Anodized Aluminum (each)		+\$44
Stainless Steel (each)		+\$44
Black Anodized (each)		+\$44
Configurable Data Plate - Options listed below		

Power Infeed Cord (each)	HNPU	\$ 193
Power Bay (each, jacks not included)	EPB	\$1200
Additional EPB per table		\$ 800

Finish Options		
Powder Coat		included
Clear Anodized Aluminum (each)		+\$85
Black Anodized (each)		+\$85
Configurable Data Plate - Options listed below		


Power & Data Globe w/Data Jacks	PPD	\$ 247
Power Source Outlets	PPS	\$ 67
Powerlink Package	PPT	\$ 760

Configurable Data Plate Options			
Power Access/Power Bay (call for configuration options)			
CAT 6 Data	DA \$ 25	HDMI	HD \$ 56
CAT 3 Voice	VO \$ 8	DVI	DV \$ 44
VGA	VG \$ 16	USB	US \$ 24
Mini-Stereo	MS \$ 12	RCA	RC \$ 24

Henri/Henri Now Options		
Voice & Data Jacks (1 ea per Henri/Henri Now Unit)	AHVDJ	\$ 47
Data Jacks (2 per Henri/Henri Now Unit)	AHDDJ	\$ 53
Quick Connect (1 per Henri/Henri Now Unit)		
Voice/Data	AHQVDJ	\$ 117
Quick Connect (1 per Henri/Henri Now Unit)		
Data/Data	AHQDDJ	\$ 135

Wire Management Options		
Basket, Modesty Mount	WBM	\$ 57
Basket, Under Top Mount	WBT	\$ 57
Wire Metal Legway (each)	WUL	\$ 37
1 Oval Brush Grommet - Location A	WOA	\$ 57
2 Oval Brush Grommets - Location E	WQE	\$ 114
1 Oval Brush Grommet - Provide Location Print	WOG	\$ 57
1 Round Grommet - Location A	WRA	\$ 45
2 Round Grommets - Location E	WRE	\$ 89
1 Round Grommet - Provide Location Print	WRG	\$ 45
Power Hatch (black) - Available in 6" increments	WPH	
24" or less (each)		\$ 156
25" to 48" (each)		\$ 204
49" to 81" (each)		\$ 248

Accessories		
Keyboard Platform w/Mouse Surface	AKP24M	\$ 468
CPU Holder (3"- 9" adjustment)	ACPU3-9F	\$ 144
CPU Holder (5"- 8" adjustment)	ACPU5-8F	\$ 94
CPU Holder (3"- 5" adjustment)	ACPU3F	\$ 94
Table Floor Mount Bracket Set	AFB	\$ 33



A **UST2 4272REFX LP2R** is a Uno² series 42" x 72" rectangle table with fixed T2 bases and a laminate 1 1/4" thick top with a PVC edge and radius corners.

The codes **GR/TN VS 6002-T/EB** specify a Graphite base, Nevamar VS 6002-T laminate and the PVC edge in Ebony.

BUC/TLL/PH2/WUL adds dual wheel casters, a lightweight laminate core, 2 Henris installed in specified location and a wire metal legway.

Racetrack & Oval



Questions?
1.800.876.2120



Black = Fixed Bases
Blue = Tilt Bases

top > edge >	Laminate PVC	Laminate 3mm Wood	Laminate 2mm Acrylic	Laminate Wood	Veneer 3mm Wood		
	Flat 	Flat 	Reverse Bevel 	Square 	Flat 		
edge ordering code (radius corner) > or edge ordering code (square corner) > top thickness >	LP2R or LP2S 1 1/4"	LP3R or LP3S 1 3/4"	LW2R or LW2S 1 1/4"	LMRA2R or LMRA2S 1 1/4"	LWS2 1 1/4"	LWS3 1 3/4"	VW2R or VW2S 1 1/4"
	Fluted 	Fluted 		Fluted 	Fluted 		
edge ordering code (radius corner) > or edge ordering code (square corner) > top thickness >	LPF2R or LPF2S 1 1/4"	LPF3R or LPF3S 1 3/4"	LWF2R or LWF2S 1 1/4"		LWF2 1 1/4"	LWF3 1 3/4"	VWF2R or VWF2S 1 1/4"
top thickness price >	1 1/4"	1 3/4"	1 1/4"		1 1/4"	1 3/4"	1 1/4"

Base Style	Table Description	Model #	Product Wt	1 1/4"		1 1/4"		1 1/4"		
Racetrack										
	T1 36 x 72 Fix	UST1 3672RAFX	120	1201	1322	1795		2150	2231	3491
	36 x 72 Tilt	UST1 3672RATL	130	1411	1531	2004		2359	2441	3700
	T2 42 x 84 Fix	UST2 4284RAFX	182	1663	1832	2543		3087	3169	4228
	42 x 96 Fix	UST2 4296RAFX	201	1808	2010	2684		3212	3302	4593
	48 x 96 Fix	UST2 4896RAFX	217	1836	2048	2769		3345	3432	4702
	48 x 120 Fix	UST2 48120RAFX	264		2655				4164	
	48 x 144 Fix	UST2 48144RAFX	335		3247				4999	
Oval										
	T1 36 x 72 Fix	UST1 3672OVFX	118	1281	1414	1934		2325	2415	3799
	36 x 72 Tilt	UST1 3672OVTL	128	1491	1623	2143		2534	2624	4008
	T2 42 x 84 Fix	UST2 4284OVFX	174		1949				3419	
	48 x 96 Fix	UST2 4896OVFX	210		2186				3710	
	48 x 120 Fix	UST2 48120OVFX	252		2854				4513	

Sample Product Number Construction:

- Choose your base model, including a top & edge style.
- Specify the base finish, laminate or veneer code, and edge color.
- Indicate selected base options.
 - Indicate selected top options.
 - Indicate selected power and data options.
 - Indicate selected wire management options.

Veneer Wood	
Square	
	
VWS2	VWS3
1 1/4"	1 1/4"
Fluted	
	
VWF2	VWF3
1 1/4"	1 1/4"
1 1/4"	1 1/4"
3833	3954
4043	4164
4623	4788
5029	5217
5152	5328
	5909
	7653

4177	4309
4386	4519
	5200
	5793
	6433

Base Options	Code	Price
Casters ① - Dual Wheel	.BUC	\$ 103
Mix - Dual Wheel Casters & Glides	.BMD	\$ 97
Self-Leveling Glides ②	.BLG	\$ 28

Finish Options		
Chrome		\$ 400
Nickel		\$ 99
Powder Coat - Standard		n/c
Powder Coat - Premium		\$ 99

Top Options		
2-Piece Top (120" length only)	.T2P	\$ 387
Lightweight Laminate Core (to 96" length)	.TLL	\$ 145
Special Laminate	.TSP	call

Power and Data Options		
Henri (each, jacks not included)	.PH1	\$ 211
Jack Options listed below		
Henri Now (each, jacks not included)	.PHN1	\$ 193
Power Infeed Cord required, additional charge		
Jack Options Voice and Data only, listed below		

Power Access (each, jacks not included)	.EPA	\$ 388
Power Infeed Cord required when linked, additional charge		

Finish Options		
Powder Coat		included
Clear Anodized Aluminum (each)		+\$44
Stainless Steel (each)		+\$44
Black Anodized (each)		+\$44
Configurable Data Plate - Options listed below		

Power Infeed Cord (each)	.HNPU	\$ 193
Power Bay (each, jacks not included, T2 only)	.EPB	\$1200
Additional EPB per table		\$ 800

Finish Options		
Powder Coat		included
Clear Anodized Aluminum (each)		+\$85
Black Anodized (each)		+\$85
Configurable Data Plate - Options listed below		


Power & Data Globe w/Data Jacks	.PPD	\$ 247
Power Source Outlets	.PPS	\$ 67
Powerlink Package	.PPT	\$ 760

Configurable Data Plate Options			
Power Access/Power Bay (call for configuration options)			
CAT 6 Data	.DA \$ 25	HDMI	.HD \$ 56
CAT 3 Voice	.VO \$ 8	DVI	.DV \$ 44
VGA	.VG \$ 16	USB	.US \$ 24
Mini-Stereo	.MS \$ 12	RCA	.RC \$ 24

Henri/Henri Now Options		
Voice & Data Jacks (1 ea per Henri/Henri Now Unit)	.AHVDJ	\$ 47
Data Jacks (2 per Henri/Henri Now Unit)	.AHDDJ	\$ 53
Quick Connect (1 per Henri/Henri Now Unit)		
Voice/Data	.AHQCVDJ	\$ 117
Quick Connect (1 per Henri/Henri Now Unit)		
Data/Data	.AHQCDDJ	\$ 135

Wire Management Options		
Basket, Modesty Mount	.WBM	\$ 57
Basket, Under Top Mount	.WBT	\$ 57
Wire Metal Legway (each)	.WUL	\$ 37
1 Oval Brush Grommet - Location A	.WOA	\$ 57
2 Oval Brush Grommets - Location E	.WOE	\$ 114
1 Oval Brush Grommet - Provide Location Print	.WOG	\$ 57
1 Round Grommet - Location A	.WRA	\$ 45
2 Round Grommets - Location E	.WRE	\$ 89
1 Round Grommet - Provide Location Print	.WRG	\$ 45
Power Hatch (black) - Available in 6" increments	.WPH	
24" or less (each)		\$ 156
25" to 48" (each)		\$ 204
49" to 81" (each)		\$ 248

Accessories		
Keyboard Platform w/Mouse Surface	.AKP24M	\$ 468
CPU Holder (3"- 9" adjustment)	.ACPU3-9F	\$ 144
CPU Holder (5"- 8" adjustment)	.ACPU5-8F	\$ 94
CPU Holder (3"- 5" adjustment)	.ACPU3F	\$ 94
Table Floor Mount Bracket Set	.AFB	\$ 33



A **UST1 3672RAFX LP2R** is a Uno² series 36" x 72" racetrack table with fixed T1 bases and a laminate 1 1/4" thick top with a PVC edge and radius corners.

The codes **GR/TN VS 6002-T/EB** specify a Graphite base, Nevamar VS 6002-T laminate and the PVC edge in Ebony.

BUC/TLL/PH2/WUL adds dual wheel casters, a lightweight laminate core, 2 Henris installed in specified location and a wire metal legway.



Questions?
1.800.876.2120

Black = Fixed Bases

top > edge >	Laminate PVC	Laminate 3mm Wood	Laminate 2mm Acrylic	Laminate Wood	Veneer 3mm Wood	
	Flat 	Flat 	Reverse Bevel 	Square 	Flat 	
edge ordering code (radius corner) > or edge ordering code (square corner) > top thickness >	LP2R or LP2S 1 1/4"	LP3R or LP3S 1 3/4"	LW2R or LW2S 1 1/4"	LMRA2R or LMRA2S 1 1/4"	LWS2 1 1/4" LWS3 1 3/4"	VW2R or VW2S 1 1/4"
	Fluted 	Fluted 		Fluted 	Fluted 	
edge ordering code (radius corner) > or edge ordering code (square corner) > top thickness >	LPF2R or LPF2S 1 1/4"	LPF3R or LPF3S 1 3/4"	LWF2R or LWF2S 1 1/4"		LWF2 1 1/4" LWF3 1 3/4"	VWF2R or VWF2S 1 1/4"
top thickness price >	1 1/4"	1 3/4"	1 1/4"		1 1/4" 1 3/4"	1 1/4"

Base Style	Table Description	Model #	Product Wt						
 T2	30 x 42 x 96 Fix	UST2 3096BTFX	214	1873	2123	2894	3510	3611	5026
	36 x 48 x 96 Fix	UST2 3696BTFX	236	1890	2140	2980	3656	3608	5144
	36 x 48 x 120 Fix	UST2 36120BTFX	310		3057			4888	
	36 x 48 x 144 Fix	UST2 36144BTFX	354		3527			5466	

Sample Product
Number Construction:

- 1 Choose your base model, including a top & edge style.
- 2 Specify the base finish, laminate or veneer code, and edge color.
- 3
 - a. Indicate selected base options.
 - b. Indicate selected top options.
 - c. Indicate selected power and data options.
 - d. Indicate selected wire management options.



Veneer Wood	
Square	
VWS2	VWS3
1 1/4"	1 3/4"
Fluted	
VWF2	VWF3
1 1/4"	1 3/4"
1 1/4"	1 3/4"
5511	5718
5642	5839
	6808
	8296

Base Options	Code	Price
Casters ❶ - Dual Wheel	.BUC	\$ 103
Mix - Dual Wheel Casters & Glides	.BMD	\$ 97
Self-Leveling Glides ❷	.BLG	\$ 28

Finish Options		
Chrome		\$ 400
Nickel		\$ 99
Powder Coat - Standard		n/c
Powder Coat - Premium		\$ 99

Top Options		
2-Piece Top (120" length only)	.T2P	\$ 387
Lightweight Laminate Core (to 96" length)	.TLL	\$ 145
Special Laminate	.TSP	call

Power and Data Options		
Henri (each, jacks not included)	.PH1	\$ 211
Jack Options listed below		

Henri Now (each, jacks not included)	.PHN1	\$ 193
Power Infeed Cord required, additional charge		
Jack Options Voice and Data only, listed below		

Power Access (each, jacks not included)	.EPA	\$ 388
Power Infeed Cord required when linked, additional charge		

Finish Options		
Powder Coat		included
Clear Anodized Aluminum (each)		+\$44
Stainless Steel (each)		+\$44
Black Anodized (each)		+\$44

Configurable Data Plate - Options listed below		
Power Infeed Cord (each)	.HNPU	\$ 193
Power Bay (each, jacks not included, T2 only)	.EPB	\$1200
Additional EPB per table		\$ 800

Finish Options		
Powder Coat		included
Clear Anodized Aluminum (each)		+\$85
Black Anodized (each)		+\$85


Configurable Data Plate - Options listed below		
Power & Data Globe w/Data Jacks	.PPD	\$ 247
Power Source Outlets	.PPS	\$ 67
Powerlink Package	.PPT	\$ 760

Configurable Data Plate Options			
Power Access/Power Bay (call for configuration options)			
CAT 6 Data	.DA \$ 25	HDMI	.HD \$ 56
CAT 3 Voice	.VO \$ 8	DVI	.DV \$ 44
VGA	.VG \$ 16	USB	.US \$ 24
Mini-Stereo	.MS \$ 12	RCA	.RC \$ 24

Henri/Henri Now Options		
Voice & Data Jacks (1 ea per Henri/Henri Now Unit)	.AHVDJ	\$ 47
Data Jacks (2 per Henri/Henri Now Unit)	.AHDDJ	\$ 53
Quick Connect (1 per Henri/Henri Now Unit)		
Voice/Data	.AHQCVDJ	\$ 117
Quick Connect (1 per Henri/Henri Now Unit)		
Data/Data	.AHQCDDJ	\$ 135

Wire Management Options		
Basket, Modesty Mount	.WBM	\$ 57
Basket, Under Top Mount	.WBT	\$ 57
Wire Metal Legway (each)	.WUL	\$ 37
1 Oval Brush Grommet - Location A	.WOA	\$ 57
2 Oval Brush Grommets - Location E	.WOE	\$ 114
1 Oval Brush Grommet - Provide Location Print	.WOG	\$ 57
1 Round Grommet - Location A	.WRA	\$ 45
2 Round Grommets - Location E	.WRE	\$ 89
1 Round Grommet - Provide Location Print	.WRG	\$ 45
Power Hatch (black) - Available in 6" increments	.WPH	
24" or less (each)		\$ 156
25" to 48" (each)		\$ 204
49" to 81" (each)		\$ 248

Accessories		
Keyboard Platform w/Mouse Surface	.AKP24M	\$ 468
CPU Holder (3"- 9" adjustment)	.ACPU3-9F	\$ 144
CPU Holder (5"- 8" adjustment)	.ACPU5-8F	\$ 94
CPU Holder (3"- 5" adjustment)	.ACPU3F	\$ 94
Table Floor Mount Bracket Set	.AFB	\$ 33



A **UST2 3096BTFX LP2R** is a Uno² series 30" x 42" x 96" boat table with fixed T2 bases and a laminate 1 1/4" thick top with a PVC edge and radius corners.

The codes **GR/TN VS 6002-T/EB** specify a Graphite base, Nevamar VS 6002-T laminate and the PVC edge in Ebony.

BUC/TLL/PH2/WUL adds dual wheel casters, a lightweight laminate core, 2 Henris installed in specified location and a wire metal legway.

Split Rectangle





Questions?
1.800.876.2120

Black = Fixed Bases

		top > edge >	Laminate PVC	Laminate 3mm Wood	Laminate 2mm Acrylic	Laminate Wood	Veneer 3mm Wood		
			Flat 	Flat 	Reverse Bevel 	Square 	Flat 		
		edge ordering code (radius corner) > or edge ordering code (square corner) > top thickness >	LP2R or LP2S 1 1/4"	LP3R or LP3S 1 3/4"	LW2R or LW2S 1 1/4"	LMRA2R or LMRA2S 1 1/4"	LWS2 1 1/4" LWS3 1 3/4"	VW2R or VW2S 1 1/4"	
			Fluted 	Fluted 		Fluted 	Fluted 		
		edge ordering code (radius corner) > or edge ordering code (square corner) > top thickness >	LPF2R or LPF2S 1 1/4"	LPF3R or LPF3S 1 3/4"	LWF2R or LWF2S 1 1/4"	LWF2 1 1/4" LWF3 1 3/4"	VWF2R or VWF2S 1 1/4"		
		top thickness price >	1 1/4"	1 3/4"	1 1/4"	1 1/4" 1 3/4"	1 1/4"		
Base Style	Table Description	Model #	Product Wt						
	T1 36 x 48 Split Rect Fix	UST1 3648RSFX	137	2044	2188	2514	2758	2804	3582
	36 x 60 Split Rect Fix	UST1 3660RSFX	147	2148	2228	2725	3028	3074	3855
	36 x 72 Split Rect Fix	UST1 3672RSFX	158	2253	2353	2936	3309	3369	4172
	TC 36 x 48 Split Rect Fix	USTC 3648RSFX	137	2044	2188	2514	2758	2804	3582
	36 x 60 Split Rect Fix	USTC 3660RSFX	147	2148	2228	2725	3028	3074	3855
	36 x 72 Split Rect Fix	USTC 3672RSFX	158	2253	2353	2936	3309	3369	4172
	L1 36 x 48 Split Rect Fix	USL1 3648RSFX	137	2044	2188	2514	2758	2804	3582
	36 x 60 Split Rect Fix	USL1 3660RSFX	147	2148	2228	2725	3028	3074	3855
	36 x 72 Split Rect Fix	USL1 3672RSFX	158	2253	2353	2936	3309	3369	4172

Sample Product
Number Construction:

- 1 Choose your base model, including a top & edge style.
- 2 Specify the base finish, laminate or veneer code, and edge color.
- 3 a. Indicate selected base options.
b. Indicate selected top options.
c. Indicate selected power and data options.
d. Indicate selected wire management options.

Veneer Wood	
Square	
	
VWS2	VWS3
1 1/4"	1 3/4"
Fluted	
	
VWF2	VWF3
1 1/4"	1 3/4"
1 1/4"	1 3/4"
3832	
4134	
4486	
3832	
4134	
4486	
3832	
4134	
4486	

Base Options	Code	Price
Casters ❶ - Dual Wheel	.BUC	\$ 103
Mix - Dual Wheel Casters & Glides	.BMD	\$ 97
Self-Leveling Glides ❷	.BLG	\$ 28

Finish Options		
Chrome		\$ 400
Nickel		\$ 99
Powder Coat - Standard		n/c
Powder Coat - Premium		\$ 99

Top Options		
Table Link	.TLK	\$ 153
Lightweight Laminate Core (to 96" length)	.TLL	\$ 145
Special Laminate	.TSP	call

Power and Data Options		
Henri (each, jacks not included)	.PH1	\$ 211
Jack Options listed below		

Henri Now (each, jacks not included)	.PHN1	\$ 193
Power Infeed Cord required, additional charge		
Jack Options Voice and Data only, listed below		

Power Access (each, jacks not included)	.EPA	\$ 388
Power Infeed Cord required when linked, additional charge		
Finish Options		
Powder Coat		included
Clear Anodized Aluminum (each)		+\$44
Stainless Steel (each)		+\$44
Black Anodized (each)		+\$44


Configurable Data Plate - Options listed below		
Power Infeed Cord (each)	.HNPU	\$ 193
Power & Data Globe w/Data Jacks	.PPD	\$ 247
Power Source Outlets	.PPS	\$ 67
Powerlink Package	.PPT	\$ 760

Configurable Data Plate Options			
Power Access/Power Bay (call for configuration options)			
CAT 6 Data	.DA \$ 25	HDMI	.HD \$ 56
CAT 3 Voice	.VO \$ 8	DVI	.DV \$ 44
VGA	.VG \$ 16	USB	.US \$ 24
Mini-Stereo	.MS \$ 12	RCA	.RC \$ 24

Henri/Henri Now Options		
Voice & Data Jacks (1 ea per Henri/Henri Now Unit)	.AHVDJ	\$ 47
Data Jacks (2 per Henri/Henri Now Unit)	.AHDDJ	\$ 53
Quick Connect (1 per Henri/Henri Now Unit)		
Voice/Data	.AHQVDJ	\$ 117
Quick Connect (1 per Henri/Henri Now Unit)		
Data/Data	.AHQDDJ	\$ 135

Wire Management Options		
Basket, Modesty Mount	.WBM	\$ 57
Basket, Under Top Mount	.WBT	\$ 57
Wire Metal Legway (each)	.WUL	\$ 37
1 Oval Brush Grommet - Location A	.WOA	\$ 57
2 Oval Brush Grommets - Location E	.WOE	\$ 114
1 Oval Brush Grommet - Provide Location Print	.WOG	\$ 57
1 Round Grommet - Location A	.WRA	\$ 45
2 Round Grommets - Location E	.WRE	\$ 89
1 Round Grommet - Provide Location Print	.WRG	\$ 45

Accessories		
Keyboard Platform w/Mouse Surface	.AKP24M	\$ 468
CPU Holder (3"- 9" adjustment)	.ACPU3-9F	\$ 144
CPU Holder (5"- 8" adjustment)	.ACPU5-8F	\$ 94
CPU Holder (3"- 5" adjustment)	.ACPU3F	\$ 94
Table Floor Mount Bracket Set	.AFB	\$ 33



A **UST1 3648RSFX LP2R** is a Uno² series 36" x 48" split rectangle table with fixed T1 bases and a laminate 1 1/4" thick top with a PVC edge and radius corners.

The codes **GR/TN VS 6002-T/EB** specify a Graphite base, Nevamar VS 6002-T laminate and the PVC edge in Ebony.

BUC/TLL/PH2/WUL adds dual wheel casters, a lightweight laminate core, 2 Henris installed in specified location and a wire metal legway.

Trapezoid



Questions?
1.800.876.2120

Black = Fixed Bases
Blue = Tilt Bases

		top > edge >		Laminate PVC	Laminate 3mm Wood	Laminate 2mm Acrylic	Laminate Wood	Veneer 3mm Wood		
				Flat 	Flat 	Reverse Bevel 	Square 	Flat 		
		edge ordering code (radius corner) > or edge ordering code (square corner) > top thickness >		LP2R or LP2S 1 1/4"	LP3R or LP3S 1 3/4"	LW2R or LW2S 1 1/4"	LMRA2R or LMRA2S 1 1/4"	LWS2 1 1/4"	LWS3 1 3/4"	VW2R or VW2S 1 1/4"
				Fluted 	Fluted 		Fluted 	Fluted 		
		edge ordering code (radius corner) > or edge ordering code (square corner) > top thickness >		LPF2R or LPF2S 1 1/4"	LPF3R or LPF3S 1 3/4"	LWF2R or LWF2S 1 1/4"	LWF2 1 1/4"	LWF3 1 3/4"	VWF2R or VWF2S 1 1/4"	
		top thickness price >		1 1/4"	1 3/4"	1 1/4"	1 1/4"	1 3/4"	1 1/4"	
Base Style	Table Description	Model #	Product Wt							
	T1 24 x 24 x 24 x 48 Fix	UST1 2448TZFX	63	799	865	1107	1320	1349	1943	
	24 x 24 x 24 x 48 Tilt	UST1 2448TZTL	73	1008	1075	1316	1529	1558	2153	
	24 x 48 x 24 x 72 Fix	UST1 2472TZFX	66	958	1036	1351	1620	1648	2229	
	24 x 48 x 24 x 72 Tilt	UST1 2472TZTL	76	1167	1245	1560	1829	1858	2439	
	30 x 30 x 30 x 60 Fix	UST1 3060TZFX	84	916	1034	1330	1612	1660	2154	
	30 x 30 x 30 x 60 Tilt	UST1 3060TZTL	94	1125	1243	1539	1822	1869	2363	
	36 x 36 x 36 x 72 Fix	UST1 3672TZFX	119	1070	1213	1583	1932	1986	2439	
	36 x 36 x 36 x 72 Tilt	UST1 3672TZTL	129	1280	1422	1793	2141	2195	2649	
	TC 24 x 24 x 24 x 48 Fix	USTC 2448TZFX	63	799	865	1107	1320	1349	1943	
	24 x 24 x 24 x 48 Tilt	USTC 2448TZTL	73	1008	1075	1316	1529	1558	2153	
	24 x 48 x 24 x 72 Fix	USTC 2472TZFX	66	958	1036	1351	1620	1648	2229	
	24 x 48 x 24 x 72 Tilt	USTC 2472TZTL	76	1167	1245	1560	1829	1858	2439	
	30 x 30 x 30 x 60 Fix	USTC 3060TZFX	84	916	1034	1330	1612	1660	2154	
	30 x 30 x 30 x 60 Tilt	USTC 3060TZTL	94	1125	1243	1539	1822	1869	2363	
	36 x 36 x 36 x 72 Fix	USTC 3672TZFX	119	1070	1213	1583	1932	1986	2439	
	36 x 36 x 36 x 72 Tilt	USTC 3672TZTL	129	1280	1422	1793	2141	2195	2649	
L1	24 x 24 x 24 x 48 Fix	USL1 2448TZFX	63	799	865	1107	1320	1349	1943	
	24 x 48 x 24 x 72 Fix	USL1 2472TZFX	66	958	1036	1351	1620	1648	2229	
	30 x 30 x 30 x 60 Fix	USL1 3060TZFX	84	916	1034	1330	1612	1660	2154	
	36 x 36 x 36 x 72 Fix	USL1 3672TZFX	119	1070	1213	1583	1932	1986	2439	

Sample Product
Number Construction:

- Choose your base model, including a top & edge style.
- Specify the base finish, laminate or veneer code, and edge color.
- Indicate selected base options.
 - Indicate selected top options.
 - Indicate selected power and data options.
 - Indicate selected wire management options.



Veneer Wood	
Square 	
VWS2 1 1/4"	VWS3 1 3/4"
Fluted 	
VWF2 1 1/4"	VWF3 1 3/4"
1 1/4"	1 3/4"
2116	2174
2325	2383
2434	2534
2643	2744
2350	2418
2559	2627
2665	2750
2874	2959
2116	2174
2325	2383
2434	2534
2643	2744
2350	2418
2559	2627
2665	2750
2874	2959
2116	2174
2434	2534
2350	2418
2665	2750

Base Options	Code	Price
Casters ① - Dual Wheel	.BUC	\$ 103
Mix - Dual Wheel Casters & Glides	.BMD	\$ 97
Self-Leveling Glides ②	.BLG	\$ 28

Finish Options		
Chrome		\$ 400
Nickel		\$ 99
Powder Coat - Standard		n/c
Powder Coat - Premium		\$ 99

Top Options		
Table Link	.TLK	\$ 153
Lightweight Laminate Core (to 96" length)	.TLL	\$ 145
Special Laminate	.TSP	call

Power and Data Options		
Henri (each, jacks not included)	.PH1	\$ 211
Jack Options listed below		

Henri Now (each, jacks not included)	.PHN1	\$ 193
Power Infeed Cord required, additional charge		
Jack Options Voice and Data only, listed below		

Power Access (each, jacks not included)	.EPA	\$ 388
Power Infeed Cord required when linked, additional charge		
Finish Options		
Powder Coat		included
Clear Anodized Aluminum (each)		+\$44
Stainless Steel (each)		+\$44
Black Anodized (each)		+\$44


Configurable Data Plate - Options listed below		
Power Infeed Cord (each)	.HNPU	\$ 193
Power & Data Globe w/Data Jacks	.PPD	\$ 247
Power Source Outlets	.PPS	\$ 67
Powerlink Package	.PPT	\$ 760

Configurable Data Plate Options			
Power Access/Power Bay (call for configuration options)			
CAT 6 Data	.DA \$ 25	HDMI	.HD \$ 56
CAT 3 Voice	.VO \$ 8	DVI	.DV \$ 44
VGA	.VG \$ 16	USB	.US \$ 24
Mini-Stereo	.MS \$ 12	RCA	.RC \$ 24

Henri/Henri Now Options		
Voice & Data Jacks (1 ea per Henri/Henri Now Unit)	.AHVDJ	\$ 47
Data Jacks (2 per Henri/Henri Now Unit)	.AHDDJ	\$ 53
Quick Connect (1 per Henri/Henri Now Unit)		
Voice/Data	.AHQVDJ	\$ 117
Quick Connect (1 per Henri/Henri Now Unit)		
Data/Data	.AHQCDDJ	\$ 135

Wire Management Options		
Basket, Modesty Mount	.WBM	\$ 57
Basket, Under Top Mount	.WBT	\$ 57
Wire Metal Legway (each)	.WUL	\$ 37
1 Oval Brush Grommet - Location A	.WOA	\$ 57
2 Oval Brush Grommets - Location E	.WOE	\$ 114
1 Oval Brush Grommet - Provide Location Print	.WOG	\$ 57
1 Round Grommet - Location A	.WRA	\$ 45
2 Round Grommets - Location E	.WRE	\$ 89
1 Round Grommet - Provide Location Print	.WRG	\$ 45

Accessories		
Keyboard Platform w/Mouse Surface	.AKP24M	\$ 468
CPU Holder (3"- 9" adjustment)	.ACPU3-9F	\$ 144
CPU Holder (5"- 8" adjustment)	.ACPU5-8F	\$ 94
CPU Holder (3"- 5" adjustment)	.ACPU3F	\$ 94
Table Floor Mount Bracket Set	.AFB	\$ 33



A **UST1 2448TZFX LP2R** is a Uno² series 24" x 48" trapezoid table with fixed T1 bases and a laminate 1 1/4" thick top with a PVC edge and radius corners.

The codes **GR/TN VS 6002-T/EB** specify a Graphite base, Nevamar VS 6002-T laminate and the PVC edge in Ebony.

BUC/TLL/PH2/WUL adds dual wheel casters, a lightweight laminate core, 2 Henris installed in specified location and a wire metal legway.

Uno²



Questions?
1.800.876.2120



Black = Fixed Bases
Blue = Tilt Bases

		top > edge >	Laminate PVC	Laminate 3mm Wood	Laminate 2mm Acrylic	Laminate Wood	Veneer 3mm Wood		
			Flat 	Flat 	Reverse Bevel 	Square 	Flat 		
		edge ordering code (radius corner) > or edge ordering code (square corner) > top thickness >	LP2R or LP2S 1 1/4"	LP3R or LP3S 1 3/4"	LW2R or LW2S 1 1/4"	LMRA2R or LMRA2S 1 1/4"	LWS2 1 1/4"	LWS3 1 3/4"	VW2R or VW2S 1 1/4"
			Fluted 	Fluted 		Fluted 	Fluted 		
		edge ordering code (radius corner) > or edge ordering code (square corner) > top thickness >	LPF2R or LPF2S 1 1/4"	LPF3R or LPF3S 1 3/4"	LWF2R or LWF2S 1 1/4"	LWF2 1 1/4"	LWF3 1 3/4"	VWF2R or VWF2S 1 1/4"	
		top thickness price >	1 1/4"	1 3/4"	1 1/4"	1 1/4"	1 3/4"	1 1/4"	
Base Style	Table Description	Model #	Product Wt						
	T1 24 x 48 x 75 Fix	UST1 2475CTFX	101	995	1159	1469	1792	1861	2218
	24 x 48 x 75 Tilt	UST1 2475CTTL	111	1205	1368	1678	2002	2071	2427
	24 x 60 x 94 Fix	UST1 2494CTFX	126	1428	1638	2118	2586	2661	3138
	24 x 60 x 94 Tilt	UST1 2494CTTL	136	1637	1847	2327	2795	2871	3347
	30 x 60 x 94 Fix	UST1 3094CTFX	138	1458	1678	2144	2609	2690	2705
	30 x 60 x 94 Tilt	UST1 3094CTTL	148	1668	1887	2354	2819	2899	2914
	36 x 72 x 113 Fix	UST1 36113CTFX	175	1681	1971	2788	3532	3636	3629
36 x 72 x 113 Tilt	UST1 36113CTTL	185	1962	2253	3068	3813	3918	3903	
	TC 24 x 48 x 75 Fix	USTC 2475CTFX	101	995	1159	1469	1792	1861	2218
	24 x 48 x 75 Tilt	USTC 2475CTTL	111	1205	1368	1678	2002	2071	2427
	24 x 60 x 94 Fix	USTC 2494CTFX	126	1428	1638	2118	2586	2661	3138
	24 x 60 x 94 Tilt	USTC 2494CTTL	136	1637	1847	2327	2795	2871	3347
	30 x 60 x 94 Fix	USTC 3094CTFX	138	1458	1678	2144	2609	2690	2705
	30 x 60 x 94 Tilt	USTC 3094CTTL	148	1668	1887	2354	2819	2899	2914
	36 x 72 x 113 Fix	USTC 36113CTFX	175	1681	1971	2788	3532	3636	3629
36 x 72 x 113 Tilt	USTC 36113CTTL	185	1962	2253	3068	3813	3918	3903	
	L1 24 x 48 x 75 Fix	USL1 2475CTFX	101	995	1159	1469	1792	1861	2218

**Sample Product
Number Construction:**

- 1 Choose your base model, including a top & edge style.
- 2 Specify the base finish, laminate or veneer code, and edge color.
- 3 a. Indicate selected base options.
b. Indicate selected top options.
c. Indicate selected power and data options.
d. Indicate selected wire management options.



Veneer Wood	
Square 	
VWS2 1 1/4"	VWS3 1 3/4"
Fluted 	
VWF2 1 1/4"	VWF3 1 3/4"
1 1/4"	1 3/4"
2419	2548
2629	2758
3443	3538
3653	3538
2961	3077
3170	3077
3988	4214
4269	4285
2419	2548
2629	2758
3443	3538
3653	3538
2961	3077
3170	3077
3988	4214
4269	4285
2419	2548

Base Options	Code	Price
Casters ① - Dual Wheel	.BUC	\$ 103
Mix - Dual Wheel Casters & Glides	.BMD	\$ 97
Self-Leveling Glides ②	.BLG	\$ 28

Finish Options		
Chrome		\$ 400
Nickel		\$ 99
Powder Coat - Standard		n/c
Powder Coat - Premium		\$ 99

Top Options		
Table Link	.TLK	\$ 153
Lightweight Laminate Core (to 96" length)	.TLL	\$ 145
Special Laminate	.TSP	call

Power and Data Options		
Henri (each, jacks not included)	.PH1	\$ 211
Jack Options listed below		

Henri Now (each, jacks not included)	.PHN1	\$ 193
Power Infeed Cord required, additional charge		
Jack Options Voice and Data only, listed below		

Power Access (each, jacks not included)	.EPA	\$ 388
Power Infeed Cord required when linked, additional charge		

Finish Options		
Powder Coat		included
Clear Anodized Aluminum (each)		+\$44
Stainless Steel (each)		+\$44
Black Anodized (each)		+\$44


Configurable Data Plate - Options listed below		
Power Infeed Cord (each)	.HNPU	\$ 193
Power & Data Globe w/Data Jacks	.PPD	\$ 247
Power Source Outlets	.PPS	\$ 67
Powerlink Package	.PPT	\$ 760

Configurable Data Plate Options			
Power Access/Power Bay (call for configuration options)			
CAT 6 Data	.DA \$ 25	HDMI	.HD \$ 56
CAT 3 Voice	.VO \$ 8	DVI	.DV \$ 44
VGA	.VG \$ 16	USB	.US \$ 24
Mini-Stereo	.MS \$ 12	RCA	.RC \$ 24

Henri/Henri Now Options		
Voice & Data Jacks (1 ea per Henri/Henri Now Unit)	.AHVDJ	\$ 47
Data Jacks (2 per Henri/Henri Now Unit)	.AHDDJ	\$ 53
Quick Connect (1 per Henri/Henri Now Unit)		
Voice/Data	.AHQVDJ	\$ 117
Quick Connect (1 per Henri/Henri Now Unit)		
Data/Data	.AHQDDJ	\$ 135

Wire Management Options		
Basket, Modesty Mount	.WBM	\$ 57
Basket, Under Top Mount	.WBT	\$ 57
Wire Metal Legway (each)	.WUL	\$ 37
1 Oval Brush Grommet - Location A	.WOA	\$ 57
2 Oval Brush Grommets - Location E	.WOE	\$ 114
1 Oval Brush Grommet - Provide Location Print	.WOG	\$ 57
1 Round Grommet - Location A	.WRA	\$ 45
2 Round Grommets - Location E	.WRE	\$ 89
1 Round Grommet - Provide Location Print	.WRG	\$ 45

Accessories		
Keyboard Platform w/Mouse Surface	.AKP24M	\$ 468
CPU Holder (3"- 9" adjustment)	.ACPU3-9F	\$ 144
CPU Holder (5"- 8" adjustment)	.ACPU5-8F	\$ 94
CPU Holder (3"- 5" adjustment)	.ACPU3F	\$ 94
Table Floor Mount Bracket Set	.AFB	\$ 33



A **UST1 2475CTFX LP2R** is a Uno² series 24" x 48" x 75" crescent table with fixed T1 bases and a laminate 1 1/4" thick top with a PVC edge and radius corners.

The codes **GR/TN VS 6002-T/EB** specify a Graphite base, Nevamar VS 6002-T laminate and the PVC edge in Ebony.

BUC/TLL/PH2/WUL adds dual wheel casters, a lightweight laminate core, 2 Henris installed in specified location and a wire metal legway.

Uno²
Half Round



Questions?
1.800.876.2120



Black = Fixed Bases
Blue = Tilt Bases

		top > edge >		Laminate PVC	Laminate 3mm Wood	Laminate 2mm Acrylic	Laminate Wood	Veneer 3mm Wood	
				Flat 	Flat 	Reverse Bevel 	Square 	Flat 	
		edge ordering code (radius corner) > or edge ordering code (square corner) > top thickness >		LP2R or LP2S 1 1/4"	LP3R or LP3S 1 3/4"	LW2R or LW2S 1 1/4"	LMRA2R or LMRA2S 1 1/4"	LWS2 1 1/4" LWS3 1 3/4"	VW2R or VW2S 1 1/4"
				Fluted 	Fluted 		Fluted 	Fluted 	
		edge ordering code (radius corner) > or edge ordering code (square corner) > top thickness >		LPF2R or LPF2S 1 1/4"	LPF3R or LPF3S 1 3/4"	LWF2R or LWF2S 1 1/4"	LWF2 1 1/4" LWF3 1 3/4"	VWF2R or VWF2S 1 1/4"	
		top thickness price >		1 1/4"	1 3/4"	1 1/4"	1 1/4" 1 3/4"	1 1/4"	
Base Style	Table Description	Model #	Product Wt						
	T1 24 x 48 Fix	UST1 2448HFFX	59	753	848	1028	1219	1269	1584
	24 x 48 Tilt	UST1 2448HFTL	69	950	1045	1226	1417	1466	1780
	30 x 60 Fix	UST1 3060HFFX	81	865	987	1243	1501	1561	1873
	30 x 60 Tilt	UST1 3060HFTL	91	1061	1184	1440	1700	1759	2070
	36 x 72 Fix	UST1 3672HFFX	108	1009	1171	1489	1814	1883	2230
	36 x 72 Tilt	UST1 3672HFTL	118	1208	1369	1687	2013	2080	2427
	TC 24 x 48 Fix	USTC 2448HFFX	59	753	848	1028	1219	1269	1584
	24 x 48 Tilt	USTC 2448HFTL	69	950	1045	1226	1417	1466	1780
	30 x 60 Fix	USTC 3060HFFX	81	865	987	1243	1501	1561	1873
	30 x 60 Tilt	USTC 3060HFTL	91	1061	1184	1440	1700	1759	2070
	36 x 72 Fix	USTC 3672HFFX	108	1009	1171	1489	1814	1883	2230
	36 x 72 Tilt	USTC 3672HFTL	118	1208	1369	1687	2013	2080	2427
	L1 24 x 48 Fix	USL1 2448HFFX	59	753	848	1028	1219	1269	1584
	30 x 60 Fix	USL1 3060HFFX	81	865	987	1243	1501	1561	1873
	36 x 72 Fix	USL1 3672HFFX	108	1009	1171	1489	1814	1883	2230

Sample Product Number Construction:

- Choose your base model, including a top & edge style.
- Specify the base finish, laminate or veneer code, and edge color.
- Indicate selected base options.
 - Indicate selected top options.
 - Indicate selected power and data options.
 - Indicate selected wire management options.



Veneer Wood	
Square 	
VWS2 1 1/4"	VWS3 1 3/4"
Fluted 	
VWF2 1 1/4"	VWF3 1 3/4"
1 1/4"	1 3/4"
1718 1806	1915 2003
2040 2154	2237 2352
2436 2577	2633 2774
1718 1806	1915 2003
2040 2154	2237 2352
2436 2577	2633 2774
1718 1806	1915 2003
2040 2154	2237 2352
2436 2577	2633 2774

Base Options	Code	Price
Casters ❶ - Dual Wheel	.BUC	\$ 103
Mix - Dual Wheel Casters & Glides	.BMD	\$ 97
Self-Leveling Glides ❷	.BLG	\$ 28

Finish Options		
Chrome		\$ 400
Nickel		\$ 99
Powder Coat - Standard		n/c
Powder Coat - Premium		\$ 99

Top Options		
Table Link	.TLK	\$ 153
Lightweight Laminate Core (to 96" length)	.TLL	\$ 145
Special Laminate	.TSP	call

Power and Data Options		
Henri (each, jacks not included)	.PH1	\$ 211
Jack Options listed below		

Henri Now (each, jacks not included)	.PHN1	\$ 193
Power Infeed Cord required, additional charge		
Jack Options Voice and Data only, listed below		

Power Access (each, jacks not included)	.EPA	\$ 388
Power Infeed Cord required when linked, additional charge		

Finish Options		
Powder Coat		included
Clear Anodized Aluminum (each)		+\$44
Stainless Steel (each)		+\$44
Black Anodized (each)		+\$44


Configurable Data Plate - Options listed below		
Power Infeed Cord (each)	.HNPU	\$ 193
Power & Data Globe w/Data Jacks	.PPD	\$ 247
Power Source Outlets	.PPS	\$ 67
Powerlink Package	.PPT	\$ 760

Configurable Data Plate Options			
Power Access/Power Bay (call for configuration options)			
CAT 6 Data	.DA \$ 25	HDMI	.HD \$ 56
CAT 3 Voice	.VO \$ 8	DVI	.DV \$ 44
VGA	.VG \$ 16	USB	.US \$ 24
Mini-Stereo	.MS \$ 12	RCA	.RC \$ 24

Henri/Henri Now Options		
Voice & Data Jacks (1 ea per Henri/Henri Now Unit)	.AHVDJ	\$ 47
Data Jacks (2 per Henri/Henri Now Unit)	.AHDDJ	\$ 53
Quick Connect (1 per Henri/Henri Now Unit)		
Voice/Data	.AHQCVDJ	\$ 117
Quick Connect (1 per Henri/Henri Now Unit)		
Data/Data	.AHQCDDJ	\$ 135

Wire Management Options		
Basket, Modesty Mount	.WBM	\$ 57
Basket, Under Top Mount	.WBT	\$ 57
Wire Metal Legway (each)	.WUL	\$ 37
1 Oval Brush Grommet - Location A	.WOA	\$ 57
2 Oval Brush Grommets - Location E	.WOE	\$ 114
1 Oval Brush Grommet - Provide Location Print	.WOG	\$ 57
1 Round Grommet - Location A	.WRA	\$ 45
2 Round Grommets - Location E	.WRE	\$ 89
1 Round Grommet - Provide Location Print	.WRG	\$ 45

Accessories		
Keyboard Platform w/Mouse Surface	.AKP24M	\$ 468
CPU Holder (3"- 9" adjustment)	.ACPU3-9F	\$ 144
CPU Holder (5"- 8" adjustment)	.ACPU5-8F	\$ 94
CPU Holder (3"- 5" adjustment)	.ACPU3F	\$ 94
Table Floor Mount Bracket Set	.AFB	\$ 33



A **UST1 2448HFFX LP2R** is a Uno² series 24" x 48" half round table with fixed T1 bases and a laminate 1 1/4" thick top with a PVC edge and a radius corners.

The codes **GR/TN VS 6002-T/EB** specify a Graphite base, Nevamar VS 6002-T laminate and the PVC edge in Ebony.

BUC/TLL/PH2/WUL adds dual wheel casters, a lightweight laminate core, 2 Henris installed in specified location and a wire metal legway.



Questions?

1.800.876.2120

Black = Fixed Bases

Blue = Tilt Bases



top >	Laminate PVC	Laminate 3mm Wood	Laminate 2mm Acrylic	Laminate Wood	Veneer 3mm Wood	
edge >	Flat 	Flat 	Reverse Bevel 	Square 	Flat 	
edge ordering code (radius corner) > or edge ordering code (square corner) >	LP2R or LP2S	LP3R or LP3S	LW2R or LW2S	LMRA2R or LMRA2S	LWS2 LWS3	VW2R or VW2S
top thickness >	1 1/4"	1 3/4"	1 1/4"	1 1/4"	1 3/4"	1 1/4"
	Fluted 	Fluted 		Fluted 	Fluted 	
edge ordering code (radius corner) > or edge ordering code (square corner) >	LPF2R or LPF2S	LPF3R or LPF3S	LWF2R or LWF2S	LWF2	LWF3	VWF2R or VWF2S
top thickness >	1 1/4"	1 3/4"	1 1/4"	1 1/4"	1 3/4"	1 1/4"
top thickness price >	1 1/4"	1 3/4"	1 1/4"		1 1/4"	1 3/4"

Base Style	Table Description	Model #	Product Wt	1 1/4"		1 1/4"		1 3/4"		
NB	24 No Base (link included)	USNB 24QR	21	438	511	605		725	751	1005
T1 	30 Fix (link included)	UST1 30QRFX	49	668	752	878		1024	1060	1312
	30 Tilt (link included)	UST1 30QRTL	54	768	850	977		1123	1160	1412
	36 Fix (link included)	UST1 36QRFX	71	720	821	985		1167	1198	1447
	36 Tilt (link included)	UST1 36QRTL	76	819	920	1084		1266	1297	1544
TC 	30 Fix (link included)	USTC 30QRFX	49	668	752	878		1024	1060	1312
	30 Tilt (link included)	USTC 30QRTL	54	768	850	977		1123	1160	1412
	36 Fix (link included)	USTC 36QRFX	71	720	821	985		1167	1198	1447
	36 Tilt (link included)	USTC 36QRTL	76	819	920	1084		1266	1297	1544
L1 	30 Fix (link included)	USL1 30QRFX	49	668	752	878		1024	1060	1312
	36 Fix (link included)	USL1 36QRFX	71	720	821	985		1167	1198	1447

Sample Product Number Construction:

- Choose your base model, including a top & edge style.
- Specify the base finish, laminate or veneer code, and edge color.
- Indicate selected base options.
 - Indicate selected top options.
 - Indicate selected power and data options.
 - Indicate selected wire management options.



Veneer Wood	
Square 	
VWS2 1 1/4"	VWS3 1 3/4"
Fluted 	
VWF2 1 1/4"	VWF3 1 3/4"
1100	1127
1421	1494
1521	1593
1570	1696
1668	1794
1421	1494
1521	1593
1570	1696
1668	1794
1421	1494
1570	1696

Base Options	Code	Price
Casters ① - Dual Wheel	.BUC	\$ 103
Mix - Dual Wheel Casters & Glides	.BMD	\$ 97
Self-Leveling Glides ②	.BLG	\$ 28

Finish Options		
Chrome		\$ 400
Nickel		\$ 99
Powder Coat - Standard		n/c
Powder Coat - Premium		\$ 99

Top Options		
Table Link	.TLK	\$ 153
Lightweight Laminate Core (to 96" length)	.TLL	\$ 145
Special Laminate	.TSP	call

Power and Data Options		
Henri (each, jacks not included)	.PH1	\$ 211
Jack Options listed below		

Henri Now (each, jacks not included)	.PHN1	\$ 193
Power Infeed Cord required, additional charge		
Jack Options Voice and Data only, listed below		

Power Access (each, jacks not included)	.EPA	\$ 388
Power Infeed Cord required when linked, additional charge		

Finish Options		
Powder Coat		included
Clear Anodized Aluminum (each)		+\$44
Stainless Steel (each)		+\$44
Black Anodized (each)		+\$44


Configurable Data Plate - Options listed below		
Power Infeed Cord (each)	.HNPU	\$ 193
Power & Data Globe w/Data Jacks	.PPD	\$ 247
Power Source Outlets	.PPS	\$ 67
Powerlink Package	.PPT	\$ 760

Configurable Data Plate Options			
Power Access/Power Bay (call for configuration options)			
CAT 6 Data	.DA \$ 25	HDMI	.HD \$ 56
CAT 3 Voice	.VO \$ 8	DVI	.DV \$ 44
VGA	.VG \$ 16	USB	.US \$ 24
Mini-Stereo	.MS \$ 12	RCA	.RC \$ 24

Henri/Henri Now Options		
Voice & Data Jacks (1 ea per Henri/Henri Now Unit)	.AHVDJ	\$ 47
Data Jacks (2 per Henri/Henri Now Unit)	.AHDDJ	\$ 53
Quick Connect (1 per Henri/Henri Now Unit)		
Voice/Data	.AHQVDJ	\$ 117
Quick Connect (1 per Henri/Henri Now Unit)		
Data/Data	.AHQDDJ	\$ 135

Wire Management Options		
Basket, Modesty Mount	.WBM	\$ 57
Basket, Under Top Mount	.WBT	\$ 57
Wire Metal Legway (each)	.WUL	\$ 37
1 Oval Brush Grommet - Location A	.WOA	\$ 57
2 Oval Brush Grommets - Location E	.WOE	\$ 114
1 Oval Brush Grommet - Provide Location Print	.WOG	\$ 57
1 Round Grommet - Location A	.WRA	\$ 45
2 Round Grommets - Location E	.WRE	\$ 89
1 Round Grommet - Provide Location Print	.WRG	\$ 45

Accessories		
Keyboard Platform w/Mouse Surface	.AKP24M	\$ 468
CPU Holder (3"- 9" adjustment)	.ACPU3-9F	\$ 144
CPU Holder (5"- 8" adjustment)	.ACPU5-8F	\$ 94
CPU Holder (3"- 5" adjustment)	.ACPU3F	\$ 94
Table Floor Mount Bracket Set	.AFB	\$ 33



A **UST1 30QRFX LP2R** is a Uno² series 30" quarter round table with fixed T1 bases and a laminate 1 1/4" thick top with a PVC edge and radius corners.

The codes **GR/TN VS 6002-T/EB** specify a Graphite base, Nevamar VS 6002-T laminate and the PVC edge in Ebony.

BUC/TLL/PH2/WUL adds dual wheel casters, a lightweight laminate core, 2 Henris installed in specified location and a wire metal legway.



Questions?
1.800.876.2120

Black = Fixed Bases
Blue = Tilt Bases



top > edge >	Laminate PVC	Laminate 3mm Wood	Laminate 2mm Acrylic	Laminate Wood	Veneer 3mm Wood	
	Flat 	Flat 	Reverse Bevel 	Square 	Flat 	
edge ordering code (radius corner) > or edge ordering code (square corner) > top thickness >	LP2R or LP2S 1 1/4"	LP3R or LP3S 1 3/4"	LW2R or LW2S 1 1/4"	LMRA2R or LMRA2S 1 1/4"	LWS2 1 1/4" LWS3 1 3/4"	VW2R or VW2S 1 1/4"
	Fluted 	Fluted 		Fluted 	Fluted 	
edge ordering code (radius corner) > or edge ordering code (square corner) > top thickness >	LPF2R or LPF2S 1 1/4"	LPF3R or LPF3S 1 3/4"	LWF2R or LWF2S 1 1/4"	LWF2 1 1/4" LWF3 1 3/4"	VWF2R or VWF2S 1 1/4"	
top thickness price >	1 1/4"	1 3/4"	1 1/4"		1 1/4"	

Base Style	Table Description	Model #	Product Wt	1 1/4"		1 3/4"		1 1/4"	
NB	18° 24 No Base (link included)	USNB 18D24WG	15	491	545	702	847	868	1524
	18° 30 No Base (link included)	USNB 18D30WG	28	522	576	842	1061	1090	1917
	18° 36 No Base (link included)	USNB 18D36WG	36	529	613	876	1114	1150	2405
	30° 24 No Base (link included)	USNB 30D24WG	17	491	545	702	847	868	1524
	30° 30 No Base (link included)	USNB 30D30WG	30	522	576	842	1061	1090	1917
	30° 36 No Base (link included)	USNB 30D36WG	38	529	613	876	1114	1150	2405
	45° 24 No Base (link included)	USNB 45D24WG	19	491	545	702	847	868	1524
	45° 30 No Base (link included)	USNB 45D30WG	32	522	576	842	1061	1090	1917
	60° 24 No Base (link included)	USNB 60D24WG	20	491	545	702	847	868	1524
	90° 24 No Base (link included)	UNNB 90D24WG	22	491	545	702	847	868	1524
T1	45° 36 Fix (link included)	UST1 45D36WGFX	68	747	833	1095	1333	1368	2755
	45° 36 Tilt (link included)	UST1 45D36WGTL	73	852	938	1199	1437	1473	2859
	60° 30 Fix (link included)	UST1 60D30WGFX	39	739	794	1059	1279	1308	2265
	60° 30 Tilt (link included)	UST1 60D30WGTL	44	844	899	1163	1384	1412	2369
	60° 36 Fix (link included)	UST1 60D36WGFX	46	741	795	1060	1280	1309	2266
	60° 36 Tilt (link included)	UST1 60D36WGTL	51	845	900	1165	1385	1414	2371
	90° 30 Fix (link included)	UST1 90D30WGFX	41	739	794	1059	1279	1308	2265
	90° 30 Tilt (link included)	UST1 90D30WGTL	46	844	899	1163	1384	1412	2369
	90° 36 Fix (link included)	UST1 90D36WGFX	48	741	795	1060	1280	1309	2266
	90° 36 Tilt (link included)	UST1 90D36WGTL	53	845	900	1165	1385	1414	2371
TC	45° 36 Fix (link included)	USTC 45D36WGFX	68	747	833	1095	1333	1368	2755
	45° 36 Tilt (link included)	USTC 45D36WGTL	73	852	938	1199	1437	1473	2859
	60° 30 Fix (link included)	USTC 60D30WGFX	39	739	794	1059	1279	1308	2265
	60° 30 Tilt (link included)	USTC 60D30WGTL	44	844	899	1163	1384	1412	2369
	60° 36 Fix (link included)	USTC 60D36WGFX	46	741	795	1060	1280	1309	2266
	60° 36 Tilt (link included)	USTC 60D36WGTL	51	845	900	1165	1385	1414	2371
	90° 30 Fix (link included)	USTC 90D30WGFX	41	739	794	1059	1279	1308	2265
	90° 30 Tilt (link included)	USTC 90D30WGTL	46	844	899	1163	1384	1412	2369
	90° 36 Fix (link included)	USTC 90D36WGFX	48	741	795	1060	1280	1309	2266
	90° 36 Tilt (link included)	USTC 90D36WGTL	53	845	900	1165	1385	1414	2371

**Sample Product
Number Construction:**


- 1 Choose your base model, including a top & edge style.
- 2 Specify the base finish, laminate or veneer code, and edge color.
- 3 a. Indicate selected base options.
b. Indicate selected top options.
c. Indicate selected power and data options.
d. Indicate selected wire management options.



Veneer Wood	
Square 	
VWS2 1 1/4"	VWS3 1 3/4"
Fluted 	
VWF2 1 1/4"	VWF3 1 3/4"
1 1/4"	1 3/4"
1675	1787
2114	2379
2655	2783
1675	1787
2114	2379
2655	2783
1675	1787
2114	2379
1675	1787
1675	1787
3021	3149
3127	3253
2479	2742
2583	2847
2480	2744
2584	2848
2479	2742
2583	2847
2480	2744
2584	2848
3021	3149
3127	3253
2479	2742
2583	2847
2480	2744
2584	2848
2479	2742
2583	2847
2480	2744
2584	2848

- Base Options**
- | | | |
|------------------------------------|-----------------|--------------------|
| Alternate Table Height 32" & Under | Code BAH | Price \$ 59 |
| Alternate Table Height 32" & Over | BSP | call |
| Casters ② - Dual Wheel | BCD | \$ 103 |
| Self-Leveling Glides ② | BLG | \$ 28 |
- Finish Options**
- | | |
|------------------------|--------|
| Chrome | \$ 400 |
| Nickel | \$ 99 |
| Powder Coat - Standard | n/c |
| Powder Coat - Premium | \$ 99 |
- Top Options**
- | | | |
|-------------------------------------------|-----|--------|
| Lightweight Laminate Core (to 96" length) | TLL | \$ 145 |
| Special Laminate | TSP | call |
- Accessories**
- | | | |
|-------------------------------|-----|-------|
| Table Floor Mount Bracket Set | AFB | \$ 33 |
|-------------------------------|-----|-------|

Uno²



A **USNB 18D48WG LP2R** is a Uno² series 18" 24" wedge table with no base and a laminate 1 1/4" thick top with a PVC edge and radius corners.

The codes **GR/TN VS 6002-T/EB** specify a Graphite base, Nevamar VS 6002-T laminate and the PVC edge in Ebony.

/TLL adds a lightweight laminate core.

Uno²



Questions?

1.800.876.2120

Black = Fixed Bases



Blue = Tilt Bases

	top > edge >	Laminate PVC	Laminate 3mm Wood	Laminate 2mm Acrylic
		Flat 	Flat 	Reverse Bevel
edge ordering code (radius corner) > or edge ordering code (square corner) > top thickness >		LP2R or LP2S 1 1/4"	LP3R or LP3S 1 3/4"	LW2R or LW2S 1 1/4"
				LMRA2R or LMRA2S 1 1/4"
		Fluted 	Fluted 	
edge ordering code (radius corner) > or edge ordering code (square corner) > top thickness >		LPF2R or LPF2S 1 1/4"	LPF3R or LPF3S 1 3/4"	LWF2R or LWF2S 1 1/4"
	top thickness price >	1 1/4"	1 3/4"	1 1/4"

Base Style	Table Description	Model #	Product Wt	top thickness price >		
				1 1/4"	1 3/4"	1 1/4"
<p>T1</p> <p>Note: Training tables are often used with lightweight computer accessories. For heavy duty applications, such as large scale computer equipment, multiple monitor mounts, etc., Versteel suggests adding a third leg or stretcher. The price of the 84", 90" and 96" models include a stretcher rail required for additional support. Contact customer service if you have specific application concerns or questions.</p>	T1 18 x 48 Fix w/FixMod	USTT1 1848REFX XM	70	869	941	1183
	18 x 48 Fix w/RemMod	USTT1 1848REFX RM	70	882	955	1191
	18 x 48 Tilt w/RemMod	USTT1 1848RETL RM	90	1112	1183	1429
	18 x 48 Fix w/SquareFixLightweightFormMod	USTT1 1848REFX XLS OR XLR	70	882	955	1191
	18 x 48 Fix w/SquareRemLightweightFormMod	USTT1 1848REFX RLS OR RLR	70	882	955	1191
	18 x 48 Tilt w/SquareRemLightweightFormMod	USTT1 1848RETL RLS OR RLR	90	1112	1183	1429
	18 x 48 Fix w/FixFormMod	USTT1 1848REFX XFS OR XFR	89	951	1032	1165
	18 x 60 Fix w/FixMod	USTT1 1860REFX XM	90	1003	1049	1450
	18 x 60 Fix w/RemMod	USTT1 1860REFX RM	90	1030	1075	1479
	18 x 60 Tilt w/RemMod	USTT1 1860RETL RM	101	1241	1286	1688
	18 x 60 Fix w/SquareFixLightweightFormMod	USTT1 1860REFX XLS OR XLR	90	1030	1075	1479
	18 x 60 Fix w/SquareRemLightweightFormMod	USTT1 1860REFX RLS OR RLR	90	1030	1075	1479
	18 x 60 Tilt w/SquareRemLightweightFormMod	USTT1 1860RETL RLS OR RLR	101	1241	1286	1688
	18 x 60 Fix w/FixFormMod	USTT1 1860REFX XFS OR XFR	100	1192	1239	1417
	18 x 72 Fix w/FixMod	USTT1 1872REFX XM	113	1086	1149	1768
	18 x 72 Fix w/RemMod	USTT1 1872REFX RM	113	1114	1176	1796
	18 x 72 Tilt w/RemMod	USTT1 1872RETL RM	127	1323	1385	2005
	18 x 72 Fix w/SquareFixLightweightFormMod	USTT1 1872REFX XLS OR XLR	113	1114	1176	1796
	18 x 72 Fix w/SquareRemLightweightFormMod	USTT1 1872REFX RLS OR RLR	113	1114	1176	1796
	18 x 72 Tilt w/SquareRemLightweightFormMod	USTT1 1872RETL RLS OR RLR	127	1323	1385	2005
	18 x 72 Fix w/FixFormMod	USTT1 1872REFX XFS OR XFR	123	1229	1291	1498
	18 x 84 Fix w/FixMod	USTT1 1884REFX XM	100	1242	1321	1846
	18 x 84 Fix w/RemMod	USTT1 1884REFX RM	100	1259	1339	1859
	18 x 84 Tilt w/RemMod	USTT1 1884RETL RM	111	1483	1558	2101
	18 x 90 Fix w/FixMod	USTT1 1890REFX XM	119	1463	1525	2381
	18 x 90 Fix w/RemMod	USTT1 1890REFX RM	119	1487	1550	2406
	18 x 90 Tilt w/RemMod	USTT1 1890RETL RM	129	1697	1758	2614
	18 x 96 Fix w/FixMod	USTT1 1896REFX XM	121	1463	1525	2381
18 x 96 Fix w/RemMod	USTT1 1896REFX RM	121	1487	1550	2406	
18 x 96 Tilt w/RemMod	USTT1 1896RETL RM	131	1697	1758	2614	

Sample Product Number Construction:

- Choose your base model, including a top & edge style.
- Specify the base finish, laminate or veneer code, and edge color.
- Indicate selected base options.
 - Indicate selected top options.
 - Indicate selected power and data options.
 - Indicate selected wire management options.

	Code	Price
Base Options		
Alternate Table Height 32" & Under	BAH	\$ 59
Alternate Table Height 32" & Over	BSP	call
Casters  - Dual Wheel	BUC	\$ 103
Mix - Dual Wheel Casters & Glides	BMD	\$ 97
Self-Leveling Glides 	BLG	\$ 28
Stretcher Rail (Fix/Tilt) Finish Same as Base	BSR	\$ 147
Slim-Tilt	BST	\$ 90
Finish Options		
Chrome		\$ 400
Nickel		\$ 99
Powder Coat - Standard		n/c
Powder Coat - Premium		\$ 99
Top Options		
Table Link (all four sides)	TLK	\$ 153
Table Link (18" ends only)	TLE	\$ 80
Lightweight Laminate Core (to 96" length)	TLL	\$ 145
Special Laminate	TSP	call
Power and Data Options		
Power & Data Globe w/Data Jacks	PPD	\$ 247
Power Source Outlets	PPS	\$ 67
Powerlink Package	PPT	\$ 760
Wire Management Options		
Basket, Modesty Mount	WBM	\$ 57
Basket, Under Top Mount	WBT	\$ 57
Wire Metal Legway (each)	WUL	\$ 37
1 Oval Brush Grommet - Location A	WOA	\$ 57
2 Oval Brush Grommets - Location E	WOE	\$ 114
1 Oval Brush Grommet - Provide Location Print	WOG	\$ 57
1 Round Grommet - Location A	WRA	\$ 45
2 Round Grommets - Location E	WRE	\$ 89
1 Round Grommet - Provide Location Print	WRG	\$ 45
Accessories		
Keyboard Platform w/Mouse Surface	AKP24M	\$ 468
CPU Holder (3" - 9" adjustment)	ACPU3-9F	\$ 144
CPU Holder (5" - 8" adjustment)	ACPU5-8F	\$ 94
CPU Holder (3" - 5" adjustment)	ACPU3F	\$ 94
Table Floor Mount Bracket Set	AFB	\$ 33



A **USTT1 1848REFX XM LP2R** is a Uno² series 18" x 48" rectangle table with fixed T1 bases, fixed modesty panel and a laminate 1 1/4" thick top with a PVC edge and radius corners.

The codes **GR / TN VS 6002-T/EB** specify a Graphite base, Nevamar VS 6002-T laminate and the PVC edge in Ebony.

BUC/TLL/PH2/WUL adds dual wheel casters, a lightweight laminate core, 2 Henris installed in specified location and a wire metal legway.

Uno²



Questions?

1.800.876.2120

Black = Fixed Bases

Blue = Tilt Bases

	top > edge >	Laminate PVC	Laminate 3mm Wood	Laminate 2mm Acrylic
		Flat 	Flat 	Reverse Bevel
edge ordering code (radius corner) > or edge ordering code (square corner) > top thickness >		LP2R or LP2S 1 1/4"	LP3R or LP3S 1 3/4"	LW2R or LW2S 1 1/4"
				LMRA2R or LMRA2S 1 1/4"
		Fluted 	Fluted 	
edge ordering code (radius corner) > or edge ordering code (square corner) > top thickness >		LPF2R or LPF2S 1 1/4"	LPF3R or LPF3S 1 3/4"	LWF2R or LWF2S 1 1/4"
		1 1/4"	1 3/4"	1 1/4"
	top thickness price >			1 1/4"

Base Style	Table Description	Model #	Product Wt	top thickness price >		
<p>T1</p> <p>Note: Training tables are often used with lightweight computer accessories. For heavy duty applications, such as large scale computer equipment, multiple monitor mounts, etc., Versteel suggests adding a third leg or stretcher. The price of the 84", 90" and 96" models include a stretcher rail required for additional support. Contact customer service if you have specific application concerns or questions.</p>	T1 24 x 48 Fix w/FixMod	USTT1 2448REFX XM	96	912	935	1290
	24 x 48 Fix w/RemMod	USTT1 2448REFX RM	96	926	965	1300
	24 x 48 Tilt w/RemMod	USTT1 2448RETL RM	106	1145	1174	1539
	24 x 48 Fix w/SquareFixLightweightFormMod	USTT1 2448REFX XLS OR XLR	96	926	965	1300
	24 x 48 Fix w/SquareRemLightweightFormMod	USTT1 2448REFX RLS OR RLR	96	926	965	1300
	24 x 48 Tilt w/SquareRemLightweightFormMod	USTT1 2448RETL RLS OR RLR	106	1145	1174	1539
	24 x 48 Fix w/FixFormMod	USTT1 2448REFX XFS OR XFR	107	992	1025	1270
	24 x 60 Fix w/FixMod	USTT1 2460REFX XM	109	1029	1073	1584
	24 x 60 Fix w/RemMod	USTT1 2460REFX RM	109	1057	1101	1610
	24 x 60 Tilt w/RemMod	USTT1 2460RETL RM	119	1266	1310	1819
	24 x 60 Fix w/SquareFixLightweightFormMod	USTT1 2460REFX XLS OR XLR	109	1057	1101	1610
	24 x 60 Fix w/SquareRemLightweightFormMod	USTT1 2460REFX RLS OR RLR	109	1057	1101	1610
	24 x 60 Tilt w/SquareRemLightweightFormMod	USTT1 2460RETL RLS OR RLR	119	1266	1310	1819
	24 x 60 Fix w/FixFormMod	USTT1 2460REFX XFS OR XFR	120	1219	1262	1549
	24 x 72 Fix w/FixMod	USTT1 2472REFX XM	130	1187	1225	1961
	24 x 72 Fix w/RemMod	USTT1 2472REFX RM	130	1216	1253	1988
	24 x 72 Tilt w/RemMod	USTT1 2472RETL RM	142	1425	1462	2197
	24 x 72 Fix w/SquareFixLightweightFormMod	USTT1 2472REFX XLS OR XLR	130	1216	1253	1988
	24 x 72 Fix w/SquareRemLightweightFormMod	USTT1 2472REFX RLS OR RLR	130	1216	1253	1988
	24 x 72 Tilt w/SquareRemLightweightFormMod	USTT1 2472RETL RLS OR RLR	142	1425	1462	2197
	24 x 72 Fix w/FixFormMod	USTT1 2472REFX XFS OR XFR	140	1331	1368	1691
	24 x 84 Fix w/FixMod	USTT1 2484REFX XM	119	1332	1338	2035
	24 x 84 Fix w/RemMod	USTT1 2484REFX RM	119	1350	1358	2049
	24 x 84 Tilt w/RemMod	USTT1 2484RETL RM	129	1570	1575	2289
24 x 90 Fix w/FixMod	USTT1 2490REFX XM	156	1615	1630	2537	
24 x 90 Fix w/RemMod	USTT1 2490REFX RM	156	1684	1699	2192	
24 x 90 Tilt w/RemMod	USTT1 2490RETL RM	166	1893	1908	2401	
24 x 96 Fix w/FixMod	USTT1 2496REFX XM	162	1615	1630	2537	
24 x 96 Fix w/RemMod	USTT1 2496REFX RM	162	1684	1699	2192	
24 x 96 Tilt w/RemMod	USTT1 2496RETL RM	172	1893	1908	2401	

Sample Product Number Construction:

- 1 Choose your base model, including a top & edge style.
- 2 Specify the base finish, laminate or veneer code, and edge color.
- 3 a. Indicate selected base options.
b. Indicate selected top options.
c. Indicate selected power and data options.
d. Indicate selected wire management options.

Base Options		Code	Price
Alternate Table Height 32" & Under		BAH	\$ 59
Alternate Table Height 32" & Over		BSP	call
Casters ☉ - Dual Wheel		BUC	\$ 103
Mix - Dual Wheel Casters & Glides		BMD	\$ 97
Self-Leveling Glides ☉		BLG	\$ 28
Stretcher Rail (Fix/Tilt) Finish Same as Base		BSR	\$ 147
Slim-Tilt		BST	\$ 90

Finish Options			
Chrome			\$ 400
Nickel			\$ 99
Powder Coat - Standard			n/c
Powder Coat - Premium			\$ 99

Top Options			
Table Link (all four sides)		TLK	\$ 153
Table Link (24" ends only)		TLE	\$ 80
Lightweight Laminate Core (to 96" length)		TLL	\$ 145
Special Laminate		TSP	call
Laptop Locker (each)		TLA	\$ 850
(available on fixed tables only, see page 35 in All Tables Price List for additional information)			
Electronic Lock (per locker)		TELE	\$ 220
Power Unit (up to 10 lockers sequenced, includes 1 key) - required for electronic lock		TLP	\$ 350

Power and Data Options			
Henri (each, jacks not included)		PH1	\$ 211
Jack Options listed below			
Henri Now (each, jacks not included)		PHN1	\$ 193
Power Infeed Cord required, additional charge			
Jack Options Voice and Data only, listed below			

Power Access (each, jacks not included)			
		EPA	\$ 388
Power Infeed Cord required when linked, additional charge			
Finish Options			
Powder Coat			included
Clear Anodized Aluminum (each)			+\$44
Stainless Steel (each)			+\$44
Black Anodized (each)			+\$44
Configurable Data Plate - Options listed below			

Power Infeed Cord (each)		HNPU	\$ 193
Power & Data Globe w/Data Jacks		PPD	\$ 247
Power Source Outlets		PPS	\$ 67
Powerlink Package		PPT	\$ 760

Configurable Data Plate Options					
Power Access/Power Bay (call for configuration options)					
CAT 6 Data	DA	\$ 25	HDMI	HD	\$ 56
CAT 3 Voice	VO	\$ 8	DVI	DV	\$ 44
VGA	VG	\$ 16	USB	US	\$ 24
Mini-Stereo	MS	\$ 12	RCA	RC	\$ 24

Henri/Henri Now Options			
Voice & Data Jacks (1 ea per Henri/Henri Now Unit)		AHVDJ	\$ 47
Data Jacks (2 per Henri/Henri Now Unit)		AHDDJ	\$ 53
Quick Connect (1 per Henri/Henri Now Unit)			
Voice/Data		AHQVDJ	\$ 117
Quick Connect (1 per Henri/Henri Now Unit)			
Data/Data		AHQDDJ	\$ 135

Wire Management Options			
Basket, Modesty Mount		WBM	\$ 57
Basket, Under Top Mount		WBT	\$ 57
Wire Metal Legway (each)		WUL	\$ 37
1 Oval Brush Grommet - Location A		WOA	\$ 57
2 Oval Brush Grommets - Location E		WOE	\$ 114
1 Oval Brush Grommet - Provide Location Print		WOG	\$ 57
1 Round Grommet - Location A		WRA	\$ 45
2 Round Grommets - Location E		WRE	\$ 89
1 Round Grommet - Provide Location Print		WRG	\$ 45

Accessories			
Keyboard Platform w/Mouse Surface		AKP24M	\$ 468
CPU Holder (3"- 9" adjustment)		ACPU3-9F	\$ 144
CPU Holder (5"- 8" adjustment)		ACPU5-8F	\$ 94
CPU Holder (3"- 5" adjustment)		ACPU3F	\$ 94
Table Floor Mount Bracket Set		AFB	\$ 33



A **USTT1 2448REFX XM LP2R** is a Uno² series 24" x 48" rectangle table with fixed T1 bases, fixed modesty panel and a laminate 1 1/4" thick top with a PVC edge and radius corners.

The codes **GR/TN VS 6002-T/EB** specify a Graphite base, Nevamar VS 6002-T laminate and the PVC edge in Ebony.

BUC/TLL/PH2/WUL adds dual wheel casters, a lightweight laminate core, 2 Henri installed in specified location and a wire metal legway.

Uno²



Questions?

1.800.876.2120

Black = Fixed Bases



Blue = Tilt Bases

	top > edge >	Laminate PVC	Laminate 3mm Wood	Laminate 2mm Acrylic
		Flat 	Flat 	Reverse Bevel
edge ordering code (radius corner) > or edge ordering code (square corner) > top thickness >	LP2R or LP2S 1 1/4"	LP3R or LP3S 1 3/4"	LW2R or LW2S 1 1/4"	LMRA2R or LMRA2S 1 1/4"
	Fluted 	Fluted 		
edge ordering code (radius corner) > or edge ordering code (square corner) > top thickness >	LPF2R or LPF2S 1 1/4"	LPF3R or LPF3S 1 3/4"	LWF2R or LWF2S 1 1/4"	
	1 1/4"	1 3/4"	1 1/4"	

Base Style	Table Description	Model #	Product Wt	1 1/4"	1 3/4"	1 1/4"
<p>T1</p> <p>Note: Training tables are often used with lightweight computer accessories. For heavy duty applications, such as large scale computer equipment, multiple monitor mounts, etc., Versteel suggests adding a third leg or stretcher. The price of the 84", 90" and 96" models include a stretcher rail required for additional support. Contact customer service if you have specific application concerns or questions.</p>	30 x 48 Fix w/FixMod	USTT1 3048REFX XM	100	988	1080	1382
	30 x 48 Fix w/RemMod	USTT1 3048REFX RM	100	1005	1097	1393
	30 x 48 Tilt w/RemMod	USTT1 3048RETL RM	110	1227	1313	1624
	30 x 48 Fix w/SquareFixLightweightFormMod	USTT1 3048REFX XLS OR XLR	100	1005	1097	1393
	30 x 48 Fix w/SquareRemLightweightFormMod	USTT1 3048REFX RLS OR RLR	100	1005	1097	1393
	30 x 48 Tilt w/SquareRemLightweightFormMod	USTT1 3048RETL RLS OR RLR	110	1227	1313	1624
	30 x 48 Fix w/FixFormMod	USTT1 3048REFX XFS OR XFR	112	1077	1177	1371
	30 x 60 Fix w/FixMod	USTT1 3060REFX XM	124	1106	1141	1681
	30 x 60 Fix w/RemMod	USTT1 3060REFX RM	124	1132	1167	1708
	30 x 60 Tilt w/RemMod	USTT1 3060RETL RM	134	1342	1378	1918
	30 x 60 Fix w/SquareFixLightweightFormMod	USTT1 3060REFX XLS OR XLR	124	1132	1167	1708
	30 x 60 Fix w/SquareRemLightweightFormMod	USTT1 3060REFX RLS OR RLR	124	1132	1167	1708
	30 x 60 Tilt w/SquareRemLightweightFormMod	USTT1 3060RETL RLS OR RLR	134	1342	1378	1918
	30 x 60 Fix w/FixFormMod	USTT1 3060REFX XFS OR XFR	136	1294	1329	1646
	30 x 72 Fix w/FixMod	USTT1 3072REFX XM	148	1218	1256	2046
	30 x 72 Fix w/RemMod	USTT1 3072REFX RM	148	1246	1284	2073
	30 x 72 Tilt w/RemMod	USTT1 3072RETL RM	160	1455	1494	2283
	30 x 72 Fix w/SquareFixLightweightFormMod	USTT1 3072REFX XLS OR XLR	148	1246	1284	2073
	30 x 72 Fix w/SquareRemLightweightFormMod	USTT1 3072REFX RLS OR RLR	148	1246	1284	2073
	30 x 72 Tilt w/SquareRemLightweightFormMod	USTT1 3072RETL RLS OR RLR	160	1455	1494	2283
30 x 72 Fix w/FixFormMod	USTT1 3072REFX XFS OR XFR	158	1361	1400	1776	
30 x 84 Fix w/FixMod	USTT1 3084REFX XM	139	1385	1444	2203	
30 x 84 Fix w/RemMod	USTT1 3084REFX RM	139	1404	1464	2218	
30 x 84 Tilt w/RemMod	USTT1 3084RETL RM	149	1624	1680	2454	
30 x 90 Fix w/FixMod	USTT1 3090REFX XM	159	1625	1722	2704	
30 x 90 Fix w/RemMod	USTT1 3090REFX RM	159	1648	1745	2729	
30 x 90 Tilt w/RemMod	USTT1 3090RETL RM	171	1859	1954	2938	
30 x 96 Fix w/FixMod	USTT1 3096REFX XM	185	1625	1722	2704	
30 x 96 Fix w/RemMod	USTT1 3096REFX RM	185	1648	1745	2729	
30 x 96 Tilt w/RemMod	USTT1 3096RETL RM	195	1859	1954	2938	

Sample Product Number Construction:

- Choose your base model, including a top & edge style.
- Specify the base finish, laminate or veneer code, and edge color.
- Indicate selected base options.
 - Indicate selected top options.
 - Indicate selected power and data options.
 - Indicate selected wire management options.

Base Options		Code	Price
Alternate Table Height 32" & Under		BAH	\$ 59
Alternate Table Height 32" & Over		BSP	call
Casters  - Dual Wheel		BUC	\$ 103
Mix - Dual Wheel Casters & Glides		BMD	\$ 97
Self-Leveling Glides 		BLG	\$ 28
Stretcher Rail (Fix/Tilt) Finish Same as Base		BSR	\$ 147
Slim-Tilt		BST	\$ 90

Finish Options			
Chrome			\$ 400
Nickel			\$ 99
Powder Coat - Standard			n/c
Powder Coat - Premium			\$ 99

Top Options			
Table Link (all four sides)		TLK	\$ 153
Table Link (30" ends only)		TLE	\$ 80
Lightweight Laminate Core (to 96" length)		TLL	\$ 145
Special Laminate		TSP	call
Laptop Locker (each)		TLA	\$ 850
(available on fixed tables only, see page 35 in All Tables Price List for additional information)			
Electronic Lock (per locker)		TELE	\$ 220
Power Unit (up to 10 lockers sequenced, includes 1 key) - required for electronic lock		TLP	\$ 350

Power and Data Options			
Henri (each, jacks not included)		PH1	\$ 211
Jack Options listed below			
Henri Now (each, jacks not included)		PHN1	\$ 193
Power Infeed Cord required, additional charge			
Jack Options Voice and Data only, listed below			

Power Access (each, jacks not included)			
		EPA	\$ 388
Power Infeed Cord required when linked, additional charge			
Finish Options			
Powder Coat			included
Clear Anodized Aluminum (each)			+\$44
Stainless Steel (each)			+\$44
Black Anodized (each)			+\$44
Configurable Data Plate - Options listed below			

Power Infeed Cord (each)		HNPU	\$ 193
Power & Data Globe w/Data Jacks		PPD	\$ 247
Power Source Outlets		PPS	\$ 67
Powerlink Package		PPT	\$ 760

Configurable Data Plate Options					
Power Access/Power Bay (call for configuration options)					
CAT 6 Data	DA	\$ 25	HDMI	HD	\$ 56
CAT 3 Voice	VO	\$ 8	DVI	DV	\$ 44
VGA	VG	\$ 16	USB	US	\$ 24
Mini-Stereo	MS	\$ 12	RCA	RC	\$ 24

Henri/Henri Now Options			
Voice & Data Jacks (1 ea per Henri/Henri Now Unit)		AHVDJ	\$ 47
Data Jacks (2 per Henri/Henri Now Unit)		AHDDJ	\$ 53
Quick Connect (1 per Henri/Henri Now Unit)			
Voice/Data		AHQVDJ	\$ 117
Quick Connect (1 per Henri/Henri Now Unit)			
Data/Data		AHQDDJ	\$ 135

Wire Management Options			
Basket, Modesty Mount		WBM	\$ 57
Basket, Under Top Mount		WBT	\$ 57
Wire Metal Legway (each)		WUL	\$ 37
1 Oval Brush Grommet - Location A		WOA	\$ 57
2 Oval Brush Grommets - Location E		WOE	\$ 114
1 Oval Brush Grommet - Provide Location Print		WOG	\$ 57
1 Round Grommet - Location A		WRA	\$ 45
2 Round Grommets - Location E		WRE	\$ 89
1 Round Grommet - Provide Location Print		WRG	\$ 45

Accessories			
Keyboard Platform w/Mouse Surface		AKP24M	\$ 468
CPU Holder (3"- 9" adjustment)		ACPU3-9F	\$ 144
CPU Holder (5"- 8" adjustment)		ACPU5-8F	\$ 94
CPU Holder (3"- 5" adjustment)		ACPU3F	\$ 94
Table Floor Mount Bracket Set		AFB	\$ 33



A **USTT1 3048REFX XM LP2R** is a Uno² series 30" x 48" rectangle table with fixed T1 bases, fixed modesty panel and a laminate 1 1/4" thick top with a PVC edge and radius corners.

The codes **GR/TN VS 6002-T/EB** specify a Graphite base, Nevamar VS 6002-T laminate and the PVC edge in Ebony.

BUC/TLL/PH2/WUL adds dual wheel casters, a lightweight laminate core, 2 Henri installed in specified location and a wire metal legway.

Uno²



Questions?

1.800.876.2120

Black = Fixed Bases

Blue = Tilt Bases

	top > edge >	Laminate PVC	Laminate 3mm Wood	Laminate 2mm Acrylic
		Flat 	Flat 	Reverse Bevel
edge ordering code (radius corner) > or edge ordering code (square corner) > top thickness >		LP2R or LP2S 1 1/4"	LP3R or LP3S 1 3/4"	LW2R or LW2S 1 1/4"
				LMRA2R or LMRA2S 1 1/4"
		Fluted 	Fluted 	
edge ordering code (radius corner) > or edge ordering code (square corner) > top thickness >		LPF2R or LPF2S 1 1/4"	LPF3R or LPF3S 1 3/4"	LWF2R or LWF2S 1 1/4"
		1 1/4"	1 3/4"	1 1/4"
	top thickness price >			1 1/4"

Base Style	Table Description	Model #	Product Wt	top thickness price >		
				1 1/4"	1 3/4"	1 1/4"
	TC 18 x 48 Fix w/FixMod	USTTC 1848REFX XM	70	869	941	1183
	18 x 48 Fix w/RemMod	USTTC 1848REFX RM	70	882	955	1191
	18 x 48 Tilt w/RemMod	USTTC 1848RETL RM	90	1112	1183	1429
	18 x 48 Fix w/SquareFixLightweightFormMod	USTTC 1848REFX XLS OR XLR	70	882	955	1191
	18 x 48 Fix w/SquareRemLightweightFormMod	USTTC 1848REFX RLS OR RLR	70	882	955	1191
	18 x 48 Tilt w/SquareRemLightweightFormMod	USTTC 1848RETL RLS OR RLR	90	1112	1183	1429
	18 x 48 Fix w/FixFormMod	USTTC 1848REFX XFS OR XFR	89	951	1032	1165
	18 x 60 Fix w/FixMod	USTTC 1860REFX XM	90	1003	1049	1450
	18 x 60 Fix w/RemMod	USTTC 1860REFX RM	90	1030	1075	1479
	18 x 60 Tilt w/RemMod	USTTC 1860RETL RM	101	1241	1286	1688
	18 x 60 Fix w/SquareFixLightweightFormMod	USTTC 1860REFX XLS OR XLR	90	1030	1075	1479
	18 x 60 Fix w/SquareRemLightweightFormMod	USTTC 1860REFX RLS OR RLR	90	1030	1075	1479
	18 x 60 Tilt w/SquareRemLightweightFormMod	USTTC 1860RETL RLS OR RLR	101	1241	1286	1688
	18 x 60 Fix w/FixFormMod	USTTC 1860REFX XFS OR XFR	100	1192	1239	1417
	18 x 72 Fix w/FixMod	USTTC 1872REFX XM	113	1086	1149	1768
	18 x 72 Fix w/RemMod	USTTC 1872REFX RM	113	1114	1176	1796
	18 x 72 Tilt w/RemMod	USTTC 1872RETL RM	127	1323	1385	2005
	18 x 72 Fix w/SquareFixLightweightFormMod	USTTC 1872REFX XLS OR XLR	113	1114	1176	1796
	18 x 72 Fix w/SquareRemLightweightFormMod	USTTC 1872REFX RLS OR RLR	113	1114	1176	1796
	18 x 72 Tilt w/SquareRemLightweightFormMod	USTTC 1872RETL RLS OR RLR	127	1323	1385	2005
	18 x 72 Fix w/FixFormMod	USTTC 1872REFX XFS OR XFR	123	1229	1291	1498
	18 x 84 Fix w/FixMod	USTTC 1884REFX XM	100	1242	1321	1846
	18 x 84 Fix w/RemMod	USTTC 1884REFX RM	100	1259	1339	1859
	18 x 84 Tilt w/RemMod	USTTC 1884RETL RM	111	1483	1558	2101
18 x 90 Fix w/FixMod	USTTC 1890REFX XM	119	1463	1525	2381	
18 x 90 Fix w/RemMod	USTTC 1890REFX RM	119	1487	1550	2406	
18 x 90 Tilt w/RemMod	USTTC 1890RETL RM	129	1697	1758	2614	
18 x 96 Fix w/FixMod	USTTC 1896REFX XM	121	1463	1525	2381	
18 x 96 Fix w/RemMod	USTTC 1896REFX RM	121	1487	1550	2406	
18 x 96 Tilt w/RemMod	USTTC 1896RETL RM	131	1697	1758	2614	

Note: Training tables are often used with lightweight computer accessories. For heavy duty applications, such as large scale computer equipment, multiple monitor mounts, etc., Versteel suggests adding a third leg or stretcher. The price of the 84", 90" and 96" models include a stretcher rail required for additional support. Contact customer service if you have specific application concerns or questions.

Sample Product Number Construction:

- Choose your base model, including a top & edge style.
- Specify the base finish, laminate or veneer code, and edge color.
- Indicate selected base options.
 - Indicate selected top options.
 - Indicate selected power and data options.
 - Indicate selected wire management options.

Base Options		Code	Price
Alternate Table Height 32" & Under		.BAH	\$ 59
Alternate Table Height 32" & Over		.BSP	call
Casters ❶ - Dual Wheel		.BUC	\$ 103
Mix - Dual Wheel Casters & Glides		.BMD	\$ 97
Self-Leveling Glides ❶		.BLG	\$ 28
Stretcher Rail (Fix/Tilt) Finish Same as Base		.BSR	\$ 147
Finish Options			
Chrome			\$ 400
Nickel			\$ 99
Powder Coat - Standard			n/c
Powder Coat - Premium			\$ 99
Top Options			
Table Link (all four sides)		.TLK	\$ 153
Table Link (18" ends only)		.TLE	\$ 80
Lightweight Laminate Core (to 96" length)		.TLL	\$ 145
Special Laminate		.TSP	call
Laptop Locker (each)		.TLA	\$ 850
(available on fixed tables only, see page 35 in All Tables Price List for additional information)			
Electronic Lock (per locker)		.TLEL	\$ 220
Power Unit (up to 10 lockers sequenced, includes 1 key) - required for electronic lock		.TLPU	\$ 350
Power and Data Options			
Power & Data Globe w/Data Jacks		.PPD	\$ 247
Power Source Outlets		.PPS	\$ 67
Powerlink Package		.PPT	\$ 760
Wire Management Options			
Basket, Modesty Mount		.WBM	\$ 57
Basket, Under Top Mount		.WBT	\$ 57
Wire Metal Legway (each)		.WUL	\$ 37
1 Oval Brush Grommet - Location A		.WOA	\$ 57
2 Oval Brush Grommets - Location E		.WOE	\$ 114
1 Oval Brush Grommet - Provide Location Print		.WOG	\$ 57
1 Round Grommet - Location A		.WRA	\$ 45
2 Round Grommets - Location E		.WRE	\$ 89
1 Round Grommet - Provide Location Print		.WRG	\$ 45
Accessories			
Keyboard Platform w/Mouse Surface		.AKP24M	\$ 468
CPU Holder (3"- 9" adjustment)		.ACPU3-9F	\$ 144
CPU Holder (5"- 8" adjustment)		.ACPU5-8F	\$ 94
CPU Holder (3"- 5" adjustment)		.ACPU3F	\$ 94
Table Floor Mount Bracket Set		.AFB	\$ 33



A **USTTC 1848REFX XM LP2R** is a Uno² series 18" x 48" rectangle table with fixed TC bases, fixed modesty panel and a laminate 1 1/4" thick top with a PVC edge and radius corners.

The codes **GR / TN VS 6002-T / EB** specify a Graphite base, Nevamar VS 6002-T laminate and the PVC edge in Ebony.

BUC/TLL/PH2/WUL adds dual wheel casters, a lightweight laminate core, 2 Henris installed in specified location and a wire metal legway.

Uno²









Questions?

1.800.876.2120

Black = Fixed Bases

Blue = Tilt Bases

	top > edge >	Laminate PVC	Laminate 3mm Wood	Laminate 2mm Acrylic
		Flat 	Flat 	Reverse Bevel 
edge ordering code (radius corner) > or edge ordering code (square corner) > top thickness >	LP2R or LP2S 1 1/4"	LP3R or LP3S 1 3/4"	LW2R or LW2S 1 1/4"	LMRA2R or LMRA2S 1 1/4"
		Fluted 	Fluted 	
edge ordering code (radius corner) > or edge ordering code (square corner) > top thickness >	LPF2R or LPF2S 1 1/4"	LPF3R or LPF3S 1 3/4"	LWF2R or LWF2S 1 1/4"	
		1 1/4"	1 3/4"	1 1/4"

Base Style	Table Description	Model #	Product Wt	top thickness price >		
				1 1/4"	1 3/4"	1 1/4"
	TC 24 x 48 Fix w/FixMod	USTTC 2448REFX XM	96	912	935	1290
	24 x 48 Fix w/RemMod	USTTC 2448REFX RM	96	926	965	1300
	24 x 48 Tilt w/RemMod	USTTC 2448RETL RM	106	1145	1174	1539
	24 x 48 Fix w/SquareFixLightweightFormMod	USTTC 2448REFX XLS OR XLR	96	926	965	1300
	24 x 48 Fix w/SquareRemLightweightFormMod	USTTC 2448REFX RLS OR RLR	96	926	965	1300
	24 x 48 Tilt w/SquareRemLightweightFormMod	USTTC 2448RETL RLS OR RLR	106	1145	1174	1539
	24 x 48 Fix w/FixFormMod	USTTC 2448REFX XFS OR XFR	107	992	1025	1270
	24 x 60 Fix w/FixMod	USTTC 2460REFX XM	109	1029	1073	1584
	24 x 60 Fix w/RemMod	USTTC 2460REFX RM	109	1057	1101	1610
	24 x 60 Tilt w/RemMod	USTTC 2460RETL RM	119	1266	1310	1819
	24 x 60 Fix w/SquareFixLightweightFormMod	USTTC 2460REFX XLS OR XLR	109	1057	1101	1610
	24 x 60 Fix w/SquareRemLightweightFormMod	USTTC 2460REFX RLS OR RLR	109	1057	1101	1610
	24 x 60 Tilt w/SquareRemLightweightFormMod	USTTC 2460RETL RLS OR RLR	119	1266	1310	1819
	24 x 60 Fix w/FixFormMod	USTTC 2460REFX XFS OR XFR	120	1219	1262	1549
	24 x 72 Fix w/FixMod	USTTC 2472REFX XM	130	1187	1225	1961
	24 x 72 Fix w/RemMod	USTTC 2472REFX RM	130	1216	1253	1988
	24 x 72 Tilt w/RemMod	USTTC 2472RETL RM	142	1425	1462	2197
	24 x 72 Fix w/SquareFixLightweightFormMod	USTTC 2472REFX XLS OR XLR	130	1216	1253	1988
	24 x 72 Fix w/SquareRemLightweightFormMod	USTTC 2472REFX RLS OR RLR	130	1216	1253	1988
	24 x 72 Tilt w/SquareRemLightweightFormMod	USTTC 2472RETL RLS OR RLR	142	1425	1462	2197
24 x 72 Fix w/FixFormMod	USTTC 2472REFX XFS OR XFR	140	1331	1368	1691	
24 x 84 Fix w/FixMod	USTTC 2484REFX XM	119	1332	1338	2035	
24 x 84 Fix w/RemMod	USTTC 2484REFX RM	119	1350	1358	2049	
24 x 84 Tilt w/RemMod	USTTC 2484RETL RM	129	1570	1575	2289	
24 x 90 Fix w/FixMod	USTTC 2490REFX XM	156	1615	1630	2537	
24 x 90 Fix w/RemMod	USTTC 2490REFX RM	156	1684	1699	2192	
24 x 90 Tilt w/RemMod	USTTC 2490RETL RM	166	1893	1908	2401	
24 x 96 Fix w/FixMod	USTTC 2496REFX XM	162	1615	1630	2537	
24 x 96 Fix w/RemMod	USTTC 2496REFX RM	162	1684	1699	2192	
24 x 96 Tilt w/RemMod	USTTC 2496RETL RM	172	1893	1908	2401	

Note: Training tables are often used with lightweight computer accessories. For heavy duty applications, such as large scale computer equipment, multiple monitor mounts, etc., Versteel suggests adding a third leg or stretcher. The price of the 84", 90" and 96" models include a stretcher rail required for additional support. Contact customer service if you have specific application concerns or questions.

Sample Product Number Construction:

- Choose your base model, including a top & edge style.
- Specify the base finish, laminate or veneer code, and edge color.
- Indicate selected base options.
 - Indicate selected top options.
 - Indicate selected power and data options.
 - Indicate selected wire management options.

Base Options		Code	Price
Alternate Table Height 32" & Under		BAH	\$ 59
Alternate Table Height 32" & Over		BSP	call
Casters ☉ - Dual Wheel		BUC	\$ 103
Mix - Dual Wheel Casters & Glides		BMD	\$ 97
Self-Leveling Glides ☉		BLG	\$ 28
Stretcher Rail (Fix/Tilt) Finish Same as Base		BSR	\$ 147

Finish Options			
Chrome			\$ 400
Nickel			\$ 99
Powder Coat - Standard			n/c
Powder Coat - Premium			\$ 99

Top Options			
Table Link (all four sides)		TLK	\$ 153
Table Link (24" ends only)		TLE	\$ 80
Lightweight Laminate Core (to 96" length)		TLL	\$ 145
Special Laminate		TSP	call
Laptop Locker (each)		TLA	\$ 850
(available on fixed tables only, see page 35 in All Tables Price List for additional information)			
Electronic Lock (per locker)		TLEL	\$ 220
Power Unit (up to 10 lockers sequenced, includes 1 key) - required for electronic lock		TLPU	\$ 350

Power and Data Options			
Henri (each, jacks not included)		PH1	\$ 211
Jack Options listed below			
Henri Now (each, jacks not included)		PHN1	\$ 193
Power Infeed Cord required, additional charge			
Jack Options: Voice and Data only, listed below			
Power Access (each, jacks not included)		EPA	\$ 388
Power Infeed Cord required when linked, additional charge			
Finish Options			
Powder Coat			included
Clear Anodized Aluminum (each)			+\$44
Stainless Steel (each)			+\$44
Black Anodized (each)			+\$44
Configurable Data Plate - Options listed below			

Power Infeed Cord (each)		HNPU	\$ 193
Power & Data Globe w/Data Jacks		PPD	\$ 247
Power Source Outlets		PPS	\$ 67
Powerlink Package		PPT	\$ 760

Configurable Data Plate Options					
Power Access/Power Bay (call for configuration options)					
CAT 6 Data	DA	\$ 25	HDMI	HD	\$ 56
CAT 3 Voice	VO	\$ 8	DVI	DV	\$ 44
VGA	VG	\$ 16	USB	US	\$ 24
Mini-Stereo	MS	\$ 12	RCA	RC	\$ 24

Henri/Henri Now Options			
Voice & Data Jacks (1 ea per Henri/Henri Now Unit)		AHVDJ	\$ 47
Data Jacks (2 per Henri/Henri Now Unit)		AHDDJ	\$ 53
Quick Connect (1 per Henri/Henri Now Unit)			
Voice/Data		AHQVDJ	\$ 117
Quick Connect (1 per Henri/Henri Now Unit)			
Data/Data		AHQDDJ	\$ 135

Wire Management Options			
Basket, Modesty Mount		WBM	\$ 57
Basket, Under Top Mount		WBT	\$ 57
Wire Metal Legway (each)		WUL	\$ 37
1 Oval Brush Grommet - Location A		WOA	\$ 57
2 Oval Brush Grommets - Location E		WOE	\$ 114
1 Oval Brush Grommet - Provide Location Print		WOG	\$ 57
1 Round Grommet - Location A		WRA	\$ 45
2 Round Grommets - Location E		WRE	\$ 89
1 Round Grommet - Provide Location Print		WRG	\$ 45

Accessories			
Keyboard Platform w/Mouse Surface		AKP24M	\$ 468
CPU Holder (3"- 9" adjustment)		ACPU3-9F	\$ 144
CPU Holder (5"- 8" adjustment)		ACPU5-8F	\$ 94
CPU Holder (3"- 5" adjustment)		ACPU3F	\$ 94
Table Floor Mount Bracket Set		AFB	\$ 33



A **USTTC 2448REFX XM LP2R** is a Uno² series 24" x 48" rectangle table with fixed TC bases, fixed modesty panel and a laminate 1 1/4" thick top with a PVC edge and radius corners.

The codes **GR/TN VS 6002-T/EB** specify a Graphite base, Nevamar VS 6002-T laminate and the PVC edge in Ebony.

BUC/TLL/PH2/WUL adds dual wheel casters, a lightweight laminate core, 2 Henri installed in specified location and a wire metal legway.

Uno²



Questions?

1.800.876.2120

Black = Fixed Bases

Blue = Tilt Bases

	top > edge >	Laminate PVC	Laminate 3mm Wood	Laminate 2mm Acrylic
		Flat 	Flat 	Reverse Bevel
edge ordering code (radius corner) > or edge ordering code (square corner) > top thickness >	LP2R or LP2S 1 1/4"	LP3R or LP3S 1 3/4"	LW2R or LW2S 1 1/4"	LMRA2R or LMRA2S 1 1/4"
	Fluted 	Fluted 		
edge ordering code (radius corner) > or edge ordering code (square corner) > top thickness >	LPF2R or LPF2S 1 1/4"	LPF3R or LPF3S 1 3/4"	LWF2R or LWF2S 1 1/4"	
	1 1/4"	1 3/4"	1 1/4"	

Base Style	Table Description	Model #	Product Wt		1 1/4"	1 3/4"	1 1/4"
			1 1/4"	1 3/4"			
 TC	30 x 48 Fix w/FixMod	USTTC 3048REFX XM	100	988	1080		1382
	30 x 48 Fix w/RemMod	USTTC 3048REFX RM	100	1005	1097		1393
	30 x 48 Tilt w/RemMod	USTTC 3048RETL RM	110	1227	1313		1624
	30 x 48 Fix w/SquareFixLightweightFormMod	USTTC 3048REFX XLS OR XLR	100	1005	1097		1393
	30 x 48 Fix w/SquareRemLightweightFormMod	USTTC 3048REFX RLS OR RLR	100	1005	1097		1393
	30 x 48 Tilt w/SquareRemLightweightFormMod	USTTC 3048RETL RLS OR RLR	110	1227	1313		1624
	30 x 48 Fix w/FixFormMod	USTTC 3048REFX XFS OR XFR	112	1077	1177		1371
	30 x 60 Fix w/FixMod	USTTC 3060REFX XM	124	1106	1141		1681
	30 x 60 Fix w/RemMod	USTTC 3060REFX RM	124	1132	1167		1708
	30 x 60 Tilt w/RemMod	USTTC 3060RETL RM	134	1342	1378		1918
	30 x 60 Fix w/SquareFixLightweightFormMod	USTTC 3060REFX XLS OR XLR	124	1132	1167		1708
	30 x 60 Fix w/SquareRemLightweightFormMod	USTTC 3060REFX RLS OR RLR	124	1132	1167		1708
	30 x 60 Tilt w/SquareRemLightweightFormMod	USTTC 3060RETL RLS OR RLR	134	1342	1378		1918
	30 x 60 Fix w/FixFormMod	USTTC 3060REFX XFS OR XFR	136	1294	1329		1646
	30 x 72 Fix w/FixMod	USTTC 3072REFX XM	148	1218	1256		2046
	30 x 72 Fix w/RemMod	USTTC 3072REFX RM	148	1246	1284		2073
	30 x 72 Tilt w/RemMod	USTTC 3072RETL RM	160	1455	1494		2283
	30 x 72 Fix w/SquareFixLightweightFormMod	USTTC 3072REFX XLS OR XLR	148	1246	1284		2073
	30 x 72 Fix w/SquareRemLightweightFormMod	USTTC 3072REFX RLS OR RLR	148	1246	1284		2073
	30 x 72 Tilt w/SquareRemLightweightFormMod	USTTC 3072RETL RLS OR RLR	160	1455	1494		2283
30 x 72 Fix w/FixFormMod	USTTC 3072REFX XFS OR XFR	158	1361	1400		1776	
30 x 84 Fix w/FixMod	USTTC 3084REFX XM	139	1385	1444		2203	
30 x 84 Fix w/RemMod	USTTC 3084REFX RM	139	1404	1464		2218	
30 x 84 Tilt w/RemMod	USTTC 3084RETL RM	149	1624	1680		2454	
30 x 90 Fix w/FixMod	USTTC 3090REFX XM	159	1625	1722		2704	
30 x 90 Fix w/RemMod	USTTC 3090REFX RM	159	1648	1745		2729	
30 x 90 Tilt w/RemMod	USTTC 3090RETL RM	171	1859	1954		2938	
30 x 96 Fix w/FixMod	USTTC 3096REFX XM	185	1625	1722		2704	
30 x 96 Fix w/RemMod	USTTC 3096REFX RM	185	1648	1745		2729	
30 x 96 Tilt w/RemMod	USTTC 3096RETL RM	195	1859	1954		2938	

Note: Training tables are often used with lightweight computer accessories. For heavy duty applications, such as large scale computer equipment, multiple monitor mounts, etc., Versteel suggests adding a third leg or stretcher. The price of the 84", 90" and 96" models include a stretcher rail required for additional support. Contact customer service if you have specific application concerns or questions.

Sample Product Number Construction:

- Choose your base model, including a top & edge style.
- Specify the base finish, laminate or veneer code, and edge color.
- Indicate selected base options.
 - Indicate selected top options.
 - Indicate selected power and data options.
 - Indicate selected wire management options.

Base Options		Code	Price
Alternate Table Height 32" & Under		BAH	\$ 59
Alternate Table Height 32" & Over		BSP	call
Casters ☉ - Dual Wheel		BUC	\$ 103
Mix - Dual Wheel Casters & Glides		BMD	\$ 97
Self-Leveling Glides ☉		BLG	\$ 28
Stretcher Rail (Fix/Tilt) Finish Same as Base		BSR	\$ 147

Finish Options			
Chrome			\$ 400
Nickel			\$ 99
Powder Coat - Standard			n/c
Powder Coat - Premium			\$ 99

Top Options			
Table Link (all four sides)		TLK	\$ 153
Table Link (30" ends only)		TLE	\$ 80
Lightweight Laminate Core (to 96" length)		TLL	\$ 145
Special Laminate		TSP	call
Laptop Locker (each)		TLA	\$ 850
(available on fixed tables only, see page 35 in All Tables Price List for additional information)			
Electronic Lock (per locker)		TLEL	\$ 220
Power Unit (up to 10 lockers sequenced, includes 1 key) - required for electronic lock		TLP	\$ 350

Power and Data Options			
Henri (each, jacks not included)		PH1	\$ 211
Jack Options listed below			
Henri Now (each, jacks not included)		PHN1	\$ 193
Power Infeed Cord required, additional charge			
Jack Options: Voice and Data only, listed below			
Power Access (each, jacks not included)		EPA	\$ 388
Power Infeed Cord required when linked, additional charge			
Finish Options			
Powder Coat			included
Clear Anodized Aluminum (each)			+\$44
Stainless Steel (each)			+\$44
Black Anodized (each)			+\$44
Configurable Data Plate - Options listed below			

Power Infeed Cord (each)		HNPU	\$ 193
Power & Data Globe w/Data Jacks		PPD	\$ 247
Power Source Outlets		PPS	\$ 67
Powerlink Package		PPT	\$ 760

Configurable Data Plate Options					
Power Access/Power Bay (call for configuration options)					
CAT 6 Data	DA	\$ 25	HDMI	HD	\$ 56
CAT 3 Voice	VO	\$ 8	DVI	DV	\$ 44
VGA	VG	\$ 16	USB	US	\$ 24
Mini-Stereo	MS	\$ 12	RCA	RC	\$ 24

Henri/Henri Now Options			
Voice & Data Jacks (1 ea per Henri/Henri Now Unit)		AHVDJ	\$ 47
Data Jacks (2 per Henri/Henri Now Unit)		AHDDJ	\$ 53
Quick Connect (1 per Henri/Henri Now Unit)			
Voice/Data		AHQVDJ	\$ 117
Quick Connect (1 per Henri/Henri Now Unit)			
Data/Data		AHQDDJ	\$ 135

Wire Management Options			
Basket, Modesty Mount		WBM	\$ 57
Basket, Under Top Mount		WBT	\$ 57
Wire Metal Legway (each)		WUL	\$ 37
1 Oval Brush Grommet - Location A		WOA	\$ 57
2 Oval Brush Grommets - Location E		WOE	\$ 114
1 Oval Brush Grommet - Provide Location Print		WOG	\$ 57
1 Round Grommet - Location A		WRA	\$ 45
2 Round Grommets - Location E		WRE	\$ 89
1 Round Grommet - Provide Location Print		WRG	\$ 45

Accessories			
Keyboard Platform w/Mouse Surface		AKP24M	\$ 468
CPU Holder (3"- 9" adjustment)		ACPU3-9F	\$ 144
CPU Holder (5"- 8" adjustment)		ACPU5-8F	\$ 94
CPU Holder (3"- 5" adjustment)		ACPU3F	\$ 94
Table Floor Mount Bracket Set		AFB	\$ 33



A **USTTC 3048REFX XM LP2R** is a Uno² series 30" x 48" rectangle table with fixed TC bases, fixed modesty panel and a laminate 1 1/4" thick top with a PVC edge and radius corners.

The codes **GR / TN VS 6002-T/EB** specify a Graphite base, Nevamar VS 6002-T laminate and the PVC edge in Ebony.

BUC/TLL/PH2/WUL adds dual wheel casters, a lightweight laminate core, 2 Henri installed in specified location and a wire metal legway.

Uno²



Questions?

1.800.876.2120

Black = Fixed Bases

top >
edge >

Laminate
PVC

Laminate
3mm Wood

Flat



Flat



edge ordering code (radius corner) >
or
edge ordering code (square corner) >
top thickness >

LP2R
or
LP2S
1 1/4"

LP3R
or
LP3S
1 3/4"

LW2R
or
LW2S
1 1/4"

Fluted



Fluted



edge ordering code (radius corner) >
or
edge ordering code (square corner) >
top thickness >

LPF2R
or
LPF2S
1 1/4"

LPF3R
or
LPF3S
1 3/4"

LWF2R
or
LWF2S
1 1/4"

top thickness price >
1 1/4" 1 3/4" 1 1/4"

Base Style	Table Description	Model #	Product Wt			
<p>L1</p>	18 x 48 Fix w/FixMod	USTL1 1848REFX XM	70	869	941	1183
	18 x 48 Fix w/RemMod	USTL1 1848REFX RM	70	882	955	1191
	18 x 48 Fix w/FixFormMod	USTL1 1848REFX XFS OR XFR	89	951	1032	1165
	18 x 60 Fix w/FixMod	USTL1 1860REFX XM	90	1003	1049	1450
	18 x 60 Fix w/RemMod	USTL1 1860REFX RM	90	1030	1075	1479
	18 x 60 Fix w/FixFormMod	USTL1 1860REFX XFS OR XFR	100	1192	1239	1417
	18 x 72 Fix w/FixMod	USTL1 1872REFX XM	113	1086	1149	1768
	18 x 72 Fix w/RemMod	USTL1 1872REFX RM	113	1114	1176	1796
	18 x 72 Fix w/FixFormMod	USTL1 1872REFX XFS OR XFR	123	1229	1291	1498
	18 x 84 Fix w/FixMod	USTL1 1884REFX XM	100	1242	1321	1846
	18 x 84 Fix w/RemMod	USTL1 1884REFX RM	100	1259	1339	1859
	18 x 90 Fix w/FixMod	USTL1 1890REFX XM	119	1306	1366	2138
	18 x 90 Fix w/RemMod	USTL1 1890REFX RM	119	1343	1403	2175
	18 x 96 Fix w/FixMod	USTL1 1896REFX XM	121	1309	1370	2226
	18 x 96 Fix w/RemMod	USTL1 1896REFX RM	121	1332	1395	2251

Note: Training tables are often used with lightweight computer accessories. For heavy duty applications, such as large scale computer equipment, multiple monitor mounts, etc., Versteel suggests adding a third leg or stretcher. The price of the 84", 90" and 96" models include a stretcher rail required for additional support. Contact customer service if you have specific application concerns or questions.

Sample Product Number Construction:

- 1 Choose your base model, including a top & edge style.
- 2 Specify the base finish, laminate or veneer code, and edge color.
- 3
 - a. Indicate selected base options.
 - b. Indicate selected top options.
 - c. Indicate selected power and data options.
 - d. Indicate selected wire management options.

Base Options		Code	Price
Alternate Table Height 32" & Under		BAH	\$ 59
Alternate Table Height 32" & Over		BSP	call
Casters  - Dual Wheel		BUC	\$ 103
Mix - Dual Wheel Casters & Glides		BMD	\$ 97
Self-Leveling Glides 		BLG	\$ 28
Stretcher Rail (Fix/Tilt) Finish Same as Base		BSR	\$ 147

Finish Options			
Chrome			\$ 400
Nickel			\$ 99
Powder Coat - Standard			n/c
Powder Coat - Premium			\$ 99

Top Options			
Table Link (all four sides)		TLK	\$ 153
Table Link (30" ends only)		TLE	\$ 80
Lightweight Laminate Core (to 96" length)		TLL	\$ 145
Special Laminate		TSP	call
Laptop Locker (each)		TLA	\$ 850
(available on fixed tables only, see page 35 in All Tables Price List for additional information)			
Electronic Lock (per locker)		TLEL	\$ 220
Power Unit (up to 10 lockers sequenced, includes 1 key) - required for electronic lock		TLP	\$ 350

Power and Data Options			
Henri (each, jacks not included)		PH1	\$ 211
Jack Options listed below			
Henri Now (each, jacks not included)		PHN1	\$ 193
Power Infeed Cord required, additional charge			
Jack Options: Voice and Data only, listed below			
Power Access (each, jacks not included)		EPA	\$ 388
Power Infeed Cord required when linked, additional charge			
Finish Options			
Powder Coat			included
Clear Anodized Aluminum (each)			+\$44
Stainless Steel (each)			+\$44
Black Anodized (each)			+\$44
Configurable Data Plate - Options listed below			

Power Infeed Cord (each)		HNPU	\$ 193
Power & Data Globe w/Data Jacks		PPD	\$ 247
Power Source Outlets		PPS	\$ 67
Powerlink Package		PPT	\$ 760

Configurable Data Plate Options					
Power Access/Power Bay (call for configuration options)					
CAT 6 Data	DA	\$ 25	HDMI	HD	\$ 56
CAT 3 Voice	VO	\$ 8	DVI	DV	\$ 44
VGA	VG	\$ 16	USB	US	\$ 24
Mini-Stereo	MS	\$ 12	RCA	RC	\$ 24

Henri/Henri Now Options			
Voice & Data Jacks (1 ea per Henri/Henri Now Unit)		AHVDJ	\$ 47
Data Jacks (2 per Henri/Henri Now Unit)		AHDDJ	\$ 53
Quick Connect (1 per Henri/Henri Now Unit)			
Voice/Data		AHQVDJ	\$ 117
Quick Connect (1 per Henri/Henri Now Unit)			
Data/Data		AHQDDJ	\$ 135

Wire Management Options			
Basket, Modesty Mount		WBM	\$ 57
Basket, Under Top Mount		WBT	\$ 57
Wire Metal Legway (each)		WUL	\$ 37
1 Oval Brush Grommet - Location A		WOA	\$ 57
2 Oval Brush Grommets - Location E		WOE	\$ 114
1 Oval Brush Grommet - Provide Location Print		WOG	\$ 57
1 Round Grommet - Location A		WRA	\$ 45
2 Round Grommets - Location E		WRE	\$ 89
1 Round Grommet - Provide Location Print		WRG	\$ 45

Accessories			
Keyboard Platform w/Mouse Surface		AKP24M	\$ 468
CPU Holder (3"- 9" adjustment)		ACPU3-9F	\$ 144
CPU Holder (5"- 8" adjustment)		ACPU5-8F	\$ 94
CPU Holder (3"- 5" adjustment)		ACPU3F	\$ 94
Table Floor Mount Bracket Set		AFB	\$ 33



A **USTL1 1860REFX XM LP2R** is a Uno² series 18" x 60" rectangle table with fixed L1 bases, fixed modesty panel and a laminate 1 1/4" thick top with a PVC edge and radius corners.

The codes **GR/TN VS 6002-T/EB** specify a Graphite base, Nevamar VS 6002-T laminate and the PVC edge in Ebony.

BUC/TLL/PH2/WUL adds dual wheel casters, a lightweight laminate core, 2 Henri installed in specified location and a wire metal legway.

Uno²



Questions?

1.800.876.2120

Black = Fixed Bases

	top >	Laminate PVC	Laminate 3mm Wood	Laminate 2mm Acrylic
	edge >	Flat 	Flat 	Reverse Bevel
edge ordering code (radius corner) >	LP2R or LP2S	LP3R or LP3S	LW2R or LW2S	LMRA2R or LMRA2S
edge ordering code (square corner) >	LP2R or LP2S	LP3R or LP3S	LW2R or LW2S	LMRA2R or LMRA2S
top thickness >	1 1/4"	1 3/4"	1 1/4"	1 1/4"
		Fluted 	Fluted 	
edge ordering code (radius corner) >	LPF2R or LPF2S	LPF3R or LPF3S	LWF2R or LWF2S	
edge ordering code (square corner) >	LPF2R or LPF2S	LPF3R or LPF3S	LWF2R or LWF2S	
top thickness >	1 1/4"	1 3/4"	1 1/4"	
top thickness price >	1 1/4"	1 3/4"		1 1/4"

Base Style	Table Description	Model #	Product Wt	1 1/4"	1 3/4"	1 1/4"
<p>L1</p>	24 x 48 Fix w/FixMod	USTL1 2448REFX XM	96	912	935	1290
	24 x 48 Fix w/RemMod	USTL1 2448REFX RM	96	926	965	1300
	24 x 48 Fix w/FixFormMod	USTL1 2448REFX XFS OR XFR	107	992	1025	1270
	24 x 60 Fix w/FixMod	USTL1 2460REFX XM	109	1029	1073	1584
	24 x 60 Fix w/RemMod	USTL1 2460REFX RM	109	1057	1101	1610
	24 x 60 Fix w/FixFormMod	USTL1 2460REFX XFS OR XFR	120	1219	1262	1549
	24 x 72 Fix w/FixMod	USTL1 2472REFX XM	130	1187	1225	1961
	24 x 72 Fix w/RemMod	USTL1 2472REFX RM	130	1216	1253	1988
	24 x 72 Fix w/FixFormMod	USTL1 2472REFX XFS OR XFR	140	1331	1368	1691
	24 x 84 Fix w/FixMod	USTL1 2484REFX XM	119	1332	1338	2035
	24 x 84 Fix w/RemMod	USTL1 2484REFX RM	119	1350	1358	2049
	24 x 90 Fix w/FixMod	USTL1 2490REFX XM	156	1446	1462	2328
	24 x 90 Fix w/RemMod	USTL1 2490REFX RM	156	1483	1499	2365
	24 x 96 Fix w/FixMod	USTL1 2496REFX XM	162	1460	1475	2383
	24 x 96 Fix w/RemMod	USTL1 2496REFX RM	162	1529	1544	2038

Note: Training tables are often used with lightweight computer accessories. For heavy duty applications, such as large scale computer equipment, multiple monitor mounts, etc., Versteel suggests adding a third leg or stretcher. The price of the 84", 90" and 96" models include a stretcher rail required for additional support. Contact customer service if you have specific application concerns or questions.

Sample Product Number Construction:

- Choose your base model, including a top & edge style.
- Specify the base finish, laminate or veneer code, and edge color.
- Indicate selected base options.
 - Indicate selected top options.
 - Indicate selected power and data options.
 - Indicate selected wire management options.

Base Options		Code	Price
Alternate Table Height 32" & Under		BAH	\$ 59
Alternate Table Height 32" & Over		BSP	call
Casters  - Dual Wheel		BUC	\$ 103
Mix - Dual Wheel Casters & Glides		BMD	\$ 97
Self-Leveling Glides 		BLG	\$ 28
Stretcher Rail (Fix/Tilt) Finish Same as Base		BSR	\$ 147

Finish Options			
Chrome			\$ 400
Nickel			\$ 99
Powder Coat - Standard			n/c
Powder Coat - Premium			\$ 99

Top Options			
Table Link (all four sides)		TLK	\$ 153
Table Link (30" ends only)		TLE	\$ 80
Lightweight Laminate Core (to 96" length)		TLL	\$ 145
Special Laminate		TSP	call
Laptop Locker (each)		TLA	\$ 850
(available on fixed tables only, see page 35 in All Tables Price List for additional information)			
Electronic Lock (per locker)		TLEL	\$ 220
Power Unit (up to 10 lockers sequenced, includes 1 key) - required for electronic lock		TLPU	\$ 350

Power and Data Options			
Henri (each, jacks not included)		PH1	\$ 211
Jack Options listed below			
Henri Now (each, jacks not included)		PHN1	\$ 193
Power Infeed Cord required, additional charge			
Jack Options: Voice and Data only, listed below			
Power Access (each, jacks not included)		EPA	\$ 388
Power Infeed Cord required when linked, additional charge			
Finish Options			
Powder Coat			included
Clear Anodized Aluminum (each)			+\$44
Stainless Steel (each)			+\$44
Black Anodized (each)			+\$44
Configurable Data Plate - Options listed below			

Power Infeed Cord (each)		HNPU	\$ 193
Power & Data Globe w/Data Jacks		PPD	\$ 247
Power Source Outlets		PPS	\$ 67
Powerlink Package		PPT	\$ 760

Configurable Data Plate Options					
Power Access/Power Bay (call for configuration options)					
CAT 6 Data	DA	\$ 25	HDMI	HD	\$ 56
CAT 3 Voice	VO	\$ 8	DVI	DV	\$ 44
VGA	VG	\$ 16	USB	US	\$ 24
Mini-Stereo	MS	\$ 12	RCA	RC	\$ 24

Henri/Henri Now Options			
Voice & Data Jacks (1 ea per Henri/Henri Now Unit)		AHVDJ	\$ 47
Data Jacks (2 per Henri/Henri Now Unit)		AHDDJ	\$ 53
Quick Connect (1 per Henri/Henri Now Unit)			
Voice/Data		AHQVDJ	\$ 117
Quick Connect (1 per Henri/Henri Now Unit)			
Data/Data		AHQDDJ	\$ 135

Wire Management Options			
Basket, Modesty Mount		WBM	\$ 57
Basket, Under Top Mount		WBT	\$ 57
Wire Metal Legway (each)		WUL	\$ 37
1 Oval Brush Grommet - Location A		WOA	\$ 57
2 Oval Brush Grommets - Location E		WOE	\$ 114
1 Oval Brush Grommet - Provide Location Print		WOG	\$ 57
1 Round Grommet - Location A		WRA	\$ 45
2 Round Grommets - Location E		WRE	\$ 89
1 Round Grommet - Provide Location Print		WRG	\$ 45

Accessories			
Keyboard Platform w/Mouse Surface		AKP24M	\$ 468
CPU Holder (3"- 9" adjustment)		ACPU3-9F	\$ 144
CPU Holder (5"- 8" adjustment)		ACPU5-8F	\$ 94
CPU Holder (3"- 5" adjustment)		ACPU3F	\$ 94
Table Floor Mount Bracket Set		AFB	\$ 33



A **USTL1 2460REFX XM LP2R** is a Uno² series 24" x 60" rectangle table with fixed L1 bases, fixed modesty panel and a laminate 1 1/4" thick top with a PVC edge and radius corners.

The codes **GR / TN VS 6002-T/EB** specify a Graphite base, Nevamar VS 6002-T laminate and the PVC edge in Ebony.

BUC/TLL/PH2/WUL adds dual wheel casters, a lightweight laminate core, 2 Henri installed in specified location and a wire metal legway.

Uno²



Questions?

1.800.876.2120

Black = Fixed Bases

	top >	Laminate PVC	Laminate 3mm Wood	Laminate 2mm Acrylic
	edge >	Flat 	Flat 	Reverse Bevel
edge ordering code (radius corner) > or edge ordering code (square corner) >	LP2R or LP2S	LP3R or LP3S	LW2R or LW2S	LMRA2R or LMRA2S
top thickness >	1 1/4"	1 3/4"	1 1/4"	1 1/4"
		Fluted 	Fluted 	
edge ordering code (radius corner) > or edge ordering code (square corner) >	LPF2R or LPF2S	LPF3R or LPF3S	LWF2R or LWF2S	
top thickness >	1 1/4"	1 3/4"	1 1/4"	
				1 1/4"

Base Style	Table Description	Model #	Product Wt	1 1/4"	1 3/4"	1 1/4"
<p>L1</p>	30 x 48 Fix w/FixMod	USTL1 3048REFX XM	100	988	1080	1382
	30 x 48 Fix w/RemMod	USTL1 3048REFX RM	100	1005	1097	1393
	30 x 48 Fix w/FixFormMod	USTL1 3048REFX XFS OR XFR	112	1077	1177	1371
	30 x 60 Fix w/FixMod	USTL1 3060REFX XM	124	1106	1141	1681
	30 x 60 Fix w/RemMod	USTL1 3060REFX RM	124	1132	1167	1708
	30 x 60 Fix w/FixFormMod	USTL1 3060REFX XFS OR XFR	136	1294	1329	1646
	30 x 72 Fix w/FixMod	USTL1 3072REFX XM	148	1218	1256	2046
	30 x 72 Fix w/RemMod	USTL1 3072REFX RM	148	1246	1284	2073
	30 x 72 Fix w/FixFormMod	USTL1 3072REFX XFS OR XFR	158	1361	1400	1776
	30 x 84 Fix w/FixMod	USTL1 3084REFX XM	139	1385	1444	2203
	30 x 84 Fix w/RemMod	USTL1 3084REFX RM	139	1404	1464	2218
	30 x 90 Fix w/FixMod	USTL1 3090REFX XM	159	1466	1562	2461
	30 x 90 Fix w/RemMod	USTL1 3090REFX RM	159	1504	1600	2498
	30 x 96 Fix w/FixMod	USTL1 3096REFX XM	185	1470	1567	2550
	30 x 96 Fix w/RemMod	USTL1 3096REFX RM	185	1494	1591	2574

Note: Training tables are often used with lightweight computer accessories. For heavy duty applications, such as large scale computer equipment, multiple monitor mounts, etc., Versteel suggests adding a third leg or stretcher. The price of the 84", 90" and 96" models include a stretcher rail required for additional support. Contact customer service if you have specific application concerns or questions.

Sample Product Number Construction:

- Choose your base model, including a top & edge style.
- Specify the base finish, laminate or veneer code, and edge color.
- Indicate selected base options.
 - Indicate selected top options.
 - Indicate selected power and data options.
 - Indicate selected wire management options.

Base Options		Code	Price
Alternate Table Height 32" & Under		BAH	\$ 59
Alternate Table Height 32" & Over		BSP	call
Casters ☉ - Dual Wheel		BUC	\$ 103
Mix - Dual Wheel Casters & Glides		BMD	\$ 97
Self-Leveling Glides ☉		BLG	\$ 28
Stretcher Rail (Fix/Tilt) Finish Same as Base		BSR	\$ 147

Finish Options			
Chrome			\$ 400
Nickel			\$ 99
Powder Coat - Standard			n/c
Powder Coat - Premium			\$ 99

Top Options			
Table Link (all four sides)		TLK	\$ 153
Table Link (30" ends only)		TLE	\$ 80
Lightweight Laminate Core (to 96" length)		TLL	\$ 145
Special Laminate		TSP	call
Laptop Locker (each)		TLA	\$ 850
(available on fixed tables only, see page 35 in All Tables Price List for additional information)			
Electronic Lock (per locker)		TLEL	\$ 220
Power Unit (up to 10 lockers sequenced, includes 1 key) - required for electronic lock		TLPU	\$ 350

Power and Data Options			
Henri (each, jacks not included)		PH1	\$ 211
Jack Options listed below			
Henri Now (each, jacks not included)		PHN1	\$ 193
Power Infeed Cord required, additional charge			
Jack Options: Voice and Data only, listed below			
Power Access (each, jacks not included)		EPA	\$ 388
Power Infeed Cord required when linked, additional charge			
Finish Options			
Powder Coat			included
Clear Anodized Aluminum (each)			+\$44
Stainless Steel (each)			+\$44
Black Anodized (each)			+\$44
Configurable Data Plate - Options listed below			

Power Infeed Cord (each)		HNPU	\$ 193
Power & Data Globe w/Data Jacks		PPD	\$ 247
Power Source Outlets		PPS	\$ 67
Powerlink Package		PPT	\$ 760

Configurable Data Plate Options					
Power Access/Power Bay (call for configuration options)					
CAT 6 Data	DA	\$ 25	HDMI	HD	\$ 56
CAT 3 Voice	VO	\$ 8	DVI	DV	\$ 44
VGA	VG	\$ 16	USB	US	\$ 24
Mini-Stereo	MS	\$ 12	RCA	RC	\$ 24

Henri/Henri Now Options			
Voice & Data Jacks (1 ea per Henri/Henri Now Unit)		AHVDJ	\$ 47
Data Jacks (2 per Henri/Henri Now Unit)		AHDDJ	\$ 53
Quick Connect (1 per Henri/Henri Now Unit)			
Voice/Data		AHQVDJ	\$ 117
Quick Connect (1 per Henri/Henri Now Unit)			
Data/Data		AHQDDJ	\$ 135

Wire Management Options			
Basket, Modesty Mount		WBM	\$ 57
Basket, Under Top Mount		WBT	\$ 57
Wire Metal Legway (each)		WUL	\$ 37
1 Oval Brush Grommet - Location A		WOA	\$ 57
2 Oval Brush Grommets - Location E		WOE	\$ 114
1 Oval Brush Grommet - Provide Location Print		WOG	\$ 57
1 Round Grommet - Location A		WRA	\$ 45
2 Round Grommets - Location E		WRE	\$ 89
1 Round Grommet - Provide Location Print		WRG	\$ 45

Accessories			
Keyboard Platform w/Mouse Surface		AKP24M	\$ 468
CPU Holder (3"- 9" adjustment)		ACPU3-9F	\$ 144
CPU Holder (5"- 8" adjustment)		ACPU5-8F	\$ 94
CPU Holder (3"- 5" adjustment)		ACPU3F	\$ 94
Table Floor Mount Bracket Set		AFB	\$ 33



A **USTL1 3060REFX XM LP2R** is a Uno² series 30" x 60" rectangle table with fixed L1 bases, fixed modesty panel and a laminate 1 1/4" thick top with a PVC edge and radius corners.

The codes **GR/TN VS 6002-T/EB** specify a Graphite base, Nevamar VS 6002-T laminate and the PVC edge in Ebony.

BUC/TLL/PH2/WUL adds dual wheel casters, a lightweight laminate core, 2 Henris installed in specified location and a wire metal legway.



800.876.2120

812.482.9318 Fax

www.versteel.com

2332 Cathy Lane Jasper, Indiana 47546 ©2014 Versteel

TPL 14

All prices are delivered list price effective with date printed on cover and supersedes all other published price lists. VERSTEEL reserves the right to change prices or specifications without prior notice. Orders are accepted subject to price prevailing at time of shipment.