



ARO Array 4




# ARO Array 4




Subtly rotating lines evoke rain showers and provide visibility in ARO Array 4. ARO Array hanging panels add texture, color, and modulated visibility to any space. ARO Array offers standard static and transforming patterns that can be used individually or in series. The panels define space, control light and view, and provide varied degrees of privacy.




Medium 4.1



Medium 4.2



Medium 4.3




Small 4.1




Small 4.2



Small 4.3



Large 4.1



Large 4.2

# Specifications

<b>Name</b>	ARO Array 4
<b>Designer</b>	Architecture Research Office
<b>Content</b>	100% Wool Design Felt
<b>Felt Thickness</b>	5 mm (3/16 in)
<b>Available Patterns</b>	Array 4.1, Array 4.2, Array 4.3
<b>Standard Sizes</b>	Small: 2'-10" x 8'-0" (86.4 x 243.8 cm) Medium: 4'-0" x 8'-0" (121.9 x 243.8 cm) Large: 5'-9" x 8'-0" (175 x 243.8 cm)
<b>Maintenance</b>	Vacuum occasionally to remove general air-borne debris. Should soiling occur, clean with a mild, water-free dry cleaning solvent.
<b>Durability</b>	Contract or residential
<b>Lead Time</b>	All hanging panels are made to order and certain lead times will apply.
<b>Track System</b>	Compatible with FilzFelt's Hanging Panel Track System
<b>Custom</b>	Custom sizes and patterns
<b>Variation</b>	Wool felt is a natural material and minor changes and slight inclusions of natural fiber on the surface are evidence of the 100% natural origin of the material. Variations in temperature and humidity can expand or contract the fibers affecting the size and shape of felt pieces. Therefore, please note that sizes may vary up to ±0.5 inch.
<b>Colorfastness to Light</b>	Class 4-5 (40 hours)
<b>Colorfastness to Crocking</b>	Class 3-4 (wet), Class 4-5 (dry)
<b>Environmental</b>	Oeko-Tex Standard 100 Certified Product Class II
<b>Flammability</b>	ASTM E 84 Class A Euroclass EN 13501-1: B-s1-d0 (flame treated), D-s1-d0 (untreated)

## Standard Colors

