
filzfelt Hanging Panel Track System

Contents

Perfection is achieved, not when there is nothing more to add, but when there is nothing left to take away.

— Antoine de Saint Exupéry

Introduction	4
Profiles	6
Mounting	7
Attachment Options	8
Sliding Options	9
Specifications	10




Hanging Panel Track System


Simple and clean, the Hanging Panel Track System is the easiest way to suspend FilzFelt Hanging Panels. The linear system is ideal for using panels as a window treatment, wall dressing or as a room divider. The thin aluminum profile is unobtrusive and and the gliders are quiet and smooth. Choose from options that include up to five channels, ceiling or wall mounting, stationary or sliding and Hanging Panels attach with Velcro or grommets for easy hanging and removal for cleaning.



Profiles

Mounting Styles







Two Channel Profile

One Channel Profile*


*Please note that One Channel track does not include end caps




Three Channel Profile




Four Channel Profile



Five Channel Profile




Ceiling Surface Mounted Section




Wall Mounted Section



Attachment Options




Velcro Connection



Grommet Connection (Available for One Channel Profile only)


Sliding Options



Sliding Connected

The minimum stack size on a single stack will be the width of one panel.

For pair stack it will be width of one panel on each size. 5cm-15cm overlap must be maintained.





Specifications

Name	Hanging Panel Track System
Length	Custom lengths provided
Finish	White Powder-Coated Aluminum
Channel Options	One, Two, Three, Four, or Five
Mounting Options	Ceiling Surface Mounted or Wall Surface Mounted
Sliding Options	Stationary, Sliding Unconnected, or Sliding Connected
Attachment Options	Velcro or Grommet. Grommet available for One Channel Profile only.
Optional Draw Rods	30 in (76.2 cm) or 60 in (152.4 cm)
Delivery	Tracks are delivered assembled and ready to install. Please note that lengths beyond 19'-8" will be delivered in multiple sections and single channel tracks do not include end caps.

